



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

pdfc:server:25.4

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Fri, 4 Apr 2025 20:43:29 +0200
- *Dependencies Scanned:* 1333 (1260 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 96 ([show](#))
- ...
- *NVD API Last Checked:* 2025-04-04T18:40:58Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-04-04T18:40:58Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>
<a href="#">PDFCNUit.dll</a>		
<a href="#">PDFCNUit.dll</a>		
<a href="#">PDFCNUit.dll</a>		
<a href="#">analysis.language.zip: analysis.language.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">analysis.language.zip: guava.jar</a>	<a href="#">cpe:2.3:a:google:guava:33.4.0:*:*:*:*: *.*</a>	<a href="#">pkg:maven/com.google.guava/guava@33.4.0-jre</a>
<a href="#">analysis.language.zip: jsonic.jar</a>		
<a href="#">analysis.language.zip: language-detector.jar</a>		<a href="#">pkg:maven/com.optimaize.languagedetector</a>

		<a href="#">/language-detector@0.6</a>
<a href="#">application.currenttime.zip: application.currenttime.sample.jar</a>		
<a href="#">application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js</a>		
<a href="#">application.embedded.zip: application.embedded.sample.jar</a>		
<a href="#">application.embedded.zip: application.embedded.sample.jar: embeddedMode.js</a>		
<a href="#">application.googleanalytics.zip: application.googleanalytics.sample.jar</a>		
<a href="#">application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js</a>		
<a href="#">application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js</a>		
<a href="#">application.helloworld.zip: application.helloworld.sample.jar</a>		
<a href="#">authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar</a>		
<a href="#">authentication.pam.zip: authentication.pam.jar</a>		
<a href="#">authentication.pam.zip: jna.jar</a>	cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* *.*.*	
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>		
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>		
<a href="#">authentication.pam.zip: jna.jar: jnidispatch.dll</a>		
<a href="#">authentication.passwordfile.zip: authentication.passwordfile.sample.jar</a>		
<a href="#">authentication.product.zip: authentication.product.jar</a>		
<a href="#">authentication.windows.zip: authentication.windows.jar</a>		
<a href="#">authentication.windows.zip: caffeine.jar</a>		
<a href="#">authentication.windows.zip: jna-platform.jar</a>		
<a href="#">authentication.windows.zip: waffle-jna-jakarta.jar</a>	cpe:2.3:a:4d:4d:3.5.1:*:*:*:*:*	<a href="#">pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1</a>
<a href="#">command.jsonexport.zip: command.jsonexport.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:* *.*.*.*.*	
<a href="#">commons-logging.jar</a>		<a href="#">pkg:maven/commons-logging/commons-logging@1.3.4</a>
<a href="#">comparison.api.zip: comparison.api.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:* *.*.*.*.*	

<a href="#">comparison.rpc.zip: comparison.rpc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">comparison.webgui.zip: comparison.webgui.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">comparison.webgui.zip: comparison.webgui.jar: app.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: compare.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: contingent.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: controller.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: dropzone.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: export.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: factory.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: model.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profil.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: profileentry.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishdialog.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: report.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: scroller.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: userlist.js</a>		

<a href="#">comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js</a>		
<a href="#">comparison.webgui.zip: comparison.webgui.jar: zoomer.js</a>		
<a href="#">configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar</a>		
<a href="#">configuration.zip: configuration.jar</a>		
<a href="#">configuration.zip: configuration.jar: authenticationItemRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: authenticationRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: boolean.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: booleanButton.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: colorInput.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: controller.js</a>		
<a href="#">configuration.zip: configuration.jar: datafactory.js</a>		
<a href="#">configuration.zip: configuration.jar: fileUploadRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: filesystemInputButton.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: filesystemInputDirectory.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: filesystemInputFile.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: iconDropRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: inlinerenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: keyLabelText.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: labelLink.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: labelText.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: licenseKeyRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: listItemRenderer.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: logopreview.directive.js</a>		
<a href="#">configuration.zip: configuration.jar: multiLineCode.directive.js</a>		

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repoDbRenderer.directive.js](#)

[configuration.zip: configuration.jar: repoFsRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)

[configuration.zip: configuration.jar: simpleDate.directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.directive.js](#)

[configuration.zip: configuration.jar: simpleText.directive.js](#)

[configuration.zip: configuration.jar: tableRenderer.directive.js](#)

[configuration.zip: configuration.jar: treeRenderer.directive.js](#)

[configuration.zip: configuration.jar: usersandgroupselect.directive.js](#)

[diagnostics.zip: diagnostics.jar](#)

[diagnostics.zip: diagnostics.jar: MemoryPieChart.js](#)

[diagnostics.zip: diagnostics.jar: MemoryUsageChart.js](#)

[diagnostics.zip: diagnostics.jar: WebServerErrorChart.js](#)

[diagnostics.zip: diagnostics.jar: benchmarkCtrl.js](#)

[diagnostics.zip: diagnostics.jar: client-server.js](#)

<a href="#">diagnostics.zip: diagnostics.jar: controller.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: cpu.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: cpuspeed.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: directives.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: errorHistoryChart.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: flotr2.min.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: global.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: hddisk.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: heapdumpCtrl.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: informationCtrl.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: intArrayUtils.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: iospeed.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: jobs.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: logging.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: memory.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: overviewCtrl.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: pde.diagnostics.js</a>		
<a href="#">diagnostics.zip: diagnostics.jar: timeformat.js</a>		
<a href="#">docfx.js</a>		
<a href="#">docfx.vendor.js</a>		<a href="#">pkg:javascript/bootstrap@3.4.1</a>
<a href="#">drive.zip: commons-compress.jar</a>	<a href="#">cpe:2.3:a:apache:commons_compress:1.27.1:*****:</a>	<a href="#">pkg:maven/org.apache.commons/commons-compress@1.27.1</a>
<a href="#">drive.zip: commons-io.jar</a>	<a href="#">cpe:2.3:a:apache:commons_io:2.18.0:*****:</a>	<a href="#">pkg:maven/commons-io/commons-io@2.18.0</a>
<a href="#">drive.zip: drive.jar</a>		
<a href="#">drive.zip: drive.jar: actions.js</a>		
<a href="#">drive.zip: drive.jar: actions.service.js</a>		
<a href="#">drive.zip: drive.jar: contentextension.js</a>		
<a href="#">drive.zip: drive.jar: controller.js</a>		
<a href="#">drive.zip: drive.jar: drivecleanup.js</a>		
<a href="#">drive.zip: drive.jar: drivecontroller.js</a>		
<a href="#">drive.zip: drive.jar: drivefactory.js</a>		
<a href="#">drive.zip: drive.jar: drivemodel.js</a>		

<a href="#">drive.zip: drive.jar: dropzone.directive.js</a>		
<a href="#">drive.zip: drive.jar: entryactions.directive.js</a>		
<a href="#">drive.zip: drive.jar: fileconfig.directive.js</a>		
<a href="#">drive.zip: drive.jar: folderlist.directive.js</a>		
<a href="#">drive.zip: drive.jar: linkdialog.js</a>		
<a href="#">drive.zip: drive.jar: locationchooser.js</a>		
<a href="#">drive.zip: drive.jar: mountdialog.js</a>		
<a href="#">drive.zip: drive.jar: myshareextension.js</a>		
<a href="#">drive.zip: drive.jar: permissionsextension.js</a>		
<a href="#">drive.zip: drive.jar: progress.service.js</a>		
<a href="#">drive.zip: drive.jar: progresspanel.directive.js</a>		
<a href="#">drive.zip: drive.jar: resolve.service.js</a>		
<a href="#">drive.zip: drive.jar: responsivetoolbar.directive.js</a>		
<a href="#">drive.zip: drive.jar: selectedextension.js</a>		
<a href="#">drive.zip: drive.jar: shareextension.js</a>		
<a href="#">drive.zip: drive.jar: shareextension.js</a>		
<a href="#">drive.zip: drive.jar: thumbnailextension.js</a>		
<a href="#">drive.zip: drive.jar: toolbaraction.directive.js</a>		
<a href="#">drive.zip: drive.jar: unzipextension.js</a>		
<a href="#">drive.zip: drive.jar: zipextension.js</a>		
<a href="#">embeddedMode.js</a>		
<a href="#">filter.area.zip: filter.area.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.baselinetable.zip: filter.baselinetable.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.cmappatch.zip: filter.cmappatch.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.headerfooter.zip: filter.headerfooter.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.hiderotation.zip: filter.hiderotation.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.invisibleelements.zip: filter.invisibleelements.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.multicolumn.zip: filter.multicolumn.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.ocr.zip: filter.ocr.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	
<a href="#">filter.pagerange.zip: filter.pagerange.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*. ***** *****	

<a href="#">filter.regex.zip: filter.regex.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">filter.regex.zip: filter.regex.jar: filterrenderer.js</a>		
<a href="#">filter.texttransform.zip: filter.texttransform.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">filter.urllookup.zip: filter.urllookup.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">googleanalytics.js</a>		
<a href="#">hamcrest-3.0.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@3.0</a>
<a href="#">help.zip: commons-beanutils.jar</a>	<a href="#">cpe:2.3:a:apache:commons_beanutils:1.9.4:*****</a>	<a href="#">pkg:maven/commons-beanutils/commons-beanutils@1.9.4</a>
<a href="#">help.zip: commons-digester3.jar</a>		<a href="#">pkg:maven/org.apache.commons/commons-digester3@3.2</a>
<a href="#">help.zip: help.jar</a>		
<a href="#">help.zip: help.jar: app.js</a>		
<a href="#">help.zip: help.jar: controller.js</a>		
<a href="#">help.zip: help.jar: shared.factory.js</a>		
<a href="#">help.zip: help.jar: shared.highlighter.js</a>		
<a href="#">help.zip: jsoup.jar</a>	<a href="#">cpe:2.3:a:jsoup:jsoup:1.18.3:*****</a>	<a href="#">pkg:maven/org.jsoup/jsoup@1.18.3</a>
<a href="#">htmlengine.zip: JWebEngine.jar</a>		
<a href="#">htmlengine.zip: htmlengine.jar</a>		
<a href="#">inetcore-25.4-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@25.4</a>
<a href="#">inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)</a>		
<a href="#">inetcore-25.4.jar</a>		<a href="#">pkg:maven/shared/inetcore@25.4</a>
<a href="#">inetloggeradapter.jar</a>		
<a href="#">inetsoftware.Pdfc.dll</a>		
<a href="#">inetsoftware.Pdfc.dll</a>		
<a href="#">jakarta.servlet-api.jar</a>	cpe:2.3:a:oracle:projects:6.1.0:*****: **	<a href="#">pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0</a>



<a href="#">jakarta.websocket-api.jar</a>		<a href="#">pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0</a>
<a href="#">jakarta.websocket-client-api.jar</a>	<a href="#">cpe:2.3:a:web_project:web:2.2.0:*.***:***.*</a>	<a href="#">pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0</a>
<a href="#">java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse:platform:21.0.6:*.***:***.*</a>	
<a href="#">jlessc-1.12.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.12</a>
<a href="#">jpeg2000.zip: asm.jar</a>		
<a href="#">jpeg2000.zip: con crt140.dll</a>		
<a href="#">jpeg2000.zip: imageio-openjpeg.jar</a>		<a href="#">pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8</a>
<a href="#">jpeg2000.zip: jffi-native.jar</a>		
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>		
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>		
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>		
<a href="#">jpeg2000.zip: jffi.jar</a>		<a href="#">pkg:maven/com.github.jnr/jffi@1.3.13</a>
<a href="#">jpeg2000.zip: jnr-ffi.jar</a>		<a href="#">pkg:maven/com.github.jnr/jnr-ffi@2.2.17</a>
<a href="#">jpeg2000.zip: jpeg2000.jar</a>		
<a href="#">jpeg2000.zip: msvcp140.dll</a>		
<a href="#">jpeg2000.zip: msvcp140_1.dll</a>		
<a href="#">jpeg2000.zip: msvcp140_2.dll</a>		
<a href="#">jpeg2000.zip: msvcp140_atomic_wait.dll</a>		
<a href="#">jpeg2000.zip: msvcp140_codecvt_ids.dll</a>	<a href="#">cpe:2.3:a:ids:ids:140:*.***:***.*</a>	
<a href="#">jpeg2000.zip: openjp2.dll</a>		
<a href="#">jpeg2000.zip: vcruntime140.dll</a>		
<a href="#">jpeg2000.zip: vcruntime140_1.dll</a>		
<a href="#">jquery.cookiebar.js</a>		
<a href="#">junit-4.13.2.jar</a>	<a href="#">cpe:2.3:a:junit:junit4:4.13.2:*.***:***.*</a>	<a href="#">pkg:maven/junit/junit@4.13.2</a>

<a href="#">junit-jupiter-5.11.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4</a>
<a href="#">junit-jupiter-api-5.11.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4</a>
<a href="#">junit-jupiter-engine-5.11.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4</a>
<a href="#">junit-jupiter-params-5.11.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4</a>
<a href="#">junit-platform-commons-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.11.4</a>
<a href="#">junit-platform-engine-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.11.4</a>
<a href="#">junit-platform-launcher-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4</a>
<a href="#">junit-platform-suite-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.11.4</a>
<a href="#">junit-platform-suite-api-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4</a>
<a href="#">junit-platform-suite-commons-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4</a>
<a href="#">junit-platform-suite-engine-1.11.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4</a>
<a href="#">junit-vintage-engine-5.11.4.jar</a>		<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4</a>
<a href="#">lunr.js</a>		
<a href="#">lunr.min.js</a>		
<a href="#">mail.zip: angus-activation.jar</a>		<a href="#">pkg:maven/org.eclipse.angus</a>

		/angus-activation@2.0.2
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.3)</a>		<a href="#">pkg:maven/org.eclipse.angus/angus-core@2.0.3</a>
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.3)</a>		<a href="#">pkg:maven/org.eclipse.angus/imap@2.0.3</a>
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.3)</a>		<a href="#">pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.3</a>
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.3)</a>		<a href="#">pkg:maven/org.eclipse.angus/pop3@2.0.3</a>
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.3)</a>		<a href="#">pkg:maven/org.eclipse.angus/smtp@2.0.3</a>
<a href="#">mail.zip: angus-mail.jar</a>		<a href="#">pkg:maven/org.eclipse.angus/angus-mail@2.0.3</a>
<a href="#">mail.zip: bc-fips.jar</a>		
<a href="#">mail.zip: bcjmail-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.5:*:*:*:*:*:</a> * -	
<a href="#">mail.zip: bcpkg-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.9:*:*:*:*:*:</a> * - <a href="#">cpe:2.3:a:openpgp:openpgp:2.0.9:*:*:*:*:</a> *.*.*.* .***	
<a href="#">mail.zip: bcpkix-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.7:*:*:*:*:*:</a> * -	
<a href="#">mail.zip: bcutil-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.0.3:*:*:*:*:*:</a> * -	
<a href="#">mail.zip: jakarta.activation-api.jar</a>		<a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3</a>
<a href="#">mail.zip: jakarta.mail-api.jar</a>		<a href="#">pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3</a>
<a href="#">mail.zip: mail.jar</a>		
<a href="#">mail.zip: mail.jar: smimeconfig.js</a>		
<a href="#">main.js</a>		

<a href="#">maintenance.pdf: maintenance.pdf.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">maintenance.pdf: maintenance.pdf.jar: app.js</a>		
<a href="#">maintenance.pdf: maintenance.pdf.jar: comparisons.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js</a>		pkg:javascript/ jquery-ui@1.13.1
<a href="#">maintenance.zip: maintenance-javadoc.jar: member-search-index.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: module-search-index.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: package-search-index.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: script.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: search.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: tag-search-index.js</a>		
<a href="#">maintenance.zip: maintenance-javadoc.jar: type-search-index.js</a>		
<a href="#">maintenance.zip: maintenance.jar</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>		
<a href="#">maintenance.zip: maintenance.jar: filechooser.js</a>		
<a href="#">maintenance.zip: maintenance.jar: multieditusers.js</a>		
<a href="#">mongo-java-driver.jar</a>	cpe:2.3:a:mongodb:java_driver: 3.12.14:*****	
<a href="#">notification.zip: notification.jar</a>		
<a href="#">notification.zip: notification.jar: notification.js</a>		
<a href="#">notification.zip: notification.jar: notification_config.js</a>		
<a href="#">notification.zip: notification.jar: notification_taskplanner.js</a>		
<a href="#">notification.zip: notification.jar: targetrenderer.js</a>		
<a href="#">ocr.tesseract.zip: fontbox.jar</a>		pkg:maven/org. apache.pdfbox/ fontbox@3.0.3

<a href="#">ocr.tesseract.zip: jai-imageio-core.jar</a>		<a href="#">pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0</a>
<a href="#">ocr.tesseract.zip: jbig2-imageio.jar</a>	<a href="#">cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*:*</a>	<a href="#">pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4</a>
<a href="#">ocr.tesseract.zip: jboss-vfs.jar</a>		<a href="#">pkg:maven/org.jboss/jboss-vfs@3.3.2.Final</a>
<a href="#">ocr.tesseract.zip: lept4j.jar</a>		<a href="#">pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1</a>
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll</a>		
<a href="#">ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll</a>		
<a href="#">ocr.tesseract.zip: ocr.tesseract.jar</a>	<a href="#">cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.4.200:*:*:*:*:*</a> <a href="#">cpe:2.3:a:tesseract_project:tesseract:25.4.200:*:*:*:*:*</a>	
<a href="#">ocr.tesseract.zip: pdfbox.jar</a>	<a href="#">cpe:2.3:a:apache:pdfbox:3.0.3:*:*:*:*:*</a>	<a href="#">pkg:maven/org.apache.pdfbox/pdfbox@3.0.3</a>
<a href="#">ocr.tesseract.zip: tess4j.jar</a>	<a href="#">cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:*:*</a>	<a href="#">pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0</a>
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract541.dll</a>		
<a href="#">ocr.tesseract.zip: tess4j.jar: libtesseract541.dll</a>		
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>
<a href="#">parser.image.zip: parser.image.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:*</a>	
<a href="#">parser.pdf.config.zip: parser.pdf.config.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:*</a>	
<a href="#">parser.pdf.zip: PDFParser.jar</a>		
<a href="#">parser.pdf.zip: jbig2.jar</a>		
<a href="#">parser.pdf.zip: parser.pdf.jar</a>		
<a href="#">parser.text.zip: parser.text.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:*</a>	
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:*</a>	
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridge.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js</a>		

<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: theme.js</a>		
<a href="#">pdfc.standalone.zip: pdfc.standalone.jar: translation.js</a>		
<a href="#">pdfc.zip: icu4j.jar (shaded: com.ibm.icu.collate:76.1)</a>		<a href="#">pkg:maven/com.ibm.icu/collate@76.1</a>
<a href="#">pdfc.zip: icu4j.jar (shaded: com.ibm.icu.core:76.1)</a>		<a href="#">pkg:maven/com.ibm.icu/core@76.1</a>
<a href="#">pdfc.zip: icu4j.jar (shaded: com.ibm.icu.curldata:76.1)</a>		<a href="#">pkg:maven/com.ibm.icu/curldata@76.1</a>
<a href="#">pdfc.zip: icu4j.jar (shaded: com.ibm.icu.langdata:76.1)</a>		<a href="#">pkg:maven/com.ibm.icu/langdata@76.1</a>
<a href="#">pdfc.zip: icu4j.jar (shaded: com.ibm.icu.regiondata:76.1)</a>		<a href="#">pkg:maven/com.ibm.icu/regiondata@76.1</a>
<a href="#">pdfc.zip: icu4j.jar (shaded: com.ibm.icu.translit:76.1)</a>		<a href="#">pkg:maven/com.ibm.icu/translit@76.1</a>
<a href="#">pdfc.zip: icu4j.jar</a>	cpe:2.3:a:icu-project:international_components_for_unicode:76.1:*:*:*:*:* cpe:2.3:a:unicode:international_components_for_unicode:76.1:*:*:*:*:*	<a href="#">pkg:maven/com.ibm.icu/icu4j@76.1</a>
<a href="#">pdfc.zip: pdfc-javadoc.jar</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: member-search-index.js</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: package-search-index.js</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: tag-search-index.js</a>		
<a href="#">pdfc.zip: pdfc-javadoc.jar: type-search-index.js</a>		
<a href="#">pdfc.zip: pdfc.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:*	
<a href="#">pdfcjunit.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:**</a>	
<a href="#">pdfcserver.zip: pdfcserver.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:**	
<a href="#">pdfcserver.zip: pdfcserver.jar: compareconfigrender.js</a>		

<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js</a>		
<a href="#">pdfcwebapiclient.jar</a>	cpe:2.3:a:inetsoftware:pdfc:25.4.200:*: *****	
<a href="#">persistence.jar</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a>		
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>		
<a href="#">processbridge.pdf: processbridge.pdf.jar</a>	cpe:2.3:a:inetsoftware:pdf:25.4.200:*: *****	
<a href="#">processbridge.zip: processbridge.jar</a>		
<a href="#">remotegui.zip: angular-animate.jar</a>		pkg:maven/org.webjars.npm/angular-animate@1.8.3
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.js</a>		pkg:javascript/angularjs@1.8.3
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.min.js</a>		pkg:javascript/angularjs@1.8.3
<a href="#">remotegui.zip: angular-animate.jar: index.js</a>		
<a href="#">remotegui.zip: angular-animate.jar: package.json</a>		
<a href="#">remotegui.zip: angular-cookies.jar</a>		pkg:maven/org.webjars.npm/angular-cookies@1.8.3
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.js</a>		pkg:javascript/angularjs@1.8.3
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.min.js</a>		pkg:javascript/angularjs@1.8.3
<a href="#">remotegui.zip: angular-cookies.jar: index.js</a>		
<a href="#">remotegui.zip: angular-cookies.jar: package.json</a>		
<a href="#">remotegui.zip: angular-sanitize.jar</a>		pkg:maven/org.webjars.npm/angular-sanitize@1.8.3

<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>
<a href="#">remotegui.zip: angular-sanitize.jar: index.js</a>		
<a href="#">remotegui.zip: angular-sanitize.jar: package.json</a>		
<a href="#">remotegui.zip: angular.jar</a>		<a href="#">pkg:maven/org.webjars/npm/angular@1.8.3</a>
<a href="#">remotegui.zip: angular.jar: angular.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>
<a href="#">remotegui.zip: angular.jar: angular.min.js</a>		<a href="#">pkg:javascript/angularjs@1.8.3</a>
<a href="#">remotegui.zip: angular.jar: index.js</a>		
<a href="#">remotegui.zip: angular.jar: package.json</a>		
<a href="#">remotegui.zip: codemirror.jar</a>	<a href="#">cpe:2.3:a:codemirror:codemirror:6.65.7:*.***.*.*.*</a>	<a href="#">pkg:maven/org.webjars/npm/codemirror@6.65.7</a>
<a href="#">remotegui.zip: codemirror.jar: CodeMirror.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ContentEditableInput.js</a>		
<a href="#">remotegui.zip: codemirror.jar: Display.js</a>		
<a href="#">remotegui.zip: codemirror.jar: Doc.js</a>		
<a href="#">remotegui.zip: codemirror.jar: StringStream.js</a>		
<a href="#">remotegui.zip: codemirror.jar: TextareaInput.js</a>		
<a href="#">remotegui.zip: codemirror.jar: active-line.js</a>		
<a href="#">remotegui.zip: codemirror.jar: annotatescrollbar.js</a>		
<a href="#">remotegui.zip: codemirror.jar: anyword-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: apl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: asciarmor.js</a>		
<a href="#">remotegui.zip: codemirror.jar: asn.1.js</a>		
<a href="#">remotegui.zip: codemirror.jar: asterisk.js</a>		
<a href="#">remotegui.zip: codemirror.jar: autorefresh.js</a>		
<a href="#">remotegui.zip: codemirror.jar: bidi.js</a>		
<a href="#">remotegui.zip: codemirror.jar: brace-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: brainfuck.js</a>		
<a href="#">remotegui.zip: codemirror.jar: browser.js</a>		
<a href="#">remotegui.zip: codemirror.jar: change_measurement.js</a>		
<a href="#">remotegui.zip: codemirror.jar: changes.js</a>		
<a href="#">remotegui.zip: codemirror.jar: chunk.js</a>		



<a href="#">remotegui.zip: codemirror.jar: clike.js</a>		
<a href="#">remotegui.zip: codemirror.jar: clojure.js</a>		
<a href="#">remotegui.zip: codemirror.jar: closebrackets.js</a>		
<a href="#">remotegui.zip: codemirror.jar: closetag.js</a>		
<a href="#">remotegui.zip: codemirror.jar: cmake.js</a>		
<a href="#">remotegui.zip: codemirror.jar: cobol.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror-standalone.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror.js</a>		
<a href="#">remotegui.zip: codemirror.jar: codemirror.node.js</a>		
<a href="#">remotegui.zip: codemirror.jar: coffeescript-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: coffeescript.js</a>		
<a href="#">remotegui.zip: codemirror.jar: colorize.js</a>		
<a href="#">remotegui.zip: codemirror.jar: commands.js</a>		
<a href="#">remotegui.zip: codemirror.jar: comment-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: comment.js</a>		
<a href="#">remotegui.zip: codemirror.jar: commonlisp.js</a>		
<a href="#">remotegui.zip: codemirror.jar: continuecomment.js</a>		
<a href="#">remotegui.zip: codemirror.jar: continuelist.js</a>		
<a href="#">remotegui.zip: codemirror.jar: crystal.js</a>		
<a href="#">remotegui.zip: codemirror.jar: css-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: css-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: css.js</a>		
<a href="#">remotegui.zip: codemirror.jar: cypher.js</a>		
<a href="#">remotegui.zip: codemirror.jar: d.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dart.js</a>		
<a href="#">remotegui.zip: codemirror.jar: deleteNearSelection.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dialog.js</a>		
<a href="#">remotegui.zip: codemirror.jar: diff.js</a>		
<a href="#">remotegui.zip: codemirror.jar: django.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dockerfile.js</a>		
<a href="#">remotegui.zip: codemirror.jar: document_data.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dom.js</a>		
<a href="#">remotegui.zip: codemirror.jar: drop_events.js</a>		
<a href="#">remotegui.zip: codemirror.jar: dtd.js</a>		

<a href="#">remotegui.zip: codemirror.jar: dylan.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ebnf.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ecl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: eiffel.js</a>		
<a href="#">remotegui.zip: codemirror.jar: elm.js</a>		
<a href="#">remotegui.zip: codemirror.jar: emacs.js</a>		
<a href="#">remotegui.zip: codemirror.jar: erlang.js</a>		
<a href="#">remotegui.zip: codemirror.jar: event.js</a>		
<a href="#">remotegui.zip: codemirror.jar: factor.js</a>		
<a href="#">remotegui.zip: codemirror.jar: fcl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: feature_detection.js</a>		
<a href="#">remotegui.zip: codemirror.jar: focus.js</a>		
<a href="#">remotegui.zip: codemirror.jar: foldcode.js</a>		
<a href="#">remotegui.zip: codemirror.jar: foldgutter.js</a>		
<a href="#">remotegui.zip: codemirror.jar: forth.js</a>		
<a href="#">remotegui.zip: codemirror.jar: fortran.js</a>		
<a href="#">remotegui.zip: codemirror.jar: fromTextArea.js</a>		
<a href="#">remotegui.zip: codemirror.jar: fullscreen.js</a>		
<a href="#">remotegui.zip: codemirror.jar: gas.js</a>		
<a href="#">remotegui.zip: codemirror.jar: gfm.js</a>		
<a href="#">remotegui.zip: codemirror.jar: gherkin.js</a>		
<a href="#">remotegui.zip: codemirror.jar: global_events.js</a>		
<a href="#">remotegui.zip: codemirror.jar: go.js</a>		
<a href="#">remotegui.zip: codemirror.jar: groovy.js</a>		
<a href="#">remotegui.zip: codemirror.jar: gutters.js</a>		
<a href="#">remotegui.zip: codemirror.jar: haml.js</a>		
<a href="#">remotegui.zip: codemirror.jar: handlebars.js</a>		
<a href="#">remotegui.zip: codemirror.jar: hardwrap.js</a>		
<a href="#">remotegui.zip: codemirror.jar: haskell-literate.js</a>		
<a href="#">remotegui.zip: codemirror.jar: haskell.js</a>		
<a href="#">remotegui.zip: codemirror.jar: haxe.js</a>		
<a href="#">remotegui.zip: codemirror.jar: highlight.js</a>		
<a href="#">remotegui.zip: codemirror.jar: highlight_worker.js</a>		
<a href="#">remotegui.zip: codemirror.jar: history.js</a>		
<a href="#">remotegui.zip: codemirror.jar: html-hint.js</a>		

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembdedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key\\_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line\\_data.js](#)

[remotegui.zip: codemirror.jar: line\\_numbers.js](#)

[remotegui.zip: codemirror.jar: line\\_widget.js](#)

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

[remotegui.zip: codemirror.jar: loadmode.js](#)

[remotegui.zip: codemirror.jar: lua.js](#)

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark\\_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

<a href="#">remotegui.zip: codemirror.jar: matchtags.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mathematica.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mbox.js</a>		
<a href="#">remotegui.zip: codemirror.jar: merge.js</a>		
<a href="#">remotegui.zip: codemirror.jar: meta.js</a>		
<a href="#">remotegui.zip: codemirror.jar: methods.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mirc.js</a>		
<a href="#">remotegui.zip: codemirror.jar: misc.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mllike.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mode_state.js</a>		
<a href="#">remotegui.zip: codemirror.jar: modelica.js</a>		
<a href="#">remotegui.zip: codemirror.jar: modes.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mouse_events.js</a>		
<a href="#">remotegui.zip: codemirror.jar: movement.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mscgen.js</a>		
<a href="#">remotegui.zip: codemirror.jar: multiplex.js</a>		
<a href="#">remotegui.zip: codemirror.jar: multiplex_test.js</a>		
<a href="#">remotegui.zip: codemirror.jar: mumps.js</a>		
<a href="#">remotegui.zip: codemirror.jar: nginx.js</a>		
<a href="#">remotegui.zip: codemirror.jar: nsis.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ntriples.js</a>		
<a href="#">remotegui.zip: codemirror.jar: octave.js</a>		
<a href="#">remotegui.zip: codemirror.jar: operation_group.js</a>		
<a href="#">remotegui.zip: codemirror.jar: operations.js</a>		
<a href="#">remotegui.zip: codemirror.jar: options.js</a>		
<a href="#">remotegui.zip: codemirror.jar: overlay.js</a>		
<a href="#">remotegui.zip: codemirror.jar: oz.js</a>		
<a href="#">remotegui.zip: codemirror.jar: package.json</a>		
<a href="#">remotegui.zip: codemirror.jar: panel.js</a>		
<a href="#">remotegui.zip: codemirror.jar: pascal.js</a>		
<a href="#">remotegui.zip: codemirror.jar: pegjs.js</a>		
<a href="#">remotegui.zip: codemirror.jar: perl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: php.js</a>		
<a href="#">remotegui.zip: codemirror.jar: pig.js</a>		
<a href="#">remotegui.zip: codemirror.jar: placeholder.js</a>		

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position\\_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: rust.js](#)

[remotegui.zip: codemirror.jar: sas.js](#)

[remotegui.zip: codemirror.jar: sass.js](#)

[remotegui.zip: codemirror.jar: saw\\_special\\_spans.js](#)

[remotegui.zip: codemirror.jar: scheme.js](#)

[remotegui.zip: codemirror.jar: scroll\\_events.js](#)

[remotegui.zip: codemirror.jar: scrollbar.js](#)

[remotegui.zip: codemirror.jar: scrolling.js](#)

[remotegui.zip: codemirror.jar: scrollpastend.js](#)

[remotegui.zip: codemirror.jar: search.js](#)

[remotegui.zip: codemirror.jar: searchcursor.js](#)

[remotegui.zip: codemirror.jar: selection-pointer.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection.js](#)

[remotegui.zip: codemirror.jar: selection\\_updates.js](#)

<a href="#">remotegui.zip: codemirror.jar: shell.js</a>		
<a href="#">remotegui.zip: codemirror.jar: show-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sieve.js</a>		
<a href="#">remotegui.zip: codemirror.jar: simple.js</a>		
<a href="#">remotegui.zip: codemirror.jar: simplescrollbars.js</a>		
<a href="#">remotegui.zip: codemirror.jar: slim.js</a>		
<a href="#">remotegui.zip: codemirror.jar: smalltalk.js</a>		
<a href="#">remotegui.zip: codemirror.jar: smarty.js</a>		
<a href="#">remotegui.zip: codemirror.jar: solr.js</a>		
<a href="#">remotegui.zip: codemirror.jar: soy.js</a>		
<a href="#">remotegui.zip: codemirror.jar: spans.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sparql.js</a>		
<a href="#">remotegui.zip: codemirror.jar: spreadsheet.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sql-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sql.js</a>		
<a href="#">remotegui.zip: codemirror.jar: stex.js</a>		
<a href="#">remotegui.zip: codemirror.jar: stylus.js</a>		
<a href="#">remotegui.zip: codemirror.jar: sublime.js</a>		
<a href="#">remotegui.zip: codemirror.jar: swift.js</a>		
<a href="#">remotegui.zip: codemirror.jar: tcl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: tern.js</a>		
<a href="#">remotegui.zip: codemirror.jar: textile.js</a>		
<a href="#">remotegui.zip: codemirror.jar: tiddlywiki.js</a>		
<a href="#">remotegui.zip: codemirror.jar: tiki.js</a>		
<a href="#">remotegui.zip: codemirror.jar: toml.js</a>		
<a href="#">remotegui.zip: codemirror.jar: tornado.js</a>		
<a href="#">remotegui.zip: codemirror.jar: trailingspace.js</a>		
<a href="#">remotegui.zip: codemirror.jar: troff.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ttcn-cfg.js</a>		
<a href="#">remotegui.zip: codemirror.jar: ttcn.js</a>		
<a href="#">remotegui.zip: codemirror.jar: turtle.js</a>		
<a href="#">remotegui.zip: codemirror.jar: twig.js</a>		
<a href="#">remotegui.zip: codemirror.jar: update_display.js</a>		
<a href="#">remotegui.zip: codemirror.jar: update_line.js</a>		
<a href="#">remotegui.zip: codemirror.jar: update_lines.js</a>		

<a href="#">remotegui.zip: codemirror.jar: utils.js</a>		
<a href="#">remotegui.zip: codemirror.jar: utils_line.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vb.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vbscript.js</a>		
<a href="#">remotegui.zip: codemirror.jar: velocity.js</a>		
<a href="#">remotegui.zip: codemirror.jar: verilog.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vhdl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: view_tracking.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vim.js</a>		
<a href="#">remotegui.zip: codemirror.jar: vue.js</a>		
<a href="#">remotegui.zip: codemirror.jar: wast.js</a>		
<a href="#">remotegui.zip: codemirror.jar: webidl.js</a>		
<a href="#">remotegui.zip: codemirror.jar: widgets.js</a>		
<a href="#">remotegui.zip: codemirror.jar: worker.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xml-fold.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xml-hint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xml.js</a>		
<a href="#">remotegui.zip: codemirror.jar: xquery.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yacas.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yaml-frontmatter.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yaml-lint.js</a>		
<a href="#">remotegui.zip: codemirror.jar: yaml.js</a>		
<a href="#">remotegui.zip: codemirror.jar: z80.js</a>		
<a href="#">remotegui.zip: crypto-js.jar</a>		<a href="#">pkg:maven/org.webjars/npm/crypto-js@4.2.0</a>
<a href="#">remotegui.zip: crypto-js.jar: aes.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: blowfish.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: cipher-core.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: core.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: crypto-js.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: enc-base64.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: enc-base64url.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: enc-hex.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: enc-latin1.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: enc-utf16.js</a>		

<a href="#">remotegui.zip: crypto-js.jar: enc-utf8.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: evpkdf.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: format-hex.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: format-openssl.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-md5.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-ripemd160.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha1.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha224.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha256.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha3.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha384.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha512.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: hmac.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: index.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: lib-typedarrays.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: md5.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: mode-cfb.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr-gladman.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: mode-ecb.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: mode-ofb.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: package.json</a>		
<a href="#">remotegui.zip: crypto-js.jar: pad-ansix923.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: pad-iso10126.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: pad-iso97971.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: pad-nopadding.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: pad-pkcs7.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: pad-zeropadding.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: pbkdf2.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: rabbit-legacy.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: rabbit.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: rc4.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: ripemd160.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: sha1.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: sha224.js</a>		



<a href="#">remotegui.zip: crypto-js.jar: sha256.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: sha3.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: sha384.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: sha512.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: tripledes.js</a>		
<a href="#">remotegui.zip: crypto-js.jar: x64-core.js</a>		
<a href="#">remotegui.zip: jquery-ui.jar</a>		<a href="#">pkg:maven/org.webjars/jquery-ui@1.14.1</a>
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>		
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>		
<a href="#">remotegui.zip: jquery-ui.jar: package.json</a>		
<a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: jquery.jar</a>		<a href="#">pkg:javascript/jquery@2.2.4</a> <a href="#">pkg:maven/org.webjars/jquery@2.2.4</a>
<a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar</a>		<a href="#">pkg:maven/org.webjars.npm/moment-timezone@0.5.46</a>
<a href="#">remotegui.zip: moment-timezone.jar: index.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-utils.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js</a>		
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.js</a>		

[remotegui.zip: moment-timezone.jar: moment-timezone.min.js](#)

[remotegui.zip: moment-timezone.jar: package.json](#)

[remotegui.zip: momentjs.jar](#)

[pkg:maven/org.webjars/momentjs@2.29.4](#)

[remotegui.zip: momentjs.jar: af.js](#)

[remotegui.zip: momentjs.jar: ar-dz.js](#)

[remotegui.zip: momentjs.jar: ar-kw.js](#)

[remotegui.zip: momentjs.jar: ar-ly.js](#)

[remotegui.zip: momentjs.jar: ar-ma.js](#)

[remotegui.zip: momentjs.jar: ar-sa.js](#)

[remotegui.zip: momentjs.jar: ar-tn.js](#)

[remotegui.zip: momentjs.jar: ar.js](#)

[remotegui.zip: momentjs.jar: az.js](#)

[remotegui.zip: momentjs.jar: be.js](#)

[remotegui.zip: momentjs.jar: bg.js](#)

[remotegui.zip: momentjs.jar: bm.js](#)

[remotegui.zip: momentjs.jar: bn-bd.js](#)

[remotegui.zip: momentjs.jar: bn.js](#)

[remotegui.zip: momentjs.jar: bo.js](#)

[remotegui.zip: momentjs.jar: br.js](#)

[remotegui.zip: momentjs.jar: bs.js](#)

[remotegui.zip: momentjs.jar: ca.js](#)

[remotegui.zip: momentjs.jar: cs.js](#)

[remotegui.zip: momentjs.jar: cv.js](#)

[remotegui.zip: momentjs.jar: cy.js](#)

[remotegui.zip: momentjs.jar: da.js](#)

[remotegui.zip: momentjs.jar: de-at.js](#)

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

<a href="#">remotegui.zip: momentjs.jar: en-ie.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-il.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-in.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-nz.js</a>		
<a href="#">remotegui.zip: momentjs.jar: en-sg.js</a>		
<a href="#">remotegui.zip: momentjs.jar: eo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: es-do.js</a>		
<a href="#">remotegui.zip: momentjs.jar: es-mx.js</a>		
<a href="#">remotegui.zip: momentjs.jar: es-us.js</a>		
<a href="#">remotegui.zip: momentjs.jar: es.js</a>		
<a href="#">remotegui.zip: momentjs.jar: et.js</a>		
<a href="#">remotegui.zip: momentjs.jar: eu.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fa.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fi.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fil.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fr-ca.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fr-ch.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fr.js</a>		
<a href="#">remotegui.zip: momentjs.jar: fy.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ga.js</a>		
<a href="#">remotegui.zip: momentjs.jar: gd.js</a>		
<a href="#">remotegui.zip: momentjs.jar: gl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: gom-deva.js</a>		
<a href="#">remotegui.zip: momentjs.jar: gom-latn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: gu.js</a>		
<a href="#">remotegui.zip: momentjs.jar: he.js</a>		
<a href="#">remotegui.zip: momentjs.jar: hi.js</a>		
<a href="#">remotegui.zip: momentjs.jar: hr.js</a>		
<a href="#">remotegui.zip: momentjs.jar: hu.js</a>		
<a href="#">remotegui.zip: momentjs.jar: hy-am.js</a>		
<a href="#">remotegui.zip: momentjs.jar: id.js</a>		
<a href="#">remotegui.zip: momentjs.jar: is.js</a>		
<a href="#">remotegui.zip: momentjs.jar: it-ch.js</a>		
<a href="#">remotegui.zip: momentjs.jar: it.js</a>		

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

<a href="#">remotegui.zip: momentjs.jar: pa-in.js</a>		
<a href="#">remotegui.zip: momentjs.jar: package.js</a>		
<a href="#">remotegui.zip: momentjs.jar: package.json</a>		
<a href="#">remotegui.zip: momentjs.jar: pl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: pt-br.js</a>		
<a href="#">remotegui.zip: momentjs.jar: pt.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ro.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ru.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sd.js</a>		
<a href="#">remotegui.zip: momentjs.jar: se.js</a>		
<a href="#">remotegui.zip: momentjs.jar: si.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sk.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sq.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sr-cyrl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sr.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ss.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sv.js</a>		
<a href="#">remotegui.zip: momentjs.jar: sw.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ta.js</a>		
<a href="#">remotegui.zip: momentjs.jar: te.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tests.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tet.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tg.js</a>		
<a href="#">remotegui.zip: momentjs.jar: th.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tk.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tl-ph.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tlh.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tr.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tzl.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tzm-latn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: tzm.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ug-cn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: uk.js</a>		
<a href="#">remotegui.zip: momentjs.jar: ur.js</a>		

<a href="#">remotegui.zip: momentjs.jar: uz-latn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: uz.js</a>		
<a href="#">remotegui.zip: momentjs.jar: vi.js</a>		
<a href="#">remotegui.zip: momentjs.jar: webjars-requirejs.js</a>		
<a href="#">remotegui.zip: momentjs.jar: x-pseudo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: yo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: zh-cn.js</a>		
<a href="#">remotegui.zip: momentjs.jar: zh-hk.js</a>		
<a href="#">remotegui.zip: momentjs.jar: zh-mo.js</a>		
<a href="#">remotegui.zip: momentjs.jar: zh-tw.js</a>		
<a href="#">remotegui.zip: remotegui.jar</a>		
<a href="#">remotegui.zip: remotegui.jar: angular-websocket.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: app.js</a>		
<a href="#">remotegui.zip: remotegui.jar: appbadge.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: authInterceptor.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatarcard.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatardetails.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatarimage.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: avatarimagedetails.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: basic.js</a>		
<a href="#">remotegui.zip: remotegui.jar: bootstrap-colorpicker.js</a>		
<a href="#">remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js</a>		
<a href="#">remotegui.zip: remotegui.jar: browsercheck.js</a>		
<a href="#">remotegui.zip: remotegui.jar: changeavatar.js</a>		
<a href="#">remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: changeavatar.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: clearreports.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: collapse.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: colorPicker.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: connectionstate.js</a>		

<a href="#">remotegui.zip: remotegui.jar: controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllerAbout.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllerShortcuts.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllerUserTheme.controller.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>		
<a href="#">remotegui.zip: remotegui.jar: currencyNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: currencyValidator.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: customemojiupload.js</a>		
<a href="#">remotegui.zip: remotegui.jar: dataservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: datepicker-de.js</a>		
<a href="#">remotegui.zip: remotegui.jar: debug.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: dialogservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: directives.js</a>		
<a href="#">remotegui.zip: remotegui.jar: dropdown.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: emojiModel.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: emojiselector.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: errorservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: filechooser.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: fixNumber.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: fixNumberValidator.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: floatNumber.directive.js</a>		

<a href="#">remotegui.zip: remotegui.jar: floatNumberValidator.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: globalactionservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdField.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdMandatory.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdNeedchange.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdValidate.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdattachment.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hdfileupload.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hsimp.min.js</a>		
<a href="#">remotegui.zip: remotegui.jar: hsimp.renderer.js</a>		
<a href="#">remotegui.zip: remotegui.jar: html5modeurls.js</a>		
<a href="#">remotegui.zip: remotegui.jar: htmleditor.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: htmleditorFactory.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: htmleditorModel.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: icons.js</a>		
<a href="#">remotegui.zip: remotegui.jar: indexed-db.js</a>		
<a href="#">remotegui.zip: remotegui.jar: initUsernameField.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: introduction.js</a>		
<a href="#">remotegui.zip: remotegui.jar: jquery.fileupload.js</a>		
<a href="#">remotegui.zip: remotegui.jar: keyservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: localfilesystem.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: locationservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: modal.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: modalservice.service.js</a>		
<a href="#">remotegui.zip: remotegui.jar: moduledragdrop.js</a>		
<a href="#">remotegui.zip: remotegui.jar: navtaboverflow.directive.js</a>		
<a href="#">remotegui.zip: remotegui.jar: ng-tinymce.js</a>		
<a href="#">remotegui.zip: remotegui.jar: numberUtil.js</a>		
<a href="#">remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js</a>		
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js</a>		
<a href="#">remotegui.zip: remotegui.jar: ocLazyLoad.min.js</a>		



[remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js](#)

[remotegui.zip: remotegui.jar: paged.filter.js](#)

[remotegui.zip: remotegui.jar: pagination.directive.js](#)

[remotegui.zip: remotegui.jar: piechart.directive.js](#)

[remotegui.zip: remotegui.jar: popover.js](#)

[remotegui.zip: remotegui.jar: pwa-service-worker.js](#)

[remotegui.zip: remotegui.jar: pwa.js](#)

[remotegui.zip: remotegui.jar: qrcode.min.js](#)

[remotegui.zip: remotegui.jar: rangeSlider.directive.js](#)

[remotegui.zip: remotegui.jar: resizableDivider.js](#)

[remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js](#)

[remotegui.zip: remotegui.jar: search-panel.js](#)

[remotegui.zip: remotegui.jar: selectInput.directive.js](#)

[remotegui.zip: remotegui.jar: shadowLogger.factory.js](#)

[remotegui.zip: remotegui.jar: sidenavigation.js](#)

[remotegui.zip: remotegui.jar: takeoutDataController.controller.js](#)

[remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js](#)

[remotegui.zip: remotegui.jar: takeoutDataModel.service.js](#)

[remotegui.zip: remotegui.jar: timeInput.directive.js](#)

[remotegui.zip: remotegui.jar: timeInputContainer.directive.js](#)

[remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js](#)

[remotegui.zip: remotegui.jar: translate.js](#)

[remotegui.zip: remotegui.jar: unitFixNumber.directive.js](#)

[remotegui.zip: remotegui.jar: unitFloatNumber.directive.js](#)

[remotegui.zip: remotegui.jar: userservice.js](#)

[remotegui.zip: remotegui.jar: usersorgroupselection.js](#)

[remotegui.zip: remotegui.jar: usestrict.js](#)

[remotegui.zip: remotegui.jar: websitedownload.render.js](#)

[remotegui.zip: remotegui.jar: websocketdataservice.js](#)

[remotegui.zip: remotegui.jar: websocketkeepaliveworker.js](#)

[remotegui.zip: remotegui.jar: windowdatastore.js](#)

[remotegui.zip: tinymce-languages.jar: ar.js](#)

[remotegui.zip: tinymce-languages.jar: bg\\_BG.js](#)

[remotegui.zip: tinymce-languages.jar: ca.js](#)

[remotegui.zip: tinymce-languages.jar: cs.js](#)

[remotegui.zip: tinymce-languages.jar: cy.js](#)

[remotegui.zip: tinymce-languages.jar: da.js](#)

[remotegui.zip: tinymce-languages.jar: de.js](#)

[remotegui.zip: tinymce-languages.jar: el.js](#)

[remotegui.zip: tinymce-languages.jar: eo.js](#)

[remotegui.zip: tinymce-languages.jar: es.js](#)

[remotegui.zip: tinymce-languages.jar: es\\_ES.js](#)

[remotegui.zip: tinymce-languages.jar: es\\_MX.js](#)

[remotegui.zip: tinymce-languages.jar: eu.js](#)

[remotegui.zip: tinymce-languages.jar: fa.js](#)

[remotegui.zip: tinymce-languages.jar: fa\\_IR.js](#)

[remotegui.zip: tinymce-languages.jar: fi.js](#)

[remotegui.zip: tinymce-languages.jar: fr\\_FR.js](#)

[remotegui.zip: tinymce-languages.jar: gl.js](#)

[remotegui.zip: tinymce-languages.jar: he\\_IL.js](#)

[remotegui.zip: tinymce-languages.jar: hr.js](#)

[remotegui.zip: tinymce-languages.jar: hu\\_HU.js](#)

[remotegui.zip: tinymce-languages.jar: id.js](#)

[remotegui.zip: tinymce-languages.jar: it.js](#)

[remotegui.zip: tinymce-languages.jar: it\\_IT.js](#)

[remotegui.zip: tinymce-languages.jar: ja.js](#)

[remotegui.zip: tinymce-languages.jar: kk.js](#)

[remotegui.zip: tinymce-languages.jar: ko\\_KR.js](#)

[remotegui.zip: tinymce-languages.jar: lt.js](#)

[remotegui.zip: tinymce-languages.jar: nb\\_NO.js](#)

[remotegui.zip: tinymce-languages.jar: nl.js](#)

[remotegui.zip: tinymce-languages.jar: pl.js](#)

[remotegui.zip: tinymce-languages.jar: pt\\_BR.js](#)

[remotegui.zip: tinymce-languages.jar: pt\\_PT.js](#)

[remotegui.zip: tinymce-languages.jar: ro.js](#)

[illegible]

[illegible]

remotegui.zip: tinymce.jar: jquery.tinymce.js

[illegible]

[illegible]

remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: theme.js		
remotegui.zip: tinymce.jar: theme.js		<a href="#">pkg:javascript/DOMPurify@2.3.8</a>
remotegui.zip: tinymce.jar: theme.min.js		
remotegui.zip: tinymce.jar: theme.min.js		
remotegui.zip: tinymce.jar: tinyMCE.js		<a href="#">pkg:javascript/tinyMCE@5.10.9</a>
remotegui.zip: tinymce.jar: tinyMCE.min.js		<a href="#">pkg:javascript/tinyMCE@5.10.9</a>
remotegui.zip: twemoji.jar		<a href="#">pkg:maven/lib/twemoji-null@1.0</a>
reporting.zip: jcommon.jar		<a href="#">pkg:maven/org.jfree/jcommon@1.0.24</a>
reporting.zip: jfreechartCC.jar		
reporting.zip: reporting-javadoc.jar		
reporting.zip: reporting-javadoc.jar: member-search-		

<a href="#">index.js</a>		
<a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>		
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>		
<a href="#">reporting.zip: reporting.jar</a>		
<a href="#">reporting.zip: reporting.jar: events.js</a>		
<a href="#">reporting.zip: reporting.jar: export.js</a>		
<a href="#">reporting.zip: reporting.jar: functions.js</a>		
<a href="#">reporting.zip: reporting.jar: generator.js</a>		
<a href="#">reporting.zip: reporting.jar: grouptree.js</a>		
<a href="#">reporting.zip: reporting.jar: htmlreportextension.js</a>		
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>		
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>		
<a href="#">reporting.zip: reporting.jar: menubar.js</a>		
<a href="#">reporting.zip: reporting.jar: page.js</a>		
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>		
<a href="#">reporting.zip: reporting.jar: popup.js</a>		
<a href="#">reporting.zip: reporting.jar: print.js</a>		
<a href="#">reporting.zip: reporting.jar: prompts.js</a>		
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>		
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>		
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>		
<a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>		
<a href="#">reporting.zip: reporting.jar: reorder.js</a>		
<a href="#">reporting.zip: reporting.jar: report.export.js</a>		
<a href="#">reporting.zip: reporting.jar: report.exportdialog.controller.js</a>		
<a href="#">reporting.zip: reporting.jar: report.exportdialog.service.js</a>		
<a href="#">reporting.zip: reporting.jar: report.exportframe.js</a>		
<a href="#">reporting.zip: reporting.jar: script.js</a>		
<a href="#">reporting.zip: reporting.jar: search.js</a>		
<a href="#">reporting.zip: reporting.jar: serverping.js</a>		
<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>		
<a href="#">reporting.zip: reporting.jar: tabbar.js</a>		
<a href="#">sampleapplication.js</a>		



[search-worker.js](#)

[security.zip: security.jar](#)

[setuplauncher.jar](#)

[slf4j-api-2.0.16.jar](#)

[pkg:maven/org.  
slf4j/slf4j-api@2.  
0.16](#)

[taskplanner.logaction.zip: taskplanner.logaction.  
sample.jar](#)

[taskplanner.openweathermap.zip: taskplanner.  
openweathermap.sample.jar](#)

[taskplanner.pdfc.zip: taskplanner.pdfc.jar](#)

[cpe:2.3:a:inetsoftware:pdfc:25.4.200:\\*:  
\\*\\*\\*\\*\\*](#)

[taskplanner.zip: commons-cli.jar](#)

[pkg:maven  
/commons-cli  
/commons-  
cli@1.9.0](#)

[taskplanner.zip: cron-utils.jar](#)

[cpe:2.3:a:cron-utils\\_project:cron-utils:  
9.2.1:\\*\\*\\*\\*\\*  
cpe:2.3:a:utils\\_project:utils:9.2.1:\\*\\*\\*\\*\\*:  
\\*\\*\\*](#)

[pkg:maven/com.  
cronutils/cron-  
utils@9.2.1](#)

[taskplanner.zip: taskplanner-javadoc.jar](#)

[taskplanner.zip: taskplanner-javadoc.jar: member-  
search-index.js](#)

[taskplanner.zip: taskplanner-javadoc.jar: package-  
search-index.js](#)

[taskplanner.zip: taskplanner-javadoc.jar: type-search-  
index.js](#)

[taskplanner.zip: taskplanner.jar](#)

[taskplanner.zip: taskplanner.jar: app.js](#)

[taskplanner.zip: taskplanner.jar: boolean.directive.js](#)

[taskplanner.zip: taskplanner.jar: colorField.directive.js](#)

[taskplanner.zip: taskplanner.jar: controller.js](#)

[taskplanner.zip: taskplanner.jar: factory.js](#)

[taskplanner.zip: taskplanner.jar:  
filechooserAddonButton.directive.js](#)

[taskplanner.zip: taskplanner.jar: model.js](#)

[taskplanner.zip: taskplanner.jar: numberRange.  
directive.js](#)

[taskplanner.zip: taskplanner.jar: numberWrapper.  
directive.js](#)

[taskplanner.zip: taskplanner.jar: passwordTextField.  
directive.js](#)

[taskplanner.zip: taskplanner.jar: renderer.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleCurrencyField.](#)

<a href="#">directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleGroup.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleLabel.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleLink.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleSelect.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: simpleTextField.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: stringTable.directive.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js</a>		
<a href="#">taskplanner.zip: taskplanner.jar: textAreaField.directive.js</a>		
<a href="#">theme.zip: theme.jar</a>		
<a href="#">urlcookie.zip: urlcookie.sample.jar</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeAccountSettingsRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeBooleanRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCommaSeparatedRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCurrencyRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js</a>		

<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: fieldtypeLinkRenderer. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: fieldtypeLoginsRenderer. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeMembersRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeMultilineRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypePermissionRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: fieldtypeSelectRenderer. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeStayLoggedInSessionsRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeStringListRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: fieldtypeStringRenderer. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: fieldtypeTimeRenderer. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">fieldtypeTimerangeRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: membershipentry. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: membershiplist.directive. js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar: nonmembershiplist. directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">permissionCheckboxRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">permissionRadiobuttonRenderer.directive.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagercontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a>		

<a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerdetailscontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerdialogcontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerdirectives.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagereffectivepermissionscontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerfactory.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagermodel.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerpredeletionwarning.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerrenderer.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagerstatisticscontroller.js</a>		
<a href="#">usersandgroupsmanager.zip:</a> <a href="#">usersandgroupsmanager.jar:</a> <a href="#">usersandgroupsmanagertakeoutcontroller.js</a>		
<a href="#">webapi.core.zip: swagger-models.jar</a>	<a href="#">cpe:2.3:a:http-swagger_project:http-swagger:2.2.27:*:*:*:*:*</a>	<a href="#">pkg:maven/io.swagger.core.v3/swagger-models@2.2.27</a>
<a href="#">webapi.core.zip: webapi.core.jar</a>		
<a href="#">webapi.core.zip: webapi.core.jar: shared.factory.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar: webapi.codemirror.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.editor.js</a>		
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.js</a>		
<a href="#">webserver.defender.zip: webserver.defender.jar</a>		
<a href="#">webserver.zip: acme4j-client.jar</a>		<a href="#">pkg:maven/org.shredzone.acme4j/acme4j-client@2.16</a>
<a href="#">webserver.zip: jetty-websocket-core-client.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*</a> <a href="#">cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*:*</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*:*:*:*:*</a>	<a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.16</a>
<a href="#">webserver.zip: jetty-websocket-core-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*</a>	<a href="#">pkg:maven/org.</a>

	<a href="#">**</a> <a href="#">cpe:2.3:a:jetty:jetty:12.0.16:*.~*~*~*~*~*~*</a> <a href="#">cpe:2.3:a:jetty:jetty_http_server:12.0.16:*.~*~*~*~*~*~*</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.0.16:*.~*~*~*~*~*~*</a>	<a href="#">eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16</a>
<a href="#">webserver.zip: jose4j.jar</a>	<a href="#">cpe:2.3:a:jose4j_project:jose4j:0.9.6:*.~*~*~*~*~*~*</a>	<a href="#">pkg:maven/org.bitbucket.b_c/jose4j@0.9.6</a>
<a href="#">webserver.zip: webserver.jar</a>		

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar

**MD5:** 3eb81fb3cc977f1a3eb1fb26b2b38666

**SHA1:** e4af937135679cc07f99529ee7ca127519bd3a06

**SHA256:** b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/pdfc/server@25.4

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

## PDFCNUUnit.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net4.5/PDFCNUUnit.dll

**MD5:** 4963a0323f4fdac5183e1a1678125033

**SHA1:** ab2a7504d544d8aa2f63fd98a87c3f5bc3f2ae4a

**SHA256:** efe6b7acd86ad73abbe55d2391d9a44e0f39e8a694693527ae3c32ddcd8695ea

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

### Identifiers

- None

## PDFCNUUnit.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/net5.0/PDFCNUUnit.dll

**MD5:** 67b99d21d25f0beeddd865abcec95c13

**SHA1:** 603b13f95676786ce15a485fb8791c4e04e227a1

**SHA256:** c1980c063540ea99c69ff8bc1125c517e35dda5787e4ff5dc4a06a38babbaafd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

### Identifiers

- None

PDFCNUUnit.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC NUnit/netcore3.1/PDFCNUUnit.dll  
**MD5:** 8fbaabe1ab914cc50255c0af478c101c  
**SHA1:** c5834909ce79b3483cdf7b9eea3ef76740705acd  
**SHA256:**a123f10ff6324962650081aa9adc9f53bd13f70ef8c5c41f550a31bac692d3a8  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFCNUUnit	High
Product	file	name	PDFCNUUnit	High

Identifiers

- None

analysis.language.zip: analysis.language.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar  
**MD5:** c9d1910f21aa703f70677826fd49514b  
**SHA1:** 786886a61282abcd61bacecee6d1ba52a6db593c  
**SHA256:**5afa5fedca2331be66609bd2ea2e0eeb3fbc7b522760407c160d1d157cb015e2  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	analysis.language	High
Vendor	jar	package name	analysis	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:31	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	analysis.language	High
Product	jar	package name	analysis	Highest
Product	jar	package name	analysis	Low
Product	jar	package name	language	Highest
Product	jar	package name	language	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:31	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	analysis.language	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	analysis.language	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

suppress



## analysis.language.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

**MD5:** 5732af16367192820c7bf177e9b29512

**SHA1:** 03fcc0a259f724c7de54a6a55ea7e26d3d5c0cac

**SHA256:** b918c98a7e44dbe94ebd9fe3e40cddaadb5a93e6a78eb6008b42df237241e538

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low

Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High
Version	pom	version	33.4.0-jre	Highest

#### Related Dependencies

- taskplanner.zip: guava.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/guava.jar
  - MD5: 5732af16367192820c7bf177e9b29512
  - SHA1: 03fcc0a259f724c7de54a6a55ea7e26d3d5c0cac
  - SHA256: b918c98a7e44dbe94ebd9fe3e40cddaadb5a93e6a78eb6008b42df237241e538
  - [pkg:maven/com.google.guava/guava@33.4.0-jre](https://pkg:maven/com.google.guava/guava@33.4.0-jre)

#### Identifiers

- [pkg:maven/com.google.guava/guava@33.4.0-jre](https://pkg:maven/com.google.guava/guava@33.4.0-jre) (Confidence:High)
- [cpe:2.3:a:google:guava:33.4.0:\\*:\\*:\\*:\\*](https://cpe:2.3:a:google:guava:33.4.0:*:*:*:*:*) (Confidence:Highest)

suppress

### analysis.language.zip: jsonic.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

**MD5:** 504496d0069da0121c059c219147e90c

**SHA1:** 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

**SHA256:** 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jsonic	High
Vendor	jar	package name	arnx	Low
Vendor	jar	package name	jsonic	Low

Vendor	jar	package name	net	Low
Product	file	name	jsonic	High
Product	jar	package name	arnx	Low
Product	jar	package name	jsonic	Low

#### Identifiers

- None

## analysis.language.zip: language-detector.jar

### Description:

Language Detection Library for Java.

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

**MD5:** e5475d5cabd54e5ddf6428d63864888f

**SHA1:** 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

**SHA256:** f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	language-detector	High
Vendor	jar	package name	langdetect	Low
Vendor	jar	package name	languagedetector	Highest
Vendor	jar	package name	optimaize	Highest
Vendor	jar	package name	optimaize	Low
Vendor	pom	artifactid	language-detector	Low
Vendor	pom	developer name	Fabian Kessler	Medium
Vendor	pom	developer name	François ROLAND	Medium
Vendor	pom	developer name	Nakatani Shuyo	Medium
Vendor	pom	developer name	Robert Theis	Medium
Vendor	pom	groupid	com.optimaize.languagedetector	Highest
Vendor	pom	name	language-detector	High

Vendor	pom	url	optimaize/language-detector	Highest
Product	file	name	language-detector	High
Product	jar	package name	langdetect	Low
Product	jar	package name	languagedetector	Highest
Product	jar	package name	optimaize	Highest
Product	pom	artifactid	language-detector	Highest
Product	pom	developer name	Fabian Kessler	Low
Product	pom	developer name	François ROLAND	Low
Product	pom	developer name	Nakatani Shuyo	Low
Product	pom	developer name	Robert Theis	Low
Product	pom	groupid	com.optimaize.languagedetector	Highest
Product	pom	name	language-detector	High
Product	pom	url	optimaize/language-detector	High
Version	pom	version	0.6	Highest

#### Identifiers

- [pkg:maven/com.optimaize.languagedetector/language-detector@0.6](#) (*Confidence:High*)

### application.currenttime.zip: application.currenttime.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar

**MD5:** e3fa75e3188b62aa23b990497fcb25ac

**SHA1:** e439f3b12c53d96a74156ba1f16625702d32b70f

**SHA256:** c7d61ed1ac386976e83038035ca1fe9cff578bb39eaca804026fceb18157f1d9

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-	shared	Low

## group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.currenttime	High
Product	Manifest	specification-title	application.currenttime	Medium
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

**application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

**MD5:** a3910ea7b1fdb6e9f0ae2807b1bce25

**SHA1:** 19e674ef9827646b616d4e421a0ecd41238c90e8

**SHA256:** 388c312835e10d79f36784aea686e74b6379a3f54c0d3795d69868561dfae038

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar  
**MD5:** 1067743613361be40adf55d76cda8806  
**SHA1:** c356e9177340e634fc712303de1b8ab401d426a3  
**SHA256:** 1de2536a74ae19b066d7e796ff41642bea71b1b147f8a62a116df7c6cd43bce8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedservletplugin	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	application.embedded	High
Product	Manifest	specification-title	application.embedded	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** 629060ea8d8f25c979c25d7070a1e6d5

**SHA1:** 67b65682b95eb6398d4800b26ebbe112fb4633d6

**SHA256:** e658130c19572f14c548794df3b72a480190472f328f8bfd06a078b99d908d18

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### application.googleanalytics.zip: application.googleanalytics.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar

**MD5:** 16cbee375e54eb00679d61f9dac2bedc

**SHA1:** b903e2bd7a6130b209930256168abbeb33f98233

**SHA256:** fc7bbfb68b6fdc181f5e87d7e95667afbe6dae1ebabf07b2504589c57b30b124

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics	High
Product	Manifest	specification-title	application.googleanalytics	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

**application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js



**MD5:** 38354bea23700c1023043d0667606fd1  
**SHA1:** 7253c5097754b1a2e5b8654055b2e3fc4c480494  
**SHA256:**f544b955a56ec3cf896849dc53f589b9c13437e75928762cd14cbfa781740703  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

**application.googleanalytics.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

**MD5:** 5f27de8769d766906fbc4d01e314063a  
**SHA1:** 3e03e04cbf91a4d82977db16c9f3fd62586f5a81  
**SHA256:**9b5c1b8ed9375646edfc7092daf9b4130bc7a06dab69317323719418d893a75d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

**application.helloworld.zip: application.helloworld.sample.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.zip/application.helloworld.sample.jar

**MD5:** 892761af3b4616d02b5760f51c3a6fc6  
**SHA1:** abb6ece25203f3036fa13c25a78be5f271f42130  
**SHA256:**cbf9f77f0e4b9657c28a7b278b535fbd81e125489672b928c4bbcecd435d792a  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld	High
Product	Manifest	specification-title	application.helloworld	Medium
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar  
**MD5:** 256eb8a6b56fa0bfc1a74fe482dbe737  
**SHA1:** a1c1bb467ca65f4162ac8b8dfbcf76faaad42bfb  
**SHA256:** 19f2cb3ae1620a2eba26eaea25e527818dff4eca4f3b9445b00ac0244af9c005  
**Referenced In Project/Scope:** server

Evidence <span></span>				
Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex	High
Product	Manifest	specification-title	authentication.oauth.ex	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- None

authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/authentication.pam.jar  
**MD5:** b948be36b090a3173ea40efb2fdd4935  
**SHA1:** 216dced42e4932d08a9282276f6bb504ab982bfd  
**SHA256:**365ceb8bb99d28569d30668a85270b00be507bc77ce980eb519e8659773e5ae3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2025-04-04 17:33	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2025-04-04 17:33	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High

Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

## authentication.pam.zip: jna.jar

### Description:

JNA Library

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar

**MD5:** 9bb1338e58031463c300f643cb3c41fa

**SHA1:** d9c6794f22c2e3c846b02d51c6a95c304e8e056b

**SHA256:** 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86	Low

			/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low

Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjniidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjniidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjniidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjniidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjniidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjniidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjniidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjniidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjniidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjniidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjniidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm	Low

			/libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Product	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle-symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

## Related Dependencies



- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar



- MD5: 9bb1338e58031463c300f643cb3c41fa
- SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
- SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e
- ocr.tesseract.zip: jna.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar
  - MD5: 9bb1338e58031463c300f643cb3c41fa
  - SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b
  - SHA256: 336f2ae25222389eb9f3c90f8f7c3a6258c33581964b2338bf836b3b865b049e

## Identifiers

- cpe:2.3:a:oracle:java\_se:5.14.0:\*:\*:\*:\*:\* (Confidence:Low) suppress

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** f6bef568e690d361a5dcc165f5ad4b1f

**SHA1:** 05638a4aaafa689a6c246530823afdc18d3fd438

**SHA256:** b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

## Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: f6bef568e690d361a5dcc165f5ad4b1f
  - SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
  - SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f

## Identifiers

- None

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 719d6ba1946c25aa61ce82f90d77ffd5

**SHA1:** 94d2191378cac5719daecc826fc116816284c406

**SHA256:** 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

## Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 719d6ba1946c25aa61ce82f90d77ffd5
  - SHA1: 94d2191378cac5719daecc826fc116816284c406
  - SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

## Identifiers

- None

## authentication.pam.zip: jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll  
**MD5:** e15183ef9c6c255b76fda73d01ca7ecb  
**SHA1:** f816f998c43204230d9ea3eecffb5f8372a32c2e  
**SHA256:**38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c
- ocr.tesseract.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: e15183ef9c6c255b76fda73d01ca7ecb
  - SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e
  - SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Identifiers

- None

authentication.passwordfile.zip: authentication.passwordfile.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar  
**MD5:** 17f8d6335cdad20a08bb8fe3b5406d3a  
**SHA1:** 94764687931cbeb03d753057ad4f76a7c8ad49e7  
**SHA256:**68589c461ca5ee1b5aeda5d62697a78a61135ee92ecb1108aedffd6766a65ca5  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile	High
Product	Manifest	specification-title	authentication.passwordfile	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.product.zip/authentication.product.jar  
**MD5:** 2c730a70df3e769311d5dadbcf701b79  
**SHA1:** 314eac6b06f3de4baf9d76a59e18e4c76a6caed2

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2025-04-04 17:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2025-04-04 17:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/authentication.windows.jar  
**MD5:** 2c769694d6c7ded8c3a877db984142c4  
**SHA1:** 92b2b14c884cb235e3b0297722166e146da91ae3  
**SHA256:** 91f4830324c561ceb8b2a3dd5b48206f53dcbad4cf2b9d0ba014b9fce74ffb92  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2025-04-04 17:34	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2025-04-04 17:34	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- None

## authentication.windows.zip: caffeine.jar

### Description:

A high performance caching library

### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/caffeine.jar

**MD5:** 7661b25999918646ec802846cc4c16bc

**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

**SHA256:** 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

#### Identifiers

- None

## authentication.windows.zip: jna-platform.jar

### Description:

JNA Platform Library

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/jna-platform.jar

**MD5:** 3bc3f09a698e6ad250dd093f64fbb8a7

**SHA1:** 28934d48aed814f11e4c584da55c49fa7032b31b

**SHA256:** ae4caceb3840730c2537f9b7fb55a01baba580286b4122951488bcee558c2449

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low



Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.14.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0 (b0)	High

## Identifiers

- None

authentication.windows.zip: waffle-jna-jakarta.jar

Description:

WAFFLE JNA Jakarta Pakage implementation

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

**MD5:** 4292b31211ec75d0a54780009f620fd7

**SHA1:** a54b03b4de48b62188b183e04313092119f3e247

**SHA256:**e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna-jakarta	High
Vendor	pom	parent-artifactid	waffle	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna-jakarta	High
Product	jar	package name	waffle	Highest
Product	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	copyright	2024	Low
Product	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Product	Manifest	Implementation-	waffle-jna-jakarta	High

Title				
Product	Manifest	specification-title	waffle-jna-jakarta	Medium
Product	pom	artifactid	waffle-jna-jakarta	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna-jakarta	High
Product	pom	parent-artifactid	waffle	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.5.1	High
Version	pom	version	3.5.1	Highest

Identifiers

- [pkg:maven/com.github.waffle/waffle-jna-jakarta@3.5.1](#) (*Confidence:High*)
- [cpe:2.3:a:4d:4d:3.5.1:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Low*)

suppress

command.jsonexport.zip: command.jsonexport.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar  
**MD5:** aea6ba73cea392848e1f2a2f6ca0e908  
**SHA1:** 49e3bc84b8c44078d1154796fb017a958935dc77  
**SHA256:**9937feae96048c4027a1bf437cb3da05cd03f27b781cab499f4e6309f981d3c6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	command.jsonexport	High
Vendor	jar	package name	command	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	command.jsonexport	High
Product	jar	package name	command	Highest
Product	jar	package name	command	Low
Product	jar	package name	json	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	command.jsonexport	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	command.jsonexport	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* )

suppress

## commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/commons-logging.jar

**MD5:** e7a1e7cb6a89241ed9bfec4c25b6c645

**SHA1:** b9fc14968d63a8b8a8a2c1885fe3e90564239708

**SHA256:** bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low

Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrangue	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium

Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low

Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium



Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

## Related Dependencies

- ocr.tesseract.zip: commons-logging.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar
  - MD5: e7a1e7cb6a89241ed9bfec4c25b6c645
  - SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708
  - SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016
  - [pkg:maven/commons-logging/commons-logging@1.3.4](#)

## Identifiers

- [pkg:maven/commons-logging/commons-logging@1.3.4](#) (*Confidence:High*)

## comparison.api.zip: comparison.api.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

**MD5:** 8b0664b531280ae7c5afcba4d294393f

**SHA1:** 621b21f2ef12f90992eeb347a068e08d0700da6c

**SHA256:**bb7f7702af03d0ddf3ff6a6f145554e1e0082ab55990830f4bbb65f098772089

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.api	High
Vendor	jar	package name	comparisonapi	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-	*	Low

		codebase		
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.api	High
Product	jar	package name	comparisonapi	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.api	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.api	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## comparison.rpc.zip: comparison.rpc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

**MD5:** 7162f70a7533e66a82d1cf7ecb1fcfa0

**SHA1:** ab482e4be9be6ac37bcd177a420fdd8ef5973ec

**SHA256:** ac9e219cda3e80edfe2e2b235027d6688c37a558e4c18c70bec86d213c6864

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.rpc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	rpc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.rpc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	rpc	Highest
Product	jar	package name	rpc	Low

Product	jar	package name	websocket	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.rpc	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	comparison.rpc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

• `cpe:2.3:a:inetsoftware:pdfc:25.4.200:*:*:*:*:*` ( *Confidence:Low* ) suppress

## comparison.webgui.zip: comparison.webgui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar

**MD5:** a111e7beaced3e7bbb78c3177f205b6

**SHA1:** 432eff7e682e2f50ea4aeed93a4a9208c8781aa

**SHA256:** 398335f87a23998e2ae70a6c560988916ef4fc0f7062127b06e744861fc8bde

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	comparison.webgui	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	webgui	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	comparison.webgui	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	server	Low
Product	jar	package name	webgui	Highest
Product	jar	package name	webgui	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	comparison.webgui	High
Product	Manifest	specification-title	comparison.webgui	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

suppress

### comparison.webgui.zip: comparison.webgui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

**MD5:** 2e4ad8b6a0f9a76284c281df29d4ae4d

**SHA1:** c715d01b3797ea1cc4e3615d97412a8d2cf8a067

**SHA256:** c1ace93a6f794644bab65004932e9335d040e375a3d93c6ca4f7029bc5e06e59

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: compare.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

**MD5:** fe7f8734bc1028998896d5481e83ec96

**SHA1:** 629930095748e05440178c2e8b85ee6e6e77d4c8

**SHA256:** 6f2dc1284b4be78d07a1513d814d4985861a476832231825b5917d4274304ae9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js

**MD5:** eae9fe75a066b1ae24dd4129630d1072

**SHA1:** 38ea62246d2d53d55b07336b84bb2a00f16c0f3f

**SHA256:** e19f73b725f90f01fd3f2e4c9110579a076c51b46947c55ed5e781898955d981

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: contingent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

**MD5:** 10782a90b423f2db0450adaa8944f25a

**SHA1:** 8d7242260155b1bc6cbca8cd0fa034c3be0c021b

**SHA256:** c54c35e7c00b764c4e9b7511916a30510158e88b8c8e5ee4d61c7302a7d87295

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

**MD5:** 977c91c73c21098ba5fec977cc6c0768

**SHA1:** c6abeca9e064164218c9f78476cf3d4d1ee75d4d

**SHA256:** 0f96865a41ece89e9bf83ba206f096b61e7d7026e5d3fd5b86e6b5f177cd180e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js  
**MD5:** 14028f3ecbcfc96a785ea29eec407af0  
**SHA1:** c89033c6f1414aabc1e006e78079167ab6ffb194  
**SHA256:** 64973d746a823e043ad9df56ce9aff83dbe2f89cea86bed498cfe1dc82d799ca  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: dropzone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js  
**MD5:** 2856733a745b9f8fdb7e8f5806f32299  
**SHA1:** e644c116bc9337732ee3fd448430f5ad7c9056f1  
**SHA256:** 37993d37570580a0b7d0ab92083862738ab1aa30c9767241a29173342a08e1bb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js  
**MD5:** 5a9324f394f0c1d72dc439a5116731e4  
**SHA1:** 868b2ea069d71ea15ba88cb2b6759433ddc1a367



**SHA256:**196971b3452a5c1ba2e3dd0a6f37560df39ef90a6fd9950d1996a8375f6df1dd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

**MD5:** ae51bbc0f34f3fdf3d07421cc9710283

**SHA1:** b1dedb5423fa7d010ac58e11a3529d8fea4024d5

**SHA256:**a6c16801e3693f8c5b6d20f8b554bb0acfec2d919f916328211477b8cff38239

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: model.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js

**MD5:** bf9df0234fcd2eb46f769206c4080fb5

**SHA1:** 089cec63bfbf392d8e10738a0abf51cc3fc6bd1c

**SHA256:**f53a5668fefbb2b5d8a95dc1004b49b191a56885cf74babe58b3d6399b10579f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js

**MD5:** 34d4d5fd0cf1fa77d569e928af1a00aa

**SHA1:** 230e35fe5f8f5a48ccd930cee3c79f16df858b97

**SHA256:** 28be5c583ef3c82dca061d79f33a43f3672421b6a1b42e460a444f296d49a79a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js

**MD5:** efd8f1209beda5284dc15f8aca112d27

**SHA1:** 687c737e897e48cb3acb63e59285cfa857336164

**SHA256:** 88934f701f39a3614089252f4eb9ca972c53bbd249ffbd4c4b702fab1b5f5a2e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js  
**MD5:** 4e69b1954226ce194fd836df7ad77e35  
**SHA1:** 6e79c7f2354f08c8effe8adfd66c6dcaff4bdb8c  
**SHA256:** 6078c754f425f4087a05cf8e6aca77ab5b6c9df996e5143d730f32bd8f46ca21  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js  
**MD5:** 676338e9e274fd0d9ab59db49e3ea86f  
**SHA1:** 5c8a910bd5453a9e9ff6163db9f760533e9db5b6  
**SHA256:** 3cbb5959eb832a0c7880d2a0c58a4f82cc6e66b177b4aeeef49a87540265b96f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js  
**MD5:** a80e7a67200f9bebc58cc1b1f648ba81  
**SHA1:** 67a71dca22d20ed3e4cacd59e7b013052bba6059  
**SHA256:** 1eb1aed349f9e8d0781de9f352733a58b6a4fcac9e89d259888005099b5216d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: profileentry.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js  
**MD5:** 70fba9a0806250f9fc3f559012ebdfc5  
**SHA1:** 911155de0ffa9aff766b028eff7d2a74557da44c  
**SHA256:** 7dc35ebc9b13805fc2160bd904bea53c880ab49854079e55e4f141984b6ab075  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js  
**MD5:** 3c6b3557cb70409b766dcadc7593ef40  
**SHA1:** 15ab54e19f4ed112a10fc9bb380d5613f4c9e10f  
**SHA256:** bc6ff09abcaa54afd0b07b558cec428824f5e1b157a5459e3eb2308802eca100  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js

**MD5:** 15cb57cdb21d62986b893e35495ac8d0

**SHA1:** 060e44459b5a3e7b684be7a9faefd5683a22ea9

**SHA256:** c1ce1c1ef7c98cb682a6844bec27307b2e7aee3403b607ce6743394984d5f481

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: report.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js

**MD5:** 161485eaea5b9b5f65d479f48911c56f

**SHA1:** edc976c964a05132b9b34aa9b3d8d282147bbc04

**SHA256:** 35e773c2f1fa99f13a7aac090863d403636547f5b7df7e0c05a88b3eda6f1ecc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: scroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js

**MD5:** 258842a58c95114e959f659bfa15d9a7

**SHA1:** f947fcb0b63cc56cacedf1d9f3f812b3330586b

**SHA256:** 4d7e9feb475bec916fc11571fbf16ac1f9113abf4db43bdd18bd4f3ae0560666

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js

**MD5:** bdc3caac35d953edd2e6f68c0d4bfd74

**SHA1:** ef70a291cb7226084945b2648356f3a389b7fa58

**SHA256:** 36620c84f1984fc0d8f98256fb345a0329ab25c834dcfa8c916d552ff370799e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: userlist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js

**MD5:** f0280a91fc83e571ef486c22a7f93ef7

**SHA1:** 68abf77cf988cad21dd9dad06a89175f906b1d9e

**SHA256:** 1b0b6bc3b19aa7a697b17a94c617ad8e1807b10ac7de9d9292bfdc3f929c41cb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js

**MD5:** 1f6d120c92d4c7e6c41cc4368b09ebac

**SHA1:** 9cdf600708312b16e2d9eadd26aea32da1ffc7d2

**SHA256:** 50fe2d4678259193d90aae7c481487d02566b4c92ba3ca4d7c2cf13c9e345250

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### comparison.webgui.zip: comparison.webgui.jar: zoomer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet

/pdfc/webgui/client/js/directives/zoomer.js  
**MD5:** 9292c505ec54cc329a2c2f0dc6612a43  
**SHA1:** 724665a18dfc42d5fb8ba99a8010022de75bfccd  
**SHA256:**d9d4db5a4a662a0887793825308e350047a54dc41810200c7ffb732c57a61f1c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.automaticconfigrestore.zip: configuration.automaticconfigrestore.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.zip/configuration.automaticconfigrestore.sample.jar  
**MD5:** 2bf2f0b1c934009c15feb3ac2e7b2b03  
**SHA1:** b9f52a16f45be9490e6477a8e905b41bcac482ac  
**SHA256:**92ebc2d6960b6484d856e5f196d68f32d47664bf221d770dceb3f2c6a4973666  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High



Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore	High
Product	Manifest	specification-title	configuration.automaticconfigrestore	Medium
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- None

## configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar

**MD5:** 915b90530d10e61edf056465bf1b1526

**SHA1:** e8b2890215344de4dcacb8924ce46efd4c8b6dbf

**SHA256:** 84f086d2566d0fde347b455feb1e3e1f28a56116e780cc5fc76511a532f8c28c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2025-04-04 17:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2025-04-04 17:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

**MD5:** aefb1a2a7d97d2df669e0545658c3e24

**SHA1:** 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

**SHA256:** c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: authenticationRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js  
**MD5:** 08d42fd374d37fbb791917830a779fa8  
**SHA1:** 3e7daea97fb445ace87c90fd3e9188690660d99d  
**SHA256:** 1719515423a8f8edcddfcb5519f22251afbedfd9de10bea76c99e461bd82929  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js  
**MD5:** e281bd179c94019bdf388759a526f31  
**SHA1:** 5f4be414c7db7b9c699a371bc3a84a945e1c13a3  
**SHA256:** 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js  
**MD5:** dc5744f572a36fa29dc813914156944d  
**SHA1:** 40a96829d9f498e1364fac7ec8bf8a626c4ac66c  
**SHA256:** edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

**MD5:** db9d1ee17d2b4f79813c66e8a52b8fcd

**SHA1:** 68e81a259a7bce7f49dbf629230020cdf0b01398

**SHA256:** 1fff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

**MD5:** b0813d0ec9806c583ef329e581525cfa

**SHA1:** e9aa95314c1ff7db39f348a7f4971530842a422b

**SHA256:** 7e63f4f6c7700fc7d5195d3b9d94ae7cdf3586e27564c4ef4b49aa61788adca4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** 07ae83528b0f987b01930435cc86454e

**SHA1:** 37740d90bf0cc142a3375c9e47512da796531d83

**SHA256:** 3cb2f55655d2214888210be8aea166e47e41a03cf2212c8ea2fd91a03c585ca5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/fileUploadRenderer.directive.js

**MD5:** 20b3a86faec53d2c52df25ddca88019d

**SHA1:** 4679535064a337528d0af74e436ed9efc3ecba34

**SHA256:** 3b1c9149d512831e048e5f304017d98f9f3a881df714df1eaa7f80a5c715ffb9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

**MD5:** d4fa34d24a58237edaff0fcd1e52a98b

**SHA1:** 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206

**SHA256:** 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

**MD5:** b969add17dc880386a4a12aeb1418ac7

**SHA1:** 043902937f854307250351d4962b245ba7d35da0

**SHA256:** 176336118fdd2a25e038b03053b99b681052199b0a55c4b8a1f7dbbbbcbdfdcdb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js  
**MD5:** 95eec66eb56684db24cb9d8c5cc387fc  
**SHA1:** 33e9abd6b5c84780196226b277217e4d189216c8  
**SHA256:** 1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js  
**MD5:** e01df58e761b7fba83e716c5d665eb22  
**SHA1:** b4fd37979b7a3ae4d7252b56bcec8ef0903113ba  
**SHA256:** 50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js  
**MD5:** 4531879fc071658f5888a12116e31f0d  
**SHA1:** 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7  
**SHA256:** 032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

**MD5:** 2f2a25596ec290d0f62e10a37fc973c8

**SHA1:** a4e327416b73eeda15ba6d1874a3bbc3849ae81e

**SHA256:** 2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

**MD5:** a90349ac59fc4f16a05deb269d1c3519

**SHA1:** 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a

**SHA256:** be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177fd99

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

**MD5:** 07e0e206944a58f4cdbdf7650c525baf

**SHA1:** 7835f237aaba8bcab20abdbcf39fd819b2965a69

**SHA256:**f429d8ef4497a3bc8347c737a37dec47141e9468e5c2ed4d5e221b8a28b531e2

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js

**MD5:** 1b7acb7f77157666bd8163e13cc47fdf

**SHA1:** e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3

**SHA256:**ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js

**MD5:** 6d48b1b05a2bd2ef4384bb996789ddca

**SHA1:** d1131bfe50939a01e50982034b1b7574822215bf

**SHA256:** 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: listItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js

**MD5:** 3861af3c3295e6c4a5294cb6acbba516

**SHA1:** c50509a982a993396e02d822b3c3fb34e222436e

**SHA256:** 311fd55e9bc277170770072f1ea723e6ad7a851aaec8163599e666ff544d8be6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: logopreview.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js  
**MD5:** 26dcfa1ad0cdb0544ef008924888a991  
**SHA1:** 0ea96c5d21849d29d88b410e3183598f055b3731  
**SHA256:** af02f5e1a9d65ef994a9f218d87d8ad6a257aff3de9891fe0a42b06afa8a6cee  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLineCode.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js  
**MD5:** e2a752736b313cd15c5067b9e2f7abc6  
**SHA1:** 2c22df117b9f45a082498e2696385eca5919534d  
**SHA256:** c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js  
**MD5:** 9769483af9509271e1ffd9602c681481  
**SHA1:** fbb61268f1e63f705fb6d167bdb9f5138d622a18  
**SHA256:** 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

**MD5:** c417f8278dcca4343be0b1c60d6c5fe1

**SHA1:** 3eda017cc7075b934736e1daf71b0d59aa412203

**SHA256:** c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

**MD5:** a762f68eb820d383f03214a0c401d090

**SHA1:** 05c793442f5193f2ffa3b952cd62af88309e68f6

**SHA256:** fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

**MD5:** ee0760c34d35b7ab1f556b36ef72504b

**SHA1:** cfcab22873b681c7d9019378b4c7fa9c6af49b47

**SHA256:** 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

**MD5:** e6700ce9f732a1f1b614ffdcd2c94933

**SHA1:** 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

**SHA256:** 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repoDbRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

**MD5:** 5ef1c770c4e5fe42e93f01f633f453d3

**SHA1:** 5da8e6fda8968333e5a0badb6aa45020a83b6b69

**SHA256:** c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repoFsRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

**MD5:** 6bf0ab3a102f1607ad605c4820851ff4

**SHA1:** ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

**SHA256:** 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js  
**MD5:** 35b661e3e8a0b9517b5ef113729adebf  
**SHA1:** 451b13b299f3189adeb149487bd614b2de8ec78c  
**SHA256:**f155af09a82a7d6bab233a77ffa620935e78b1bb8e8636ec2987241a0fec48b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js  
**MD5:** cca1b6d749a3ff9bb3ed1e546c1ddd3f  
**SHA1:** 295dbe208d68b96973cfde80dc8f657cdaedb7f2  
**SHA256:**597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js  
**MD5:** 3aa24125a54ec0a890cf9c3ecb3579ad  
**SHA1:** 5cf9a71def93c493f1781f6729abeeabe36999f4  
**SHA256:**8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

**MD5:** 1d900550c21095ac4bf85607121a14e1

**SHA1:** e756ceb1b1e5a6eaa30bbb366c4e62c59e77d783

**SHA256:**bbfd861491aa357cbbfa2f1ee15b232366b1f88b28c4962339bf5756e49297b9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

**MD5:** b2dfe60265ea9129a4b1abe952ad92ff

**SHA1:** 20176c71d76cb163d19b6add0667a5179bb4e9ec

**SHA256:**3c3904cb2f26ca946b317091a674646fbd692bed2a7288097f016bbe7be7af1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

**MD5:** 133dcb833b683d40c4a902b736bdd1d6

**SHA1:** e8d02811739badfec2c515780b99466e9d5f2dc9

**SHA256:** 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

**MD5:** 7859e473016ba4b6c663b2de73e886d0

**SHA1:** 2c6104c939065689031febe53b2c4690eb17af15

**SHA256:** cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

**MD5:** 00171fe096529318005c987067f6cae4

**SHA1:** 586d31e6a344760d84d76e12763b6f47e69618d0

**SHA256:** db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

**MD5:** 8c4598540efc682f3551a75bde20dfd9

**SHA1:** 42c3a77e9067c8d053e4dac23de2a40a70d67ec4

**SHA256:** b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: tableRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js  
**MD5:** 9c912ea0c0e6a7cd18a45ab3aa2234d2  
**SHA1:** cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723  
**SHA256:** 967fadfaccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: treeRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js  
**MD5:** 0a727a5f05e3fd245c2160b5366328f1  
**SHA1:** 678f64bfd07d434e17c8ec082ae6b65c34e80953  
**SHA256:** 926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: usersandgroupssselect.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupssselect.directive.js  
**MD5:** 27bf7f8502a7aa8612104bf9da20aa9d  
**SHA1:** a75f988f7790d6be413c8f962c051a78880d96d7  
**SHA256:** c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar  
**MD5:** f141fe17454b6921db1fa98c90fb5070  
**SHA1:** 9a0369c247da4740db00469e43533b8741e0beae  
**SHA256:** 0468452db2eb1301da86cad443432fa24b9c299bf6c1e5ea3e35d9335397f245  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2025-04-04 17:48	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low

Product	jar	package name	widgets	Low
Product	Manifest	built-date	2025-04-04 17:48	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

**MD5:** 6672ce6950e54f655abda54ed0f66ed5

**SHA1:** 3043ce3c7f15e47f311010f1863bbe38f47f9902

**SHA256:** c1e3f04eb8893a9a04750d0c1b6da7de0e22820db78773eb345add1267fbd784

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** 8755baee0fb97dbfdf5d5b972b7cf9bc

**SHA1:** 1c4299a3df93cd84ff68923b6db924b325e8ed79

**SHA256:**576dde92cfe5caf4a9fb8084b64d73ef914d1b44b695cd74ee916829c6d652cf  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js  
**MD5:** 46ed42c329ea270b64073af7b041554e  
**SHA1:** 1e2685c45d920807865bde8647def47f405d70c0  
**SHA256:**b062fe753fb5117f9ee299ce3d7c7aa6631e229aaecfea9351af3847f20ef152  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js  
**MD5:** 9eaeff897d71b988456b1081f7baa57e  
**SHA1:** 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146  
**SHA256:**3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js

**MD5:** 0f1ab9cf9534b099e18cc5852ee024dc

**SHA1:** 404002851f13cee9f19794e77396da6d11c9adfd

**SHA256:** 93af3fdaf826e858e80a21ea6ece6281e38bc6e6c4c006f76db5ed3849aaa629

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

**MD5:** c9d9a63b248de3b1ab32753b2652581f

**SHA1:** 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77

**SHA256:** 6ab396c52d329bb05ffc977b19f70afaae28b05f93ed53e7766369f734126485

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

**MD5:** 00bbba279bab5ddacde78dc991498f9f

**SHA1:** c0c245794ad50fdff5bae6b15f494130d740ee51

**SHA256:** 492f447221e59374290a8994359099d7c8ce3de45961e5dd2cbb648d4a6b29c2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

**MD5:** affca3db509cab73d34a15f21623ee7

**SHA1:** d3a2d26b44827807dd0035932815b1a8f72e453d

**SHA256:** c7328c891ff58d6da40001887b68e993052b856d83e1d6493a32f0fed8dff6a5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: directives.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js  
**MD5:** c7436529172605f449dda5c983dc74dd  
**SHA1:** e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4  
**SHA256:** 993aecee895d9e18dd484cbcf7b1b908db6dd2fe5a8078bf664faa39070dbe7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js  
**MD5:** 83231947ca2ffb7ee6d2839bbfac6a62  
**SHA1:** 7418ac3a78c906c55d8779d363184d5f2a335428  
**SHA256:** 7ad4ad758d262497faee037107f81e81b1a996d6f4111a46bd91092925cc58a3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: flot2.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js  
**MD5:** 0b7015815b97473a69b1917da6dc9c7c  
**SHA1:** d23aa3eb0326ea5ae26e4d98383e80f3f63a05de  
**SHA256:** 8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** ea308918919d88577b89513d61dfa21b

**SHA1:** 42b1d16409b39bb01ede0fbb44357a27bb8d0249

**SHA256:** dc162fa9f5ab8b95bec8b06db139fa7b57a14257b51a349578ff6c2681a1fd6a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: harddisk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js

**MD5:** 538fd0fdeb11c4fa3dd2ac88c8711204

**SHA1:** 80957f16c25af55fc467e6c5af84153a595115c8

**SHA256:** a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js

**MD5:** c5fdaf4ccf9027d4a81c2f62b897e927

**SHA1:** 667f13f878547fe5bdd76d63151a8bf8113736ac

**SHA256:** 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

**MD5:** 751ab48845663bb2e183db1c23837049

**SHA1:** 68afe450d8d8b18885e9a1609dcdaa354cdc38ea

**SHA256:** 03827ae0ce0f6ce8e4b023a418f796284cbe2358a1f468fa3e5a5ee24018ad20

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

**MD5:** 132205ce288f4d0108593ba2adf79e7f

**SHA1:** b1fc530ffd7332db05d9b5431535ec0beb9ff688

**SHA256:** 089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

**MD5:** 43d6af3fce515e8c01c806b587663d18

**SHA1:** 3144a2d2373abb1e911388b3cc049467fe9f616e

**SHA256:** 8ad0c4ac7fb4dea2dc4f38137e5136e2d4b9f4f380203be7de3fd430cbab5260

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared

/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** c86f20826acb4cd47c7bd5dbfb75b0d4

**SHA1:** 91bc3730aac03d2108e538843d28f0e47d531bc2

**SHA256:** 392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js

**MD5:** 547f9875c9c43a8e13e5831262ce7629

**SHA1:** 777e8a815832ebb01cd38d376692c43b66e58cb8

**SHA256:** 0348322950015a8c715d7eac1366190d313bbaeb529ab02d7ee49e2b182071f3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js

**MD5:** 362ed951b53dd4ef9c8494e8d1749466

**SHA1:** 9879a26fb052a8e75d1b46672397dfb5b1927f77

**SHA256:** abbe117c43a3b186c9453af73cceb55b3f42ab2cccb6809a4b1dc04b4b1489e9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

**MD5:** 80f5e4358aa6a9ba6d35c364803e6c6a

**SHA1:** 43c0492bb6e31b22174edb46514f0981930d2e39

**SHA256:** cdf4ae1ac491e48bcb17849a4b9ccdfb5eea517798c0dc10fe13fb75b1eca99

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

**MD5:** d341fba13a10131585866bd8575fb85c

**SHA1:** 1829064e54bcc91f1a96ef0605fcb71188f6126d

**SHA256:** 8554a8c566d5aed56913953c9cd38fdb6a59fb3292279d76e624f615c2c97c1e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

**MD5:** 31e9928c521c394f829c570f248fab50

**SHA1:** 97977864881447d98bab1568b64f96115f4a4d4a

**SHA256:**f96d3c13acc616439828fdcf4a368dedb6f8a740eb44cef5980b659ee9c07845

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### docfx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

**MD5:** 8d6c494b74e6c47ae0eb2e20c5c528f8

**SHA1:** 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

**SHA256:**c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- docfx.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.js
  - MD5: 8d6c494b74e6c47ae0eb2e20c5c528f8
  - SHA1: 65e3447fe91b30ebb4c4863adbe13f20c4cc81b0

- SHA256: c210b0b1dc0081355faa906b4239e82f670c0ed7b49b31c9de2161cceed3e7f

#### Identifiers

- None

### docfx.vendor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

**MD5:** e546d4a3ac43d85422e9c43bf9488c88

**SHA1:** 7387f5bf1a3382308d646560039243629968f137

**SHA256:** 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies

- docfx.vendor.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
  - MD5: e546d4a3ac43d85422e9c43bf9488c88
  - SHA1: 7387f5bf1a3382308d646560039243629968f137
  - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34
  - [pkg:javascript/bootstrap@3.4.1](#)

#### Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

### drive.zip: commons-compress.jar



**Description:**

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/commons-compress.jar

**MD5:** 1db4bd87b0082044c6e7a6af0b977a3e

**SHA1:** a19151084758e2fbb6b41eddaa88e7b8ff4e6599

**SHA256:** 293d80f54b536b74095dcd7ea3cf0a29bbfc3402519281332495f4420d370d16

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low

Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest

Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low

Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Medium
Version	Manifest	Bundle-Version	1.27.1	High
Version	Manifest	Implementation-Version	1.27.1	High
Version	pom	parent-version	1.27.1	Low
Version	pom	version	1.27.1	Highest

### Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.27.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.27.1:\\*\\*\\*\\*:\\*](#) (*Confidence:Highest*)

suppress

## drive.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/commons-io.jar

**MD5:** 8cce74ccf461cd6502ae04c908eca917

**SHA1:** 44084ef756763795b31c578403dd028ff4a22950

**SHA256:** f3ca0f8d63c40e23a56d54101c60d5edee136b42d84bfb85bc7963093109cf8b

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low

Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium

Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low

Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Medium
Version	Manifest	Bundle-Version	2.18.0	High
Version	Manifest	Implementation-Version	2.18.0	High
Version	pom	parent-version	2.18.0	Low
Version	pom	version	2.18.0	Highest



Identifiers

- [pkg:maven/commons-io/commons-io@2.18.0](#) (Confidence:High)
- [cpe:2.3:a:apache:commons\\_io:2.18.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

drive.zip: drive.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar  
**MD5:** dba41901f6ee51daf66160a169b4a945  
**SHA1:** e11432f41fca711ca620961a52cac82270b1566c  
**SHA256:**a637b0eabb519837d5ebcf4f0af7a524bbb5eed7311261c9c568ae2e9b1bedb7  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:50	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-04-04 17:50	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-	25.4.200	High

Version

#### Identifiers

- None

### drive.zip: drive.jar: actions.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

**MD5:** 5a6ae0c7fc82c58bab37f4285e30512b

**SHA1:** f1eb0409af6e5773374b81f52f389bca0ce2b3f1

**SHA256:** 28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdae45963c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: actions.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

**MD5:** 998a27160003a3469286feae6566087f

**SHA1:** c89f2b764a184edcb2ecea721a8de5505e120645

**SHA256:** b3974489f4a331f499333d670ff26406e81127f12e9f67922bbbe93fb8b7d1f9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### drive.zip: drive.jar: contentextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js

**MD5:** e99878ac66d8fee42530ec9cbf14d75f

**SHA1:** bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1

**SHA256:** 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### drive.zip: drive.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js

**MD5:** 6a09c1de9657a2568448b248854ce706

**SHA1:** 9a21426a9902e57e5297092257ac4293c38d4e66

**SHA256:** 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### drive.zip: drive.jar: drivecleanup.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js  
**MD5:** b169a86e136d29c6086ce2d4ce844940  
**SHA1:** f9e647250896fbe4c6447cf54b8388cce0536699  
**SHA256:** 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: drivecontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js  
**MD5:** 79316912d24539555baa8dc8db6ad5cc  
**SHA1:** 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c  
**SHA256:** b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: drivefactory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js  
**MD5:** ec1a645849b15ac87257c67b72db01e5  
**SHA1:** fd5919d6e363363288fa4f36598641d2e8d1037b  
**SHA256:** 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivemodel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

**MD5:** 15baadf362e4a6bbe9a11156c356379c

**SHA1:** 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

**SHA256:** 533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: dropzone.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

**MD5:** 9333360f3ab2b58025292cfc300d2306

**SHA1:** feb2c2ae6a060ba3b1f51732fa15a8440054ca42

**SHA256:** 2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: entryactions.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

**MD5:** 4e1af222fa8434c45c9967dae33e4ba9

**SHA1:** 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3

**SHA256:**a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: fileconfig.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js

**MD5:** 50021227a8c1fde7c5e9021fb4c9662e

**SHA1:** 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5

**SHA256:**c85bf99b97d5bb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: folderlist.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js

**MD5:** 4b24a6e7eed98f96a4aacd30236cf1ff

**SHA1:** 2fa7cc99c29eff9ed30d996376e090b14c7546dc

**SHA256:** e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: linkdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js

**MD5:** f15f4145fae202d6226cd16552f4332e

**SHA1:** 55d3a3a74a0097f2140679fd038db9e117b91210

**SHA256:** 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: locationchooser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js  
**MD5:** 63cc3a56e78e101f8772b6971837cabe  
**SHA1:** 9607b46402152c52677255207bfb1d8a53ddc65d  
**SHA256:** 8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: mountdialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js  
**MD5:** bae8655b5724d052aa7a9711f4152936  
**SHA1:** 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3  
**SHA256:** a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: myshareextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js  
**MD5:** 3341e49fd8b74545b74fb5801eea08f7  
**SHA1:** 495f3198d67735901fcee27163e685c11dcc548c  
**SHA256:** c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: permissionsextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

**MD5:** 5d4347a1688c497e577b0f206f03f387

**SHA1:** e04d5fc64f5f793c15da17d5d17aec329d2a07e2

**SHA256:** a8cef4b2cab03b5feff517a8ae7945812af41773a05f64a7922e44a0271586a3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: progress.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

**MD5:** b004817959f313b9b60d12ef02c30ed9

**SHA1:** 67a59999e03435474845d8662a6e15158bc1a963

**SHA256:** e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: progresspanel.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

**MD5:** bea9ad91c5e843050f2f26c1224edb8d

**SHA1:** 7b690153a846fd222ce973ce5f83f429d226e2ef

**SHA256:** c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: resolve.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

**MD5:** 95b31366585c193c85a04bef11668e8f

**SHA1:** 61138ba7e20763911657b0f426b3f1c2c56f1cb6

**SHA256:** de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: responsivetoolbar.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js

**MD5:** 27e0c257622ce7abaa3d79b16f4ca956

**SHA1:** fdc8792d25cc1f9c717829edcb42bccb96ba815c

**SHA256:** 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: selectedextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js

**MD5:** bc1586beb3196d958558dec1e3aad8cc

**SHA1:** 6692fb56799c97f45146219295a634e5b3f8bd3c

**SHA256:** eb9e87833bf57bcbc808231f58e7fb4efc25bea6865755e41f9c9f21e3045630

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js  
**MD5:** b709a1856dfd4688f3d642ba8512838d  
**SHA1:** f119d948dc1479b33bd304aebd0650c239c8a903  
**SHA256:** 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js  
**MD5:** b07b04985445ebdbba87887d414abea0  
**SHA1:** 3744199533dc4ec6e6518de0e4ca457488bcfac4  
**SHA256:** fa52946d9bcdb4e2a16aa25d3affc4ee3928e701b2869b6603efbe26776e0602  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: thumbnailextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js  
**MD5:** 16297c9704c91eea2ca65ad4ccef42ab  
**SHA1:** d21cb0b96916a7659a493e0f7d2e62c61df3633d  
**SHA256:** 34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: toolbaraction.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js

**MD5:** 6f4fabe4efc8a816d22cdc075c83e252

**SHA1:** 2499850520381d89890f6b1188c0d78785e8c4b0

**SHA256:** 67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: unzipextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

**MD5:** eb1cc3ddc27ca5cebcc29928a73b284b

**SHA1:** d88389fb2ca0c9f222856c4448dffedf192893d0

**SHA256:** 16131306dd92c55b463f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: zipextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

**MD5:** 0a73ec5359838800bd35ba9a1f9e5559

**SHA1:** 207e48452de653ffa8c64e97d421c4424f38e84c

**SHA256:** 761ecdcbba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## embeddedMode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** 92314f8cc3acd209a1f91a13fc50a2fb

**SHA1:** dadaca7712877d347c6052a89d3ac5bcc796ebab

**SHA256:** 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- application.embedded.zip: embeddedMode.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and

Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/src  
/com/inet/application/embedded/webgui/embeddedMode.js

- MD5: 92314f8cc3acd209a1f91a13fc50a2fb
- SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
- SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

#### Identifiers

- None

### filter.area.zip: filter.area.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar

**MD5:** 67e27339e4deace298aa79538f8d05b9

**SHA1:** 6e9f83f44699ee4b0239a417e68babd85951158f

**SHA256:** 7056d2d47666ce1860845203293a97f5488f8435da1d879dd968f58cf17f5dc7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.area	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.area	High
Product	jar	package name	area	Highest
Product	jar	package name	area	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.area	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.area	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

#### filter.baselinetable.zip: filter.baselinetable.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar

**MD5:** ddeead87a79912fe6d1f710cc3be919c

**SHA1:** 8b579a4bbc3b95f55833cd7fb5c6e9944e6839e4

**SHA256:** cb4351f9594c2b20fa0ba22c0e5237a807b894cf19074940c30c5fd47cba4325

**Referenced In Project/Scope:** server



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.baselinetable	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.baselinetable	High
Product	jar	package name	baselinetable	Highest
Product	jar	package name	baselinetable	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.baselinetable	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.baselinetable	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

### filter.cmappatch.zip: filter.cmappatch.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

**MD5:** 2fb98138bfa4fdb301bb43ed6ed1caee

**SHA1:** 96fe440d2649324b5e9c936cb4423e4642559719

**SHA256:** 3e36dba7063321ff6a8e9692244a5f6a8a367ed27fb14077b76ef639cd632c15

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.cmappatch	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.cmappatch	High
Product	jar	package name	cmappatch	Highest
Product	jar	package name	cmappatch	Low
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.cmappatch	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.cmappatch	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

**MD5:** 75b7a85733fcc59af8c9596b38ac5f3d

**SHA1:** 4b8d1e4b5d67bad5fafbd4dd210653b1a0386763

**SHA256:** b653cb00e9f93953dd436ae747e39d7480a71caa275648d89d16ad5b1a56aad1

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.headerfooter	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.headerfooter	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	headerfooter	Highest
Product	jar	package name	headerfooter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low

Product	Manifest	built-date	2025-04-04 20:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.headerfooter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.headerfooter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* )

suppress

## filter.hiderotation.zip: filter.hiderotation.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

**MD5:** 2bb78ccb122b5ac8262f219386cb2859

**SHA1:** 9fab3265ffd6ae657db560a5b569e091bb92ab6f

**SHA256:**b2c1a3b26aad07338a7b3fa72ee168e201a0065377cf2e6ed6776711ac42525

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.hiderotation	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.hiderotation	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	hiderotation	Highest
Product	jar	package name	hiderotation	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.hiderotation	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.hiderotation	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

suppress

filter.invisibleelements.zip: filter.invisibleelements.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar  
**MD5:** d52905af1e59b46f5139eb760128ea6f  
**SHA1:** 1dead029ca739c83096e755fdb75fd63b8f61ba5  
**SHA256:** adefb2e684a16280ec3fe3550498f00cc856c72db36cbbd20783191e2193b573  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.invisibleelements	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.invisibleelements	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	invisibleelements	Highest
Product	jar	package name	invisibleelements	Low

Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.invisibleelements	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.invisibleelements	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

filter.multicolumn.zip: filter.multicolumn.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar  
**MD5:** 33770d9ab44c6db846a9bfee8f781971  
**SHA1:** 2d828cb1daca18aeef3c267f46aa19ab46ee6ebc  
**SHA256:** aa190e06f0f978130502c51d8191d316019934b221a8ffc60086565717626681  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.multicolumn	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low



Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.multicolumn	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	multicolumn	Highest
Product	jar	package name	multicolumn	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.multicolumn	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.multicolumn	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-	25.4.200	High

Version

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* )

suppress

## filter.ocr.zip: filter.ocr.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar

**MD5:** 3b9104af7f4da6115fc2ceda6ad49798

**SHA1:** 9861796e1ca6ccffd50beb662f8ac0614d4ef95f

**SHA256:** bcdedac7c992b97209d52da6d5d8706435fc8b4ca31c6490e73b04286e4259a4

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.ocr	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	filter.ocr	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.ocr	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.ocr	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

filter.pagerange.zip: filter.pagerange.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar  
**MD5:** ba85b70221d7db9c89dfa673fe64f6e3  
**SHA1:** b7a6fb3ed9e1a9c39d6ff630eafe57c0b5ec1128  
**SHA256:** 73e764f311a24debbbeb550f66d0ef5fc199a97c6a90f0db01dffc68f57cc7  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.pagerange	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:28	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.pagerange	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	page	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:28	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.pagerange	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.pagerange	Medium

Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

### filter.regex.zip: filter.regex.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

**MD5:** a7cfc315e266ffc158f1e44854f2276b

**SHA1:** 0019ed57d146ea3c8da8e9bcbcbcee28947fcdff8

**SHA256:** 08ff29a7121320330d9b28d6a418f0c6262ab0b9b99830661871debf05b14620

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.regex	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:26	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.regex	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	regex	Highest
Product	jar	package name	regex	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:26	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.regex	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.regex	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

**filter.regex.zip: filter.regex.jar: filterrenderer.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js

**MD5:** fed6198a818efccd3e71fac743e61c3f

**SHA1:** dc6d579196c5b147daac7e14e034e2b004ca36f2  
**SHA256:**87b3e46faf43504c51e1ad9407e3d6c17a3bcd8170c14ea7df3b1f4282275442  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**filter.texttransform.zip: filter.texttransform.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar  
**MD5:** 6b3860baa00374d8813c0d269176da39  
**SHA1:** 50976bf6505f3914d7bec48e45f0503b39db428  
**SHA256:**8d5f8294460db72f3533f04659b0648ae3990b45b99daeba62f6f7ab83b90e65  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	filter.texttransform	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:27	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

## vendor

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.texttransform	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	texttransform	Highest
Product	jar	package name	texttransform	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:27	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.texttransform	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.texttransform	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

## filter.urllookup.zip: filter.urllookup.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar



**MD5:** e7b8dfb603e8aabffc9d485dc8937756

**SHA1:** 6a47f9bf9d95eb5f48eb186a516ed82074fa5326

**SHA256:** 55cf0639e153ec2dd821567262f7c00e4b9b875afd3c59982b9b570e9141a145

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	filter.urllookup	High
Vendor	jar	package name	filter	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:29	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	filter.urllookup	High
Product	jar	package name	filter	Highest
Product	jar	package name	filter	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	urllookup	Highest
Product	jar	package name	urllookup	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:29	Low

Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	filter.urllookup	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	filter.urllookup	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

## googleanalytics.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 2d80a02a8a912b832b3fd044f985011b

**SHA1:** a1fdc1c0ff040b9b2cce863058e8ef63b94a160f

**SHA256:** 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies +

- application.googleanalytics.zip: googleanalytics.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
  - MD5: 2d80a02a8a912b832b3fd044f985011b
  - SHA1: a1fdc1c0ff040b9b2cce863058e8ef63b94a160f
  - SHA256: 99ec57bd66db3cfd2f65e9b2bc0ccd0c01a659945f206d8f3240294c6fac281a

## Identifiers

- None

## hamcrest-3.0.jar

### License:

BSD-3-Clause

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

**MD5:** 781023c38b054e9cf1c818c77895e1eb

**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

**SHA256:** 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/pdfc/server@25.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High

Version	file	version	3.0	High
Version	Manifest	Implementation-Version	3.0	High

#### Identifiers

- [pkg:maven/org.hamcrest/hamcrest@3.0](https://pkg:maven/org.hamcrest/hamcrest@3.0) (*Confidence*:Highest)

## help.zip: commons-beanutils.jar

### Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-beanutils.jar

**MD5:** 07dc532ee316fe1f2f0323e9bd2f8df4

**SHA1:** d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

**SHA256:** 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium

Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrang	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium

Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low

Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrang	Low
Product	pom	developer name	Niall Pemberton	Low



Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-beanutils/">https://commons.apache.org/proper/commons-beanutils/</a>	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

### Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_beanutils:1.9.4:\\*\\*\\*\\*:\\*](#) (*Confidence:Highest*)

suppress

## help.zip: commons-digester3.jar

### Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/commons-digester3.jar  
**MD5:** 41d2c62c7aedafa7a3627794abc83f71  
**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79  
**SHA256:** 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcand@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium

Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low

Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low

Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

### Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar

**MD5:** 922b0ec3dce818d031f582433c8d432b

**SHA1:** 99e3340918c3c70728b82b1ea03e538a019ae6f4

**SHA256:** 07d71cfad856cea5bf963f2c44faa42b2d15ae1f84a08ea3cddbcbce2e441f2a1

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High

Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2025-04-04 17:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- None

help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js  
**MD5:** 3a626c6ba8ee31fb8ebf60eabda6f994  
**SHA1:** c39bfbdd57aadcb966452b9fc2790e555fa12867  
**SHA256:** 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js  
**MD5:** 56aaa1c940ebe63e698f2c96d8d349b1

**SHA1:** ec2bffb788815074a91285778836919c4fe6245  
**SHA256:**dcadc7df6c99e3ec93d8e539c3d7e5f3a1aac871e021c961ea6df16ade78162d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

**MD5:** 0b9f1c69fe745940b59dfcc46b07c9e8

**SHA1:** d04efd9797d2fdca767d508cf120351bef141846

**SHA256:**1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

**MD5:** af91e703b72f064acb7b0980a1981705

**SHA1:** 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

**SHA256:**12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## help.zip: jsoup.jar

### Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

### License:

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/help.zip/jsoup.jar

**MD5:** d15bd94d71d99e967c893e64f6452b84

**SHA1:** 0fb42d6cc9898ced4b73175eac49c61a40f35325

**SHA256:** 5be1ccd3228ae5fd6eed1bd6d827bac2bc65b91c20e9957d16ea65f739f15302

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://jsoup.org/">https://jsoup.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	<a href="mailto:jonathan@hedley.net">jonathan@hedley.net</a>	Low



Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	9	Highest
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.18.3	High
Version	Manifest	Implementation-Version	1.18.3	High
Version	pom	version	1.18.3	Highest

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.18.3](#) (Confidence:High)
- [cpe:2.3:a:jsoup:jsoup:1.18.3:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (Confidence:Highest) suppress

htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/JWebEngine.jar  
**MD5:** 6b0d00cb8a014d3608110440c2b8cbc9  
**SHA1:** 48968ce8d07c0442b4b63f03cc00815584752add  
**SHA256:**801fba7d2bf4dae7fbf411a1dde5cf1c40b8de255480787dd6800c922c1a1067  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-	*	Low

		library-allowable-codebase		
Product	Manifest	built-date	2025-04-04 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1607	High

Identifiers

- None

htmlengine.zip: htmlengine.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/htmlengine.zip/htmlengine.jar  
**MD5:** 28ba72482f63b8ef8d29472a9e488104  
**SHA1:** 2ad92cc5494f354022c87b9e3f4587840700fc14  
**SHA256:**e4b6b40490aa790ea14ecbc0a4c2baec8aaf1a8c04912162f506e3bad67c0002  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2025-04-04 17:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

		Vendor-Id		
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	hmtlengineserverplugin	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	Manifest	built-date	2025-04-04 17:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### inetcore-25.4-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/87860dfaeaec10e8eb819cf7e59b4915c508a96/inetcore-25.4-tools.jar

**MD5:** 31ce4e2d77a4c1d3a4a073c906316689

**SHA1:** 87860dfaeaec10e8eb819cf7e59b4915c508a96

**SHA256:** 4d86520e0caf342573bf8ad18763e6075b28d3cdc4a4283437d1b1e7f18202b2

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/pdfc/server@25.4

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest

Version	file	name	inetcore	Medium
Version	file	version	25.4	High
Version	gradle	version	25.4	Highest

## Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence*:Highest)

## inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/b9cd84dd426fd283f6557c8c152d01f03dcc14d9/inetcore-25.4.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium

Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

#### Identifiers

- None

## inetcore-25.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/b9cd84dd426fd283f6557c8c152d01f03dcc14d9/inetcore-25.4.jar

**MD5:** ee674020c1224c0d0ca625dd519d3a80

**SHA1:** b9cd84dd426fd283f6557c8c152d01f03dcc14d9

**SHA256:** eb872469e6da066afa9c58e70c5f5227d96a4fd2d60cc80ff78fc2f52d17bfc2

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/pdfc/server@25.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 17:02	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 17:02	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.4	High
Version	gradle	version	25.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.200	High

### Related Dependencies

- inetcore.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetcore.jar
  - MD5: ee674020c1224c0d0ca625dd519d3a80
  - SHA1: b9cd84dd426fd283f6557c8c152d01f03dcc14d9
  - SHA256: eb872469e6da066afa9c58e70c5f5227d96a4fd2d60cc80ff78fc2f52d17bfc2

### Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence*:Highest)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/inetloggeradapter.jar

**MD5:** 211fb02152252985ae200c50755a30d1

**SHA1:** 8fd5a81fc30ccd1714dd07073501387b309cb122

**SHA256:** 1c87fed32889c079e6b1f9071c2c8c09bc2d25333a7e15860b46b116f9f716bf

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low



Vendor	Manifest	built-date	2025-04-04 17:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 17:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/inetsoftware.Pdfc.dll

**MD5:** 3984fae44d329431a784367b874c26c9

**SHA1:** a2a549e776f717a9b6cf9a754d7ac226e9773552

**SHA256:** 4f49a405b2b7d8fbc3c1edd5933ee55bd6ee12d0090a56d402d1051505e9f6b2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Pdfc	High
Product	file	name	inetsoftware.Pdfc	High

#### Identifiers

- None

### inetsoftware.Pdfc.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC .NET Bridge/strongly named/inetsoftware.Pdfc.dll

**MD5:** 772396864db6a2961e3988e31f019a1f

**SHA1:** 2f7b197c175e4b215a128fbd8c8b886327adf6dd

**SHA256:** 0ddfdb3b483f97ae76b3b1675b1756ef31b6d7e9e62241935248612fa07ab797

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetsoftware.Pdfc	High
Product	file	name	inetsoftware.Pdfc	High

#### Identifiers

- None

### jakarta.servlet-api.jar

**Description:**

**License:**EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.servlet-api.jar**MD5:** 314c930b3e40ac1abc3529c7c9942f09**SHA1:** 1169a246913fe3823782af7943e7a103634867c5**SHA256:** 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4**Referenced In Project/Scope:** server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.servlet">https://projects.eclipse.org/projects/ee4j.servlet</a>	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest

Product	jar	package name	servlet	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

#### Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:projects:6.1.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## jakarta.websocket-api.jar

#### Description:

Jakarta WebSocket - Server API

#### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-api.jar

**MD5:** b1098129a9c74ae03d618fb841990ab0

**SHA1:** 60e525188fdb42120506debd90ffd4e204fd6f24

**SHA256:**541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a>	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Product	Manifest	extension-name	jakarta.websocket	Medium

Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

### Identifiers

- <pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0> (*Confidence:High*)

## jakarta.websocket-client-api.jar

### Description:

Jakarta WebSocket - Client API

### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/jakarta.websocket-client-api.jar

**MD5:** 9c363a8d4ab7b78b6160569e27568c1a

**SHA1:** cf7eafc1b929a80429c77e4450c6720a7de56814

**SHA256:** aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium

Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

#### Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:web\\_project:web:2.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:High*)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** 3c17af7d2793baf1af9b56d2bb2ed0c5  
**SHA1:** 9081134b642e809240fa7e34a30625818baab0e1  
**SHA256:** fee24948e5c70fd6381057c102debc5e91cb799a093c9620d001e83f13b07c77  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.6	High

## Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.6:\\*.~\\*~\\*~\\*~\\*](#) (Confidence:Medium)

suppress

## jlessc-1.12.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar  
**MD5:** 8e0d57ed6e6809be8002db58024c370e  
**SHA1:** 8ea5dba973ee8e969a243e08e47a27ca48121b5c  
**SHA256:** 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8  
**Referenced In Projects/Scopes:**

- server
- server:inetPlugin



**Included by:** pkg:maven/pdfc/server@25.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.12	High
Version	Manifest	Implementation-Version	1.12	High

## Related Dependencies



- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/jlessc.jar
  - MD5: 8e0d57ed6e6809be8002db58024c370e
  - SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
  - SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

## Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](https://pkg:maven/de.inetsoftware/jlessc@1.12) (*Confidence: Highest*)

## jpeg2000.zip: asm.jar

### License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/asm.jar

**MD5:** d7efc026b92630c03b98a0e04b738fa6

**SHA1:** e96a34e49acb000f16d4e6243e031e31e6eca84e

**SHA256:** b24bd83db00af96d8b8dd5935294bed69d01da5c1452ee2456b4bc22578be968

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-	ASM, a very small and fast Java bytecode	High

		Title	manipulation framework	
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.7.1	High
Version	Manifest	Implementation-Version	9.7.1	High

#### Identifiers

- None

### jpeg2000.zip: concrt140.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll  
**MD5:** b7ff8e74ab911b76f4fe2fbd2c3cea1  
**SHA1:** 7ca4395c9083838052677ca55af0c15bc7f6c94d  
**SHA256:** d1a9b1a0ebe71e886b42a59faa67d4bf7646c3f46e0153dd2519b0e77ebbc5  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### jpeg2000.zip: imageio-openjpeg.jar

#### Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.  
 Requires the OpenJPEG shared native library to be installed on the system.

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/imageio-openjpeg.jar  
**MD5:** 68d57be9e7727be95b44aa79a05c7467  
**SHA1:** ba5897c00b323e476a257ffbd90fb5536a997987  
**SHA256:** 65defc93870db0efce91cc89a1c13e2a1ee33611daf5e66d74deea8edce75839  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.8	Highest

## Identifiers

- [pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8](https://pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8) (*Confidence:High*)

## jpeg2000.zip: jffi-native.jar

### Description:

Java Foreign Function Interface - Native Libraries

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar

**MD5:** ee294f1662f45a4a1127899f068405b2

**SHA1:** 7e9fda3825655eafae46cf289d6efc9bc292d2be

**SHA256:** 4b2b297e4232f257bfbab27fd8a6837de14ea3569d1bd4cbccbd67e2353a8097

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.13	High

### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll  
**MD5:** 2c0b62583a6446ca74c26dd356a6efc8  
**SHA1:** 97d03509897bb23ab808c232fe0fa3240e91d52d  
**SHA256:** a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

#### Identifiers

- None

### jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll  
**MD5:** 841e60814ed6b2971a47b267aef1c58a  
**SHA1:** 07d30c6407fefad8df4b6afc4d85f83e547975ca  
**SHA256:** d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

#### Identifiers

- None

## jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi-native.jar/jni/x86\_64-Windows/jffi-1.2.dll

**MD5:** 5d80b61c1f9e31860c17b3a410948e7e

**SHA1:** 5ca292116336ee4ceed00d10e756afea580e62cf

**SHA256:** 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfe4efb4e7dd934e2733ef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

### Identifiers

- None

## jpeg2000.zip: jffi.jar

### Description:

Java Foreign Function Interface

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jffi.jar

**MD5:** e1d22e343f11180995f637eab3329dd2

**SHA1:** 3ab9749b374617cfdb52079daf03d097eea177aa

**SHA256:** 0259d02456faf7f2206cb9ab0febebb2fbd563c25fb0467c7877fff91dc5c441

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High

Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.13	Highest

#### Identifiers

- [pkg:maven/com.github.jnr/jffi@1.3.13](https://maven.com.github.jnr/jffi@1.3.13) (*Confidence:High*)



**Description:**

A library for invoking native functions from java

**License:**

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jnr-ffi.jar

**MD5:** 5c4fafb48701743fa77e49708aa73649

**SHA1:** 082cf8638dc554292c3ecd0584dc8ff60d0c7c3e

**SHA256:** de2d51265e9d47128d5c0978fb9b808fcd9635e96dafbdf4c8addc432efdbd21

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	<a href="http://github.com/jnr/jnr-ffi">http://github.com/jnr/jnr-ffi</a>	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-	com.github.jnr.ffi	Medium

		symbolicname		
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.17	High
Version	pom	version	2.2.17	Highest

#### Identifiers

- [pkg:maven/com.github.jnr/jnr-ffi@2.2.17](https://maven.com.github.jnr/jnr-ffi@2.2.17) (Confidence:High)

## jpeg2000.zip: jpeg2000.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/jpeg2000.jar

**MD5:** f57770131b183141c3558b3bdf2aead9

**SHA1:** e6356836638ad98aa4af8c61a0bf161059929e79

**SHA256:** 84e19979f83b288cdc357bff481b397d20c7aec60b2e219c6d6f0524539bf9f8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2025-04-04 17:36	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2025-04-04 17:36	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### jpeg2000.zip: msvcp140.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll  
**MD5:** 0d89995cc45c7eb40e5a7e287506c1e9  
**SHA1:** 096c27b06ee7fff2bcd290af0264cdafd04cded9  
**SHA256:** e0a22a594e148fa55ceef3e49969bfa77011a801267a0bd7805b681b593c9d0b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

### Identifiers

- None

## jpeg2000.zip: msvcp140\_1.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140\_1.dll

**MD5:** c060bb176a671f068362db2673a08c5e

**SHA1:** 1d6b4ae5e778f1daf3573d4817777a51c35cbac4

**SHA256:** 768e0829decea713afb35a7de07e276f051581c8ff2c17e1bae9b07dd1445dd0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140_1	High
Product	file	name	msvcp140_1	High

### Identifiers

- None

## jpeg2000.zip: msvcp140\_2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140\_2.dll

**MD5:** 94bc7a22ec7308f851cc58fd6de90b2d

**SHA1:** cb4d8dcd2c8e9bbf049c1628246cb12cdd34b353

**SHA256:** 5c12eaef6db18b168f712bff9b55793e0effddf15b89552e7f5ca4f8f1887b9b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140_2	High
Product	file	name	msvcp140_2	High

### Identifiers

- None

## jpeg2000.zip: msvcp140\_atomic\_wait.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140\_atomic\_wait.dll

**MD5:** 6407c40330e6081689bb702daa5aacac

**SHA1:** 24126ff2ddd568a6ed17134e539cad94e22152a7

**SHA256:** 0193cdcff562f12218ecab5841fd6bbc4d24295cd8e4dcae960e2fb47cceb662

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140_atomic_wait	High
Product	file	name	msvcp140_atomic_wait	High
Version	file	name	msvcp140_atomic_wait	Medium
Version	file	version	140	Medium

### Identifiers

- None

## jpeg2000.zip: msvcp140\_codecvt\_ids.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/msvcp140\_codecvt\_ids.dll

**MD5:** 23efa781b89641f24c17592de857bb40

**SHA1:** fd537ff2cf7d09701baf6550640d6cc96bd5d284

**SHA256:** 9c6c0d8fa51ecca5e274295cbd72d45be474f3c6ce1070ec5e90f70242ae7185

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140_codecvt_ids	High

Product	file	name	msvcp140_codecvt_ids	High
Version	file	name	msvcp140_codecvt_ids	Medium
Version	file	version	140	Medium

#### Identifiers

- [cpe:2.3:a:ids:ids:140:\\*:\\*:\\*:\\*:\\*](#) (*Confidence*:High) suppress

### jpeg2000.zip: openjp2.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

**MD5:** a068a39973dbe3f985f9a3c2e06f2d27

**SHA1:** 2f726c784e92d68084b4e293664710e1389c6564

**SHA256:** 0e5682e82f3cee9d23c56259bfae7b0bcd8fab2d117e3832ac2308b96ae87585

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

#### Identifiers

- None

### jpeg2000.zip: vcruntime140.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

**MD5:** a4cf5c1f71c540c69371c861abe57726

**SHA1:** f272b34182db8a78ffc71755b46a57a253fcd384

**SHA256:** c179d8914ba8e57b2f8f4d6c101c2c550c7c6712a7f0f9920a97db340f9d9574

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

## Identifiers

- None

## jpeg2000.zip: vcruntime140\_1.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140\_1.dll

**MD5:** 9f4eac207cb58e8d110477e7fd19d565

**SHA1:** 687051b863f7a7178cabf9c06ab3b534b1e23dd3

**SHA256:** 7cf38d20d00b6640d510eab70171e1c6f8fa2e42040832e17c7433ab61d94a8e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140_1	High
Product	file	name	vcruntime140_1	High

## Identifiers

- None

## jquery.cookiebar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

**MD5:** 35bdd1bde2d5eefde68b90c95580dcbb

**SHA1:** 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e  
**SHA256:**bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- application.googleanalytics.zip: jquery.cookiebar.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
  - MD5: 35bdd1bde2d5eefde68b90c95580dcbb
  - SHA1: 1e82ddc04aedccb5ba4c90239c0d60188c7c7b6e
  - SHA256: bc3199c6d3de4c4c93746de532f5bd208b0c48c8ecf9f2b7fa3bb5f67be53556

Identifiers

- None

junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar  
**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f  
**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12  
**SHA256:**8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:** pkg:maven/pdfc/server@25.4

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium



Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

#### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence*:Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (*Confidence*:Highest) suppress

## junit-jupiter-5.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.11.4/a699f024a4a4706b36bddbeb42d499aff9e09379/junit-jupiter-5.11.4.jar

**MD5:** 0ff4b8499092fdeb7905380e53e848cb

**SHA1:** a699f024a4a4706b36bddbeb42d499aff9e09379

**SHA256:** aa880e4afba87d447357e4c1fc098c5cb1d200cb9403496c00d3b35a5bd0e8db

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest

Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4](#) (*Confidence: Highest*)

### junit-jupiter-api-5.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.11.4/308315b28e667db4091b2ba1f7aa220d1ddadb97/junit-jupiter-api-5.11.4.jar

**MD5:** e055a09339f2abd6ad3dc6d206ff1c3a

**SHA1:** 308315b28e667db4091b2ba1f7aa220d1ddadb97

**SHA256:** ab83ef9e51ac4597d59d26b4b58812129550e2f579a404c8af7d09f5ce5b4293

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High

Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4](https://maven.org/junit/jupiter/junit-jupiter-api@5.11.4) (*Confidence: Highest*)

### junit-jupiter-engine-5.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.11.4/dc10ec209623986a68ea07f67cdc7d2a65a60355/junit-jupiter-engine-5.11.4.jar

**MD5:** ff0242ed33cb684ec5a1d02164c5d26d

**SHA1:** dc10ec209623986a68ea07f67cdc7d2a65a60355

**SHA256:** cdf8ac59f3fad774ca738ad03890950eeb91833ef0e8908753177edd26f1581c

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium

Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4> (*Confidence: Highest*)

### junit-jupiter-params-5.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.11.4/e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481/junit-jupiter-params-5.11.4.jar  
**MD5:** 2eee588489ec62b5134fa04cff32592c  
**SHA1:** e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481

SHA256:02a6e015de7ce94ac7f256e7fa05b8091dea861fe79a555a7993313d0f6c7d96

Referenced In Project/Scope: server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low

Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

## Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4> (*Confidence: Highest*)

## junit-platform-commons-1.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.11.4/8898eea3ed0da2641548d602c3e308804f166303/junit-platform-commons-1.11.4.jar

**MD5:** 7e51034e6332ac61c11f9a00eb1d9471

**SHA1:** 8898eea3ed0da2641548d602c3e308804f166303

**SHA256:** 9edd969b0d0670c54105bc91ae79bd1c6f503e12115faba82073b84c86bbc334

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low

Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.11.4](https://pkg:maven/org.junit.platform/junit-platform-commons@1.11.4) (*Confidence:High*est)



**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.11.4/21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0/junit-platform-engine-1.11.4.jar  
**MD5:** a2489480705c1a83a9e371b053046987  
**SHA1:** 21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0  
**SHA256:** b1dd998f64f9acadc15966d9cd3d08074662677b3e390f0a38fcbf0bb4c72330  
**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2024-12-16	Low

Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.11.4](https://maven.org/junit.platform/junit-platform-engine@1.11.4) (*Confidence*:Highest)

## junit-platform-launcher-1.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.11.4/3d83c201899d8c5e74e1a5d628eab900342a0e48/junit-platform-launcher-1.11.4.jar

**MD5:** f8835afc4e99e5194c4a34d9b80a65e0

**SHA1:** 3d83c201899d8c5e74e1a5d628eab900342a0e48

**SHA256:** d7430bd029e7fcced53ee445e4d2d1a8a1e043ea4c4df43b6335a857f79761ae

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest

Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4](https://maven.org/junit.platform/junit-platform-launcher@1.11.4) (*Confidence:High*est)

junit-platform-suite-1.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.11.4/48b0add04256be602379ca7b2964edce30b2dff/junit-platform-suite-1.11.4.jar

**MD5:** 43381c147e29db866e14eab9434dc817

**SHA1:** 048b0add04256be602379ca7b2964edce30b2dff

**SHA256:**dfd78a246ec9063b401fe7f68d169aed5d9b9d974aabc85555af6ebd13d8507c

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.11.4	High

Version	Manifest	Implementation-Version	1.11.4	High
---------	----------	------------------------	--------	------

### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite@1.11.4> (*Confidence: Highest*)

## junit-platform-suite-api-1.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.11.4/745fc2bfc37c15a6233bbc1328524fd1b1429279/junit-platform-suite-api-1.11.4.jar

**MD5:** 44323f08839840de0ef6ef28a1573b36

**SHA1:** 745fc2bfc37c15a6233bbc1328524fd1b1429279

**SHA256:** 3c918f69219bbb30fc14ab10889d680e9dcbb3a5f1f506cd220a5504bed64822

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High

Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4](https://maven.org/junit.platform/junit-platform-suite-api@1.11.4) (*Confidence*:Highest)

### junit-platform-suite-commons-1.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.11.4/b381d0e04bd2721c4bf348d5be61d2b4768df305/junit-platform-suite-commons-1.11.4.jar

**MD5:** e3e4537735e3a87f10f3d5b62e27f812

**SHA1:** b381d0e04bd2721c4bf348d5be61d2b4768df305

**SHA256:** 11fb1e06a5e2bbb8e6ce483bd4e03c1340492f75eaf4239618325e7430f39193

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium

Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4](https://maven.org/junit.platform/junit-platform-suite-commons@1.11.4) (*Confidence*:Highest)

## junit-platform-suite-engine-1.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.11.4/679cc57f175e5924686d600a8b2bb02fecdd16623/junit-platform-suite-engine-1.11.4.jar

**MD5:** b9b8e0600cba56964a087a299f312639

**SHA1:** 679cc57f175e5924686d600a8b2bb02fecdd16623

**SHA256:** 7e66132d34b7a2c2fef63da3f7d799e15dca374a5191f1875ac8c053b44ba793

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low



Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2024-12-16	Low
Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.11.4	High
Version	Manifest	Implementation-Version	1.11.4	High

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4> (*Confidence*:Highest)

### junit-vintage-engine-5.11.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.11.4/81904e219c1b038fc83ab156ba2e458e213a549e/junit-vintage-engine-5.11.4.jar

**MD5:** d4255a851a102f2e3d16fe8b9f1c1797

SHA1: 81904e219c1b038fc83ab156ba2e458e213a549e  
SHA256:19239ff6cbef4b43e51ed5551faf1f2f1083494596ce1dd2c3275e698ccbc023  
Referenced In Project/Scope: server:inetPlugin  
Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/pdfc/server@25.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2024-12-16	Low
Vendor	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Vendor	Manifest	build-time	14:07:27.656+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2024-12-16	Low

Product	Manifest	build-revision	6430ba4f653f6ae42f326cd0731b259ee699c71	Low
Product	Manifest	build-time	14:07:27.656+0100	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.11.4	High
Version	Manifest	Implementation-Version	5.11.4	High

#### Identifiers

- <pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4> (*Confidence: Highest*)

## lunr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

**MD5:** da4f3703ce0083f8050d00e900aac7b0

**SHA1:** ae614550091dd5ea4b432d94fa4e286b2c91278d

**SHA256:** f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- lunr.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.js
  - MD5: da4f3703ce0083f8050d00e900aac7b0
  - SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d
  - SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

## Identifiers

- None

## lunr.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

**MD5:** 323b7324b0cd0280e1d33689fd88e70a

**SHA1:** f44691b6ed6e0cd684175f7779eea8fc4a2a5015

**SHA256:** 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- lunr.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/lunr.min.js
  - MD5: 323b7324b0cd0280e1d33689fd88e70a
  - SHA1: f44691b6ed6e0cd684175f7779eea8fc4a2a5015
  - SHA256: 447b131dc7c9500a8fb188bc88271941b88805d610a60a0c953c482d69abdf2b

## Identifiers

- None

## mail.zip: angus-activation.jar

### Description:

Implementation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-activation.jar

**MD5:** 42bba74155dc773eca277ee7a16f74be

**SHA1:** 41f1e0ddd157c856926ed149ab837d110955a9fc

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium
Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.2-RELEASE-c08e320	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High
Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.2-RELEASE-c08e320	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High

Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.2	High
Version	pom	version	2.0.2	Highest

### Identifiers

- <pkg:maven/org.eclipse.angus/angus-activation@2.0.2> (*Confidence:High*)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

**MD5:** 9907dbe21768f81f0436f492e8ceca57

**SHA1:** 108609abe9269199421273dfe2b5520c00ac800c

**SHA256:** a52a66e7dd0b6006ab29360dfe735a9d32243f70be56ea1af92bc7dca11fd1ed

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.3	Highest

## Identifiers

- <pkg:maven/org.eclipse.angus/angus-core@2.0.3> (*Confidence:High*)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml

**MD5:** 55d43d94fda869a2551af9303a7ea370

**SHA1:** fed2fd168251a00aef8e0ebfc379a58a05aa6346

**SHA256:** 2769e1c98f6d6ae4285eb0872ae1d20ce78bd503ed7a824d406e22e25e9d1b16

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.3	Highest

## Identifiers

- <pkg:maven/org.eclipse.angus/imap@2.0.3> (*Confidence:High*)

## mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

**MD5:** eb9a0a396f32310dcaeddef53c4fecf2

**SHA1:** 9d10a9bd90cb079dcdb9b1ab25e1d1f6c253e78d

**SHA256:** e9546707cf60f5eace422c9f542ba2548fcef1639f1270e103720d54a4ea2a66

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.3	Highest

#### Identifiers

- [pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.3](https://maven.org.eclipse.angus/logging-mailhandler@2.0.3) (*Confidence:High*)

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

**MD5:** f814ea6c49648addacecaad34e700890

**SHA1:** fad30d04e576332a8ce304438a8c60444a2a15fd

**SHA256:** 1bf0ed0c897f7825319a0b4a8926a95a7a4430ddf4d9c11b6d1af7a34acf5261

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest



Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.3	Highest

#### Identifiers

- [pkg:maven/org.eclipse.angus/pop3@2.0.3](https://pkg:maven/org.eclipse.angus/pop3@2.0.3) (*Confidence:High*)

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.3)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

**MD5:** 88fdc95cc63d9167e76af8fd06ad205d

**SHA1:** 3d3b38a40ef48a4feb95a7e4d6d133df2b58c5b0

**SHA256:**f69db19b0c17d856e923ce29d4d6089e5dcafa30678fe549c11d316712ca3fae

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.3	Highest

#### Identifiers

- [pkg:maven/org.eclipse.angus/smtp@2.0.3](https://pkg:maven/org.eclipse.angus/smtp@2.0.3) (*Confidence:High*)

### mail.zip: angus-mail.jar

**Description:**

Angus Mail Provider

**License:**

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/angus-mail.jar

**MD5:** 44f609355db6385cec29ef7eab9be8ea

**SHA1:** 56f811522d693700013768db83b741a65da6c61c

**SHA256:** 6b5b6fc2ba633c53733d829c56cae51d343fb1eadee3e17b8eea01a49edc72d3

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.	Low

mail.Provider"

Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.3	High
Version	pom	version	2.0.3	Highest

#### Identifiers

- <pkg:maven/org.eclipse.angus/angus-mail@2.0.3> (*Confidence:High*)

### mail.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bc-fips.jar

**MD5:** 027174ee7fa414dab1721ab0ca72d119

**SHA1:** ee9ac432cf08f9a9ebee35d7cf8a45f94959a7ab

**SHA256:**f6a25fd5744e91cc019a9f79733ae757da6648a80946fad9932041ad05695240

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium

Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	2.0.0	High

## Related Dependencies



- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bc-fips.jar
  - MD5: 027174ee7fa414dab1721ab0ca72d119
  - SHA1: ee9ac432cf08f9a9ebee35d7cf8a45f94959a7ab
  - SHA256: f6a25fd5744e91cc019a9f79733ae757da6648a80946fad9932041ad05695240

## Identifiers

- None

### mail.zip: bcjmail-fips.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcjmail-fips.jar

**MD5:** 59c98a4085cbcd64543de157d9edd82f

**SHA1:** 367db7b2da9fd8e62e8a0317323ad26922a8bc4f

**SHA256:** 0c785a7f67769b5bab279ee49d6dd2046995d76315341d9a9e744e1409adc531

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.5	High
Version	Manifest	Implementation-Version	2.0.5	High

### Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.0.5:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest)

suppress

mail.zip: bcpg-fips.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpq-fips.jar  
**MD5:** 05f2bad16aa3094a96fc397cf4f100d6  
**SHA1:** f69719ef8dbf34d5f906ce480496446b2fd2ae27  
**SHA256:** a9daf4d3c8d484a510b66dc121db1aafa435504f2aef0fa01ef3a020aae5f3ec  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpq-fips	High
Vendor	jar	package name	bcpq	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpq	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpq-fips	High
Product	jar	package name	bcpq	Highest
Product	jar	package name	bouncycastle	Highest

Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpq	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpq	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.9	High
Version	Manifest	Implementation-Version	2.0.9	High

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.0.9:\\*\\*\\*\\*\\*](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.0.9:\\*\\*\\*\\*\\*](#) (Confidence: Highest)

## mail.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcpkix-fips.jar  
**MD5:** d9a095c74c538144db95e8252803651e  
**SHA1:** 01eea0f325315ca6295b0a6926ff862d8001cdf9  
**SHA256:** 4471e25adb42e400fd9ffa472d78a40a3b6add49b37cd5945ac2ca62398b16fd  
**Referenced In Project/Scope:** server

## Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-	JavaSE-1.8	Low

## requiredexecution

Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfixs.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.7	High
Version	Manifest	Implementation-Version	2.0.7	High

## Related Dependencies



- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcpkix-fips.jar
  - MD5: d9a095c74c538144db95e8252803651e
  - SHA1: 01eea0f325315ca6295b0a6926ff862d8001cdf9
  - SHA256: 4471e25adb42e400fd9ffa472d78a40a3b6add49b37cd5945ac2ca62398b16fd

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.0.7:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*)

## mail.zip: bcutil-fips.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/bcutil-fips.jar

**MD5:** 66094c025a07ead8d600cb35b194b560

**SHA1:** a1857cd639295b10cc90e6d31ecbc523cdafcc19

**SHA256:** d7ab2fa5ba33594324a2cc26c75fd30e6a13e4d6524cb2027bb8384fd1befa14

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High

Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High
Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-	JavaSE-1.8	Low

## requiredexecution

Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.0.3	High
Version	Manifest	Implementation-Version	2.0.3	High

## Related Dependencies



- webserver.zip: bcutil-fips.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/bcutil-fips.jar
  - MD5: 66094c025a07ead8d600cb35b194b560
  - SHA1: a1857cd639295b10cc90e6d31ecbc523cdafcc19
  - SHA256: d7ab2fa5ba33594324a2cc26c75fd30e6a13e4d6524cb2027bb8384fd1befa14

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.0.3:\\*\\*\\*\\*:\\*](#) (*Confidence: Highest*)

## mail.zip: jakarta.activation-api.jar

## Description:

Specification

## License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.activation-api.jar

**MD5:** 76e7b680375ea9f40f3ddbd702efcd25

**SHA1:** fa165bd70cda600368eee31555222776a46b881f

**SHA256:** 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low

Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

#### Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (*Confidence:High*)

## mail.zip: jakarta.mail-api.jar

### Description:

Specification API

### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/jakarta.mail-api.jar

**MD5:** 288a687deb06b87602ce14cd03dddff4

**SHA1:** a327aa5f514ba86e80d54584417d7376ed2bde0e

**SHA256:** 8051b58d75f982f9a5b963b3765426e824b2a64865ef0af17205e455b98db05c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	0f448dc	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-build-id	0f448dc	Low
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low

Identifiers

- [pkg:maven/jakarta.mail/jakarta.mail-api@2.1.3](#) (Confidence:High)

mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar  
**MD5:** 1e884c703b569fdbfab7da98774978da  
**SHA1:** 2951217bcc4457a9ba5d6a199a204318e1a89cae  
**SHA256:**c387869e4fc996bccb77359369f1cbe034757e457d62c81b8e4d17c3257c9427  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2025-04-04 17:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-04-04 17:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High



Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### mail.zip: mail.jar: smimeconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

**MD5:** 76ded92d7b56d80d0af85480a18651dd

**SHA1:** 33c396d1db9c7f1133a9a79735ace61fd94b171e

**SHA256:** 97dd0e725e45950514b5652e5da386fa01e98aae4788d9489e3219e4a71cf3d6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### main.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

**MD5:** d79b7693c3fedef6d2701f98bd63395e

**SHA1:** dcb11c632f69f2a29632327c71ce2b36f0ed2da0

**SHA256:** 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- main.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/main.js
  - MD5: d79b7693c3fedef6d2701f98bd63395e
  - SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0
  - SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Identifiers

- None

maintenance.pdfc.zip: maintenance.pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar  
**MD5:** 92fc8d055c4bfb20231c8d5c42269376  
**SHA1:** f3e59519cbdfc4c2e029efcc39b02817af2399d0  
**SHA256:**ea0b9615ad135762ddb3ad85f651198bfa096ea3b22cfafade5301a0d66aafd3  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugins	Low
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.pdfc	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low

Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugins	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	maintenance.pdfc	High
Product	Manifest	specification-title	maintenance.pdfc	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

suppress

### maintenance.pdfc.zip: maintenance.pdfc.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/app.js

**MD5:** 5e534fcce6f689d176c6f3b40fc4454f

**SHA1:** e5f82942adf62444636d28e904add7c61a18ea32

**SHA256:**d08c1c9da221cbd9c38a26e0235b0da7c3bed4ab30f504aa741d4085a42f7294

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.pdfc.zip: maintenance.pdfc.jar: comparisons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdf.zip/maintenance.pdf.jar/com/inet/pdfc/plugins/maintenance/server/comparisons/js/comparisons.js  
**MD5:** dc34a947f1122f6f845deb82b822f15c  
**SHA1:** 7a1528b00bb5229be98689b8c465b37c39bfa0ff  
**SHA256:** 27b0ebba3a0c757e921cb562be691ee971fa06d1247423ff2c16f71d87d51bee  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar  
**MD5:** 66bcbbfbec2f8e3127f15274fb084481  
**SHA1:** d8f5df85a4c46d57aa57b6ff98e921e4dd3d80ff  
**SHA256:** c0bfc2ee9273bfbe1f97f48734a40f169d2fb6d97825ab2a430732a0ef74fec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-3.6.1.min.js  
**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632  
**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

**SHA256:**a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js  
**MD5:** 32059df39c14a910ccc2325f6a3cd62f  
**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b  
**SHA256:**672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

#### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)

#### Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (Confidence: Highest)

### maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

**MD5:** 93b51609403fe383f95ae75000fd9e09

**SHA1:** 32a7d291fa90846ef3a1b919485866573b8bd07b

**SHA256:** 5902db037c53061d68cc19ef2af2e3578c16ce0ec0397438e34dd8119c609087

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

## Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

**MD5:** e89f47c422716f6284a74cd96ed0cd3f

**SHA1:** 658d9c6eebf7c62d01f7808a26b6024b8c39ecf4

**SHA256:** 9687f5061532bbd21fa8c795aca6a657bdac71e356eb43f7103a1cd02bd9306d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script.js

**MD5:** baf9d9e16237acbdce975a33c54ee8ae

**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
- reporting.zip: reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975



- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Related Dependencies

- pdfc.zip: pdfc-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js

**MD5:** 3236248138000d701400e0346999c1a8

**SHA1:** 565146643a30712208f9299bd94a37566eab76b8

**SHA256:** 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

**MD5:** 4fc01a884f0b77974cfda0ecd2b9008f

**SHA1:** d9610bba6879a5a4f88fb61427b75cd69bce1546

**SHA256:** cb975e5713d5cd570800e6107aceaa23f53deee11f68222408fec819358da987

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar

**MD5:** 521aeeee3b30e3b1e544eeefade45d1

**SHA1:** 96e361c0992a40eefc690f3c0f423c767ed0f24e

**SHA256:** 31ac4f3541293121dbb5854611a28b84db559a3a2258ba5d9db478ce3c68bc52

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-04-04 17:32	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-04-04 17:32	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

**MD5:** eda28b0d3fc75e6df1ec801c4dda1184

**SHA1:** bde7771a725ab5f735940d621e891210d76d746c

**SHA256:** a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

**MD5:** aa44ef9d57351256e8288279206e9da0

**SHA1:** 29d071ac271977ff8019c6031ee24ddabc5fc3f1

**SHA256:** 4fbd2dbd4693521ea657c6d95d5f20f8128e38208d742ad6388f76e962052fec

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js  
**MD5:** 0ff72e191a3f127973fc5a9381f1e3fb  
**SHA1:** 2ed064d4500a047ef82b23173f0abf1e9813e1a2  
**SHA256:**6d60b6004b5b228cc1e6fc6ba01afc922d7d6e174f32773dbf32f1993085a0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js  
**MD5:** fa453d5635f82f0078c224f27dd99a7d  
**SHA1:** 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6  
**SHA256:**f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js  
**MD5:** 8761a32cdf4e1e4a7685026230292f7  
**SHA1:** c2d0abdc930a08da61c93cf63f310c9a74434f3c  
**SHA256:**358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

**MD5:** e68e2ea53d15557b2fb1deaf06d441d3

**SHA1:** 047d5f2582143536ea470e92aa91fb7b77c7f093

**SHA256:** c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: multieditusers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

**MD5:** 9344849a6f020a58c0f0d718e8c76929

**SHA1:** 2d636915befebb9bd1db90c54bffe6acfb088d87

**SHA256:** ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## mongo-java-driver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/mongo-java-driver.jar

**MD5:** b507109fd6a0b6ead4972e9554f09fc4

**SHA1:** 850383a126cdc5b363fa9ffc780037f6ebeee704

**SHA256:** 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High

## Identifiers

- [cpe:2.3:a:mongodb:java\\_driver:3.12.14:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

## notification.zip: notification.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar  
**MD5:** 92156ed3fee061498142bb5e9c37908d  
**SHA1:** 4812897b320cca894a8d23c1c2f9cde96ee9333b  
**SHA256:**5f288261547117c7a955f079f07a85009e93d51c462bcf3136126cea8c482d9d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- None



### notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

**MD5:** a7914294220b5e8b3455195997e7a654

**SHA1:** 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

**SHA256:** 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js

**MD5:** 323c074408d9e2dc2145230f2f2bec9e

**SHA1:** e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28

**SHA256:** c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### notification.zip: notification.jar: notification\_taskplanner.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js

**MD5:** 34de69c55375ed77dcc583b60d7682a7

**SHA1:** 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78  
**SHA256:**ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js  
**MD5:** 9207efb9b92d4108c031b3e7f469ccff  
**SHA1:** fc19cd09c51417a29979d39e3a74a2d99fbf9c03  
**SHA256:**c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### ocr.tesseract.zip: fontbox.jar

#### Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

**MD5:** 05adabd366e6f8a22ac04c293237dd89

**SHA1:** 9eebd1ee868a79fcf7390283b2baf4179dadb8ed

**SHA256:**65690c3f39b04a14d12c17f4998c15186ce877d3e2ec222c708577e3cc028030

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	fontbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	fontbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.fontbox	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	fontbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache FontBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Vendor	pom	url	http://pdfbox.apache.org/	Highest
Product	file	name	fontbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	fontbox	Highest
Product	Manifest	automatic-module-name	org.apache.fontbox	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache FontBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox.fontbox	Medium
Product	Manifest	Implementation-Title	Apache FontBox	High
Product	Manifest	specification-title	Apache FontBox	Medium
Product	pom	artifactid	fontbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest

Product	pom	name	Apache FontBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Product	pom	url	http://pdfbox.apache.org/	Medium
Version	Manifest	Bundle-Version	3.0.3	High
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

#### Identifiers

- <pkg:maven/org.apache.pdfbox/fontbox@3.0.3> (Confidence:High)

## ocr.tesseract.zip: jai-imageio-core.jar

#### Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIIIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

#### License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

**MD5:** 6978d733bfb55c0a82639f724fe5f3bb

**SHA1:** fb6d79b929556362a241b2f65a04e538062f0077

**SHA256:** 8ad3c68e9effb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jai-imageio-core	High
Vendor	jar	package name	github	Highest
Vendor	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Vendor	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Vendor	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Vendor	Manifest	Implementation-Vendor	https://github.com/jai-imageio/ jai-imageio GitHub group	High
Vendor	Manifest	specification-	Sun Microsystems, Inc.	Low

		vendor		
Vendor	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Vendor	pom	artifactid	jai-imageio-core	Low
Vendor	pom	developer email	stian@s11.no	Low
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer org	s11	Medium
Vendor	pom	developer org URL	http://s11.no/	Medium
Vendor	pom	groupid	com.github.jai-imageio	Highest
Vendor	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Vendor	pom	organization name	jai-imageio GitHub group	High
Vendor	pom	organization url	jai-imageio/	Medium
Vendor	pom	url	jai-imageio/jai-imageio-core	Highest
Product	file	name	jai-imageio-core	High
Product	jar	package name	github	Highest
Product	Manifest	bundle-docurl	https://github.com/jai-imageio/	Low
Product	Manifest	Bundle-Name	Java Advanced Imaging Image I/O Tools API core (standalone)	Medium
Product	Manifest	bundle-symbolicname	jai-imageio-core	Medium
Product	Manifest	extension-name	com.github.jai-imageio-jai-imageio-core	Medium
Product	Manifest	Implementation-Title	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	Manifest	specification-title	Java Advanced Imaging	Medium
Product	Manifest	url	https://github.com/jai-imageio/jai-imageio-core	Low
Product	pom	artifactid	jai-imageio-core	Highest
Product	pom	developer email	stian@s11.no	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer org	s11	Low
Product	pom	developer org URL	http://s11.no/	Low
Product	pom	groupid	com.github.jai-imageio	Highest
Product	pom	name	Java Advanced Imaging Image I/O Tools API core (standalone)	High
Product	pom	organization name	jai-imageio GitHub group	Low
Product	pom	url	jai-imageio/	High

Product	pom	url	jai-imageio/jai-imageio-core	High
Version	Manifest	Bundle-Version	1.4.0	High
Version	Manifest	Implementation-Version	1.4.0	High
Version	pom	version	1.4.0	Highest

## Identifiers

- <pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0> (Confidence:High)

## ocr.tesseract.zip: jbig2-imageio.jar

### Description:

Java Image I/O plugin for reading JBIG2-compressed image data.  
Formerly known as the levigo JBIG2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar

**MD5:** c51f45dc3d29bbf716774f9ff9e95ad6

**SHA1:** ad09a9bb94ea791ea81fb6c5bc2b13dd77872598

**SHA256:** 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2-imageio	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	image	Highest
Vendor	jar	package name	jbig2	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Vendor	Manifest	implementation-url	https://www.apache.org/jbig2-imageio/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.pdfbox	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low

Vendor	pom	artifactid	jbig2-imageio	Low
Vendor	pom	developer id	adam	Medium
Vendor	pom	developer id	blitchfield	Medium
Vendor	pom	developer id	carrier	Medium
Vendor	pom	developer id	danielwilson	Medium
Vendor	pom	developer id	gbailleul	Medium
Vendor	pom	developer id	hennejg	Medium
Vendor	pom	developer id	holdersn	Medium
Vendor	pom	developer id	jahewson	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	kjackson	Medium
Vendor	pom	developer id	koch	Medium
Vendor	pom	developer id	koehlecn	Medium
Vendor	pom	developer id	lehmi	Medium
Vendor	pom	developer id	leleueri	Medium
Vendor	pom	developer id	mmayer	Medium
Vendor	pom	developer id	msayhoun	Medium
Vendor	pom	developer id	pkoch	Medium
Vendor	pom	developer id	tallison	Medium
Vendor	pom	developer id	tboehme	Medium
Vendor	pom	developer id	tchojecki	Medium
Vendor	pom	developer id	tilman	Medium
Vendor	pom	developer id	vfed	Medium
Vendor	pom	developer name	Adam Nichols	Medium
Vendor	pom	developer name	Andreas Lehmkuhler	Medium
Vendor	pom	developer name	Ben Litchfield	Medium
Vendor	pom	developer name	Brian Carrier	Medium
Vendor	pom	developer name	Carolín Köhler	Medium
Vendor	pom	developer name	Daniel Wilson	Medium
Vendor	pom	developer name	Eric Leleu	Medium
Vendor	pom	developer name	Guillaume Bailleul	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Johannes Koch	Medium
Vendor	pom	developer name	John Hewson	Medium

Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Jörg Henne	Medium
Vendor	pom	developer name	Kevin Jackson	Medium
Vendor	pom	developer name	Maruan Sayhoun	Medium
Vendor	pom	developer name	Matthäus Mayer	Medium
Vendor	pom	developer name	Phillipp Koch	Medium
Vendor	pom	developer name	Sebastian Holder	Medium
Vendor	pom	developer name	Thomas Chojecki	Medium
Vendor	pom	developer name	Tilman Hausherr	Medium
Vendor	pom	developer name	Tim Allison	Medium
Vendor	pom	developer name	Timo Boehme	Medium
Vendor	pom	developer name	Villu Ruusmann	Medium
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	PDFBox JBIG2 ImageIO plugin	High
Vendor	pom	organization name	The Apache Software Foundation	High
Vendor	pom	organization url	<a href="http://pdfbox.apache.org">http://pdfbox.apache.org</a>	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Product	file	name	jbig2-imageio	High
Product	jar	package name	apache	Highest
Product	jar	package name	image	Highest
Product	jar	package name	jbig2	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox.jbig2	Medium
Product	Manifest	Implementation-Title	PDFBox JBIG2 ImageIO plugin	High
Product	Manifest	implementation-url	<a href="https://www.apache.org/jbig2-imageio/">https://www.apache.org/jbig2-imageio/</a>	Low
Product	Manifest	specification-title	PDFBox JBIG2 ImageIO plugin	Medium
Product	pom	artifactid	jbig2-imageio	Highest
Product	pom	developer id	adam	Low
Product	pom	developer id	blitchfield	Low
Product	pom	developer id	carrier	Low
Product	pom	developer id	danielwilson	Low
Product	pom	developer id	gbailleul	Low



Product	pom	developer id	hennejg	Low
Product	pom	developer id	holdersn	Low
Product	pom	developer id	jahewson	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	kjackson	Low
Product	pom	developer id	koch	Low
Product	pom	developer id	koehlecn	Low
Product	pom	developer id	lehmi	Low
Product	pom	developer id	leleueri	Low
Product	pom	developer id	mmayer	Low
Product	pom	developer id	msayhoun	Low
Product	pom	developer id	pkoch	Low
Product	pom	developer id	tallison	Low
Product	pom	developer id	tboehme	Low
Product	pom	developer id	tchojecki	Low
Product	pom	developer id	tilman	Low
Product	pom	developer id	vfed	Low
Product	pom	developer name	Adam Nichols	Low
Product	pom	developer name	Andreas Lehmkuhler	Low
Product	pom	developer name	Ben Litchfield	Low
Product	pom	developer name	Brian Carrier	Low
Product	pom	developer name	Carolin Köhler	Low
Product	pom	developer name	Daniel Wilson	Low
Product	pom	developer name	Eric Leleu	Low
Product	pom	developer name	Guillaume Bailleul	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Johannes Koch	Low
Product	pom	developer name	John Hewson	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Jörg Henne	Low
Product	pom	developer name	Kevin Jackson	Low
Product	pom	developer name	Maruan Sayhoun	Low
Product	pom	developer name	Matthäus Mayer	Low
Product	pom	developer name	Phillipp Koch	Low

Product	pom	developer name	Sebastian Holder	Low
Product	pom	developer name	Thomas Chojecki	Low
Product	pom	developer name	Tilman Hausherr	Low
Product	pom	developer name	Tim Allison	Low
Product	pom	developer name	Timo Boehme	Low
Product	pom	developer name	Villu Ruusmann	Low
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	PDFBox JBIG2 ImageIO plugin	High
Product	pom	organization name	The Apache Software Foundation	Low
Product	pom	organization url	http://pdfbox.apache.org	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Version	Manifest	Implementation-Version	3.0.4	High
Version	pom	parent-version	3.0.4	Low
Version	pom	version	3.0.4	Highest

#### Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## ocr.tesseract.zip: jboss-vfs.jar

### Description:

A VFS library

### License:

Apache License 2.0: <http://repository.jboss.org/licenses/apache-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

**MD5:** ecf3234794d1b7d03dc1eb5380328e04

**SHA1:** 748b9f156f35bf63ead9887f040cfc48af18f7f0

**SHA256:** 33a84eac3f1027551146247e3ef4057dc8840cfc8cd436cb2f925b6f5d2126e9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jboss-vfs	High
Vendor	jar	package name	jboss	Highest
Vendor	jar	package name	vfs	Highest
Vendor	Manifest	automatic-module-name	org.jboss.vfs	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	implementation-url	http://www.jboss.org	Low
Vendor	Manifest	Implementation-Vendor	JBoss, A division of Red Hat, Inc	High
Vendor	Manifest	specification-vendor	JBoss, A division of Red Hat, Inc	Low
Vendor	pom	artifactid	jboss-vfs	Low
Vendor	pom	groupid	org.jboss	Highest
Vendor	pom	name	JBoss VFS	High
Vendor	pom	organization name	JBoss, A division of Red Hat, Inc	High
Vendor	pom	organization url	http://www.jboss.org	Medium
Vendor	pom	parent-artifactid	jboss-parent	Low
Vendor	pom	url	http://www.jboss.org	Highest
Product	file	name	jboss-vfs	High
Product	jar	package name	jboss	Highest
Product	jar	package name	vfs	Highest
Product	Manifest	automatic-module-name	org.jboss.vfs	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Implementation-Title	JBoss VFS	High
Product	Manifest	implementation-url	http://www.jboss.org	Low
Product	Manifest	specification-title	JBoss VFS	Medium
Product	pom	artifactid	jboss-vfs	Highest
Product	pom	groupid	org.jboss	Highest
Product	pom	name	JBoss VFS	High
Product	pom	organization name	JBoss, A division of Red Hat, Inc	Low
Product	pom	organization url	http://www.jboss.org	Low
Product	pom	parent-artifactid	jboss-parent	Medium
Product	pom	url	http://www.jboss.org	Medium

Version	Manifest	Implementation-Version	3.3.2.Final	High
Version	pom	parent-version	3.3.2.Final	Low
Version	pom	version	3.3.2.Final	Highest

#### Identifiers

- <pkg:maven/org.jboss/jboss-vfs@3.3.2.Final> (*Confidence*:High)

## ocr.tesseract.zip: lept4j.jar

### Description:

# Lept4J

## Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

**MD5:** 70889e28b7569dd54e7da9ced01dabdf

**SHA1:** ec69d554f05e030b5e06295a4d39057634759549

**SHA256:** 5feb69a8fc9550809b23cb980270cdf99368dea330ba7d98789e2dc93f8bef6f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	lept4j	High
Vendor	jar	package name	lept4j	Highest
Vendor	jar	package name	leptonica	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	pom	artifactid	lept4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer name	Quan Nguyen	Medium

Vendor	pom	groupid	net.sourceforge.lept4j	Highest
Vendor	pom	name	Lept4J - Leptonica for Java	High
Vendor	pom	url	nguyenq/lept4j	Highest
Product	file	name	lept4j	High
Product	jar	package name	lept4j	Highest
Product	jar	package name	leptonica	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	pom	artifactid	lept4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.lept4j	Highest
Product	pom	name	Lept4J - Leptonica for Java	High
Product	pom	url	nguyenq/lept4j	High
Version	pom	version	1.19.1	Highest

#### Identifiers

- <pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1> (*Confidence:High*)

### ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1841.dll

**MD5:** 981b8e38e33018fff693c8e3ec0f2254

**SHA1:** 91a9cd0a874d614bc8a8946d2e0a8573e8b96ac1

**SHA256:** 0b2cb584baeb38b90033344b4d70830b33ba01396fb9142b9b733e83c8a73fb8

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1841	High
Product	file	name	libleptonica1841	High
Version	file	name	libleptonica1841	Medium
Version	file	version	1841	Medium

### Identifiers

- None

## ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1841.dll

**MD5:** 64f0634192bcf75ade5ea06f8119512d

**SHA1:** b387acaa5209f796fb3065395548d2adcbad620e

**SHA256:** 405e5263b72cb7d63c723fd85a124201cd66aa9a983b3a1c1e4c82003c91bcaa

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libleptonica1841	High
Product	file	name	libleptonica1841	High
Version	file	name	libleptonica1841	Medium
Version	file	version	1841	Medium

### Identifiers

- None

## ocr.tesseract.zip: ocr.tesseract.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

**MD5:** 34b593cd208008bb560f912c8ed1b2ae

**SHA1:** bf15fb5d065b1bc57d3c6f05c01890ad53c50df0

**SHA256:** 5d7f468c7c60f18fe4bc87d2d8acce1f30cb3804a4d94524a02747b0a1bc20c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence

Vendor	file	name	ocr.tesseract	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ocr	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ocr.tesseract	High
Product	jar	package name	ocr	Highest
Product	jar	package name	ocr	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	tesseract	Highest
Product	jar	package name	tesseract	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	ocr.tesseract	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ocr.tesseract	Medium

Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- cpe:2.3:a:tesseract\_ocr\_project:tesseract\_ocr:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)
- cpe:2.3:a:tesseract\_project:tesseract:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

## ocr.tesseract.zip: pdfbox.jar

### Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

**MD5:** 15cd4480a886e22cd081537be5a11f14

**SHA1:** a739bfc1b72d2f98d973cd1419f5ae2decd36068

**SHA256:** 5be38d2ec81691b05d535eb720de4dc566c5d07e5a04731fa00668d153a8b4a6

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfbox	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	pdfbox	Highest
Vendor	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Vendor	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High



Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	pdfbox	Low
Vendor	pom	groupid	org.apache.pdfbox	Highest
Vendor	pom	name	Apache PDFBox	High
Vendor	pom	parent-artifactid	pdfbox-parent	Low
Product	file	name	pdfbox	High
Product	jar	package name	apache	Highest
Product	jar	package name	pdfbox	Highest
Product	Manifest	automatic-module-name	org.apache.pdfbox	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://pdfbox.apache.org	Low
Product	Manifest	Bundle-Name	Apache PDFBox	Medium
Product	Manifest	bundle-symbolicname	org.apache.pdfbox	Medium
Product	Manifest	Implementation-Title	Apache PDFBox	High
Product	Manifest	specification-title	Apache PDFBox	Medium
Product	pom	artifactid	pdfbox	Highest
Product	pom	groupid	org.apache.pdfbox	Highest
Product	pom	name	Apache PDFBox	High
Product	pom	parent-artifactid	pdfbox-parent	Medium
Version	Manifest	Bundle-Version	3.0.3	High
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

## Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
  - MD5: 0bba5ce4174511b29e40978ab2db221d
  - SHA1: 1f8500ec45564fbf63a883d8b8c5be9ed1ffc706
  - SHA256: e1df57b00cc713f7b114e874716095eeadddc034cf78f772639ea6807b506d9d
  - [pkg:maven/org.apache.pdfbox/pdfbox-debugger@3.0.3](https://mvnrepository.com/artifact/org.apache.pdfbox/pdfbox-debugger/3.0.3)

## Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@3.0.3](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## ocr.tesseract.zip: tess4j.jar

### Description:

# Tess4J

## Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

## Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats  
Multi-page TIFF images  
PDF document format

### License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

**MD5:** f6a0f08fbc08771303e5cb8dffbc949a

**SHA1:** 851d6f93d97a155d8831736ad1031a539946014e

**SHA256:** e65bcc6328ab575684038d45e1891fa48e0d8255097a628baee0d8cfeb5ea816

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tess4j	High
Vendor	jar	package name	net	Highest
Vendor	jar	package name	recognition	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	jar	package name	tess4j	Highest
Vendor	jar	package name	tesseract	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	implementation-url	<a href="http://tess4j.sourceforge.net">http://tess4j.sourceforge.net</a>	Low
Vendor	Manifest	Implementation-Vendor	Tess4J	High

Vendor	Manifest	specification-vendor	Tess4J	Low
Vendor	pom	artifactid	tess4j	Low
Vendor	pom	developer email	nguyenq@users.sf.net	Low
Vendor	pom	developer email	osoriojaques@gmail.com	Low
Vendor	pom	developer name	O.J. Sousa Rodrigues	Medium
Vendor	pom	developer name	Quan Nguyen	Medium
Vendor	pom	groupid	net.sourceforge.tess4j	Highest
Vendor	pom	name	Tess4J - Tesseract for Java	High
Vendor	pom	organization name	Tess4J	High
Vendor	pom	organization url	http://tess4j.sourceforge.net	Medium
Vendor	pom	url	http://tess4j.sourceforge.net	Highest
Product	file	name	tess4j	High
Product	jar	package name	net	Highest
Product	jar	package name	recognition	Highest
Product	jar	package name	sourceforge	Highest
Product	jar	package name	tess4j	Highest
Product	jar	package name	tesseract	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Implementation-Title	Tess4J - Tesseract for Java	High
Product	Manifest	implementation-url	http://tess4j.sourceforge.net	Low
Product	Manifest	specification-title	Tess4J - Tesseract for Java	Medium
Product	pom	artifactid	tess4j	Highest
Product	pom	developer email	nguyenq@users.sf.net	Low
Product	pom	developer email	osoriojaques@gmail.com	Low
Product	pom	developer name	O.J. Sousa Rodrigues	Low
Product	pom	developer name	Quan Nguyen	Low
Product	pom	groupid	net.sourceforge.tess4j	Highest
Product	pom	name	Tess4J - Tesseract for Java	High
Product	pom	organization name	Tess4J	Low
Product	pom	organization url	http://tess4j.sourceforge.net	Low
Product	pom	url	http://tess4j.sourceforge.net	Medium
Version	Manifest	Implementation-Version	5.12.0	High

Versionpomversion5.12.0Highest

Identifiers

- pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0 (Confidence:High)
- cpe:2.3:a:tesseract\_project:tesseract:5.12.0:\*:\*:\*:\*:\* (Confidence:Low) 

suppress

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract541.dll  
**MD5:** 1246c1e50200dc43722e926e28fc7c03  
**SHA1:** d8a78040e9c7c71ccaeb627b73c41c66a18b5157  
**SHA256:**8180efb176e09b7218144fe69d84c0cf6b6187e20d8529f1138bd77396d6f4fa  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract541	High
Product	file	name	libtesseract541	High
Version	file	name	libtesseract541	Medium
Version	file	version	541	Medium

Identifiers

- None

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract541.dll  
**MD5:** cbf57c8eb12e95512e67638f344ae537  
**SHA1:** 5531d539121fd0aa57d11febd2e8b2a5c13fca05  
**SHA256:**d4d1843d9efeeec1ca53c4ebe6d39e22e5bf17f5bee8b9eedb3bcef7c3c8c84d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	libtesseract541	High
Product	file	name	libtesseract541	High
Version	file	name	libtesseract541	Medium
Version	file	version	541	Medium

#### Identifiers

- None

## opentest4j-1.3.0.jar

#### License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** server:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High

Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

#### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://pkg:maven/org.opentest4j/opentest4j@1.3.0) ( *Confidence*:Highest)

## parser.image.zip: parser.image.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar

**MD5:** 038018ca5334e5688f981690d88c39ab

**SHA1:** 723771de06271858ec2d110e65e624aa27cdd44f

**SHA256:**f801c2faf797801048060b5e2e73fc95cbd9b6ae3d0b7f89f78fc27be6d25a86

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.image	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-	*	Low

		allowable-codebase		
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.image	High
Product	jar	package name	imageparser	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.image	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.image	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

• cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*\*\*\*:\* (Confidence:Low) suppress

## parser.pdf.config.zip: parser.pdf.config.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar

**MD5:** cccb112490a48397bf4f608d1319d530

**SHA1:** a181049aa41db388b4390e516a80ec5731121da3

**SHA256:** 2b6a60d75b2b03d61bd7e1ec771c35bb21d0a2549bf9d1acf0f9a62402993efa

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf.config	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf.config	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	pdfparserconfig	Low



Product	jar	package name	plugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.pdf.config	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.pdf.config	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

parser.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/PDFParser.jar

**MD5:** 8b218c242d88e6f64b160fc72aa47260

**SHA1:** 2141223f04e411642b95db0aa5e58b1a77618b11

**SHA256:**4d123f5936024585430748dafa76d333f309cc285fa503629af69030cdc36f08

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-	*	Low

## codebase

Vendor	Manifest	built-date	2025-04-04 17:31	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 17:31	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

## parser.pdf.zip: jbig2.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761ccef1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

### Identifiers

- None

## parser.pdf.zip: parser.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.zip/parser.pdf.jar

**MD5:** 7bb1295856e845083b9cf789cc6e1e5a

**SHA1:** 115ed58fd7151ae12e351540fd1d20f7eb6b4422

**SHA256:** c086aaad4d0ad9775689d85e4681fb658a91c4871f2c7b7d6667e95d21e54b0c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	encoder	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low

Vendor	Manifest	built-date	2025-04-04 17:49	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High
Product	jar	package name	encoder	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	Manifest	built-date	2025-04-04 17:49	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	specification-title	parser.pdf	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### parser.text.zip: parser.text.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar

**MD5:** 475f266c6b21f517474105c755b0fbff

**SHA1:** efae7d33099892cb26577d281b4591a563da3593

**SHA256:** 17ef3466c33ea5866c5454b197bd533a3e8ab9a92d3fbe4f3c8341300e5d1a13

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	parser.text	High
Vendor	jar	package name	inet	Low

Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.text	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	plugin	Low
Product	jar	package name	textparser	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	parser.text	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	parser.text	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-	25.4.200	High

	Version	
--	---------	--

### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* )

suppress

## pdfc.standalone.zip: pdfc.standalone.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar

**MD5:** 829331f75225f096d7a6e296359d75b4

**SHA1:** 84bc9fd00d375b4d608491c1431c71fb79d4f8c8

**SHA256:** 93e110059ac876d34f540f6fb37e0d77f06aa27db22bcaea1b5ec47a54483868

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc.standalone	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	standalone	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:30	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	pdfc.standalone	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	standalone	Highest
Product	jar	package name	standalone	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:30	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc.standalone	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfc.standalone	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low) suppress

pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

**MD5:** 93a24df267249dca305f5af83c047f48

**SHA1:** 2690836189ad0dd3715568d15b8bba5a3a9fbc93

**SHA256:**b17c61dcfca7e59009ebe3e57ec254ad68c2dc080d9a194d867a185902e6a433

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js

**MD5:** 50c7b33549870b71c25e22443829ba78

**SHA1:** 0a50eb333055885b58537a1463009c6d321ca110

**SHA256:** 7ba9c85404a965c72b736350b26b97bef813b9e523081ed2bf1f9b7303ba0ce4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js

**MD5:** 918410e4e9590ab87b5ca1ea983ebdf1

**SHA1:** 422e9fa020147687e2c79fa87f8d7ac23d964df1

**SHA256:** 3d95bb11030e08751e23f02d299b19e2c8db823a14217bdc0cea034a1e23199d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



### pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js

**MD5:** 76f716ef25759cac5242607c7d46afab

**SHA1:** ffd9728b1116de8148c96cb1aac069abc994692f

**SHA256:** 0f2b1cc0136aacbc57993ce598a490e36849a34cdacceaa15f213b1f2410fc002

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js

**MD5:** 6155f56ea46454fd9b26ec029b07cb4c

**SHA1:** fdbb377d77e7a33fccd3e56eda617da18a45af3c

**SHA256:** 7f74294ea3dd2d4561aadf5deb9e1436af5cd08d3f53754b8c2e2321ddad3687

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js  
**MD5:** cf23507d05d2a8f690f9489d131e7de7  
**SHA1:** bff6a66569787ecf08f314c176220be0ef16f86c  
**SHA256:** 3d2d7526c75020284374f9298157f8fb7d0c37d38d079cffda17b94f9b73690a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js  
**MD5:** 9ee2557b2355cd5367ad7b7cdf3505e2  
**SHA1:** 6a8e3c4a8964395018faac989bbbd37abf148cd3  
**SHA256:** 0acc32f71a37d0f0f7485be6746f688e449df07e6db3b5ad01973ad7fc3aa53a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfc.standalone.zip: pdfc.standalone.jar: translation.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js  
**MD5:** 087098ce4993357914ab7ee2ca130bc0  
**SHA1:** b77b0d98a5a98b3a5c9317333f29c0c18d36d86e  
**SHA256:** 26eb8ace7faad440f3aedd47c1c3f6c1603fe7b150213ad32a4251d1226a3895  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:76.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/collate/pom.xml

**MD5:** 8c2450b0ee93ccf4dcfa13f4801aa7f5

**SHA1:** 1308465a655d436ab5e9099c2f6c8123df3718da

**SHA256:** 53cc3140165e5c4339799b70e1d397f44d74d6d818ab10778367e1afcc6737a2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	collate	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	collate	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	76.1	Highest

### Identifiers

- [pkg:maven/com.ibm.icu/collate@76.1](#) (Confidence:High)

## pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:76.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml  
**MD5:** f4624f05ce04172d3568c6b50afa21dc  
**SHA1:** 64122b7101fccce66592580d8e58b97962f19f34  
**SHA256:** c91b534f342d1ab1201cc1445ae1c8612d28926c944eb36fb2d76a17dcf54ac7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	76.1	Highest

#### Identifiers

- [pkg:maven/com.ibm.icu/core@76.1](#) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:76.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml  
**MD5:** 045ee3664cde518bd3ddb8fe84246906  
**SHA1:** 3e3e56746a7b35b2f7296b4bf9b09c694012e826  
**SHA256:** 8a2de340676c8935bdfa44dfe218bb57baf5ea497d8ca51e08d160743afcefa8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	currdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	currdata	Highest
Product	pom	groupid	com.ibm.icu	Highest

Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	76.1	Highest

#### Identifiers

- [pkg:maven/com.ibm.icu/currdata@76.1](#) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:76.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml

**MD5:** 4ddf2be247c11b782950455de4e9588c

**SHA1:** 87e5fef83e8bb75e63137fb7061ea3655af31e9e

**SHA256:** d5da07e8c4adf139a99d3dc12f36a88d5591fc44efd8c32c6aad2c264effbd7f

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	langdata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	langdata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	76.1	Highest

#### Identifiers

- [pkg:maven/com.ibm.icu/langdata@76.1](#) (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:76.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml

**MD5:** 3e7866f6ff3e0777daf019a58d9bb8

**SHA1:** 29a30a103c0c8b8d8ea74fc064f81d8ac8366ce1

**SHA256:** a6bd23fb1c25ab55e56d9f3b6cd53508a3029e015ad639c0104d5f1e52a8998f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	regiondata	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	regiondata	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	76.1	Highest

#### Identifiers

- <pkg:maven/com.ibm.icu/regiondata@76.1> (*Confidence:High*)

### pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:76.1)

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml

**MD5:** 36ef3abfefa8fe880693abc20fdd1c41

**SHA1:** 30e18888384b283fb45556fe3509638eca9dd856

**SHA256:** 60054da405c38c33c837df8f45b8b6961bfb5d5d50596a184e784bfab50494b6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	translit	Low
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	parent-artifactid	icu4j-root	Low
Product	pom	artifactid	translit	Highest
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	parent-artifactid	icu4j-root	Medium
Version	pom	version	76.1	Highest

## Identifiers

- [pkg:maven/com.ibm.icu/translit@76.1](https://maven.com.ibm.icu/translit@76.1) (*Confidence:High*)

## pdfc.zip: icu4j.jar

### Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

### License:

Unicode-3.0: <https://raw.githubusercontent.com/unicode-org/icu/maint/maint-76/LICENSE>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

**MD5:** 0621976c76a3b05b0622aef5a4c1d981

**SHA1:** 215f3a8e936d4069344bd75f2b1368fd58112894

**SHA256:** 732cdf18121b1642899da1f5e37e52cc7f48e3ec07fa737105d4603976781b33

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	icu4j	High
Vendor	file (hint)	name	icu-project	High
Vendor	file (hint)	name	unicode	High
Vendor	jar	package name	ibm	Highest
Vendor	jar	package name	icu	Highest
Vendor	Manifest	automatic-module-name	com.ibm.icu	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a>	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	com.ibm.icu	Medium
Vendor	Manifest	Implementation-Vendor	Unicode, Inc.	High
Vendor	Manifest	Implementation-Vendor-Id	org.unicode	Medium

Vendor	pom	artifactid	icu4j	Low
Vendor	pom	developer id	markusicu	Medium
Vendor	pom	developer id	richgillam	Medium
Vendor	pom	developer name	Markus Scherer	Medium
Vendor	pom	developer name	Richard Gillam	Medium
Vendor	pom	developer org	Google	Medium
Vendor	pom	groupid	com.ibm.icu	Highest
Vendor	pom	url	https://icu.unicode.org/	Highest
Vendor	pom (hint)	artifactid	icu-project	Low
Vendor	pom (hint)	artifactid	unicode	Low
Product	file	name	icu4j	High
Product	hint analyzer	product	international_components_for_unicode	Highest
Product	jar	package name	ibm	Highest
Product	jar	package name	icu	Highest
Product	Manifest	automatic- module-name	com.ibm.icu	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-copyright	© 2016 and later: Unicode, Inc. and others. License & terms of use: <a href="http://www.unicode.org/copyright.html">http://www.unicode.org/copyright.html</a>	Low
Product	Manifest	Bundle-Name	ICU4J	Medium
Product	Manifest	bundle- requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle- symbolicname	com.ibm.icu	Medium
Product	Manifest	Implementation- Title	International Components for Unicode for Java	High
Product	Manifest	specification-title	International Components for Unicode for Java	Medium
Product	pom	artifactid	icu4j	Highest
Product	pom	developer id	markusicu	Low
Product	pom	developer id	richgillam	Low
Product	pom	developer name	Markus Scherer	Low
Product	pom	developer name	Richard Gillam	Low
Product	pom	developer org	Google	Low
Product	pom	groupid	com.ibm.icu	Highest
Product	pom	url	https://icu.unicode.org/	Medium



Version	Manifest	Bundle-Version	76.1	High
Version	Manifest	Implementation-Version	76.1	High
Version	pom	version	76.1	Highest

#### Identifiers

- [pkg:maven/com.ibm.icu/icu4j@76.1](#) (*Confidence:High*)
- cpe:2.3:a:icu-project:international\_components\_for\_unicode:76.1:\*:\*:\*:\*:\* (*Confidence:Low*)
- cpe:2.3:a:unicode:international\_components\_for\_unicode:76.1:\*:\*:\*:\*:\* (*Confidence:Low*)

### pdfc.zip: pdfc-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

**MD5:** f1993264cda17fdd5c09f56a5c502c99

**SHA1:** fc1e098f1a48b931cd80cebc34e78796f023103c

**SHA256:** 3e8aec2a3184086bb0cb23dace48d6e5c62e05946c945662866f550991de2ddc

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc-javadoc	High
Product	file	name	pdfc-javadoc	High

#### Identifiers

- None

### pdfc.zip: pdfc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js

**MD5:** 63f276681e362c4576ec13404afbc312

**SHA1:** b2922a157a3baec5af37460d9317838604a659c7

**SHA256:** b4dcddfcf722af5e16a719efe8f87c64b53cb85a247839c459918b06d2debbb2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js

**MD5:** 704b175752fd9646f0b53f0630993ec3

**SHA1:** ab8c6e78cec3f37d42bae22d017bbb92b736d663

**SHA256:** e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js

**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2

**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979

**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- reporting.zip: reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9
- taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js
  - MD5: 95810a7878ddd3f49d938eb6b5c0f1b2
  - SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979
  - SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

## Identifiers

- None

## pdfc.zip: pdfc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

**MD5:** 31f04900a69797b30c22632a48c0e24e

**SHA1:** e4966b9a2256258841673910106f738e00b5837b

**SHA256:** 93cd53a9a8bdaeb9cb173dae7348e2737d8585019f307f33c4308557ad3e1e06

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## pdfc.zip: pdfc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

**MD5:** 5ce619b26348ec3a2d99b7c92e781017

**SHA1:** 1ff1b95cd5686d4a10d2e6db3a095f921f0b9a5d  
**SHA256:**6cddd660ae302fd266a16812b125e48f35fd390f0d21b874e4071bf391c4f4f6  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:14	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	permissions	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:14	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfc	High
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	specification-title	pdfc	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	jar	package name	permissions	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## pdfcjunit.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/junit/pdfcjunit.jar

**MD5:** 0499a4c9376cc6bc3230f9401322106b

**SHA1:** 7d41f4d160fa595a55c18ec6ee162951ccfcb373

**SHA256:**d734f8e469077396d8c13c13366d472fc51ddd364776f3cabe508868a92a359a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcjunit	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	pdfc	Highest
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net PDFC JUnit Client	Medium
Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcjunit	High
Product	jar	package name	client	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net PDFC JUnit Client	Medium
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	pdfcjunit	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcjunit	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:25.4.200:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium) suppress

#### pdfcserver.zip: pdfcserver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar

**MD5:** e5d3a707a231417799219a589e0a2a4f

**SHA1:** 11c8052a838ce67cf54d7fe1af05244834c8316d

**SHA256:** d8260b470b5d4df2261c0f80a48b7d81a380f2458a28c11b5ec619359814b5bc

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 20:14	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcserver	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	persistence	Low
Product	jar	package name	server	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 20:14	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	pdfc	Low

Product	Manifest	Implementation-Title	pdfcserver	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcserver	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*\*\*\*:\*:\* (Confidence:Low) suppress

### pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js

**MD5:** ca54201f240ce7fea03db4f46ecd818a

**SHA1:** 420f31523aa51830c134d193dae0a692eff5b4da

**SHA256:** 0aa678824bea93ed82b1747fc75512915488e2d65b5f11c9c22d4214bb129cec

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfcsetupwizard.zip: pdfcsetupwizard.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar

**MD5:** d5f2e7baccbe8512bf9b631b380d558e



SHA1: aced2df32f2a4af5fb38a7b8edd1bbf17ac2768f  
SHA256:7450974ba8c9ce92694162f78378895cb5d6c57fe07015145255cd57c3c3b51b  
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2025-04-04 20:23	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcsetupwizard	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2025-04-04 20:23	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	pdfcsetupwizard	High
Product	Manifest	specification-title	pdfcsetupwizard	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*\*\*\*:\*:\* (Confidence:Low)

suppress

## pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js

**MD5:** b21c2ee13289577d98bbb1687726af34

**SHA1:** 9032230fff5222847734d3cb4723103733f88e92

**SHA256:** 6c1d316ea3da704c21cc9e3fa2426863fa173c3d44a212506fc4bc1e187991e9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfcwebapiclient.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/junit/pdfcwebapiclient.jar

**MD5:** 91e7ce3c97b2d77420eb566be2fc9872

**SHA1:** 259d8f45cf6b7a5e2a28a0083a7df9acb0767628

**SHA256:** e8bb8c7f7005d93eabf0f1aed137b4e3c16cc8e93ebc56ff08239f8c23eb4adb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfcwebapiclient	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	pdfc	Highest
Vendor	jar	package name	pdfc	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net PDFC pure Java JUnit Client	Medium

Vendor	Manifest	built-date	2025-04-04 20:24	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfcwebapiclient	High
Product	jar	package name	junit	Highest
Product	jar	package name	junit	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net PDFC pure Java JUnit Client	Medium
Product	Manifest	built-date	2025-04-04 20:24	Low
Product	Manifest	codebase	*	Low
Product	Manifest	Implementation-Title	pdfcwebapiclient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	pdfcwebapiclient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- [cpe:2.3:a:inetsoftware:pdfc:25.4.200:\\*\\*\\*\\*\\*](#) (Confidence:Medium) suppress

## persistence.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/persistence/persistence.jar

**MD5:** 0d0f1c449870b9daa599ab22622617e0

**SHA1:** 3f3b299daa75ca02ba9417ce57da0096da02ce97

**SHA256:** 7c098121a40e9f073783e13e8ce7669ec20720d7572642481758dfac55a48dd0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2025-04-04 17:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2025-04-04 17:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar

**MD5:** 04c14175e20bb3e405f6e826fe80db99

**SHA1:** ceb1a7eb3b380f2d5ce92e9c383fc8889872b6c4

**SHA256:** 4eb1940a79ab04fe0a64b55c6bfae55ba7a691ebb08bd4bef289b149241489e4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2025-04-04 17:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2025-04-04 17:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** b890353af95e8d67ed666d72e55d5583

**SHA1:** cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

**SHA256:** b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

**MD5:** 33e0b25623e005ecbba43c00c91b043a

**SHA1:** 6b9855a487458ce85ae48ee1c5a129b26093b289

**SHA256:** a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

**MD5:** 640b897e30bb04f24b310e948f963701

**SHA1:** c4f24830c5130eabd110ac29f1e198ca4f88e35b

**SHA256:** 45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

**MD5:** 512668a61bc16fe85f6442a56f622a9d

**SHA1:** f9bc6cb342455404802657a7c0d1dd1ed6ec7297

**SHA256:** 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

**MD5:** ec0e5529e70952af58b9df0ce2bfebb4  
**SHA1:** 0b859497e1b59e55936959192636c3fec9bacef5  
**SHA256:** 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

**MD5:** 79df37a017eb872811c499812d1eb6dc  
**SHA1:** 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb  
**SHA256:** 763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### processbridge.pdfcr.zip: processbridge.pdfcr.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfcr.zip/processbridge.pdfcr.jar

**MD5:** e161c104f05d681d89695586d618cdab  
**SHA1:** 4ece290c925c42c3e7d7d3867b357e9f45c2561a  
**SHA256:** 15cd895ef861ba89e00cbf897d79987b0b2d709d8b1024c6982bfee199a96696  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.pdf	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2025-04-04 20:27	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.pdf	High
Product	jar	package name	api	Low
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2025-04-04 20:27	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	processbridge.pdf	High
Product	Manifest	specification-title	processbridge.pdf	Medium
Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*\*\*\*:\*:\* (Confidence:Low)

suppress

processbridge.zip: processbridge.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/processbridge.zip/processbridge.jar  
**MD5:** d44e74a8ecc9bafb7febd245c32fdf6f  
**SHA1:** 1a581a860704a7108f77f6ee07ec6d9ce7db6a23  
**SHA256:**0e3a0ca09439611772bb71665421c752fa96d05c2b5a624762514e487491dce8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2025-04-04 17:44	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2025-04-04 17:44	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- None

**Description:**

WebJar for angular-animate

**License:**

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar

**MD5:** 1dcc988a8392618e7c5127f57b3453d1

**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

**SHA256:** dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

**Identifiers**

- [pkg:maven/org.webjars.npm/angular-animate@1.8.3](https://www.webjars.org/angular-animate@1.8.3) (*Confidence:High*)

**remotegui.zip: angular-animate.jar: angular-animate.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:**58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

### remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources  
/webjars/angular-animate/1.8.3/angular-animate.min.js  
**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0  
**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7  
**SHA256:**8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence:*Highest)

### remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js  
**MD5:** eca59ea32960ae595dd18ad9480185b1  
**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c  
**SHA256:** 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json  
**MD5:** 13957f0482b591f50a2e9528a5b84330  
**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5  
**SHA256:** e2fc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-cookies.jar

#### Description:

WebJar for angular-cookies

#### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar  
**MD5:** 5d743cd15e44b5a942478abaa3a008ae  
**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9  
**SHA256:** 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/angular-cookies@1.8.3](https://mvnrepository.com/artifact/org.webjars.npm/angular-cookies/1.8.3) (*Confidence:High*)

### remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js  
**MD5:** e17187aea1f0e6dbd25722e34b754915  
**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5  
**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

**MD5:** 88188b8869bb0cbae63eb86aa6c1059a

**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9

**SHA256:** b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

**MD5:** 6785fbb341602e147af808078db0d42b

**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:**81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-sanitize.jar

Description:

WebJar for angular-sanitize

License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar

**MD5:** f47ca0f7e843acea25d245b34ce30feb

**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902

**SHA256:**4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- <pkg:maven/org.webjars.npm/angular-sanitize@1.8.3> (*Confidence:High*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

**MD5:** 796078246b8e97f002ea5c97c4c7de54

**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

**SHA256:** 44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json  
**MD5:** 515d23261280a10a4d84ed267c425880  
**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911  
**SHA256:** 5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular.jar

### Description:

WebJar for angular

### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar  
**MD5:** f339a9a66a64c67eebb21ec3b251dfc6  
**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee  
**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High

Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- <pkg:maven/org.webjars.npm/angular@1.8.3> (*Confidence:High*)

### remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- <pkg:javascript/angularjs@1.8.3> (*Confidence:Highest*)

### remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js  
**MD5:** 967a32633fa8f38f4ac3376c1a37b992  
**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1  
**SHA256:**396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Identifiers

- [pkg:javascript/angularjs@1.8.3](#) (*Confidence: Highest*)

### remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js  
**MD5:** 0d848853205d22ab8be985876aec948a  
**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21  
**SHA256:**d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars

/angular/1.8.3/package.json

**MD5:** c5e0d73dc5121cf479c775248d2ca497

**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

**SHA256:** 95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar

#### Description:

WebJar for codemirror

#### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448

**SHA256:** b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest

Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

#### Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High)

suppress

### remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js  
**MD5:** d154477df9eebe156a1a493731acb01d  
**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735  
**SHA256:** 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js  
**MD5:** 40e61dbb4388425c66403ecd7e9a5a10  
**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53  
**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

**MD5:** bbf05006cf414f786e21cdb02b443aac

**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566

**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:** 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js  
**MD5:** 774e515fe054cbcd6cc869bfd550b17d  
**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac  
**SHA256:** 3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js  
**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5  
**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb  
**SHA256:** 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js  
**MD5:** ba7fa17b24f0937d9431f93b9de2da37  
**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a  
**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

**MD5:** c0d55e310ae0a4290d3fcca84bff448

**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874

**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd

**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239

**SHA256:** bdc68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

**MD5:** a928fdb102ef88113a9d1c0d9e520114

**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437

**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

**MD5:** 2f4e25e805d878f43b8568609c48dba8

**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

**SHA256:** 0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a

**SHA1:** 091a2b17758e7c3182542314256139a2247b508c

**SHA256:** 2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede

**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4

**SHA256:** 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js  
**MD5:** d56849bd7cce8a10ccb842d50f0de179  
**SHA1:** 4103103f28436925442d5397c24425fbaf660fce  
**SHA256:** 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js  
**MD5:** f3ff733b3609dfb34a49652f6a4a2d09  
**SHA1:** 41a8164ddb5e25fe2401265eb9fd4222e415549  
**SHA256:** 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js  
**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f  
**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d  
**SHA256:** de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: change\_measurement.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js

**MD5:** 39707c0eb637648efc07d95bb60253d3

**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

**SHA256:** 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

**MD5:** 822465b81d600e9a703579605e2147bc

**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5

**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

**MD5:** 7dd1b45f75341b5a03a01f6607da69a4

**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f

**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js

**MD5:** 145b41ea6cde47e8889ef8b2214eecde

**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d

**SHA256:** a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfec2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js

**MD5:** 7f3277e322bd000aefbfb172d3edf7e6

**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c

**SHA256:** 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

**MD5:** 667059f346609f6ad778936b17c43824

**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507

**SHA256:** 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js  
**MD5:** 744876ab906996c429eef7654278f514  
**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4  
**SHA256:** 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js  
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57  
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d  
**SHA256:** 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js  
**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75  
**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de  
**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

**MD5:** f1f47322e6af5937de4a14fb10863e3e

**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a

**SHA256:** a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/lib/codemirror.js

**MD5:** 15fc3cdf569fa38b1f91d86ebbea13d

**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b

**SHA256:** a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

**MD5:** 0d4d22de0bcd7f7afd8131d4e59f130

**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e

**SHA256:** b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js

**MD5:** a524724c274d1c038c7984e164428b3d

**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64

**SHA256:** fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js

**MD5:** e852ea5b9ebb97947ffd169523eca098

**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89

**SHA256:** 824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: coffeescript.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f

**SHA1:** 8dd398cbd2955bcffcd70180f9fb560f56acf567

**SHA256:** 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js  
**MD5:** 626a64f8687ca9576bb017843ab2c30b  
**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903  
**SHA256:** 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: commands.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js  
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b  
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35  
**SHA256:** 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js  
**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe  
**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d  
**SHA256:** a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

**MD5:** 18fc449bec0798e43182173ba47455b9

**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567

**SHA256:** a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

**MD5:** 9449ffe942392a1ad14eaa723578b606

**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153

**SHA256:** 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

**MD5:** 174c186ec1902fdb1aa708a9dea1aa4

**SHA1:** 7c3bb959b0c3befa4395c61ee8fbb3f7f6c6033

**SHA256:** eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js

**MD5:** 630509c4379923d8c811b3f1acc931fc

**SHA1:** 09118fd53589fe18289006df5cc57b4818321197

**SHA256:** 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js

**MD5:** ae980ca83523592958a2c7f8144bd365

**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac

**SHA256:** 5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

**MD5:** 55823389add79e8c52ffa7df6ba94515

**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

**SHA256:** 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js  
**MD5:** e392cd5f86989535e38b3cbfb5134985  
**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d  
**SHA256:**f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:**60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js  
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014  
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b  
**SHA256:**6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js

**MD5:** 0632861907c7e77ea48e0952d2081136

**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a

**SHA256:** 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js

**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f

**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0

**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js

**MD5:** 813d638d2d4693bd14f7b6490445a417

**SHA1:** eec62305710c8c0a032933bbee41c3fd45142669

**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: dialog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js

**MD5:** 1b33c63e7d89d740d4738ce9766b19b0

**SHA1:** 14cccbefbfc2f33d928c4a41d854237cda5dd97

**SHA256:** fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js

**MD5:** f80746d74770ee6dcf444e99f75d5537

**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc

**SHA256:** 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js

**MD5:** 3c02fcac64b6100a0f369edc8d145f97

**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe

**SHA256:** 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js  
**MD5:** 35fd7d7d73ad6c400c0afed686a383da  
**SHA1:** b6574f6951c483c563456c9094178769ea733631  
**SHA256:**fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: document\_data.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js  
**MD5:** 86420f7d4afaa1aa00313618bff8292f  
**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e  
**SHA256:**bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js  
**MD5:** b56830faf8f75c5daea99bdc94508b38  
**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe  
**SHA256:**20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: drop\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js

**MD5:** 940690e5c792ff535ef797090cb7ed5d

**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955

**SHA256:** 60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js

**MD5:** eb3e9b71c4e33120225df386c29a0b30

**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0

**SHA256:** 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

**MD5:** 99e3fa83adb7b3af2e363942a5b720ac

**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d

**SHA256:** 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js

**MD5:** 8d8a62f6874e4e8378d16d02b09ada60

**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4

**SHA256:** 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js

**MD5:** 04722d23df4c17765bb397d871875452

**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d

**SHA256:** c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js

**MD5:** d202831cfe3aa85bdedffd44534dc98e

**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39

**SHA256:** 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js  
**MD5:** c37089c171d4384ec97f9af66d5ac972  
**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2  
**SHA256:** e343ffa5ff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:** af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js  
**MD5:** 29f92a4be923242d30cf1f4288c89adc  
**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20  
**SHA256:** 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js

**MD5:** b700f1676589e7f88e59c943cc209156

**SHA1:** 516c718a9b2f86f68127680267b92d10fbf5a579

**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js

**MD5:** d497dd1c4f0f85b83245bfb80943e5cc

**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9

**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js

**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc

**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefca

**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js

**MD5:** 3b63813f217d9351f7a1d90edf345310

**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698

**SHA256:** 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js

**MD5:** 307daeb9d6322c3905fc5b2ba846fa16

**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d

**SHA256:** 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js

**MD5:** f520bc635201c451609403065b8bacfa

**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3

**SHA256:** 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js  
**MD5:** 9606e4f3ca8c5ac259c2cf703753017b  
**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd  
**SHA256:** fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: forth.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:** 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js  
**MD5:** acf9c5ff78882f6ee77416eb957e881e  
**SHA1:** 30130e625c08eadd8d62021c0dc77a71d066fd1d  
**SHA256:** b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js

**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7

**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70

**SHA256:** 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js

**MD5:** dffe3df188ef201ff7f04977d0ead894

**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330

**SHA256:** 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js

**MD5:** 9403b8d57b58f52a0d02efd3d6d99571

**SHA1:** afdd8ef0502d68ba8020134c780ebce498f65ac9

**SHA256:** 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js

**MD5:** da48b005ec4e651d019aa09b3d6d4aac

**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698

**SHA256:** 1fcd9f9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js

**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2

**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301

**SHA256:** 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js

**MD5:** 288615615004321c6abe2bf66842b8bc

**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b

**SHA256:** fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js  
**MD5:** 51890857b15156f02106103dd73d2b0e  
**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16  
**SHA256:** 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:** 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js  
**MD5:** af3de2621d2ef402646889be16bcde7b  
**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025  
**SHA256:** 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js

**MD5:** 7d65bfd39de90f56597eb8e278a39af7

**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505

**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

**MD5:** efacd8d006bf9f83baec2fc5a8c71feb

**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2

**SHA256:** 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

**MD5:** 049ed63630662fcb8a977fa43f86e058

**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055

**SHA256:** bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbf8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js

**MD5:** f0bd7313413cdc35018db90a6522d1ef

**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44

**SHA256:** 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js

**MD5:** e4f82d95d10c028eebae3338e678be22

**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff

**SHA256:** 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

**MD5:** 13c21da31a992b536d4f37ee53e09605

**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

**SHA256:** f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js  
**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e  
**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd  
**SHA256:** ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: highlight\_worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:** fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js  
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04  
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d  
**SHA256:** 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js

**MD5:** 609fea85a7894f8098719813c58219c5

**SHA1:** f593de64cb802e0e456482b88959a68260e06bff

**SHA256:** 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js

**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe

**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f

**SHA256:** ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlembedded.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js

**MD5:** e7a464409318dee8c3c6e0b68225d461

**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5

**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js

**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904

**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6

**SHA256:** fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js

**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1

**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218

**SHA256:** 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js

**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed

**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172

**SHA256:** 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js  
**MD5:** 623d14360009d84560611f43b83e6759  
**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98  
**SHA256:** a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:** f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js  
**MD5:** 8347e0beb43b7f458587e94f323c58bd  
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c  
**SHA256:** bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js

**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4

**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253

**SHA256:** e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js

**MD5:** 55eb8a1558ef8c9da7d355a32334d62e

**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f

**SHA256:** 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9

**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26

**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js

**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69

**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9

**SHA256:** b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js

**MD5:** b01056a065c6df2ed0f61038c88e5ecc

**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183

**SHA256:** cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js

**MD5:** 5dcc6cfebb32872e929bee63d517295e

**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6

**SHA256:** c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js  
**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea  
**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f  
**SHA256:**54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: jump-to-line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js  
**MD5:** ae33156dd047f75a6d2539b21ac92df9  
**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a  
**SHA256:**39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js  
**MD5:** c299e1b06d3f6ec725718c1dc60141c7  
**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23  
**SHA256:**f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a

**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5

**SHA256:** 9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd

**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b

**SHA256:** 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

**MD5:** dfa5acb74b48161d442a6d83e1abbc03

**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e

**SHA256:** 663e30df9b1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js

**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7

**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d

**SHA256:** 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js

**MD5:** 22976744e5315917483bef53cab4d368

**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0

**SHA256:** 2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js

**MD5:** 2a58b1a6d7eadb596d3968096f1493e4

**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf

**SHA256:** 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js  
**MD5:** 7930c46b5411e82099bf4d021be44897  
**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f  
**SHA256:** 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:** b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js  
**MD5:** 43a51215f06278be12990128bf16cfa  
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08  
**SHA256:** be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js

**MD5:** ccf279dcbc882c0e99fc9dfda9dd734d

**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd

**SHA256:** 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js

**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7

**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76

**SHA256:** 2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

**MD5:** f2b8639c24afc6cc370f4097eb6bb217

**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4

**SHA256:** 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark\_text.js

**MD5:** 7611054f886606aed04a7a3f3c4d5a78

**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07

**SHA256:** b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js

**MD5:** e9844099dad7cf95607a804988677f22

**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92

**SHA256:** 6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js

**MD5:** a7326be775e85028373f9236c26a572e

**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9

**SHA256:** 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js  
**MD5:** d7d3dd2592e2df81c743b86a46ccc555  
**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee  
**SHA256:** 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchbrackets.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js  
**MD5:** 2d2902edcfd32a8f481124c0957889ff  
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45  
**SHA256:** 9d0e5ee4c199fcb4e487a901860c2cf7d007263852677dd5858098fcaa8580f1e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js  
**MD5:** e005f8b0c7cedc509a29ea1a517cc829  
**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f  
**SHA256:** a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js

**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f

**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c

**SHA256:** 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js

**MD5:** a8c37dcebeb98162e29e9d1483edf7c4

**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792

**SHA256:** a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0

**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

**SHA256:** 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js

**MD5:** d2a6bc0c40e52723665afdc3b17ab226

**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01

**SHA256:** 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js

**MD5:** 11f14aa114ed56768aa48301be3b9f03

**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2

**SHA256:** f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js

**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff

**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073

**SHA256:** 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js  
**MD5:** 23555fdd21b7305d57c24d1378a03754  
**SHA1:** 373c327846304793f8016feaa0164226d6fd5020  
**SHA256:** ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js  
**MD5:** e94bdb7dadf69d57a0baf64df69e7780  
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b  
**SHA256:** dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js  
**MD5:** b30e7da7837eee7a5966685fa03522f0  
**SHA1:** 648a539e28df2714182163665b797d783cd47d80  
**SHA256:** a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mode\_state.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js

**MD5:** ffc05060eaa3b3d89beaaaae86b0483a

**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb

**SHA256:** 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js

**MD5:** 9d173268d73ae885e07741f6a60913ef

**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08

**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js

**MD5:** bcf367e11e7fac26e7f1668e8f1d1968

**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a

**SHA256:** faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js

**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa

**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d

**SHA256:** 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js

**MD5:** 386a27ecd12315f9eff836ce5ab2091f

**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8

**SHA256:** 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js

**MD5:** 8e06dd81adc9a26c6c708d253868c290

**SHA1:** d44dd69d6fe4e456417da210928371090d426921

**SHA256:** 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: multiplex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js  
**MD5:** 0bdb637f0ca08689fe55e572cc10ab16  
**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe  
**SHA256:** 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aef5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex\_test.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js  
**MD5:** 8a377bbbcf33896551524b1cceb823f  
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea  
**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js  
**MD5:** 8e0c6375b6bbe74f633feed856f4283c  
**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140  
**SHA256:** 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js

**MD5:** 63e717882de52ba3a4bb62c9e7bef83d

**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5

**SHA256:** e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js

**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a

**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42

**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

**MD5:** a21f011183564e5725ea16a6ca11b089

**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4

**SHA256:** d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js

**MD5:** d830f31f1647efb252a53d0cb1f18aa1

**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5

**SHA256:** b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js

**MD5:** 72f0c675f45f87c9a45b5f5784212fa9

**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d

**SHA256:**aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

**MD5:** f2e13ff94b86a05aa5daff82022da8d2

**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

**SHA256:**6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js  
**MD5:** feecb2723f03f979c8b8c9a85c553a1d  
**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b  
**SHA256:** feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js  
**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9  
**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7  
**SHA256:** 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js  
**MD5:** a097901a9fe996b190b9103a64ace0c6  
**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5  
**SHA256:** 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

**MD5:** e2faa7704d8de49e9d70e7a834d83ae8

**SHA1:** cab269db696fc76be4a9c83dc82f287546253792

**SHA256:** 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js

**MD5:** f647c5e58b5c032c1691693333104941

**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074

**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdcdc20630296685d3cb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js

**MD5:** bdc6c5432f1408c29254a933f45ca2e7

**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918

**SHA256:** 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js

**MD5:** ad4350eff079b204cd634114959c0904

**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792

**SHA256:** 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js

**MD5:** c6a3b40a8b2971690ff06860516bd140

**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f

**SHA256:** a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js

**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab

**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962

**SHA256:** 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js  
**MD5:** 40f967482626259f7cdfb972548743cd  
**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e  
**SHA256:** e9a9ec475ae8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: placeholder.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js  
**MD5:** b5b4d8391f1b94044cda61cc979cc772  
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23  
**SHA256:** 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js  
**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220  
**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3  
**SHA256:** b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: position\_measurement.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js

**MD5:** 6c17908c000f5a7beb67e75b1340c3ef

**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de

**SHA256:** c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js

**MD5:** cf3b0559e54ae537a420d86a07b441a5

**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1

**SHA256:** 9530fdf52d164be6d021a87de567acb8738f86f6d98577533a9db3545e873c8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js

**MD5:** fdca15c3c811413459ed12fce119db54

**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4

**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js

**MD5:** 3e57a349742d01647347b7339572d9fe

**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd

**SHA256:** 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js

**MD5:** 63473aabe4ad7435cc804132bf743ec3

**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4

**SHA256:** 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js

**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78

**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e

**SHA256:** 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js  
**MD5:** 9b50648e6f546e4f63f1a8eb25adb039  
**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed  
**SHA256:** ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js  
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9  
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3  
**SHA256:** 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js  
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0  
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5  
**SHA256:** d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js

**MD5:** 73a1da56a828ad2854d28749fc155632

**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39

**SHA256:** 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js

**MD5:** 5fbb2d4919f2d396e78074f4c98812c0

**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b

**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js

**MD5:** bd89a589282ae08505026ef31cd4c6ad

**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850

**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js

**MD5:** b0b2ef072186390edb0444a0eb2e315f

**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709

**SHA256:** 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js

**MD5:** 267bb54847534c8bfb41dcf227f7aeb0

**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7

**SHA256:** 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js

**MD5:** 51867497bb73c2eba5e2e6cd1352f29d

**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65

**SHA256:** c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js  
**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8  
**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf  
**SHA256:** 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js  
**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0  
**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba  
**SHA256:** 920d8eeee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js  
**MD5:** 3847af673a6ae44d53fa8d697df2b8e0  
**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693  
**SHA256:** 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js

**MD5:** fe41270e99f973a568d5a823cd6e2bfe

**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

**SHA256:** 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

**MD5:** bfb43032004a8d5d115c6b817cbbe2ba

**SHA1:** af76d8276b553e168b5fab49108e715452cff07e

**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

**MD5:** 46f6d321e806768f9ebbc0155a5f9807

**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a

**SHA256:** b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js

**MD5:** 0067718b0d6fa922bcf032b58966c3fa

**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380

**SHA256:** 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js

**MD5:** 72b6184ab657ca37a0d984dc73e7088c

**SHA1:** d84fccfe8c3cd0f1a0b5b2f388de87e57503df3

**SHA256:** fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

**MD5:** a64f664dcef608b26dea48b1ea52b622

**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

**SHA256:** 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scroll\_events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js  
**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd  
**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0  
**SHA256:** b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:** 11cdff1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js  
**MD5:** 104c04ec259e68a53516216e4947e9b1  
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4  
**SHA256:** 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js

**MD5:** 74be53ff23fb5eda7725c96f1ff683b2

**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d

**SHA256:** 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js

**MD5:** aee5a4efc34387df3d1974e09cd2965e

**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880

**SHA256:** 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

**MD5:** ca8612c41c44b87a10703ffe71d4f750

**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

**SHA256:** 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js

**MD5:** 3ea743f9f1b458692e5258bcd8c8afbd8

**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba

**SHA256:** fdd7ff53d0ca796c5e3792ceb5063c84d0735bcacf198a1c06c78880f1c664a22

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js

**MD5:** 34d76a4a0d6602f8d4ff937e499f7906

**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe

**SHA256:** ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js

**MD5:** 8f89f30a603010383e7c118550697100

**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30

**SHA256:** 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js  
**MD5:** 252e2ea7a38323b8d82902e6595d23ae  
**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13  
**SHA256:** a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: shell.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dccd379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:** 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js  
**MD5:** c9e3db9bd2540c05ac67b249f8122387  
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16  
**SHA256:** 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js

**MD5:** 88c6148d955c6542b3f10482b736e553

**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc

**SHA256:** c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js

**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d

**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483

**SHA256:** 400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js

**MD5:** 34d6903cded2822fb2261678e1a479cc

**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad

**SHA256:** 62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js

**MD5:** 447874e5c5dd225949004c357d17ffe2

**SHA1:** 2cdc3263aa6d9766131d73157afb05fc6767b50

**SHA256:** a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js

**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7

**SHA1:** 57f009cf2b2147f14c530f697fd3ac493e053

**SHA256:** 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js

**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a

**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js  
**MD5:** df4ba46ed00e24c144deaef9a817d024  
**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7  
**SHA256:** 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js  
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a  
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1  
**SHA256:** 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js  
**MD5:** 52150a5a01dd7c56de003aa132f71e25  
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb  
**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js

**MD5:** 856d73e41310b4dd6a18f13d64fec0be

**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286

**SHA256:** e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js

**MD5:** 370c01bed3c433131f942ef7e6f69187

**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b

**SHA256:** 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

**MD5:** 8d41549d89ca9bfa3ef068190df379ca

**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7

**SHA256:**60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js

**MD5:** b48a3934b20b392ae812b17df05355f4

**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4

**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js

**MD5:** c7ef8ac785ee813860cc414ea17dbf6d

**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f

**SHA256:** edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js

**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6

**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32

**SHA256:** 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js  
**MD5:** 1d7ea7f929183e76740bd9d98e9cac41  
**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7  
**SHA256:** 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: swift.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js  
**MD5:** bf859160b6f348fc2d72673fc40b9da9  
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9  
**SHA256:** 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js  
**MD5:** 28a739b5550bd5ad13b47dbec84a9716  
**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee  
**SHA256:** 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js

**MD5:** b9418efb9c0d90a3432dff86169fd293

**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7

**SHA256:** 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js

**MD5:** d3923b19d37114a9e2a346c191c318e1

**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4

**SHA256:** c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js

**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86

**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e

**SHA256:** 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tiki.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js

**MD5:** 6e4bd43879571d0fdfa79714f550a3bf

**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163

**SHA256:** af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



## remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js

**MD5:** dc2ba16cf830b53759b71306e9473ed5

**SHA1:** 1a394f9f45c508fabc270b7c0a1f72460fc897d9

**SHA256:** 67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js

**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666

**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9

**SHA256:** d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js  
**MD5:** 43599469275c2b662b7907971147c978  
**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970  
**SHA256:** a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js  
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627  
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775  
**SHA256:** f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js  
**MD5:** d847dacea4534ee2841f01f5ac419060  
**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743  
**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js

**MD5:** f94e618b386e8bfd0ffa2252482e9c84

**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1

**SHA256:** 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js

**MD5:** f36ec21c639822b370b87c63415533f1

**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05

**SHA256:** 0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js

**MD5:** 09ab2491f1056e9d142e233dbc9dc1de

**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8

**SHA256:** 72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js

**MD5:** 8a51230ca1be6a91aeb25d4d0f7b55a

**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2

**SHA256:** cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js

**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9

**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4

**SHA256:** 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js

**MD5:** c864b2f05d2101a47c52b9c01aad5b47

**SHA1:** c63e8555c30976387f5904fda11fb55174743a88

**SHA256:** 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js  
**MD5:** 4e9e033cb9daa0702d84b88dfcebae20  
**SHA1:** 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7  
**SHA256:**06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: utils\_line.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js  
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4  
**SHA1:** 574435cdc400815c829db19a67652b7077b00433  
**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js  
**MD5:** fa430588a34292ebd66e33fa60217b4a  
**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9  
**SHA256:**e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js

**MD5:** 2da61e304ec310d9291e372c53c6b06a

**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5

**SHA256:** 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js

**MD5:** be30a2a88271b692c85d7de9744f7c16

**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7

**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

**MD5:** a79b1a94e41866ba625c37e77a76ba16

**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4

**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: vhdL.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdL.js

**MD5:** 4f804b6884d0d7c233a0acc15fdab384

**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc

**SHA256:** da078efdda01a1245fb8ed5a16cfeeb0a51823e5917e3802457041dc48243539

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js

**MD5:** a26525bd629440e84b02128d6eb323b4

**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6

**SHA256:** 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js

**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6

**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca

**SHA256:** c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js  
**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad  
**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20  
**SHA256:** 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:** 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js  
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5  
**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988  
**SHA256:** a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js

**MD5:** 675098b5f0aea0bf351a1b5762febfa6

**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df

**SHA256:** 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fec060b60bfd65

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

**MD5:** c6d16e68bc203e9489fbbd11b5b100ef

**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198

**SHA256:** 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

**MD5:** bcfaae27958026e83cd442b5df731da4

**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f

**SHA256:** 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js

**MD5:** f2651770cad286ae58d12e9f5c4e9e6f

**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db

**SHA256:** 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js

**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f

**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75

**SHA256:** dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js

**MD5:** 56cd9562591919c15b7610f13cd112be

**SHA1:** b294546669da04806196e6aca774914a30a0b3f8

**SHA256:** 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js  
**MD5:** a70c01cdbc7d4311d4dda287ace27a79  
**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3  
**SHA256:** edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml-frontmatter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js  
**MD5:** c2dc6071833d8d9bf02d81244403cbd6  
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70  
**SHA256:** 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js  
**MD5:** 925332d44aefcb89b106d4fe9b32e93d  
**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500  
**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js

**MD5:** 77fd959da1bbaeff5cdd97689da94570

**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

**MD5:** 85b28ee5eafe8552bf842eeba91325f7

**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: crypto-js.jar

### Description:

WebJar for crypto-js

### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar

**MD5:** e70e1fdbb3054453cd57ab3368e6bdb9

**SHA1:** 622835f605f708155af4ffdb1fda1fed2983bccf

**SHA256:** 9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High



Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	pom	version	4.2.0	Highest

#### Identifiers

- [pkg:maven/org.webjars/npm/crypto-js@4.2.0](https://pkg:maven/org.webjars/npm/crypto-js@4.2.0) (*Confidence:High*)

### remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js

**MD5:** da81b91b1b57c279c29b3469649d9b86

**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298

**SHA256:** d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: blowfish.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js

**MD5:** f324783486bb1c6c2bad1faf07c63372

**SHA1:** abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580

**SHA256:** dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js

**MD5:** b9c2f3c51e3ffe719444390f47c51627

**SHA1:** fb31443b26eb46eba12f324ff2c567d28e43c9c8

**SHA256:** 1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js

**MD5:** b55ae8027253d4d54c4f1ef3b6254646

**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38

**SHA256:** 2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js

**MD5:** 4b481d280be0331ef01b43c2d9b2a58c

**SHA1:** 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5

**SHA256:** ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js

**MD5:** f551ce1340a86e5edbfef4a6aefa798f

**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3

**SHA256:** 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources

/webjars/crypto-js/4.2.0/enc-base64url.js

**MD5:** b87419e0e9ad776b37cfce5433ff5852

**SHA1:** 24aa5251bd4c6b8ca1bbaf0a5ab838fbd9fcb6ab

**SHA256:** 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js

**MD5:** efb02f85686d948c69ad13ec6a7d479c

**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38

**SHA256:** c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-latin1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js

**MD5:** a8c77d13f48479c2f76678c6e7f06ca8

**SHA1:** 9753af5959867f998f0feffd6f1699e88c92f39e

**SHA256:** 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js

**MD5:** e24e079fb22a2f7063cb9f856bdf10b

**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7

**SHA256:**c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js

**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61

**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726

**SHA256:**8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js

**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2

**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39

**SHA256:** 03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: format-hex.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js

**MD5:** e2f78f02b844140cb8763fa7cd8daa45

**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496

**SHA256:** 040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js

**MD5:** 502d6df5aa16084bf5abb0f3077c13b5

**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3

**SHA256:** 1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js

**MD5:** 95b2fb61fbadc00bb3dce9098e37256a

**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557

**SHA256:** d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js

**MD5:** 6d51886c1d976bc143c790593cdc0920

**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0  
**SHA256:** 28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js  
**MD5:** 4acf006c1688cf4513ed375d7a94f86e  
**SHA1:** 8f8e2f8ecb2caa64f74c0393f9f6641f78e3b732  
**SHA256:** e104acb7379b834bd9249e3cfc2196acbf90a22bb10947feb2a1f8e30ded105  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js  
**MD5:** 875a7a330903a92828b279818e6b06b8  
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6  
**SHA256:** 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha256.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js  
**MD5:** 69817fc0da86033d4ef559f0febd3d32  
**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454  
**SHA256:**11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dffc  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js  
**MD5:** ea6cba03f7c6b257b70c1497022b5514  
**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0  
**SHA256:**bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbacb8  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js  
**MD5:** 7afbdf157b81970eb00a50bc421e7ce1  
**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178  
**SHA256:** 93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js  
**MD5:** 5d3e9930daf490e45b446cb42b31833e  
**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd  
**SHA256:** 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js  
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74  
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3  
**SHA256:** c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js  
**MD5:** 8181544c4f4842cba38a939989ddb460  
**SHA1:** b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c  
**SHA256:** 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js  
**MD5:** b8bac2e22a7a589167e014be77736c72

**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4  
**SHA256:**a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js  
**MD5:** fcd0c8cd3533c15bb4f0628f82cf5175  
**SHA1:** ed91751fd5c6009667d6b43c5fd3939993edd568  
**SHA256:**ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js  
**MD5:** 5847dafc1beecdcd23925f9f4989b2  
**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4  
**SHA256:**a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js  
**MD5:** c4bd3b4755cf275747f8e68b0eed7995  
**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1  
**SHA256:**fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js  
**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff  
**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6  
**SHA256:**9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js  
**MD5:** 3a84195b8427195dd9c345a0f3aa2313  
**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923  
**SHA256:** 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js  
**MD5:** 48f5529799d5eac8fa9f855ba1402737  
**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4  
**SHA256:** b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json  
**MD5:** 2f31b0aec8f5d1c63af62bf46623876c  
**SHA1:** 7316c3382382dee4cc36236a13bf43543b8a855d  
**SHA256:**011d61589c95ad4e16051c492565f7c19c6a7832580674503cceeeca612e7a6cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js  
**MD5:** ca8ab3266976ddad6e811577212b8c88  
**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231  
**SHA256:**7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js  
**MD5:** b1c4aa95c8bc79280076e66352b6c219

**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54  
**SHA256:**d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js  
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3  
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480  
**SHA256:**f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js  
**MD5:** e288e14e2cd299c3247120114e1178e6  
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3  
**SHA256:**a722d1f11486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: pad-pkcs7.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js  
**MD5:** 23c101a5a832bfa8a894b9813323044c  
**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985  
**SHA256:**9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js  
**MD5:** 23b4116306620a01bed22b52014c7c65  
**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9  
**SHA256:**d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js

**MD5:** 3f2876e100b991885f606065d1342984

**SHA1:** 006198366f41423a82b05dc582d9882530c3f6e5

**SHA256:** 89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js

**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9

**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa

**SHA256:** cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js  
**MD5:** b3bae9fc93314924cbd6c4283c1e91ef  
**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab  
**SHA256:** dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js  
**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c  
**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90  
**SHA256:** 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js  
**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4

**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494  
**SHA256:**3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js  
**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333  
**SHA1:** 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75  
**SHA256:**fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js  
**MD5:** bd908518f276d2df58277bb38185b307  
**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342  
**SHA256:**542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha256.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js  
**MD5:** 561d24c90633fb34c13537a330d12786  
**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5  
**SHA256:**d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js  
**MD5:** 6fe2614bbdfb802fa873f118621c7fb8  
**SHA1:** d977f518e609149d1b51932648669a4be7a97f27  
**SHA256:**6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js  
**MD5:** 6ae085f20325eb927ff673ef20568137  
**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4  
**SHA256:** 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha512.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js  
**MD5:** 0e5e8946947671eefe910c58f1272c48  
**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40  
**SHA256:** 986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js  
**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825  
**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6  
**SHA256:** 8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js  
**MD5:** 677577ca38d04508f116ebc977dcb11b  
**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc  
**SHA256:** c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar

#### Description:

WebJar for jQuery UI

#### License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar

**MD5:** 9ce7e600d17800cdae8476eb3dcf1789

**SHA1:** c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

**SHA256:** 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	1.14.1	Highest

## Identifiers

- [pkg:maven/org.webjars/jquery-ui@1.14.1](https://mvnrepository.com/artifact/org.webjars/jquery-ui/1.14.1) (*Confidence:High*)

remotegui.zip: jquery-ui.jar: jquery-ui.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js  
**MD5:** 0c983553a5edeaffb408e27b4bc526ad  
**SHA1:** 01510c553ab12baa303a09fb5820e49807037389  
**SHA256:**f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js  
**MD5:** 12c28b31a1369383b3549abf958b01fe  
**SHA1:** 8b7a32df053a6b24e568f20908e47a90e9a3c852  
**SHA256:**0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json  
**MD5:** 79f59c9c2d3b9b7f4b95c47c355c7d12  
**SHA1:** 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417  
**SHA256:**02f0804ebb96cd8c18ecdb1fcd511d96a8f8ec9463bc33b847cd38f50180d06  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js

**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88

**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766

**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

## Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence: Highest)
- [pkg:maven/org.webjars/jquery@2.2.4](#) (Confidence: High)

## remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

**MD5:** 30e1a7f167b667001f50e32ea87bf7b5

**SHA1:** d18dc733350ad3549af2df096599e824c10f777e

**SHA256:** daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: moment-timezone.jar

### Description:

WebJar for moment-timezone

### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar

**MD5:** b67a7dc1dcd1cde774e16ea7295f7a7a

**SHA1:** d6ffe442fb3dcdee42878d04c1b4d976b7cd20ca

**SHA256:**49205ba9340f3485b3e34bdda5b108f5e569c633cb58e19eff52fefcc28399de

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest

Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.5.46	High
Version	pom	version	0.5.46	Highest

#### Identifiers

- <pkg:maven/org.webjars.npm/moment-timezone@0.5.46> (*Confidence:High*)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/index.js

**MD5:** 16b10b9be0471f35921bc17b645c6fcd

**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822

**SHA256:** b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone-utils.js

**MD5:** 90654a904bb09ecee1bb69826888a5d

**SHA1:** d06ace28682186b95e8c77ccac6be2c6b78e2af9

**SHA256:** 2308979235e0b497edfe99b6d8e26f73741116759cc94146b8eb3f5f4330b9e9

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.js

**MD5:** 5c7411391c96d7a9407d012ad63feb21

**SHA1:** 7cf2adfb51070ff78c591c68dd6ca2cb590380d2

**SHA256:** 1a7b3990451f312b3740f47e1e3f87786238be17c2baa6d3550873051e7bf42

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-10-year-range.min.js

**MD5:** d5aeae4a577010e7c15ddcd154274d2b

**SHA1:** 4ae699e9510e9618df20ed048f6fd0331146de51

**SHA256:** c03a6809ab0f5c7f1f6ef0425ac96517d78de1112f26f3ae9de8064bdfdefd1b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.js

**MD5:** f82a24e0aa5d8afcf2b7a3c1a7b4bfcd

**SHA1:** 6a6e43fdeddbed946fed9519ccd79faefaeedaae

**SHA256:** 661b21dfa5f1ada53fb2213cd08db079ce356c2a4ce854ce7a97ccbb4cafc87

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-1970-2030.min.js

**MD5:** e06ec12b8553baf30ff6e85ce8d10964

**SHA1:** 34c1a456edc895eb873ffd479e54e08a7a74bee2

**SHA256:** 769d4a0ebe9a9bfba668de05ba0981f0ec387f0f79da4c4e98648762cf40f20c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.js  
**MD5:** 6da99be351d53c831a06d6d7317d4d60  
**SHA1:** 7adf9fa72a350e9caf2e7a81632b68976a446de8  
**SHA256:** e35b085c0170469205050f559c0bdffa06443a48769d1ba730221d83bad2cf38  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data-2012-2022.min.js  
**MD5:** f356ef2c04a62c0e75c97be41dade934  
**SHA1:** 75639764d95ffcc67d8b504d057fbf3e81141980  
**SHA256:** 52cf16914f9e1d6513783cd3d0ca694210108b5b7b07f754375e3b554eba96b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.js  
**MD5:** b5b482e4b444b7d90adbbf0d37eea19f  
**SHA1:** 8a17c35adb3b76b5bd6d73d61fdd43c285769574  
**SHA256:** 71f92c899d20ad2218587d86dfab051adbcc75a29dfd8491cfd6461142afffa0  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone-with-data.min.js

**MD5:** 0f804300030c5469cc61b626ed611aca

**SHA1:** 7b8f841bd2c3164c4875faa5c2f43b03db6ed346

**SHA256:** 841048af54bda7e255160dc05c6b1d527c2454a4a7aab021e71330c9486822cf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/moment-timezone.js

**MD5:** 86d592243f72b1cdc5e7b6b76a813771

**SHA1:** 8ae2cd2ad133ae4f4110731b6eba9006d550c02f

**SHA256:** 7094d157b8819a2c51d9f43a4a278ff8f99e51bcbef23adfc0954fbe47f063cd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/builds/moment-timezone.min.js

**MD5:** 0241a5d39425af1420371aa287a5a983

**SHA1:** 5fcf85ba0aba14d8ab9f083e27e803b2f2fe6a6b

**SHA256:** 4609240cd6b8f3830421bcc16b761a2852a219a919dfb2b8c5283880e0650c3a

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.46/package.json

**MD5:** 110931c82b0ed1700693a3adc127b31b

**SHA1:** 257d60a4a93567698cff76f4ab43a745ade67e7c

**SHA256:** 3c13f23eaecb30aa04a119df2d1a2d78ea662cc890816f740b676b3a91b0d84a

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar

### Description:

WebJar for Moment.js

### License:

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	2.29.4	Highest

### Identifiers

- [pkg:maven/org.webjars/momentjs@2.29.4](http://pkg:maven/org.webjars/momentjs@2.29.4) (*Confidence:High*)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

**MD5:** 10e8f6da8f425e389f9dd462018dcece

**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e

**SHA256:** 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js  
**MD5:** 5ad9681e194f33543d33a588e2a21f09  
**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5  
**SHA256:**ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js  
**MD5:** 293c5c572f1e70336fb5a5cab29faded  
**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3  
**SHA256:**0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ma.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js  
**MD5:** 6f5179b883bce68003df4d2c99caa156  
**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2  
**SHA256:**ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

**MD5:** 92455d26a00821fe9aba7ea8e23ec89c

**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393

**SHA256:** 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

**MD5:** bf6b33329fd589f8b3b393f6e64717d4

**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764

**SHA256:** 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

**MD5:** b0110c65e23d25860762820db7d2150e

**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fetc53703ffd5b3e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

**MD5:** ec1a4acd4aa555dd71722c2639df4db6

**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df

**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

**MD5:** 5c38f8d3d5da2b1b930f109553918781

**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5

**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

**MD5:** ebd43c527dac81f273926142beec5553

**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a

**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bm.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js  
**MD5:** 2ef1c37399931e14e2a4471ebc57bd21  
**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264  
**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js  
**MD5:** f2988fa9e29bc5573603a8140b321051  
**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a  
**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js  
**MD5:** f5037a3495a3fefb37d9456b6745537a  
**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a  
**SHA256:** a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

**MD5:** 7dc25ead6d51909386b03c060b891690

**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

**SHA256:** dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js

**MD5:** 65949057a5632b430fce65f65c89ace7

**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6

**SHA256:** 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

**MD5:** fac80361cb7d5e0c44f8956063e8eb07

**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4

**SHA256:** 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

**MD5:** 9c6c8738154552a40a29505cf41311af

**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d

**SHA256:** c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de

**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e

**SHA256:** 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js

**MD5:** baf681a1e97ac68186325a98d5ef1861

**SHA1:** c0433a02791baf8efe6945a4ae0370c6d8d55b6

**SHA256:** 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js  
**MD5:** 868cca92c4392ae5b0627f305f9633b4  
**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501  
**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js  
**MD5:** 47fe4d0a5079542391abdcd125b4cb60  
**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1  
**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js  
**MD5:** c2df366205b041e50b0dc27fe427c54d  
**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f  
**SHA256:** 0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js

**MD5:** 1f9bf40d5d392a14bb758de02e9d98df

**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11

**SHA256:** b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

**MD5:** 260cd4a4a123af8e02f5aa4001cceaac

**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279

**SHA256:** 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

**MD5:** b3ac7e877fac1116b8759c6e7384e86d

**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89

**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

**MD5:** 7a1966e1fd7848aabcbe28ff2a445e

**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409

**SHA256:** a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

**MD5:** fc0b9a852c77ef21ee6deb24d95769f8

**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2

**SHA256:** 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

**MD5:** b6f095c75787cb0eb2421b32b2e9ea14

**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a

**SHA256:** d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-gb.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js  
**MD5:** 5ebfadfe47485b65c484822391d0aad1  
**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb  
**SHA256:** 46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js  
**MD5:** f5175b64f4c382500e7a00ed4113c3a3  
**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80  
**SHA256:** 41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-il.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js  
**MD5:** 8f131247f11cf746d1b477c75de2e0a2  
**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00  
**SHA256:** 494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js

**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae

**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142

**SHA256:** 290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1

**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

**SHA256:** 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

**MD5:** d32a209c24b07b617c68fb03e081061c

**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42

**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: eo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

**MD5:** f19d7f5dae34785b6ffd82971ff01712

**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf

**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js

**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6

**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a

**SHA256:** a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js

**MD5:** d16f10cddba51c3467b316318e592f22

**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38

**SHA256:** a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js  
**MD5:** 276e7c3c7756f9e962f6141f5048894d  
**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8  
**SHA256:** 3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js  
**MD5:** 0e92f45548e01672fc6a2f73979c397e  
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a  
**SHA256:** 2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js  
**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc  
**SHA1:** 82ecef743869c8231a6ef06cf5959e5cdbc7fc9  
**SHA256:** 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js

**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88

**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7

**SHA256:** ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

**MD5:** bad9e9e51e7cd982360114a2d6b9a03a

**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04

**SHA256:** 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

**MD5:** 08d74def02ac724471fce607ab87f4af

**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b

**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js

**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec

**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6

**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac

**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30

**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js

**MD5:** c0ef60f7029fe6ab773c090320f0a66e

**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622

**SHA256:** 59c5acfb5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: fr-ch.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js  
**MD5:** 3345c9d13645ae5fb2964c17559326f5  
**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0  
**SHA256:** b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js  
**MD5:** 775f1eb59d6f597b1c398036002ae329  
**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127  
**SHA256:** d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js  
**MD5:** a54d9827ca1a619a839a15c94b7893a0  
**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38  
**SHA256:** c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js

**MD5:** 264a960fc2850670387b1cc90dc29dbb

**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c

**SHA256:** fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js

**MD5:** 0f3b98fcc8a06995436819446130320f

**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4

**SHA256:** efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

**MD5:** 0d346a7ad989c39c04631e181056acb5

**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa

**SHA256:** 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: gom-deva.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js

**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2

**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77

**SHA256:** ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js

**MD5:** 45f0c567784f534e16f304dd625682ad

**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289

**SHA256:** caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js

**MD5:** e108958bf473fcc52349ecba7dcff10e

**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5

**SHA256:** 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e  
**SHA1:** cbc69bf9fa2cc2493d086af3a5cb15e893c7d64  
**SHA256:** 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js  
**MD5:** 10451c28a31c032807f1fbf1bea5c32f  
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9  
**SHA256:** 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js  
**MD5:** bfeb6da022ce8f5d4610a485f6063935  
**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646  
**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js

**MD5:** d485a763ba31196c55bafddc763cf98e

**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac

**SHA256:** 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

**MD5:** 8fedcd99fde263a8a5a906b27de70605

**SHA1:** 3fbec521a9f7cd9b7576fb37a3f35ba2705e88

**SHA256:** 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e

**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

**SHA256:** 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js

**MD5:** 0f5a457d3457dfb1c5d256436b5e442

**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e

**SHA256:** 6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js

**MD5:** 0c0cd69247909aeca5d78d255b30a617

**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd

**SHA256:** 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js

**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb

**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962

**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596  
**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482  
**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js  
**MD5:** 307628de0dbfe42c1aedc98c3afc1aae  
**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6  
**SHA256:** 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ka.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js  
**MD5:** 629be6bde33738ff66f7119b3b617798  
**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d  
**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js

**MD5:** 4532f947979a50597d1c82a42f0facb8

**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9

**SHA256:** 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

**MD5:** f73d0c92be21341d171e019c00173f3d

**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

**SHA256:** 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

**MD5:** 72e237c519a91674447b268b61983bbe

**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2

**SHA256:** 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ko.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js

**MD5:** 14369b837e9e15378938754b04bd2189

**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc

**SHA256:** f115f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js

**MD5:** ba513eb127fa22206ca1a67ad8467da2

**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84

**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js

**MD5:** 68f9c0556546367a8c25903bb8348b80

**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64

**SHA256:** d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367  
**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:** cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:** 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js  
**MD5:** 3aabc3a57ff7796110a9d427e6e61280  
**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7  
**SHA256:** a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js

**MD5:** 5d62f0a64211c2d3e0d009cc69c48202

**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12

**SHA256:** 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js

**MD5:** fc931f5db9a4d5b832e7c53985cfb233

**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec

**SHA256:** a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js

**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7

**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f

**SHA256:** e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js

**MD5:** 4b76ccc2617dfc9bd6a54643659bec05

**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27

**SHA256:** 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js

**MD5:** 89179085b30d2752584c4f4e9c3ac04a

**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85

**SHA256:** 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js

**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968

**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82

**SHA256:** c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fce452b6b4bfa93efd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647  
**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:** d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js  
**MD5:** 2229e9c27b35b688a4211bad4d7574eb  
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3  
**SHA256:** 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js  
**MD5:** d07131713d356424c14481ed9e77ced2  
**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39  
**SHA256:** f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js

**MD5:** d458b68730a7330653700489333a7837

**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d

**SHA256:** 430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

**MD5:** 6e5aa6783efbeff584f4292398326b32

**SHA1:** 450696675b814c89ec016901b570c05891ca2c04

**SHA256:** c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab

**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04

**SHA256:** f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: mr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js

**MD5:** cd715ac0f919538bf79acdb4a477763e

**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a

**SHA256:** f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js

**MD5:** cb7a91cedb211e85abf06a4683d39800

**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295

**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js

**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a

**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841

**SHA256:** 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js  
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce  
**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9  
**SHA256:** 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js  
**MD5:** 1de06907d41a2fbf6861958ee0eaaba6  
**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383  
**SHA256:** 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nb.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js  
**MD5:** ee293037089769cbdbbf9f2dba3e01e6  
**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e  
**SHA256:** 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js

**MD5:** f09e1496b96096e594254145053e777d

**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755

**SHA256:** 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

**MD5:** e50c24ded5247900814470d1a6cc8854

**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

**SHA256:** 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

**MD5:** 843085f588379356ba9556d93aa9ccdb

**SHA1:** afe70913ffce08e256c3c9ffe350272bcb791a0

**SHA256:** 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js

**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a

**SHA1:** 9464502746665d34779fd3e7c9c05212db534556

**SHA256:** 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js

**MD5:** 16a8d7288d0007906a6ebb39fd954265

**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c

**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js

**MD5:** 8247ac1929cfdcc902a77542e9fa470c

**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a

**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0  
**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:** 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:** 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js  
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a  
**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9  
**SHA256:** 5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js

**MD5:** b70a96c3353ca41f14b5628aaeef6461

**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2

**SHA256:** 8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

**MD5:** 71f120e6f7682b0e80a9d5982b8a4711

**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5

**SHA256:** 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

**MD5:** 84b1a53a794d8749061a53eb558110f3

**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479

**SHA256:** f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js

**MD5:** c66d22693e1e950330471ed9de408aaa

**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd

**SHA256:** 47b9c98d906dc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js

**MD5:** 115132c218de16cbea034b2762b9df9d

**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9

**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js

**MD5:** d63f9c00eb2beeff26eabfea1406a3bc

**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017

**SHA256:** 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb  
**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:** 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcde7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:** 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js  
**MD5:** 11bbdf40343f7ee615144b2c3df93d54  
**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667  
**SHA256:** ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js

**MD5:** f5c6cad85947f97d184ce17397145e3c

**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65

**SHA256:** 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js

**MD5:** 403a704d0b31d44f5d43a05f060f879d

**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8

**SHA256:** e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js

**MD5:** b5752681e826802ad4578a65d446d2ab

**SHA1:** 18c79b7064d378b578c83facf15be80314e34581

**SHA256:** 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js

**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6

**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8

**SHA256:** 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js

**MD5:** a276c85890a03d5a55715768969516fc

**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aaea4e

**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js

**MD5:** b9e0ae98f621d6f9a622fe09225978cf

**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e

**SHA256:** d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8  
**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:** 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:** 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js  
**MD5:** d39f31787b27fc1bb028ef80e699cd7c  
**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7  
**SHA256:** 895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js

**MD5:** 0a6f7fbd649b280c8fff433d32591867

**SHA1:** 15f108397be93776a1c232f3de813e27f305550e

**SHA256:** d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js

**MD5:** 83e93f32f7f488c26def6938e280b716

**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e

**SHA256:** 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js

**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5

**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791

**SHA256:** 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js

**MD5:** c01b5d264b1cfa34c4723e995439ebb9

**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8

**SHA256:** fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js

**MD5:** aefa584c5d3e7690a710b144fc505a7d

**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b

**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js

**MD5:** 59508c37879615bd0a0beee8f69a28da

**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef

**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba  
**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23  
**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js  
**MD5:** a2587bce05b5fa3015dce4ccedbd802  
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6  
**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js  
**MD5:** 582198d314e9ced1007620d4e7701734  
**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a  
**SHA256:** 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js

**MD5:** 69d71f7f7674fd7f8b35f14dc179339b

**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b

**SHA256:** e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

**MD5:** aad8845e8fb63517d21b322fef4a3545

**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1

**SHA256:** 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

**MD5:** fbe69f339b236b654b3e41d8d8b56536

**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e

**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js

**MD5:** 3da71179953500680163984295abe43d

**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2

**SHA256:** c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js

**MD5:** 75ce0ce4c28806c32575c4f28ded6185

**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a

**SHA256:** 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js

**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3

**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a

**SHA256:** 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: vi.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0  
**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:**c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:**197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: x-pseudo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js  
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0  
**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47  
**SHA256:**ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js

**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771

**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada

**SHA256:** d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js

**MD5:** 49fa27dd7c374122f336369f30a87973

**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d

**SHA256:** 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

**MD5:** 9338eb6ad8e887a63be4fbaa05cab197

**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9

**SHA256:** c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: zh-mo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js

**MD5:** a986f68bda18d9751f6bedd7356e6e7c

**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87

**SHA256:** 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js  
**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea  
**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62  
**SHA256:**62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar  
**MD5:** b08cee8b95b0fafed9a7843aba81e0a9  
**SHA1:** 6f951139f5305c21788b17aec55856eaca385975  
**SHA256:**de3cf4f4998f4b31b165df53b1fd9518a074fa9b0e4975b4c6043640ce12554d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2025-04-04 17:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2025-04-04 17:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### remotegui.zip: remotegui.jar: angular-websocket.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

**MD5:** 40cf028986784d5006d57219f6dbe0a8

**SHA1:** 40efa9ba93f90c2933ea22c767a0b1439e10303d

**SHA256:** eb77f7788e6b757192f2fbf8c6af6560731c3539b06fdf7d476e92b989ca50b0

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

**MD5:** 6f61e39f7ed0928ce2046d44760db061

**SHA1:** 1a79dd0d084db06894770d115b3b808a0d8c0ecb

**SHA256:** bd0c38131628418202bc8a896fcee79fc4933ac37da60263562ddb37ede2f26

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

**MD5:** d9a96ed732439b0dc0417d960d30b667

**SHA1:** a7b2247fb71c27e9eacc8f24859fb993be8d95d1

**SHA256:** 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1

- SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

**MD5:** 6ad83588ff8ae2fca8a22a9973c9a22e

**SHA1:** e34a66c038feb5d7eaaebe6f5641ff754ba2133a

**SHA256:** 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

**MD5:** a92b24ddb292c48b2b37f8f612dcf510

**SHA1:** 4fb6c8ec1c639068e82cea773e346402bee5db6b

**SHA256:** f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

**MD5:** 4fd729dbd4e3e172e18625eeeb1d21f3

**SHA1:** bda842fc94e89b87c8ac7ab1fda990058708c679

**SHA256:** 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

**MD5:** 7fa3864d221a30bc7380c1d61fd0127d



**SHA1:** 7711e764bb81e7518be8f1582ba36c0bcaffbc12  
**SHA256:** 78a5ae26f5463a9ffaa3aba943dcc4a6852dafa4e6a161a77db4e57e57c9565  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js  
**MD5:** 42e2eeddd15b1c78fa69908f6680ee70  
**SHA1:** 700e560ae973d1bc7fc1533f10000bff031ae452  
**SHA256:** 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js  
**MD5:** 1736536ca17f8949cfbcea3546666700  
**SHA1:** c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc  
**SHA256:** 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: avatarimage.directive.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js  
**MD5:** 70e2255c02822aec0a74da3386baa781  
**SHA1:** 927e3a72f635deb32b6dd3bd1e3deea711b73521  
**SHA256:**9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js  
**MD5:** 30a2af71a10ee42a8e840c52dc445a33  
**SHA1:** 2767a8c4d10f738a7cbc2f0166473a721724465c  
**SHA256:**4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

**MD5:** 574a7af25da940f55deebb2e71be9458

**SHA1:** ca75b040dee3dac2685871142ac1edfc40dfc8c4

**SHA256:** ca1fe925906d2cfc908f253e79f30c4a7f964c45c47c84baa22975d8886c6bc4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

**MD5:** 66fc7adafdfc312da33c1610ddb02650

**SHA1:** c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba

**SHA256:** 359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js  
**MD5:** f99cb51a76e41db0a93720a7ab76f79a  
**SHA1:** 811d10b8029074990b4328164ea5645759789a5e  
**SHA256:** 3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js  
**MD5:** 2a66f45992dabf075363ec46a8f1913e  
**SHA1:** 6dd5a0ea9f6b8471d5133f32a13090af611156a5  
**SHA256:** 9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js  
**MD5:** 8d2dac6b040a8c19644f32bf31bd71a5

**SHA1:** 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e  
**SHA256:** 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js  
**MD5:** f4c8b7a6dadbe05f4e359733f723d5f6  
**SHA1:** 119cdcaf2e65398e1f02c279bc915fb748c851e7  
**SHA256:** f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.service.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js  
**MD5:** 0867b1420c57ea1bd0df6b217d0f0a27  
**SHA1:** 3b540de9bd01aa2d887ff4690636a46d59e54ac0  
**SHA256:** a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js  
**MD5:** 35ac87b4adda24a0ff88a6d84061be8d  
**SHA1:** cb8ff8b6732e44086f6387f1309a13d9a8a133db  
**SHA256:**40c05d8a60c1ee5908ef44430e55d543796e710051e24b21e490d27d461bd933  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js  
**MD5:** c1382e5bab1e0095998e5b19ac91f381  
**SHA1:** 2bfacf81cdcbdbc9919f24433ada8d3d78ff826a  
**SHA256:**f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js  
**MD5:** 21ef7608799862ae50c2c74f78d0a9fc  
**SHA1:** 747b3d2b2615c51fda36d4177ff6742a3f254784  
**SHA256:** ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js  
**MD5:** 4a6174bd421f26ebbcfee0cd497cb818  
**SHA1:** dd1fd437528d6680073b6ec992627e58a7117d1d  
**SHA256:** 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js  
**MD5:** 8886375e9fdbaea08407ec6d19efb81a  
**SHA1:** 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9  
**SHA256:** dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js  
**MD5:** ca1979cf2df78c9a22c96f3478247107  
**SHA1:** 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e  
**SHA256:** 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js  
**MD5:** b3d1cbd2470d7a37317a1a3b2f731b76



**SHA1:** 8be451bf390bbc31e274d966fa238675d192598d  
**SHA256:**d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js  
**MD5:** 80b4da64ffededbe3c3523b55e2bf326  
**SHA1:** df84d88eb510b8e820880297404310f5a8795f4f  
**SHA256:**48bbb094dff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js  
**MD5:** 9be25409fea8e060b32a3ed16afa0496  
**SHA1:** 36808df213a842d807c44b517fcdabd52c7479ac  
**SHA256:**18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js  
**MD5:** 3f22da2a31a50aae9eca2ddf181a32e6  
**SHA1:** 92ef56f938fd823a8d2d234190af4aff18ce8223  
**SHA256:**e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js  
**MD5:** a8ac2709cc86b403df12e2112b1c50da  
**SHA1:** 344a480dca6074c311786b03a13aeaff5cfb58a3  
**SHA256:**3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

**MD5:** 72df17aceff55a08379e0d53b414a348

**SHA1:** e3364d95d630e8ee2831c6f8c043e380892303de

**SHA256:** fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

**MD5:** b7ce1065cd78fdac56af02a9c2990479

**SHA1:** bb6e0f303c2a2601864542d89f2e2f5da4cc582d

**SHA256:** b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js  
**MD5:** 4dbf4bd5e209bcf9da2dbea374055b93  
**SHA1:** 87bc7d80e618d023de04a942c4bcf78a0f63ef94  
**SHA256:**c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js  
**MD5:** f0eae135a9846e9583286cd7e26e16c1  
**SHA1:** 2ebb1635a8de2bf5a5b733d22be21e702b12b72c  
**SHA256:**03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js  
**MD5:** 258465212e0911f69571bb053df33a43

**SHA1:** 91a7f8521507ac4c7f3694cf5dd955417828e559  
**SHA256:**f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js  
**MD5:** 17128560e8941aedb7e852204f4a179f  
**SHA1:** bafe38ec75526c6f24a08468efcb54b174af8a12  
**SHA256:**c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js  
**MD5:** 3451d3dc4466d917bdaaeca802ffedae  
**SHA1:** cf35aaaad9461c21764024842d788d1ffdd36bd  
**SHA256:**81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js  
**MD5:** baae690d1879d5770a785db43c416078  
**SHA1:** 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a  
**SHA256:** c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js  
**MD5:** 73a660a1b69b3c877a80104908dcd0fe  
**SHA1:** f452a6e6a90eafec046f8364e92e8991639fc0e3  
**SHA256:** a54b14192bdf0b13eb46a513c0de90d2217df002a87b69faff4a97a2b438e78a  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js

**MD5:** 614bca272bedcbaa6f867d223c67ca6b

**SHA1:** 158169ab1d6de578cf3d3157b44fc5568a0dff9d

**SHA256:** 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js

**MD5:** 646c45383035b8a172b1e3cea4462065

**SHA1:** ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc

**SHA256:** 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js  
**MD5:** 5ab9bc583256cb4bf16a2ed2611a694c  
**SHA1:** 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e  
**SHA256:** 10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js  
**MD5:** 937a0f3324f0745d23c6683df6519937  
**SHA1:** 333ac3ae229c679ac686515da033ac7825811518  
**SHA256:** 700c6dfd2f907359d5b5b26b233e029e202955200013e847a6b1ec8b33a841a5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js  
**MD5:** 797fabcb912b0290ab3e259ffab24855



**SHA1:** 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63

**SHA256:** 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js

**MD5:** af5e64405e9df914078db9c21e2d6cd2

**SHA1:** 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9

**SHA256:** 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

**MD5:** ff3705252f1a1e7205abc5305b16d24d

**SHA1:** 5d137431c4fecf3c36e40aa0024d48f64c0f3b9a

**SHA256:** c030948a627465a777ae0f4a631c5cee1339c36a6fd57b5feb86cccf2b57569f

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: directives.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js  
**MD5:** 19f28ec5f19f91bee0b1c9e74e173dc1  
**SHA1:** 8f3d5294a051eabba98d8b9ceada4b2411210e58  
**SHA256:**0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: dropdown.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js  
**MD5:** 40ad7d2b68347bef0008d1791b5b5eba  
**SHA1:** 1c064c2f1ffd0ad48afb8f90e26278f9c2c39b73  
**SHA256:**bd2194fa55f283113dc3e1b43c1e961a9be2cd763e189e05c173b32a07bd18fc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js

**MD5:** 38564647d31b6797536db5765411e4ed

**SHA1:** 48fd70c8edf0adcf125823e861e4a139a381cbcf

**SHA256:** d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

**MD5:** cf4481407a72642bb8f659e8b1811a6d

**SHA1:** f5b4d06097e39d132c2e341005a5f37945e6d25b

**SHA256:** c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js  
**MD5:** 99c26eab33a362c6882c3eac06061d33  
**SHA1:** e4ab728acf5b24584f9252170f2f4878ec227589  
**SHA256:** ea1929f9f8740d81ccd097c3ea42e22da13108b9a31c41e253e068abae9aef90  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js  
**MD5:** afd055cf3465f9374026bca068948171  
**SHA1:** b4cf82dabdbcffc4fc94ceb916fb315af8c627f6  
**SHA256:** 822a3db5d471ba6b60257f286a7b087f2ae6585243893abcc946e47c4fb4a00c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js  
**MD5:** 4012901ce3b8c0dd2c30de58b4010f93

**SHA1:** 2f74672bcb93cbc5a5ad537ab900e5ea2993244c

**SHA256:** df68e84e582a52b12400fdbc1ef79d935013e189579795a435a6ed8055573c35

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js

**MD5:** 3c4bc570a3e7246d6c36a87e1499d7a9

**SHA1:** 859f2045ffa4ce48f54b6adc97bdbe18566adfcc

**SHA256:** 1ae715ed60ed513ed2c543dc86ff592bd7ec3a7125818ea6d22a900607eda017

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js

**MD5:** 0b5378d3a8d7f79543eefb43bd125bcb

**SHA1:** 0c50d5b03526ee6a4b5ecafca50e139183e64bf6

**SHA256:** e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** 6a4dacb6228e6f4d39a9e30d0878291f  
**SHA1:** 2162d21c1d9f48311daf8383c4b641a7cb15518a  
**SHA256:**a14ee2997beb2fa7407e5c6fbe7e6d22b75441cfffaea522fa279ccd512a022c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js  
**MD5:** 6d4f2194f51d48cc3b21f9526f7fee57  
**SHA1:** 30f480f24b629a9dd3a93fe04dca7eb04a20b677  
**SHA256:**8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js  
**MD5:** eb473c0da5fce407a8585e0ecce20bc8  
**SHA1:** 3f2b16de362bb37d19bdd9147b03dc59f1036b18  
**SHA256:** 6e58cc4e6bd4b86833f4d7eb154a422d0ea77f2481cebb41cf784722eafa2548  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js  
**MD5:** 5ebb609350c6d0ae645e8ac20cbb32b9  
**SHA1:** 15bb7b61dcc2a479beee7e0162796788565fafc4  
**SHA256:** 593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js  
**MD5:** c3abe040e55d2f09b03b6ff4a839b795  
**SHA1:** 4ba516326ef10cdbac82bfeca2ef5a82122c27b9  
**SHA256:** 49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js  
**MD5:** e6e8c3e26ad3be54df16ec1bb887bb70  
**SHA1:** 4b1e88e7eed9dade1052f00086c2c09f18a0be32  
**SHA256:** 18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js  
**MD5:** 16e85502191f7fe25433de5ad6c746f9



**SHA1:** 712909937e6a4ad47396146d4e79e4a3dd0b32e4

**SHA256:** b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdfupload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js

**MD5:** 75a66761b717a6997b593736a3636c7f

**SHA1:** c7dcef33b520474109257a31e81c13967de4fd70

**SHA256:** 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js

**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5

**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93

**SHA256:** 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: hsimp.renderer.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js  
**MD5:** 5f06f676ed65e93315ba629f480077b0  
**SHA1:** 213a052ff56e4e0cce58b108a93995300b7f21b7  
**SHA256:**a6741fb1ac97dd1d59dcfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js  
**MD5:** 784c54f58e8351e6821785bdeaa852fd  
**SHA1:** 945f8e892ff235c347b61d726cbca71c51cfa0ec  
**SHA256:**3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js  
**MD5:** 5ffeabcdafb5eed81b8a2a65418f48fd0  
**SHA1:** 3cdc33deda9588ec7cf4495b2c5e3d9740f12a7d  
**SHA256:**cfc0073759c7970f394696b3628e411af71f8df3f392e0d4f0fc197988ab7a1d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js  
**MD5:** ae7cf9f1949727b0b0abbe02d00322a3  
**SHA1:** 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0  
**SHA256:**ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: htmleditorModel.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmlEditorModel.service.js  
**MD5:** 5065e5c03040fe00e77e7c35c9491459  
**SHA1:** a07cd621341d26b6a8af98193dad1b028e518a16  
**SHA256:** e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js  
**MD5:** f38d8cd5ddc30af9d60e7975dc9bf09e  
**SHA1:** deb48848205420e8e128fbb61d54f505a9ce08b  
**SHA256:** 9dbe9eab86795cf51d6d7a06a9133c273cacc7277b27a2b99060740a6d47eaf4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: indexed-db.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js  
**MD5:** 8e18eb72cdab27b9f50d8be736fb5d3a

**SHA1:** 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765  
**SHA256:** 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** f3f6879a5d27234809f195e8361367fb  
**SHA1:** 24d20461bd9e38654b9feb17b07291ac539c186b  
**SHA256:** ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 89901332f1495e0cd0ee5b86914cedb1  
**SHA1:** 35a849463bb5de9d8fc94de631c5641743d37abf  
**SHA256:** afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 240236292f36eca6c17aeac05fd73d61  
**SHA1:** fac06f570617460bbc6f377136ee040bebad8828  
**SHA256:**16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** f1cc27a91ae66d028adca2b6d897f85c  
**SHA1:** d124c396d8b2c54da75b2bd16087fd12dfe53e54  
**SHA256:**0be96e02f64d28f1ddaa64afe28fa9aa3eb2aa7567242ab9cb54a9b3d2902036  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: localfilesystem.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js  
**MD5:** 277d95afddcd590e0d141b2d577b5e62  
**SHA1:** 20bcb984e60bdb0a2939939f52951e728a4f0af7  
**SHA256:** 07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js  
**MD5:** 46cec6c60b7272f24587325abda377f2  
**SHA1:** 89b2f6bb29c4a9072e0dde7ad14a901fe105e5eb  
**SHA256:** ae1f0ae132cf4591b41f2ce9ed9ab90b14827ec2007ae485c7b13408b02df937  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: modal.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js  
**MD5:** 8b4f5159c55d2de4f772c61b5bf7dcc3  
**SHA1:** 6d4df793d2fbad75c24f62e005eefa9ed62954cb  
**SHA256:** 2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js  
**MD5:** 4acca3d003e0b03b3f5e384003755de3  
**SHA1:** 1e0cae788079de22547aabb02d319de12adcaeef  
**SHA256:** 0ff64d3810936ecaa504005327a4ce6b1d113fc762a15ad24874427cd51fe144  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js  
**MD5:** 3958a1734972672ba1c124b1ed886668



**SHA1:** 4eb0ba0abaf32269baf7023edcaf12cc623783d3  
**SHA256:**10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: navtaboverflow.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js  
**MD5:** 0ce7f7b7b6a5a148404b16e1962caf60  
**SHA1:** 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf  
**SHA256:**b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ng-tinymce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js  
**MD5:** fa3aa2ac8be2d68b85dbf5577d159de7  
**SHA1:** 8f50aa02f73423a054955bcb8cc04a19abeda22  
**SHA256:**3eff1fc4e1a4233c840ee575812bec93aabd2e88d04e03d291d6fb3982434444  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: numberUtil.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** fc50f41d150aa956d3405cf5538d0ef8  
**SHA1:** 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1  
**SHA256:** 0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js  
**MD5:** 947bd87a3346f4361a6bdf6b86004441  
**SHA1:** 78cfcd42fbc4a1183e2eb7e638187c56d809eded  
**SHA256:** 6604157155c49c84813a29f51c89129608ca164104d19e4b87119ffb8b3423be  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js  
**MD5:** 6efc2b278388ff3b8fd01d214f68de95  
**SHA1:** 1d366d752be481f2502ad6e928bf443dc1bbc11e  
**SHA256:** 7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfafffa3  
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695  
**SHA256:** a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js  
**MD5:** d1feb482374e4058601ab2f7b89adab6  
**SHA1:** 3c5f495653d3856460bcd8ff62dc530292fe91a5  
**SHA256:** ef9d71d87d4a4d8f2222fb5ce1f9030667e65a51b42e7a65ab47139193909983  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js  
**MD5:** 620885e608d87c0af2184057fa716019  
**SHA1:** 99aab6b764bd796a4fad0b23da057c07f0a173bd  
**SHA256:** 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js  
**MD5:** 9072dd128b777cbe8c9a3f5cff6d1ffc

**SHA1:** 9aff2deccd8bd06b84530f2759b5d3708496680c  
**SHA256:** fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 57b1a6b4c82b90c7ae6728361bfd83aa  
**SHA1:** c4010db7bf32f2263f721e7d0642b0e4e99b7e2c  
**SHA256:** 514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js  
**MD5:** 24e950e89aace08f1aaa17fd06bb396c  
**SHA1:** 1b794fe5f9c1c3015159425162f6b3b167ff1665  
**SHA256:** 4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js  
**MD5:** 95a33b245d3237810fe50090f6719728  
**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d31117  
**SHA256:**933121280fca1f5ea88c243ffeccbf998a62fdc3b62b5ca70875a990c18c9edd  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9  
**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:**cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js

**MD5:** 4b36f8e71a871112384d908a90471a76

**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282

**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js

**MD5:** 8f0195ad048023303ca75052988a2958

**SHA1:** f30f14dce0300f317db5ad815d452dccf20c6726

**SHA256:** 20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** 92155894052072c1b3585f3f378ed64c  
**SHA1:** 284e63d9a8d92f3227dabbba220ce81b406fd5f7  
**SHA256:** 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js  
**MD5:** 6d4112ef908310750bc9abb11d9a0c63  
**SHA1:** fe21a1d0063252eef334f9885461edc8a7d69f2a  
**SHA256:** 5bdf53db43994e8684d4c4cf0dae20ba09de34e84aa902fcc0e9f68ccbe913cf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: search-panel.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** 62e0a4cb45cdf5cbb82f93ee7c43f679



**SHA1:** c9bece27698f9e7c6f272a2b83425f6e4d73c0ef  
**SHA256:** e93b61232ebe9eae031c84bccd6eb15b7fb360a8ddd65b7c910ccc93ded13ece  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 94814e3d56c2235cb31d6bc6ed5f92d7  
**SHA1:** 4619d613f58383a0bc148f0da510fdc6a4a32fee  
**SHA256:** 53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** fa91436385b8994b55a7d310d63aae1b  
**SHA1:** 6dcf22bc7bc7561e394ab64f4cd68935378b77cb  
**SHA256:** 99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: sidenavigation.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** 41e61e3b773bf6851e57056ebf4cbd3e  
**SHA1:** ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4  
**SHA256:**ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 82d1cec699a839f96167893738956807  
**SHA1:** b0c88a87252c6c7c558b366e8f8c8b85179cd354  
**SHA256:**48b31ddf8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js

**MD5:** 4c2e4791571aa7c4beef1d13e162b700

**SHA1:** 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8

**SHA256:** 7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

**MD5:** 6bcf8a37b4157e9c59412040d832b2e9

**SHA1:** 12b1e7fb37e1533e850a261eb24e5260e42368f8

**SHA256:** 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: timeInput.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js  
**MD5:** ba7319d83a3bcc33e0019d36fdfef0d9  
**SHA1:** 019c707edf3c03914faea76cc116043f51a55ca2  
**SHA256:** ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timelInputContainer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js  
**MD5:** fbc7a8c9f4e3a3cc38d7659d83a6c29e  
**SHA1:** 6b62e43062fdea0d9a6d7dc537e8be85787990a0  
**SHA256:** 13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js  
**MD5:** e1458f3e6ea63204589509e5237f5c31

**SHA1:** 0a3f9057c78f591a1bb4086e1910af248290e689  
**SHA256:** b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js  
**MD5:** c21b1ca3aa6cbb690bb2f2720074a41a  
**SHA1:** c13b04d1326ca083b29db9d793485f20cb13a62b  
**SHA256:** 17aad88363a3786e6b33a5f24c20319d26b18093956482cf4c1ac94f6f9b0de0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js  
**MD5:** 29d24835a3a3f09d56371f64a9e5501d  
**SHA1:** 74508076d24cd85f342390ee1809e2bb70f48839  
**SHA256:** 6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 1d3c2d9b2853e77c53b7f755e4f82bc0  
**SHA1:** 56134dad87141744f8fee3574ebde43a96484ce5  
**SHA256:**dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** 8b519101d8b11cdf9b3981d47452b48e  
**SHA1:** fa4b18f4979b804b3a6312eb8c851f050789e244  
**SHA256:**87668f5830e7c8ce1c26eaae7c671a78e3c3116971e6f11c18d7bd6c3ae7ba8d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js

**MD5:** ba532f7f8d9ad9ddcd5e43589c875a9f

**SHA1:** 878776cbfda46c3ba5b5c4c2340576fbab6ea109

**SHA256:** 7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usestrict.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js

**MD5:** 8e742d11d6b24c401e35f3b516726584

**SHA1:** 89b72153bd7e6390415ba25b9b5fbe750e6e16d5

**SHA256:** 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js  
**MD5:** 997a09bf4e3740f123d6933770b57ed1  
**SHA1:** d59541fedeba1aa388dc41757bccde3f35324d1a  
**SHA256:** 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websocketdataservice.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** 1cc96c975f832a236c163c562ffaf922  
**SHA1:** 414e1e26600a6b724a30d9270560ee8e0e51ef8e  
**SHA256:** ad0eaa536d38b479cd06ed54e6f630fe029710af48ddd47c7ec63796be119cbd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** b378595229f68cdd9acc7775a85e3746



**SHA1:** 5eb59a40044f9cfb861f3c39cf4969cb7e969323

**SHA256:** d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: windowdatarestore.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatarestore.js

**MD5:** f9cf627d8040037181eed0b792258784

**SHA1:** b308fd5ef5d759a9891870ce0b9ae57e62fe338b

**SHA256:** c80f708b2a3dcd3c44dabdc44165276c349e1226024fc40683a5ba68f03035

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js

**MD5:** 0f886efdc70323a44979e1cefce05038

**SHA1:** 9d6816b96f0b595631ec3f0a8ef095b79d2aad2

**SHA256:** 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg\_BG.js  
**MD5:** 4e9304054a5dba87c44a97301ad66b18  
**SHA1:** b4c2faa214f8b1439ad6fcbf25064557a609cdf  
**SHA256:**b1430ba8c8ffca397dccb798611def8cec0ebd83965fff5fb0799090aa2c8f12  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js  
**MD5:** 089ce05c476ac2670a3e7191e27cac9a  
**SHA1:** 1e076c780755f0ca6dc33f275f615cd3bf4480ca  
**SHA256:**41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js  
**MD5:** d10d9585dcd93ae57323c6a655aa2c3d  
**SHA1:** 9349c258353e88585b5400726f66d9d49b329f26  
**SHA256:** f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js  
**MD5:** 2a0728ef1086a55e02eb37af4eb5b0b1  
**SHA1:** d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9  
**SHA256:** df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: da.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js  
**MD5:** 481aa7c5d1ceb5a94c54bd71af91b607  
**SHA1:** fa4a7ecb526f6b215f8da7853dd2326a99838c06  
**SHA256:**440828eeb73162291e2f8eee67763d7e34039e5b9fe4d4ad506a521e48fbd438  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: de.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js  
**MD5:** 42f1476160d0c1c8da694470a77af56a  
**SHA1:** 4862a9cb5f4ed83a312bcc769d520440f1f95a0a  
**SHA256:**bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: el.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js  
**MD5:** 5416576d60c441187a77aae0846865ba

**SHA1:** 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe  
**SHA256:** 970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js  
**MD5:** c1f238debe6f92e597d18890a9b9cf39  
**SHA1:** f10c044ef2e30b353442bc536c3c6302f83b42f4  
**SHA256:** c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: es.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js  
**MD5:** 833bb31f5d452f0b036f558304f7bd43  
**SHA1:** 0c34ae192edba65fa21b762ddfd7226b129c8da  
**SHA256:** f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: es\_ES.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_ES.js  
**MD5:** f2bf4385f9ac938c22d699caa13805fd  
**SHA1:** 08cd53fb716153b4a47d34b2181e53d49ea45a36  
**SHA256:**b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es\_MX.js  
**MD5:** 0d9bd141cec3e0a3c3b32d6dcf0a1739  
**SHA1:** 976438b6d6a826cb437a4a7be47a6ba4c107be73  
**SHA256:**8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js  
**MD5:** c674049d2a4b1c0c2bbedb9f5e519858  
**SHA1:** d8458d8d1c93154c51a0d724785d972506cdf2a1  
**SHA256:** 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js  
**MD5:** f4242d89d4890093b57c6435a0feef5d  
**SHA1:** f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf  
**SHA256:** 1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: fa\_IR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa\_IR.js  
**MD5:** e2e4ffe84b41b1763eec91c0d41c879  
**SHA1:** df983f084fa4b2acbbaf8c2f42e2e9cb981645f8  
**SHA256:** 019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js  
**MD5:** b5688fed7ee5c373ebb60f499959b374  
**SHA1:** 07eced4202e01f9fe821ff7a917b65917cd814f7  
**SHA256:** 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr\_FR.js  
**MD5:** 39a6068252db59fd4692c3ddb15a5707



**SHA1:** 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9

**SHA256:** 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js

**MD5:** 4c87b5345d76e5fb9fa24d89824cbfda

**SHA1:** 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd

**SHA256:** ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he\_IL.js

**MD5:** ab3335919ec5e713be56b82a8df6252f

**SHA1:** 4b9a0a979384da17166919e5f584a59226244a97

**SHA256:** c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js  
**MD5:** ab6217dad69a25ec43e59f1a76b0c060  
**SHA1:** 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a  
**SHA256:**02002bccccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu\_HU.js  
**MD5:** 2afccb31e0cdea6f08c23750f5531a3e  
**SHA1:** 47b7ffbe8714c92446e18065bb622ffdabfca060  
**SHA256:**795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: id.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js  
**MD5:** 804ca5c83b16e8aa31011340aa43cfde  
**SHA1:** d85239b65123d712897c0b9705b1d75140320b6a  
**SHA256:** ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: it.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js  
**MD5:** 2307d7e18f4d82323f8460b954366d6c  
**SHA1:** 2dd5945ec46a5fc412a03dfe3e706096169cb50a  
**SHA256:** 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: it\_IT.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it\_IT.js  
**MD5:** f5f75ba5738d186bea305abd351699d4  
**SHA1:** 80449c059f59ab177abe08deb15d2a0fd55b25f3  
**SHA256:**5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js  
**MD5:** 7199e3d236184cf0a06a219442b578c9  
**SHA1:** 16add7d88b9628d906e62a8b7d88e52057b93e29  
**SHA256:**f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js  
**MD5:** adf69e41309e0553b26d71ad07cfbb92

**SHA1:** 6dad67ba7364db9096844dedf946a13d8e796109  
**SHA256:** 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko\_KR.js  
**MD5:** c60c7a4d77abf22380711ea8c1982bb1  
**SHA1:** 631fe4673b89932fc6855b13284f22febb9a1d41  
**SHA256:** 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js  
**MD5:** 2219c653129ccc476847f054786ec676  
**SHA1:** d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625  
**SHA256:** 22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb\_NO.js  
**MD5:** 0a7352214f0ce32fcd9c1e6522df1bbe  
**SHA1:** ee23293fd4b9972547400cf4a3249a2059b6b165  
**SHA256:**944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js  
**MD5:** 6f571210666a2f5e6337080e579baba6  
**SHA1:** 836f979abe265e75b745b723288058a708392756  
**SHA256:**7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js  
**MD5:** e250adf7e075ad1f30905b07ad627631  
**SHA1:** 3c4f16669f023e06b0c6a3527b7465c67b57c90d  
**SHA256:** a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_BR.js  
**MD5:** cc070dfc893595619ae7c8e5349376ce  
**SHA1:** 147966d1e0e89574988c516b1debb37add6df970  
**SHA256:** dd8b585165d8ba7f896a08bf038278f0f0ca7bd9e4ecc80b9c1c7a8bcc2881df  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt\_PT.js  
**MD5:** 4dd1d7b30c2fd8e55f9880b7581977c5  
**SHA1:** 11642b53c34e4ca6a5062cd3077ed4f4bad123b7  
**SHA256:** de802efbfdbc321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js  
**MD5:** e23437166aef4c09b1b704399f8aba35  
**SHA1:** e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b  
**SHA256:** f9337551af759ed5b346f36393b77800d9cfff670e830decdb3908027f49852c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ro\_RO.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro\_RO.js  
**MD5:** 3f2950ecf56ad7a4afda95cac7e2bb65



**SHA1:** fa5af1a474a2b0e73af2dcf25d7b2446ccdacfbd  
**SHA256:** 2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js  
**MD5:** 511a44e58e8fc2713a4544de603ab7bd  
**SHA1:** 06132cf2444c50c1b3910bbbf82902444128f8ed  
**SHA256:** 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js  
**MD5:** 1b3c7faef9a1e74b2b8f0543732da813  
**SHA1:** e9b96981febbd3d364add8502420c656621bebad  
**SHA256:** bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js  
**MD5:** e70856ec865c4becf6af5ee48190ed91  
**SHA1:** a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518  
**SHA256:**0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl\_SI.js  
**MD5:** 3de18771671f7e28f3df9b68e53552ce  
**SHA1:** 1dd6b41b237df4033169ea3293fd15a36135fcef  
**SHA256:**1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv\_SE.js

**MD5:** ed26794df73aa50316d1ffbbf86e51b

**SHA1:** ba4720adf16d253917e5718508b9d261ff317d85

**SHA256:** 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js

**MD5:** 28baeda3ba8aad2c457984c138420160

**SHA1:** 8ecfbcc9693bef79e05fbde679c6576327bc1f55

**SHA256:** ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce-languages.jar: ta\_IN.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta\_IN.js  
**MD5:** c245824dc4a046048a23355d513b545b  
**SHA1:** 064cb44b3e558377efaaa14af781563e18d184e6  
**SHA256:** b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th\_TH.js  
**MD5:** 5f149677f7303a92c615738a19bd43cf  
**SHA1:** 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c  
**SHA256:** 6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js  
**MD5:** 1d942271407e5a9e69b3ec4ccb11ac50

**SHA1:** 6eac1370cf372727316c7fb02d92cc6e5dd75b1d  
**SHA256:** 7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: tr\_TR.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr\_TR.js  
**MD5:** 21a6afe57b91f50fdc2a04d40330ae97  
**SHA1:** 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc  
**SHA256:** ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js  
**MD5:** acb23eed47495327f505e52144615a23  
**SHA1:** 67d20eda3fa76c5327e39093ffc9de28b28e5a6a  
**SHA256:** a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js  
**MD5:** 5dacd7e85f49ada603617302ff7571b0  
**SHA1:** a1bb8e49ba273ec276154fe04cce93edec4d64e8  
**SHA256:**86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_CN.js  
**MD5:** c3ceccb2b20bc1c32a74b8ee394c399e  
**SHA1:** 970871e70fa9c310de345b1c590335c9a75adb52  
**SHA256:**bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: tinymce-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh\_TW.js

**MD5:** 8b3673b738b3b96f90997fdf09121fff

**SHA1:** 392e2f7e6a83c9c5f4c187f371f4d0dafd239a6

**SHA256:** 7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar

#### Description:

WebJar for tinymce

#### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

**SHA256:** 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest

Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

#### Related Dependencies

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
  - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://mvnrepository.com/artifact/org.webjars.bower/tinymce-languages/5.10.9)

#### Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](https://mvnrepository.com/artifact/org.webjars.bower/tinymce/5.10.9) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:\\*:\\*:\\*:\\*:\\*](https://mvnrepository.com/artifact/org.webjars.bower/tinymce/5.10.9) (Confidence:High) suppress

### remotegui.zip: tinymce.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

**MD5:** b7c1a7f3d27f00745fb752c8bcad1476

**SHA1:** 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

**SHA256:** 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: tinymce.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

**MD5:** cd8d1bac37c0a70d1d4d2005bf7c4e8e

**SHA1:** 29651e17ac1dd07e21f81edfaf56cdded37e8600

**SHA256:** 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: emojis.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js

**MD5:** a64de2c5911dd74a7c8ce92819084843

**SHA1:** d9b37d490e6cf339e85f0bb008e673c823cc6cda

**SHA256:** 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

**MD5:** 1f434c25c9c5ee365c94af299372298f

**SHA1:** 16d23948cbb0716178f14b58e7b50f3869d76307

**SHA256:** 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: icons.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

**MD5:** 9034bf9d33164db799056592af8f8041

**SHA1:** f48380a7f8ea48f94f20df7526a6dbc33aa802ee

**SHA256:** cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: icons.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

**MD5:** 18db240f0cf5635332dbadd948cc500  
**SHA1:** 4421813e10fd371e67d15dbf74bf748a0a5c1794  
**SHA256:** 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

**MD5:** 9c5b7a740ca30e13e64b6a4de5b17c77  
**SHA1:** cf4e63fb059346d52364a6e7592dfdd9b00eb0a8  
**SHA256:** 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

**MD5:** 344ca56d8dedfae33380a44b89dfdd1d  
**SHA1:** 2ce6aeb71809802341499202ed673788fc04149  
**SHA256:** 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3ccdc6d410c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js  
**MD5:** dd697e3891ed83de226860a7aa436b10  
**SHA1:** 775e112dbcdb929e3c3ac944f65b91ad9b41dc35  
**SHA256:**199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js  
**MD5:** fa84bd3bd42aeb01da94b784344d4d84  
**SHA1:** 2f2169188eaa6ee85da0c015f878de6ee9bd34b4  
**SHA256:**cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js

**MD5:** 00116480a9865b9b84937b8c6ec471ed

**SHA1:** 9d33c32c4cc484f5c7c011b16157b63f32004e7e

**SHA256:** f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js

**MD5:** 8d9bb78be9ddbce43bfd7964b71678ae

**SHA1:** e3695d2b623495a93594f23e4132f6226b309012

**SHA256:** 3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js

**MD5:** bed89377ddde78f2d27067c6b3dcc633

**SHA1:** e4d0c191e90df0249d2f50c12f9979902581ab1a

**SHA256:** 98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js

**MD5:** 18775f459a8bd073ba47b3ad3e2f6bdf

**SHA1:** f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0

**SHA256:** 1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None


### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js

**MD5:** d2db687200588ab654afd39728df329f

**SHA1:** 55bfce05960107cf42e7d3687e330a3f42164c23

**SHA256:**defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: tinymce.jar: index.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js  
**MD5:** 23fdb57b1d401abe9ff929ab26ec394e  
**SHA1:** c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c  
**SHA256:**60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**remotegui.zip: tinymce.jar: index.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js  
**MD5:** f1771fdd14cab627310b813da43fa5ba  
**SHA1:** 30f7ba13c981711ac0f84662dbf6c50e2af6c27c  
**SHA256:**15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js  
**MD5:** 92e19a31db91abb704ccaa13cc28b766  
**SHA1:** 8fe36efc411a29d7579d3754f039ff35786c2e64  
**SHA256:** f24829122684173e779bcd89afb1736b6cad304d08b002698753504db32b80e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js  
**MD5:** cd2c90f18e8c7d1215bc4ede4a2ed3ff  
**SHA1:** f16e46d6103a081937651c9824bda91c37906e86  
**SHA256:** 75a8d057b97663fbd36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js  
**MD5:** 57e489f4ab69ca17dc7c95aef7052d88  
**SHA1:** b665f4f4f94b9a2aab91235965d594b8932e75be  
**SHA256:** 5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js  
**MD5:** f5837caffaa3ead2f0b68daa0463cac0  
**SHA1:** 6acc21854086d6155a19b3c1060ab5dbd98251b7  
**SHA256:** b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js  
**MD5:** 2a071ce05b6865fc1a874f298b920e9e  
**SHA1:** 898dd0ec802d60ee716f9ab55401720dc05840d0  
**SHA256:** ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js  
**MD5:** b7c64e9d5f9003aacb929b6944987c2e  
**SHA1:** 92f87e4057b89c4faf476fc34898d688fea0b52a  
**SHA256:** 90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js  
**MD5:** 95e49e5a2cd979c3e7345c78d2d15779  
**SHA1:** 48a187d6a5e4539029a140c36b3b1010d3473975  
**SHA256:** 1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js

**MD5:** 27415d3d43098d4bdb48c6c45c15e08c

**SHA1:** 5a081de74c9d2bf97dec82753cbdaad6366db76

**SHA256:** ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js

**MD5:** 1fcdb4ed72eff27ef54bdd585e306d29

**SHA1:** 00c9be7d060282e6d5ec5d0779b977275c28b8b5

**SHA256:** 3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js

**MD5:** 2409fda93c2625fad2c9dffe31b1473

**SHA1:** 39d57c8b02129997bf23302916dd7166c3726a43

**SHA256:** da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js

**MD5:** 4ece334f6233df3aa3e5becbfe1f9a8e

**SHA1:** 6734731b620634cbfa9a06a57d3ce35f3c24296c

**SHA256:** 6a58d89cb41c85fe3ec472376fcdad55bb875b6397a054bf4a3d53e7734fd440

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js

**MD5:** ccdb9783bca4eebefc56e308b5fd8169

**SHA1:** b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3

**SHA256:** a6ad834a6a462e968bdb77190a1d8660d3bcc4e5b55b905420d6c6a1707cbeb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js

**MD5:** 5837f9d0ed7b2cc610dbffa6a7d7dfe

**SHA1:** d3d6b6d764556d547dfe70694b8e26bbeabd4b8a

**SHA256:** 393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars

/tinymce/5.10.9/plugins/lists/index.js

**MD5:** 959bf9c345e983ce032814178b94cb09

**SHA1:** adc80fe2030cfe121d120440dcf49498f526c7af

**SHA256:** 8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/media/index.js

**MD5:** 22710d182e71e1bef50ee3838ac15b07

**SHA1:** d8f008c3f8abebcf2efdce06032350e2a1b80fc7

**SHA256:** 2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/nonbreaking/index.js

**MD5:** 851e4039437062e49d5729f1fe30cb40

**SHA1:** a1acce39f47b74cb33d2e0c0070d8af323ca0018

**SHA256:** ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js

**MD5:** 6f84addf13157d5abd4c1f2e9f1189f5

**SHA1:** 974a855b957d74c47f1fca8b3582b6db5f562f51

**SHA256:** 73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js

**MD5:** b2ec3630c22897879bc089749ca3466e

**SHA1:** eeef9066bc1642e349bbaf234f20bd363f89ef19

**SHA256:** 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js

**MD5:** cd72ad7d99e1849620ff535b4f64daed

**SHA1:** 2e48dacc929d42922ccb634392e26310531f1d83

**SHA256:** ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js

**MD5:** ac924715206330e49ae83f0ce0a41a7c

**SHA1:** b9fb134e272eaaad188c9da26d8c6aa22621e6cdf

**SHA256:** da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js

**MD5:** 7f3c93e1e7cf55fb60d83431fbe0af2c

**SHA1:** 77a64982ff692d12b1086a70ed0796bcf45c35c3

**SHA256:** c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdebf65a707fa6f7510a99c52

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js

**MD5:** 24942b053967586fefe96a215c44ae07

**SHA1:** 4a72eaaeb0dbddb84dbb4268e618b4451a482670

**SHA256:** a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js

**MD5:** d2a87bcc64b326fc6dfa962fcbc662e8

**SHA1:** dd1516808ce28ded9008890e2dac0b24d5a7dae0  
**SHA256:** bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js  
**MD5:** 027916795b63233ba94d3938bc15cc28  
**SHA1:** 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8  
**SHA256:** 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js  
**MD5:** e22949d41a8208123a8694f0c8e6dec4  
**SHA1:** 9d66cbf780b982f778e561ce35786b7589b8fa85  
**SHA256:** bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js  
**MD5:** c8dd5b7b07c3808712c5000e3b1d252a  
**SHA1:** c9e127134794c715139acb1bba1fc9a90541e7b5  
**SHA256:**779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js  
**MD5:** dc0a57cf52e5c96e8886974820620f30  
**SHA1:** 63b104aa10ee6b0e09f6beeb420028164214037a  
**SHA256:**d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js  
**MD5:** 4629fcd244d51c5f71a77cca7a6f0b36  
**SHA1:** d33e8183488bfd00554ccc12b63efdcc46acbf12  
**SHA256:** 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js  
**MD5:** ceb47c7e6b71b1089ec10b30a6aac374  
**SHA1:** 21d607e821838299375c0ed523bca0a33c0acc05  
**SHA256:** 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js  
**MD5:** 4ca571ec216214e68d950539134d2e66  
**SHA1:** 9ed373e0e6e173e7b1663344b83acd313d37cefd  
**SHA256:** 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js  
**MD5:** 4fb0e875239aec497c229dcaf18d7bb5  
**SHA1:** 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa  
**SHA256:** 2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js  
**MD5:** 1f348278fc3fa3ae9d560a2c6074537d

**SHA1:** d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af  
**SHA256:**ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js  
**MD5:** 01e4394764848c643482a4e060c3c16c  
**SHA1:** fa3c991ab8a4b06d3022a1a9050d12f97eca084a  
**SHA256:**4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js  
**MD5:** 8702637f4301b2c60b0d036a74a57952  
**SHA1:** 10150542a5551da1d75408d86ba07b45d78a24cf  
**SHA256:**ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js  
**MD5:** a136bd2faba801a12080888b27e65afb  
**SHA1:** 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1  
**SHA256:**e20188436d5d6ad6bd97a590c274fdb955fc83715e800509e4a61b25bda4e0e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js  
**MD5:** 7281b0268319c90508a1a300a7c06d97  
**SHA1:** 0e3a4056988e7a06c5f4ded3f30006f1be55d445  
**SHA256:**3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: tinymce.jar: jquery.tinymce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js  
**MD5:** abc669a993b54748fbd9e3f1b04ab3bf  
**SHA1:** edddd7e07aa9ace3afd2f3bc1579f7901708ce69  
**SHA256:** 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
  - MD5: abc669a993b54748fbd9e3f1b04ab3bf
  - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
  - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js  
**MD5:** 9a469d4c30ceeb89187f85215a5e5161  
**SHA1:** be1f2023c91a4fef2828a452272319447f80b786  
**SHA256:** d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js

**MD5:** e204923e44d53e7610828846fdb23722

**SHA1:** 550446f55b597c4c376992addf459bf00fc2e0dc

**SHA256:** 8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js

**MD5:** f62ca8be62d1dbe910069c09b20b53a1

**SHA1:** 9bc811f23db52d4081a089f9774fafd7e3f21f67

**SHA256:** 2b218bd0095199604914b22b67b4b1a68fbcb0fab309a734f2fae54496f734b9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js  
**MD5:** 3130530b80820d2fe333f0a434987ebc  
**SHA1:** 0c8b231c3d55b9724a4564ba02ad4be38c197293  
**SHA256:** 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js  
**MD5:** 78ae76cf436707ded3a0ae8cb1f8f4be  
**SHA1:** 2db5d96907012d7ad0c4c50abd11994a63637507  
**SHA256:** 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js  
**MD5:** 5baedc3309a92d6d3b3fe7944984845f  
**SHA1:** c3bc65277f12b71bffb0ac04fe737deb6634b8c  
**SHA256:**960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js  
**MD5:** 132a6594d2c2580c00fe3fc881f64a3e  
**SHA1:** d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f  
**SHA256:**07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js  
**MD5:** 6a3b1fa39f64d704ab9c8d8ffa3b85d5  
**SHA1:** 2acb5fbaec43ab35346e8a564fb3104f197086bd  
**SHA256:**bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js

**MD5:** 2f0097d95781f1a4d2711d9f8fc5c334

**SHA1:** e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9

**SHA256:** 8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

**MD5:** fb7f0cac79b75d40a9ec81581acf75e7

**SHA1:** 0ed6610a578326d03411345bf8027c443cd7d105

**SHA256:** b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js

**MD5:** 63f32e24fb0dd17b1fe982314c29b55a

**SHA1:** 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047

**SHA256:** e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js

**MD5:** b73632a4533311d6dfca1b3841534ebc

**SHA1:** 0c6aef806245b102e3332080c811d3375337a662

**SHA256:** 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js

**MD5:** ff191fd241bd1933c67f5fea4a52107b

**SHA1:** 7a9cbb74716ce1e0e86d90690f7de79162c60db3

**SHA256:** 374fb04498849e7e18bc5a698387055dbe1de48ff78f7fc8bd5668c73b73d54

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js

**MD5:** 3c14f849d19f550aaf23f9e4bc2b647b

**SHA1:** 5e95acd51eb15d13129fab8bca354ca5aa440c52

**SHA256:** b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars

/tinymce/5.10.9/plugins/fullscreen/plugin.js

**MD5:** 2227d3ff362f92145a0d66ba1bf68f1e

**SHA1:** 37fbe66ad5aa755498bc8ceb5e421b56df27539f

**SHA256:** 197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/help/plugin.js

**MD5:** 667d246d02a71436f2f4a4fb80f720ab

**SHA1:** 0691382a7959a2ce6fe97b92bc08d737d8fb385b

**SHA256:** 35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/hr/plugin.js

**MD5:** 70b7ff4273d8b9374b7d35a570e60eff

**SHA1:** ec2f770c33132f6aa30982fc444d56da76ffe337

**SHA256:** e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js

**MD5:** 25e0f52ab1477d0d8d7eb7500760cb50

**SHA1:** 75de5182c87d9ea18ef952ee17fa0d7131128973

**SHA256:** 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js

**MD5:** a0523d774ffc8fc8cd0049100a2336e2

**SHA1:** ce5fe228f3eaecace4cff2459dac6d430311903b

**SHA256:** cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js  
**MD5:** 6142b879008bd87224ca38716e663f4e  
**SHA1:** a9296ae9c5141bfbeffe856412663f7aaf1ec9a1  
**SHA256:** e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js  
**MD5:** 8d40733352776d516145934e3afc7bff  
**SHA1:** 9bf39632e2eb45d37130f66081589ec5ada617fd  
**SHA256:** 6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js

**MD5:** acac6af2d9e273f2b23a63a08dd3c558

**SHA1:** c07692391443114f0d7e0b4a6aa521007e3bd8df

**SHA256:** 5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js

**MD5:** 584389affa07184e25c194a8fdabb9d5

**SHA1:** 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94

**SHA256:** 34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js

**MD5:** 37f5953ed2ff9078029c1a7259991b9f

**SHA1:** ecd87c0474db0e683895008b64b0813603e32e96  
**SHA256:** c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js  
**MD5:** 9099b48009886ed8e16a4c118f5238d3  
**SHA1:** c3ea8c6ca9bd1d99f11b849f809548139473a928  
**SHA256:** c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js  
**MD5:** 749eb6330381762948b2f20a202bdbc8  
**SHA1:** 734c7fc31992486d576ddf4cf2be102364eb269d  
**SHA256:** db5d0af653b72f4eed01361aadbdb8d6156166764a6560f26094bb8af4b1dd0  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js  
**MD5:** 0cd8420a08e51a6933403f015aaa3411  
**SHA1:** f134de62fb37750ba86539b494fb2d1a4a8c3375  
**SHA256:**b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js  
**MD5:** 7c4ccd64b6155d8214b5b1a3f73f3b7b  
**SHA1:** 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33  
**SHA256:**428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js  
**MD5:** cfdc8703816a9737a79ae9ed7beabf8d  
**SHA1:** efd58468ce97492f8ea66bed478b128ba718c6f6  
**SHA256:** 3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js  
**MD5:** 155059d4164fa84a11a8fcf832c167ef  
**SHA1:** 4e9f13defe9e7105e46f8c5abd3dcd90f72884de  
**SHA256:** bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js  
**MD5:** 512f5958e5be1292e0b40b81acb3961b  
**SHA1:** a593a69a04d2ee2d87500e43b22887a79d1cc0ab  
**SHA256:** c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js  
**MD5:** 2a2749604c1d1c01d6449640386921a4  
**SHA1:** 700d9a8bdb922519681b7066110d8ffbfb6d35af  
**SHA256:** edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js  
**MD5:** 1c596c6695f6fb677724104a5cb6ef09

**SHA1:** 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f  
**SHA256:** b1ceb34483e8524a67f86f0fafa3a4912b9cdbc459edd836d7d68782278929aa  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js  
**MD5:** d3638fa2fe4ff0254d106f74919fd5ba  
**SHA1:** 7a97e21f55ddb50bebe88e7d1eb87961592238  
**SHA256:** 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js  
**MD5:** 5c3a67b4eabdcdb17750b9515bf92835  
**SHA1:** c3de092a25b1f541d896740a2d63ba1198376712  
**SHA256:** a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js  
**MD5:** 548f7a6c2fbfb65617f46ab7fe2bfd2e  
**SHA1:** 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160  
**SHA256:**f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js  
**MD5:** e1ea98e3eca4999c14dc0951b666d993  
**SHA1:** 6a09bb055bdaa37a0b45ce400f928b80b675c26d  
**SHA256:**858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js  
**MD5:** 47caf788dd51be3ebcf03d4eaa0d50f1  
**SHA1:** e271f8d918420b03bb2a07510fb96eb51363ee  
**SHA256:** 339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js  
**MD5:** aa12124c60995407172b2ae1fa8206cd  
**SHA1:** 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad  
**SHA256:** 09c4059de65cd8ce14bb8fc927787e77ec90d4daaa0160fd0e21002b8078171  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js  
**MD5:** 215e9c4d9865b6321a969f773e0a7193  
**SHA1:** 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6  
**SHA256:** 8dd84aec717ae70a619ad5f4d3f3be4119ff590884537d47d4225aa7b5ab460  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js  
**MD5:** 78afdf32c32fcd51a56fe5ce479238f  
**SHA1:** 874e7bd351c0928cd7346816f3cf18a323d5436f  
**SHA256:** 4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js  
**MD5:** 89774b121e225bb29c44c53f47e2a183

**SHA1:** 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9  
**SHA256:**33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/visualchars/plugin.js  
**MD5:** b85145891b077f3216852bc21e7677c1  
**SHA1:** f3ceee80fa4bbc6d0205e610ed39688d4fa65d66  
**SHA256:**5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/wordcount/plugin.js  
**MD5:** d1c1769efd1232e07105603c1032e43d  
**SHA1:** a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8  
**SHA256:**d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js  
**MD5:** 202d95b04d93c98fa6faea3b20ee2ac4  
**SHA1:** 0107c4ede81a2681847699b607b0f5d4a8e9dcfa  
**SHA256:**d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js  
**MD5:** 3112de0d66e518fc6e87e5b4bc54ff4b  
**SHA1:** 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e  
**SHA256:**cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js  
**MD5:** edc2ccc56661043eb8418dfd9703b5e  
**SHA1:** ee1a580f7c7f1281e770e7d9c34123b59e59178b  
**SHA256:** 309c10e01eb2a9d35f84ed872ccbaccbef6d5c4d2f5f2d8355bc9ec2bf44eb346  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js  
**MD5:** ae63cbe86bfd1dcffa4b04660f28aaa0  
**SHA1:** f9a63a98a97eab4d781ca01f71cc1addc3c5c56e  
**SHA256:** 8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js  
**MD5:** e2a4aacd72790b6845b73b65a11c6b3b  
**SHA1:** 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9  
**SHA256:** 6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js  
**MD5:** d1562b4cfafdf0f1ba200fea776bd78a  
**SHA1:** eacba8561e2fdec7c46448aa157a67b382731363  
**SHA256:** 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js  
**MD5:** 329bc956fdd115d17a570e1c012aa29b

**SHA1:** d8c16a0341fb4bf0a68bdda349854578ac7930c9  
**SHA256:** f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js  
**MD5:** 16a00a8a00e7bedfb8eca0b51cf91582  
**SHA1:** ffe9b8ffe7ce4697a1dc933df3df85babceea49d  
**SHA256:** 2bd8c63c4d6361b92ce0babbc4926c162dc03af995d9e4d16f3ee7a04719840f0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js  
**MD5:** 1b42aad83df23dddcdb3eb08051adad4  
**SHA1:** 6e51ce3687f2c008d37e1697107d4e3512fbc54e  
**SHA256:** 2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js  
**MD5:** f2f33bb1a07f8fde712895df570c6dfa  
**SHA1:** c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4  
**SHA256:**5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js  
**MD5:** 742eaeecaa0020e9bdf8d3e1727f4dfd  
**SHA1:** 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92  
**SHA256:**a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js  
**MD5:** 88407de4bae634b4b861f1784d6765ee  
**SHA1:** d6cb3dd73846f0ebc118ee4e191261416b65f8ec  
**SHA256:** f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js  
**MD5:** 8e3a6564df728a54bbfc2007d35dd2fc  
**SHA1:** 2bc65bce44cebef706234bddaa3fef61fddc2791  
**SHA256:** 4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80cdf06f3535b840  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js  
**MD5:** 12f9d416422e0984dfb0ad3c124a30e8  
**SHA1:** 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8  
**SHA256:** 3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js  
**MD5:** 28c6f465baeeeba5f7711483c4a0e426  
**SHA1:** 09ad73eeb65c59def15937ea120b3ed6682b6513  
**SHA256:** 72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js  
**MD5:** c1cf37a849f126f10d8ac2b826aa39ce

**SHA1:** b7ddc1cfab6f87604bb7aa4577eb2b3812297340  
**SHA256:**611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js  
**MD5:** 25feedf184858ee3d71823eaf4990e0  
**SHA1:** ade2fbb0b51b6d889b2a768e556cf96815bac0e1  
**SHA256:**ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js  
**MD5:** a1410f44dc4dae7dde1ad1b37cfcf5c2  
**SHA1:** 794592d3040282761a5a3c186558f5edc87c40ea  
**SHA256:**b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js  
**MD5:** bf4eeab4ff114a3ca465e2e00e0ed817  
**SHA1:** 7c4796ab1f08d4a30fa1ea15734af2c89d33b673  
**SHA256:**d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js  
**MD5:** 4dfbf3010085640e499ffa4ed53f3e9f  
**SHA1:** 806b76dbeef2d9c4fd1aa243d1af03bba35b555e  
**SHA256:**3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js  
**MD5:** 5a27df4fa9592be99446da8e6d67a2cf  
**SHA1:** a031aff6bf079251c757636841a29b2e9d6a8b1c  
**SHA256:** 321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js  
**MD5:** 5516e774422ea64df103c3c2234a4ec6  
**SHA1:** 657da397fb739dd03cb8aafa7177716b40f9d45b  
**SHA256:** 57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js  
**MD5:** d7059f353e02e66f01aa09b0fb193b61  
**SHA1:** 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc  
**SHA256:** d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js  
**MD5:** 153f9440390dfd0852bc13b37e4a99cf  
**SHA1:** 098629a46a42755f921a2a6a8d2eee46dbbd6254  
**SHA256:** 2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js  
**MD5:** bff1f8494661523d9d921dd568dea68f

**SHA1:** 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d  
**SHA256:**c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js  
**MD5:** 22cec5d1cd67de1710ac237a51b1eff2  
**SHA1:** b78369ddc84f703ff894b59a951eb8713fbb0eaf  
**SHA256:**9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js  
**MD5:** b559bf0c485035ccc5adc2cc5d27edc2  
**SHA1:** d9535a360c55123550f45d2a13112e5c54613b09  
**SHA256:**a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js  
**MD5:** 2e7175073fbd4c9d0d41a620b87f47c8  
**SHA1:** c3808c1045cf485075c41586755b610a5e56f2c3  
**SHA256:**e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js  
**MD5:** e6ceced2c0b57ae7a093c250025d4b93  
**SHA1:** 83000fb948b32522f4c391a21deca3c6ab3a41cd  
**SHA256:**02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js  
**MD5:** 3662f07953f093e774ef09cd282aa456  
**SHA1:** 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc  
**SHA256:** c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js  
**MD5:** 779799d120a0e0ad3822f9e54640cf19  
**SHA1:** d5848caf54e8617ad251491c9251d8f339a216e3  
**SHA256:** b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js  
**MD5:** cf09c9aca413bc4fbb19c1b8db79bd2a  
**SHA1:** f540a233d19ab3f34123e7dd97d09a12c0946139  
**SHA256:**4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js  
**MD5:** 1d255a40141338ace9a468f382ebc116  
**SHA1:** 0f0dcf709e333cdd51f50dbffaa8249cb46ab218  
**SHA256:**887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js  
**MD5:** ac0e1a41a7ac38053f65df3d3e899d50

**SHA1:** 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc  
**SHA256:**2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/spellchecker/plugin.min.js  
**MD5:** ba970e24a9000a62537e9a61dc67af21  
**SHA1:** 975d4817120905cdba5d2f3c41c8d40548c79b15  
**SHA256:**4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars  
/tinymce/5.10.9/plugins/tabfocus/plugin.min.js  
**MD5:** b3ed291355f244a08de7c6cdd28bdc24  
**SHA1:** be298bad6688fb4979fe9acb1949ea89c4afa36b  
**SHA256:**13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js  
**MD5:** e49127ac5d6d510bcfee6d834109d7d9  
**SHA1:** 3e845f3a31bc77ff139f6c738afc05eddaee9573  
**SHA256:**9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js  
**MD5:** f5d5437a7c23a78a945a8db00bae1dc5  
**SHA1:** ec33f38e54858e4f4282fc27f8e635fa8d054701  
**SHA256:**9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js  
**MD5:** c423242c5a16c97be3b9a24d6b4f1062  
**SHA1:** d50ad5bd7ea69a614899837e4cd3ecace1df2621  
**SHA256:** 1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js  
**MD5:** 4d23619babf8fc972428cfe3dd010411  
**SHA1:** f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8  
**SHA256:** 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js  
**MD5:** 13707deaf5f0430745e57d913ea31257  
**SHA1:** 2d23b19db8821b9910ba04c34d8bc1d4800e90b0  
**SHA256:** 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js  
**MD5:** 9c96006cef6c3ac93b762398112b4855  
**SHA1:** f9ec40c80b863f409947844e841cc0037b379657  
**SHA256:** 0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js  
**MD5:** 9869c6e0ff649172df808ed22c7b9a08

**SHA1:** 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43  
**SHA256:** 469be54f8ba9ddbb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js  
**MD5:** ca6ae0cddf594fd58d16eedfbf25e5a2  
**SHA1:** da6fa1c97cb33defad55c1767e08f40b4955aa66  
**SHA256:** 7b59f6d1fd0047cf530d9358dcbb7af7cc8982ab52642d230e10b0534ef1480e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js  
**MD5:** bf71e3c8a676f9f33cae81ef702d5077  
**SHA1:** cd57219abb6d0a23e19a100979d353f2ef5d98c1  
**SHA256:** a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js

**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462

**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d

**SHA256:** 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

#### Identifiers

- [pkg:javascript/DOMPurify@2.3.8](#) (*Confidence: Highest*)

### remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js

**MD5:** 16cae3454aa3d42affaa77affd250d0f

**SHA1:** d1aabb81b26a0cea4f2463fc3834e19b96577db

**SHA256:** 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## remotegui.zip: tinymce.jar: theme.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js

**MD5:** 9f7fbf793a00485e1943e7270b1194b2

**SHA1:** 2dbf1744e59360da304128ddd7cc25476e376af5

**SHA256:** 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: tinymce.jar: tinymce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

**MD5:** f7a8350f10f92d58a952e1feb0d28f2c

**SHA1:** d3ecc2861e41722d51e1ede38da5ead47a530c14

**SHA256:** a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

## Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence:High*est)

## remotegui.zip: tinymce.jar: tinymce.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

**MD5:** 10df005254d5668ccedbdba2614354acd

**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4

**SHA256:** 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

## Identifiers

- [pkg:javascript/tinyMCE@5.10.9](#) (*Confidence:High*est)

## remotegui.zip: twemoji.jar

### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/twemoji.jar

**MD5:** af9b535ef495075dfb0a7d5bec95eee6

**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb

**SHA256:** 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High

Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

#### Identifiers

- <pkg:maven/lib/twemoji-null@1.0> (*Confidence*:High)

## reporting.zip: jcommon.jar

#### Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

#### License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jcommon.jar

**MD5:** 3872e82627df950d40a949144a93e491

**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b

**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low

Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

## Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](http://pkg:maven/org.jfree/jcommon@1.0.24) (*Confidence:High*)

## reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/jfreechartCC.jar

**MD5:** 08e046d48a51e50f6c6597a1044a4d65

**SHA1:** 3a2f20a9f6d630c1c8da16311054ba58599dc69d

**SHA256:** 4154e0b826030a1cec5d2b6b9c0ea3664b909b02a3a6783e324c487af7596087

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2025-04-04 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2025-04-04 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.4.200	High

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar

**MD5:** 4360ce8c2c862f44e1a4a32a8f874e38

**SHA1:** 6cb47265cd2561ebd5a7813b72284e2f8b179ce9

**SHA256:** f5ade7abad878f03c892e9ddb6f08f5633ddd7197f0ca8ba8993772f12870b17

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

**MD5:** ccdea62d223965e04e37be8ff2061293

**SHA1:** 784facf0ae891194a75af49a380ab6c335f23e92

**SHA256:** 209d7f53759f9789d1dc0513dc7e27d85892bd80ba12c0e03ebb952fa8ed6e0a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c

**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444

**SHA256:** 40e580f6c42f5ead108580601b9279ee0d06eb1b35574573d0d2a3798580d82

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** 8008687a1ad6ed821adc84cca8826520

**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d

**SHA256:** a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar

**MD5:** 33c6134c6b779db5c6ffcd386ae2fc8

**SHA1:** 374ef3316f4de21253aec6eddc7725781e194428  
**SHA256:**2fa10efcbb65f78efe6d83dc9a6167523df4ee12d99d75d4a5552ab608e9dd89  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2025-04-04 18:37	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2025-04-04 18:37	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High



Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

**MD5:** 867af7b9527093452195d3057166a9ca

**SHA1:** e4856efc3e95a20f25beff5da4ce9b907c3a1575

**SHA256:** c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

**MD5:** af5776d1f4c0f90fdda642460095cb85

**SHA1:** c2dc9db0273b351d4b598e0f72638148752fd650

**SHA256:** 10c81c741c713864819c8304285dd6394c841b37469652f4f72d716237c9a401

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

**MD5:** 3a126ddb2c4899eaa005990077cbaad0

**SHA1:** d5ba743c6d9c6743664ad4fb213876000f8ba125

**SHA256:** 839f1199523c7f48011c7a023fc938cbe07d13041507fe68a77d58ea909b029b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

**MD5:** d98c2ca06a72837183dc17a3eeec0039

**SHA1:** cfa6d7f381d3cb43b6702884df53b0fa08149fc8

**SHA256:** b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

**MD5:** 73664ae0ed6a804d29957e83068ffc60

**SHA1:** 747d0a84b6d98c8a252cb9476d2ec689396f7d86

**SHA256:** b38e7787f6690520e1c2cc297e569e6941b6c3da97fdeba4ce044f7b4a17e114

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

**MD5:** 4a91827e853ef0bf19cf06f343e18e98

**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09

**SHA256:** 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

**MD5:** 8078b278235f9eb8cf63b1474a1362db

**SHA1:** feb74af17fb5ba7b01c4ad997759ec21ac685ad5

**SHA256:** 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

**MD5:** 54d50496c4b43d4c78c30facfd01809d

**SHA1:** 9e29b6d13b0478339596ac131e214c605e10fa0d

**SHA256:** 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html

/viewer/modules/menubar.js

**MD5:** 9da058e8a7ffde691780207953d63b52

**SHA1:** e6306c9b5ce0b1ab552b72cd203055f10c8e9707

**SHA256:** 6d223deb0ff80c9cf56a50eacc728c36440bbffc82a8cd5ee38e10fd6317482e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

**MD5:** 214a1cd3653bb9aa3cec9078e6ee3316

**SHA1:** edb8d66493699591d0202d1a14b8f34af49daa75

**SHA256:** c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

**MD5:** c6823ab782e12fa9e9c0325321ab0011

**SHA1:** facbdd75d7176e5809cebd5d5702cfbb0bf677ac

**SHA256:** 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

**MD5:** c3941efe0d33e1e9b046fccd239033cb

**SHA1:** 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

**SHA256:** 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

**MD5:** f8fec5b39e4c5055f35e01c926e8b959

**SHA1:** b4f6666f078b60a130ec12b993d2884b2d3f81e7

**SHA256:** 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

**MD5:** 3b849b5bb11227c5ac033e504ed6aff0

**SHA1:** 98bdf6eb30305508d86670957ee0b52685fa37ce

**SHA256:** 34222344e247919691862f921320cae83bb6a658f4259412117b489cfa0097ee

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

**MD5:** c69ba575e53ba415b800f18386ce2d65

**SHA1:** 968d437fa28bd784a3dac6a58d090027bf8e0563

**SHA256:** 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

**MD5:** b51b2dd46fafbff64c30ff2e731c814d

**SHA1:** ea525bae8dd23860d1b8202869a316626af91c26

**SHA256:** bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js

**MD5:** f0bb166a036ca364a6c047d345fc9a0e

**SHA1:** d491f3851e9aa5d8fd70d4139669635eb5cdd1b0

**SHA256:** fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js

**MD5:** e4f2d17c10a193f2e46e30c80de52d09



**SHA1:** d37d5dc99e12ada04ae0737c180ced7fef7450c7  
**SHA256:**ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js  
**MD5:** c2f6f517d3d3f572c54fe096339ff49d  
**SHA1:** a429dd95146869f4ab9b00c3611947ddf6b91d1a  
**SHA256:**d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: report.export.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js  
**MD5:** 11b5592b08b3a2f21b98843222cb5c99  
**SHA1:** d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d  
**SHA256:**95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


reporting.zip: reporting.jar: report.exportdialog.controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js  
**MD5:** 33165ad89f5e1337a51632847b2d0e27  
**SHA1:** 5d2c08233db36cafec84fdf42311ea706c186980  
**SHA256:** 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

reporting.zip: reporting.jar: report.exportdialog.service.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js  
**MD5:** e0c64da7a618e8b61743ab3f796e480f  
**SHA1:** b3f3b1820ac805200784c2a04a8e9e0c5c6a773d  
**SHA256:** e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### reporting.zip: reporting.jar: report.exportframe.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js

**MD5:** 2c9f57a3ef5d760bc9f1fe6d344384da

**SHA1:** a2562e63bc825ea8eeaaea75a98e09c2a6be7186

**SHA256:** f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

**MD5:** 9237075ecd44006d5ab48177001c5314

**SHA1:** fe08bb48bf207cdcf0ff4e2d776b59672f965518

**SHA256:** bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js  
**MD5:** faa3f4fb9604ed70bec53256b055ffa6  
**SHA1:** 892688617be684946fa39098413d0c55d9e769cc  
**SHA256:** ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js  
**MD5:** 6124f0f67286f7e3fbf239bdc4988d95  
**SHA1:** aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d  
**SHA256:** f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js  
**MD5:** e9687f11beba8f607c0c98af4eb0cc94

**SHA1:** f92f65d1f27fad2febcc8ad23824f10f51cc722b

**SHA256:** 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js

**MD5:** fdb707b4dc212e365bff1fa637bbfa32

**SHA1:** 14e364be23b61f3f94427a79ce8c0f87bb186c04

**SHA256:** f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### sampleapplication.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

**MD5:** a0b6ce01eb88d27464c409bd56d4fa65

**SHA1:** c23569535b8a3fb31880228a5e8c3efd42555175

**SHA256:** 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8655b68fbc7102b021905

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- application.currenttime.zip: sampleapplication.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
  - MD5: a0b6ce01eb88d27464c409bd56d4fa65
  - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
  - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

### Identifiers

- None

## search-worker.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js

**MD5:** 5e2f2f2ecf39ab1197fa1f33bb73dce9

**SHA1:** fdf200a9954128e900e26e11749fc5c9250ba4eb

**SHA256:**422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- search-worker.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/search-worker.js
  - MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9
  - SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb
  - SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

### Identifiers

- None

security.zip: security.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/security.zip/security.jar  
**MD5:** 1512ff0cafec0beb3d0ae49348073575  
**SHA1:** e28ce6db38426aa3772b2f0578f06cd65e0badf7  
**SHA256:**d0496b97baf5f4451c37c65540fcb8d61a505edfe2bb7b77f5e9dd7434d71dd2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2025-04-04 17:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2025-04-04 17:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

## setuplauncher.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/setuplauncher.jar

**MD5:** 901f65e2c0f49f3c5b23eb71b636cc22

**SHA1:** 9ab74a9315c021d681680e902fcd211e54c7c30b

**SHA256:** 547446ea086dd59dd04b6083e4bd1e5a9a23bd088372071218dec176f8bfe43e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2025-04-04 17:31	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2025-04-04 17:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	25.4.200	High



## Identifiers

- None

## slf4j-api-2.0.16.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

**MD5:** c8de8f5d740584cb24b5652cfba8b3c4

**SHA1:** 0172931663a09a1fa515567af5fbef00897d3c04

**SHA256:** a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

**Included by:** pkg:maven/pdfc/server@25.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="http://www.slf4j.org">http://www.slf4j.org</a>	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	<a href="http://www.slf4j.org">http://www.slf4j.org</a>	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest

Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High
Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

#### Related Dependencies



- slf4j-api.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/java/slf4j-api.jar
  - MD5: c8de8f5d740584cb24b5652cfba8b3c4
  - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
  - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

#### Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](#) (*Confidence:High*)

**taskplanner.logaction.zip: taskplanner.logaction.sample.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner

/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar

**MD5:** 7b5f2d623985337bed88a898f9b17218

**SHA1:** 196ec2e5f47c9d1ddfe699568ff426d1990e1a48

**SHA256:** 9a5510629ee3d6ebadc9442815603077803f6bd0a18f51b6922be0a4bca8de80

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction	High
Product	Manifest	specification-title	taskplanner.logaction	Medium
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

## taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner  
/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar

**MD5:** 5877cf5590e8fb3e2b88a925de3ad209

**SHA1:** d6d34880b2386f980ce1f812ae42784a85035d86

**SHA256:** 6deacbfe4c0a85336cda7917fe119a9bd6eef803cab4961836909b431896149a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap	High
Product	Manifest	specification-title	taskplanner.openweathermap	Medium
Version	Manifest	Implementation-Version	25.4.200	High

## Identifiers

- None

### taskplanner.pdf.zip: taskplanner.pdf.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdf.zip/taskplanner.pdf.jar

**MD5:** db3aa61d709f7b89c6dafadda95950ef

**SHA1:** 1ed7daa90d95742abe700606bb8af5625d55c753

**SHA256:** 6d8d5510f5a3aafba2780c4bd4c0117c3614f48b2b9d29eeec22a1b7932d5757

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.pdfc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfc	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-04-04 20:27	Low
Vendor	Manifest	implementation-group	pdfc	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.pdfc	High
Product	jar	package name	pdfc	Highest
Product	jar	package name	pdfc	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-04-04 20:27	Low
Product	Manifest	implementation-group	pdfc	Low
Product	Manifest	Implementation-Title	taskplanner.pdfc	High
Product	Manifest	specification-title	taskplanner.pdfc	Medium

Version	jar	package name	pdfc	Highest
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.200:\*:\*:\*:\*:\* ( *Confidence:Low* )

suppress

## taskplanner.zip: commons-cli.jar

### Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/commons-cli.jar

**MD5:** ef66360f30909f8372d6358dfc5d1b6c

**SHA1:** e1cdfa8bf40ccbb7440b2d1232f9f45bb20a1844

**SHA256:** d3d530d0f28fd0fbbffe2b0b338f70e8cb96f1605579e2e3abd4db29cac24e69

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low

Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-cli	Highest

Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low



Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Medium
Version	Manifest	Bundle-Version	1.9.0	High
Version	Manifest	Implementation-Version	1.9.0	High
Version	pom	parent-version	1.9.0	Low
Version	pom	version	1.9.0	Highest

#### Identifiers

- <pkg:maven/commons-cli/commons-cli@1.9.0> (*Confidence:High*)

## taskplanner.zip: cron-utils.jar

### Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

**License:**

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eecc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	<a href="http://cron-parser.com/">http://cron-parser.com/</a>	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low

Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

#### Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar

**MD5:** 316258bb148e65a195fa05e6b5586908

**SHA1:** 0ebb40c6c1ea5f693aeabc2c304940ae1099518c

**SHA256:** 906dd320070925d1f49106b7e41bb01e2bd711dcd0b6ea14b8d2fe929d3bc38f

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

**MD5:** 89033498326fab816297572664f5cf6d

**SHA1:** 0ca5f98a2dcd54fb148595401f471de2bbd0250f

**SHA256:**c94e33bae41613b39a252e5a6ec781e44f14fdc3cf9b815117d0c99f2b92851f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

**MD5:** 664e97ca24dfa41c9d227a21aa0d43c5

**SHA1:** 4594dfafaa4e3780974c8476ea5a1ea1b9898f41

**SHA256:**d5638352f038b195118792e06962bd06f15b8ca6ebd6df9db669aa096012ec0d

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

**MD5:** d4cdbbc6c76d43ead6c21a98fcbe5e61

**SHA1:** df7c0c10fdb529b9419bd2a38286160b47eda99c

**SHA256:**7c7aa1396f244a9a3375bbda8e04124171c29b5858c2847f548cd0b4c3361427

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar

**MD5:** 942cd6927597fb797b663a9554913553

**SHA1:** c0e187ea04213539b5157af09e1c534a7ce5dc09

**SHA256:** 99e0889b6538e01a0c9fc5acd4e083a57163f507fc14dabd71b74e46a2e56c8f

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2025-04-04 17:21	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2025-04-04 17:21	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: app.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

**MD5:** 22be8e86a9121096b162ff523e37842e

**SHA1:** cc6010fdc028f0b9c5c95def16c69e3bab116bf0

**SHA256:** 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

**MD5:** 8dcbd2299e9082c7d30047c62d84fa7d

**SHA1:** 46e20aa1bd139542182a754edf0eaa8fa8684782

**SHA256:** f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

**MD5:** 6befac83d2b0754235fb738ada07b8db

**SHA1:** fa581823e83812639dd7a834b580619472492cff

**SHA256:** 299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

**MD5:** 517f2fee6b44d05a1c7cf14aa5403b4f

**SHA1:** 9408064531c8eb0a3bc248f9cfcc8b2c0e0aff34

**SHA256:** d0d94c33ddbca3323fc50c1832481e43d6d4786e35b4da44a329a7b6a2adb463

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

**MD5:** 65a0e2a58b46b6bf17b8a6cb4fa3be15

**SHA1:** cab237a6e2092eb72ce73d77a47114eb3d2ce4b3

**SHA256:** b45ec15f580b0d9f02a31c366f6656130361fa1b95f798fa0066d1ab9f5a2488

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

**MD5:** 1dbc17a2a4e1fc7930dda7d5d3e4630a

**SHA1:** 350be18d05b89c69fa3167a09822876d21a42143

**SHA256:** 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: model.js



**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js  
**MD5:** 97d28d6942b4bc22b121b554b5b9d36f  
**SHA1:** 25ad1c5dac475ab3a13df6e6a2792d52e9fd29ca  
**SHA256:** 7bdd9f9c01104aa2dec6ba649ad42a0617e31cdb655b1a5920934fdd0a75519b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js  
**MD5:** e98f0aec3fd059575c390f4488396764  
**SHA1:** 5fb36b30f1022112f5da2a9373fa562859a8f05d  
**SHA256:** 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js  
**MD5:** c71128c3dac942fc1d5d488562b727a0  
**SHA1:** 51e1419abd22f7f48debceb976752bfec46e36f4  
**SHA256:** 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

**MD5:** 3c1bcad68930caf2fa88697134624473

**SHA1:** 6c25ac7bd32b0c40b2202c9dc43f83842c55f846

**SHA256:** 4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

**MD5:** 3e232b940bcd532e99c88f5b95bf60b2

**SHA1:** a051ce6df82ad9673fc1b23bafc3670d70bb4cac

**SHA256:** b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js

**MD5:** 54ae56c2f76e7b601b9e9785dc51a623

**SHA1:** af05845b893807b4460bc65fa189700abcb4dc82

**SHA256:** 847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

**MD5:** 53d33b9956ea6ffea7cb1fef5e878961

**SHA1:** 2388423f76a1b38cb2e5729e57a113245e1d3f2d

**SHA256:** 7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

**MD5:** f5286e610a6bb3285e052f2e91efb466

**SHA1:** 71fbce03897306e305f9e7763076f6cdf1d23ef

**SHA256:** f0b62fb39485c6232a6ca1373326e0bdd6485c6b7a9b6e1d7d263f2bceba3aad

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

**MD5:** d69a3c1dd5569172999325602506517f

**SHA1:** 780808312f5a19e0b6726453655b1911dde585bc

**SHA256:** 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js  
**MD5:** ecbe7da1cc7d51e0bd4e73e7c2fad4df  
**SHA1:** d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc  
**SHA256:** 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js  
**MD5:** 525dc45cb1886c4808186e1094480bba  
**SHA1:** 7198a40b645128e0495d6d04c008b31b37faf827  
**SHA256:** 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js  
**MD5:** e54a750acec037585e380229a6b74b39  
**SHA1:** a6323f355bb4da4cdcac24be2572fec96332bfa8  
**SHA256:** 39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

**MD5:** 998a4b2340386c5ff39fd74451642547

**SHA1:** b0025705125d1a18bec3624d0eb34176bb332c9d

**SHA256:** 8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js

**MD5:** 2731ad8625d24769bc3f9727361b4d6f

**SHA1:** d0c7a2e05d815252c80a51064ffe4d66f0d18843

**SHA256:** db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js

**MD5:** e17e990210a0b6ccd25d7aa85efdb501

**SHA1:** 783e33954dbca62f5eee8e905260273716633edf

**SHA256:** aad4ed23724cab1efe4abcf2672f64149c007b0aff1ce93d621b8080fcbfcae3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js

**MD5:** 46bf6266b3aa8c7d331c34aa58185b2d

**SHA1:** f6348f31ef689122ec81b2dac2455e15f4b561e6

**SHA256:** 4f679ccc7d9fdb172764575fb3e9fdffb3cb21d370b3adcf06b17fd7326f877b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/theme.zip/theme.jar

**MD5:** 5c7aa912fd3f8efac960256a18f7a116

**SHA1:** 145ddb5e67e972665a4bc4daabcfb2a0bb9f5d54

**SHA256:**35136881c6267b10cb1b04b42b2dd3fe2ce80c8bd4cb684331264b6ee5a17c93

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low
Vendor	Manifest	built-date	2025-04-04 17:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2025-04-04 17:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers



- None

## urlcookie.zip: urlcookie.sample.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar

**MD5:** 5b51abf0db381053934e50283dcf1849

**SHA1:** b1b15afe86422102b1d66115fdf0d589ec2f71d9

**SHA256:** 20f2a54d990c8cb3a702c41799acd706544680015d60e9ddcc0b19fe202e3815

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2025-04-04 17:45	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2025-04-04 17:45	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie	High
Product	Manifest	specification-title	urlcookie	Medium
Version	Manifest	Implementation-Version	25.4.200	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar  
**MD5:** e811dc0e04f56980d7e9c1c8c03320b6  
**SHA1:** c9d8fa9b238a92144f2251e75f1128fde5357899  
**SHA256:**3ca7c17628774d3e69220e7363d6507e2add445cfdff63bb5927b055f14c4f13  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2025-04-04 17:38	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2025-04-04 17:38	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High

Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js

**MD5:** 136a634e0236a238529acf990312d10e

**SHA1:** 75518847c3c3aa3737e31149c6834bb6c40f4606

**SHA256:**9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js

**MD5:** e6bb2b0218c39ede42d1779e09d0b306

**SHA1:** bfedb33d3a2d6896458956fdc4209692d43e0d02

**SHA256:**7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCommaSeparatedRenderer.directive.js  
**MD5:** c951e088eb99044087cb876a2ad80f5c  
**SHA1:** f2b74d24949b8a35f38a36bbff7f12a73c939305  
**SHA256:** fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeCurrencyRenderer.directive.js  
**MD5:** 64550819586104467e438b403590e32a  
**SHA1:** e6c4957a7648c8baa484227d04cad8a186aac008  
**SHA256:** e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDateRenderer.directive.js

**MD5:** 44f37b8866281fc7c293da24a2c85a70

**SHA1:** 90bf5ee3414c0b14352fece7ff49252f0993ee34

**SHA256:** 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeDoubleRenderer.directive.js

**MD5:** 65ddc17ce6fe22f66db3066174836be4

**SHA1:** a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

**SHA256:** ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeHintRenderer.directive.js

**MD5:** 9c0f5b5dde50569ef2e9efb5feef050

**SHA1:** 3793878df0a194ac7445ae9076fd1f235cf26a42

**SHA256:** d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeIntegerRenderer.directive.js

**MD5:** fb567b3054e16ecd92115183e677f194

**SHA1:** a956bb37b828d2b0016c3e63df573291cf3a65c1

**SHA256:** a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js  
**MD5:** b4e5347a3fc15cee057d292ac2fe7d91  
**SHA1:** 70fba39954e7947be220792ce9d792ecfec06748  
**SHA256:** 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeLoginsRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js  
**MD5:** 77e510f9e074e3104df3096deb39cd91  
**SHA1:** 68e57a5859aa1073fdb62dd1102867d0c7db3c9f  
**SHA256:** 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeMembersRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMembersRenderer.directive.js  
**MD5:** 110c0a60b3a8824c7cf38b3cfd38423b  
**SHA1:** b130d47d83af3073663f95cfe0392d9c055d06cd

**SHA256:**e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:**  
**fieldtypeMultilineRenderer.directive.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.  
jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeMultilineRenderer.directive.js

**MD5:** 5b24949676b9be3413f73641882f7125

**SHA1:** 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09

**SHA256:**698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:**  
**fieldtypePermissionRenderer.directive.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.  
jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js

**MD5:** cf56b95e7c81bb7bb0027f214dde9847

**SHA1:** b098c8143c168614aac2a46fda4bf02078b31f9e

**SHA256:**c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790

**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeSelectRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js

**MD5:** eff35ed2335d82f48e0f301bbe002c13

**SHA1:** 33c6717aeac4415d8fd2b3e573c2c4c067344351

**SHA256:**ff2a7f5c982515dbdf6a16e2205866e1b5a8f45df37e0297357daf27aa4ac042

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStayLoggedInSessionsRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStayLoggedInSessionsRenderer.directive.js

**MD5:** 8f7246a8c4620515a714dd858c7b0847

**SHA1:** bab49440daa202026ce7fdb25d3c3ab7d0ac2473

**SHA256:**85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStringListRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringListRenderer.directive.js

**MD5:** ecfa08e9586484891e935de461582539

**SHA1:** 128276640372b4e442f5c63c643c908710c7fedf

**SHA256:** aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeStringRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js

**MD5:** 6e46d5a536692ff278cf276eeb7151bb

**SHA1:** 11b326f65d25098d5d02c6077e20b867d5c331ec

**SHA256:** b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimeRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js  
**MD5:** 8513454094f6efb43b4257acfab955f  
**SHA1:** 56784b3ea31cc21416f65da1661b7c18b8e9eb5e  
**SHA256:** 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeTimerangeRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js  
**MD5:** 8ca11f921f530ae3c6d14011f1026be2  
**SHA1:** 123f12b6375637b6819435453cbfc089589514d6  
**SHA256:** 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

**MD5:** 44b5a1bc9d21d123546c077cc5ee0273

**SHA1:** a662eed543d97810f0150150724386a00d4cd140

**SHA256:** 593b7224b59ecc7b59b3ea52f23ba1ffd60a7b0dc9075c47106d48d062da6e7a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

**MD5:** 9de8f2f539c79244aa95473d497004db

**SHA1:** dab0863017fbaf80d7da94770dbb17d87cff3a80

**SHA256:** 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembership.directive.js  
**MD5:** 22269c6c1e32356a15788a694358c895  
**SHA1:** c4909db34c175ff0621e17f241f66994e0516bc6  
**SHA256:** 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js  
**MD5:** f43b62e6ec19922b603e65ac0d9811bc  
**SHA1:** b82e36201fade72e6423ba980d5351e13c657bbb  
**SHA256:** e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionRadiobuttonRenderer.directive.js  
**MD5:** b2674a06f9cfb8cab9196229817a52c

**SHA1:** 2816becffb93dad552e07d80fb7e5042e13f1d26  
**SHA256:** 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.  
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

**MD5:** 3966dde5288327ce4a7664ffa146425f

**SHA1:** 9f1156c2c726e731d362aff1b4bf1f611da47c70

**SHA256:** bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.  
jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

**MD5:** cd4b90a897c42eb0c1a38f660153f739

**SHA1:** c582f35a31ed251b2b02456bf79fcb8e6edbf9dc

**SHA256:** 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js  
**MD5:** e35a43fa1eb935369c4e018ff1ee7640  
**SHA1:** d239261c725a4ba6e6efa911b48e4909c5372d69  
**SHA256:** 3625665593e42ba14b5b40999ac21bdaeaea0baa80831182e221207a5019b541  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js  
**MD5:** e9dc4bc3ba3fd9f9adf5de4a8617ed4c  
**SHA1:** ac32c4a6c290226d25046f3d824109ace6801dbf  
**SHA256:** 89db6ce36a44feba7b3cb9557170fc002549b6357e38b520102ec0eada56f661  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js  
**MD5:** e38beee6d03d93074acba84010e4c176  
**SHA1:** d27284aae10d28fac162196094e0196c7c2486cf  
**SHA256:** c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js  
**MD5:** dc8c0a6680f31ab372911a958ba66b98  
**SHA1:** f9f73f7ae49f35bea16b6ad67b5f70cf30361692  
**SHA256:** 296a2f8f249c84716c1085a55767e813d7333bad64db7233333c98e5c3a3cb25  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagermodel.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js  
**MD5:** 78fa68eb33bb346554c0e6c6d9c899da  
**SHA1:** 51ddb1f42d082d80f29f683114a9392a751dc361  
**SHA256:** 9bd38ddc3c2f13b295438b16555afe7407a4a56d535e0b512be540164beefa0e  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerpredeletionwarning.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerpredeletionwarning.js  
**MD5:** 2e963c8f1de1c02f2a9c062f03aff6a5  
**SHA1:** 1f5065e679fefcb1e927248cecf615950df2d1f  
**SHA256:** 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerrenderer.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js

**MD5:** 66a9eef845301ec92243566a8a8a5fd0

**SHA1:** 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b

**SHA256:** b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerstatisticscontroller.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerstatisticscontroller.js

**MD5:** 15db7d8e1d9c9102dff09a6540eacfdc

**SHA1:** 0ca6006da11c419453850c3ec9ec855c42e7b58b

**SHA256:** 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagertakeoutcontroller.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagertakeoutcontroller.js  
**MD5:** aecb7916c7ddc1ab36bb620e0bba61aa  
**SHA1:** e98561144eeaf1048f88096ef4adeb4de63d971f  
**SHA256:** cdb865f01764972194727fb6a715369b4353c620ecfdbeeadc40021144b7361c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: swagger-models.jar

#### Description:

swagger-models

#### License:

"Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/swagger-models.jar

**MD5:** f17667842889d8671d785b92e248a76e

**SHA1:** 00b7e1973dee1b69f8df24013c7468b830a42dec

**SHA256:** 25ee351c9646ba391167a88b15c2214a6c29cf4bcebeafa52ea93dd79a13759e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	swagger-models	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	oas	Highest
Vendor	jar	package name	swagger	Highest
Vendor	jar	package name	v3	Highest
Vendor	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-	frantuma;email="frantuma@yahoo.com";	Low

		developers	name="Francesco Tumanischvili",fehgyu; email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com"; name="Ron Ratovsky"	
Vendor	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core /modules/swagger-models	Low
Vendor	Manifest	bundle- symbolicname	io.swagger.core.v3.swagger-models	Medium
Vendor	Manifest	mode	development	Low
Vendor	Manifest	url	https://github.com/swagger-api/swagger-core /modules/swagger-models	Low
Vendor	pom	artifactid	swagger-models	Low
Vendor	pom	groupid	io.swagger.core.v3	Highest
Vendor	pom	name	swagger-models	High
Vendor	pom	parent-artifactid	swagger-project	Low
Product	file	name	swagger-models	High
Product	jar	package name	io	Highest
Product	jar	package name	oas	Highest
Product	jar	package name	swagger	Highest
Product	jar	package name	v3	Highest
Product	Manifest	automatic- module-name	io.swagger.v3.oas.models	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle- developers	frantuma;email="frantuma@yahoo.com"; name="Francesco Tumanischvili",fehgyu; email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com"; name="Ron Ratovsky"	Low
Product	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core /modules/swagger-models	Low
Product	Manifest	Bundle-Name	swagger-models	Medium
Product	Manifest	bundle- symbolicname	io.swagger.core.v3.swagger-models	Medium
Product	Manifest	mode	development	Low
Product	Manifest	url	https://github.com/swagger-api/swagger-core /modules/swagger-models	Low
Product	pom	artifactid	swagger-models	Highest
Product	pom	groupid	io.swagger.core.v3	Highest
Product	pom	name	swagger-models	High
Product	pom	parent-artifactid	swagger-project	Medium
Version	Manifest	Bundle-Version	2.2.27	High
Version	Manifest	implementation- version	2.2.27	High

Versionpomversion2.2.27Highest

Related Dependencies

- webapi.core.zip: swagger-annotations.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/swagger-annotations.jar
  - MD5: b4bb05bf9161df53de9e26ef05f21a64
  - SHA1: 4e37522be663224e6a7ed22e49e889bac0be3f16
  - SHA256: 3a7317e9b44f1517df5ce8b66db5ee54e9b4e28668059e76388d4a910f19e21e
  - [pkg:maven/io.swagger.core.v3/swagger-annotations@2.2.27](#)

Identifiers

- [pkg:maven/io.swagger.core.v3/swagger-models@2.2.27](#) (Confidence:High)
- cpe:2.3:a:http-swagger\_project:http-swagger:2.2.27:\*:\*:\*:\*:\* (Confidence:Low)

suppress

webapi.core.zip: webapi.core.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar

**MD5:** cfe046572d58dd62a3509273fe4dc299

**SHA1:** 7b9398fa936b686258bfc4e215a9c31a966fe80c

**SHA256:** 068b79b783e4e92e7baf203133263396e54004885db47fb55df362bafd064262

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2025-04-04 17:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2025-04-04 17:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

**MD5:** 71ebae03129e5cfe9a365b5e720e3490

**SHA1:** ea9693443bf3c22859304d80e0211f93bf497cae

**SHA256:** 241a674b73b581ebcf526dec899352c4c538d0d7fd8f70cf9d4e8e9090ed889e

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## webapi.core.zip: webapi.core.jar: webapi.codemirror.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

**MD5:** e37705cda1cd7e6eb4408e5d4fe774fa

**SHA1:** 1c74dd696c40608ba0a369d96c27365c327b64a2

**SHA256:** 4cb0f58de26541e79a05e5c326492f4650175cebd514d7fb797acd90c89b6e0e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## webapi.core.zip: webapi.core.jar: webapi.core.editor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js

**MD5:** 0f186644fa1082401ecc910c0be91f51

**SHA1:** 569dbaab077a37a1ea1121afa06aeefac2c945e3

**SHA256:** fb23237975712b0dc682ec16c872107c0f3226cfc1872bda4c8da6e4a010b560

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## webapi.core.zip: webapi.core.jar: webapi.core.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js

**MD5:** c25f5c090e5cca1e39283dfc02028601

**SHA1:** ebf77254b4aa4834bfbd419e9b273a10656c984f  
**SHA256:**108e39514adbff024753ad60e1481f65d0037feb1ff203067f58d06ab61227c0  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**webserver.defender.zip: webserver.defender.jar**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.defender.zip/webserver.defender.jar  
**MD5:** 72171ae8e8856815aac9fa53e44253c9  
**SHA1:** 3077f7cd989033edbe5cd6460a6831b0065818f9  
**SHA256:**aceec10faa06487e3e5ce4ed7c23fd8cec32afd5d1b16c28d0fe4e4de52aae15  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2025-04-04 17:46	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2025-04-04 17:46	Low
Product	Manifest	implementation-	shared	Low



		group		
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

### webserver.zip: acme4j-client.jar

#### Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/acme4j-client.jar

**MD5:** 6a777e9a2790f92e3ca84ab3f670372a

**SHA1:** 2fc4db562eb89dd97d01efbd66498af44f010fc5

**SHA256:** 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest

Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

#### Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](https://maven.org.shredzone.acme4j/acme4j-client@2.16) (*Confidence:High*)

## webserver.zip: jetty-websocket-core-client.jar

### Description:

Jetty module for Core :: Websocket :: Client

### License:

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-client.jar

**MD5:** 89b79d4b92bc54ebd1dbff12dca7d94c

**SHA1:** ab0040f5331831417a8ef920242c40404167b9f8

**SHA256:** 0ee04f306ac0759980f8b81e2585ad1caa4aeadd7df22f1a5277264b2d5ad6431

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High

Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.16	High
Version	Manifest	Implementation-Version	12.0.16	High
Version	pom	version	12.0.16	Highest

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-client.jar
  - MD5: 9ae45a77f4a0643f10381c9bb9d4ad82
  - SHA1: 5107a785b8c102eb92325afc01a8386256391282
  - SHA256: 0d5375c83a60362f2225ae06d4837463942f39c5bc6bd83172b4ad2aef28df29
  - [pkg:maven/org.eclipse.jetty/jetty-client@12.0.16](https://mvnrepository.com/artifact/org.eclipse.jetty/jetty-client/12.0.16)
- webserver.zip: jetty-ee10-servlet.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-servlet.jar
  - MD5: baf3dbe9ee077d04df134c78e4bfa7ae
  - SHA1: 022a746c00b1ac5c790fee65a398c707160a46d8

- SHA256: 18a6c41074061a0ff440d618b43e7ab328e81226ec21c4d6a4d53b90b2c94a55
- [pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlet@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlet@12.0.16)
- webserver.zip: jetty-ee10-servlets.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-servlets.jar
  - MD5: f291d63b180d59ed1cd1c3969b68fa20
  - SHA1: cab66998f9fe91e4c097641005b634d88da0373e
  - SHA256: c5a750269f66300183dc4ea7ae158a20b933e7733f7718d4b3b7d037c08e56f1
  - [pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlets@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10/jetty-ee10-servlets@12.0.16)
- webserver.zip: jetty-ee10-websocket-jakarta-client.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jakarta-client.jar
  - MD5: 792343c085cedff98b24d0e316cc3e8f
  - SHA1: 449a9ce343582735625b4011e4d8e25de9e3a8f8
  - SHA256: 2cf2e4e450a28a64b496730bdc65ae6aad41407fb4ab1bf195c4b829d18b1dcd
  - [pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-client@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-client@12.0.16)
- webserver.zip: jetty-ee10-websocket-jakarta-common.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jakarta-common.jar
  - MD5: d408cd9ae11058fdb732d929f16155cf
  - SHA1: 5b76d970f502c4f428096b06dbe521319bc9b649
  - SHA256: b015a32840876ab5a772c2db14bd6a6c7e568eebcefd3e0c6c5d84e6bf9a3ca2
  - [pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-common@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-common@12.0.16)
- webserver.zip: jetty-ee10-websocket-servlet.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-servlet.jar
  - MD5: ca31dd05159b245852d29fc1de3d761f
  - SHA1: 8c0da42377b7e69b5c51eeba8323575b95044d9c
  - SHA256: 979376b6bc583fa670bd200be77f04f6bce0945d2e61378c04f4f9163624ede2
  - [pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-servlet@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-servlet@12.0.16)
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http.jar
  - MD5: 97fbad480f90455582cefadd2b030332
  - SHA1: 68019fa90e8420ae15c109bd8c8611cacbaf43e5
  - SHA256: b0751b3dd9a8abc79ba0c5061613843dba1d2ce231057f53ad3d038ca888dfb0
  - [pkg:maven/org.eclipse.jetty/jetty-http@12.0.16](https://pkg:maven/org.eclipse.jetty/jetty-http@12.0.16)
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-common.jar
  - MD5: a7b42a203fbc4e41ab41bbe18b34445c
  - SHA1: da74b966122d797583a8b58db4f81272f2865cb4
  - SHA256: eb74c664c0b39dcbab5c4b2d98133f0c273bea0ec8495ab00a8e6a209809ed1
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.16](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.0.16)
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: 2d0e11fbc69fc4087320f09371e04c31
  - SHA1: 09c742fd760f447177d725e7eee61d960b3c8f43
  - SHA256: 2a8f1c8c258389fde1c4939758d8322e6cfd6a00fd9e722556f48058d0780bd5
  - [pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.16](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.0.16)
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-io.jar

- MD5: ae480591a63c1b212f4c7911349761a4
- SHA1: 7a162c537a99bbaf35a074fec9a50815e6c81d9d
- SHA256: c8dfd2d88d34be5461417f2256be0cc868865c45815f7ee0e409ddd872f0e84f
- [pkg:maven/org.eclipse.jetty/jetty-io@12.0.16](https://pkg.maven.org/eclipse.jetty/jetty-io@12.0.16)
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-security.jar
  - MD5: 255464da6183b5c0148887757273e23f
  - SHA1: 23b1a3abecf9d6f5498064a32d9145ae1d8330f9
  - SHA256: 7a6d5b2d0edb1b5012b5510a80411c7fb4b9844b3879938d3b6e9ace3b9b6876
  - [pkg:maven/org.eclipse.jetty/jetty-security@12.0.16](https://pkg.maven.org/eclipse.jetty/jetty-security@12.0.16)
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-session.jar
  - MD5: 3eab34dcfbee6e4210e23c654a543b6
  - SHA1: 79cdedc7afebbdba4453f603dfe2f970baa35cc3
  - SHA256: 5d7dfd24c94472c368441488791412a31ea476ad4f1d9286b4f5802c5d85514b
  - [pkg:maven/org.eclipse.jetty/jetty-session@12.0.16](https://pkg.maven.org/eclipse.jetty/jetty-session@12.0.16)
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-util.jar
  - MD5: b3c132eb692790fe9b29bb03ee52003e
  - SHA1: e262e505363e5925df15618622d9888aefc1b0d0
  - SHA256: a03d43c194993ebb4d51fbfe7fe29134d7863b28708380eedd11797c83543cf
  - [pkg:maven/org.eclipse.jetty/jetty-util@12.0.16](https://pkg.maven.org/eclipse.jetty/jetty-util@12.0.16)
- webserver.zip: jetty-websocket-core-common.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-common.jar
  - MD5: 4ed47b2a59d30ecae35aca39ead29435
  - SHA1: dcb9deb8e5fbff3654b4e6abc99f3e16eddb3ba3
  - SHA256: bebe6fac6ddd4047bd7334bf43362c7f5d1404282ef866ca6b092950f6c1fa91
  - [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.0.16](https://pkg.maven.org/eclipse.jetty.websocket/jetty-websocket-core-common@12.0.16)
- webserver.zip: jetty-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-jetty-api.jar
  - MD5: 6ff3f94a36e47ff5623e64983f732551
  - SHA1: 6f9daad7d609bf04622b2d36bba7dce90dcc20e1
  - SHA256: 4d4b7f0a0848be5df55c99fec923202d5c117b60d7b9d9642b09534e3274477d
  - [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.0.16](https://pkg.maven.org/eclipse.jetty.websocket/jetty-websocket-jetty-api@12.0.16)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.0.16](https://mvnrepository.com/artifact/org.eclipse.jetty.websocket/jetty-websocket-core-client/12.0.16) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.0.16:\\*.\\*.\\*.\\*.\\*](https://mvnrepository.com/artifact/org.eclipse.jetty/jetty-12.0.16.*.*.*.*.*) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.0.16:\\*.\\*.\\*.\\*.\\*](https://mvnrepository.com/artifact/org.eclipse.jetty/jetty-12.0.16.*.*.*.*.*) (*Confidence:Highest*) suppress
- [cpe:2.3:a:mortbay\\_jetty:jetty:12.0.16:\\*.\\*.\\*.\\*.\\*](https://mvnrepository.com/artifact/org.mortbay.jetty/jetty-12.0.16.*.*.*.*.*) (*Confidence:Highest*) suppress

**webserver.zip: jetty-websocket-core-server.jar**

**Description:**

Jetty module for Core :: Websocket :: Server

**License:**

EPL-2.0 OR Apache-2.0

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-websocket-core-server.jar

**MD5:** 618fdd3dc45292ed17c8a887c8b574d1

**SHA1:** 5a45294e7ade2ffc2f1928cd3175db7b913c09bf

**SHA256:** 03ae2eef7ba6ddbc9906a570a7d6cbac9bf243aa189f0793ecf1dd42711b2c91

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	22	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	22	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty	Low

Ltd and others.

Product	Manifest	bundle-docurl	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	<a href="https://jetty.org/">https://jetty.org/</a>	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.0.16	High
Version	Manifest	Implementation-Version	12.0.16	High
Version	pom	version	12.0.16	Highest

## Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: 7ac4ca72e4dc9fe02bed049f900f800f
  - SHA1: 49ea9f19f4b6852b6fb99591e686d6923d82d7d8
  - SHA256: 6ee5093ae33dc0e4f3517d6cf1a14ada7a4c77239815fdb809082e97c47641be
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.16](https://pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.0.16)
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: 4123211945cd974b14e8122e028714
  - SHA1: c6de38985b73448453b99233fcec8439587ee43c
  - SHA256: 9c57b57c808fbb765295028349e3781cb39f264a21b7903735d67162d4b33bbd
  - [pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.16](https://pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.0.16)
- webserver.zip: jetty-ee10-websocket-jakarta-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jakarta-server.jar
  - MD5: b9eb00aafd14bb1b263807135e677bc8
  - SHA1: bf4f44d5a56280739d946a98f075a50b163a7e9f
  - SHA256: b9182cd571fca83e55c5c9ea2e95ec24472a3961bbeb530f03ccc28f4acd2ba
  - [pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-server@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jakarta-server@12.0.16)
- webserver.zip: jetty-ee10-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-ee10-websocket-jetty-server.jar
  - MD5: e2ffe9c1a0e3adffce119ee3c98cbe00
  - SHA1: 252d08c79e13adcbd067ad691f2ead59fab5f9d3
  - SHA256: 0b401f758638220ef1b7f898c5c8c8dc969ccc2bf3918e086b1cc9ae16bf7239
  - [pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jetty-server@12.0.16](https://pkg:maven/org.eclipse.jetty.ee10.websocket/jetty-ee10-websocket-jetty-server@12.0.16)
- webserver.zip: jetty-http2-server.jar

- File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-http2-server.jar
- MD5: 88e6ec842e5b68ba66ffeb7c8c49093
- SHA1: ef14dad1c484bc2e1d0a6a886dab7a8fcc8af21f
- SHA256: 8f41ddce65f14e09c54f97e854d09739410a84ba1349efdf04132566e7fea5a8
- [pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.16](https://pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.0.16)
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jetty-server.jar
  - MD5: 8bc8e31a2e7cb185fd188e5b4b5ca
  - SHA1: 3e3638b4bfbee04c27b3ae68e4949fc43b40a042
  - SHA256: 9e3f17ca732154ee2c67cc2bc340f322b29335f74d65f7cc0104c2e9cdc6640e
  - [pkg:maven/org.eclipse.jetty/jetty-server@12.0.16](https://pkg:maven/org.eclipse.jetty/jetty-server@12.0.16)

## Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16](https://pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.0.16) ( *Confidence:High* )
- [cpe:2.3:a:eclipse:jetty:12.0.16:\\*:\\*:\\*:\\*](https://cpe:2.3:a:eclipse:jetty:12.0.16:*:*:*:*:*) ( *Confidence:Highest* ) suppress
- [cpe:2.3:a:jetty:jetty:12.0.16:\\*:\\*:\\*](https://cpe:2.3:a:jetty:jetty:12.0.16:*:*:*:*) ( *Confidence:Highest* ) suppress
- cpe:2.3:a:jetty:jetty\_http\_server:12.0.16:\*:\*:\*:\* ( *Confidence:Low* ) suppress
- [cpe:2.3:a:mortbay:jetty:12.0.16:\\*:\\*:\\*](https://cpe:2.3:a:mortbay:jetty:12.0.16:*:*:*:*) ( *Confidence:Highest* ) suppress

## webserver.zip: jose4j.jar

### Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/jose4j.jar

**MD5:** f57cb91efc5beaa940029f5515a888c2

**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915

**SHA256:** 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest



Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium

Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

#### Identifiers

- [pkg:maven/org.bitbucket.b\\_c/jose4j@0.9.6](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/webserver.zip/webserver.jar

**MD5:** 6955ad6c384a0dd8e10078ed68a2d814

**SHA1:** d503913eb0341009a8c031ccf3b0241d1e31d55b

**SHA256:** 7d74dbda0c61fa122f965cf9fb7ea99fac16ba4167e0cebe4dd00608149470f8

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2025-04-04 17:27	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2025-04-04 17:27	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	webserver	High

		Title		
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	25.4.200	High

#### Identifiers

- None

## Suppressed Vulnerabilities



### docfx.vendor.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

**MD5:** e546d4a3ac43d85422e9c43bf9488c88

**SHA1:** 7387f5bf1a3382308d646560039243629968f137

**SHA256:** 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

#### Related Dependencies



- docfx.vendor.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/Documentation and Samples/nunit - API Doc/styles/docfx.vendor.js
  - MD5: e546d4a3ac43d85422e9c43bf9488c88
  - SHA1: 7387f5bf1a3382308d646560039243629968f137
  - SHA256: 4dfa2ef41a41c02b0cd0cb18b5c3ee71dd40cdc060271f0d832235e7a1c72c34

#### Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-6484 (RETIREJS) suppressed

Notes: file name: docfx.vendor.js This is a dependency by a third-party that can not be updated.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9mvj-f7w8-pvh2>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap-sass/CVE-2024-6484.yml>
- info - <https://github.com/rubysec/ruby-advisory-db/blob/master/gems/bootstrap/CVE-2024-6484.yml>
- info - <https://github.com/twbs/bootstrap>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-6484>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-6484>

Vulnerable Software & Versions (RETIREJS):

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: docfx.vendor.js This is a dependency by a third-party that can not be updated.

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/maintenance.zip/maintenance-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

## Related Dependencies



- pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling ``.checkboxradio( "refresh" )`` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the ``label`` in a ``span``.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE\\_NOTES,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [RELEASE\\_NOTES,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:-:\*:\*:\*:\*:\*

## remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)



#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST\\_THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller  
/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-animate.jar/META-INF/resources  
/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of

service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>

- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in



posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

##### CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

##### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

##### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

##### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. \*\*Note:\*\* This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

##### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

##### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

##### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')



Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

#### CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

**remotegui.zip: angular-cookies.jar: angular-cookies.min.js**

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources

/webjars/angular-cookies/1.8.3/angular-cookies.min.js  
**MD5:** c41aff8423276d46f0d02de6dcb71524  
**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086  
**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)

- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>

- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities —

[CVE-2022-25844](#) suppressed



The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

#### References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

## CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>

- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqmq9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js  
**MD5:** f3c62abeec216e9431e7d5b22d8e813b  
**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646  
**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*:

## [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

## [CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*

## [CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the `angular.copy()` utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>



- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A



#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar

### Description:

WebJar for angular

### License:

MIT

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edeaad6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afcff3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2022-25844 (OSSINDEX) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2022-25844> for details

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2022-25844\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2022-25844>
- OSSIndex - <https://www.tenable.com/cve/CVE-2022-25844>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*.\*\*\*.\*.\*.\*

#### CVE-2021-4231 (OSSINDEX) suppressed

A vulnerability was found in Angular up to 11.0.4/11.1.0-next.2. It has been classified as problematic. Affected is the handling of comments. The manipulation leads to cross site scripting. It is possible to launch the attack remotely but it might require an authentication first. Upgrading to version 11.0.5 and 11.1.0-next.3 is able to address this issue. The name of the patch is ba8da742e3b243e8f43d4c63aa842b44e14f2b09. It is recommended to upgrade the affected component.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2021-4231> for details

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.400000095367432)
- CVSS:3.1/AV:N/AC:L/PR:L/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2021-4231\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2021-4231>
- OSSIndex - <https://github.com/angular/angular/pull/40136>
- OSSIndex - <https://github.com/angular/angular/pull/40525>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

**CVE-2023-26116** (OSSINDEX) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- OSSINDEX - [\[CVE-2023-26116\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26116>
- OSSIndex - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-angular-copy-redos?file=index.js>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*:\*:\*:\*:\*

**CVE-2023-26118** (OSSINDEX) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2023-26118> for details

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.300000190734863)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

#### References:

- OSSINDEX - [\[CVE-2023-26118\] CWE-1333](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2023-26118>
- OSSIndex - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- OSSIndex - <https://stackblitz.com/edit/angularjs-vulnerability-inpur-url-validation-redos?file=index.js>

#### Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.npm:angular:1.8.3:\*.~\*~\*~\*~\*~\*

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)

- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [\[@angular/core\]](https://www.npmjs.com/package/@angular/core) (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

## [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:\* node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

## [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

## [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqgm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98f5e521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Product	file	name	angularjs	High
Version	file	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angular:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of package angular are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - [BROKEN\\_LINK](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-2gqx-w9hr-q5gx>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:3.9/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular:\*:\*:\*:\*:node.js:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the '[srcset]' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing

[https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (excluding) 1.9.6
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angular.js:1.3.0:rc5:\*:\*:\*:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

NVD-CWE-Other, CWE-791 Incomplete Filtering of Special Elements

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions up to (excluding) 1.9.6

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low

Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities



#### CVE-2016-10707 (OSSINDEX) suppressed

jquery - Uncontrolled Resource Consumption

The software does not properly restrict the size or amount of resources that are requested or influenced by an actor, which can be used to consume more resources than intended.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2016-10707> for details

CWE-400 Uncontrolled Resource Consumption

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

References:

- OSSINDEX - [\[CVE-2016-10707\] CWE-400: Uncontrolled Resource Consumption \('Resource Exhaustion'\)](#)
- OSSIndex - <https://github.com/advisories/GHSA-mhpp-875w-9cpv>
- OSSIndex - <https://github.com/jquery/jquery/issues/3133>
- OSSIndex - <https://github.com/jquery/jquery/issues/3371>
- OSSIndex - <https://github.com/jquery/jquery/pull/2916>
- OSSIndex - <https://github.com/jquery/jquery/pull/3134>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*.~\*~\*~\*~\*~\*

#### CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable \_\_proto\_\_ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321 Improperly Controlled Modification of Object Prototype Attributes ('Prototype Pollution')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

#### CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

#### References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

#### Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

#### CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

#### CVSSv3:

- MEDIUM (6.099999904632568)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

#### References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

#### Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:\*:\*:\*:\*:\*

## remotegui.zip: tinymce.jar

### Description:

WebJar for tinymce

### License:

LGPL-2.1

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar

**MD5:** fd9f87ce352ee6c8d270db931c0e6026

**SHA1:** 9174bcf85629c63f7cc55439ff890bb7893fe451

**SHA256:** 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies

- remotegui.zip: tinymce-languages.jar
  - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce-languages.jar
  - MD5: 47bff91bb6cd602682ddc705ba5872fb
  - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
  - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-38356 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE’s content extraction code. When using the `noneditable\_regexp` option, specially crafted HTML attributes containing malicious code were able to be executed when content was extracted from the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that, when using the `noneditable\_regexp` option, any content within an attribute is properly verified to match the configured regular expression before being added. Users are advised to upgrade. There are no known workarounds for this vulnerability.



Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2024-38356> for details

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

##### CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

##### References:

- OSSINDEX - [\[CVE-2024-38356\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38356>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>

##### Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:\*.~\*~\*~\*~\*~\*~\*

#### CVE-2024-38357 (OSSINDEX) suppressed

TinyMCE is an open source rich text editor. A cross-site scripting (XSS) vulnerability was discovered in TinyMCE's content parsing code. This allowed specially crafted noscript elements containing malicious code to be executed when that content was loaded into the editor. This vulnerability has been patched in TinyMCE 7.2.0, TinyMCE 6.8.4 and TinyMCE 5.11.0 LTS by ensuring that content within noscript elements are properly parsed. Users are advised to upgrade. There are no known workarounds for this vulnerability.

#### CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

##### CVSSv2:

- Base Score: MEDIUM (5.099999904632568)
- Vector: CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N

##### References:

- OSSINDEX - [\[CVE-2024-38357\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2024-38357>
- OSSIndex - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>

##### Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars.bower:tinymce:5.10.9:\*.~\*~\*~\*~\*~\*~\*

### remotegui.zip: tinymce.jar: theme.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js

**MD5:** b99cdf5dcb718bb3d31d6c8667ae2462

**SHA1:** 26d8486e0ec39d27e79b0b37965b28e2b45afb6d

**SHA256:** 0147750f4214d0acd55cadda52809ac7376644333bb65947c7fe1e0684d85c7

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	DOMPurify	High
Product	file	name	DOMPurify	High
Version	file	version	2.3.8	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities



CVE-2024-45801 (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/1e520262bf4c66b5efda49e2316d6d1246ca7b21>
- info - <https://github.com/cure53/DOMPurify/commit/26e1d69ca7f769f5c558619d644d90dd8bf26ebc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-mmhx-hmjr-r674>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-45801>

Vulnerable Software & Versions (RETIREJS):

CVE-2024-47875 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/blob/0ef5e537a514f904b6aa1d7ad9e749e365d7185f/test/test-suite.js#L2098>
- info - <https://github.com/cure53/DOMPurify/commit/0ef5e537a514f904b6aa1d7ad9e749e365d7185f>
- info - <https://github.com/cure53/DOMPurify/commit/6ea80cd8b47640c20f2f230c7920b1f4ce4fdf7a>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-gx9m-whjm-85jf>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-47875>

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-48910** (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: high

References:

- info - <https://github.com/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/d1dd0374caef2b4c56c3bd09fe1988c3479166dc>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-p3vf-v8qc-cwcr>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-48910>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-26791** (RETIREJS) suppressed

Notes: DOMPurify can not be updated due to tinyMCE this time. However, there are plans to fully update tinyMCE in the future.

Unscored:

- Severity: medium

References:

- info - <https://ensy.zip/posts/dompurify-323-bypass>
- info - <https://github.com/advisories/GHSA-vhxf-7vqr-mrjg>
- info - <https://github.com/cure53/DOMPurify>
- info - <https://github.com/cure53/DOMPurify/commit/d18ffcb554e0001748865da03ac75dd7829f0f02>
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.2.4>
- info - <https://nseysean.github.io/posts/dompurify-323-bypass>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-26791>

Vulnerable Software & Versions (RETIREJS):

remotegui.zip: tinymce.jar: tinymce.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

**MD5:** f7a8350f10f92d58a952e1feb0d28f2c

**SHA1:** d3ecc2861e41722d51e1ede38da5ead47a530c14

**SHA256:** a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High

Version	file	version	5.10.9	High
---------	------	---------	--------	------

Suppressed Identifiers

- None

Suppressed Vulnerabilities

CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox\\_iframes-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert\\_unsafe\\_embeds-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

### CVE-2024-38356 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

### CVE-2024-38357 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacfa8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: tinymce.jar: tinymce.min.js

**File Path:** /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/server/build/tmp/dependencies/i-net PDFC/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

**MD5:** 10df005254d5668ccedbda2614354acd

**SHA1:** fbcd5a3f14b7c3dd8a9d203b9b30acfa49a38f4

**SHA256:** 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	tinyMCE	High
Product	file	name	tinyMCE	High
Version	file	version	5.10.9	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

#### CVE-2024-29203 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-438c-3975-5x3f>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-438c-3975-5x3f>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29203>
- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox\\_iframes-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#sandbox_iframes-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

#### CVE-2024-29881 (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-5359-pvf2-pw78>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/bcdea2ad14e3c2cea40743fb48c63bba067ae6d1>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-5359-pvf2-pw78>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-29881>

- info - [https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert\\_unsafe\\_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types](https://www.tiny.cloud/docs/tinymce/6/6.8.1-release-notes/#new-convert_unsafe_embeds-option-that-controls-whether-object-and-embed-elements-will-be-converted-to-more-restrictive-alternatives-namely-img-for-image-mime-types-video-for-video-mime-types-audio-audio-mime-types-or-iframe-for-other-or-unspecified-mime-types)
- info - [https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert\\_unsafe\\_embeds-editor-option-is-now-defaulted-to-true](https://www.tiny.cloud/docs/tinymce/7/7.0-release-notes/#convert_unsafe_embeds-editor-option-is-now-defaulted-to-true)

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38356** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacf8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-9hcv-j9pv-qmph>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38356>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/latest/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

**CVE-2024-38357** (RETIREJS) suppressed

Notes: Can not update beyond v5 for implementation reasons just now. tinyMCE is primarily used in non-pulbic way.

Unscored:

- Severity: medium

References:

- info - <https://github.com/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://github.com/tinymce/tinymce>
- info - <https://github.com/tinymce/tinymce/commit/5acb741665a98e83d62b91713c800abbff43b00d>
- info - <https://github.com/tinymce/tinymce/commit/a9fb858509f86dacf8b01cfd34653b408983ac0>
- info - <https://github.com/tinymce/tinymce/security/advisories/GHSA-w9jx-4g6g-rp7x>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-38357>
- info - <https://owasp.org/www-community/attacks/xss>
- info - <https://www.tiny.cloud/docs/tinymce/6/6.8.4-release-notes/#overview>
- info - <https://www.tiny.cloud/docs/tinymce/7/7.2-release-notes/#overview>

Vulnerable Software & Versions (RETIREJS):

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).  
This report may contain data retrieved from [RetireJS](#).  
This report may contain data retrieved from the [Sonatype OSS Index](#).