



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':standalone'

pdfc:standalone:25.4

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Fri, 25 Jul 2025 14:18:09 +0200
- *Dependencies Scanned:* 124 (123 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 1 ([show](#))
- ...
- *NVD API Last Checked:* 2025-07-25T12:16:15Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2025-07-25T12:16:15Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

| Dependency | Vulnerability IDs | Package | Highest Severity | CVE Count |
|--|---|---|------------------|-----------|
| Merlia-0.jar | | pkg:maven/lib/Merlia@0 | | 0 |
| analysis.language.zip: analysis.language.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |
| analysis.language.zip: guava.jar | cpe:2.3:a:google:guava:33.4.0:*:*:*:*:* | pkg:maven/com.google.guava/guava@33.4.0-jre | | 0 |
| analysis.language.zip: jsonic.jar | | | | 0 |
| analysis.language.zip: language-detector.jar | | pkg:maven/com.optimaize/language-detector/language-detector@0.6 | | 0 |
| command.jsonexport.zip: command. | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |

| | | | | |
|--|--|--|--|---|
| jsonexport.jar | | | | |
| comparison.api.zip: comparison.api.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| comparison.rpc.zip: comparison.rpc.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: app.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: compare.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: contextmenuextension. js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: contingent. js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: controller.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: descriptionarea.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: dropzone.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: export.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: factory.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: model.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: multipasswordpanel.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: mycomparisons.js | | | | 0 |
| comparison.webgui. zip: comparison. webgui.jar: | | | | 0 |

| | | | | |
|---|--|--|--|---|
| passwordpanel.js | | | | |
| comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: profil.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: profileentry.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: publishdialog.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: report.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: scroller.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: userlist.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js | | | | 0 |
| comparison.webgui.zip: comparison.webgui.jar: zoomer.js | | | | 0 |
| filter.area.zip: filter.area.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:***** | | | 0 |
| filter.baselinetable.zip: filter.baselinetable.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:***** | | | 0 |
| filter.cmappatch.zip: filter.cmappatch.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:***** | | | 0 |
| filter.headerfooter.zip: filter.headerfooter.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:***** | | | 0 |
| filter.hiderotation.zip: filter.hiderotation.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:***** | | | 0 |
| filter.invisibleelements.zip: filter. | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:***** | | | 0 |

| | | | | |
|---|--|--|--|---|
| invisibleelements.jar | | | | |
| filter.multicolumn.zip: filter.multicolumn.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| filter.ocr.zip: filter.ocr. jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| filter.pagerange.zip: filter.pagerange.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| filter.regex.zip: filter. regex.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| filter.regex.zip: filter. regex.jar: filterrenderer. js | | | | 0 |
| filter.texttransform.zip: filter.texttransform.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| filter.urllookup.zip: filter. urllookup.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| hamcrest-3.0.jar | | pkg:maven/org. hamcrest /hamcrest@3.0 | | 0 |
| inetcore-25.4-tools.jar | | pkg:maven /shared /inetcore@25.4 | | 0 |
| inetcore-25.4.jar (shaded: com.inet. shared:inetcore:null) | | | | 0 |
| inetcore-25.4.jar | | pkg:maven /shared /inetcore@25.4 | | 0 |
| java-21-jre-x64-linux. tar.gz: java-21-jre-x64- linux.tar: jrt-fs.jar | cpe:2.3:a:eclipse:platform:21.0.8:*:*:*: *:* | | | 0 |
| jlessc-1.12.jar | | pkg:maven/de. inetsoftware /jlessc@1.12 | | 0 |
| junit-4.13.2.jar | cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:* | pkg:maven/junit /junit@4.13.2 | | 0 |
| junit-jupiter-5.11.4.jar | | pkg:maven/org. junit.jupiter/junit- jupiter@5.11.4 | | 0 |
| junit-jupiter-api-5.11.4. jar | | pkg:maven/org. junit.jupiter/junit- jupiter-api@5. 11.4 | | 0 |
| junit-jupiter-engine- 5.11.4.jar | | pkg:maven/org. junit.jupiter/junit- jupiter- engine@5.11.4 | | 0 |
| junit-jupiter-params- 5.11.4.jar | | pkg:maven/org. junit.jupiter/junit- jupiter- params@5.11.4 | | 0 |

| | | | | |
|--|--|--|--|---|
| junit-platform-commons-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-commons@1.11.4 | | 0 |
| junit-platform-engine-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-engine@1.11.4 | | 0 |
| junit-platform-launcher-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4 | | 0 |
| junit-platform-suite-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite@1.11.4 | | 0 |
| junit-platform-suite-api-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4 | | 0 |
| junit-platform-suite-commons-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4 | | 0 |
| junit-platform-suite-engine-1.11.4.jar | | pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4 | | 0 |
| junit-vintage-engine-5.11.4.jar | | pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4 | | 0 |
| maintenance.pdf.zip: maintenance.pdf.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |
| maintenance.pdf.zip: maintenance.pdf.jar: app.js | | | | 0 |
| maintenance.pdf.zip: maintenance.pdf.jar: comparisons.js | | | | 0 |
| ocr.tesseract.zip: commons-logging.jar | | pkg:maven/commons-logging/commons-logging@1.3.4 | | 0 |
| ocr.tesseract.zip: fontbox.jar | | pkg:maven/org.apache.pdfbox/fontbox@3.0.3 | | 0 |
| ocr.tesseract.zip: jai-imageio-core.jar | | pkg:maven/com.github.jai-imageio/jai- | | 0 |

[imageio-core@1.4.0](#)

| | | | | |
|---|--|---|--|---|
| ocr.tesseract.zip: jbig2-imageio.jar | cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:* | pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4 | | 0 |
| ocr.tesseract.zip: jboss-vfs.jar | | pkg:maven/org.jboss/jboss-vfs@3.3.2.Final | | 0 |
| ocr.tesseract.zip: jna.jar | cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:* | | | 0 |
| ocr.tesseract.zip: jna.jar: jnidispatch.dll | | | | 0 |
| ocr.tesseract.zip: jna.jar: jnidispatch.dll | | | | 0 |
| ocr.tesseract.zip: jna.jar: jnidispatch.dll | | | | 0 |
| ocr.tesseract.zip: lept4j.jar | | pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1 | | 0 |
| ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll | | | | 0 |
| ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll | | | | 0 |
| ocr.tesseract.zip: ocr.tesseract.jar | cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.4.312:*:*:*:* cpe:2.3:a:tesseract_project:tesseract:25.4.312:*:*:*:* | | | 0 |
| ocr.tesseract.zip: pdfbox.jar | cpe:2.3:a:apache:pdfbox:3.0.3:*:*:*:* | pkg:maven/org.apache.pdfbox/pdfbox@3.0.3 | | 0 |
| ocr.tesseract.zip: tess4j.jar | cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:* | pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0 | | 0 |
| ocr.tesseract.zip: tess4j.jar: libtesseract541.dll | | | | 0 |
| ocr.tesseract.zip: tess4j.jar: libtesseract541.dll | | | | 0 |
| opentest4j-1.3.0.jar | | pkg:maven/org.opentest4j/opentest4j@1.3.0 | | 0 |
| parser.image.zip: parser.image.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:* | | | 0 |
| parser.pdf.config.zip: parser.pdf.config.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:* | | | 0 |
| parser.text.zip: parser. | cpe:2.3:a:inetsoftware:pdfc:25.4.312:* | | | 0 |

| | | | | |
|---|--|---|--|---|
| text.jar | ***** | | | |
| pdfc.standalone.zip: pdfc.standalone.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*: ***** | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: bridge.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: theme.js | | | | 0 |
| pdfc.standalone.zip: pdfc.standalone.jar: translation.js | | | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: collate:76.1) | | pkg:maven/com.ibm.icu/collate@76.1 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: core:76.1) | | pkg:maven/com.ibm.icu/core@76.1 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: currdata:76.1) | | pkg:maven/com.ibm.icu/currdata@76.1 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: langdata:76.1) | | pkg:maven/com.ibm.icu/langdata@76.1 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: regiondata:76.1) | | pkg:maven/com.ibm.icu/regiondata@76.1 | | 0 |
| pdfc.zip: icu4j.jar (shaded: com.ibm.icu: translit:76.1) | | pkg:maven/com.ibm.icu/translit@76.1 | | 0 |
| pdfc.zip: icu4j.jar | cpe:2.3:a:icu-project: international_components_for_unicode: 76.1:***** cpe:2.3:a:unicode: international_components_for_unicode: 76.1:***** | pkg:maven/com.ibm.icu/icu4j@76.1 | | 0 |

| | | | | |
|---|--|--|--|---|
| pdfc.zip: pdfc-javadoc.jar | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js | | pkg:javascript/jquery-ui@1.13.1 | | 0 |
| pdfc.zip: pdfc-javadoc.jar: member-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: module-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: package-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: script.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: search.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: tag-search-index.js | | | | 0 |
| pdfc.zip: pdfc-javadoc.jar: type-search-index.js | | | | 0 |
| pdfc.zip: pdfc.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |
| pdfcserver.zip: pdfcserver.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |
| pdfcserver.zip: pdfcserver.jar: compareconfigrender.js | | | | 0 |
| pdfcsetupwizard.zip: pdfcsetupwizard.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |
| pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js | | | | 0 |
| processbridge.pdf: processbridge.pdf: processbridge.pdf.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |
| slf4j-api-2.0.16.jar | | pkg:maven/org.slf4j/slf4j-api@2.0.16 | | 0 |
| taskplanner.pdf: taskplanner.pdf: taskplanner.pdf.jar | cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* | | | 0 |

Dependencies (vulnerable)

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/e4af937135679cc07f99529ee7ca127519bd3a06/Merlia-0.jar
MD5: 3eb81fb3cc977f1a3eb1fb26b2b38666
SHA1: e4af937135679cc07f99529ee7ca127519bd3a06
SHA256: b1d1878d936c27b010e6f3c123d8d7f2f7f6960a53e5b01b1b1c3d104c29b0a8
Referenced In Project/Scope: standalone:inetPlugin
Included by: pkg:maven/pdfc/standalone@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|----------------|----------|------------|
| Vendor | file | name | Merlia-0 | High |
| Vendor | gradle | artifactid | Merlia | Highest |
| Vendor | gradle | groupid | lib | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | tds | Low |
| Product | file | name | Merlia-0 | High |
| Product | gradle | artifactid | Merlia | Highest |
| Product | jar | package name | tds | Low |
| Version | file | name | Merlia-0 | Medium |
| Version | file | version | 0 | Medium |
| Version | gradle | version | 0 | Highest |
| Version | Manifest | driver-version | 8.13 | Medium |

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

analysis.language.zip: analysis.language.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/analysis.language.jar
MD5: 235ac7ce4b8a274143909ee2651034ac
SHA1: 4bbeb78e0593a0e29daf5ddac97e6dc8536182ae
SHA256: 147204a6a6a109837b754594ac139edb046e1c33c873d303db475765867e83e0
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | file | name | analysis.language | High |
| Vendor | jar | package name | analysis | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:59 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | analysis.language | High |
| Product | jar | package name | analysis | Highest |
| Product | jar | package name | analysis | Low |
| Product | jar | package name | language | Highest |
| Product | jar | package name | language | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:59 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | analysis.language | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | analysis.language | Medium |

| | | | | |
|---------|----------|------------------------|----------|---------|
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:****:* (Confidence:Low) suppress

analysis.language.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/guava.jar

MD5: 5732af16367192820c7bf177e9b29512

SHA1: 03fcc0a259f724c7de54a6a55ea7e26d3d5c0cac

SHA256: b918c98a7e44dbe94ebd9fe3e40cddaadb5a93e6a78eb6008b42df237241e538

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | guava | High |
| Vendor | jar | package name | common | Highest |
| Vendor | jar | package name | google | Highest |
| Vendor | Manifest | automatic-module-name | com.google.common | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Vendor | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Vendor | pom | artifactid | guava | Low |
| Vendor | pom | groupid | com.google.guava | Highest |

| | | | | |
|---------|----------|-----------------------|---------------------------------------|---------|
| Vendor | pom | name | Guava: Google Core Libraries for Java | High |
| Vendor | pom | parent-artifactid | guava-parent | Low |
| Vendor | pom | url | google/guava | Highest |
| Product | file | name | guava | High |
| Product | jar | package name | common | Highest |
| Product | jar | package name | google | Highest |
| Product | Manifest | automatic-module-name | com.google.common | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | bundle-docurl | https://github.com/google/guava/ | Low |
| Product | Manifest | Bundle-Name | Guava: Google Core Libraries for Java | Medium |
| Product | Manifest | bundle-symbolicname | com.google.guava | Medium |
| Product | pom | artifactid | guava | Highest |
| Product | pom | groupid | com.google.guava | Highest |
| Product | pom | name | Guava: Google Core Libraries for Java | High |
| Product | pom | parent-artifactid | guava-parent | Medium |
| Product | pom | url | google/guava | High |
| Version | pom | version | 33.4.0-jre | Highest |

Identifiers

- [pkg:maven/com.google.guava/guava@33.4.0-jre](#) (*Confidence:High*)
- [cpe:2.3:a:google:guava:33.4.0:*:*:*:*:*](#) (*Confidence:Highest*) suppress

analysis.language.zip: jsonic.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/jsonic.jar

MD5: 504496d0069da0121c059c219147e90c

SHA1: 98e8a1f25aa40ed92ff2ecca4d1301d48b552452

SHA256: 150e3ac24b103cb0cd50595018dbe3c8ba4b3dee81a76eb4b987607f96e9602b

Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|--------|------|--------|------------|
| Vendor | file | name | jsonic | High |

| | | | | |
|---------|------|--------------|--------|------|
| Vendor | jar | package name | arnx | Low |
| Vendor | jar | package name | jsonic | Low |
| Vendor | jar | package name | net | Low |
| Product | file | name | jsonic | High |
| Product | jar | package name | arnx | Low |
| Product | jar | package name | jsonic | Low |

Identifiers

- None

analysis.language.zip: language-detector.jar

Description:

Language Detection Library for Java.

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/analysis.language.zip/language-detector.jar

MD5: e5475d5cabd54e5ddf6428d63864888f

SHA1: 52fee1eaa101f8d3e30b7095e1b6e0054d514dde

SHA256: f53ecc3d71da9ebc82edd10fb35638d32e8b9d849273dd717a021eca02f2278d

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|----------------|-------------------|------------|
| Vendor | file | name | language-detector | High |
| Vendor | jar | package name | langdetect | Low |
| Vendor | jar | package name | languagedetector | Highest |
| Vendor | jar | package name | optimaize | Highest |
| Vendor | jar | package name | optimaize | Low |
| Vendor | pom | artifactid | language-detector | Low |
| Vendor | pom | developer name | Fabian Kessler | Medium |
| Vendor | pom | developer name | François ROLAND | Medium |
| Vendor | pom | developer name | Nakatani Shuyo | Medium |
| Vendor | pom | developer name | Robert Theis | Medium |

| | | | | |
|---------|------|----------------|--------------------------------|---------|
| Vendor | pom | groupid | com.optimaize.languagedetector | Highest |
| Vendor | pom | name | language-detector | High |
| Vendor | pom | url | optimaize/language-detector | Highest |
| Product | file | name | language-detector | High |
| Product | jar | package name | langdetect | Low |
| Product | jar | package name | languagedetector | Highest |
| Product | jar | package name | optimaize | Highest |
| Product | pom | artifactid | language-detector | Highest |
| Product | pom | developer name | Fabian Kessler | Low |
| Product | pom | developer name | François ROLAND | Low |
| Product | pom | developer name | Nakatani Shuyo | Low |
| Product | pom | developer name | Robert Theis | Low |
| Product | pom | groupid | com.optimaize.languagedetector | Highest |
| Product | pom | name | language-detector | High |
| Product | pom | url | optimaize/language-detector | High |
| Version | pom | version | 0.6 | Highest |

Identifiers

- pkg:maven/com.optimaize.languagedetector/language-detector@0.6 (*Confidence:High*)

command.jsonexport.zip: command.jsonexport.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/command.jsonexport.zip/command.jsonexport.jar
MD5: c7a90784b82092ed6c78f9bb28d4c957
SHA1: 9f96b220656fc6ec99994761cf0ece5143304183
SHA256: 6b5c7618e6de3e26aff722e7c15a586d5cdafd0333719f20466f01cb10a2086e
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|--------------------|------------|
| Vendor | file | name | command.jsonexport | High |
| Vendor | jar | package name | command | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | command.jsonexport | High |
| Product | jar | package name | command | Highest |
| Product | jar | package name | command | Low |
| Product | jar | package name | json | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | command.jsonexport | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | command.jsonexport | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*) suppress

comparison.api.zip: comparison.api.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.api.zip/comparison.api.jar

MD5: 6dc5c953eb4eab1b2661038a90c2d928

SHA1: 67b9cfd542d6db12f703057c721056cdb20ced4a

SHA256: 519d3c4e32cec119fb1fe7db49479b56457a2643aa5b92c309ce5638240ddd0

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | comparison.api | High |
| Vendor | jar | package name | comparisonapi | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.api | High |
| Product | jar | package name | comparisonapi | Low |

| | | | | |
|---------|----------|--|------------------|---------|
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.api | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | comparison.api | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*) suppress

comparison.rpc.zip: comparison.rpc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.rpc.zip/comparison.rpc.jar

MD5: da9cc61c5e6ce5bab30711867aef4e11

SHA1: 9eaa197825f845500b008a9b32205bc1639dbad6

SHA256: 84b78d1897eef19add015204c1d732fb48f9a21f12c61224e483113d13841bc3

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|----------------|------------|
| Vendor | file | name | comparison.rpc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | rpc | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.rpc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | rpc | Highest |
| Product | jar | package name | rpc | Low |
| Product | jar | package name | websocket | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | comparison.rpc | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | comparison.rpc | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

comparison.webgui.zip: comparison.webgui.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar
MD5: ce1496ad0bebea0e502cc0e655089ddd
SHA1: 7f91e4f3a7eba09376307b54e1e8eeb22857e567
SHA256: 69cfb3fdfe41a87685a81edf2a85e0435027bcd417f6eb031b914b82d2d5fc5
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | comparison.webgui | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | webgui | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | comparison.webgui | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | server | Low |
| Product | jar | package name | webgui | Highest |
| Product | jar | package name | webgui | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | implementation-group | pdfc | Low |

| | | | | |
|---------|----------|------------------------|-------------------|---------|
| Product | Manifest | Implementation-Title | comparison.webgui | High |
| Product | Manifest | specification-title | comparison.webgui | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low)

suppress

comparison.webgui.zip: comparison.webgui.jar: app.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/app.js

MD5: 2e4ad8b6a0f9a76284c281df29d4ae4d

SHA1: c715d01b3797ea1cc4e3615d97412a8d2cf8a067

SHA256: c1ace93a6f794644bab65004932e9335d040e375a3d93c6ca4f7029bc5e06e59

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: compare.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/compare.js

MD5: fe7f8734bc1028998896d5481e83ec96

SHA1: 629930095748e05440178c2e8b85ee6e6e77d4c8

SHA256: 6f2dc1284b4be78d07a1513d814d4985861a476832231825b5917d4274304ae9

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contextmenuextension.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/drive/contextmenuextension.js

MD5: eae9fe75a066b1ae24dd4129630d1072

SHA1: 38ea62246d2d53d55b07336b84bb2a00f16c0f3f

SHA256: e19f73b725f90f01fd3f2e4c9110579a076c51b46947c55ed5e781898955d981

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: contingent.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/contingent.js

MD5: 10782a90b423f2db0450adaa8944f25a

SHA1: 8d7242260155b1bc6cbca8cd0fa034c3be0c021b

SHA256: c54c35e7c00b764c4e9b7511916a30510158e88b8c8e5ee4d61c7302a7d87295

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/controller.js

MD5: 977c91c73c21098ba5fec977cc6c0768

SHA1: c6abeca9e064164218c9f78476cf3d4d1ee75d4d

SHA256: 0f96865a41ece89e9bf83ba206f096b61e7d7026e5d3fd5b86e6b5f177cd180e

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: descriptionarea.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/descriptionarea.js

MD5: 14028f3ecbcfc96a785ea29eec407af0

SHA1: c89033c6f1414aabc1e006e78079167ab6ffb194

SHA256: 64973d746a823e043ad9df56ce9aff83dbe2f89cea86bed498cfe1dc82d799ca

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: dropzone.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/dropzone.js

MD5: 2856733a745b9f8fdb7e8f5806f32299

SHA1: e644c116bc9337732ee3fd448430f5ad7c9056f1

SHA256: 37993d37570580a0b7d0ab92083862738ab1aa30c9767241a29173342a08e1bb

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: export.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/export.js

MD5: 5a9324f394f0c1d72dc439a5116731e4

SHA1: 868b2ea069d71ea15ba88cb2b6759433ddc1a367

SHA256: 196971b3452a5c1ba2e3dd0a6f37560df39ef90a6fd9950d1996a8375f6df1dd

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: factory.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/factory.js

MD5: ae51bbc0f34f3fdf3d07421cc9710283

SHA1: b1dedb5423fa7d010ac58e11a3529d8fea4024d5
SHA256: a6c16801e3693f8c5b6d20f8b554bb0acfec2d919f916328211477b8cff38239
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: model.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/model.js
MD5: bf9df0234fcd2eb46f769206c4080fb5
SHA1: 089cec63bfbf392d8e10738a0abf51cc3fc6bd1c
SHA256: f53a5668fefbb2b5d8a95dc1004b49b191a56885cf74babe58b3d6399b10579f
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: multipasswordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/multipasswordpanel.js
MD5: 34d4d5fd0cf1fa77d569e928af1a00aa
SHA1: 230e35fe5f8f5a48ccd930cee3c79f16df858b97
SHA256: 28be5c583ef3c82dca061d79f33a43f3672421b6a1b42e460a444f296d49a79a
Referenced In Project/Scope: standalone


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

comparison.webgui.zip: comparison.webgui.jar: mycomparisons.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/mycomparisons.js
MD5: ec823fcf834bc8b9c79050fc5ee6a84e
SHA1: 0683120ef8ec8c044248b93375348549fce783d5
SHA256: 713e5065e3623b225277c4718c9763e2785272ded0b6cc476f0ff20724401017
Referenced In Project/Scope: standalone

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

comparison.webgui.zip: comparison.webgui.jar: passwordpanel.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/passwordpanel.js
MD5: 4e69b1954226ce194fd836df7ad77e35
SHA1: 6e79c7f2354f08c8effe8adfd66c6dcaff4bdb8c
SHA256: 6078c754f425f4087a05cf8e6aca77ab5b6c9df996e5143d730f32bd8f46ca21
Referenced In Project/Scope: standalone

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

comparison.webgui.zip: comparison.webgui.jar: pdfconfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/pdfconfig.js
MD5: 676338e9e274fd0d9ab59db49e3ea86f
SHA1: 5c8a910bd5453a9e9ff6163db9f760533e9db5b6
SHA256: 3cbb5959eb832a0c7880d2a0c58a4f82cc6e66b177b4aeef49a87540265b96f
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profil.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/profil.js
MD5: a80e7a67200f9bebc58cc1b1f648ba81
SHA1: 67a71dca22d20ed3e4cacd59e7b013052bba6059
SHA256: 1eb1aed349f9e8d0781de9f352733a58b6a4fcac9e89d259888005099b5216d8
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: profileentry.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/profileentry.js
MD5: 70fba9a0806250f9c3f559012ebdfc5
SHA1: 911155de0ffa9aff766b028eff7d2a74557da44c
SHA256: 7dc35ebc9b13805fc2160bd904bea53c880ab49854079e55e4f141984b6ab075
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishdialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/publishdialog.js
MD5: 3c6b3557cb70409b766dcadc7593ef40
SHA1: 15ab54e19f4ed112a10fc9bb380d5613f4c9e10f
SHA256: bc6ff09abcaa54afd0b07b558cec428824f5e1b157a5459e3eb2308802eca100
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: publishprofiledialog.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/publishprofiledialog.js
MD5: 15cb57cdb21d62986b893e35495ac8d0

SHA1: 060e44459b5a3e7b684be7a9faefd5683a22ea9
SHA256: c1ce1c1ef7c98cb682a6844bec27307b2e7aee3403b607ce6743394984d5f481
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: report.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/report.js
MD5: 161485eaea5b9b5f65d479f48911c56f
SHA1: edc976c964a05132b9b34aa9b3d8d282147bbc04
SHA256: 35e773c2f1fa99f13a7aac090863d403636547f5b7df7e0c05a88b3eda6f1ecc
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: scroller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/scroller.js
MD5: 258842a58c95114e959f659bfa15d9a7
SHA1: f947fcb0b63cc56cacedf1d9f3f812b3330586b
SHA256: 4d7e9feb475bec916fc11571fbf16ac1f9113abf4db43bdd18bd4f3ae0560666
Referenced In Project/Scope: standalone


Evidence



| Type | Source | Name | Value | Confidence |
|-------------|--------|------|-------|------------|
| Identifiers | | | | |
| • None | | | | |

comparison.webgui.zip: comparison.webgui.jar: searchcomponent.js


File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/searchcomponent.js
MD5: bdc3caac35d953edd2e6f68c0d4bfd74
SHA1: ef70a291cb7226084945b2648356f3a389b7fa58
SHA256: 36620c84f1984fc0d8f98256fb345a0329ab25c834dcfa8c916d552ff370799e
Referenced In Project/Scope: standalone

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
| • None | | | | |

comparison.webgui.zip: comparison.webgui.jar: userlist.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/userlist.js
MD5: f0280a91fc83e571ef486c22a7f93ef7
SHA1: 68abf77cf988cad21dd9dad06a89175f906b1d9e
SHA256: 1b0b6bc3b19aa7a697b17a94c617ad8e1807b10ac7de9d9292bfdc3f929c41cb
Referenced In Project/Scope: standalone

| Evidence  | | | | |
|--|--------|------|-------|------------|
| Type | Source | Name | Value | Confidence |

| | | | | |
|-------------|--|--|--|--|
| Identifiers | | | | |
|-------------|--|--|--|--|

- None

comparison.webgui.zip: comparison.webgui.jar: visibilitysettings.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/visibilitysettings.js
MD5: 1f6d120c92d4c7e6c41cc4368b09ebac
SHA1: 9cdf600708312b16e2d9eadd26aea32da1ffc7d2
SHA256: 50fe2d4678259193d90aae7c481487d02566b4c92ba3ca4d7c2cf13c9e345250
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

comparison.webgui.zip: comparison.webgui.jar: zoomer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/comparison.webgui.zip/comparison.webgui.jar/com/inet/pdfc/webgui/client/js/directives/zoomer.js
MD5: 9292c505ec54cc329a2c2f0dc6612a43
SHA1: 724665a18dfc42d5fb8ba99a8010022de75bfccd
SHA256: d9d4db5a4a662a0887793825308e350047a54dc41810200c7ffb732c57a61f1c
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

filter.area.zip: filter.area.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.area.zip/filter.area.jar
MD5: 27cb8618f58fbbbe7b66c621bd8d3e18
SHA1: 0531fbd1b506c32f3b08997560270dc74eebae1f
SHA256: 0460c958ac316ea53ef2a6065d452d2bb5ea51a96dd6f37d2c6dfe71660f6c55
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.area | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:57 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.area | High |
| Product | jar | package name | area | Highest |
| Product | jar | package name | area | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable- | * | Low |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| | | codebase | | |
| Product | Manifest | built-date | 2025-07-25 13:57 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.area | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.area | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:****:* (Confidence:Low) suppress

filter.baselinetable.zip: filter.baselinetable.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.baselinetable.zip/filter.baselinetable.jar
MD5: 21818c770de1459a3e2d4b889e000037
SHA1: 6e2f4b978ee2db80af25091a36cc796fe541ce7b
SHA256: 27f0da40dc7e5df2695bc82547bd7439f105bf30e5e7f9db64990cad6228a3b2
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--|----------------------|------------|
| Vendor | file | name | filter.baselinetable | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:58 | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.baselinetable | High |
| Product | jar | package name | baselinetable | Highest |
| Product | jar | package name | baselinetable | Low |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:58 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.baselinetable | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.baselinetable | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

• cpe:2.3:a:inetsoftware:pdfc:25.4.312:****:* (Confidence:Low) suppress

filter.cmappatch.zip: filter.cmappatch.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.cmappatch.zip/filter.cmappatch.jar

MD5: 0984be1ad4e38d9483e1689a7fb305f8

SHA1: 87fbed6760b21b6fa1498c87d9493321bfe4b78b

SHA256: bb54d0d019e2d0645c57c2e4cae99e368931e3e7f3ce5ef3be1b132039765fb7

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.cmappatch | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.cmappatch | High |
| Product | jar | package name | cmappatch | Highest |
| Product | jar | package name | cmappatch | Low |
| Product | jar | package name | filter | Highest |

| | | | | |
|---------|----------|--|------------------|---------|
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.cmappatch | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.cmappatch | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low)

suppress

filter.headerfooter.zip: filter.headerfooter.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.headerfooter.zip/filter.headerfooter.jar

MD5: 5468ed1040b170c78b4677a4ae461987

SHA1: 1b83b80f7cd06485845ef65038a9cda3c7442d3d

SHA256: e315c65d3852c90860b354eaf00c4959ec3e724d85c5a67b3a64d5d40b9fb5c7

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|--------------|---------------------|------------|
| Vendor | file | name | filter.headerfooter | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:57 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.headerfooter | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | headerfooter | Highest |
| Product | jar | package name | headerfooter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:57 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.headerfooter | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.headerfooter | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |

| | | | | |
|---------|----------|------------------------|----------|------|
| Version | Manifest | Implementation-Version | 25.4.312 | High |
|---------|----------|------------------------|----------|------|

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*) suppress

filter.hiderotation.zip: filter.hiderotation.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.hiderotation.zip/filter.hiderotation.jar

MD5: 8870cd333cf87c1f7384a74a2d268ba8

SHA1: 683be2092dd9bffd7bc080eab6883a62030b16e

SHA256: 2a6195148afabb02162f088c4f433317eecf25d7f7dffc23aa0324ab778d45c1

Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.hiderotation | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:55 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |

| | | | | |
|---------|----------|--|---------------------|---------|
| Product | file | name | filter.hiderotation | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | hiderotation | Highest |
| Product | jar | package name | hiderotation | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:55 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.hiderotation | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.hiderotation | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*)

suppress

filter.invisibleelements.zip: filter.invisibleelements.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.invisibleelements.zip/filter.invisibleelements.jar

MD5: 18d74534fcdf3a6207bf7268fb3ff2eb

SHA1: 5df32374d591712039b2028da6f05da914e3d579

SHA256: c1a66f79d3fb5c353489d7f6e1b77a119a06350729a73466ceb0e277a18c4ed0

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.invisibleelements | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:55 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.invisibleelements | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | invisibleelements | Highest |
| Product | jar | package name | invisibleelements | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:55 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.invisibleelements | High |

| | | | | |
|---------|----------|------------------------|--------------------------|---------|
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.invisibleelements | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

filter.multicolumn.zip: filter.multicolumn.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.multicolumn.zip/filter.multicolumn.jar

MD5: a3a7eb73728c2267e5fc7ea70b4fd87e

SHA1: 47a27ca36d511b4f55c9db903ee1b46fcc36a0c9

SHA256: 608e55f0b684980b1e9bce029f485cea136b8e2986c15564dea745614d386d5c

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|--------------------|------------|
| Vendor | file | name | filter.multicolumn | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:55 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.multicolumn | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | multicolumn | Highest |
| Product | jar | package name | multicolumn | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:55 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.multicolumn | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.multicolumn | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.ocr.zip/filter.ocr.jar
MD5: e1555531d57f44f1415c621032889a3b
SHA1: 06471628717735bf0fe4e13aa2a0c71831a498a3
SHA256: 78e4b7cec7a7915623269cade6059e67484a4b9a590fdcb8db86c7ec0e7616de
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.ocr | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:53 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.ocr | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | ocr | Highest |
| Product | jar | package name | ocr | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | built-date | 2025-07-25 13:53 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.ocr | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.ocr | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low)

suppress

filter.pagerange.zip: filter.pagerange.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.pagerange.zip/filter.pagerange.jar

MD5: 9f17244bf89b9a8e3cca0a950ffdd1ab

SHA1: 3776232e2d53657daf89d3c5792af4bb83300e44

SHA256: 93dde9399447701723da6acb1f727c9296748408e438c140432f6e0b5253b54a

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | filter.pagerange | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:58 | Low |
| Vendor | Manifest | codebase | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.pagerange | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | page | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:58 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.pagerange | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.pagerange | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:****:*:*:* (Confidence:Low)

suppress

filter.regex.zip: filter.regex.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar

MD5: c60ed5348c5b2459e807a7a5752b6c29

SHA1: 59b31fb813aefd17b86f1c4ffc91cced5b6a0fce

SHA256: f5f2e0cb6e095ea8b173b4dd2590ea437ffed5b0de19c0117344f7d908ef0b5

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.regex | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.regex | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | regex | Highest |

| | | | | |
|---------|----------|--|------------------|---------|
| Product | jar | package name | regex | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.regex | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.regex | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- `cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:*` (*Confidence:Low*) suppress

filter.regex.zip: filter.regex.jar: filterrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.regex.zip/filter.regex.jar/com/inet/pdfc/filter/regex/structure/filterrenderer.js
MD5: fed6198a818efccd3e71fac743e61c3f
SHA1: dc6d579196c5b147daac7e14e034e2b004ca36f2
SHA256: 87b3e46faf43504c51e1ad9407e3d6c17a3bcd8170c14ea7df3b1f4282275442
Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

filter.texttransform.zip: filter.texttransform.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.texttransform.zip/filter.texttransform.jar

MD5: d9444d0c1cee158d2f019b76fd31f371

SHA1: 79c24cd8554ecd432bda7b32f861a2efc948b9bb

SHA256: 7f09ef0e7234fc22a0b2b97d8d6646089819f13b03e2f9cb0d93e9c87f937e83

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | filter.texttransform | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:51 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.texttransform | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | texttransform | Highest |

| | | | | |
|---------|----------|--|----------------------|---------|
| Product | jar | package name | texttransform | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:51 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.texttransform | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.texttransform | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*) suppress

filter.urllookup.zip: filter.urllookup.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/filter.urllookup.zip/filter.urllookup.jar

MD5: c8b3a5c669089f974fba9537afc44462

SHA1: e653a16a500c14d614b5fc69d49e0a5145d75331

SHA256: 696590dba179ef5146a9a1261dce6b66a5d50d82e3007166b04e6e46a1c48cbe

Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|----------|--------------|------------------|------------|
| Vendor | file | name | filter.urllookup | High |
| Vendor | jar | package name | filter | Low |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application- | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| | | library-allowable-codebase | | |
| Vendor | Manifest | built-date | 2025-07-25 13:58 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | filter.urllookup | High |
| Product | jar | package name | filter | Highest |
| Product | jar | package name | filter | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | urllookup | Highest |
| Product | jar | package name | urllookup | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:58 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | filter.urllookup | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | filter.urllookup | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:***** (Confidence:Low) suppress

hamcrest-3.0.jar

License:

BSD-3-Clause

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

MD5: 781023c38b054e9cf1c818c77895e1eb

SHA1: 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

SHA256: 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

Referenced In Project/Scope: standalone:inetPlugin

Included by: pkg:maven/pdfc/standalone@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--------------|------------|
| Vendor | file | name | hamcrest | High |
| Vendor | gradle | artifactid | hamcrest | Highest |
| Vendor | gradle | groupid | org.hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Highest |
| Vendor | jar | package name | hamcrest | Low |
| Vendor | Manifest | automatic-module-name | org.hamcrest | Medium |
| Vendor | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Vendor | Manifest | Implementation-Vendor | hamcrest.org | High |
| Product | file | name | hamcrest | High |
| Product | gradle | artifactid | hamcrest | Highest |
| Product | jar | package name | hamcrest | Highest |
| Product | Manifest | automatic-module-name | org.hamcrest | Medium |
| Product | Manifest | Bundle-Name | org.hamcrest | Medium |
| Product | Manifest | bundle-symbolicname | org.hamcrest | Medium |
| Product | Manifest | Implementation- | hamcrest | High |

| | | Title | | |
|---------|----------|------------------------|-----|------|
| Version | file | version | 3.0 | High |
| Version | Manifest | Implementation-Version | 3.0 | High |

Identifiers

- <pkg:maven/org.hamcrest/hamcrest@3.0> (*Confidence:High*est)

inetcore-25.4-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/683adac2a1b6976d2cb33d8beeb4e76d7405d2fb/inetcore-25.4-tools.jar

MD5: 59762d3e2b2ac69c0a5a7135806e7bb2

SHA1: 683adac2a1b6976d2cb33d8beeb4e76d7405d2fb

SHA256: c2b7fdc6d4247b76be0729130222a5e1331faaf698a1ea587f715755c16622c1

Referenced In Project/Scope: standalone:inetPlugin

Included by: pkg:maven/pdfc/standalone@25.4

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|--------------|----------|------------|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | test | Low |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Version | file | name | inetcore | Medium |
| Version | file | version | 25.4 | High |
| Version | gradle | version | 25.4 | Highest |

Identifiers

- <pkg:maven/shared/inetcore@25.4> (*Confidence:High*est)

inetcore-25.4.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/e656c46b485008509b15376ce2d91d347163a3e8/inetcore-25.4.jar/META-INF/com/inet/shared/utis/BlendComposite/pom.xml

MD5: b7bc59004e73f85cce4369bc5e034e6b

SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de

SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Referenced In Project/Scope: standalone:inetPlugin

Evidence

| Type | Source | Name | Value | Confidence |
|---------|------------|-----------------|-------------------------------|------------|
| Vendor | pom | artifactid | inetcore | Low |
| Vendor | pom | developer email | contact@inetsoftware.de | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer id | inetsoftware | Medium |
| Vendor | pom | developer id | romainguy | Medium |
| Vendor | pom | developer id | sun | Medium |
| Vendor | pom | developer name | i-net /// software | Medium |
| Vendor | pom | developer name | Romain Guy | Medium |
| Vendor | pom | developer name | Sun | Medium |
| Vendor | pom | developer org | Sun | Medium |
| Vendor | pom | groupid | com.inet.shared | Highest |
| Vendor | pom | name | BlendComposite and ColorUtils | High |
| Vendor | pom (hint) | developer id | oracle | Medium |
| Vendor | pom (hint) | developer name | oracle | Medium |
| Vendor | pom (hint) | developer org | oracle | Medium |
| Product | pom | artifactid | inetcore | Highest |
| Product | pom | developer email | contact@inetsoftware.de | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer id | inetsoftware | Low |
| Product | pom | developer id | romainguy | Low |

| | | | | |
|---------|-----|----------------|-------------------------------|---------|
| Product | pom | developer id | sun | Low |
| Product | pom | developer name | i-net /// software | Low |
| Product | pom | developer name | Romain Guy | Low |
| Product | pom | developer name | Sun | Low |
| Product | pom | developer org | Sun | Low |
| Product | pom | groupid | com.inet.shared | Highest |
| Product | pom | name | BlendComposite and ColorUtils | High |

Identifiers

- None

inetcore-25.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.4/e656c46b485008509b15376ce2d91d347163a3e8/inetcore-25.4.jar

MD5: 2ceabad75276d045c2fbba6d845a3ad6

SHA1: e656c46b485008509b15376ce2d91d347163a3e8

SHA256: 5871593078ad5cc585c35a71aa075d6bfd073f90b8fab2e8ca6db45ffa4f8670

Referenced In Project/Scope: standalone:inetPlugin

Included by: pkg:maven/pdfc/standalone@25.4

Evidence +

| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | inetcore | High |
| Vendor | gradle | artifactid | inetcore | Highest |
| Vendor | gradle | groupid | shared | Highest |
| Vendor | jar | package name | i | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 09:56 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | shared | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | inetcore | High |
| Product | gradle | artifactid | inetcore | Highest |
| Product | jar | package name | permissions | Highest |
| Product | jar | package name | shared | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 09:56 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | shared | Low |
| Product | Manifest | Implementation-Title | inetcore | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | inetcore | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | file | name | inetcore | Medium |
| Version | file | version | 25.4 | High |
| Version | gradle | version | 25.4 | Highest |
| Version | jar | package name | permissions | Highest |
| Version | jar | package name | shared | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- [pkg:maven/shared/inetcore@25.4](#) (*Confidence:High*est)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar
MD5: fd232b1a93c699d86f56595d88cc54da
SHA1: 5c034ec23e7858f7e3a5be3970833e12a9555f11
SHA256: ca81222a25fccfd0ecc9ef5c3d1efee0634e7938ab3c245e69b5bc0a55019028
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|------------------------|---------------------------------|------------|
| Vendor | file | name | jrt-fs | High |
| Vendor | jar | package name | internal | Low |
| Vendor | jar | package name | jdk | Low |
| Vendor | jar | package name | jimage | Low |
| Vendor | Manifest | Implementation-Vendor | Eclipse Adoptium | High |
| Vendor | Manifest | specification-vendor | Oracle Corporation | Low |
| Product | file | name | jrt-fs | High |
| Product | jar | package name | internal | Low |
| Product | jar | package name | jimage | Low |
| Product | Manifest | Implementation-Title | Java Runtime Environment | High |
| Product | Manifest | specification-title | Java Platform API Specification | Medium |
| Version | Manifest | Implementation-Version | 21.0.8 | High |

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.8:*:*:*:*:*](#) (Confidence:Medium) suppress

jlessc-1.12.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar
MD5: 8e0d57ed6e6809be8002db58024c370e
SHA1: 8ea5dba973ee8e969a243e08e47a27ca48121b5c
SHA256: 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8
Referenced In Project/Scope: standalone:inetPlugin
Included by: pkg:maven/pdfc/standalone@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | jlessc | High |
| Vendor | gradle | artifactid | jlessc | Highest |
| Vendor | gradle | groupid | de.inetsoftware | Highest |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | less | Low |
| Vendor | jar | package name | lib | Low |
| Vendor | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Vendor | Manifest | Implementation-Vendor | i-net software GmbH, Berlin, Germany | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Product | file | name | jlessc | High |
| Product | gradle | artifactid | jlessc | Highest |
| Product | jar | package name | less | Low |
| Product | jar | package name | lib | Low |
| Product | Manifest | automatic-module-name | de.inetsoftware.jlessc | Medium |
| Product | Manifest | bundle-symbolicname | de.inetsoftware.jlessc | Medium |
| Product | Manifest | Implementation-Title | JLessC, a Less CSS compiler | High |
| Version | file | version | 1.12 | High |
| Version | Manifest | Implementation-Version | 1.12 | High |

Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.12](https://maven.inetsoftware.de/jlessc/1.12) (*Confidence: Highest*)

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar
MD5: d98a9a02a99a9acd22d7653cbcc1f31f
SHA1: 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12
SHA256: 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3
Referenced In Project/Scope: standalone:inetPlugin
Included by: pkg:maven/pdfc/standalone@25.4

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|------------------|------------|
| Vendor | file | name | junit | High |
| Vendor | gradle | artifactid | junit | Highest |
| Vendor | gradle | groupid | junit | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | Manifest | automatic-module-name | junit | Medium |
| Vendor | Manifest | implementation-url | http://junit.org | Low |
| Vendor | Manifest | Implementation-Vendor | JUnit | High |
| Vendor | Manifest | Implementation-Vendor-Id | junit | Medium |
| Product | file | name | junit | High |
| Product | gradle | artifactid | junit | Highest |
| Product | jar | package name | junit | Highest |
| Product | Manifest | automatic-module-name | junit | Medium |
| Product | Manifest | Implementation-Title | JUnit | High |
| Product | Manifest | implementation-url | http://junit.org | Low |
| Version | file | version | 4.13.2 | High |
| Version | Manifest | Implementation-Version | 4.13.2 | High |

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (Confidence: Highest) suppress

junit-jupiter-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.11.4/a699f024a4a4706b36bddbeb42d499aff9e09379/junit-jupiter-5.11.4.jar

MD5: 0ff4b8499092fdeb7905380e53e848cb

SHA1: a699f024a4a4706b36bddbeb42d499aff9e09379

SHA256: aa880e4afba87d447357e4c1fc098c5cb1d200cb9403496c00d3b35a5bd0e8db

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/pdfc/standalone@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-jupiter | High |
| Vendor | gradle | artifactid | junit-jupiter | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter | High |
| Product | gradle | artifactid | junit-jupiter | Highest |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter | High |
| Product | Manifest | specification-title | junit-jupiter | Medium |
| Version | file | version | 5.11.4 | High |
| | | | | |

| | | | | |
|---------|----------|------------------------|--------|------|
| Version | Manifest | Implementation-Version | 5.11.4 | High |
|---------|----------|------------------------|--------|------|

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4](#) (*Confidence: Highest*)

junit-jupiter-api-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.11.4/308315b28e667db4091b2ba1f7aa220d1ddadb97/junit-jupiter-api-5.11.4.jar

MD5: e055a09339f2abd6ad3dc6d206ff1c3a

SHA1: 308315b28e667db4091b2ba1f7aa220d1ddadb97

SHA256: ab83ef9e51ac4597d59d26b4b58812129550e2f579a404c8af7d09f5ce5b4293

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-jupiter-api | High |
| Vendor | gradle | artifactid | junit-jupiter-api | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | api | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | file | name | junit-jupiter-api | High |
| Product | gradle | artifactid | junit-jupiter-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter API | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-api | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-api | High |
| Product | Manifest | specification-title | junit-jupiter-api | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.11.4](https://maven.org/junit/jupiter/junit-jupiter-api@5.11.4) (*Confidence*:Highest)

junit-jupiter-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.11.4/dc10ec209623986a68ea07f67cdc7d2a65a60355/junit-jupiter-engine-5.11.4.jar

MD5: ff0242ed33cb684ec5a1d02164c5d26d

SHA1: dc10ec209623986a68ea07f67cdc7d2a65a60355

SHA256: cdf8ac59f3fad774ca738ad03890950eeb91833ef0e8908753177edd26f1581c

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/pdfc/standalone@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor | file | name | junit-jupiter-engine | High |
| Vendor | gradle | artifactid | junit-jupiter-engine | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-engine | High |
| Product | gradle | artifactid | junit-jupiter-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-engine | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.11.4" | Low |
| Product | Manifest | specification-title | junit-jupiter-engine | Medium |

| | | | | |
|---------|----------|------------------------|--------|------|
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4](#) (Confidence: Highest)

junit-jupiter-params-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.11.4/e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481/junit-jupiter-params-5.11.4.jar

MD5: 2eee588489ec62b5134fa04cff32592c

SHA1: e4c86fbe2a39c60c6b87260ef7f7e7c1a1906481

SHA256: 02a6e015de7ce94ac7f256e7fa05b8091dea861fe79a555a7993313d0f6c7d96

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-jupiter-params | High |
| Vendor | gradle | artifactid | junit-jupiter-params | Highest |
| Vendor | gradle | groupid | org.junit.jupiter | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | jupiter | Highest |
| Vendor | jar | package name | jupiter | Low |
| Vendor | jar | package name | params | Highest |
| Vendor | jar | package name | params | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-jupiter-params | High |
| Product | gradle | artifactid | junit-jupiter-params | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | jupiter | Highest |
| Product | jar | package name | jupiter | Low |
| Product | jar | package name | params | Highest |
| Product | jar | package name | params | Low |
| Product | jar | package name | shadow | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Jupiter Params | Medium |
| Product | Manifest | bundle-symbolicname | junit-jupiter-params | Medium |
| Product | Manifest | Implementation-Title | junit-jupiter-params | High |
| Product | Manifest | specification-title | junit-jupiter-params | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.11.4](https://maven.org/junit/jupiter/junit-jupiter-params@5.11.4) (*Confidence:High*est)

junit-platform-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.11.4/8898eea3ed0da2641548d602c3e308804f166303/junit-platform-commons-1.11.4.jar

MD5: 7e51034e6332ac61c11f9a00eb1d9471

SHA1: 8898eea3ed0da2641548d602c3e308804f166303

SHA256: 9edd969b0d0670c54105bc91ae79bd1c6f503e12115faba82073b84c86bbc334

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-commons | High |
| Vendor | gradle | artifactid | junit-platform-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | commons | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | org | Highest |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-commons | High |
| Product | gradle | artifactid | junit-platform-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-commons | Medium |
| Product | Manifest | Implementation-Title | junit-platform-commons | High |
| | | | | |

| | | | | |
|---------|----------|------------------------|------------------------|--------|
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | junit-platform-commons | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.11.4](https://maven.org/junit.platform/junit-platform-commons@1.11.4) (*Confidence: Highest*)

junit-platform-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.11.4/21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0/junit-platform-engine-1.11.4.jar

MD5: a2489480705c1a83a9e371b053046987

SHA1: 21f61b123ad6ac8f7e73971bff3a096c8d8e1cd0

SHA256: b1dd998f64f9acadc15966d9cd3d08074662677b3e390f0a38fcbf0bb4c72330

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|---------------------|---|------------|
| Vendor | file | name | junit-platform-engine | High |
| Vendor | gradle | artifactid | junit-platform-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-engine | Medium |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-engine | High |
| Product | gradle | artifactid | junit-platform-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | support | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Engine API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-engine | High |
| Product | Manifest | specification-title | junit-platform-engine | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- <pkg:maven/org.junit.platform/junit-platform-engine@1.11.4> (*Confidence*:Highest)

junit-platform-launcher-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.11.4/3d83c201899d8c5e74e1a5d628eab900342a0e48/junit-platform-launcher-1.11.4.jar

MD5: f8835afc4e99e5194c4a34d9b80a65e0

SHA1: 3d83c201899d8c5e74e1a5d628eab900342a0e48

SHA256: d7430bd029e7fced53ee445e4d2d1a8a1e043ea4c4df43b6335a857f79761ae

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4

- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor | file | name | junit-platform-launcher | High |
| Vendor | gradle | artifactid | junit-platform-launcher | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | launcher | Highest |
| Vendor | jar | package name | launcher | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-launcher | High |
| Product | gradle | artifactid | junit-platform-launcher | Highest |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | launcher | Highest |
| Product | jar | package name | launcher | Low |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Launcher | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-launcher | Medium |

| | | | | |
|---------|----------|------------------------|--|--------|
| Product | Manifest | Implementation-Title | junit-platform-launcher | High |
| Product | Manifest | provide-capability | org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.11.4" | Low |
| Product | Manifest | specification-title | junit-platform-launcher | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.11.4](https://maven.org/junit.platform/junit-platform-launcher@1.11.4) (*Confidence: Highest*)

junit-platform-suite-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.11.4/48b0add04256be602379ca7b2964edce30b2dff/junit-platform-suite-1.11.4.jar

MD5: 43381c147e29db866e14eab9434dc817

SHA1: 048b0add04256be602379ca7b2964edce30b2dff

SHA256: dfd78a246ec9063b401fe7f68d169aed5d9b9d974aabc85555af6ebd13d8507c

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/pdfc/standalone@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-suite | High |
| Vendor | gradle | artifactid | junit-platform-suite | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | module-info | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite | High |
| Product | gradle | artifactid | junit-platform-suite | Highest |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite (Aggregator) | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite | High |
| Product | Manifest | specification-title | junit-platform-suite | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.11.4](#) (*Confidence*:Highest)

junit-platform-suite-api-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.11.4/745fc2bfc37c15a6233bbc1328524fd1b1429279/junit-platform-suite-api-1.11.4.jar

MD5: 44323f08839840de0ef6ef28a1573b36

SHA1: 745fc2bfc37c15a6233bbc1328524fd1b1429279

SHA256:3c918f69219bbb30fc14ab10889d680e9dcbb3a5f1f506cd220a5504bed64822

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|------------|--------------------------|------------|
| Vendor | file | name | junit-platform-suite-api | High |
| Vendor | gradle | artifactid | junit-platform-suite-api | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |

| | | | | |
|---------|----------|------------------------|---|---------|
| Vendor | jar | package name | api | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-api | High |
| Product | gradle | artifactid | junit-platform-suite-api | Highest |
| Product | jar | package name | api | Highest |
| Product | jar | package name | api | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite API | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-api | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-api | High |
| Product | Manifest | specification-title | junit-platform-suite-api | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.11.4](#) (Confidence: Highest)

junit-platform-suite-commons-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.11.4/b381d0e04bd2721c4bf348d5be61d2b4768df305/junit-platform-suite-commons-1.11.4.jar

MD5: e3e4537735e3a87f10f3d5b62e27f812

SHA1: b381d0e04bd2721c4bf348d5be61d2b4768df305

SHA256: 11fb1e06a5e2bbb8e6ce483bd4e03c1340492f75eaf4239618325e7430f39193

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-suite-commons | High |
| Vendor | gradle | artifactid | junit-platform-suite-commons | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-commons | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-commons | High |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | gradle | artifactid | junit-platform-suite-commons | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | commons | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Commons | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-commons | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-commons | High |
| Product | Manifest | specification-title | junit-platform-suite-commons | Medium |
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.11.4](#) (*Confidence*:Highest)

junit-platform-suite-engine-1.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.11.4/679cc57f175e5924686d600a8b2bb02fecdd16623/junit-platform-suite-engine-1.11.4.jar

MD5: b9b8e0600cba56964a087a299f312639

SHA1: 679cc57f175e5924686d600a8b2bb02fecdd16623

SHA256: 7e66132d34b7a2c2fef63da3f7d799e15dca374a5191f1875ac8c053b44ba793

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | junit-platform-suite-engine | High |
| Vendor | gradle | artifactid | junit-platform-suite-engine | Highest |
| Vendor | gradle | groupid | org.junit.platform | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | platform | Highest |
| Vendor | jar | package name | platform | Low |
| Vendor | jar | package name | suite | Highest |
| Vendor | jar | package name | suite | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Vendor | Manifest | Implementation-Vendor | junit.org | High |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-platform-suite-engine | High |
| Product | gradle | artifactid | junit-platform-suite-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | platform | Highest |
| Product | jar | package name | platform | Low |
| Product | jar | package name | suite | Highest |
| Product | jar | package name | suite | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Platform Suite Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-platform-suite-engine | Medium |
| Product | Manifest | Implementation-Title | junit-platform-suite-engine | High |
| Product | Manifest | specification-title | junit-platform-suite-engine | Medium |

| | | | | |
|---------|----------|------------------------|--------|------|
| Version | file | version | 1.11.4 | High |
| Version | Manifest | Implementation-Version | 1.11.4 | High |

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.11.4](#) (*Confidence*:Highest)

junit-vintage-engine-5.11.4.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.11.4/81904e219c1b038fc83ab156ba2e458e213a549e/junit-vintage-engine-5.11.4.jar

MD5: d4255a851a102f2e3d16fe8b9f1c1797

SHA1: 81904e219c1b038fc83ab156ba2e458e213a549e

SHA256:19239ff6cbef4b43e51ed5551faf1f2f1083494596ce1dd2c3275e698ccbc023

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/pdfc/standalone@25.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|---------------------|---|------------|
| Vendor | file | name | junit-vintage-engine | High |
| Vendor | gradle | artifactid | junit-vintage-engine | Highest |
| Vendor | gradle | groupid | org.junit.vintage | Highest |
| Vendor | jar | package name | engine | Highest |
| Vendor | jar | package name | engine | Low |
| Vendor | jar | package name | junit | Highest |
| Vendor | jar | package name | junit | Low |
| Vendor | jar | package name | vintage | Highest |
| Vendor | jar | package name | vintage | Low |
| Vendor | Manifest | build-date | 2024-12-16 | Low |
| Vendor | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Vendor | Manifest | build-time | 14:07:27.656+0100 | Low |
| Vendor | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Vendor | Manifest | Implementation- | junit.org | High |

Vendor

| | | | | |
|---------|----------|------------------------|--|---------|
| Vendor | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4" | Low |
| Vendor | Manifest | specification-vendor | junit.org | Low |
| Product | file | name | junit-vintage-engine | High |
| Product | gradle | artifactid | junit-vintage-engine | Highest |
| Product | jar | package name | engine | Highest |
| Product | jar | package name | engine | Low |
| Product | jar | package name | junit | Highest |
| Product | jar | package name | vintage | Highest |
| Product | jar | package name | vintage | Low |
| Product | Manifest | build-date | 2024-12-16 | Low |
| Product | Manifest | build-revision | 6430ba4f653f6ae42f326cd0731b259ee699c71 | Low |
| Product | Manifest | build-time | 14:07:27.656+0100 | Low |
| Product | Manifest | Bundle-Name | JUnit Vintage Engine | Medium |
| Product | Manifest | bundle-symbolicname | junit-vintage-engine | Medium |
| Product | Manifest | Implementation-Title | junit-vintage-engine | High |
| Product | Manifest | provide-capability | org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.11.4" | Low |
| Product | Manifest | specification-title | junit-vintage-engine | Medium |
| Version | file | version | 5.11.4 | High |
| Version | Manifest | Implementation-Version | 5.11.4 | High |

Identifiers

- <pkg:maven/org.junit.vintage/junit-vintage-engine@5.11.4> (*Confidence: Highest*)

maintenance.pdfc.zip: maintenance.pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfc.zip/maintenance.pdfc.jar
MD5: 3b48674bd866a2318a76fa9b435baa77

SHA1: c67f98966e4760bdba12225921fb42665489a575
SHA256:af5fa66b0be0722bd549b54f87b403ff533dbf407e8e3c25c72f8d872e3f9d8e
Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | maintenance.pdf | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdf | Low |
| Vendor | jar | package name | plugins | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | implementation-group | pdf | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | maintenance.pdf | High |
| Product | jar | package name | maintenance | Highest |
| Product | jar | package name | maintenance | Low |
| Product | jar | package name | pdf | Highest |
| Product | jar | package name | pdf | Low |
| Product | jar | package name | plugins | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | implementation-group | pdf | Low |
| Product | Manifest | Implementation-Title | maintenance.pdf | High |
| Product | Manifest | specification-title | maintenance.pdf | Medium |
| Version | jar | package name | pdf | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdf:25.4.312:****:* (Confidence:Low) suppress

maintenance.pdfcd.zip: maintenance.pdfcd.jar: app.js

File Path: /home/jenkins/workspace/pdfcd/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfcd.zip/maintenance.pdfcd.jar/com/inet/pdfcd/plugins/maintenance/server/comparisons/js/app.js

MD5: 5e534fcce6f689d176c6f3b40fc4454f

SHA1: e5f82942adf62444636d28e904add7c61a18ea32

SHA256:d08c1c9da221cbd9c38a26e0235b0da7c3bed4ab30f504aa741d4085a42f7294

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

maintenance.pdfcd.zip: maintenance.pdfcd.jar: comparisons.js

File Path: /home/jenkins/workspace/pdfcd/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/maintenance.pdfcd.zip/maintenance.pdfcd.jar/com/inet/pdfcd/plugins/maintenance/server/comparisons/js/comparisons.js

MD5: dc34a947f1122f6f845deb82b822f15c

SHA1: 7a1528b00bb5229be98689b8c465b37c39bfa0ff

SHA256:27b0ebba3a0c757e921cb562be691ee971fa06d1247423ff2c16f71d87d51bee

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

ocr.tesseract.zip: commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/commons-logging.jar

MD5: e7a1e7cb6a89241ed9bfec4c25b6c645

SHA1: b9fc14968d63a8b8a8a2c1885fe3e90564239708

SHA256: bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | commons-logging | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | commons | Highest |
| Vendor | jar | package name | logging | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.commons.logging | Medium |
| Vendor | Manifest | build-jdk-spec | 17 | Low |
| Vendor | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-logging/ | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.commons.commons-logging | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | commons-logging | Low |
| Vendor | pom | developer email | baliuka@apache.org | Low |
| Vendor | pom | developer email | costin@apache.org | Low |
| Vendor | pom | developer email | craigmcc@apache.org | Low |
| Vendor | pom | developer email | dennisl@apache.org | Low |
| Vendor | pom | developer email | donaldp@apache.org | Low |
| Vendor | pom | developer email | ggregory at apache.org | Low |
| Vendor | pom | developer email | morgand@apache.org | Low |
| Vendor | pom | developer email | rdonkin@apache.org | Low |
| Vendor | pom | developer email | rsitze@apache.org | Low |

| | | | | |
|--------|-----|-------------------|---|--------|
| Vendor | pom | developer email | rwaldhoff@apache.org | Low |
| Vendor | pom | developer email | sanders@apache.org | Low |
| Vendor | pom | developer email | skitching@apache.org | Low |
| Vendor | pom | developer email | tn@apache.org | Low |
| Vendor | pom | developer id | baliuka | Medium |
| Vendor | pom | developer id | bstansberry | Medium |
| Vendor | pom | developer id | costin | Medium |
| Vendor | pom | developer id | craigmcc | Medium |
| Vendor | pom | developer id | dennisl | Medium |
| Vendor | pom | developer id | donaldp | Medium |
| Vendor | pom | developer id | ggregory | Medium |
| Vendor | pom | developer id | morgand | Medium |
| Vendor | pom | developer id | rdonkin | Medium |
| Vendor | pom | developer id | rsitze | Medium |
| Vendor | pom | developer id | rwaldhoff | Medium |
| Vendor | pom | developer id | sanders | Medium |
| Vendor | pom | developer id | skitching | Medium |
| Vendor | pom | developer id | tn | Medium |
| Vendor | pom | developer name | Brian Stansberry | Medium |
| Vendor | pom | developer name | Costin Manolache | Medium |
| Vendor | pom | developer name | Craig McClanahan | Medium |
| Vendor | pom | developer name | Dennis Lundberg | Medium |
| Vendor | pom | developer name | Gary Gregory | Medium |
| Vendor | pom | developer name | Juozas Baliuka | Medium |
| Vendor | pom | developer name | Morgan Delagrangue | Medium |
| Vendor | pom | developer name | Peter Donald | Medium |
| Vendor | pom | developer name | Richard Sitze | Medium |
| Vendor | pom | developer name | Robert Burrell Donkin | Medium |
| Vendor | pom | developer name | Rodney Waldhoff | Medium |
| Vendor | pom | developer name | Scott Sanders | Medium |
| Vendor | pom | developer name | Simon Kitching | Medium |
| Vendor | pom | developer name | Thomas Neidhart | Medium |
| Vendor | pom | developer org | Apache | Medium |
| Vendor | pom | developer org | The Apache Software Foundation | Medium |
| Vendor | pom | developer org URL | https://www.apache.org/ | Medium |

| | | | | |
|---------|----------|-----------------------|--|---------|
| Vendor | pom | groupid | commons-logging | Highest |
| Vendor | pom | name | Apache Commons Logging | High |
| Vendor | pom | parent-artifactid | commons-parent | Low |
| Vendor | pom | parent-groupid | org.apache.commons | Medium |
| Vendor | pom | url | https://commons.apache.org/proper/commons-logging/ | Highest |
| Product | file | name | commons-logging | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | commons | Highest |
| Product | jar | package name | logging | Highest |
| Product | Manifest | automatic-module-name | org.apache.commons.logging | Medium |
| Product | Manifest | build-jdk-spec | 17 | Low |
| Product | Manifest | bundle-docurl | https://commons.apache.org/proper/commons-logging/ | Low |
| Product | Manifest | Bundle-Name | Apache Commons Logging | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.commons.commons-logging | Medium |
| Product | Manifest | Implementation-Title | Apache Commons Logging | High |
| Product | Manifest | multi-release | true | Low |
| Product | Manifest | specification-title | Apache Commons Logging | Medium |
| Product | pom | artifactid | commons-logging | Highest |
| Product | pom | developer email | baliuka@apache.org | Low |
| Product | pom | developer email | costin@apache.org | Low |
| Product | pom | developer email | craigmcc@apache.org | Low |
| Product | pom | developer email | dennisl@apache.org | Low |
| Product | pom | developer email | donaldp@apache.org | Low |
| Product | pom | developer email | ggregory at apache.org | Low |
| Product | pom | developer email | morgand@apache.org | Low |
| Product | pom | developer email | rdonkin@apache.org | Low |
| Product | pom | developer email | rsitze@apache.org | Low |
| Product | pom | developer email | rwaldhoff@apache.org | Low |
| Product | pom | developer email | sanders@apache.org | Low |
| Product | pom | developer email | skitching@apache.org | Low |
| Product | pom | developer email | tn@apache.org | Low |
| Product | pom | developer id | baliuka | Low |
| Product | pom | developer id | bstansberry | Low |

| | | | | |
|---------|-----|-------------------|--|---------|
| Product | pom | developer id | costin | Low |
| Product | pom | developer id | craigmcc | Low |
| Product | pom | developer id | dennisl | Low |
| Product | pom | developer id | donaldp | Low |
| Product | pom | developer id | ggregory | Low |
| Product | pom | developer id | morgand | Low |
| Product | pom | developer id | rdonkin | Low |
| Product | pom | developer id | rsitze | Low |
| Product | pom | developer id | rwaldhoff | Low |
| Product | pom | developer id | sanders | Low |
| Product | pom | developer id | skitching | Low |
| Product | pom | developer id | tn | Low |
| Product | pom | developer name | Brian Stansberry | Low |
| Product | pom | developer name | Costin Manolache | Low |
| Product | pom | developer name | Craig McClanahan | Low |
| Product | pom | developer name | Dennis Lundberg | Low |
| Product | pom | developer name | Gary Gregory | Low |
| Product | pom | developer name | Juozas Baliuka | Low |
| Product | pom | developer name | Morgan Delagrange | Low |
| Product | pom | developer name | Peter Donald | Low |
| Product | pom | developer name | Richard Sitze | Low |
| Product | pom | developer name | Robert Burrell Donkin | Low |
| Product | pom | developer name | Rodney Waldhoff | Low |
| Product | pom | developer name | Scott Sanders | Low |
| Product | pom | developer name | Simon Kitching | Low |
| Product | pom | developer name | Thomas Neidhart | Low |
| Product | pom | developer org | Apache | Low |
| Product | pom | developer org | The Apache Software Foundation | Low |
| Product | pom | developer org URL | https://www.apache.org/ | Low |
| Product | pom | groupid | commons-logging | Highest |
| Product | pom | name | Apache Commons Logging | High |
| Product | pom | parent-artifactid | commons-parent | Medium |
| Product | pom | parent-groupid | org.apache.commons | Medium |
| Product | pom | url | https://commons.apache.org/proper/commons-logging/ | Medium |

| | | | | |
|---------|----------|------------------------|-------|---------|
| Version | Manifest | Bundle-Version | 1.3.4 | High |
| Version | Manifest | Implementation-Version | 1.3.4 | High |
| Version | pom | parent-version | 1.3.4 | Low |
| Version | pom | version | 1.3.4 | Highest |

Identifiers

- <pkg:maven/commons-logging/commons-logging@1.3.4> (Confidence:High)

ocr.tesseract.zip: fontbox.jar

Description:

The Apache FontBox library is an open source Java tool to obtain low level information from font files. FontBox is a subproject of Apache PDFBox.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/fontbox.jar

MD5: 05adabd366e6f8a22ac04c293237dd89

SHA1: 9eebd1ee868a79fcf7390283b2baf4179dadb8ed

SHA256: 65690c3f39b04a14d12c17f4998c15186ce877d3e2ec222c708577e3cc028030

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|--------------------------------|------------|
| Vendor | file | name | fontbox | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | fontbox | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.fontbox | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.pdfbox.fontbox | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | specification- | The Apache Software Foundation | Low |

| | | | | |
|---------|----------|------------------------|---------------------------|---------|
| | | vendor | | |
| Vendor | pom | artifactid | fontbox | Low |
| Vendor | pom | groupid | org.apache.pdfbox | Highest |
| Vendor | pom | name | Apache FontBox | High |
| Vendor | pom | parent-artifactid | pdfbox-parent | Low |
| Vendor | pom | url | http://pdfbox.apache.org/ | Highest |
| Product | file | name | fontbox | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | fontbox | Highest |
| Product | Manifest | automatic-module-name | org.apache.fontbox | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Product | Manifest | Bundle-Name | Apache FontBox | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.pdfbox.fontbox | Medium |
| Product | Manifest | Implementation-Title | Apache FontBox | High |
| Product | Manifest | specification-title | Apache FontBox | Medium |
| Product | pom | artifactid | fontbox | Highest |
| Product | pom | groupid | org.apache.pdfbox | Highest |
| Product | pom | name | Apache FontBox | High |
| Product | pom | parent-artifactid | pdfbox-parent | Medium |
| Product | pom | url | http://pdfbox.apache.org/ | Medium |
| Version | Manifest | Bundle-Version | 3.0.3 | High |
| Version | Manifest | Implementation-Version | 3.0.3 | High |
| Version | pom | version | 3.0.3 | Highest |

Identifiers

- [pkg:maven/org.apache.pdfbox/fontbox@3.0.3](https://maven.apache.org/pdfbox/fontbox@3.0.3) (*Confidence:High*)

ocr.tesseract.zip: jai-imageio-core.jar

Description:

Java Advanced Imaging Image I/O Tools API core, but without the classes involved with javax.media.jai dependencies, JPEG2000 or codecLibJIO, meaning that this library can be distributed under the modified BSD license and should be GPL compatible.

License:

BSD 3-clause License w/nuclear disclaimer: LICENSE.txt

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jai-imageio-core.jar

MD5: 6978d733bfb55c0a82639f724fe5f3bb

SHA1: fb6d79b929556362a241b2f65a04e538062f0077

SHA256: 8ad3c68e9efffb10ac87ff8bc589adf64b04a729c5194c079efd0643607fd72a

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|---|------------|
| Vendor | file | name | jai-imageio-core | High |
| Vendor | jar | package name | github | Highest |
| Vendor | Manifest | bundle-docurl | https://github.com/jai-imageio/ | Low |
| Vendor | Manifest | bundle-symbolicname | jai-imageio-core | Medium |
| Vendor | Manifest | extension-name | com.github.jai-imageio-jai-imageio-core | Medium |
| Vendor | Manifest | Implementation-Vendor | https://github.com/jai-imageio/ jai-imageio GitHub group | High |
| Vendor | Manifest | specification-vendor | Sun Microsystems, Inc. | Low |
| Vendor | Manifest | url | https://github.com/jai-imageio/jai-imageio-core | Low |
| Vendor | pom | artifactid | jai-imageio-core | Low |
| Vendor | pom | developer email | stian@s11.no | Low |
| Vendor | pom | developer name | Stian Soiland-Reyes | Medium |
| Vendor | pom | developer org | s11 | Medium |
| Vendor | pom | developer org URL | http://s11.no/ | Medium |
| Vendor | pom | groupid | com.github.jai-imageio | Highest |
| Vendor | pom | name | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Vendor | pom | organization name | jai-imageio GitHub group | High |
| Vendor | pom | organization url | jai-imageio/ | Medium |
| Vendor | pom | url | jai-imageio/jai-imageio-core | Highest |
| Product | file | name | jai-imageio-core | High |
| Product | jar | package name | github | Highest |

| | | | | |
|---------|----------|------------------------|---|---------|
| Product | Manifest | bundle-docurl | https://github.com/jai-imageio/ | Low |
| Product | Manifest | Bundle-Name | Java Advanced Imaging Image I/O Tools API core (standalone) | Medium |
| Product | Manifest | bundle-symbolicname | jai-imageio-core | Medium |
| Product | Manifest | extension-name | com.github.jai-imageio-jai-imageio-core | Medium |
| Product | Manifest | Implementation-Title | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Product | Manifest | specification-title | Java Advanced Imaging | Medium |
| Product | Manifest | url | https://github.com/jai-imageio/jai-imageio-core | Low |
| Product | pom | artifactid | jai-imageio-core | Highest |
| Product | pom | developer email | stian@s11.no | Low |
| Product | pom | developer name | Stian Soiland-Reyes | Low |
| Product | pom | developer org | s11 | Low |
| Product | pom | developer org URL | http://s11.no/ | Low |
| Product | pom | groupid | com.github.jai-imageio | Highest |
| Product | pom | name | Java Advanced Imaging Image I/O Tools API core (standalone) | High |
| Product | pom | organization name | jai-imageio GitHub group | Low |
| Product | pom | url | jai-imageio/ | High |
| Product | pom | url | jai-imageio/jai-imageio-core | High |
| Version | Manifest | Bundle-Version | 1.4.0 | High |
| Version | Manifest | Implementation-Version | 1.4.0 | High |
| Version | pom | version | 1.4.0 | Highest |

Identifiers

- <pkg:maven/com.github.jai-imageio/jai-imageio-core@1.4.0> (*Confidence:High*)

ocr.tesseract.zip: jbig2-imageio.jar

Description:

Java Image I/O plugin for reading JBIG2-compressed image data.
Formerly known as the levigo JBig2 ImageIO plugin (com.levigo.jbig2:levigo-jbig2-imageio).

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jbig2-imageio.jar
MD5: c51f45dc3d29bbf716774f9ff9e95ad6
SHA1: ad09a9bb94ea791ea81fb6c5bc2b13dd77872598
SHA256: 29cb2951622f10acf61fd0656c4e6fa5562194a9095f7a1d26aa426e2f6b17eb
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--------------------------|---------------------------------------|------------|
| Vendor | file | name | jbig2-imageio | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | image | Highest |
| Vendor | jar | package name | jbig2 | Highest |
| Vendor | jar | package name | pdfbox | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.pdfbox.jbig2 | Medium |
| Vendor | Manifest | implementation-url | https://www.apache.org/jbig2-imageio/ | Low |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.apache.pdfbox | Medium |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | jbig2-imageio | Low |
| Vendor | pom | developer id | adam | Medium |
| Vendor | pom | developer id | blitchfield | Medium |
| Vendor | pom | developer id | carrier | Medium |
| Vendor | pom | developer id | danielwilson | Medium |
| Vendor | pom | developer id | gbailleul | Medium |
| Vendor | pom | developer id | hennejg | Medium |
| Vendor | pom | developer id | holdersn | Medium |
| Vendor | pom | developer id | jahewson | Medium |
| Vendor | pom | developer id | jeremias | Medium |
| Vendor | pom | developer id | jukka | Medium |
| Vendor | pom | developer id | kjackson | Medium |
| Vendor | pom | developer id | koch | Medium |
| Vendor | pom | developer id | koehlecn | Medium |
| Vendor | pom | developer id | lehmi | Medium |
| Vendor | pom | developer id | leleueri | Medium |

| | | | | |
|--------|-----|-------------------|--------------------------------|---------|
| Vendor | pom | developer id | mmayer | Medium |
| Vendor | pom | developer id | msayhoun | Medium |
| Vendor | pom | developer id | pkoch | Medium |
| Vendor | pom | developer id | tallison | Medium |
| Vendor | pom | developer id | tboehme | Medium |
| Vendor | pom | developer id | tchojecki | Medium |
| Vendor | pom | developer id | tilman | Medium |
| Vendor | pom | developer id | vfed | Medium |
| Vendor | pom | developer name | Adam Nichols | Medium |
| Vendor | pom | developer name | Andreas Lehmkuhler | Medium |
| Vendor | pom | developer name | Ben Litchfield | Medium |
| Vendor | pom | developer name | Brian Carrier | Medium |
| Vendor | pom | developer name | Carolin Köhler | Medium |
| Vendor | pom | developer name | Daniel Wilson | Medium |
| Vendor | pom | developer name | Eric Leleu | Medium |
| Vendor | pom | developer name | Guillaume Bailleul | Medium |
| Vendor | pom | developer name | Jeremias Maerki | Medium |
| Vendor | pom | developer name | Johannes Koch | Medium |
| Vendor | pom | developer name | John Hewson | Medium |
| Vendor | pom | developer name | Jukka Zitting | Medium |
| Vendor | pom | developer name | Jörg Henne | Medium |
| Vendor | pom | developer name | Kevin Jackson | Medium |
| Vendor | pom | developer name | Maruan Sayhoun | Medium |
| Vendor | pom | developer name | Matthäus Mayer | Medium |
| Vendor | pom | developer name | Phillipp Koch | Medium |
| Vendor | pom | developer name | Sebastian Holder | Medium |
| Vendor | pom | developer name | Thomas Chojecki | Medium |
| Vendor | pom | developer name | Tilman Hausherr | Medium |
| Vendor | pom | developer name | Tim Allison | Medium |
| Vendor | pom | developer name | Timo Boehme | Medium |
| Vendor | pom | developer name | Villu Ruusmann | Medium |
| Vendor | pom | groupid | org.apache.pdfbox | Highest |
| Vendor | pom | name | PDFBox JBIG2 ImageIO plugin | High |
| Vendor | pom | organization name | The Apache Software Foundation | High |
| | | | | |

| | | | | |
|---------|----------|-----------------------|---|---------|
| Vendor | pom | organization url | http://pdfbox.apache.org | Medium |
| Vendor | pom | parent-artifactid | apache | Low |
| Vendor | pom | parent-groupid | org.apache | Medium |
| Product | file | name | jbig2-imageio | High |
| Product | jar | package name | apache | Highest |
| Product | jar | package name | image | Highest |
| Product | jar | package name | jbig2 | Highest |
| Product | jar | package name | pdfbox | Highest |
| Product | Manifest | automatic-module-name | org.apache.pdfbox.jbig2 | Medium |
| Product | Manifest | Implementation-Title | PDFBox JBIG2 ImageIO plugin | High |
| Product | Manifest | implementation-url | https://www.apache.org/jbig2-imageio/ | Low |
| Product | Manifest | specification-title | PDFBox JBIG2 ImageIO plugin | Medium |
| Product | pom | artifactid | jbig2-imageio | Highest |
| Product | pom | developer id | adam | Low |
| Product | pom | developer id | blitchfield | Low |
| Product | pom | developer id | carrier | Low |
| Product | pom | developer id | danielwilson | Low |
| Product | pom | developer id | gbailleul | Low |
| Product | pom | developer id | hennejg | Low |
| Product | pom | developer id | holdersn | Low |
| Product | pom | developer id | jahewson | Low |
| Product | pom | developer id | jeremias | Low |
| Product | pom | developer id | jukka | Low |
| Product | pom | developer id | kjackson | Low |
| Product | pom | developer id | koch | Low |
| Product | pom | developer id | koehlecn | Low |
| Product | pom | developer id | lehmi | Low |
| Product | pom | developer id | leleueri | Low |
| Product | pom | developer id | mmayer | Low |
| Product | pom | developer id | msayhoun | Low |
| Product | pom | developer id | pkoch | Low |
| Product | pom | developer id | tallison | Low |
| Product | pom | developer id | tboehme | Low |
| Product | pom | developer id | tchojecki | Low |

| | | | | |
|---------|----------|------------------------|--------------------------------|---------|
| Product | pom | developer id | tilman | Low |
| Product | pom | developer id | vfed | Low |
| Product | pom | developer name | Adam Nichols | Low |
| Product | pom | developer name | Andreas Lehmkuhler | Low |
| Product | pom | developer name | Ben Litchfield | Low |
| Product | pom | developer name | Brian Carrier | Low |
| Product | pom | developer name | Carolin Köhler | Low |
| Product | pom | developer name | Daniel Wilson | Low |
| Product | pom | developer name | Eric Leleu | Low |
| Product | pom | developer name | Guillaume Bailleul | Low |
| Product | pom | developer name | Jeremias Maerki | Low |
| Product | pom | developer name | Johannes Koch | Low |
| Product | pom | developer name | John Hewson | Low |
| Product | pom | developer name | Jukka Zitting | Low |
| Product | pom | developer name | Jörg Henne | Low |
| Product | pom | developer name | Kevin Jackson | Low |
| Product | pom | developer name | Maruan Sayhoun | Low |
| Product | pom | developer name | Matthäus Mayer | Low |
| Product | pom | developer name | Phillipp Koch | Low |
| Product | pom | developer name | Sebastian Holder | Low |
| Product | pom | developer name | Thomas Chojecki | Low |
| Product | pom | developer name | Tilman Hausherr | Low |
| Product | pom | developer name | Tim Allison | Low |
| Product | pom | developer name | Timo Boehme | Low |
| Product | pom | developer name | Villu Ruusmann | Low |
| Product | pom | groupid | org.apache.pdfbox | Highest |
| Product | pom | name | PDFBox JBIG2 ImageIO plugin | High |
| Product | pom | organization name | The Apache Software Foundation | Low |
| Product | pom | organization url | http://pdfbox.apache.org | Low |
| Product | pom | parent-artifactid | apache | Medium |
| Product | pom | parent-groupid | org.apache | Medium |
| Version | Manifest | Implementation-Version | 3.0.4 | High |
| Version | pom | parent-version | 3.0.4 | Low |
| Version | pom | version | 3.0.4 | Highest |

Identifiers

- [pkg:maven/org.apache.pdfbox/jbig2-imageio@3.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:pdfbox:3.0.4:*:*:*:*:*](#) (*Confidence:Highest*) suppress

ocr.tesseract.zip: jboss-vfs.jar

Description:

A VFS library

License:

Apache License 2.0: <http://repository.jboss.org/licenses/apache-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jboss-vfs.jar

MD5: ecf3234794d1b7d03dc1eb5380328e04

SHA1: 748b9f156f35bf63ead9887f040cfc48af18f7f0

SHA256: 33a84eac3f1027551146247e3ef4057dc8840cfc8cd436cb2f925b6f5d2126e9

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | jboss-vfs | High |
| Vendor | jar | package name | jboss | Highest |
| Vendor | jar | package name | vfs | Highest |
| Vendor | Manifest | automatic-module-name | org.jboss.vfs | Medium |
| Vendor | Manifest | build-jdk-spec | 11 | Low |
| Vendor | Manifest | implementation-url | http://www.jboss.org | Low |
| Vendor | Manifest | Implementation-Vendor | JBoss, A division of Red Hat, Inc | High |
| Vendor | Manifest | specification-vendor | JBoss, A division of Red Hat, Inc | Low |
| Vendor | pom | artifactid | jboss-vfs | Low |
| Vendor | pom | groupid | org.jboss | Highest |
| Vendor | pom | name | JBoss VFS | High |
| Vendor | pom | organization name | JBoss, A division of Red Hat, Inc | High |
| Vendor | pom | organization url | http://www.jboss.org | Medium |

| | | | | |
|---------|----------|------------------------|-----------------------------------|---------|
| Vendor | pom | parent-artifactid | jboss-parent | Low |
| Vendor | pom | url | http://www.jboss.org | Highest |
| Product | file | name | jboss-vfs | High |
| Product | jar | package name | jboss | Highest |
| Product | jar | package name | vfs | Highest |
| Product | Manifest | automatic-module-name | org.jboss.vfs | Medium |
| Product | Manifest | build-jdk-spec | 11 | Low |
| Product | Manifest | Implementation-Title | JBoss VFS | High |
| Product | Manifest | implementation-url | http://www.jboss.org | Low |
| Product | Manifest | specification-title | JBoss VFS | Medium |
| Product | pom | artifactid | jboss-vfs | Highest |
| Product | pom | groupid | org.jboss | Highest |
| Product | pom | name | JBoss VFS | High |
| Product | pom | organization name | JBoss, A division of Red Hat, Inc | Low |
| Product | pom | organization url | http://www.jboss.org | Low |
| Product | pom | parent-artifactid | jboss-parent | Medium |
| Product | pom | url | http://www.jboss.org | Medium |
| Version | Manifest | Implementation-Version | 3.3.2.Final | High |
| Version | pom | parent-version | 3.3.2.Final | Low |
| Version | pom | version | 3.3.2.Final | Highest |

Identifiers

- [pkg:maven/org.jboss/jboss-vfs@3.3.2.Final](https://maven.org/jboss/jboss-vfs@3.3.2.Final) (*Confidence:High*)

ocr.tesseract.zip: jna.jar

Description:

JNA Library

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar

MD5: 9bb1338e58031463c300f643cb3c41fa

SHA1: d9c6794f22c2e3c846b02d51c6a95c304e8e056b

Evidence



| Type | Source | Name | Value | Confidence |
|--------|------------|-------------------------|---|------------|
| Vendor | file | name | jna | High |
| Vendor | jar | package name | jna | Highest |
| Vendor | jar | package name | jna | Low |
| Vendor | jar | package name | sun | Highest |
| Vendor | jar | package name | sun | Low |
| Vendor | jar (hint) | package name | oracle | Highest |
| Vendor | jar (hint) | package name | oracle | Low |
| Vendor | Manifest | automatic-module-name | com.sun.jna | Medium |
| Vendor | Manifest | bundle-activationpolicy | lazy | Low |
| Vendor | Manifest | bundle-category | jni | Low |
| Vendor | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64; osname=win32, com/sun/jna/win32-x86/jnidispach.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispach.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispach.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispach.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispach.so; processor=x86; osname=sunos, com/sun/jna/sunos-x86-64/libjnidispach.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc/libjnidispach.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispach.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc/libjnidispach.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64/libjnidispach.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc/libjnidispach.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64/libjnidispach.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le/libjnidispach.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86/libjnidispach.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64/libjnidispach.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm | Low |

| | | | | |
|---------|----------|------------------------------|--|---------|
| | | | /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Vendor | Manifest | bundle- requiredexecution | JavaSE-1.6 | Low |
| Vendor | Manifest | bundle- symbolicname | com.sun.jna | Medium |
| Vendor | Manifest | Implementation- Vendor | JNA Development Team | High |
| Vendor | Manifest | specification- vendor | JNA Development Team | Low |
| Product | file | name | jna | High |
| Product | jar | package name | jna | Highest |
| Product | jar | package name | jna | Low |
| Product | jar | package name | library | Highest |
| Product | jar | package name | native | Highest |
| Product | jar | package name | sun | Highest |
| Product | jar | package name | win32 | Highest |
| Product | Manifest | automatic- module-name | com.sun.jna | Medium |
| Product | Manifest | bundle- activationpolicy | lazy | Low |
| | | | | |

| | | | | |
|---------|----------|-------------------|---|--------|
| Product | Manifest | bundle-category | jni | Low |
| Product | Manifest | Bundle-Name | jna | Medium |
| Product | Manifest | bundle-nativecode | com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9;osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el;osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x;osname=linux, com/sun/jna/linux-loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib;osname=macosx;processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; | Low |

| | | | | |
|---------|----------|--------------------------|---|---------|
| | | | osname=macosx;processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64 | |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.6 | Low |
| Product | Manifest | bundle-symbolicname | com.sun.jna | Medium |
| Product | Manifest | Implementation-Title | com.sun.jna | High |
| Product | Manifest | specification-title | Java Native Access (JNA) | Medium |
| Version | jar | package name | jna | Highest |
| Version | jar | package name | sun | Highest |
| Version | jar | package name | win32 | Highest |
| Version | Manifest | Bundle-Version | 5.14.0 | High |
| Version | Manifest | Implementation-Version | 5.14.0 (b0) | High |

Identifiers

- cpe:2.3:a:oracle:java_se:5.14.0:*:*:*:*:* (Confidence:Low) suppress

ocr.tesseract.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
MD5: f6bef568e690d361a5dcc165f5ad4b1f
SHA1: 05638a4aaafa689a6c246530823afdc18d3fd438
SHA256: b9d1479b9619b7ece4a36b6ae31365ffaf15a1355d4f6da02f8b5f09df2fa82f
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------|------------|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

Identifiers

- None

ocr.tesseract.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

MD5: 719d6ba1946c25aa61ce82f90d77ffd5

SHA1: 94d2191378cac5719daecc826fc116816284c406

SHA256: 69c45175ecfd25af023f96ac0bb2c45e6a95e3ba8a5a50ee7969ccab14825c44

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------|------------|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

Identifiers

- None

ocr.tesseract.zip: jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll

MD5: e15183ef9c6c255b76fda73d01ca7ecb

SHA1: f816f998c43204230d9ea3eecffb5f8372a32c2e

SHA256: 38650a0612730c52580c9f32ff766b44b1c5a426d52e7dd7a53687bf3389ac2c

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|------|-------------|------------|
| Vendor | file | name | jnidispatch | High |
| Product | file | name | jnidispatch | High |

Identifiers

- None

ocr.tesseract.zip: lept4j.jar

Description:

Lept4J

Description:

A Java JNA wrapper for Leptonica Image Processing library.

Lept4J is released and distributed under the Apache License, v2.0.

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar

MD5: 70889e28b7569dd54e7da9ced01dabdf

SHA1: ec69d554f05e030b5e06295a4d39057634759549

SHA256: 5feb69a8fc9550809b23cb980270cdf99368dea330ba7d98789e2dc93f8bef6f

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------|-----------------------------|------------|
| Vendor | file | name | lept4j | High |
| Vendor | jar | package name | lept4j | Highest |
| Vendor | jar | package name | leptonica | Highest |
| Vendor | jar | package name | net | Highest |
| Vendor | jar | package name | sourceforge | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | pom | artifactid | lept4j | Low |
| Vendor | pom | developer email | nguyenq@users.sf.net | Low |
| Vendor | pom | developer name | Quan Nguyen | Medium |
| Vendor | pom | groupid | net.sourceforge.lept4j | Highest |
| Vendor | pom | name | Lept4J - Leptonica for Java | High |
| Vendor | pom | url | nguyenq/lept4j | Highest |
| Product | file | name | lept4j | High |
| Product | jar | package name | lept4j | Highest |
| Product | jar | package name | leptonica | Highest |

| | | | | |
|---------|----------|-----------------|-----------------------------|---------|
| Product | jar | package name | net | Highest |
| Product | jar | package name | sourceforge | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | pom | artifactid | lept4j | Highest |
| Product | pom | developer email | nguyenq@users.sf.net | Low |
| Product | pom | developer name | Quan Nguyen | Low |
| Product | pom | groupid | net.sourceforge.lept4j | Highest |
| Product | pom | name | Lept4J - Leptonica for Java | High |
| Product | pom | url | nguyenq/lept4j | High |
| Version | pom | version | 1.19.1 | Highest |

Identifiers

- <pkg:maven/net.sourceforge.lept4j/lept4j@1.19.1> (*Confidence:High*)

ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86-64/libleptonica1841.dll

MD5: 981b8e38e33018fff693c8e3ec0f2254

SHA1: 91a9cd0a874d614bc8a8946d2e0a8573e8b96ac1

SHA256: 0b2cb584baeb38b90033344b4d70830b33ba01396fb9142b9b733e83c8a73fb8

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|------------------|------------|
| Vendor | file | name | libleptonica1841 | High |
| Product | file | name | libleptonica1841 | High |
| Version | file | name | libleptonica1841 | Medium |
| Version | file | version | 1841 | Medium |

Identifiers

- None

ocr.tesseract.zip: lept4j.jar: libleptonica1841.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/lept4j.jar/win32-x86/libleptonica1841.dll

MD5: 64f0634192bcf75ade5ea06f8119512d

SHA1: b387acaa5209f796fb3065395548d2adcbad620e

SHA256: 405e5263b72cb7d63c723fd85a124201cd66aa9a983b3a1c1e4c82003c91bcaa

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|------------------|------------|
| Vendor | file | name | libleptonica1841 | High |
| Product | file | name | libleptonica1841 | High |
| Version | file | name | libleptonica1841 | Medium |
| Version | file | version | 1841 | Medium |

Identifiers

- None

ocr.tesseract.zip: ocr.tesseract.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/ocr.tesseract.jar

MD5: c1a132fade1c842158593947820d65bd

SHA1: 57fd57b0c1891db580b1b465332c1dbca414bd63

SHA256: 6f573c71ac7d6e995d4e8d4474f9ae0d5ee13a48b2ac8451218d120545cfbc09

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--|---------------|------------|
| Vendor | file | name | ocr.tesseract | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | ocr | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | ocr.tesseract | High |
| Product | jar | package name | ocr | Highest |
| Product | jar | package name | ocr | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | tesseract | Highest |
| Product | jar | package name | tesseract | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | ocr.tesseract | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | ocr.tesseract | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:tesseract_ocr_project:tesseract_ocr:25.4.312:****:* (Confidence:Low) suppress
- cpe:2.3:a:tesseract_project:tesseract:25.4.312:****:* (Confidence:Low) suppress

ocr.tesseract.zip: pdfbox.jar

Description:

The Apache PDFBox library is an open source Java tool for working with PDF documents.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox.jar

MD5: 15cd4480a886e22cd081537be5a11f14

SHA1: a739bfc1b72d2f98d973cd1419f5ae2decd36068

SHA256: 5be38d2ec81691b05d535eb720de4dc566c5d07e5a04731fa00668d153a8b4a6

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--------------------------------|------------|
| Vendor | file | name | pdfbox | High |
| Vendor | jar | package name | apache | Highest |
| Vendor | jar | package name | pdfbox | Highest |
| Vendor | Manifest | automatic-module-name | org.apache.pdfbox | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Vendor | Manifest | bundle-symbolicname | org.apache.pdfbox | Medium |
| Vendor | Manifest | Implementation-Vendor | The Apache Software Foundation | High |
| Vendor | Manifest | specification-vendor | The Apache Software Foundation | Low |
| Vendor | pom | artifactid | pdfbox | Low |
| Vendor | pom | groupid | org.apache.pdfbox | Highest |
| Vendor | pom | name | Apache PDFBox | High |
| Vendor | pom | parent-artifactid | pdfbox-parent | Low |
| Product | file | name | pdfbox | High |

| | | | | |
|---------|----------|------------------------|---------------------------|---------|
| Product | jar | package name | apache | Highest |
| Product | jar | package name | pdfbox | Highest |
| Product | Manifest | automatic-module-name | org.apache.pdfbox | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-docurl | https://pdfbox.apache.org | Low |
| Product | Manifest | Bundle-Name | Apache PDFBox | Medium |
| Product | Manifest | bundle-symbolicname | org.apache.pdfbox | Medium |
| Product | Manifest | Implementation-Title | Apache PDFBox | High |
| Product | Manifest | specification-title | Apache PDFBox | Medium |
| Product | pom | artifactid | pdfbox | Highest |
| Product | pom | groupid | org.apache.pdfbox | Highest |
| Product | pom | name | Apache PDFBox | High |
| Product | pom | parent-artifactid | pdfbox-parent | Medium |
| Version | Manifest | Bundle-Version | 3.0.3 | High |
| Version | Manifest | Implementation-Version | 3.0.3 | High |
| Version | pom | version | 3.0.3 | Highest |

Related Dependencies



- ocr.tesseract.zip: pdfbox-debugger.jar
 - File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/pdfbox-debugger.jar
 - MD5: 0bba5ce4174511b29e40978ab2db221d
 - SHA1: 1f8500ec45564fbf63a883d8b8c5be9ed1ffc706
 - SHA256: e1df57b00cc713f7b114e874716095eeaddc034cf78f772639ea6807b506d9d
 - [pkg:maven/org.apache.pdfbox/pdfbox-debugger@3.0.3](https://maven.apache.org/pdfbox/pdfbox-debugger@3.0.3)

Identifiers

- [pkg:maven/org.apache.pdfbox/pdfbox@3.0.3](https://maven.apache.org/pdfbox/pdfbox@3.0.3) (Confidence:High)
- [cpe:2.3:a:apache:pdfbox:3.0.3:*:*:*:*](https://cpe.apache.org/pdfbox/3.0.3/*:*:*:*:*) (Confidence:Highest) suppress

ocr.tesseract.zip: tess4j.jar

Description:

Tess4J

Description:

A Java JNA wrapper for Tesseract OCR API.

Tess4J is released and distributed under the Apache License, v2.0.

Features:

The library provides optical character recognition (OCR) support for:

TIFF, JPEG, GIF, PNG, and BMP image formats

Multi-page TIFF images

PDF document format

License:

Apache License 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar

MD5: f6a0f08fbc08771303e5cb8dffbc949a

SHA1: 851d6f93d97a155d8831736ad1031a539946014e

SHA256: e65bcc6328ab575684038d45e1891fa48e0d8255097a628baee0d8cfb5ea816

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|-----------------------|---|------------|
| Vendor | file | name | tess4j | High |
| Vendor | jar | package name | net | Highest |
| Vendor | jar | package name | recognition | Highest |
| Vendor | jar | package name | sourceforge | Highest |
| Vendor | jar | package name | tess4j | Highest |
| Vendor | jar | package name | tesseract | Highest |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | implementation-url | http://tess4j.sourceforge.net | Low |
| Vendor | Manifest | Implementation-Vendor | Tess4J | High |
| Vendor | Manifest | specification-vendor | Tess4J | Low |
| Vendor | pom | artifactid | tess4j | Low |
| Vendor | pom | developer email | nguyenq@users.sf.net | Low |
| Vendor | pom | developer email | osoriojaques@gmail.com | Low |
| Vendor | pom | developer name | O.J. Sousa Rodrigues | Medium |
| Vendor | pom | developer name | Quan Nguyen | Medium |

| | | | | |
|---------|----------|------------------------|-------------------------------|---------|
| Vendor | pom | groupid | net.sourceforge.tess4j | Highest |
| Vendor | pom | name | Tess4J - Tesseract for Java | High |
| Vendor | pom | organization name | Tess4J | High |
| Vendor | pom | organization url | http://tess4j.sourceforge.net | Medium |
| Vendor | pom | url | http://tess4j.sourceforge.net | Highest |
| Product | file | name | tess4j | High |
| Product | jar | package name | net | Highest |
| Product | jar | package name | recognition | Highest |
| Product | jar | package name | sourceforge | Highest |
| Product | jar | package name | tess4j | Highest |
| Product | jar | package name | tesseract | Highest |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | Implementation-Title | Tess4J - Tesseract for Java | High |
| Product | Manifest | implementation-url | http://tess4j.sourceforge.net | Low |
| Product | Manifest | specification-title | Tess4J - Tesseract for Java | Medium |
| Product | pom | artifactid | tess4j | Highest |
| Product | pom | developer email | nguyenq@users.sf.net | Low |
| Product | pom | developer email | osoriojaques@gmail.com | Low |
| Product | pom | developer name | O.J. Sousa Rodrigues | Low |
| Product | pom | developer name | Quan Nguyen | Low |
| Product | pom | groupid | net.sourceforge.tess4j | Highest |
| Product | pom | name | Tess4J - Tesseract for Java | High |
| Product | pom | organization name | Tess4J | Low |
| Product | pom | organization url | http://tess4j.sourceforge.net | Low |
| Product | pom | url | http://tess4j.sourceforge.net | Medium |
| Version | Manifest | Implementation-Version | 5.12.0 | High |
| Version | pom | version | 5.12.0 | Highest |

Identifiers

- [pkg:maven/net.sourceforge.tess4j/tess4j@5.12.0](#) (*Confidence:High*)
- [cpe:2.3:a:tesseract_project:tesseract:5.12.0:*:*:*:*:*](#) (*Confidence:Low*)

suppress

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86-64/libtesseract541.dll

MD5: 1246c1e50200dc43722e926e28fc7c03

SHA1: d8a78040e9c7c71ccaeb627b73c41c66a18b5157

SHA256: 8180efb176e09b7218144fe69d84c0cf6b6187e20d8529f1138bd77396d6f4fa

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------------|------------|
| Vendor | file | name | libtesseract541 | High |
| Product | file | name | libtesseract541 | High |
| Version | file | name | libtesseract541 | Medium |
| Version | file | version | 541 | Medium |

Identifiers

- None

ocr.tesseract.zip: tess4j.jar: libtesseract541.dll

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/ocr.tesseract.zip/tess4j.jar/win32-x86/libtesseract541.dll

MD5: cbf57c8eb12e95512e67638f344ae537

SHA1: 5531d539121fd0aa57d11febd2e8b2a5c13fca05

SHA256: d4d1843d9efeeec1ca53c4ebe6d39e22e5bf17f5bee8b9eedb3bcef7c3c8c84d

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------------|------------|
| Vendor | file | name | libtesseract541 | High |
| Product | file | name | libtesseract541 | High |
| Version | file | name | libtesseract541 | Medium |
| Version | file | version | 541 | Medium |

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope: standalone:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.11.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.11.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.11.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|-----------------------|--|------------|
| Vendor | file | name | opentest4j | High |
| Vendor | gradle | artifactid | opentest4j | Highest |
| Vendor | gradle | groupid | org.opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Highest |
| Vendor | jar | package name | opentest4j | Low |
| Vendor | Manifest | build-date | 2023-07-06 | Low |
| Vendor | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |
| Vendor | Manifest | build-time | 14:25:06.116+0200 | Low |
| Vendor | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Vendor | Manifest | Implementation-Vendor | opentest4j.org | High |
| Vendor | Manifest | specification-vendor | opentest4j.org | Low |
| Product | file | name | opentest4j | High |
| Product | gradle | artifactid | opentest4j | Highest |
| Product | jar | package name | opentest4j | Highest |
| Product | Manifest | build-date | 2023-07-06 | Low |
| Product | Manifest | build-revision | 214973bfa4e7e9be7d04e623202cc4147c7036 | Low |

| | | | | |
|---------|----------|------------------------|-------------------|--------|
| Product | Manifest | build-time | 14:25:06.116+0200 | Low |
| Product | Manifest | Bundle-Name | opentest4j | Medium |
| Product | Manifest | bundle-symbolicname | org.opentest4j | Medium |
| Product | Manifest | Implementation-Title | opentest4j | High |
| Product | Manifest | specification-title | opentest4j | Medium |
| Version | file | version | 1.3.0 | High |
| Version | Manifest | Implementation-Version | 1.3.0 | High |

Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](#) (Confidence: Highest)

parser.image.zip: parser.image.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.image.zip/parser.image.jar

MD5: a4f73516077d963973adcecbf2e2b617

SHA1: 947b6bc51b379b779b4c6a8c1627434d8af5d884

SHA256: 8236ed5df12048acf1cb51504c45d2716f81b0f0896b7a9e96d32b48dd4734fe

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | parser.image | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.image | High |
| Product | jar | package name | imageparser | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugin | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.image | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.image | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

parser.pdf.config.zip: parser.pdf.config.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.pdf.config.zip/parser.pdf.config.jar
MD5: 013b4448113426b1ef2df08dc8278164
SHA1: c121b7c88813d8e21f21bf93b66014abf6d5c9a0
SHA256: c94fdcebb41e092b9a5e0a0b4fea991d9ca08f6b14dc14e54524e802671977f2
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | parser.pdf.config | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.pdf.config | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | pdfparserconfig | Low |
| Product | jar | package name | plugin | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |

| | | | | |
|---------|----------|------------------------|-------------------|---------|
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.pdf.config | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.pdf.config | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*) suppress

parser.text.zip: parser.text.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/parser.text.zip/parser.text.jar
MD5: 73323fac0ee7c45084ed5679d373278d
SHA1: 97772942df1e2c5a701910272049e1c4cd6112c6
SHA256:c4c54b15a21a25bedc09d8e5cab69a768f1d311ad7a69825cc73bf7bd62328a5
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | parser.text | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | plugin | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| | | | | |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | parser.text | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | plugin | Low |
| Product | jar | package name | textparser | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | parser.text | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | parser.text | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar
MD5: 04e2198154d00314fca1d90e16439465
SHA1: c85160db7be5d085570d706d5450ee9f6ceb7d1f
SHA256:b111120b2c4a773255f0ca46d50d33ea3b9ca6b94cc9a93ea1ad2da1514efd4
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | pdfc.standalone | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | standalone | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:59 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfc.standalone | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | standalone | Highest |
| Product | jar | package name | standalone | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:59 | Low |
| | | | | |

| | | | | |
|---------|----------|------------------------|-----------------|---------|
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfc.standalone | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfc.standalone | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

pdfc.standalone.zip: pdfc.standalone.jar: bridge.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridge.js

MD5: 93a24df267249dca305f5af83c047f48

SHA1: 2690836189ad0dd3715568d15b8bba5a3a9fbc93

SHA256:b17c61dcfca7e59009ebe3e57ec254ad68c2dc080d9a194d867a185902e6a433

Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgeConfig.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgeConfig.js
MD5: 50c7b33549870b71c25e22443829ba78
SHA1: 0a50eb333055885b58537a1463009c6d321ca110
SHA256: 7ba9c85404a965c72b736350b26b97bef813b9e523081ed2bf1f9b7303ba0ce4
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: bridgePDFC.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/bridgePDFC.js
MD5: 918410e4e9590ab87b5ca1ea983ebdf1
SHA1: 422e9fa020147687e2c79fa87f8d7ac23d964df1
SHA256: 3d95bb11030e08751e23f02d299b19e2c8db823a14217bdc0cea034a1e23199d
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: extraMenu.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/extraMenu.js
MD5: 76f716ef25759cac5242607c7d46afab
SHA1: ffd9728b1116de8148c96cb1aac069abc994692f
SHA256: 0f2b1cc0136aacbc57993ce598a490e36849a34cdaccea15f213b1f2410fc002
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removeHeader.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removeHeader.js

MD5: 6155f56ea46454fd9b26ec029b07cb4c

SHA1: fdbb377d77e7a33fccd3e56eda617da18a45af3c

SHA256: 7f74294ea3dd2d4561aadf5deb9e1436af5cd08d3f53754b8c2e2321ddad3687

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: removePDFCElements.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/removePDFCElements.js

MD5: cf23507d05d2a8f690f9489d131e7de7

SHA1: bff6a66569787ecf08f314c176220be0ef16f86c

SHA256: 3d2d7526c75020284374f9298157f8fb7d0c37d38d079cffda17b94f9b73690a

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: theme.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/theme.js

MD5: 9ee2557b2355cd5367ad7b7cdf3505e2

SHA1: 6a8e3c4a8964395018faac989bbbd37abf148cd3

SHA256: 0acc32f71a37d0f0f7485be6746f688e449df07e6db3b5ad01973ad7fc3aa53a

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.standalone.zip: pdfc.standalone.jar: translation.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.standalone.zip/pdfc.standalone.jar/com/inet/pdfc/standalone/webgui/translation.js

MD5: 087098ce4993357914ab7ee2ca130bc0

SHA1: b77b0d98a5a98b3a5c9317333f29c0c18d36d86e

SHA256: 26eb8ace7faad440f3aedd47c1c3f6c1603fe7b150213ad32a4251d1226a3895

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:collate:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/collate/pom.xml

MD5: 8c2450b0ee93ccf4dcfa13f4801aa7f5

SHA1: 1308465a655d436ab5e9099c2f6c8123df3718da

SHA256: 53cc3140165e5c4339799b70e1d397f44d74d6d818ab10778367e1afcc6737a2

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | collate | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | collate | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/collate@76.1](#) (Confidence:High)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:core:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/core/pom.xml

MD5: f4624f05ce04172d3568c6b50afa21dc

SHA1: 64122b7101fccce66592580d8e58b97962f19f34

SHA256: c91b534f342d1ab1201cc1445ae1c8612d28926c944eb36fb2d76a17dcf54ac7

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|--------|------------|-------------|------------|
| Vendor | pom | artifactid | core | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| | | | | |

| | | | | |
|---------|-----|-------------------|-------------|---------|
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | core | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/core@76.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:currdata:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/currdata/pom.xml

MD5: 045ee3664cde518bd3ddb8fe84246906

SHA1: 3e3e56746a7b35b2f7296b4bf9b09c694012e826

SHA256: 8a2de340676c8935bdfa44dfe218bb57baf5ea497d8ca51e08d160743afcefa8

Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | currdata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | currdata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/currdata@76.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:langdata:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/langdata/pom.xml
MD5: 4ddf2be247c11b782950455de4e9588c
SHA1: 87e5fef83e8bb75e63137fb7061ea3655af31e9e
SHA256: d5da07e8c4adf139a99d3dc12f36a88d5591fc44efd8c32c6aad2c264effbd7f
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | langdata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | langdata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/langdata@76.1](#) (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:regiondata:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/regiondata/pom.xml
MD5: 3e7866f6ff3ebe0777daf019a58d9bb8
SHA1: 29a30a103c0c8b8d8ea74fc064f81d8ac8366ce1
SHA256: a6bd23fb1c25ab55e56d9f3b6cd53508a3029e015ad639c0104d5f1e52a8998f
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | regiondata | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | regiondata | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |

| | | | | |
|---------|-----|-------------------|------------|---------|
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- pkg:maven/com.ibm.icu/regiondata@76.1 (*Confidence:High*)

pdfc.zip: icu4j.jar (shaded: com.ibm.icu:translit:76.1)

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar/META-INF/maven/com.ibm.icu/translit/pom.xml

MD5: 36ef3abfefa8fe880693abc20fdd1c41

SHA1: 30e18888384b283fb45556fe3509638eca9dd856

SHA256: 60054da405c38c33c837df8f45b8b6961bfb5d5d50596a184e784bfab50494b6

Referenced In Project/Scope: standalone

Evidence +

| Type | Source | Name | Value | Confidence |
|---------|--------|-------------------|-------------|------------|
| Vendor | pom | artifactid | translit | Low |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | parent-artifactid | icu4j-root | Low |
| Product | pom | artifactid | translit | Highest |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | parent-artifactid | icu4j-root | Medium |
| Version | pom | version | 76.1 | Highest |

Identifiers

- pkg:maven/com.ibm.icu/translit@76.1 (*Confidence:High*)

pdfc.zip: icu4j.jar

Description:

International Components for Unicode for Java (ICU4J) is a mature, widely used Java library providing Unicode and Globalization support

License:

Unicode-3.0: <https://raw.githubusercontent.com/unicode-org/icu/maint/maint-76/LICENSE>

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/icu4j.jar

MD5: 0621976c76a3b05b0622aef5a4c1d981

SHA1: 215f3a8e936d4069344bd75f2b1368fd58112894

SHA256: 732cdf18121b1642899da1f5e37e52cc7f48e3ec07fa737105d4603976781b33

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|-------------|--------------------------|---|------------|
| Vendor | file | name | icu4j | High |
| Vendor | file (hint) | name | icu-project | High |
| Vendor | file (hint) | name | unicode | High |
| Vendor | jar | package name | ibm | Highest |
| Vendor | jar | package name | icu | Highest |
| Vendor | Manifest | automatic-module-name | com.ibm.icu | Medium |
| Vendor | Manifest | build-jdk-spec | 1.8 | Low |
| Vendor | Manifest | bundle-copyright | © 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html | Low |
| Vendor | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Vendor | Manifest | bundle-symbolicname | com.ibm.icu | Medium |
| Vendor | Manifest | Implementation-Vendor | Unicode, Inc. | High |
| Vendor | Manifest | Implementation-Vendor-Id | org.unicode | Medium |
| Vendor | pom | artifactid | icu4j | Low |
| Vendor | pom | developer id | markusicu | Medium |
| Vendor | pom | developer id | richgillam | Medium |
| Vendor | pom | developer name | Markus Scherer | Medium |
| Vendor | pom | developer name | Richard Gillam | Medium |
| Vendor | pom | developer org | Google | Medium |
| Vendor | pom | groupid | com.ibm.icu | Highest |
| Vendor | pom | url | https://icu.unicode.org/ | Highest |
| Vendor | pom (hint) | artifactid | icu-project | Low |

| | | | | |
|---------|---------------|--------------------------|---|---------|
| Vendor | pom (hint) | artifactid | unicode | Low |
| Product | file | name | icu4j | High |
| Product | hint analyzer | product | international_components_for_unicode | Highest |
| Product | jar | package name | ibm | Highest |
| Product | jar | package name | icu | Highest |
| Product | Manifest | automatic-module-name | com.ibm.icu | Medium |
| Product | Manifest | build-jdk-spec | 1.8 | Low |
| Product | Manifest | bundle-copyright | © 2016 and later: Unicode, Inc. and others. License & terms of use: http://www.unicode.org/copyright.html | Low |
| Product | Manifest | Bundle-Name | ICU4J | Medium |
| Product | Manifest | bundle-requiredexecution | JavaSE-1.8 | Low |
| Product | Manifest | bundle-symbolicname | com.ibm.icu | Medium |
| Product | Manifest | Implementation-Title | International Components for Unicode for Java | High |
| Product | Manifest | specification-title | International Components for Unicode for Java | Medium |
| Product | pom | artifactid | icu4j | Highest |
| Product | pom | developer id | markusicu | Low |
| Product | pom | developer id | richgillam | Low |
| Product | pom | developer name | Markus Scherer | Low |
| Product | pom | developer name | Richard Gillam | Low |
| Product | pom | developer org | Google | Low |
| Product | pom | groupid | com.ibm.icu | Highest |
| Product | pom | url | https://icu.unicode.org/ | Medium |
| Version | Manifest | Bundle-Version | 76.1 | High |
| Version | Manifest | Implementation-Version | 76.1 | High |
| Version | pom | version | 76.1 | Highest |

Identifiers

- [pkg:maven/com.ibm.icu/icu4j@76.1](#) (*Confidence:High*)
- [cpe:2.3:a:icu-project:international_components_for_unicode:76.1:*:*:*:*:*](#) (*Confidence:Low*)

- cpe:2.3:a:unicode:international_components_for_unicode:76.1:*:*:*:*:* (Confidence: Low)

pdfc.zip: pdfc-javadoc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar

MD5: c8ccb0bc93e899f526f5a7f8bce0caf9

SHA1: 505f5908007f461e8d945811ac1256d5466d7869

SHA256: ca5572b6df096ccce2fb7e54ebf7cca4d32d785b0dfb934756afbd2b4579406b

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|---------|--------|------|--------------|------------|
| Vendor | file | name | pdfc-javadoc | High |
| Product | file | name | pdfc-javadoc | High |

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: jquery-3.6.1.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-3.6.1.min.js

MD5: 00727d1d5d9c90f7de826f1a4a9cc632

SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js

MD5: 32059df39c14a910ccc2325f6a3cd62f

SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b

SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | jquery-ui | High |
| Product | file | name | jquery-ui | High |
| Version | file | version | 1.13.1 | High |

Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

pdfc.zip: pdfc-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/member-search-index.js

MD5: 63f276681e362c4576ec13404afbc312

SHA1: b2922a157a3baec5af37460d9317838604a659c7

SHA256: b4dcddfcf722af5e16a719efe8f87c64b53cb85a247839c459918b06d2debbb2

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: module-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/module-search-index.js
MD5: a33da0f469acbd03f77bf407bac505f5
SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/package-search-index.js
MD5: 704b175752fd9646f0b53f0630993ec3
SHA1: ab8c6e78cec3f37d42bae22d017bbb92b736d663
SHA256: e85fb555ff19b3ac1934c0188d4e33f4443ddc4cd557c7dee9b6de5a0a952a05
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: script.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script.js
MD5: baf9d9e16237acbdce975a33c54ee8ae
SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: search.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/search.js

MD5: cb277f670590ffec20a12745260518dc

SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: tag-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/tag-search-index.js

MD5: 95810a7878ddd3f49d938eb6b5c0f1b2

SHA1: 4d0358e131242bfb1a29d1db368e9e24381ad979

SHA256: e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/type-search-index.js

MD5: 31f04900a69797b30c22632a48c0e24e

SHA1: e4966b9a2256258841673910106f738e00b5837b

SHA256: 93cd53a9a8bdaeb9cb173dae7348e2737d8585019f307f33c4308557ad3e1e06

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfc.zip: pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc.jar

MD5: 38486cbb0d045d55f9acc7835517a743

SHA1: cdeb4d7cb325b387150431ead057be059ca015ae

SHA256: 816e4d58626bc0d6795748b0e0ed9dd5f3a1de1edd39d064b56bddcf2ba363c5

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|--------|----------|--|------------------|------------|
| Vendor | file | name | pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:43 | Low |
| Vendor | Manifest | codebase | * | Low |

| | | | | |
|---------|----------|--|--------------------------------------|---------|
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | permissions | Highest |
| Product | Manifest | application-library-allowable-codebase | * | Low |
| Product | Manifest | built-date | 2025-07-25 13:43 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfc | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfc | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | jar | package name | permissions | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (*Confidence:Low*)

suppress

pdfcserver.zip: pdfcserver.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar

MD5: f1d0f9c375429ee99bdc6ef3bc7d8c4b

SHA1: 9693517e5113749b9e48264411d591aea2a68474

SHA256: a0590186ff26574e4ff068e1ff6be4441309cb3918fa089eaa134398e7e456ca

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--|--------------------------------------|------------|
| Vendor | file | name | pdfcserver | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | server | Low |
| Vendor | Manifest | application-library-allowable-codebase | * | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:43 | Low |
| Vendor | Manifest | codebase | * | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | permissions | all-permissions | Low |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | trusted-library | false | Low |
| Vendor | Manifest | trusted-only | false | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcserver | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | persistence | Low |
| Product | jar | package name | server | Low |
| Product | Manifest | application-library-allowable-codebase | * | Low |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | built-date | 2025-07-25 13:43 | Low |
| Product | Manifest | codebase | * | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfcserver | High |
| Product | Manifest | permissions | all-permissions | Low |
| Product | Manifest | specification-title | pdfcserver | Medium |
| Product | Manifest | trusted-library | false | Low |
| Product | Manifest | trusted-only | false | Low |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

pdfcserver.zip: pdfcserver.jar: compareconfigrenderer.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcserver.zip/pdfcserver.jar/com/inet/pdfc/server/structure/compareconfigrenderer.js
MD5: ca54201f240ce7fea03db4f46ecd818a
SHA1: 420f31523aa51830c134d193dae0a692eff5b4da
SHA256: 0aa678824bea93ed82b1747fc75512915488e2d65b5f11c9c22d4214bb129cec
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

pdfcsetupwizard.zip: pdfcsetupwizard.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar
MD5: 3ad36afc0d34f74f9b88635f80f0e904
SHA1: b8e93e3f09aeef90f7707745960a08dc19facf6d
SHA256:9c0aa3ac9770cff836fd6ac17ec8fedc9fc6c3000de36bd2935a0201d4071ec6
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | pdfcsetupwizard | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | setupwizard | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:52 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | pdfcsetupwizard | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | setupwizard | Low |
| Product | jar | package name | steps | Low |
| Product | Manifest | built-date | 2025-07-25 13:52 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | pdfcsetupwizard | High |
| Product | Manifest | specification-title | pdfcsetupwizard | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

•

pdfcsetupwizard.zip: pdfcsetupwizard.jar: controller.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfcsetupwizard.zip/pdfcsetupwizard.jar/com/inet/pdfc/setupwizard/steps/license/controller.js
MD5: b21c2ee13289577d98bbb1687726af34
SHA1: 9032230ff5222847734d3cb4723103733f88e92
SHA256:6c1d316ea3da704c21cc9e3fa2426863fa173c3d44a212506fc4bc1e187991e9
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|------|--------|------|-------|------------|
|------|--------|------|-------|------------|

Identifiers

- None

processbridge.pdfc.zip: processbridge.pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/processbridge.pdfc.zip/processbridge.pdfc.jar
MD5: ff8019813e4b53220c6959ea66704dd2
SHA1: db70cee1b483ec5e84e8c6e840d8889aee592685
SHA256:24d3a2a19adc9e648b05a3286b141451ca81731f7171fabc6e220fd7a1091812
Referenced In Project/Scope: standalone

Evidence

| Type | Source | Name | Value | Confidence |
|--------|----------|----------------------|--------------------|------------|
| Vendor | file | name | processbridge.pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | processbridge | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:58 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation- | i-net software | High |

| | | | | |
|---------|----------|--------------------------|--------------------------------------|---------|
| | | Vendor | | |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | processbridge.pdf | High |
| Product | jar | package name | api | Low |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | processbridge | Highest |
| Product | jar | package name | processbridge | Low |
| Product | Manifest | built-date | 2025-07-25 13:58 | Low |
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | processbridge.pdf | High |
| Product | Manifest | specification-title | processbridge.pdf | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

slf4j-api-2.0.16.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

MD5: c8de8f5d740584cb24b5652cfba8b3c4

SHA1: 0172931663a09a1fa515567af5fbef00897d3c04

SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

Referenced In Project/Scope: standalone:inetPlugin

Included by: pkg:maven/pdfc/standalone@25.4

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|----------------------|----------------------|------------|
| Vendor | file | name | slf4j-api | High |
| Vendor | gradle | artifactid | slf4j-api | Highest |
| Vendor | gradle | groupid | org.slf4j | Highest |
| Vendor | jar | package name | slf4j | Highest |
| Vendor | Manifest | build-jdk-spec | 21 | Low |
| Vendor | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Vendor | Manifest | bundle-symbolicname | slf4j-api | Medium |
| Vendor | Manifest | multi-release | true | Low |
| Vendor | pom | artifactid | slf4j-api | Low |
| Vendor | pom | groupid | org.slf4j | Highest |
| Vendor | pom | name | SLF4J API Module | High |
| Vendor | pom | parent-artifactid | slf4j-parent | Low |
| Vendor | pom | url | http://www.slf4j.org | Highest |
| Product | file | name | slf4j-api | High |
| Product | gradle | artifactid | slf4j-api | Highest |
| Product | jar | package name | slf4j | Highest |
| Product | Manifest | build-jdk-spec | 21 | Low |
| Product | Manifest | bundle-docurl | http://www.slf4j.org | Low |
| Product | Manifest | Bundle-Name | SLF4J API Module | Medium |
| Product | Manifest | bundle-symbolicname | slf4j-api | Medium |
| Product | Manifest | Implementation-Title | slf4j-api | High |
| Product | Manifest | multi-release | true | Low |
| Product | pom | artifactid | slf4j-api | Highest |
| Product | pom | groupid | org.slf4j | Highest |
| Product | pom | name | SLF4J API Module | High |
| Product | pom | parent-artifactid | slf4j-parent | Medium |
| Product | pom | url | http://www.slf4j.org | Medium |
| Version | file | version | 2.0.16 | High |
| Version | gradle | version | 2.0.16 | Highest |
| Version | Manifest | Bundle-Version | 2.0.16 | High |
| | | | | |

| | | | | |
|---------|----------|------------------------|--------|---------|
| Version | Manifest | Implementation-Version | 2.0.16 | High |
| Version | pom | version | 2.0.16 | Highest |

Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.16 (*Confidence:High*)

taskplanner.pdfc.zip: taskplanner.pdfc.jar

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/taskplanner.pdfc.zip/taskplanner.pdfc.jar

MD5: 3314938e18de9d72f99217c9ea56f681

SHA1: b1ad576d31a7f17754fb98e242ebc9782eccb957

SHA256: 981b0db0ff0b5e2f6e0f8401d9eb19d4cdae82183d291299494004154d018c31

Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|----------|--------------------------|--------------------------------------|------------|
| Vendor | file | name | taskplanner.pdfc | High |
| Vendor | jar | package name | inet | Low |
| Vendor | jar | package name | pdfc | Low |
| Vendor | jar | package name | taskplanner | Low |
| Vendor | Manifest | built-date | 2025-07-25 13:56 | Low |
| Vendor | Manifest | implementation-group | pdfc | Low |
| Vendor | Manifest | Implementation-Vendor | i-net software | High |
| Vendor | Manifest | Implementation-Vendor-Id | de.inetsoftware | Medium |
| Vendor | Manifest | specification-vendor | i-net software | Low |
| Vendor | Manifest | vendor | i-net software GmbH, Berlin, Germany | Medium |
| Product | file | name | taskplanner.pdfc | High |
| Product | jar | package name | pdfc | Highest |
| Product | jar | package name | pdfc | Low |
| Product | jar | package name | taskplanner | Highest |
| Product | jar | package name | taskplanner | Low |
| Product | Manifest | built-date | 2025-07-25 13:56 | Low |

| | | | | |
|---------|----------|------------------------|------------------|---------|
| Product | Manifest | implementation-group | pdfc | Low |
| Product | Manifest | Implementation-Title | taskplanner.pdfc | High |
| Product | Manifest | specification-title | taskplanner.pdfc | Medium |
| Version | jar | package name | pdfc | Highest |
| Version | Manifest | Implementation-Version | 25.4.312 | High |

Identifiers

- cpe:2.3:a:inetsoftware:pdfc:25.4.312:*:*:*:*:* (Confidence:Low) suppress

Suppressed Vulnerabilities



pdfc.zip: pdfc-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/pdfc/Check-Product-Installer-for-Security-Problems/PDFCInstaller/standalone/build/tmp/dependencies/i-net PDFC/plugins/pdfc.zip/pdfc-javadoc.jar/script-dir/jquery-ui.min.js
MD5: 32059df39c14a910ccc2325f6a3cd62f
SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
Referenced In Project/Scope: standalone

Evidence



| Type | Source | Name | Value | Confidence |
|---------|--------|---------|-----------|------------|
| Vendor | file | name | jquery-ui | High |
| Product | file | name | jquery-ui | High |
| Version | file | version | 1.13.1 | High |

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT, MITIGATION, RELEASE NOTES, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [MAILING LIST, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [PATCH, THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [RELEASE NOTES, VENDOR ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)
- security-advisories@github.com - [THIRD PARTY ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*:*:*:*:*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).