



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)



[Sponsor](#)

Project: project ':designer'

clear-reports:designer:23.10

Scan Information ([show all](#)):

- *dependency-check version*: 7.4.4
- *Report Generated On*: Fri, 17 Nov 2023 19:54:27 +0100
- *Dependencies Scanned*: 221 (195 unique)
- *Vulnerable Dependencies*: 0
- *Vulnerabilities Found*: 0
- *Vulnerabilities Suppressed*: 16
- ...

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Count	Confidence	Evidence Count
------------	-------------------	---------	------------------	-----------	------------	----------------

Dependencies

Suppressed Vulnerabilities



datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/native-protocol.jar

MD5: 3c4bf24fd592b01cff5234428080230d

SHA1: 97e812373a5fe7667384e7ad67819d2c71878bf8

SHA256: 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

Evidence



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2020-13946](#) suppressed

In Apache Cassandra, all versions prior to 2.1.22, 2.2.18, 3.0.22, 3.11.8 and 4.0-beta2, it is possible for a local attacker without access to the Apache Cassandra process or configuration files to manipulate the RMI registry to perform a man-in-the-middle attack and capture user names and passwords used to access the JMX interface. The attacker can then use these credentials to access the JMX interface and perform unauthorised operations. Users should also be aware of CVE-2019-2684, a JRE vulnerability that enables this issue to be exploited remotely.

CWE-668 Exposure of Resource to Wrong Sphere

Notes: Possible false positive, since the CVE is a year old and it does not match this package and version file name: datasource.cassandra.zip: native-protocol.jar

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:P/I:N/A:N

CVSSv3:

- MEDIUM (5.9)
- CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N

References:

- - [\[cassandra-user\] 20200901 Re: CVE-2020-13946 Apache Cassandra RMI Rebind Vulnerability](#)
- - [\[cassandra-user\] 20200902 Re: CVE-2020-13946 Apache Cassandra RMI Rebind Vulnerability](#)
- - [\[cassandra-user\] 20200911 Re: CVE-2020-13946 Apache Cassandra RMI Rebind Vulnerability](#)
- CONFIRM - <https://security.netapp.com/advisory/ntap-20210521-0005/>
- MISC - <https://lists.apache.org/thread.html/rcd7544b24d8fc32b7950ec4c117052410b661babaa857fb1fc641152%40%3Cuser.cassandra.apache.org%3E>

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:apache:cassandra:*:*:*:*:* versions up to \(excluding\) 2.1.22](#)
- ...

datasource.cassandra.zip: netty-transport.jar

Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-transport.jar

MD5: 5c5833972c90aca30023ca7118d1c6d7

SHA1: 6620fbfb47667a5eb6050e35c7b4c88000bcd77f

SHA256: b1deceedab3734cdb959c55f4be5ab4a667a8aed59121ff93763f49470f5470

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2023-4586](#) suppressed

A vulnerability was found in the Hot Rod client. This security issue occurs as the Hot Rod client does not enable hostname validation when using TLS, possibly resulting in a man-in-the-middle (MITM) attack.

CWE-295 Improper Certificate Validation

Notes: netty-handler does not verify a hostname by default. This will be change with version 5.x first.

CVSSv3:

- HIGH (7.4)
- CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:N

References:

- MISC - <https://access.redhat.com/security/cve/CVE-2023-4586>
- MISC - https://bugzilla.redhat.com/show_bug.cgi?id=2235564

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:netty:netty:*:*:*:*:* versions from \(including\) 4.1.0; versions up to \(excluding\) 5.0.0](#)
- ...

facturx.zip: jakarta.activation-api.jar

Description:

\${project.name} \${spec.version} Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.activation-api.jar

MD5: 1af11450fafc7ee26c633d940286bc16

SHA1: 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

SHA256: f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

Evidence



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2008-7271](#) suppressed

Multiple cross-site scripting (XSS) vulnerabilities in the Help Contents web application (aka the Help Server) in Eclipse IDE, possibly 3.3.2, allow remote attackers to inject arbitrary web script or HTML via (1) the searchWord parameter to help/advanced/searchView.jsp or (2) the workingSet parameter in an add action to help/advanced/workingSetManager.jsp, a different issue than CVE-2010-4647.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredssmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample python project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

References:

- MISC - <http://r00tin.blogspot.com/2008/04/eclipse-local-web-server-exploitation.html>
- MISC - https://bugs.eclipse.org/bugs/show_bug.cgi?id=223539

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:eclipse:eclipse_ide:*:*:*:*:*](#)
- ...

[CVE-2010-4647](#) suppressed

Multiple cross-site scripting (XSS) vulnerabilities in the Help Contents web application (aka the Help Server) in Eclipse IDE before 3.6.2 allow remote attackers to inject arbitrary web script or HTML via the query string to (1) help/index.jsp or (2) help/advanced/content.jsp.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredssmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample phyton project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

References:

- FEDORA - [FEDORA-2010-18990](#)
- FEDORA - [FEDORA-2010-19006](#)
- MANDRIVA - [MDVSA-2011:032](#)
- MISC - http://yehg.net/lab/pr0js/advisories/eclipse/%5Beclipse_help_server%5D_cross_site_scripting
- MISC - https://bugs.eclipse.org/bugs/show_bug.cgi?id=329582
- MLIST - [\[oss-security\] 20110106 CVE Request: Eclipse IDE Version: 3.6.1 | Help Server Local Cross Site Scripting \(XSS\)](#)
- MLIST - [\[oss-security\] 20110106 Re: CVE Request: Eclipse IDE Version: 3.6.1 | Help Server Local Cross Site Scripting \(XSS\)](#)
- REDHAT - [RHSA-2011:0568](#)
- XF - [eclipseide-querystring-xss\(64833\)](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:eclipse:eclipse_ide:*:*:*:*:* versions up to \(including\) 3.6.1](#)
- ...

reporting.zip: reporting-javadoc.jar: jquery-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.js

MD5: 3e34f50eab2e13d720c93e44ac5cb7ca

SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16

SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfc333ea6de5247

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHE/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*

- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:17.7:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.9:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.10:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.11:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>

- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera_gateway:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_gateway:18.8.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:19.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:20.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:21.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

[CVE-2021-41184](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSTZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:**
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:**
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:**
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:**
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:**
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:**
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:**
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:**
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:**
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:**
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:**
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:**
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:**
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:**
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:**
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:**
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:**
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:**
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:**
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:**
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:**
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2022-31160 suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*:*:*:*:*:~::~

reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.min.js

MD5: 28d157e58272e91b054c254eab737df0

SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9

SHA256: 76e849220d7fe7778affeaa0f0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSTIJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*

- cpe:2.3:a:oracle:application_express:***** versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*****
- cpe:2.3:a:oracle:banking_platform:2.12.0:*****
- cpe:2.3:a:oracle:big_data_spatial_and_graph:***** versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*****
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*****
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*****
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*****
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*****
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*****
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*****
- cpe:2.3:a:oracle:hospitality_suite8:***** versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*****
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:***** versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:***** versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*****
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*****
- cpe:2.3:a:oracle:policy_automation:***** versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:***** versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:17.7:*****
- cpe:2.3:a:oracle:primavera_unifier:17.8:*****
- cpe:2.3:a:oracle:primavera_unifier:17.9:*****
- cpe:2.3:a:oracle:primavera_unifier:17.10:*****
- cpe:2.3:a:oracle:primavera_unifier:17.11:*****
- cpe:2.3:a:oracle:primavera_unifier:17.12:*****
- cpe:2.3:a:oracle:primavera_unifier:18.8:*****
- cpe:2.3:a:oracle:primavera_unifier:19.12:*****
- cpe:2.3:a:oracle:primavera_unifier:20.12:*****
- cpe:2.3:a:oracle:primavera_unifier:21.12:*****
- cpe:2.3:a:oracle:rest_data_services:***** versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*****
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*****
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*****
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*****
- cpe:2.3:a:tenable:tenable.sc:***** versions up to (excluding) 5.21.0

CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `*Text` options of the DatePicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pgfg6-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>

- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - N/A
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera_gateway:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_gateway:18.8.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:19.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:20.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:21.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2021-41184 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `.position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCF5ZIJ3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*

- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:-*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:-*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2022-31160 suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the ``label`` in a ``span``.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:-:*:*:*:*:*:

reporting.zip: reporting-javadoc.jar: jszip.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.js

MD5: 445655f2b60614c242f0c073c319ebd3

SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87

SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.8.0

[CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g. __proto__, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)

- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxx>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.7.0

reporting.zip: reporting-javadoc.jar: jszip.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js

MD5: dc5d2aac976b1ad09faa452b4ce37519

SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892

SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

Evidence



Related Dependencies



Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.8.0

CVE-2021-23413 suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g. __proto__, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxx>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.7.0

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).