



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

Project: project ':server'

clear-reports:server:23.10

Scan Information ([show all](#)):

- *dependency-check version*: 7.4.4
- *Report Generated On*: Tue, 16 Jan 2024 13:40:46 +0100
- *Dependencies Scanned*: 3012 (2089 unique)
- *Vulnerable Dependencies*: 0
- *Vulnerabilities Found*: 0
- *Vulnerabilities Suppressed*: 26
- ...
- *NVD CVE Checked*: 2024-01-16T13:37:55
- *NVD CVE Modified*: 2024-01-16T02:00:01

Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package
BarcodePDF417Bean.jar		
Fositex.jar		
ICSharpCode.SharpZipLib.dll	cpe:2.3:a:sharpziplib_project:sharpziplib:1.4.2:****.*.*.*	pkg:generic/ICSharpCode/SharpZipLib
JBarcodeBean.jar		
JGaugeBean.jar		
JWebEngine.jar		
LayoutJDBCdriver.jar		
Merlia-0.jar		pkg:maven/merlia/merlia-0
Oranxo.jar		
ReportViewerWinForms.csproj		
ReportViewerWinFormsTests.csproj		

Syto.jar		
ZxingBarCodes.jar		
adhoc.zip: adhoc.jar		
adhoc.zip: adhoc.jar: adhocmodule.js		
adhoc.zip: adhocClient.jar		
application.currenttime.zip: application.currenttime.sample.jar		
application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js		
application.embedded.zip: application.embedded.sample.jar		
application.embedded.zip: application.embedded.sample.jar: embeddedMode.js		
application.googleanalytics.zip: application.googleanalytics.sample.jar		
application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js		
application.helloworld.zip: application.helloworld.sample.jar		
authentication.ldap.zip: authentication.ldap.jar		
authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar		
authentication.oauth.zip: authentication.oauth-javadoc.jar		
authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.5.1.js		
authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.js		pkg:javascript/jquery-ui@3.2.1
authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js		pkg:javascript/jquery-ui@3.2.1
authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils-ie.js		
authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils-ie.min.js		
authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils.js		
authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils.min.js		
authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip.js		pkg:javascript/jszip@3.2.1
authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip.min.js		pkg:javascript/jszip@3.2.1
authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js		

[authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js](#)

[authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js](#)

[authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js](#)

[authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js](#)

[authentication.oauth.zip: authentication.oauth.jar](#)

[authentication.pam.zip: authentication.pam.jar](#)

[authentication.passwordfile.zip: authentication.passwordfile.sample.jar](#)

[authentication.product.zip: authentication.product.jar](#)

[authentication.token.zip: authentication.token.jar](#)

[authentication.token.zip: authentication.token.jar: tokenauthentication.js](#)

[authentication.windows.zip: authentication.windows.jar](#)

[authentication.windows.zip: caffeine.jar](#)

[pkg:maven/github.ben-r/caffeine/caffeine@3](#)

[authentication.windows.zip: jna-platform.jar](#)

[pkg:maven/dev.jna/jna-platform@5.](#)

[authentication.windows.zip: waffle-jna.jar](#)

[pkg:maven/github.waffle/jna@3.3.0](#)

[collation.zip: collation.sample.sample.jar](#)

[commons-logging.jar](#)

[pkg:maven/commons-logging/commons-logging@1.2](#)

[configuration.zip: configuration.jar](#)

[configuration.zip: configuration.jar: authentication.js](#)

[configuration.zip: configuration.jar: boolean.directive.js](#)

[configuration.zip: configuration.jar: booleanButton.directive.js](#)

[configuration.zip: configuration.jar: colorInput.directive.js](#)

[configuration.zip: configuration.jar: controller.js](#)

[configuration.zip: configuration.jar: datafactory.js](#)

[configuration.zip: configuration.jar: file.js](#)

[configuration.zip: configuration.jar: inlinerenderer.directive.js](#)

configuration.zip: configuration.jar: keyLabelText.directive.js		
configuration.zip: configuration.jar: labelLink.directive.js		
configuration.zip: configuration.jar: labelText.directive.js		
configuration.zip: configuration.jar: licensekey.js		
configuration.zip: configuration.jar: list.js		
configuration.zip: configuration.jar: logopreview.js		
configuration.zip: configuration.jar: multiLineText.directive.js		
configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js		
configuration.zip: configuration.jar: passwordText.directive.js		
configuration.zip: configuration.jar: permissions.js		
configuration.zip: configuration.jar: plugin.js		
configuration.zip: configuration.jar: renderer.directive.js		
configuration.zip: configuration.jar: repository.js		
configuration.zip: configuration.jar: selectEditText.directive.js		
configuration.zip: configuration.jar: selectFilteredText.directive.js		
configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js		
configuration.zip: configuration.jar: selectSimpleText.directive.js		
configuration.zip: configuration.jar: simpleDate.directive.js		
configuration.zip: configuration.jar: simpleSlider.directive.js		
configuration.zip: configuration.jar: simpleText.directive.js		
configuration.zip: configuration.jar: table.js		
configuration.zip: configuration.jar: tree.js		
configuration.zip: configuration.jar: userandgroupselect.js		
core.jar		pkg:maven/google.zxing/core@3.5.2
crsetupwizard.zip: crsetupwizard.jar		
customformulas.zip: customformulas.sample.sample.jar		
datasource.cassandra.zip: config.jar		pkg:maven/typesafe/core

		4.2
datasource.cassandra.zip: datasource.cassandra.jar		
datasource.cassandra.zip: java-driver-core.jar	cpe:2.3:a:apache:cassandra:4.17.0:*.~*~*~*~*~*~*	pkg:maven/com.datastax.oss.driver-core@
datasource.cassandra.zip: java-driver-shaded-guava.jar	cpe:2.3:a:apache:cassandra:25.1:*.~*~*~*~*~*~*	pkg:maven/com.datastax.oss.driver-shaded-guava@25.1-graal-sub-1
datasource.cassandra.zip: native-protocol.jar	cpe:2.3:a:apache:cassandra:1.5.1:*.~*~*~*~*~*~*	pkg:maven/com.datastax.oss.protocol@1.
datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:3.1.0)		pkg:maven/com.jctools/jctools-core@3.1.0
datasource.cassandra.zip: netty-transport.jar	cpe:2.3:a:netty:netty:4.1.100:*.~*~*~*~*~*~*	pkg:maven/io.netty-transport/1.100.Final
datasource.mongodb.zip: datasource.mongodb.jar		
datasource.mongodb.zip: mongo-java-driver.jar	cpe:2.3:a:mongodb:java_driver:3.12.14:*.~*~*~*~*~*~*	pkg:maven/com.mongodb/mongo-java-driver@
datasource.zip: datasource.jar		
datasource.zip: datasource.jar: datasources-edit-controller.js		
datasource.zip: datasource.jar: datasources-main-controller.js		
datasource.zip: datasource.jar: factory.js		
datasource.zip: datasource.jar: model.js		
datasource.zip: datasource.jar: renderer-permissions.js		
datasource.zip: datasource.jar: renderer.js		
decoder.docx.zip: DocxParser.jar		
decoder.docx.zip: EmfParser.jar		
decoder.docx.zip: SparseBitSet.jar	cpe:2.3:a:bit_project:bit:1.3:*.~*~*~*~*~*~*	pkg:maven/com.zaxxer/SparseBitS
decoder.docx.zip: commons-codec.jar		pkg:maven/commons-c/commons-codec@1.16
decoder.docx.zip: commons-collections4.jar	cpe:2.3:a:apache:commons_collections:4.4:*.~*~*~*~*~*~*	pkg:maven/com.apache.com/commons-collections4
decoder.docx.zip: commons-compress.jar	cpe:2.3:a:apache:commons_compress:1.24.0:*.~*~*~*~*~*~*	pkg:maven/com.apache.com/commons-

[compress@](#)

decoder.docx.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.11.0:*:*:*:*:*	pkg:maven/commons-io/commons-io-11.0
decoder.docx.zip: commons-math3.jar		pkg:maven/apache.com/commons-math3@3.6.
decoder.docx.zip: curvesapi.jar		pkg:maven/github.virtua/curvesapi@
decoder.docx.zip: decoder.docx.jar		
decoder.docx.zip: log4j-api.jar	cpe:2.3:a:apache:log4j:2.20.0:*:*:*:*:*	pkg:maven/apache.logg/log4j/log4j-a-20.0
decoder.docx.zip: ooxml-schemas.jar		pkg:maven/apache.poi/c/schemas@1
decoder.docx.zip: poi.jar	cpe:2.3:a:apache:poi:5.2.3:*:*:*:*:*	pkg:maven/apache.poi/p/2.3
decoder.docx.zip: xmlbeans.jar	cpe:2.3:a:apache:xmlbeans:5.1.1:*:*:*:*:*	pkg:maven/apache.xmlb/xmlbeans@
decoder.pdf.zip: PDFParser.jar		
decoder.pdf.zip: decoder.pdf.jar		
decoder.pdf.zip: jbig2.jar	cpe:2.3:a:homepage_project:homepage:5.5.1:*:*:*:*:*	pkg:maven/intarsys.ope/jbig2@5.5.1
decoder.svg.zip: batik-anim-inet_patched.jar		
decoder.svg.zip: batik-awt-util-inet_patched.jar		
decoder.svg.zip: batik-bridge-inet_patched.jar		
decoder.svg.zip: batik-codec-inet_patched.jar		
decoder.svg.zip: batik-constants-inet_patched.jar		
decoder.svg.zip: batik-css-inet_patched.jar		
decoder.svg.zip: batik-dom-inet_patched.jar		
decoder.svg.zip: batik-ext-inet_patched.jar		
decoder.svg.zip: batik-extension-inet_patched.jar		
decoder.svg.zip: batik-gui-util-inet_patched.jar		
decoder.svg.zip: batik-gvt-inet_patched.jar		
decoder.svg.zip: batik-i18n-inet_patched.jar	cpe:2.3:a:inet:inet:18:*:*:*:*:*	
decoder.svg.zip: batik-parser-inet_patched.jar		

decoder.svg.zip: batik-script-inet_patched.jar		
decoder.svg.zip: batik-slideshow-inet_patched.jar		
decoder.svg.zip: batik-svg-dom-inet_patched.jar		
decoder.svg.zip: batik-svggen-inet_patched.jar		
decoder.svg.zip: batik-svgpp-inet_patched.jar		
decoder.svg.zip: batik-swing-inet_patched.jar		
decoder.svg.zip: batik-transcoder-inet_patched.jar		
decoder.svg.zip: batik-ttf2svg-inet_patched.jar	cpe:2.3:a:inet:inet:2:*:*:*:*:*	
decoder.svg.zip: batik-util-inet_patched.jar		
decoder.svg.zip: batik-xml-inet_patched.jar		
decoder.svg.zip: decoder.svg.jar		
decoder.svg.zip: xml-apis-ext.jar		pkg:maven/xml-apis-ext/3.04
decoder.svg.zip: xmlgraphics-commons.jar	cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*:*	pkg:maven/apache/xmlgraphics-commons@
designer.zip: JWebEngine.jar		
designer.zip: JnlpDesigner.jar		
designer.zip: SBSTutorial.jar		
designer.zip: TableLayout.jar		
designer.zip: adhoc.jar		
designer.zip: designer.jar		
designer.zip: designer.jar: app.js		
designer.zip: designer.jar: remotedesigner.js		
designer.zip: inetcore.jar		
designer.zip: inetswingcore.jar		
diagnostics.reporting.zip: diagnostics.reporting.jar		
diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js		
diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js		
diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js		
diagnostics.zip: diagnostics.jar		
diagnostics.zip: diagnostics.jar: MemoryPieChart.js		
diagnostics.zip: diagnostics.jar: MemoryUsageChart.js		
diagnostics.zip: diagnostics.jar: WebServerErrorChart.js		

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js		
diagnostics.zip: diagnostics.jar: client-server.js		
diagnostics.zip: diagnostics.jar: controller.js		
diagnostics.zip: diagnostics.jar: cpu.js		
diagnostics.zip: diagnostics.jar: cpuspeed.js		
diagnostics.zip: diagnostics.jar: directives.js		
diagnostics.zip: diagnostics.jar: errorHistoryChart.js		
diagnostics.zip: diagnostics.jar: flotr2.min.js		
diagnostics.zip: diagnostics.jar: global.js		
diagnostics.zip: diagnostics.jar: harddisk.js		
diagnostics.zip: diagnostics.jar: heapdumpCtrl.js		
diagnostics.zip: diagnostics.jar: informationCtrl.js		
diagnostics.zip: diagnostics.jar: intArrayUtils.js		
diagnostics.zip: diagnostics.jar: iospeed.js		
diagnostics.zip: diagnostics.jar: jobs.js		
diagnostics.zip: diagnostics.jar: logging.js		
diagnostics.zip: diagnostics.jar: memory.js		
diagnostics.zip: diagnostics.jar: overviewCtrl.js		
diagnostics.zip: diagnostics.jar: pde.diagnostics.js		
diagnostics.zip: diagnostics.jar: timeformat.js		
docfx.js		
docfx.vendor.js		pkg:javascript/bootstrap@
embeddedMode.js		
enginefactory.zip: enginefactory.sample.sample.jar		
errorhandler.zip: errorhandler.jar		
exceljconnect.jar		pkg:maven/inetsoftware/exceljconne
extension.js		
extension.js		
facturx.zip: Saxon-HE.jar	cpe:2.3:a:kay_framework_project:kay_framework:12.3:****:*	pkg:maven/saxon/SaxonHE@12.3
facturx.zip: facturx.jar		
facturx.zip: istack-commons-runtime.jar	cpe:2.3:a:oracle:java_se:4.2.0:****:*	pkg:maven/sun.istack/istack-commons-runtime@4.1

facturx.zip: jakarta.activation-api.jar	cpe:2.3:a:eclipse:eclipse_ide:2.1.2:*:*:*:*:*	pkg:maven/jakarta/activation-api/1.2
facturx.zip: jakarta.xml.bind-api.jar		pkg:maven/jakarta/xml/bind-api
facturx.zip: jaxb-core.jar	cpe:2.3:a:eclipse:glassfish:4.0.3:*:*:*:*:*	pkg:maven/eclipse/glassfish.jaxb-core/4.0.3
facturx.zip: ph-collection.jar		pkg:maven/helger.comn/ph-collection/1.2
facturx.zip: ph-commons.jar		pkg:maven/helger.comn/ph-commons/1.2
facturx.zip: ph-jaxb.jar		pkg:maven/helger.comn/ph-jaxb/1.2
facturx.zip: ph-schematron-api.jar		pkg:maven/helger.scher/ph-schematron-api/7.1.2
facturx.zip: ph-schematron-pure.jar		pkg:maven/helger.scher/ph-schematron-pure/7.1.2
facturx.zip: ph-schematron-schxslt.jar		pkg:maven/helger.scher/ph-schematron-schxslt/7.1.2
facturx.zip: ph-schematron-validator.jar		pkg:maven/helger.scher/ph-schematron-validator/7.1.2
facturx.zip: ph-schematron-xslt.jar		pkg:maven/helger.scher/ph-schematron-xslt/7.1.2
facturx.zip: ph-xml.jar		pkg:maven/helger.comn/ph-xml/1.1
facturx.zip: ph-xsds-xml.jar		pkg:maven/helger.xsd/p-ph-xml/3.0.0
facturx.zip: txw2.jar	cpe:2.3:a:eclipse:glassfish:4.0.3:*:*:*:*:*	pkg:maven/eclipse/glassfish.jaxb/txw2/4.0.3
facturx.zip: xmlresolver.jar		pkg:maven/xmlresolver/xmlresolver

[googleanalytics.js](#)

[hamcrest-2.2.jar](#)

[pkg:maven/hamcrest/hamcrest@](#)

[help.zip: commons-beanutils.jar](#)

[cpe:2.3:a:apache:commons_beanutils:1.9.4:*:*:*:*:*](#)

[pkg:maven/commons-beanutils/commons-beanutils@1](#)

[help.zip: commons-digester3.jar](#)

[pkg:maven/apache.com/commons-digester3@3](#)

[help.zip: help.jar](#)

[help.zip: help.jar: app.js](#)

[help.zip: help.jar: controller.js](#)

[help.zip: help.jar: shared.factory.js](#)

[help.zip: help.jar: shared.highlighter.js](#)

[help.zip: jsoup.jar](#)

[cpe:2.3:a:jsoup:jsoup:1.16.1:*:*:*:*:*](#)

[pkg:maven/jsoup/jsoup@](#)

[htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.sample.jar](#)

[htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.sample.jar: extension.js](#)

[htmlviewer.toolbar.zip: htmlviewer.toolbar.jar](#)

[htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js](#)

[htmlviewerextension.zip: htmlviewerextension.sample.sample.jar](#)

[htmlviewerextension.zip: htmlviewerextension.sample.sample.jar: extension.js](#)

[inetcore-23.10-tools.jar](#)

[pkg:maven/inetcore/inetcore@2](#)

[inetcore-23.10.jar \(shaded: com.inet.shared:inetcore:null\)](#)

[inetcore-23.10.jar](#)

[pkg:maven/inetcore/inetcore@2](#)

[inetloggeradapter.jar](#)

[inetsoftware.Reporting.dll](#)

[pkg:generic/inetsoftware.Reporting@10.295.0](#)

[jakarta.servlet-api.jar](#)

[cpe:2.3:a:oracle:java_se:4.0.4:*:*:*:*:*](#)
[cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*:*](#)

[pkg:maven/jakarta.servlet-api@](#)

[jakarta.websocket-api.jar](#)

[pkg:maven/jakarta.websocket-api@](#)

java-17-jre-x64-linux.tar.gz: java-17-jre-x64-linux.tar: jrt-fs.jar	cpe:2.3:a:eclipse:platform:17.0.9:****:*	
javase.jar		pkg:maven/google.zxing/javase@3.5
jeuclid-core.jar		pkg:maven/sourceforge/jeuclid-core
jlessc-1.11.jar		pkg:maven/inetsoftware/jlessc@1.11
jna.jar	cpe:2.3:a:oracle:java_se:5.11.0:****:*	pkg:maven/dev.jna/jna@
jna.jar: jnidispatch.dll		
jna.jar: jnidispatch.dll		
jna.jar: jnidispatch.dll		
jpeg2000.zip: asm.jar		
jpeg2000.zip: con crt140.dll		
jpeg2000.zip: imageio-openjpeg.jar		pkg:maven/digitalcollect/imageio/imageio-openjpeg@
jpeg2000.zip: jffi-native.jar		
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll		
jpeg2000.zip: jffi-native.jar: jffi-1.2.dll		
jpeg2000.zip: jffi.jar		pkg:maven/github.jnr/jffi@3.11
jpeg2000.zip: jnr-ffi.jar		pkg:maven/github.jnr/jnr-ffi@2.14
jpeg2000.zip: jpeg2000.jar		
jpeg2000.zip: msvcp140.dll		
jpeg2000.zip: openjp2.dll		
jpeg2000.zip: vcruntime140.dll		
junit-4.13.2.jar	cpe:2.3:a:junit:junit4:4.13.2:****:*	pkg:maven/junit/junit@4.13.2
junit-jupiter-5.10.0.jar		pkg:maven/jupiter/junit-jupiter@5.10.0
junit-jupiter-api-5.10.0.jar		pkg:maven/jupiter/junit-jupiter-api@5.10.0
junit-jupiter-engine-5.10.0.jar		pkg:maven/jupiter/junit-jupiter-engine@5.10.0

		jupiter/junit-jengine@5.1
junit-jupiter-params-5.10.0.jar		pkg:maven/jupiter/junit-jparams@5.1
junit-platform-commons-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-commons@
junit-platform-engine-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-engine@1.10.0
junit-platform-launcher-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-launcher@1
junit-platform-suite-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-suite@1.10.0
junit-platform-suite-api-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-suite-api@1.10.0
junit-platform-suite-commons-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-suite-commons@
junit-platform-suite-engine-1.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*.~*~*~*~*~*~*	pkg:maven/platform/junit-platform-suite-engine@1.1
junit-vintage-engine-5.10.0.jar	cpe:2.3:a:fan_platform_project:fan_platform:5.10.0:*.~*~*~*~*~*~*	pkg:maven/vintage/junit-vintage-engine@1.10.0
lang-css.js		
linenumber.js		
lunr.js		
lunr.min.js		
mail.zip: bcmath-jdk18on.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*.~*~*~*~*~*~* cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*.~*~*~*~*~*~*	pkg:maven/bouncycastle/bcmath-jdk176
mail.zip: bcpxkix-jdk18on.jar	cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*.~*~*~*~*~*~* cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*.~*~*~*~*~*~*	pkg:maven/bouncycastle/bcpxkix-jdk176
mail.zip: bcprov-jdk18on.jar	cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:*.~*~*~*~*~*~* cpe:2.3:a:bouncycastle:bouncy_castle_crypto_package:1.76:*.~*~*~*~*~*~*	pkg:maven/bouncycastle/bcprov-jdk176

```

.*
cpe:2.3:a:bouncycastle:
bouncy_castle_for_java:1.76:*.~*~*~*~*~*~*
cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle:1.76:*.~*~*~*~*~*~*
cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle-java-cryptography-api:1.76:*.~*~*~*~*~*~*
cpe:2.3:a:bouncycastle:
the_bouncy_castle_crypto_package_for_java:
1.76:*.~*~*~*~*~*~*

```

mail.zip: bcutil-jdk18on.jar	cpe:2.3:a:bouncycastle: bouncy_castle_for_java:1.76:*.~*~*~*~*~*~* cpe:2.3:a:bouncycastle:legion-of-the-bouncycastle:1.76:*.~*~*~*~*~*~*	pkg:maven/bouncycastle/jdk18on@1.76
mail.zip: jakarta.activation.jar	cpe:2.3:a:oracle:java_se:1.2.2:*.~*~*~*~*~*~*	pkg:maven/sun.activation/jakarta.activation@1.2.2
mail.zip: jakarta.mail.jar	cpe:2.3:a:oracle:java_se:1.6.7:*.~*~*~*~*~*~*	pkg:maven/sun.mail/jakarta.mail@1.6.7
mail.zip: mail.jar		
mail.zip: mail.jar: smimeconfig.js		
main.js		
maintenance.reporting.zip: maintenance.reporting.jar		
maintenance.zip: maintenance-javadoc.jar		
maintenance.zip: maintenance-javadoc.jar: member-search-index.js		
maintenance.zip: maintenance-javadoc.jar: package-search-index.js		
maintenance.zip: maintenance-javadoc.jar: type-search-index.js		
maintenance.zip: maintenance.jar		
maintenance.zip: maintenance.jar: controller.js		
maintenance.zip: maintenance.jar: filechooser.js		
maintenance.zip: maintenance.jar: multieditusers.js		
mysql-connector-j.jar	cpe:2.3:a:mysql:mysql:8.2.0:*.~*~*~*~*~*~* cpe:2.3:a:oracle:mysql_connectorVj:8.2.0:*.~*~*~*~*~*~*	pkg:maven/mysql/mysql-connector-j@8.2.0
notification.zip: notification.jar		
notification.zip: notification.jar: notification.js		
notification.zip: notification.jar: notification_config.js		

notification.zip: notification.jar: notification_taskplanner.js		
notification.zip: notification.jar: targetrenderer.js		
odbc.jar		
opentest4j-1.3.0.jar		pkg:maven/com.opentest4j/opentest4j@1.3.0
persistence.jar		
pluginstore.client.zip: pluginstore.client.jar		
pluginstore.client.zip: pluginstore.client.jar: controller.js		
pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js		
pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js		
pluginstore.client.zip: pluginstore.client.jar: storecontroller.js		
pluginstore.client.zip: pluginstore.client.jar: storedirectives.js		
pluginstore.client.zip: pluginstore.client.jar: storemodel.js		
postgresql.jar	cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.6.0:*.***.***.*	pkg:maven/org.postgresql/postgresql@42.6.0
prettify.js		
processbridge.reporting.zip: processbridge.reporting.jar		
processbridge.zip: processbridge.jar		
promptdialog.zip: promptdialog.jar		
promptdialog.zip: promptdialog.jar: promptcontroller.js		
promptdialog.zip: promptdialog.jar: promptcustomrenderer.js		
promptdialog.zip: promptdialog.jar: promptfactory.js		
promptdialog.zip: promptdialog.jar: promptpanel.js		
promptdialog.zip: promptdialog.jar: promptrenderer.js		
propertieschecker.zip: propertieschecker.sample.sample.jar		
remotegui.zip: Echo2-FileTransfer_App.jar	cpe:2.3:a:file-transfer:file_transfer:2:*.***.***.*	
remotegui.zip: Echo2-FileTransfer_WebContainer.jar	cpe:2.3:a:file-transfer:file_transfer:2:*.***.***.* cpe:2.3:a:web_project:web:2:*.***.***.*	
remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js		
remotegui.zip: Echo2-FileTransfer_WebContainer.jar:		

[Upload.js](#)

remotegui.zip: angularjs.jar	cpe:2.3:a:angularjs:angularjs:1.8.2.*.*.*.*.*.*	pkg:javascript/angularjs@pkg:maven/webjars/angularjs@
remotegui.zip: angularjs.jar: angular-locale_af-na.js		
remotegui.zip: angularjs.jar: angular-locale_af-za.js		
remotegui.zip: angularjs.jar: angular-locale_af.js		
remotegui.zip: angularjs.jar: angular-locale_agq-cm.js		
remotegui.zip: angularjs.jar: angular-locale_agq.js		
remotegui.zip: angularjs.jar: angular-locale_ak-gh.js		
remotegui.zip: angularjs.jar: angular-locale_ak.js		
remotegui.zip: angularjs.jar: angular-locale_am-et.js		
remotegui.zip: angularjs.jar: angular-locale_am.js		
remotegui.zip: angularjs.jar: angular-locale_ar-001.js		
remotegui.zip: angularjs.jar: angular-locale_ar-ae.js		
remotegui.zip: angularjs.jar: angular-locale_ar-bh.js		
remotegui.zip: angularjs.jar: angular-locale_ar-dj.js		
remotegui.zip: angularjs.jar: angular-locale_ar-dz.js		
remotegui.zip: angularjs.jar: angular-locale_ar-eg.js		
remotegui.zip: angularjs.jar: angular-locale_ar-eh.js		
remotegui.zip: angularjs.jar: angular-locale_ar-er.js		
remotegui.zip: angularjs.jar: angular-locale_ar-il.js		
remotegui.zip: angularjs.jar: angular-locale_ar-iq.js		
remotegui.zip: angularjs.jar: angular-locale_ar-jo.js		
remotegui.zip: angularjs.jar: angular-locale_ar-km.js		
remotegui.zip: angularjs.jar: angular-locale_ar-kw.js		
remotegui.zip: angularjs.jar: angular-locale_ar-lb.js		
remotegui.zip: angularjs.jar: angular-locale_ar-ly.js		
remotegui.zip: angularjs.jar: angular-locale_ar-ma.js		
remotegui.zip: angularjs.jar: angular-locale_ar-mr.js		
remotegui.zip: angularjs.jar: angular-locale_ar-om.js		
remotegui.zip: angularjs.jar: angular-locale_ar-ps.js		
remotegui.zip: angularjs.jar: angular-locale_ar-qa.js		
remotegui.zip: angularjs.jar: angular-locale_ar-sa.js		
remotegui.zip: angularjs.jar: angular-locale_ar-sd.js		

remotegui.zip: angularjs.jar: angular-locale_ar-so.js		
remotegui.zip: angularjs.jar: angular-locale_ar-ss.js		
remotegui.zip: angularjs.jar: angular-locale_ar-sy.js		
remotegui.zip: angularjs.jar: angular-locale_ar-td.js		
remotegui.zip: angularjs.jar: angular-locale_ar-tn.js		
remotegui.zip: angularjs.jar: angular-locale_ar-xb.js		
remotegui.zip: angularjs.jar: angular-locale_ar-ye.js		
remotegui.zip: angularjs.jar: angular-locale_ar.js		
remotegui.zip: angularjs.jar: angular-locale_as-in.js		
remotegui.zip: angularjs.jar: angular-locale_as.js		
remotegui.zip: angularjs.jar: angular-locale_asa-tz.js		
remotegui.zip: angularjs.jar: angular-locale_asa.js		
remotegui.zip: angularjs.jar: angular-locale_ast-es.js		
remotegui.zip: angularjs.jar: angular-locale_ast.js		
remotegui.zip: angularjs.jar: angular-locale_az-cyrl-az.js		
remotegui.zip: angularjs.jar: angular-locale_az-cyrl.js		
remotegui.zip: angularjs.jar: angular-locale_az-latn-az.js		
remotegui.zip: angularjs.jar: angular-locale_az-latn.js		
remotegui.zip: angularjs.jar: angular-locale_az.js		
remotegui.zip: angularjs.jar: angular-locale_bas-cm.js		
remotegui.zip: angularjs.jar: angular-locale_bas.js		
remotegui.zip: angularjs.jar: angular-locale_be-by.js		
remotegui.zip: angularjs.jar: angular-locale_be.js		
remotegui.zip: angularjs.jar: angular-locale_bem-zm.js		
remotegui.zip: angularjs.jar: angular-locale_bem.js		
remotegui.zip: angularjs.jar: angular-locale_bez-tz.js		
remotegui.zip: angularjs.jar: angular-locale_bez.js		
remotegui.zip: angularjs.jar: angular-locale_bg-bg.js		
remotegui.zip: angularjs.jar: angular-locale_bg.js		
remotegui.zip: angularjs.jar: angular-locale_bm-ml.js		
remotegui.zip: angularjs.jar: angular-locale_bm.js		
remotegui.zip: angularjs.jar: angular-locale_bn-bd.js		
remotegui.zip: angularjs.jar: angular-locale_bn-in.js		
remotegui.zip: angularjs.jar: angular-locale_bn.js		

remotegui.zip: angularjs.jar: angular-locale_bo-cn.js		
remotegui.zip: angularjs.jar: angular-locale_bo-in.js		
remotegui.zip: angularjs.jar: angular-locale_bo.js		
remotegui.zip: angularjs.jar: angular-locale_br-fr.js		
remotegui.zip: angularjs.jar: angular-locale_br.js		
remotegui.zip: angularjs.jar: angular-locale_brx-in.js		
remotegui.zip: angularjs.jar: angular-locale_brx.js		
remotegui.zip: angularjs.jar: angular-locale_bs-cyrl-ba.js		
remotegui.zip: angularjs.jar: angular-locale_bs-cyrl.js		
remotegui.zip: angularjs.jar: angular-locale_bs-latn-ba.js		
remotegui.zip: angularjs.jar: angular-locale_bs-latn.js		
remotegui.zip: angularjs.jar: angular-locale_bs.js		
remotegui.zip: angularjs.jar: angular-locale_ca-ad.js		
remotegui.zip: angularjs.jar: angular-locale_ca-es-valencia.js		
remotegui.zip: angularjs.jar: angular-locale_ca-es.js		
remotegui.zip: angularjs.jar: angular-locale_ca-fr.js		
remotegui.zip: angularjs.jar: angular-locale_ca-it.js		
remotegui.zip: angularjs.jar: angular-locale_ca.js		
remotegui.zip: angularjs.jar: angular-locale_ce-ru.js		
remotegui.zip: angularjs.jar: angular-locale_ce.js		
remotegui.zip: angularjs.jar: angular-locale_cgg-ug.js		
remotegui.zip: angularjs.jar: angular-locale_cgg.js		
remotegui.zip: angularjs.jar: angular-locale_chr-us.js		
remotegui.zip: angularjs.jar: angular-locale_chr.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-arab-iq.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-arab-ir.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-arab.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-iq.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-ir.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-latn-iq.js		
remotegui.zip: angularjs.jar: angular-locale_ckb-latn.js		
remotegui.zip: angularjs.jar: angular-locale_ckb.js		

[remotegui.zip: angularjs.jar: angular-locale_cs-cz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_cs.js](#)

[remotegui.zip: angularjs.jar: angular-locale_cu-ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale_cu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_cy-gb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_cy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_da-dk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_da-gl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_da.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dav-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dav.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-at.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-be.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-it.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-li.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de-lu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dje-ne.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dje.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dsb-de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dsb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dua-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dua.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dyo-sn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dyo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dz-bt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_dz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ebu-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ebu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ee-gh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ee-tg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ee.js](#)

[remotegui.zip: angularjs.jar: angular-locale_el-cy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_el-gr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_el.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-001.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-150.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ag.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ai.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-as.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-at.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-au.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-bb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-be.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-bi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-bm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-bs.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-bw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-bz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ca.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-cc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ck.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-cx.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-cy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-dg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-dk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-dm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-er.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-fj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-fk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-fm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-gb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-gd.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-gg.js](#)

remotegui.zip: angularjs.jar: angular-locale_en-gh.js		
remotegui.zip: angularjs.jar: angular-locale_en-gi.js		
remotegui.zip: angularjs.jar: angular-locale_en-gm.js		
remotegui.zip: angularjs.jar: angular-locale_en-gu.js		
remotegui.zip: angularjs.jar: angular-locale_en-gy.js		
remotegui.zip: angularjs.jar: angular-locale_en-hk.js		
remotegui.zip: angularjs.jar: angular-locale_en-ie.js		
remotegui.zip: angularjs.jar: angular-locale_en-il.js		
remotegui.zip: angularjs.jar: angular-locale_en-im.js		
remotegui.zip: angularjs.jar: angular-locale_en-in.js		
remotegui.zip: angularjs.jar: angular-locale_en-io.js		
remotegui.zip: angularjs.jar: angular-locale_en-iso.js		
remotegui.zip: angularjs.jar: angular-locale_en-je.js		
remotegui.zip: angularjs.jar: angular-locale_en-jm.js		
remotegui.zip: angularjs.jar: angular-locale_en-ke.js		
remotegui.zip: angularjs.jar: angular-locale_en-ki.js		
remotegui.zip: angularjs.jar: angular-locale_en-kn.js		
remotegui.zip: angularjs.jar: angular-locale_en-ky.js		
remotegui.zip: angularjs.jar: angular-locale_en-lc.js		
remotegui.zip: angularjs.jar: angular-locale_en-lr.js		
remotegui.zip: angularjs.jar: angular-locale_en-ls.js		
remotegui.zip: angularjs.jar: angular-locale_en-mg.js		
remotegui.zip: angularjs.jar: angular-locale_en-mh.js		
remotegui.zip: angularjs.jar: angular-locale_en-mo.js		
remotegui.zip: angularjs.jar: angular-locale_en-mp.js		
remotegui.zip: angularjs.jar: angular-locale_en-ms.js		
remotegui.zip: angularjs.jar: angular-locale_en-mt.js		
remotegui.zip: angularjs.jar: angular-locale_en-mu.js		
remotegui.zip: angularjs.jar: angular-locale_en-mw.js		
remotegui.zip: angularjs.jar: angular-locale_en-my.js		
remotegui.zip: angularjs.jar: angular-locale_en-na.js		
remotegui.zip: angularjs.jar: angular-locale_en-nf.js		
remotegui.zip: angularjs.jar: angular-locale_en-ng.js		
remotegui.zip: angularjs.jar: angular-locale_en-nl.js		
remotegui.zip: angularjs.jar: angular-locale_en-nr.js		

[remotegui.zip: angularjs.jar: angular-locale_en-nu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-nz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-pg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ph.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-pk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-pn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-pr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-pw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-rw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sd.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-se.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-si.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ss.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sx.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-sz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-tc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-tk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-to.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-tt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-tv.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ug.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-um.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-us-posix.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-us.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-vc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-vg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-vi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-vu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-ws.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-xa.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-za.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-zm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en-zw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_en.js](#)

[remotegui.zip: angularjs.jar: angular-locale_eo-001.js](#)

[remotegui.zip: angularjs.jar: angular-locale_eo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-419.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ar.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-bo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-br.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-bz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-cl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-co.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-cr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-cu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-do.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ea.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ec.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-es.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-gq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-gt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-hn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ic.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-mx.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ni.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-pa.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-pe.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ph.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-pr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-py.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-sv.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-us.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-uy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es-ve.js](#)

[remotegui.zip: angularjs.jar: angular-locale_es.js](#)

[remotegui.zip: angularjs.jar: angular-locale_et-ee.js](#)

[remotegui.zip: angularjs.jar: angular-locale_et.js](#)

[remotegui.zip: angularjs.jar: angular-locale_eu-es.js](#)

[remotegui.zip: angularjs.jar: angular-locale_eu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ewo-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ewo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fa-af.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fa-ir.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fa.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ff-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ff-gn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ff-mr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ff-sn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ff.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fi-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fil-ph.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fil.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fo-dk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fo-fo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-be.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-bf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-bi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-bj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-bl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ca.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-cd.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-cf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-cg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ci.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-dj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-dz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-fr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ga.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-gf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-gn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-gp.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-gq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ht.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-km.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-lu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ma.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-mc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-mf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-mg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ml.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-mq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-mr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-mu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-nc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-ne.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-pf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-pm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-re.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-rw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-sc.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-sn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-sy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-td.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-tg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-tn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-vu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-wf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr-yt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fur-it.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fur.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fy-nl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_fy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ga-ie.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ga.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gd-gb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gd.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gl-es.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gsw-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gsw-fr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gsw-li.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gsw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gu-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_guz-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_guz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gv-im.js](#)

[remotegui.zip: angularjs.jar: angular-locale_gv.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ha-gh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ha-ne.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ha-ng.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ha.js](#)

[remotegui.zip: angularjs.jar: angular-locale_haw-us.js](#)

[remotegui.zip: angularjs.jar: angular-locale_haw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_he-il.js](#)

[remotegui.zip: angularjs.jar: angular-locale_he.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hi-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hr-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hr-hr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hsb-de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hsb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_hu-hu.js](#)

remotegui.zip: angularjs.jar: angular-locale_hu.js		
remotegui.zip: angularjs.jar: angular-locale_hy-am.js		
remotegui.zip: angularjs.jar: angular-locale_hy.js		
remotegui.zip: angularjs.jar: angular-locale_id-id.js		
remotegui.zip: angularjs.jar: angular-locale_id.js		
remotegui.zip: angularjs.jar: angular-locale_ig-ng.js		
remotegui.zip: angularjs.jar: angular-locale_ig.js		
remotegui.zip: angularjs.jar: angular-locale_ii-cn.js		
remotegui.zip: angularjs.jar: angular-locale_ii.js		
remotegui.zip: angularjs.jar: angular-locale_in.js		
remotegui.zip: angularjs.jar: angular-locale_is-is.js		
remotegui.zip: angularjs.jar: angular-locale_is.js		
remotegui.zip: angularjs.jar: angular-locale_it-ch.js		
remotegui.zip: angularjs.jar: angular-locale_it-it.js		
remotegui.zip: angularjs.jar: angular-locale_it-sm.js		
remotegui.zip: angularjs.jar: angular-locale_it-va.js		
remotegui.zip: angularjs.jar: angular-locale_it.js		
remotegui.zip: angularjs.jar: angular-locale_iw.js		
remotegui.zip: angularjs.jar: angular-locale_ja-jp.js		
remotegui.zip: angularjs.jar: angular-locale_ja.js		
remotegui.zip: angularjs.jar: angular-locale_jgo-cm.js		
remotegui.zip: angularjs.jar: angular-locale_jgo.js		
remotegui.zip: angularjs.jar: angular-locale_jmc-tz.js		
remotegui.zip: angularjs.jar: angular-locale_jmc.js		
remotegui.zip: angularjs.jar: angular-locale_ka-ge.js		
remotegui.zip: angularjs.jar: angular-locale_ka.js		
remotegui.zip: angularjs.jar: angular-locale_kab-dz.js		
remotegui.zip: angularjs.jar: angular-locale_kab.js		
remotegui.zip: angularjs.jar: angular-locale_kam-ke.js		
remotegui.zip: angularjs.jar: angular-locale_kam.js		
remotegui.zip: angularjs.jar: angular-locale_kde-tz.js		
remotegui.zip: angularjs.jar: angular-locale_kde.js		
remotegui.zip: angularjs.jar: angular-locale_kea-cv.js		
remotegui.zip: angularjs.jar: angular-locale_kea.js		
remotegui.zip: angularjs.jar: angular-locale_khq-ml.js		

[remotegui.zip: angularjs.jar: angular-locale_khq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ki-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ki.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kk-kz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kkj-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kkj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kl-gl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kln-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kln.js](#)

[remotegui.zip: angularjs.jar: angular-locale_km-kh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_km.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kn-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ko-kp.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ko-kr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ko.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kok-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kok.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ks-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ks.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ksb-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ksb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ksf-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ksf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ksh-de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ksh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kw-gb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_kw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ky-kg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ky.js](#)

[remotegui.zip: angularjs.jar: angular-locale_lag-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_lag.js](#)

[remotegui.zip: angularjs.jar: angular-locale_lb-lu.js](#)

remotegui.zip: angularjs.jar: angular-locale_lb.js		
remotegui.zip: angularjs.jar: angular-locale_lg-ug.js		
remotegui.zip: angularjs.jar: angular-locale_lg.js		
remotegui.zip: angularjs.jar: angular-locale_lkt-us.js		
remotegui.zip: angularjs.jar: angular-locale_lkt.js		
remotegui.zip: angularjs.jar: angular-locale_ln-ao.js		
remotegui.zip: angularjs.jar: angular-locale_ln-cd.js		
remotegui.zip: angularjs.jar: angular-locale_ln-cf.js		
remotegui.zip: angularjs.jar: angular-locale_ln-cg.js		
remotegui.zip: angularjs.jar: angular-locale_ln.js		
remotegui.zip: angularjs.jar: angular-locale_lo-la.js		
remotegui.zip: angularjs.jar: angular-locale_lo.js		
remotegui.zip: angularjs.jar: angular-locale_lrc-iq.js		
remotegui.zip: angularjs.jar: angular-locale_lrc-ir.js		
remotegui.zip: angularjs.jar: angular-locale_lrc.js		
remotegui.zip: angularjs.jar: angular-locale_lt-lt.js		
remotegui.zip: angularjs.jar: angular-locale_lt.js		
remotegui.zip: angularjs.jar: angular-locale_lu-cd.js		
remotegui.zip: angularjs.jar: angular-locale_lu.js		
remotegui.zip: angularjs.jar: angular-locale_luo-ke.js		
remotegui.zip: angularjs.jar: angular-locale_luo.js		
remotegui.zip: angularjs.jar: angular-locale_luy-ke.js		
remotegui.zip: angularjs.jar: angular-locale_luy.js		
remotegui.zip: angularjs.jar: angular-locale_lv-lv.js		
remotegui.zip: angularjs.jar: angular-locale_lv.js		
remotegui.zip: angularjs.jar: angular-locale_mas-ke.js		
remotegui.zip: angularjs.jar: angular-locale_mas-tz.js		
remotegui.zip: angularjs.jar: angular-locale_mas.js		
remotegui.zip: angularjs.jar: angular-locale_mer-ke.js		
remotegui.zip: angularjs.jar: angular-locale_mer.js		
remotegui.zip: angularjs.jar: angular-locale_mfe-mu.js		
remotegui.zip: angularjs.jar: angular-locale_mfe.js		
remotegui.zip: angularjs.jar: angular-locale_mg-mg.js		
remotegui.zip: angularjs.jar: angular-locale_mg.js		
remotegui.zip: angularjs.jar: angular-locale_mgh-mz.js		

[remotegui.zip: angularjs.jar: angular-locale_mgh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mgo-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mgo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mk-mk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ml-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ml.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mn-mn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mr-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ms-bn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ms-my.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ms-sg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ms.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mt-mt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mua-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mua.js](#)

[remotegui.zip: angularjs.jar: angular-locale_my-mm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_my.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mzn-ir.js](#)

[remotegui.zip: angularjs.jar: angular-locale_mzn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_naq-na.js](#)

[remotegui.zip: angularjs.jar: angular-locale_naq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nb-no.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nb-sj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nb.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nd-zw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nd.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nds-de.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nds-nl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_nds.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ne-in.js](#)

remotegui.zip: angularjs.jar: angular-locale_ne-np.js		
remotegui.zip: angularjs.jar: angular-locale_ne.js		
remotegui.zip: angularjs.jar: angular-locale_nl-aw.js		
remotegui.zip: angularjs.jar: angular-locale_nl-be.js		
remotegui.zip: angularjs.jar: angular-locale_nl-bq.js		
remotegui.zip: angularjs.jar: angular-locale_nl-cw.js		
remotegui.zip: angularjs.jar: angular-locale_nl-nl.js		
remotegui.zip: angularjs.jar: angular-locale_nl-sr.js		
remotegui.zip: angularjs.jar: angular-locale_nl-sx.js		
remotegui.zip: angularjs.jar: angular-locale_nl.js		
remotegui.zip: angularjs.jar: angular-locale_nmg-cm.js		
remotegui.zip: angularjs.jar: angular-locale_nmg.js		
remotegui.zip: angularjs.jar: angular-locale_nn-no.js		
remotegui.zip: angularjs.jar: angular-locale_nn.js		
remotegui.zip: angularjs.jar: angular-locale_nnh-cm.js		
remotegui.zip: angularjs.jar: angular-locale_nnh.js		
remotegui.zip: angularjs.jar: angular-locale_no-no.js		
remotegui.zip: angularjs.jar: angular-locale_no.js		
remotegui.zip: angularjs.jar: angular-locale_nus-ss.js		
remotegui.zip: angularjs.jar: angular-locale_nus.js		
remotegui.zip: angularjs.jar: angular-locale_nyn-ug.js		
remotegui.zip: angularjs.jar: angular-locale_nyn.js		
remotegui.zip: angularjs.jar: angular-locale_om-et.js		
remotegui.zip: angularjs.jar: angular-locale_om-ke.js		
remotegui.zip: angularjs.jar: angular-locale_om.js		
remotegui.zip: angularjs.jar: angular-locale_or-in.js		
remotegui.zip: angularjs.jar: angular-locale_or.js		
remotegui.zip: angularjs.jar: angular-locale_os-ge.js		
remotegui.zip: angularjs.jar: angular-locale_os-ru.js		
remotegui.zip: angularjs.jar: angular-locale_os.js		
remotegui.zip: angularjs.jar: angular-locale_pa-arab-pk.js		
remotegui.zip: angularjs.jar: angular-locale_pa-arab.js		
remotegui.zip: angularjs.jar: angular-locale_pa-guru-in.js		
remotegui.zip: angularjs.jar: angular-locale_pa-guru.js		

[remotegui.zip: angularjs.jar: angular-locale_pa.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pl-pl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_prg-001.js](#)

[remotegui.zip: angularjs.jar: angular-locale_prg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ps-af.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ps.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-ao.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-br.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-cv.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-gq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-gw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-lu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-mo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-mz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-pt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-st.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt-tl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_pt.js](#)

[remotegui.zip: angularjs.jar: angular-locale_qu-bo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_qu-ec.js](#)

[remotegui.zip: angularjs.jar: angular-locale_qu-pe.js](#)

[remotegui.zip: angularjs.jar: angular-locale_qu.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rm-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rn-bi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ro-md.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ro-ro.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ro.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rof-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rof.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru-by.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru-kg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru-kz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru-md.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru-ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru-ua.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rw-rw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rwk-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_rwk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sah-ru.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sah.js](#)

[remotegui.zip: angularjs.jar: angular-locale_saq-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_saq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sbp-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sbp.js](#)

[remotegui.zip: angularjs.jar: angular-locale_se-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_se-no.js](#)

[remotegui.zip: angularjs.jar: angular-locale_se-se.js](#)

[remotegui.zip: angularjs.jar: angular-locale_se.js](#)

[remotegui.zip: angularjs.jar: angular-locale_seh-mz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_seh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ses-ml.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ses.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sg-cf.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sh.js](#)

[remotegui.zip: angularjs.jar: angular-locale_shi-latn-ma.js](#)

[remotegui.zip: angularjs.jar: angular-locale_shi-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_shi-tfng-ma.js](#)

[remotegui.zip: angularjs.jar: angular-locale_shi-tfng.js](#)

[remotegui.zip: angularjs.jar: angular-locale_shi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_si-lk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_si.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sk-sk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sl-si.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_smn-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_smn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sn-zw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_so-dj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_so-et.js](#)

[remotegui.zip: angularjs.jar: angular-locale_so-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_so-so.js](#)

[remotegui.zip: angularjs.jar: angular-locale_so.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sq-al.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sq-mk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sq-xk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-me.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-rs.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-xk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-cyrl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-latn-ba.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-latn-me.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-latn-rs.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-latn-xk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sv-ax.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sv-fi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sv-se.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sv.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sw-cd.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sw-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sw-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sw-ug.js](#)

[remotegui.zip: angularjs.jar: angular-locale_sw.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ta-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ta-lk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ta-my.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ta-sg.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ta.js](#)

[remotegui.zip: angularjs.jar: angular-locale_te-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_te.js](#)

[remotegui.zip: angularjs.jar: angular-locale_teo-ke.js](#)

[remotegui.zip: angularjs.jar: angular-locale_teo-ug.js](#)

[remotegui.zip: angularjs.jar: angular-locale_teo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_th-th.js](#)

[remotegui.zip: angularjs.jar: angular-locale_th.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ti-er.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ti-et.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ti.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tk-tm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_to-to.js](#)

[remotegui.zip: angularjs.jar: angular-locale_to.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tr-cy.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tr-tr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_twq-ne.js](#)

[remotegui.zip: angularjs.jar: angular-locale_twq.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tzm-ma.js](#)

[remotegui.zip: angularjs.jar: angular-locale_tzm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ug-cn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ug.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uk-ua.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ur-in.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ur-pk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_ur.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz-arab-af.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz-arab.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz-cyrl-uz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz-cyrl.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz-latn-uz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_uz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vai-latn-lr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vai-latn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vai-vaii-lr.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vai-vaii.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vai.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vi-vn.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vo-001.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vun-tz.js](#)

[remotegui.zip: angularjs.jar: angular-locale_vun.js](#)

[remotegui.zip: angularjs.jar: angular-locale_wae-ch.js](#)

[remotegui.zip: angularjs.jar: angular-locale_wae.js](#)

[remotegui.zip: angularjs.jar: angular-locale_xog-ug.js](#)

[remotegui.zip: angularjs.jar: angular-locale_xog.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yav-cm.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yav.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yi-001.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yi.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yo-bj.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yo-ng.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yo.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yue-hk.js](#)

[remotegui.zip: angularjs.jar: angular-locale_yue.js](#)

[remotegui.zip: angularjs.jar: angular-locale_zgh-ma.js](#)

remotegui.zip: angularjs.jar: angular-locale_zgh.js		
remotegui.zip: angularjs.jar: angular-locale_zh-cn.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hans-cn.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hans-hk.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hans-mo.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hans-sg.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hans.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hant-hk.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hant-mo.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hant-tw.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hant.js		
remotegui.zip: angularjs.jar: angular-locale_zh-hk.js		
remotegui.zip: angularjs.jar: angular-locale_zh-tw.js		
remotegui.zip: angularjs.jar: angular-locale_zh.js		
remotegui.zip: angularjs.jar: angular-locale_zu-za.js		
remotegui.zip: angularjs.jar: angular-locale_zu.js		
remotegui.zip: angularjs.jar: webjars-requirejs.js		
remotegui.zip: bootstrap.jar		pkg:javascript/bootstrap@webjars/maven/webjars/bootstrap@
remotegui.zip: bootstrap.jar: affix.js		
remotegui.zip: bootstrap.jar: alert.js		
remotegui.zip: bootstrap.jar: button.js		
remotegui.zip: bootstrap.jar: carousel.js		
remotegui.zip: bootstrap.jar: collapse.js		
remotegui.zip: bootstrap.jar: dropdown.js		
remotegui.zip: bootstrap.jar: modal.js		
remotegui.zip: bootstrap.jar: npm.js		
remotegui.zip: bootstrap.jar: popover.js		
remotegui.zip: bootstrap.jar: scrollspy.js		
remotegui.zip: bootstrap.jar: tab.js		

remotegui.zip: bootstrap.jar: tooltip.js		
remotegui.zip: bootstrap.jar: transition.js		
remotegui.zip: bootstrap.jar: webjars-requirejs.js		
remotegui.zip: codemirror.jar	cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*	pkg:maven/webjars.npr/codemirror(
remotegui.zip: codemirror.jar: CodeMirror.js		
remotegui.zip: codemirror.jar: ContentEditableInput.js		
remotegui.zip: codemirror.jar: Display.js		
remotegui.zip: codemirror.jar: Doc.js		
remotegui.zip: codemirror.jar: StringStream.js		
remotegui.zip: codemirror.jar: TextareaInput.js		
remotegui.zip: codemirror.jar: active-line.js		
remotegui.zip: codemirror.jar: annotatescrollbar.js		
remotegui.zip: codemirror.jar: anyword-hint.js		
remotegui.zip: codemirror.jar: api.js		
remotegui.zip: codemirror.jar: asciarmor.js		
remotegui.zip: codemirror.jar: asn.1.js		
remotegui.zip: codemirror.jar: asterisk.js		
remotegui.zip: codemirror.jar: autorefresh.js		
remotegui.zip: codemirror.jar: bidi.js		
remotegui.zip: codemirror.jar: brace-fold.js		
remotegui.zip: codemirror.jar: brainfuck.js		
remotegui.zip: codemirror.jar: browser.js		
remotegui.zip: codemirror.jar: change_measurement.js		
remotegui.zip: codemirror.jar: changes.js		
remotegui.zip: codemirror.jar: chunk.js		
remotegui.zip: codemirror.jar: clike.js		
remotegui.zip: codemirror.jar: clojure.js		
remotegui.zip: codemirror.jar: closebrackets.js		
remotegui.zip: codemirror.jar: closetag.js		
remotegui.zip: codemirror.jar: cmake.js		
remotegui.zip: codemirror.jar: cobol.js		
remotegui.zip: codemirror.jar: codemirror-standalone.js		
remotegui.zip: codemirror.jar: codemirror.js		
remotegui.zip: codemirror.jar: codemirror.js		

remotegui.zip: codemirror.jar: codemirror.node.js		
remotegui.zip: codemirror.jar: coffeescript-lint.js		
remotegui.zip: codemirror.jar: coffeescript.js		
remotegui.zip: codemirror.jar: colorize.js		
remotegui.zip: codemirror.jar: commands.js		
remotegui.zip: codemirror.jar: comment-fold.js		
remotegui.zip: codemirror.jar: comment.js		
remotegui.zip: codemirror.jar: commonlisp.js		
remotegui.zip: codemirror.jar: continuecomment.js		
remotegui.zip: codemirror.jar: continuelist.js		
remotegui.zip: codemirror.jar: crystal.js		
remotegui.zip: codemirror.jar: css-hint.js		
remotegui.zip: codemirror.jar: css-lint.js		
remotegui.zip: codemirror.jar: css.js		
remotegui.zip: codemirror.jar: cypher.js		
remotegui.zip: codemirror.jar: d.js		
remotegui.zip: codemirror.jar: dart.js		
remotegui.zip: codemirror.jar: deleteNearSelection.js		
remotegui.zip: codemirror.jar: dialog.js		
remotegui.zip: codemirror.jar: diff.js		
remotegui.zip: codemirror.jar: django.js		
remotegui.zip: codemirror.jar: dockerfile.js		
remotegui.zip: codemirror.jar: document_data.js		
remotegui.zip: codemirror.jar: dom.js		
remotegui.zip: codemirror.jar: drop_events.js		
remotegui.zip: codemirror.jar: dtd.js		
remotegui.zip: codemirror.jar: dylan.js		
remotegui.zip: codemirror.jar: ebnf.js		
remotegui.zip: codemirror.jar: ecl.js		
remotegui.zip: codemirror.jar: eiffel.js		
remotegui.zip: codemirror.jar: elm.js		
remotegui.zip: codemirror.jar: emacs.js		
remotegui.zip: codemirror.jar: erlang.js		
remotegui.zip: codemirror.jar: event.js		
remotegui.zip: codemirror.jar: factor.js		

[remotegui.zip: codemirror.jar: fcl.js](#)

[remotegui.zip: codemirror.jar: feature_detection.js](#)

[remotegui.zip: codemirror.jar: focus.js](#)

[remotegui.zip: codemirror.jar: foldcode.js](#)

[remotegui.zip: codemirror.jar: foldgutter.js](#)

[remotegui.zip: codemirror.jar: forth.js](#)

[remotegui.zip: codemirror.jar: fortran.js](#)

[remotegui.zip: codemirror.jar: fromTextArea.js](#)

[remotegui.zip: codemirror.jar: fullscreen.js](#)

[remotegui.zip: codemirror.jar: gas.js](#)

[remotegui.zip: codemirror.jar: gfm.js](#)

[remotegui.zip: codemirror.jar: gherkin.js](#)

[remotegui.zip: codemirror.jar: global_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlembdedded.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line_data.js](#)

[remotegui.zip: codemirror.jar: line_numbers.js](#)

[remotegui.zip: codemirror.jar: line_widget.js](#)

[remotegui.zip: codemirror.jar: lint.js](#)

[remotegui.zip: codemirror.jar: livescript.js](#)

[remotegui.zip: codemirror.jar: loadmode.js](#)

[remotegui.zip: codemirror.jar: lua.js](#)

[remotegui.zip: codemirror.jar: main.js](#)

[remotegui.zip: codemirror.jar: mark-selection.js](#)

[remotegui.zip: codemirror.jar: mark_text.js](#)

[remotegui.zip: codemirror.jar: markdown-fold.js](#)

[remotegui.zip: codemirror.jar: markdown.js](#)

[remotegui.zip: codemirror.jar: match-highlighter.js](#)

[remotegui.zip: codemirror.jar: matchbrackets.js](#)

[remotegui.zip: codemirror.jar: matchesonscrollbar.js](#)

[remotegui.zip: codemirror.jar: matchtags.js](#)

[remotegui.zip: codemirror.jar: mathematica.js](#)

[remotegui.zip: codemirror.jar: mbox.js](#)

[remotegui.zip: codemirror.jar: merge.js](#)

[remotegui.zip: codemirror.jar: meta.js](#)

[remotegui.zip: codemirror.jar: methods.js](#)

[remotegui.zip: codemirror.jar: mirc.js](#)

[remotegui.zip: codemirror.jar: misc.js](#)

[remotegui.zip: codemirror.jar: mllike.js](#)

[remotegui.zip: codemirror.jar: mode_state.js](#)

[remotegui.zip: codemirror.jar: modelica.js](#)

[remotegui.zip: codemirror.jar: modes.js](#)

[remotegui.zip: codemirror.jar: mouse_events.js](#)

[remotegui.zip: codemirror.jar: movement.js](#)

[remotegui.zip: codemirror.jar: mscgen.js](#)

[remotegui.zip: codemirror.jar: multiplex.js](#)

[remotegui.zip: codemirror.jar: multiplex_test.js](#)

[remotegui.zip: codemirror.jar: mumps.js](#)

[remotegui.zip: codemirror.jar: nginx.js](#)

[remotegui.zip: codemirror.jar: nsis.js](#)

[remotegui.zip: codemirror.jar: ntriples.js](#)

[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

remotegui.zip: codemirror.jar: r.js		
remotegui.zip: codemirror.jar: rollup.config.js		
remotegui.zip: codemirror.jar: rpm.js		
remotegui.zip: codemirror.jar: rst.js		
remotegui.zip: codemirror.jar: ruby.js		
remotegui.zip: codemirror.jar: rulers.js		
remotegui.zip: codemirror.jar: runmode-standalone.js		
remotegui.zip: codemirror.jar: runmode-standalone.js		
remotegui.zip: codemirror.jar: runmode.js		
remotegui.zip: codemirror.jar: runmode.node.js		
remotegui.zip: codemirror.jar: runmode.node.js		
remotegui.zip: codemirror.jar: rust.js		
remotegui.zip: codemirror.jar: sas.js		
remotegui.zip: codemirror.jar: sass.js		
remotegui.zip: codemirror.jar: saw_special_spans.js		
remotegui.zip: codemirror.jar: scheme.js		
remotegui.zip: codemirror.jar: scroll_events.js		
remotegui.zip: codemirror.jar: scrollbars.js		
remotegui.zip: codemirror.jar: scrolling.js		
remotegui.zip: codemirror.jar: scrollpastend.js		
remotegui.zip: codemirror.jar: search.js		
remotegui.zip: codemirror.jar: searchcursor.js		
remotegui.zip: codemirror.jar: selection-pointer.js		
remotegui.zip: codemirror.jar: selection.js		
remotegui.zip: codemirror.jar: selection.js		
remotegui.zip: codemirror.jar: selection_updates.js		
remotegui.zip: codemirror.jar: shell.js		
remotegui.zip: codemirror.jar: show-hint.js		
remotegui.zip: codemirror.jar: sieve.js		
remotegui.zip: codemirror.jar: simple.js		
remotegui.zip: codemirror.jar: simplescrollbars.js		
remotegui.zip: codemirror.jar: slim.js		
remotegui.zip: codemirror.jar: smalltalk.js		
remotegui.zip: codemirror.jar: smarty.js		
remotegui.zip: codemirror.jar: solr.js		

[remotegui.zip: codemirror.jar: soy.js](#)

[remotegui.zip: codemirror.jar: spans.js](#)

[remotegui.zip: codemirror.jar: sparql.js](#)

[remotegui.zip: codemirror.jar: spreadsheet.js](#)

[remotegui.zip: codemirror.jar: sql-hint.js](#)

[remotegui.zip: codemirror.jar: sql.js](#)

[remotegui.zip: codemirror.jar: stex.js](#)

[remotegui.zip: codemirror.jar: stylus.js](#)

[remotegui.zip: codemirror.jar: sublime.js](#)

[remotegui.zip: codemirror.jar: swift.js](#)

[remotegui.zip: codemirror.jar: tcl.js](#)

[remotegui.zip: codemirror.jar: tern.js](#)

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

[remotegui.zip: codemirror.jar: ttcn-cfg.js](#)

[remotegui.zip: codemirror.jar: ttcn.js](#)

[remotegui.zip: codemirror.jar: turtle.js](#)

[remotegui.zip: codemirror.jar: twig.js](#)

[remotegui.zip: codemirror.jar: update_display.js](#)

[remotegui.zip: codemirror.jar: update_line.js](#)

[remotegui.zip: codemirror.jar: update_lines.js](#)

[remotegui.zip: codemirror.jar: utils.js](#)

[remotegui.zip: codemirror.jar: utils_line.js](#)

[remotegui.zip: codemirror.jar: vb.js](#)

[remotegui.zip: codemirror.jar: vbscript.js](#)

[remotegui.zip: codemirror.jar: velocity.js](#)

[remotegui.zip: codemirror.jar: verilog.js](#)

[remotegui.zip: codemirror.jar: vhdl.js](#)

[remotegui.zip: codemirror.jar: view_tracking.js](#)

[remotegui.zip: codemirror.jar: vim.js](#)

remotegui.zip: codemirror.jar: vue.js		
remotegui.zip: codemirror.jar: wast.js		
remotegui.zip: codemirror.jar: webidl.js		
remotegui.zip: codemirror.jar: widgets.js		
remotegui.zip: codemirror.jar: worker.js		
remotegui.zip: codemirror.jar: xml-fold.js		
remotegui.zip: codemirror.jar: xml-hint.js		
remotegui.zip: codemirror.jar: xml.js		
remotegui.zip: codemirror.jar: xquery.js		
remotegui.zip: codemirror.jar: yacas.js		
remotegui.zip: codemirror.jar: yaml-frontmatter.js		
remotegui.zip: codemirror.jar: yaml-lint.js		
remotegui.zip: codemirror.jar: yaml.js		
remotegui.zip: codemirror.jar: z80.js		
remotegui.zip: commons-fileupload.jar	cpe:2.3:a:apache:commons_fileupload:1.5.*:*.***.***.*	pkg:maven/commons-fileupload/commons-fileupload@
remotegui.zip: commons-io.jar	cpe:2.3:a:apache:commons_io:2.13.0:*:*:*:*:*.*	pkg:maven/commons-io/commons-io@13.0
remotegui.zip: cryptojs.jar		pkg:maven/webjars/cryptojs@1.2
remotegui.zip: cryptojs.jar: aes-min.js		
remotegui.zip: cryptojs.jar: aes.js		
remotegui.zip: cryptojs.jar: aes.js		
remotegui.zip: cryptojs.jar: cipher-core-min.js		
remotegui.zip: cryptojs.jar: cipher-core.js		
remotegui.zip: cryptojs.jar: core-min.js		
remotegui.zip: cryptojs.jar: core.js		
remotegui.zip: cryptojs.jar: enc-base64-min.js		
remotegui.zip: cryptojs.jar: enc-base64.js		
remotegui.zip: cryptojs.jar: enc-utf16-min.js		
remotegui.zip: cryptojs.jar: enc-utf16.js		
remotegui.zip: cryptojs.jar: evpkdf-min.js		
remotegui.zip: cryptojs.jar: evpkdf.js		
remotegui.zip: cryptojs.jar: format-hex-min.js		

[remotegui.zip: cryptojs.jar: format-hex.js](#)

[remotegui.zip: cryptojs.jar: hmac-md5.js](#)

[remotegui.zip: cryptojs.jar: hmac-min.js](#)

[remotegui.zip: cryptojs.jar: hmac-ripemd160.js](#)

[remotegui.zip: cryptojs.jar: hmac-sha1.js](#)

[remotegui.zip: cryptojs.jar: hmac-sha224.js](#)

[remotegui.zip: cryptojs.jar: hmac-sha256.js](#)

[remotegui.zip: cryptojs.jar: hmac-sha3.js](#)

[remotegui.zip: cryptojs.jar: hmac-sha384.js](#)

[remotegui.zip: cryptojs.jar: hmac-sha512.js](#)

[remotegui.zip: cryptojs.jar: hmac.js](#)

[remotegui.zip: cryptojs.jar: lib-typedarrays-min.js](#)

[remotegui.zip: cryptojs.jar: lib-typedarrays.js](#)

[remotegui.zip: cryptojs.jar: md5-min.js](#)

[remotegui.zip: cryptojs.jar: md5.js](#)

[remotegui.zip: cryptojs.jar: md5.js](#)

[remotegui.zip: cryptojs.jar: mode-cfb-min.js](#)

[remotegui.zip: cryptojs.jar: mode-cfb.js](#)

[remotegui.zip: cryptojs.jar: mode-ctr-gladman-min.js](#)

[remotegui.zip: cryptojs.jar: mode-ctr-gladman.js](#)

[remotegui.zip: cryptojs.jar: mode-ctr-min.js](#)

[remotegui.zip: cryptojs.jar: mode-ctr.js](#)

[remotegui.zip: cryptojs.jar: mode-ecb-min.js](#)

[remotegui.zip: cryptojs.jar: mode-ecb.js](#)

[remotegui.zip: cryptojs.jar: mode-ofb-min.js](#)

[remotegui.zip: cryptojs.jar: mode-ofb.js](#)

[remotegui.zip: cryptojs.jar: pad-ansix923-min.js](#)

[remotegui.zip: cryptojs.jar: pad-ansix923.js](#)

[remotegui.zip: cryptojs.jar: pad-iso10126-min.js](#)

[remotegui.zip: cryptojs.jar: pad-iso10126.js](#)

[remotegui.zip: cryptojs.jar: pad-iso97971-min.js](#)

[remotegui.zip: cryptojs.jar: pad-iso97971.js](#)

[remotegui.zip: cryptojs.jar: pad-nopadding-min.js](#)

[remotegui.zip: cryptojs.jar: pad-nopadding.js](#)

[remotegui.zip: cryptojs.jar: pad-zeropadding-min.js](#)

[remotegui.zip: cryptojs.jar: pad-zeropadding.js](#)

[remotegui.zip: cryptojs.jar: pbkdf2-min.js](#)

[remotegui.zip: cryptojs.jar: pbkdf2.js](#)

[remotegui.zip: cryptojs.jar: pbkdf2.js](#)

[remotegui.zip: cryptojs.jar: rabbit-legacy-min.js](#)

[remotegui.zip: cryptojs.jar: rabbit-legacy.js](#)

[remotegui.zip: cryptojs.jar: rabbit-legacy.js](#)

[remotegui.zip: cryptojs.jar: rabbit-min.js](#)

[remotegui.zip: cryptojs.jar: rabbit.js](#)

[remotegui.zip: cryptojs.jar: rabbit.js](#)

[remotegui.zip: cryptojs.jar: rc4-min.js](#)

[remotegui.zip: cryptojs.jar: rc4.js](#)

[remotegui.zip: cryptojs.jar: rc4.js](#)

[remotegui.zip: cryptojs.jar: ripemd160-min.js](#)

[remotegui.zip: cryptojs.jar: ripemd160.js](#)

[remotegui.zip: cryptojs.jar: ripemd160.js](#)

[remotegui.zip: cryptojs.jar: sha1-min.js](#)

[remotegui.zip: cryptojs.jar: sha1.js](#)

[remotegui.zip: cryptojs.jar: sha1.js](#)

[remotegui.zip: cryptojs.jar: sha224-min.js](#)

[remotegui.zip: cryptojs.jar: sha224.js](#)

[remotegui.zip: cryptojs.jar: sha224.js](#)

[remotegui.zip: cryptojs.jar: sha256-min.js](#)

[remotegui.zip: cryptojs.jar: sha256.js](#)

[remotegui.zip: cryptojs.jar: sha256.js](#)

[remotegui.zip: cryptojs.jar: sha3-min.js](#)

[remotegui.zip: cryptojs.jar: sha3.js](#)

[remotegui.zip: cryptojs.jar: sha3.js](#)

[remotegui.zip: cryptojs.jar: sha384-min.js](#)

[remotegui.zip: cryptojs.jar: sha384.js](#)

[remotegui.zip: cryptojs.jar: sha384.js](#)

[remotegui.zip: cryptojs.jar: sha512-min.js](#)

[remotegui.zip: cryptojs.jar: sha512.js](#)

[remotegui.zip: cryptojs.jar: sha512.js](#)

[remotegui.zip: cryptojs.jar: tripledes-min.js](#)

remotegui.zip: cryptojs.jar: tripledes.js		
remotegui.zip: cryptojs.jar: tripledes.js		
remotegui.zip: cryptojs.jar: x64-core-min.js		
remotegui.zip: cryptojs.jar: x64-core.js		
remotegui.zip: echo2-app.jar	cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*:*	pkg:maven/nextapp/echo2-app@2.1.1
remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js		
remotegui.zip: echo2-webcontainer.jar: Button.js		
remotegui.zip: echo2-webcontainer.jar: ContentPane.js		
remotegui.zip: echo2-webcontainer.jar: ListComponent.js		
remotegui.zip: echo2-webcontainer.jar: SplitPane.js		
remotegui.zip: echo2-webcontainer.jar: Table.js		
remotegui.zip: echo2-webcontainer.jar: TextComponent.js		
remotegui.zip: echo2-webcontainer.jar: WebContainer.js		
remotegui.zip: echo2-webcontainer.jar: WindowPane.js		
remotegui.zip: echo2-webrender.jar: ClientEngine.js		
remotegui.zip: echo2extras-app.jar	cpe:2.3:a:nextapp:echo:2.1.0:*:*:*:*:*	pkg:maven/nextapp/echo2extras-app@2.1.0
remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js		
remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js		
remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js		
remotegui.zip: echo2extras-webcontainer.jar: DND.js		
remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js		
remotegui.zip: echo2extras-webcontainer.jar: Menu.js		
remotegui.zip: echo2extras-webcontainer.jar: TabPane.js		
remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js		
remotegui.zip: echopointng.jar		
remotegui.zip: echopointng.jar: blankcanvas.js		
remotegui.zip: echopointng.jar: button.js		
remotegui.zip: echopointng.jar: calculator.js		

remotegui.zip: echopointng.jar: colorchooser.js		
remotegui.zip: echopointng.jar: combobox.js		
remotegui.zip: echopointng.jar: command.js		
remotegui.zip: echopointng.jar: containerex.js		
remotegui.zip: echopointng.jar: csscommand.js		
remotegui.zip: echopointng.jar: datechooser.js		
remotegui.zip: echopointng.jar: directhtml.js		
remotegui.zip: echopointng.jar: ep.js		
remotegui.zip: echopointng.jar: epdrag.js		
remotegui.zip: echopointng.jar: epfx.js		
remotegui.zip: echopointng.jar: epstretch.js		
remotegui.zip: echopointng.jar: expandablesection.js		
remotegui.zip: echopointng.jar: flyoutpane.js		
remotegui.zip: echopointng.jar: historymonitor.js		
remotegui.zip: echopointng.jar: keystroke.js		
remotegui.zip: echopointng.jar: labelex.js		
remotegui.zip: echopointng.jar: lightbox.js		
remotegui.zip: echopointng.jar: livetable.js		
remotegui.zip: echopointng.jar: lookupcache.js		
remotegui.zip: echopointng.jar: menu.js		
remotegui.zip: echopointng.jar: nativewindow.js		
remotegui.zip: echopointng.jar: popup.js		
remotegui.zip: echopointng.jar: rta.js		
remotegui.zip: echopointng.jar: slider.js		
remotegui.zip: echopointng.jar: stackedpaneex.js		
remotegui.zip: echopointng.jar: tableex.js		
remotegui.zip: echopointng.jar: templatepanel.js		
remotegui.zip: echopointng.jar: textfieldex.js		
remotegui.zip: echopointng.jar: titlebar.js		
remotegui.zip: echopointng.jar: tree.js		
remotegui.zip: jquery-ui.jar		pkg:maven/com.webjars/jquery-ui@1.13.2
remotegui.zip: jquery-ui.jar: jquery-ui.js		
remotegui.zip: jquery-ui.jar: jquery-ui.min.js		
remotegui.zip: jquery-ui.jar: package.json		

[remotegui.zip: jquery-ui.jar: webjars-requirejs.js](#)

[remotegui.zip: jquery.jar](#)

[pkg:javascript/jquery@2.2](#)
[pkg:maven/webjars/jquery@2.4](#)

[remotegui.zip: jquery.jar: webjars-requirejs.js](#)

[remotegui.zip: moment-timezone.jar](#)

[pkg:maven/webjars/moment-timezone@0](#)

[remotegui.zip: moment-timezone.jar: index.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-utils.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone.js](#)

[remotegui.zip: moment-timezone.jar: moment-timezone.min.js](#)

[remotegui.zip: moment-timezone.jar: package.json](#)

[remotegui.zip: momentjs.jar](#)

[pkg:maven/webjars/momentjs@2.9.4](#)

[remotegui.zip: momentjs.jar: af.js](#)

[remotegui.zip: momentjs.jar: ar-dz.js](#)

[remotegui.zip: momentjs.jar: ar-kw.js](#)

[remotegui.zip: momentjs.jar: ar-ly.js](#)

[remotegui.zip: momentjs.jar: ar-ma.js](#)

[remotegui.zip: momentjs.jar: ar-sa.js](#)

[remotegui.zip: momentjs.jar: ar-tn.js](#)

[remotegui.zip: momentjs.jar: ar.js](#)

[remotegui.zip: momentjs.jar: az.js](#)

[remotegui.zip: momentjs.jar: be.js](#)

[remotegui.zip: momentjs.jar: bg.js](#)

[remotegui.zip: momentjs.jar: bm.js](#)

[remotegui.zip: momentjs.jar: bn-bd.js](#)

[remotegui.zip: momentjs.jar: bn.js](#)

[remotegui.zip: momentjs.jar: bo.js](#)

[remotegui.zip: momentjs.jar: br.js](#)

[remotegui.zip: momentjs.jar: bs.js](#)

[remotegui.zip: momentjs.jar: ca.js](#)

[remotegui.zip: momentjs.jar: cs.js](#)

[remotegui.zip: momentjs.jar: cv.js](#)

[remotegui.zip: momentjs.jar: cy.js](#)

[remotegui.zip: momentjs.jar: da.js](#)

[remotegui.zip: momentjs.jar: de-at.js](#)

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

[remotegui.zip: momentjs.jar: en-ie.js](#)

[remotegui.zip: momentjs.jar: en-il.js](#)

[remotegui.zip: momentjs.jar: en-in.js](#)

[remotegui.zip: momentjs.jar: en-nz.js](#)

[remotegui.zip: momentjs.jar: en-sg.js](#)

[remotegui.zip: momentjs.jar: eo.js](#)

[remotegui.zip: momentjs.jar: es-do.js](#)

[remotegui.zip: momentjs.jar: es-mx.js](#)

[remotegui.zip: momentjs.jar: es-us.js](#)

[remotegui.zip: momentjs.jar: es.js](#)

[remotegui.zip: momentjs.jar: et.js](#)

[remotegui.zip: momentjs.jar: eu.js](#)

[remotegui.zip: momentjs.jar: fa.js](#)

[remotegui.zip: momentjs.jar: fi.js](#)

[remotegui.zip: momentjs.jar: fil.js](#)

[remotegui.zip: momentjs.jar: fo.js](#)

[remotegui.zip: momentjs.jar: fr-ca.js](#)

[remotegui.zip: momentjs.jar: fr-ch.js](#)

[remotegui.zip: momentjs.jar: fr.js](#)

[remotegui.zip: momentjs.jar: fy.js](#)

[remotegui.zip: momentjs.jar: ga.js](#)

[remotegui.zip: momentjs.jar: gd.js](#)

[remotegui.zip: momentjs.jar: gl.js](#)

[remotegui.zip: momentjs.jar: gom-deva.js](#)

[remotegui.zip: momentjs.jar: gom-latn.js](#)

[remotegui.zip: momentjs.jar: gu.js](#)

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

[remotegui.zip: momentjs.jar: hr.js](#)

[remotegui.zip: momentjs.jar: hu.js](#)

[remotegui.zip: momentjs.jar: hy-am.js](#)

[remotegui.zip: momentjs.jar: id.js](#)

[remotegui.zip: momentjs.jar: is.js](#)

[remotegui.zip: momentjs.jar: it-ch.js](#)

[remotegui.zip: momentjs.jar: it.js](#)

[remotegui.zip: momentjs.jar: ja.js](#)

[remotegui.zip: momentjs.jar: jv.js](#)

[remotegui.zip: momentjs.jar: ka.js](#)

[remotegui.zip: momentjs.jar: kk.js](#)

[remotegui.zip: momentjs.jar: km.js](#)

[remotegui.zip: momentjs.jar: kn.js](#)

[remotegui.zip: momentjs.jar: ko.js](#)

[remotegui.zip: momentjs.jar: ku.js](#)

[remotegui.zip: momentjs.jar: ky.js](#)

[remotegui.zip: momentjs.jar: lb.js](#)

[remotegui.zip: momentjs.jar: lo.js](#)

[remotegui.zip: momentjs.jar: locales.js](#)

[remotegui.zip: momentjs.jar: locales.min.js](#)

[remotegui.zip: momentjs.jar: lt.js](#)

[remotegui.zip: momentjs.jar: lv.js](#)

[remotegui.zip: momentjs.jar: me.js](#)

[remotegui.zip: momentjs.jar: mi.js](#)

[remotegui.zip: momentjs.jar: mk.js](#)

[remotegui.zip: momentjs.jar: ml.js](#)

[remotegui.zip: momentjs.jar: mn.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.js](#)

[remotegui.zip: momentjs.jar: moment-with-locales.min.js](#)

[remotegui.zip: momentjs.jar: moment.js](#)

[remotegui.zip: momentjs.jar: moment.min.js](#)

[remotegui.zip: momentjs.jar: mr.js](#)

[remotegui.zip: momentjs.jar: ms-my.js](#)

[remotegui.zip: momentjs.jar: ms.js](#)

[remotegui.zip: momentjs.jar: mt.js](#)

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

[remotegui.zip: momentjs.jar: pa-in.js](#)

[remotegui.zip: momentjs.jar: package.js](#)

[remotegui.zip: momentjs.jar: package.json](#)

[remotegui.zip: momentjs.jar: pl.js](#)

[remotegui.zip: momentjs.jar: pt-br.js](#)

[remotegui.zip: momentjs.jar: pt.js](#)

[remotegui.zip: momentjs.jar: ro.js](#)

[remotegui.zip: momentjs.jar: ru.js](#)

[remotegui.zip: momentjs.jar: sd.js](#)

[remotegui.zip: momentjs.jar: se.js](#)

[remotegui.zip: momentjs.jar: si.js](#)

[remotegui.zip: momentjs.jar: sk.js](#)

[remotegui.zip: momentjs.jar: sl.js](#)

[remotegui.zip: momentjs.jar: sq.js](#)

[remotegui.zip: momentjs.jar: sr-cyrl.js](#)

[remotegui.zip: momentjs.jar: sr.js](#)

[remotegui.zip: momentjs.jar: ss.js](#)

[remotegui.zip: momentjs.jar: sv.js](#)

[remotegui.zip: momentjs.jar: sw.js](#)

[remotegui.zip: momentjs.jar: ta.js](#)

[remotegui.zip: momentjs.jar: te.js](#)

[remotegui.zip: momentjs.jar: tests.js](#)

[remotegui.zip: momentjs.jar: tet.js](#)

[remotegui.zip: momentjs.jar: tg.js](#)

[remotegui.zip: momentjs.jar: th.js](#)

[remotegui.zip: momentjs.jar: tk.js](#)

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)

[remotegui.zip: momentjs.jar: tr.js](#)

[remotegui.zip: momentjs.jar: tzl.js](#)

[remotegui.zip: momentjs.jar: tzm-latn.js](#)

[remotegui.zip: momentjs.jar: tzm.js](#)

[remotegui.zip: momentjs.jar: ug-cn.js](#)

[remotegui.zip: momentjs.jar: uk.js](#)

[remotegui.zip: momentjs.jar: ur.js](#)

[remotegui.zip: momentjs.jar: uz-latn.js](#)

[remotegui.zip: momentjs.jar: uz.js](#)

[remotegui.zip: momentjs.jar: vi.js](#)

[remotegui.zip: momentjs.jar: webjars-requirejs.js](#)

[remotegui.zip: momentjs.jar: x-pseudo.js](#)

[remotegui.zip: momentjs.jar: yo.js](#)

[remotegui.zip: momentjs.jar: zh-cn.js](#)

[remotegui.zip: momentjs.jar: zh-hk.js](#)

[remotegui.zip: momentjs.jar: zh-mo.js](#)

[remotegui.zip: momentjs.jar: zh-tw.js](#)

[remotegui.zip: remotegui.jar](#)

[remotegui.zip: remotegui.jar: DbClickButton.js](#)

remotegui.zip: remotegui.jar: DbClickDragSource.js		
remotegui.zip: remotegui.jar: DbClickTable.js		
remotegui.zip: remotegui.jar: HeightDetermineButton.js		
remotegui.zip: remotegui.jar: InetContentPane.js		
remotegui.zip: remotegui.jar: MouseOverTarget.js		
remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js		
remotegui.zip: remotegui.jar: ScrollEventWindow.js		
remotegui.zip: remotegui.jar: SortDbClickTable.js		
remotegui.zip: remotegui.jar: angular-websocket.js		
remotegui.zip: remotegui.jar: app.js		
remotegui.zip: remotegui.jar: appbadge.service.js		
remotegui.zip: remotegui.jar: authInterceptor.service.js		
remotegui.zip: remotegui.jar: avatarcard.directive.js		
remotegui.zip: remotegui.jar: avatardetails.directive.js		
remotegui.zip: remotegui.jar: avatarimage.directive.js		
remotegui.zip: remotegui.jar: avatarimagedetails.directive.js		
remotegui.zip: remotegui.jar: basic.js		
remotegui.zip: remotegui.jar: bootstrap-colorpicker.js		
remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js		
remotegui.zip: remotegui.jar: browsercheck.js		
remotegui.zip: remotegui.jar: changeavatar.js		
remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js		
remotegui.zip: remotegui.jar: changeavatar.service.js		
remotegui.zip: remotegui.jar: clearreports.controller.js		
remotegui.zip: remotegui.jar: collapse.directive.js		
remotegui.zip: remotegui.jar: colorPicker.directive.js		
remotegui.zip: remotegui.jar: connectionstate.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controller.js		
remotegui.zip: remotegui.jar: controller.js		

[remotegui.zip: remotegui.jar: controllerAbout.js](#)

[remotegui.zip: remotegui.jar: controllerShortcuts.controller.js](#)

[remotegui.zip: remotegui.jar: controllerUserTheme.controller.js](#)

[remotegui.zip: remotegui.jar: controllers.js](#)

[remotegui.zip: remotegui.jar: currencyNumber.directive.js](#)

[remotegui.zip: remotegui.jar: currencyValidator.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js](#)

[remotegui.zip: remotegui.jar: customemojiupload.js](#)

[remotegui.zip: remotegui.jar: dataservice.service.js](#)

[remotegui.zip: remotegui.jar: datepicker-de.js](#)

[remotegui.zip: remotegui.jar: debug.directive.js](#)

[remotegui.zip: remotegui.jar: dialogservice.service.js](#)

[remotegui.zip: remotegui.jar: directives.js](#)

[remotegui.zip: remotegui.jar: emojiModel.service.js](#)

[remotegui.zip: remotegui.jar: emojiselector.directive.js](#)

[remotegui.zip: remotegui.jar: errorservice.service.js](#)

[remotegui.zip: remotegui.jar: filechooser.service.js](#)

[remotegui.zip: remotegui.jar: fixNumber.directive.js](#)

[remotegui.zip: remotegui.jar: fixNumberValidator.directive.js](#)

[remotegui.zip: remotegui.jar: floatNumber.directive.js](#)

[remotegui.zip: remotegui.jar: floatNumberValidator.directive.js](#)

[remotegui.zip: remotegui.jar: globalactionservice.service.js](#)

[remotegui.zip: remotegui.jar: hdField.directive.js](#)

[remotegui.zip: remotegui.jar: hdMandatory.directive.js](#)

[remotegui.zip: remotegui.jar: hdNeedchange.directive.js](#)

[remotegui.zip: remotegui.jar: hdValidate.directive.js](#)

[remotegui.zip: remotegui.jar: hdattachment.js](#)

[remotegui.zip: remotegui.jar: hdfupload.js](#)

[remotegui.zip: remotegui.jar: hsimp.min.js](#)

[remotegui.zip: remotegui.jar: hsimp.render.js](#)

[remotegui.zip: remotegui.jar: html5modeurls.js](#)

[remotegui.zip: remotegui.jar: htmleditor.directive.js](#)

[remotegui.zip: remotegui.jar: htmleditorFactory.service.js](#)

[remotegui.zip: remotegui.jar: htmleditorModel.service.js](#)

[remotegui.zip: remotegui.jar: icons.js](#)

[remotegui.zip: remotegui.jar: initUsernameField.directive.js](#)

[remotegui.zip: remotegui.jar: introduction.js](#)

[remotegui.zip: remotegui.jar: jquery.fileupload.js](#)

[remotegui.zip: remotegui.jar: keyservice.service.js](#)

[remotegui.zip: remotegui.jar: locationservice.service.js](#)

[remotegui.zip: remotegui.jar: modalservice.service.js](#)

[remotegui.zip: remotegui.jar: moduledragdrop.js](#)

[remotegui.zip: remotegui.jar: ng-tinymce.js](#)

[remotegui.zip: remotegui.jar: numberUtil.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.min.js](#)

[remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js](#)

[remotegui.zip: remotegui.jar: paged.filter.js](#)

[remotegui.zip: remotegui.jar: pagination.directive.js](#)

[remotegui.zip: remotegui.jar: piechart.directive.js](#)

[remotegui.zip: remotegui.jar: pwa-service-worker.js](#)

[remotegui.zip: remotegui.jar: pwa.js](#)

[remotegui.zip: remotegui.jar: qrcode.min.js](#)

[remotegui.zip: remotegui.jar: rangeSlider.directive.js](#)

[remotegui.zip: remotegui.jar: resizableDivider.js](#)

[remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js](#)

[remotegui.zip: remotegui.jar: search-panel.js](#)

remotegui.zip: remotegui.jar: selectInput.directive.js		
remotegui.zip: remotegui.jar: shadowLogger.factory.js		
remotegui.zip: remotegui.jar: sidenavigation.js		
remotegui.zip: remotegui.jar: takeoutDataController.controller.js		
remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js		
remotegui.zip: remotegui.jar: takeoutDataModel.service.js		
remotegui.zip: remotegui.jar: timeInput.directive.js		
remotegui.zip: remotegui.jar: timeInputContainer.directive.js		
remotegui.zip: remotegui.jar: timeInputUtil.js		
remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js		
remotegui.zip: remotegui.jar: translate.js		
remotegui.zip: remotegui.jar: unitFixNumber.directive.js		
remotegui.zip: remotegui.jar: unitFloatNumber.directive.js		
remotegui.zip: remotegui.jar: userservice.js		
remotegui.zip: remotegui.jar: usersorgroupselection.js		
remotegui.zip: remotegui.jar: usestrict.js		
remotegui.zip: remotegui.jar: websitedownload.renderer.js		
remotegui.zip: remotegui.jar: websocketdataservice.js		
remotegui.zip: remotegui.jar: websocketkeepaliveworker.js		
remotegui.zip: remotegui.jar: windowdatastore.js		
remotegui.zip: tinymce-languages.jar: ar.js		
remotegui.zip: tinymce-languages.jar: bg_BG.js		
remotegui.zip: tinymce-languages.jar: ca.js		
remotegui.zip: tinymce-languages.jar: cs.js		
remotegui.zip: tinymce-languages.jar: cy.js		
remotegui.zip: tinymce-languages.jar: da.js		
remotegui.zip: tinymce-languages.jar: de.js		
remotegui.zip: tinymce-languages.jar: el.js		
remotegui.zip: tinymce-languages.jar: eo.js		
remotegui.zip: tinymce-languages.jar: es.js		
remotegui.zip: tinymce-languages.jar: es_ES.js		

[remotegui.zip: tinymce-languages.jar: es_MX.js](#)

[remotegui.zip: tinymce-languages.jar: eu.js](#)

[remotegui.zip: tinymce-languages.jar: fa.js](#)

[remotegui.zip: tinymce-languages.jar: fa_IR.js](#)

[remotegui.zip: tinymce-languages.jar: fi.js](#)

[remotegui.zip: tinymce-languages.jar: fr_FR.js](#)

[remotegui.zip: tinymce-languages.jar: gl.js](#)

[remotegui.zip: tinymce-languages.jar: he_IL.js](#)

[remotegui.zip: tinymce-languages.jar: hr.js](#)

[remotegui.zip: tinymce-languages.jar: hu_HU.js](#)

[remotegui.zip: tinymce-languages.jar: id.js](#)

[remotegui.zip: tinymce-languages.jar: it.js](#)

[remotegui.zip: tinymce-languages.jar: it_IT.js](#)

[remotegui.zip: tinymce-languages.jar: ja.js](#)

[remotegui.zip: tinymce-languages.jar: kk.js](#)

[remotegui.zip: tinymce-languages.jar: ko_KR.js](#)

[remotegui.zip: tinymce-languages.jar: lt.js](#)

[remotegui.zip: tinymce-languages.jar: nb_NO.js](#)

[remotegui.zip: tinymce-languages.jar: nl.js](#)

[remotegui.zip: tinymce-languages.jar: pl.js](#)

[remotegui.zip: tinymce-languages.jar: pt_BR.js](#)

[remotegui.zip: tinymce-languages.jar: pt_PT.js](#)

[remotegui.zip: tinymce-languages.jar: ro.js](#)

[remotegui.zip: tinymce-languages.jar: ro_RO.js](#)

[remotegui.zip: tinymce-languages.jar: ru.js](#)

[remotegui.zip: tinymce-languages.jar: sk.js](#)

[remotegui.zip: tinymce-languages.jar: sl.js](#)

[remotegui.zip: tinymce-languages.jar: sl_SI.js](#)

[remotegui.zip: tinymce-languages.jar: sv_SE.js](#)

[remotegui.zip: tinymce-languages.jar: ta.js](#)

[remotegui.zip: tinymce-languages.jar: ta_IN.js](#)

[remotegui.zip: tinymce-languages.jar: th_TH.js](#)

[remotegui.zip: tinymce-languages.jar: tr.js](#)

[remotegui.zip: tinymce-languages.jar: tr_TR.js](#)

[remotegui.zip: tinymce-languages.jar: uk.js](#)

[remotegui.zip: tinymce.jar: index.js](#)

[remotegui.zip: tinymce.jar: jquery.tinymce.js](#)

[remotegui.zip: tinymce.jar: plugin.js](#)

remotegui.zip: tinymce.jar: plugin.min.js		
remotegui.zip: tinymce.jar: theme.js		
remotegui.zip: tinymce.jar: theme.js		
remotegui.zip: tinymce.jar: theme.min.js		
remotegui.zip: tinymce.jar: theme.min.js		
remotegui.zip: tinymce.jar: tinymce.js		
remotegui.zip: tinymce.jar: tinymce.min.js		
remotegui.zip: twemoji.jar		pkg:maven/twemoji-nul
remoteprinting.zip: remoteprinting.jar		
remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js		
remoteprinting.zip: remoteprinting.jar: app.js		
remoteprinting.zip: remoteprinting.jar: controller.js		
remoteprinting.zip: remoteprinting.jar: htmlviewer.js		
reporting.zip: ReportViewer.jar	cpe:2.3:a:inetsoftware:clear_reports:23.10.295:*:*:*:*:* cpe:2.3:a:inetsoftware:i-net_clear_reports:23.10.295:*:*:*:*	
reporting.zip: jcommon.jar		pkg:maven/jcommon@
reporting.zip: jfreechartCC.jar		
reporting.zip: reporting-javadoc.jar		
reporting.zip: reporting-javadoc.jar: member-search-index.js		
reporting.zip: reporting-javadoc.jar: package-search-index.js		
reporting.zip: reporting-javadoc.jar: type-search-index.js		
reporting.zip: reporting.jar		
reporting.zip: reporting.jar: events.js		
reporting.zip: reporting.jar: export.js		
reporting.zip: reporting.jar: functions.js		
reporting.zip: reporting.jar: generator.js		

reporting.zip: reporting.jar: grouptree.js		
reporting.zip: reporting.jar: jstorage.js		
reporting.zip: reporting.jar: keylistener.js		
reporting.zip: reporting.jar: menubar.js		
reporting.zip: reporting.jar: page.js		
reporting.zip: reporting.jar: pagecount.js		
reporting.zip: reporting.jar: popup.js		
reporting.zip: reporting.jar: print.js		
reporting.zip: reporting.jar: prompts.js		
reporting.zip: reporting.jar: prototype.array.js		
reporting.zip: reporting.jar: prototype.element.js		
reporting.zip: reporting.jar: prototype.string.js		
reporting.zip: reporting.jar: reorder.js		
reporting.zip: reporting.jar: script.js		
reporting.zip: reporting.jar: search.js		
reporting.zip: reporting.jar: serverping.js		
reporting.zip: reporting.jar: stacktrace.js		
reporting.zip: reporting.jar: tapbar.js		
repository.zip: milton-api.jar	cpe:2.3:a:milton:webdav:1.4.2:*:*:*:*:* cpe:2.3:a:web_project:web:1.4.2:*:*:*:*:*	pkg:maven/ettrema/milton-api@1.4.2
repository.zip: mime-util.jar		pkg:maven/medsea/min/mime-util@
repository.zip: repository-javadoc.jar		
repository.zip: repository-javadoc.jar: member-search-index.js		
repository.zip: repository-javadoc.jar: package-search-index.js		
repository.zip: repository-javadoc.jar: type-search-index.js		
repository.zip: repository.jar		
repository.zip: repository.jar: repositorybrowsermodule.js		
sampleapplication.js		
sampledatabase.zip: sampledatabase.jar		
sampledatabase.zip: smallsql.jar		
samplereports.zip: samplereports.jar		
search-worker.js		

[sessiondatasource.zip: sessiondatasource.sample.sample.jar](#)

[setuplauncher.jar](#)

[slf4j-api-2.0.9.jar](#)

[pkg:maven/c/slf4j-api@2](#)

[statistics.reporting.zip: statistics.reporting.jar](#)

[statistics.zip: statistics.jar](#)

[statistics.zip: statistics.jar: controller.js](#)

[statistics.zip: statistics.jar: embeddedstatisticsapp.js](#)

[statistics.zip: statistics.jar: flotr2.min.js](#)

[statistics.zip: statistics.jar: rendererstatistics.js](#)

[statistics.zip: statistics.jar: statisticsFactory.js](#)

[svgSalamander.jar](#)

[cpe:2.3:a:kitfox:svg_salamander:1.1.3:*:*:*:*:*:*:*](#)

[pkg:maven/nidi.com.kitfox/svgSalamander@1.3](#)

[taskplanner.logaction.zip: taskplanner.logaction.sample.jar](#)

[taskplanner.openweathermap.zip: taskplanner.openweathermap.sample.jar](#)

[taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar](#)

[taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js](#)

[taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js](#)

[taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js](#)

[taskplanner.reporting.zip: taskplanner.reporting.jar](#)

[taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js](#)

[taskplanner.zip: commons-cli.jar](#)

[pkg:maven/commons-cli/commons-cli@5.0](#)

[taskplanner.zip: cron-utils.jar](#)

[cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#)
[cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#)

[pkg:maven/cronutils/cronutils@9.2.1](#)

[taskplanner.zip: guava.jar](#)

[cpe:2.3:a:google:guava:32.0.1:*:*:*:*:*](#)

[pkg:maven/google.guava/guava@32.0.1](#)

[taskplanner.zip: taskplanner-javadoc.jar](#)

[taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js](#)

[taskplanner.zip: taskplanner-javadoc.jar: package-](#)

[search-index.js](#)

[taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js](#)

[taskplanner.zip: taskplanner.jar](#)

[taskplanner.zip: taskplanner.jar: app.js](#)

[taskplanner.zip: taskplanner.jar: boolean.directive.js](#)

[taskplanner.zip: taskplanner.jar: colorField.directive.js](#)

[taskplanner.zip: taskplanner.jar: controller.js](#)

[taskplanner.zip: taskplanner.jar: factory.js](#)

[taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js](#)

[taskplanner.zip: taskplanner.jar: model.js](#)

[taskplanner.zip: taskplanner.jar: numberRange.directive.js](#)

[taskplanner.zip: taskplanner.jar: numberWrapper.directive.js](#)

[taskplanner.zip: taskplanner.jar: passwordTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: renderer.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleGroup.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLabel.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleLink.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleSelect.directive.js](#)

[taskplanner.zip: taskplanner.jar: simpleTextField.directive.js](#)

[taskplanner.zip: taskplanner.jar: stringTable.directive.js](#)

[taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js](#)

[taskplanner.zip: taskplanner.jar: textAreaField.directive.js](#)

[theme.zip: bootstrap.jar: bootstrap.js](#)

[pkg:javascrip/bootstrap@](#)

[theme.zip: bootstrap.jar: bootstrap.min.js](#)

[pkg:javascrip/bootstrap@](#)

[theme.zip: theme.jar](#)

[urlcookie.zip: urlcookie.sample.jar](#)

usersandgroupsmanager.zip: usersandgroupsmanager.jar		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js		
usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js		
webapi.core.zip: webapi.core.jar		
webapi.core.zip: webapi.core.jar: shared.factory.js		
webapi.core.zip: webapi.core.jar: webapi.codemirror.js		
webapi.core.zip: webapi.core.jar: webapi.core.editor.js		
webapi.core.zip: webapi.core.jar: webapi.core.js		
webserver.defender.zip: webserver.defender.jar		
webserver.zip: acme4j-client.jar		pkg:maven/shredzone/acme4j-client@16
webserver.zip: http2-common.jar	cpe:2.3:a:eclipse:jetty:10.0.17:*.***.*.*.* cpe:2.3:a:jetty:jetty:10.0.17:*.***.*.*.* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:*.***.*.*.*	pkg:maven/eclipse:jetty/http2-common@1
webserver.zip: http2-hpack.jar	cpe:2.3:a:mortbay_jetty:jetty:10.0.17:*.***.*.*.*	pkg:maven/eclipse:jetty

		/http2-hpack-0.17
webserver.zip: http2-server.jar	cpe:2.3:a:eclipse:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty_http_server:10.0.17:****:* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****:*	pkg:maven/eclipse:jetty/http2-server@10.0.17
webserver.zip: jetty-io.jar	cpe:2.3:a:eclipse:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty:10.0.17:****:*:* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****:*	pkg:maven/eclipse:jetty/io@10.0.17
webserver.zip: jetty-server.jar	cpe:2.3:a:eclipse:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty_http_server:10.0.17:****:* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****:*	pkg:maven/eclipse:jetty/server@10.0.17
webserver.zip: jose4j.jar	cpe:2.3:a:jose4j_project:jose4j:0.9.3:****:*	pkg:maven/bitbucket.org:jose4j@0.9.3
webserver.zip: webserver.jar		
webserver.zip: websocket-core-client.jar	cpe:2.3:a:eclipse:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty:10.0.17:****:*:* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****:*	pkg:maven/eclipse:jetty/websocket-client@10.0.17
webserver.zip: websocket-core-server.jar	cpe:2.3:a:eclipse:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty:10.0.17:****:*:* cpe:2.3:a:jetty:jetty_http_server:10.0.17:****:* cpe:2.3:a:mortbay_jetty:jetty:10.0.17:****:*	pkg:maven/eclipse:jetty/websocket-server@10.0.17

Dependencies

BarcodePDF417Bean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/BarcodePDF417Bean.jar

MD5: a8bad4c8143064f5c686420cbd211822

SHA1: 245ee0526c681be3955a4eb9a031d5cf6363964a

SHA256: a31e00a280a4dbc1a54dcac3ca9b969bb16fa6aa664d27fe7b09cde4de56f0aa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low

Vendor	Manifest	built-date	2024-01-16 13:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2024-01-16 13:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

Fositex.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Fositex.jar

MD5: e5bf2cbb470365b512dac891b5ccb197

SHA1: dfac509b508c61e71d8691850c1c731b35d0a87e

SHA256: 904e90056e83854788de56832aa73a3744832852d25e189d748ff91996871577

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Vendor	file	name	Fositex	High
Vendor	jar	package name	csv	Low
Vendor	jar	package name	inet	Low
Product	file	name	Fositex	High
Product	jar	package name	csv	Low

Identifiers

- None

ICSharpCode.SharpZipLib.dll

Description:

ICSharpCode.SharpZipLib

SharpZipLib (#ziplib, formerly NZipLib) is a compression library for Zip, GZip, BZip2, and Tar written entirely in C# for .NET. It is implemented as an assembly (installable in the GAC), and thus can easily be incorporated into other projects (in any .NET language)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/lib/ICSharpCode.SharpZipLib.dll

MD5: 9e9e0a210297968aaf2e00d13958c0b4

SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c

SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	dll	namespace	ICSharpCode.SharpZipLib	Highest
Vendor	file	name	ICSharpCode.SharpZipLib	High
Vendor	grokass	CompanyName	ICSharpCode	Highest
Product	dll	namespace	ICSharpCode.SharpZipLib	Highest
Product	file	name	ICSharpCode.SharpZipLib	High
Product	grokass	FileDescription	ICSharpCode.SharpZipLib	High
Product	grokass	InternalName	ICSharpCode.SharpZipLib.dll	Medium
Product	grokass	OriginalFilename	ICSharpCode.SharpZipLib.dll	Medium
Product	grokass	ProductName	ICSharpCode.SharpZipLib	Highest
Version	Assembl	FilteredVersion	1.4.2	Highest

Related Dependencies



- ICSharpCode.SharpZipLib.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /ReportViewer - WindowsForms .NET/lib/ICSharpCode.SharpZipLib.dll
 - MD5: 9e9e0a210297968aaf2e00d13958c0b4
 - SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c
 - SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d
 - pkg:generic/ICSharpCode.SharpZipLib@1.4.2

Identifiers

- [pkg:generic/ICSharpCode.SharpZipLib@1.4.2](#) (*Confidence:Medium*)
- [cpe:2.3:a:sharpziplib_project:sharpziplib:1.4.2:*:*:*:*:*](#) (*Confidence:Low*)

JBarcodeBean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JBarcodeBean.jar

MD5: c650fda9e7f38dd5059e775f67e4c738

SHA1: fd113b0c0b4f4e5a90c59b95504b6255a466c566

SHA256: 6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

Identifiers

- None

JGaugeBean.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JGaugeBean.jar

MD5: 7026a36d6e2459afed196f5fc2af8965

SHA1: 402aa15e5a186d61e100dade0994de58cd3126c8

SHA256: 93db85a63bcb48ca5401baead7596077bf494a5cdd55cae75ca856490d89f4

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JGaugeBean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	gauge	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 13:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JGaugeBean	High
Product	jar	package name	beans	Low
Product	jar	package name	gauge	Low
Product	Manifest	built-date	2024-01-16 13:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JGaugeBean	High
Product	Manifest	specification-title	JGaugeBean	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/JWebEngine.jar

MD5: cac294ec4b01768968d4b7b125fdb2b

SHA1: 0b1bffa114e0f84e0f4363caa1254b1ea9b1b79d

SHA256: 3d18995c7ec5ff10af55d803f77df0c1143455a5db68b1c4f96b523e2969df6f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1163	High

Identifiers

- None

LayoutJDBCDriver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/LayoutJDBCDriver.jar

MD5: 30cc29f53ddfc5c1d8c4d60506105970

SHA1: 05b9252e47f0bf9af726dd994571375b9ab480fc

SHA256: 94e7d2fa612603737191486d74c726aa0e6ecd9603ffa8277abcd131d727891

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	LayoutJDBCDriver	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	layout	Low
Vendor	Manifest	Implementation-Vendor	i-net software GmbH	High
Product	file	name	LayoutJDBCDriver	High
Product	jar	package name	designer	Low
Product	jar	package name	jdbc	Highest
Product	jar	package name	jdbc	Low
Product	jar	package name	layout	Highest
Product	jar	package name	layout	Low
Product	Manifest	Implementation-Title	layout jdbc driver	High
Version	Manifest	Implementation-Version	1.0	High

Identifiers

- None

Merlia-0.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2/Merlia-0.jar

MD5: 8e7f9f81ce022680498de9dfb63c1d23

SHA1: fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2

SHA256: 1dfd38a307f047b7584492c2c37197db896fc7dd24a8ab893e1bff306a4cf8b8

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

Related Dependencies +

- Merlia.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Merlia.jar
 - MD5: 8e7f9f81ce022680498de9dfb63c1d23
 - SHA1: fc0c94f56a1c43b76f3ae539f0cd8af2d832d9d2
 - SHA256: 1dfd38a307f047b7584492c2c37197db896fc7dd24a8ab893e1bff306a4cf8b8

Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence: Highest*)

Oranxo.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Oranxo.jar

MD5: bf60b9eef4bbd349fb3a6dcbf557bf99

SHA1: 7da5a03426ac05c212672704f141b67e885d6c0b

SHA256: 110fa1999cc6e35ec6d678c5381771362e883d16b645ac78c569c10c6ad89fd0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.06	Medium

Identifiers

- None

ReportViewerWinForms.csproj

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinForms.csproj

MD5: 6461eb9c75fbc531e3a8571dc4da4ce

SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168

SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	ReportViewerWinForms	High
Product	file	name	ReportViewerWinForms	High

Related Dependencies +

- ReportViewerWinForms.csproj
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/ReportViewerWinForms.csproj
 - MD5: 6461eb9c75fdbc531e3a8571dc4da4ce
 - SHA1: 18b8709f159bbddca0bfd2043f7718bfd364168
 - SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

Identifiers

- None

ReportViewerWinFormsTests.csproj

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinFormsTests.csproj

MD5: 668406baec4c761e2302676f4a7b88d7

SHA1: 23bbbed2cfc57c661aaefc24bb0ab360b402f45b

SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinFormsTests	High
Product	file	name	ReportViewerWinFormsTests	High

Related Dependencies +

- ReportViewerWinFormsTests.csproj
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer_.net/WindowsForms/ReportViewer/ReportViewerWinFormsTests.csproj
 - MD5: 668406baec4c761e2302676f4a7b88d7
 - SHA1: 23bbbed2cfc57c661aaefc24bb0ab360b402f45b
 - SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

Identifiers

- None

Syto.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Syto.jar

MD5: 62a8cd327489a2594a5d5cae627d5742

SHA1: 2b28e808d0b71585e4bc154fc7bd495595b895ef

SHA256: d0924747503b5ce3f77e3bf047118df29602192998bb34624fe5870f60e4b037

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Syto	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pool	Low
Product	file	name	Syto	High
Product	jar	package name	pool	Low

Identifiers

- None

ZxingBarCodes.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/ZxingBarCodes.jar

MD5: 126daf1477dfe99d6c20731856ee85be

SHA1: 03b9ae1d02fbd1a7b7b618eda85013d22d508f30

SHA256: 75b61c6a51f1298aba90921582f8a495692da24188612351a30188effd9f7ab7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High

Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2024-01-16 13:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2024-01-16 13:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

adhoc.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar

MD5: 85e2f5cf5acffd517facb0496cdcb01

SHA1: cc56ffe2792d3eedfecb263626cb2de61557e277

SHA256: 06d9bce08e53fbc1c6968941b298214b2dee14b6b5fdcab67f21f7a4e4123e79

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

adhoc.zip: adhoc.jar: adhocmodule.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js

MD5: e3ba97da1119b592c496af42ffcf21f5

SHA1: 5ea07dccea534e3fb002c2a73a56348dfb0c7865

SHA256: 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- designer.zip: adhoc.jar: adhocmodule.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js
 - MD5: e3ba97da1119b592c496af42ffcf21f5
 - SHA1: 5ea07dccea534e3fb002c2a73a56348dfb0c7865
 - SHA256: 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

Identifiers

- None

adhoc.zip: adhocClient.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhocClient.jar

MD5: 8dcc318604776f99df018ed075e03538

SHA1: 1bc04c06086a296391d596a02b5a743f6c5d319f

SHA256: ac8e34bac6bd23bd74af27641187d9b2c20150bce7e09710d3aed322493b9747

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	codebase	*	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies



- designer.zip: adhocClient.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhocClient.jar
 - MD5: 8dcc318604776f99df018ed075e03538
 - SHA1: 1bc04c06086a296391d596a02b5a743f6c5d319f
 - SHA256: ac8e34bac6bd23bd74af27641187d9b2c20150bce7e09710d3aed322493b9747

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar

MD5: 45de2ae3babdb1d1b1a4786f7c5e1b03

SHA1: 9f085f52ffe3720dbcdda7f4999782f81a913f2

SHA256: 633016ac97973a7e215377c26218b675b24b9862bb846fe28286518403febff2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	application.currenttime	High

Title

Product	Manifest	specification-title	application.currenttime	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

application.currenttime.zip: application.currenttime.sample.jar: sampleapplication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js

MD5: 62b73d66b3a5d99c2d5f9370514ce5c7

SHA1: 3edcc5ec1862d2da8872f35b2290be8babb7f94c

SHA256: 522c5f97270c0dff35ba66fbb4ff31b14220051c8fc948e82f4bbdf07cd86749

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar

MD5: 05c0ec43352185ff0c9759891c9aa508

SHA1: aab8ac15da2f87cee89fdab35e217fa461aa1ec0

SHA256:f8706d6d88b23f57b4014a302a107bace2ed3c8c90c74b7b71c882ff649b53cd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedservletplugin	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded	High
Product	Manifest	specification-title	application.embedded	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

application.embedded.zip: application.embedded.sample.jar: embeddedMode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 0dd2944e9ebe2d6dc36b7d76761b5710

SHA1: ab849acd19da6478b94d58b1b00d474c179af217

SHA256: 3a692f43f8c80fb469146b5bc3ab738f5676e0809052735384cc0c631ed18a30

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar

MD5: 4b91a5fc843766689a82ad183ecf283d

SHA1: 1124153c4041607b0648677e372e61b635ebc8a3

SHA256: 8a5358a5cc0e33dc0e61f76b480d0520e12b4a235b84a6b785685fe7faa09f2c

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	application.googleanalytics.sample	High
--------	------	------	------------------------------------	------

Vendor	jar	package name	application	Low
--------	-----	--------------	-------------	-----

Vendor	jar	package name	googleanalytics	Low
--------	-----	--------------	-----------------	-----

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	Manifest	built-date	2024-01-16 12:20	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	shared	Low
--------	----------	----------------------	--------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-vendor	i-net software	Low
--------	----------	----------------------	----------------	-----

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
--------	----------	--------	--------------------------------------	--------

Product	file	name	application.googleanalytics.sample	High
---------	------	------	------------------------------------	------

Product	jar	package name	application	Highest
---------	-----	--------------	-------------	---------

Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics	High
Product	Manifest	specification-title	application.googleanalytics	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

application.googleanalytics.zip: application.googleanalytics.sample.jar: googleanalytics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/googleanalytics.js

MD5: fc58f23e72a70700bb2c6ddbc3d2bed8

SHA1: f591e0fb5ec00d90c01e1fae1aba795b215e2919

SHA256: 4564a91375ad798064cd0d561bd71c62ca207007a78a2f84c08c38ce2dec4e77

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.helloworld.zip: application.helloworld.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld/application.helloworld.zip/application.helloworld.sample.jar

MD5: c9b2cf28e3b21ce27ace6441802b6a10

SHA1: ac89f00e732d7ac8c47f17fd0cb7832d125256c8

SHA256: c1389240dce011ab0ed609a0e203f2f0dea6149440ca743a11bfb41f9cc4ddc9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld	High
Product	Manifest	specification-title	application.helloworld	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication ldap.zip: authentication ldap.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication ldap.zip/authentication ldap.jar

MD5: 19c8f089ddd46e7ea1983cc15937cfe7

SHA1: 670ebc76f7a3a8df100238d7e8e26b56f5bf352a

SHA256: 49993ffb10e88a46a088d1c0de92b86a8483d4dde7fb50054cbf7a135400a701

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication ldap	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ldap	Low
Vendor	Manifest	built-date	2024-01-16 12:11	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication ldap	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ldap	Highest
Product	jar	package name	ldap	Low
Product	Manifest	built-date	2024-01-16 12:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication ldap	High
Product	Manifest	specification-title	authentication ldap	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.oauth.ex.zip: authentication.oauth.ex.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.zip/authentication.oauth.ex.sample.jar

MD5: 8d06860e28dc6075672f036f13206559

SHA1: 544947193d9c83e9b808bbbe5578f5b8fdd25fbc

SHA256: e6238604f9af0c9aaa8644898436309c8b55e371b8e3ac7d577a4daf548ae548

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2024-01-16 12:20	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex	High
Product	Manifest	specification-title	authentication.oauth.ex	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar

MD5: 6442a80e180a081b320ba370d6615e91

SHA1: c9c66a8965324fb90b3a3321a5792062eef87e0c

SHA256: 3b200576e3928dfaadea3d227cdf805c3352ae83fa6e1f97041552fb54389c3b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth-javadoc	High
Product	file	name	authentication.oauth-javadoc	High

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.5.1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jquery-3.5.1.js

MD5: 23c7c5d2d1317508e807a6c7f777d6ed

SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88

SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/external/jquery/jquery.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- maintenance.zip: maintenance-javadoc.jar: jquery-3.5.1.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-3.5.1.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- maintenance.zip: maintenance-javadoc.jar: jquery.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/external/jquery/jquery.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- reporting.zip: reporting-javadoc.jar: jquery-3.5.1.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-3.5.1.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- reporting.zip: reporting-javadoc.jar: jquery.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/external/jquery/jquery.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- repository.zip: repository-javadoc.jar: jquery-3.5.1.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jquery-3.5.1.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- repository.zip: repository-javadoc.jar: jquery.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/external/jquery/jquery.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.5.1.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jquery-3.5.1.js
- MD5: 23c7c5d2d1317508e807a6c7f777d6ed
- SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
- SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/external/jquery/jquery.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.5.1.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-3.5.1.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37
- taskplanner.zip: taskplanner-javadoc.jar: jquery.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/external/jquery/jquery.js
 - MD5: 23c7c5d2d1317508e807a6c7f777d6ed
 - SHA1: ad16c4a132ad2a03b4951185fed46d55397b5e88
 - SHA256: 416a3b2c3bf16d64f6b5b6d0f7b079df2267614dd6847fc2f3271b4409233c37

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jquery-ui.js

MD5: 3e34f50eab2e13d720c93e44ac5cb7ca

SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16

SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfc333ea6de5247

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
 - [pkg:javascript/jquery-ui@1.12.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
 - [pkg:javascript/jquery-ui@1.12.1](#)
- repository.zip: repository-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
 - [pkg:javascript/jquery-ui@1.12.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
 - [pkg:javascript/jquery-ui@1.12.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
 - [pkg:javascript/jquery-ui@1.12.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.12.1](#) (*Confidence: Highest*)

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jquery-ui.min.js

MD5: 28d157e58272e91b054c254eab737df0

SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9

SHA256:76e849220d7fe7778affeaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
 - [pkg:javascript/jquery-ui@1.12.1](#)
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
 - [pkg:javascript/jquery-ui@1.12.1](#)
- repository.zip: repository-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
 - [pkg:javascript/jquery-ui@1.12.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
 - [pkg:javascript/jquery-ui@1.12.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
 - [pkg:javascript/jquery-ui@1.12.1](#)

Identifiers

- [pkg:javascript/jquery-ui@1.12.1](#) (Confidence: Highest)

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils-ie.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js

MD5: 9ec16c4857f56351e91cae003483bc8f

SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32

SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip-utils-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
 - MD5: 9ec16c4857f56351e91cae003483bc8f
 - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
 - SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e
- reporting.zip: reporting-javadoc.jar: jszip-utils-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
 - MD5: 9ec16c4857f56351e91cae003483bc8f
 - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
 - SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e
- repository.zip: repository-javadoc.jar: jszip-utils-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
 - MD5: 9ec16c4857f56351e91cae003483bc8f
 - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
 - SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip-utils-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
 - MD5: 9ec16c4857f56351e91cae003483bc8f
 - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32
 - SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.js
 - MD5: 9ec16c4857f56351e91cae003483bc8f
 - SHA1: 98fe94534d85ac506afac72bcd109eadb0024c32

- SHA256: 0ce844c4c202c352e3210a61fc0910039a70708453b0db6f29d4da9496f2711e

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils-ie.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js

MD5: 5d44e2ad643c15a737b056b08def582a

SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d

SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip-utils-ie.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
 - MD5: 5d44e2ad643c15a737b056b08def582a
 - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
 - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457
- reporting.zip: reporting-javadoc.jar: jszip-utils-ie.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
 - MD5: 5d44e2ad643c15a737b056b08def582a
 - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
 - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457
- repository.zip: repository-javadoc.jar: jszip-utils-ie.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
 - MD5: 5d44e2ad643c15a737b056b08def582a
 - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
 - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip-utils-ie.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
 - MD5: 5d44e2ad643c15a737b056b08def582a
 - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
 - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457

- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils-ie.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils-ie.min.js
 - MD5: 5d44e2ad643c15a737b056b08def582a
 - SHA1: aad1e840064b0d5d046d2087d17ceb24f7ec165d
 - SHA256: 794491b22860b2a9267b6327e19cb45cb999d290f167f7c87204ffc2ff87e457

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js

MD5: d3b9e4ee8dff5107ce1285f0d51d86f3

SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed

SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip-utils.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
 - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
 - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
 - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3
- reporting.zip: reporting-javadoc.jar: jszip-utils.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
 - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
 - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
 - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3
- repository.zip: repository-javadoc.jar: jszip-utils.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
 - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
 - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
 - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip-utils.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
- MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
- SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
- SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.js
 - MD5: d3b9e4ee8dff5107ce1285f0d51d86f3
 - SHA1: 57aca6d613287c93f41f32efd124dd2a72994eed
 - SHA256: c06f765f3bed456436a8819b4d41fba66e537d88c90c4f46eb95d604c94086e3

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip-utils.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js

MD5: 0608ff0ca6b939ae7263f0b219b0e4f2

SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c

SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip-utils.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
 - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
 - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
 - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98
- reporting.zip: reporting-javadoc.jar: jszip-utils.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
 - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
 - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
 - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98
- repository.zip: repository-javadoc.jar: jszip-utils.min.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
- MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
- SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
- SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip-utils.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
 - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
 - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
 - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98
- taskplanner.zip: taskplanner-javadoc.jar: jszip-utils.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip-utils/dist/jszip-utils.min.js
 - MD5: 0608ff0ca6b939ae7263f0b219b0e4f2
 - SHA1: a0885000845dedb7f5bf0db35e1f92cc79a0d40c
 - SHA256: c38706b6ead21f5636ea9b79297a7976c59f8c1ff9242bf675aee5dce392ce98

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip/dist/jszip.js

MD5: 445655f2b60614c242f0c073c319ebd3

SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87

SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067faf3a253938

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.js

- MD5: 445655f2b60614c242f0c073c319ebd3
- SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
- SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- [pkg:javascript/jszip@3.2.1](#)
- reporting.zip: reporting-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
 - [pkg:javascript/jszip@3.2.1](#)
- repository.zip: repository-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
 - [pkg:javascript/jszip@3.2.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
 - [pkg:javascript/jszip@3.2.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
 - [pkg:javascript/jszip@3.2.1](#)

Identifiers

- [pkg:javascript/jszip@3.2.1](#) (Confidence: Highest)

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip/dist/jszip.min.js

MD5: dc5d2aac976b1ad09faa452b4ce37519

SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892

SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
 - [pkg:javascript/jszip@3.2.1](#)
- reporting.zip: reporting-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
 - [pkg:javascript/jszip@3.2.1](#)
- repository.zip: repository-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
 - [pkg:javascript/jszip@3.2.1](#)
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
 - [pkg:javascript/jszip@3.2.1](#)
- taskplanner.zip: taskplanner-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
 - [pkg:javascript/jszip@3.2.1](#)

Identifiers

- [pkg:javascript/jszip@3.2.1](#) (*Confidence: Highest*)

authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/member-search-index.js

MD5: c7677763ec93991e72c756889255cb8c

SHA1: fd91c67624953c8c7b81417f6be565d27046e6ee

SHA256: 2877b5afe3c678507bf50f3a013ecb8720cc0e72cc7c8d6e6d3772032d435599

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/package-search-index.js

MD5: 28122856ef4fb8a1eb85f9ca5da243b2

SHA1: 562231fb11ab3aa54eaed55a20a963679e2609a5

SHA256: 151e68768e727a8d7d34ceac8a031a8a9d0d2555e6faed2b61cb250066495ce8

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script.js

MD5: 09faf3df2baf98a85204181a24f8474a

SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f

SHA256:2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- maintenance.zip: maintenance-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script.js
 - MD5: 09faf3df2baf98a85204181a24f8474a
 - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
 - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b
- reporting.zip: reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script.js
 - MD5: 09faf3df2baf98a85204181a24f8474a
 - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
 - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b
- repository.zip: repository-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/script.js
 - MD5: 09faf3df2baf98a85204181a24f8474a
 - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
 - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
 - MD5: 09faf3df2baf98a85204181a24f8474a
 - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
 - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b
- taskplanner.zip: taskplanner-javadoc.jar: script.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script.js
 - MD5: 09faf3df2baf98a85204181a24f8474a
 - SHA1: b12f5b1b9ec286814b1874bf7647b26755be106f
 - SHA256: 2074e4b64cfac3a17618a69de47892e81023b97caf77e33c4db9048dfac1a09b

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/search.js

MD5: a2cf11ffe638bf82e355d8d832869e24

SHA1: 34a05458bceae78a6f624db3e3a754fecc015358

SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/search.js
 - MD5: a2cf11ffe638bf82e355d8d832869e24
 - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
 - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9
- reporting.zip: reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/search.js
 - MD5: a2cf11ffe638bf82e355d8d832869e24
 - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
 - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9
- repository.zip: repository-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/search.js
 - MD5: a2cf11ffe638bf82e355d8d832869e24
 - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
 - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
 - MD5: a2cf11ffe638bf82e355d8d832869e24
 - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
 - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9
- taskplanner.zip: taskplanner-javadoc.jar: search.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/search.js
 - MD5: a2cf11ffe638bf82e355d8d832869e24
 - SHA1: 34a05458bceae78a6f624db3e3a754fecc015358
 - SHA256: b2f9760a7aa9b092c3c79efa7f058afb851cc447d1283d57421df909b54f2fb9

Identifiers

- None

authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/type-search-index.js

MD5: ae13fe03ccbe17e03a41c135f27f3824

SHA1: 197cfd352062cc528ed5943ce6ef597c40d4829

SHA256: 7874fa7b68f4de25c8a102e3e057bfeaae9f7f20b15fe34942c5f48cf44ab601

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.oauth.zip: authentication.oauth.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth.jar

MD5: 74b2083e59bd15c0d48f0277e9a267d4

SHA1: ce35adbee8ddbdf8c504d05a20f451673996db

SHA256: 9a9eec4f3153982d9da261dac3b42dd9d70de1bbec0a461f0f8d00a95806a771

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	authentication.oauth	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth2	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	oauth2	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth	High
Product	Manifest	specification-title	authentication.oauth	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.pam.zip: authentication.pam.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/authentication.pam.jar
MD5: 5b7f58be5baa057aad175cc1801a081f
SHA1: df5db7a49f87ced9292f607bb61fcce8831a5461
SHA256: 9d9ca17e98178f828e932045b1eb6abed94e84efac4a6bd7b74941a81b1f3c97
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2024-01-16 12:11	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2024-01-16 12:11	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.passwordfile.zip: authentication.passwordfile.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.zip/authentication.passwordfile.sample.jar

MD5: 3c2850bfa6f9f72b59e2fbd842bfaad6

SHA1: 25c62b232d8da70f98f696493cd98dede352d52b

SHA256: b259fa815dc8f0f3ebeb9dcc3d45c4cc964917c60dbf22237ef43f26c3ac59d7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low

Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile	High
Product	Manifest	specification-title	authentication.passwordfile	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.product.zip: authentication.product.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.product.zip/authentication.product.jar

MD5: 86be72e310ea498f080cddc5971a9234

SHA1: 41a00a0384b3ca0ea3e447ddb2d8620d5564e68d

SHA256: bade532c4312c1e375b5513c292e0ba2580dc7b990b7a0031a5fd1cea8f4ea57

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2024-01-16 12:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2024-01-16 12:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.token.zip: authentication.token.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar
MD5: 0ba9c2405fb2b22d6acf288f6b5774c8
SHA1: 86025521ac6a23bf5fafd8274cd19eefa1da1000

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.token	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	token	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.token	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	server	Low
Product	jar	package name	token	Highest
Product	jar	package name	token	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.token	High
Product	Manifest	specification-title	authentication.token	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.token.zip: authentication.token.jar: tokenauthentication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar/com/inet/authentication/token/client/js/tokenauthentication.js

MD5: 3af640377ba31b2e089c505b23f08706

SHA1: 568102bfb972adf999adf274bd92acc9ea3fa14b

SHA256: d0635a9d0e593b6fab7e3e5ed8ec147de04eb75c785a5d9cc19bb58416d4efc5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/authentication.windows.jar

MD5: a6d4617f6df69a3bb044404cf78817bf

SHA1: 259698bb0bee233a261600b00115af57334cc606

SHA256: 9f524c548cfed8e82f63f6ed73ffef644e2372904c1f19f3a5a62cbc0daf1ef9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	authentication.windows	High
--------	------	------	------------------------	------

Vendor	jar	package name	authentication	Low
--------	-----	--------------	----------------	-----

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	windows	Low
--------	-----	--------------	---------	-----

Vendor	Manifest	built-date	2024-01-16 12:12	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	shared	Low
--------	----------	----------------------	--------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-	i-net software	Low
--------	----------	----------------	----------------	-----

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2024-01-16 12:12	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

authentication.windows.zip: caffeine.jar

Description:

A high performance caching library

License:

Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/caffeine.jar

MD5: b3db829baf2b527a737abf24aabfd27f

SHA1: e261a64f8f828eeadae139d8d0ff2a9b1224f4ef

SHA256: 0b1aabc3ba98c95d4f0a5376b006c4126a1a09e153826b9294c9c64c68ef7bcd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	caffeine	Highest
Vendor	central	groupid	com.github.ben-manes.caffeine	Highest
Vendor	file	name	caffeine	High

Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	caffeine	Low
Vendor	pom	developer email	ben.manes@gmail.com	Low
Vendor	pom	developer id	ben-manes	Medium
Vendor	pom	developer name	Ben Manes	Medium
Vendor	pom	groupid	com.github.ben-manes.caffeine	Highest
Vendor	pom	name	Caffeine cache	High
Vendor	pom	url	ben-manes/caffeine	Highest
Product	central	artifactid	caffeine	Highest
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	caffeine	Highest
Product	pom	developer email	ben.manes@gmail.com	Low
Product	pom	developer id	ben-manes	Low
Product	pom	developer name	Ben Manes	Low

Product	pom	groupid	com.github.ben-manes.caffeine	Highest
Product	pom	name	Caffeine cache	High
Product	pom	url	ben-manes/caffeine	High
Version	central	version	3.0.6	Highest
Version	Manifest	Bundle-Version	3.0.6	High
Version	pom	version	3.0.6	Highest

Identifiers

- <pkg:maven/com.github.ben-manes.caffeine/caffeine@3.0.6> (*Confidence:High*)

authentication.windows.zip: jna-platform.jar

Description:

Java Native Access Platform

License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna-platform.jar

MD5: 10d8b81ab04b75b7ccb1aa2846abde58

SHA1: 3982895a856ba88cd7acf75a1b3a11046eef419d

SHA256: 6fae75fc94cd956efee576bd75437f94f68b06faa2f9bf134a32d9c07d263a10

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna-platform	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar	package name	oracle	Highest

(hint)				
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	require-bundle	com.sun.jna;bundle-version="5.11.0"	Low
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna-platform	Low
Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access Platform	High
Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna-platform	Highest
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-	com.sun.jna.platform	High

Title

Product	Manifest	require-bundle	com.sun.jna;bundle-version="5.11.0"	Low
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna-platform	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest
Product	pom	name	Java Native Access Platform	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.11.0	Highest
Version	Manifest	Bundle-Version	5.11.0	High
Version	pom	version	5.11.0	Highest

Identifiers

- <pkg:maven/net.java.dev.jna/jna-platform@5.11.0> (*Confidence:High*)

authentication.windows.zip: waffle-jna.jar

Description:

WAFFLE JNA implementation

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/waffle-jna.jar

MD5: 7d4ab9e0376129387e6565b040f2c0af

SHA1: 6c1a06b345702bb1dfd77006af926b091bded851

SHA256:301cb389402618a0a8e7fb56c4b47e20f1f9c774f99a3d7272435bae2d323580

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna	High
Vendor	jar	package name	waffle	Highest
Vendor	jar	package name	windows	Highest
Vendor	Manifest	automatic-module-name	waffle.jna	Medium

Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	build-os	Windows 11 (10.0; amd64)	Low
Vendor	Manifest	build-time	2023-03-26 04:43:22	Low
Vendor	Manifest	build-tool	Apache Maven 3.9.1 (2e178502fcdbffc201671fb2537d0cb4b4cc58f8)	Low
Vendor	Manifest	copyright	2023	Low
Vendor	Manifest	git-revision	0394b0b93ae92e63f09711a9c67fec4e799e84	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	os-arch	amd64	Low
Vendor	Manifest	os-name	Windows 11	Medium
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna	Low
Vendor	pom	groupid	com.github.waffle	Highest
Vendor	pom	name	waffle-jna	High
Vendor	pom	parent-artifactid	waffle-parent	Low
Vendor	pom	url	https://waffle.github.io/waffle/	Highest
Product	file	name	waffle-jna	High
Product	jar	package name	waffle	Highest
Product	jar	package name	windows	Highest
Product	Manifest	automatic-module-name	waffle.jna	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	build-os	Windows 11 (10.0; amd64)	Low
Product	Manifest	build-time	2023-03-26 04:43:22	Low
Product	Manifest	build-tool	Apache Maven 3.9.1 (2e178502fcdbffc201671fb2537d0cb4b4cc58f8)	Low
Product	Manifest	copyright	2023	Low
Product	Manifest	git-revision	0394b0b93ae92e63f09711a9c67fec4e799e84	Low
Product	Manifest	Implementation-Title	waffle-jna	High
Product	Manifest	os-arch	amd64	Low
Product	Manifest	os-name	Windows 11	Medium
Product	Manifest	specification-title	waffle-jna	Medium
Product	pom	artifactid	waffle-jna	Highest
Product	pom	groupid	com.github.waffle	Highest
Product	pom	name	waffle-jna	High

Product	pom	parent-artifactid	waffle-parent	Medium
Product	pom	url	https://waffle.github.io/waffle/	Medium
Version	Manifest	Implementation-Version	3.3.0	High
Version	pom	version	3.3.0	Highest

Identifiers

- <pkg:maven/com.github.waffle/waffle-jna@3.3.0> (Confidence:High)

collation.zip: collation.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/collation.zip/collation.sample.sample.jar

MD5: f34f94bd6f7362ac93557d51ee36c7a3

SHA1: 78fff599df408cc729f8f84e567985299308a892

SHA256: 31637666a5cba5c8bb8a1ccc0fc752eb2916e5eefb840dc6247339b53e18f406

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low

Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation	High
Product	Manifest	specification-title	collation	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies +

- collation.zip: collation.sample.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/CollationServerPlugin/collation.zip/collation.sample.sample.jar
 - MD5: f34f94bd6f7362ac93557d51ee36c7a3
 - SHA1: 78fff599df408cc729f8f84e567985299308a892
 - SHA256: 31637666a5c8bb8a1ccc0fc752eb2916e5eefb840dc6247339b53e18f406

Identifiers

- None

commons-logging.jar

Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well known logging systems.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/commons-logging.jar

MD5: 040b4b4d8eac886f6b4a2a3bd2f31b00

SHA1: 4bfc12adfe4842bf07b657f0369c4cb522955686

SHA256: daddea1ea0be0f56978ab3006b8ac92834afeefbd9b7e4e6316fca57df0fa636

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High

Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-logging/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.logging	Medium
Vendor	Manifest	implementation-build	tags/LOGGING_1_2_RC2@r1608092; 2014-07-05 20:11:44+0200	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium

Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	http://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.logging	Medium
Product	Manifest	implementation-build	tags/LOGGING_1_2_RC2@r1608092; 2014-07-05 20:11:44+0200	Low
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	specification-title	Apache Commons Logging	Medium

Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrance	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low

Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-logging	Highest
Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	http://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Implementation-Version	1.2	High
Version	pom	parent-version	1.2	Low
Version	pom	version	1.2	Highest

Related Dependencies +

- designer.zip: commons-logging.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/commons-logging.jar
 - MD5: 040b4b4d8eac886f6b4a2a3bd2f31b00
 - SHA1: 4bfc12adfe4842bf07b657f0369c4cb522955686
 - SHA256: daddea1ea0be0f56978ab3006b8ac92834afeefbd9b7e4e6316fca57df0fa636
 - [pkg:maven/commons-logging/commons-logging@1.2](#)

Identifiers

- [pkg:maven/commons-logging/commons-logging@1.2](#) (*Confidence:High*)

configuration.zip: configuration.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar

MD5: 06c843203a949ac9ad640a6a6d56a42e

SHA1: 0034c32469129f379e8f4023b350eca8e8a719d1

SHA256: 6667fda276232eb89b5e519cb33feee9355881bbaeff258dd4015050a597fa4f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 12:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 12:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

configuration.zip: configuration.jar: authentication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authentication.js

MD5: 32ddfe3c441b22f84dccb1898413ea55
SHA1: 77d3f3ea6c58e3c215ac86777ee25b0b8004bc7b
SHA256: 818c4819e64813929560eee3008b485c637a80725488cbb3b9627983f8bc9e3f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: boolean.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

MD5: 5bb0dc69a472d94b0bfc7d5405062183
SHA1: 511c35e27129d7a5b25ea7e376cd02dd3bd14bba
SHA256: 738dc5e15f079acfca1aabe34ea67736992079515d0ae126404e54c84717dfe4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: booleanButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js

MD5: 58e908e9ef96d3bcd1131d61d874217c
SHA1: 99397bcc5aded52857da548839a5499075ce1263
SHA256: f8d8afc3d949399b38a1f2393044ad00fecad4dd65ef4c077565610cd18fb768
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: colorInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

MD5: c241b163692b903546728aaffff56b4b

SHA1: bf6d026e12d320d169e1ffb3395ad3db12034c26

SHA256:9cbc71701e24de928f61a38d03145a74b5a9dd28a350551401f9bda81207a1ff

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

MD5: 9c157f08372aeb195184741ccff23d1e

SHA1: 962e6ecf24105e63aa82f7da7a125077122beaa

SHA256:f524076e9126b9babe2f831d98570d33280e054fe54a5c26723e0babbc96232e

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: datafactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

MD5: b743da41b7de5856023211d052a9ba77

SHA1: 78519a8f6223a92ae3bea08e8fc8cf388573da35

SHA256: d1b2de91b55bca2df7e0524830603169afb28b721161db3681990e521bd2a102

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: file.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/file.js

MD5: 8508aa1534c7ae0c2cd6b07420b9c83f

SHA1: 7df724bff7d5ef82c1d19741260d061e7af2a295

SHA256: 3dd8389ab66f14fbbb64a67852e8c8ae3a825ddda62e27b7c307198783de8aa3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js

MD5: f688e91a43726306b599b1305cf3e8ef

SHA1: 1f1070b374c15f053320172897cb24c8da3aceb5

SHA256: 23a9a23e577a3819d3a06c015ab483cd48bc6f4af28ec01caac32fe5d0cb0fe8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js

MD5: aae3ab4eeda740d7d15ddef1c828db3b

SHA1: abdc48d7145e6d4dbf8b5a48a66d371539969197

SHA256: ef01886de025e76cb0e1701d67e6b8d869a4094d64392544a135be20010a6ea3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelLink.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

MD5: 71d23ea76be9b9ec2cea163bc32ad083

SHA1: 503e26b0f8ca5b5b3917ebac0c98a6d34bbcb438

SHA256:057367f35129b73dfaecbe928def62aa8e9ec18a4264d8d878783674c277a7b7
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: labelText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

MD5: 18e1f8fac9693e53597d2e3bb8694fca

SHA1: cfa806fe980c7ed1e542c690acd70301919d3e58

SHA256:c63fb2c0b52c28a949125b15795221bd4b8da8081d010f9f24632888d1664ebb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: licensekey.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licensekey.js

MD5: 6e9886fe0ffdc7a3f09b795b08c04f7a

SHA1: f72bc4783d6ce165c80850580d704b7129365454

SHA256:d6046640dca6ae3ff00226f96ef5e004abc5668554e001e9504edf3c631aa00b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: list.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/list.js

MD5: 0bc71678d5ecdc8f33f66f71404a4a6f

SHA1: 6130cd6d48475eb6fb14e54ae3dfb7dd226b1708

SHA256: 11d831bd933432b1c0e707f9e25d5db07b02ec742208f12c20ec61b1efcf2e89

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: logopreview.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.js

MD5: 5e98edb69f4a798152a0258ce8872d59

SHA1: 3c92dd1951ba8b3930c9f572b2cda70afb938116

SHA256:f8a068487ce08aafeaeb44b1db8099ddaef1ac0580de5220e404df4dd5b89063

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLineText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

MD5: 48640b97e578b7a0f7f7d4e48bb644ba

SHA1: bfadc5063ee207897ece27d2a2845bbb8e88a9fa

SHA256: d48311d3bb4afd93126cca8a7e868e54f66a0fdb3bc893ffeb20e819f96f745d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

MD5: 3495c2a8f809eb949a3237f33b1c7f31

SHA1: 6c774480a0b9fdf9766de6a29fa09c945d42b592

SHA256: ae2d68ba82c2ee734d84a36fd23b6041d2e287995759eb8779e04236db74fd56

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: passwordText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js
MD5: 54fcd4fce63f0170cb34f1eeaf8ddcd
SHA1: 6fac78e6e5880df10a6d0c98f1cdb03a233f65bf
SHA256:486cbf613d304295084a004076fd9c09a041ce36e31f85eeee8fa67ccc5fcb85
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/permissions.js
MD5: 7eb6427179141d4c831452a11f4a9546
SHA1: 826c8bf192c133c3d7950d3fbf27e916661f5e98
SHA256:23e0715b782f8d66b4dee9b27bd4e0245627d7dce3c86b0aa598b242a3d85d18
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/plugin.js
MD5: 04d39d0eec71d332e9df63e922424302
SHA1: b3da17cd1f43346bac2fd7395631708af66794a1
SHA256:6f98432eb04660d43412563e3101eef1ed27c3cb0741e285b32d8b26cba27a34
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: renderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

MD5: 263d5878b3b00e3de3a6faedbd460e84

SHA1: e1a40b927f1b13b0d228d06c91a2fb05917eec07

SHA256: 748a2d88fd4e366a306e1b62f0f6bd046ae05b5238330b48376449ddf01e874c

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: repository.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repository.js

MD5: baedc19f91eab554dca893cb4388b2e4

SHA1: e2a4899a91ce2813a147c8d9ef15a00ff973c080

SHA256: 81e835deda02b4a0b9aae45e7e7a018c08761ebc710ca53fb742b62ac56bb065

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectEditText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

MD5: 1a61bac200dea54f8eb9d9921681e5eb

SHA1: 6dbd0bcd00cb2578923b81550bf53a41df913362

SHA256: b8a181150c341024f59852828b84e69e756debc3bf0ea47c2ab19ffd6c712a72

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectFilteredText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

MD5: 7b58d68dc3a35304dc78fee8d4ccaf6c

SHA1: cb18981f11083c559b202e9192f33afe65af6873

SHA256: 294ca27a4b15d42a525a5e5e306dd8a4bba38c8d620f39b87a75cd1f90072ee7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

MD5: 45163b4fadf0346521f7f3fde756365a

SHA1: 86c70143b888fee86e801238a4325d85a0c9dd74

SHA256: 2160f33150ad60e207d86dad3b9cd95b0728760359702e45a5d85cbc27486a1c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: selectSimpleText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

MD5: 1ef8bf68d17715b4032699647500d8e8

SHA1: bd6506d1c95b2c30fc4a6cff01c39cf3ba1c909b

SHA256: d0545ce8b4eeb27d437cd6bffb2c9a0694040d2b73fb176e9ea381fed83a7189

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleDate.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet

/report/plugins/config/client/js/renderer/simpleDate.directive.js

MD5: d956a5e169fc6e2c81108b87f34db130

SHA1: 0e0bf7cbff7b304e49e8f7c0568a4283540a5ed1

SHA256:651fc228360d9b524db406deaf28f4a04aa1286aa87e8f220424d7959c6e0f76

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleSlider.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

MD5: 6f766323ec48173801bc7ad3a0f13d7e

SHA1: 9b4617f98eda717fa6b79cff0623ca45a06104ba

SHA256:6cb79ab83d573f328af2cd4999b664b113d912971b156e8f7ccc844ccd972ba2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: simpleText.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

MD5: 33c94b7ec8d613f3cfe3dfd5b1a43b193

SHA1: cbb60f6da1447f14dc1cb5da735f99f028a666a3

SHA256:f2d82ae8ac664b0b76fcee6f324b63285cd7ab38f3d976085ef9f13c9b77f5b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: table.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/table.js

MD5: fb2beae459f51ea2ec8119022b0be014

SHA1: afcbbbca733ef092f3d11d8a14c9274efc56029b

SHA256: 990e1906419adc179a033e796bbd18dc0bc4bf47888cc2ec4ca8ea7e3d730019

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: tree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tree.js

MD5: bbfdc9f2ccc87dde0cfdeea5fbba0968

SHA1: 1d805c473e3df535849a3ffb3858da83cec0cea7

SHA256: 020a4a8407e975c4958d5bf33d98e0ddff0be2bcbd906f2932e4ae50cf1f89b6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: userandgroupselect.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/userandgroupselect.js

MD5: 90372a0455c150d5f4b8af8864e48956

SHA1: 30dc28705b0dc0adac5741ccb2799804c954f894

SHA256: 6fb7f2d717257855968f9e59bbb5979c2ea133fdda2bcd7c45ec01f2a5afc68c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

core.jar

Description:

Core barcode encoding/decoding library

License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/core.jar

MD5: a4b9626b8022056fca2034ed94988103

SHA1: baab0f4a47b2052c9393af6af7c47a9dd8d89297

SHA256: fba90122b5d56bac8c947c60b5925211b0d8d40c539b3109be3774f08f74fedb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest

Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.2	High
Version	pom	version	3.5.2	Highest

Identifiers

- <pkg:maven/com.google.zxing/core@3.5.2> (*Confidence:High*)

crsetupwizard.zip: crsetupwizard.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/crsetupwizard.zip/crsetupwizard.jar

MD5: 1c6c4c0871c50d89f7b329967992b365

SHA1: 8787f04adb0e8e53e92c7d9e52441b51a9c7b35d

SHA256: 5f30864076dcf33404654635519d43884816f658eb09b2a9cd1fc4574b4c068d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-01-16 13:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-01-16 13:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

customformulas.zip: customformulas.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/customformulas.zip/customformulas.sample.sample.jar

MD5: 12d252f814fccacf17f98f9f41edcab2

SHA1: 7a2e5fd0eef8f6c1016b2b4130928f4851ee2a24

SHA256: 251566362a71b0a8f0b3c2f9b1a6275b605af360ee0ba789ebdcdb1143e4a3e8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas	High
Product	Manifest	specification-title	customformulas	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies



- customformulas.zip: customformulas.sample.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/UserdefinedFormula/customformulas.zip/customformulas.sample.sample.jar
 - MD5: 12d252f814fccacf17f98f9f41edcab2
 - SHA1: 7a2e5fd0eef8f6c1016b2b4130928f4851ee2a24
 - SHA256: 251566362a71b0a8f0b3c2f9b1a6275b605af360ee0ba789ebdcdb1143e4a3e8

Identifiers

- None

datasource.cassandra.zip: config.jar

Description:

configuration library for JVM languages using HOCON files

License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/config.jar

MD5: bac1bde09507bbd53e4e8a6a270488b7

SHA1: 4c40a633e7994cfb0354244efb6d03fcb11c3ecf

SHA256: 0076c249b4387d8369146528fd5dadb3efba098dc02ecf9ac81debdfc2e12fd5

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	config	Highest
Vendor	central	groupid	com.typesafe	Highest
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium

Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	com.typesafe	Low
Vendor	pom	artifactid	config	Low
Vendor	pom	developer email	@havocp	Low
Vendor	pom	developer id	havocp	Medium
Vendor	pom	developer name	Havoc Pennington	Medium
Vendor	pom	groupid	com.typesafe	Highest
Vendor	pom	name	config	High
Vendor	pom	organization name	com.typesafe	High
Vendor	pom	organization url	lightbend/config	Medium
Vendor	pom	url	lightbend/config	Highest
Product	central	artifactid	config	Highest
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	https://github.com/lightbend/config	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	config	Medium
Product	pom	artifactid	config	Highest

Product	pom	developer email	@havocp	Low
Product	pom	developer id	havocp	Low
Product	pom	developer name	Havoc Pennington	Low
Product	pom	groupid	com.typesafe	Highest
Product	pom	name	config	High
Product	pom	organization name	com.typesafe	Low
Product	pom	url	lightbend/config	High
Version	central	version	1.4.2	Highest
Version	Manifest	Bundle-Version	1.4.2	High
Version	Manifest	Implementation-Version	1.4.2	High
Version	pom	version	1.4.2	Highest

Identifiers

- <pkg:maven/com.typesafe/config@1.4.2> (*Confidence:High*)

datasource.cassandra.zip: datasource.cassandra.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/datasource.cassandra.jar

MD5: 2a8fa040884d6d61d56a1743a5e6a771

SHA1: 6fe14d3d4a284e3fb0d2bfac26c4892d9731f922

SHA256: 3394adb81ef3f075efa0c34639ce195930f65a3729972d53a767c8ee2fba6653

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

datasource.cassandra.zip: java-driver-core.jar

Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-core.jar

MD5: 22ea44c19ec6538456500a991e61ecfb

SHA1: 3d619c4ecb214ac091006ff06ab32198a260f977

SHA256: 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High

Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	java-driver-core	Highest
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*](#) (*Confidence:Low*) suppress

datasource.cassandra.zip: java-driver-shaded-guava.jar

Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

MD5: b7b9ffdbca6117c0aaa13787da02f96d

SHA1: 522771d14d6b7dba67056a39db33f205ffbed6a4

SHA256: 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the	Medium

DataStax Java driver for Apache
Cassandra®

Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*](#) (*Confidence:Low*)

datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar

MD5: 3c4bf24fd592b01cff5234428080230d

SHA1: 97e812373a5fe7667384e7ad67819d2c71878bf8

SHA256: 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.1	High
Version	pom	version	1.5.1	Highest

Identifiers

- [pkg:maven/com.datastax.oss/native-protocol@1.5.1](#) (Confidence:High)
- [cpe:2.3:a:apache:cassandra:1.5.1:*:*:*:*:*](#) (Confidence:Low) suppress

datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:3.1.0)

Description:

Java Concurrency Tools Core Library

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

MD5: 08e7326c64d7fd6ae4ea32e7eb4e5b79

SHA1: 9deceaba814dea198202b04fe0eec0d2dbf69ea9

SHA256: acaf1b4c366f6794a734288a2c003f16af90a9c479cf4d7daade689764e4fb47

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	3.1.0	Highest

Identifiers

- [pkg:maven/org.jctools/jctools-core@3.1.0](#) (Confidence:High)

datasource.cassandra.zip: netty-transport.jar

Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

License:

<https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-transport.jar

MD5: 5c5833972c90aca30023ca7118d1c6d7

SHA1: 6620fbfb47667a5eb6050e35c7b4c8800bcd77f

SHA256: b1deeceadab3734cdb959c55f4be5ab4a667a8aed59121ff93763f49470f5470

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	automatic-module-name	io.netty.transport	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	automatic-module-name	io.netty.transport	Medium

Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	require-capability	osgi.ee;filter:=("&(osgi.ee=JavaSE)(version=1.6)")	Low
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.1.100.Final	High
Version	Manifest	Implementation-Version	4.1.100.Final	High
Version	pom	version	4.1.100.Final	Highest

Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-buffer.jar
 - MD5: df124be7a8094ff5b6f3b4c056ef0515
 - SHA1: 39b05d2d4027971bf99111a9be1d7035a116bb55
 - SHA256: 462874b44ee782fbefec64078cda6eb8e7bf9f0e0af71a928ef4c1f2d564f7ee
 - [pkg:maven/io.netty/netty-buffer@4.1.100.Final](#)
- datasource.cassandra.zip: netty-codec.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec.jar
 - MD5: 341344475354a0c6ecd0132537e33900
 - SHA1: 9c3c71e7cf3b8ce3bfc9fa52a524b9ca7ddf259c
 - SHA256: 180a01ed67af399602e24ff1c32864e7f57f57c4a0fa5e9ab3fe9b0e5e9cf051
 - [pkg:maven/io.netty/netty-codec@4.1.100.Final](#)
- datasource.cassandra.zip: netty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
 - MD5: cf117aec3d80cca994b4818fb029b020
 - SHA1: 847f942381145de23f21c836d05b0677474271d3
 - SHA256: d2908301f1ac6f2910900742473c15d701765d3d4467acdb1eebb9df3aa82885
 - [pkg:maven/io.netty/netty-common@4.1.100.Final](#)
- datasource.cassandra.zip: netty-handler.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-handler.jar

- MD5: 71115ecf7b56ffa15469fc81c90d8fe5
- SHA1: 4c0acdb8bb73647ebb3847ac2d503d53d72c02b4
- SHA256: 0e10e584c2e7fdf7f4804e14760ed987003f1b62ab982f62eaf13a9892793d3a
- [pkg:maven/io.netty/netty-handler@4.1.100.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-resolver.jar
 - MD5: ad29e0c4cab6b9b1d83d2dab9a260d3d
 - SHA1: fe62f9ccd41b8660d07639dbbab8ae1edd6f2720
 - SHA256: c42c481c776e9d367a45cc3a67a06f65897d280334eb30b2362b8c55b7523f4f
 - [pkg:maven/io.netty/netty-resolver@4.1.100.Final](#)

Identifiers

- [pkg:maven/io.netty/netty-transport@4.1.100.Final](#) (Confidence:High)
- [cpe:2.3:a:netty:netty:4.1.100:*:*:*:*:*](#) (Confidence:Highest)

datasource.mongodb.zip: datasource.mongodb.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/datasource.mongodb.jar

MD5: 6a3d8e892ff98b7867fa0ecf9828034f

SHA1: b9f9ac786dc7ec82d184748044f8534dad680d45

SHA256: b71397d1087de8d8514f82f944c16a9386286b0a0679f11dc3bb8b559a76599b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

datasource.mongodb.zip: mongo-java-driver.jar

Description:

This artifact is no longer maintained / updated by MongoDB.
For the most up-to-date version of the Java Driver, please refer to the mongodb-driver-sync artifact.
To use the legacy API, please refer to the mongodb-driver-legacy artifact.

License:

The Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongo-java-driver.jar

MD5: b507109fd6a0b6ead4972e9554f09fc4

SHA1: 850383a126cdc5b363fa9ffc780037f6ebee704

SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	mongo-java-driver	Highest
Vendor	central	groupid	org.mongodb	Highest
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low

Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	pom	artifactid	mongo-java-driver	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	MongoDB	Medium
Vendor	pom	groupid	org.mongodb	Highest
Vendor	pom	name	MongoDB Java Driver (unmaintained)	High
Vendor	pom	url	http://www.mongodb.org	Highest
Product	central	artifactid	mongo-java-driver	Highest
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	pom	artifactid	mongo-java-driver	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	MongoDB	Low
Product	pom	groupid	org.mongodb	Highest
Product	pom	name	MongoDB Java Driver (unmaintained)	High
Product	pom	url	http://www.mongodb.org	Medium
Version	central	version	3.12.14	Highest
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High
Version	pom	version	3.12.14	Highest

Related Dependencies +

- mongo-java-driver.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongo-java-driver.jar
 - MD5: b507109fd6a0b6ead4972e9554f09fc4
 - SHA1: 850383a126cdc5b363fa9ffc780037f6ebee704
 - SHA256: 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f
 - pkg:maven/org.mongodb/mongo-java-driver@3.12.14

Identifiers

- [pkg:maven/org.mongodb/mongo-java-driver@3.12.14](#) (Confidence:High)
- [cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*:*](#) (Confidence:Highest)

suppress

datasource.zip: datasource.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar

MD5: 4a3a169fb9b4c066754d557a663feacb

SHA1: fb3e43633934a9a7f001b25f87f64580bec0ba26

SHA256: 8e7f650999e37c0aea6f520943aa38f4677fc96d5440b7bf0f05031e32a50e5b

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High

Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

datasource.zip: datasource.jar: datasources-edit-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

MD5: 460e29948d2793d2dc39dfd89c0058be

SHA1: 581ea6bb157bef0d160e6ded782dac3dd2b729b1

SHA256: e7606a5c8a1935575ce3fee61fbeat51bbf2890c9c6bfb5bda5517af762ac151

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: datasources-main-controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

MD5: e810c84b38336b6908a22cc3f99fad1e

SHA1: bd8fe9c343ee76eb4ad5a968430254ee2b4e55cc

SHA256: 450904820e2f9f6858cc300ee7549bc647a66415048fc2d69977590d5cfdaef4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

datasource.zip: datasource.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js

MD5: ff59c4c2beaeda2e97fce9fd37845d2d

SHA1: d2cd9e3e2ea2b5c88f649c79651e1f08cd98780b

SHA256: b290f73f3577c1369549707c127f041cd42a969c21eaea023106ed013a3e3f8a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

MD5: 2e4e31cce671768a6582e295151db12c

SHA1: 335bfd88e6e12b315385f8566c3fb00107a2a461

SHA256: 3fb0c8696d30bdc390428647a939582455ab5b83a2f8a01e09013e7521f883ce

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer-permissions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

MD5: 9d1d72d60966148d1bec25c3a0a4621f

SHA1: 2cc1ebb4288911395560cc038d18e2b0bbd335c4

SHA256:6c7bfa9944c8c9ac0c40fe220836a3e7c7454f8d4516a17e985085015ec88080

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

datasource.zip: datasource.jar: renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

MD5: 84548d3b46e4cd0d745a505dda0b15e6

SHA1: f17af364e76d1f0a648de5ae3317a4c023b92fba

SHA256:41bd9cf4be2d2557de6711c4dd252c62d80f1ea1cb06e05369fd882efa424ed5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

decoder.docx.zip: DocxParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/DocxParser.jar

MD5: 65eb29a1bc96c5d605a271d84433bc89

SHA1: dbdf39be34f3463d6c968af5bc30f13313806edc

SHA256: f7e039d76aa485f7ebcbe778d7bcb0191a2a00b646421dd69723715469d5a011

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

decoder.docx.zip: EmfParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/EmfParser.jar

MD5: 7b6e755bed7e908711a20d297ed9ea37

SHA1: 5d46329d2069e1b309d9c1c08e2ae9760f81185c

SHA256: 5fc6431eb54bd5b6edd4ec5484edbf749cc00f206f36c9f05e9809b308ce629e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

decoder.docx.zip: SparseBitSet.jar

Description:

An efficient sparse bitset implementation for Java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/SparseBitSet.jar

MD5: fbe27bb4c05e8719b7fff5aa71a57364

SHA1: 533eac055afe3d5f614ea95e333afd6c2bde8f26

SHA256: f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low
Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization name	Zaxxer.com	Low
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit_project:bit:1.3:*:*:*:*:*](#) (*Confidence:Low*) suppress

decoder.docx.zip: commons-codec.jar

Description:

The Apache Commons Codec package contains simple encoder and decoders for various formats such as Base64 and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-codec.jar

MD5: 6e26920fa7228891980890cce06b718c

SHA1: 4e3eb3d79888d76b54e28b350915b5dc3919c9de

SHA256:56595fb20b0b85bc91d0d503dad50bb7f1b9afc0eed5dfa6cbb25929000484d

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	encoder	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low

Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	http://juliusedavies.ca/	Medium

Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-codec/	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest
Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	encoder	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low

Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	http://juliUSDavies.ca/	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-codec/	Medium
Version	Manifest	Bundle-Version	1.16.0	High

Version	Manifest	Implementation-Version	1.16.0	High
Version	pom	parent-version	1.16.0	Low
Version	pom	version	1.16.0	Highest

Identifiers

- [pkg:maven/commons-codec/commons-codec@1.16.0](https://maven.apache.org/commons-codec/commons-codec@1.16.0) (*Confidence:High*)

decoder.docx.zip: commons-collections4.jar

Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-collections4.jar

MD5: 4a37023740719b391f10030362c86be6

SHA1: 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

SHA256: 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-	org.apache.commons	Medium

Vendor-Id

Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrange	Medium
Vendor	pom	developer name	Rob Tompkins	Medium

Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-collections/	Highest
Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest
Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-collections/	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-collections/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low

Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-collections/	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](https://maven.org/apache/commons/commons-collections4@4.4) (*Confidence:High*)
-

decoder.docx.zip: commons-compress.jar**Description:**

Apache Commons Compress defines an API for working with compression and archive formats. These include: bzip2, gzip, pack200, lzma, xz, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-compress.jar

MD5: a99bcb4c7967d685eeecaa814b9a902d

SHA1: b4b1b5a3d9573b2970fddab236102c0a4d27d35e

SHA256: fbf2c5d275e513c08f4e4fb539726dbf3ac2142af956ba93efb983244f0c36bd

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low

Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium

Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	https://commons.apache.org/proper/commons-compress/	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-compress/	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	gregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low

Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.24.0	High
Version	Manifest	Implementation-Version	1.24.0	High
Version	pom	parent-version	1.24.0	Low
Version	pom	version	1.24.0	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.24.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_compress:1.24.0:*:*:*:*:*](#) (*Confidence:Highest*)

suppress

decoder.docx.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-io.jar

MD5: 3b4b7ccfaeceeac240b804839ee1a1ca

SHA1: a2503f302b11ebde7ebc3df41daebe0e4eea3689

SHA256: 961b2f6d87dbacc5d54abf45ab7a6e2495f89b75598962d8c723cea9bc210908

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low

Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium

Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low

Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest

Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.11.0	High
Version	Manifest	Implementation-Version	2.11.0	High
Version	pom	parent-version	2.11.0	Low
Version	pom	version	2.11.0	Highest

Identifiers

- [pkg:maven/commons-io/commons-io@2.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_io:2.11.0:*:*:*:*:*](#) (*Confidence:Highest*)

decoder.docx.zip: commons-math3.jar

Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/commons-math3.jar

MD5: 5b730d97e4e6368069de1983937c508e

SHA1: e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

SHA256: 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper	Low

			/commons-math/	
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156! 2016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	http://commons.apache.org/proper/ /commons-math/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE) (version=1.5))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low
Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestin at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestin	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium

Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium
Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium
Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sébastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	filter	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper	Low

			/commons-math/	
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156f2016-03-17 13:30:43-0400	Low
Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.5))"	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low
Product	pom	developer email	celestin at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestin	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low

Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low
Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sébastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](https://maven.org/apache/commons/commons-math3@3.6.1) (Confidence:High)

decoder.docx.zip: curvesapi.jar

Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/curvesapi.jar

MD5: fc3aed90346691e7c79da06bb6606beb

SHA1: 3d3d36568154059825089b289dcfca481fe44e2c

SHA256: ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low

Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest

Identifiers

- [pkg:maven/com.github.virtuald/curvesapi@1.08](#) (*Confidence:High*)

decoder.docx.zip: decoder.docx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/decoder.docx.jar

MD5: 2f2d977c3661726f0c880b5b8f810474

SHA1: 0819df22a33a9e4d73b6c31dafc677aacfebfbae

SHA256: 6f0f26c839a08f2ce3d16dce52be001d8a25c1d68a8ca9f51653fbed898834b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.docx	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

vendor

Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.docx	High
Product	jar	package name	docx	Highest
Product	jar	package name	docx	Low
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	decoder.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

decoder.docx.zip: log4j-api.jar

Description:

The Apache Log4j API

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/log4j-api.jar

MD5: f9446464667f0139b839b5e9da37f5b9

SHA1: 1fe6082e660daf07c689a89c94dc0f49c26b44bb

SHA256: 2f43eea679ea66f14ca0f13fec2a8600ac124f5a5231dcb4df8393eddc97550

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://www.apache.org/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://www.apache.org/	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-	org.apache.logging.log4j.api	Medium

symbolicname

Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.20.0	High
Version	Manifest	Implementation-Version	2.20.0	High
Version	pom	version	2.20.0	Highest

Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.20.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.20.0:*:*:*:*:*](#) (*Confidence:Highest*)

decoder.docx.zip: ooxml-schemas.jar

Description:

XmlBeans generated from the Ecma supplied xsds:

[http://www.ecma-international.org/publications/files/ECMA-ST/Office%20Open%20XML%20Part%204%20\(DOCX\).zip](http://www.ecma-international.org/publications/files/ECMA-ST/Office%20Open%20XML%20Part%204%20(DOCX).zip)

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/ooxml-schemas.jar

MD5: e8f3b2f9a80ab82d94fac5bef904d62d

SHA1: 147993bd2ef26de9e54728f6762011c8c6b8cda7

SHA256: f8256738040d66ccb677814873674c1212464e00af491e9df490fc45decdbd932

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	ooxml-schemas	Highest

Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	ooxml-schemas	High
Vendor	jar	package name	openxmlformats	Low
Vendor	jar	package name	schemas	Low
Vendor	pom	artifactid	ooxml-schemas	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	OOXML schemas	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	http://poi.apache.org/	Highest
Product	central	artifactid	ooxml-schemas	Highest
Product	file	name	ooxml-schemas	High
Product	jar	package name	schemas	Low
Product	jar	package name	x2006	Low
Product	pom	artifactid	ooxml-schemas	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	OOXML schemas	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	http://poi.apache.org/	Medium
Version	central	version	1.4	Highest
Version	pom	version	1.4	Highest

Identifiers

- <pkg:maven/org.apache.poi/ooxml-schemas@1.4> (*Confidence:High*)

decoder.docx.zip: poi.jar

Description:

Apache POI - Java API To Access Microsoft Format Files

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi.jar

MD5: d4b21c2109d83abb8e93ba4bcfbdeb3a

SHA1: 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

SHA256: 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	poi	Highest
Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	poi	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	Apache POI - Common	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	https://poi.apache.org/	Highest
Product	central	artifactid	poi	Highest
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High

Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Product	pom	artifactid	poi	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	Apache POI - Common	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	https://poi.apache.org/	Medium
Version	central	version	5.2.3	Highest
Version	Manifest	Implementation-Version	5.2.3	High
Version	pom	version	5.2.3	Highest

Related Dependencies +

- decoder.docx.zip: poi-ooxml-full.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-ooxml-full.jar
 - MD5: 12cee970c8c7143c8d5ff643e1599bd8
 - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
 - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
 - [pkg:maven/org.apache.poi/poi-ooxml-full@5.2.3](https://maven.org/apache/poi/poi-ooxml-full@5.2.3)
- decoder.docx.zip: poi-ooxml.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-ooxml.jar
 - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
 - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
 - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
 - [pkg:maven/org.apache.poi/poi-ooxml@5.2.3](https://maven.org/apache/poi/poi-ooxml@5.2.3)
- decoder.docx.zip: poi-scratchpad.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/poi-scratchpad.jar
 - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
 - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
 - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed
 - [pkg:maven/org.apache.poi/poi-scratchpad@5.2.3](https://maven.org/apache/poi/poi-scratchpad@5.2.3)

Identifiers

- [pkg:maven/org.apache.poi/poi@5.2.3](https://maven.org/apache/poi/poi@5.2.3) (Confidence:High)
- [cpe:2.3:a:apache:poi:5.2.3:*:*:*:*](https://cpe.apache.org/cpe/2.3/a/apache/poi/5.2.3/*:*:*:*:*) (Confidence:Highest) suppress

decoder.docx.zip: xmlbeans.jar

Description:

XmlBeans main jar

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.docx.zip/xmlbeans.jar

MD5: 6f137af5334fbd77a2d64f5de8bf6ff6

SHA1: 48a369df0eccb509d46203104e4df9cb00f0f68b

SHA256: 5f484a78bed71cbffe3709678b6bdd3463781a7c61c6d9872330aecbf150762a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest org /apache /xmlbear	Implementation- Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	https://xmlbeans.apache.org/	Medium
Vendor	pom	url	https://xmlbeans.apache.org/	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest

Product	Manifest	multi-release	true	Low
Product	manifest org /apache /xmlbear	Implementation-Title	Apache XmlBeans	Medium
Product	manifest org /apache /xmlbear	Specification-Title	Apache XmlBeans	Medium
Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation-Version	5.1.1	Medium
Version	pom	version	5.1.1	Highest

Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.1.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlbeans:5.1.1:*:*:*:*:*](#) (*Confidence:Highest*)

decoder.pdf.zip: PDFParser.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.pdf.zip/PDFParser.jar
MD5: 105bf99d97c685d1c827f2ecdbe1e98d
SHA1: 69c54240a6943906ba8b5a853e1a821ba18146c3
SHA256: cb620df8ed0449341b95d0d19ce2720aab7a7dde5d79b6c5d22e5a970f74ecd3
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

decoder.pdf.zip: decoder.pdf.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.pdf.zip/decoder.pdf.jar

MD5: 8b7b9ca717db0dec5ffa81c1349cbd89

SHA1: 01e195dd4a9f36ea058e5aa68273ab6c828dac8c

SHA256: 3f386580e6906d0d9a44ba549cbddd6c73becdaca8a71801afbfc5125948fc9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.pdf	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:18	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.pdf	High
Product	jar	package name	encode	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:18	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.pdf	High

Product	Manifest	specification-title	decoder.pdf	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

decoder.pdf.zip: jbig2.jar

Description:

This implementation uses the JBIG2 decoder provider by IDR solutions (jPedal).

License:

BSD: <http://www.opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.pdf.zip/jbig2.jar

MD5: ab5dd1acc5e6c85903e342dac7998ce7

SHA1: a3f4214b62615d4456de761ccef1136cba65a663

SHA256: 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jbig2	Highest
Vendor	central	groupid	de.intarsys.opensource	Highest
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Vendor	pom	artifactid	jbig2	Low
Vendor	pom	developer email	support@intarsys.de	Low
Vendor	pom	developer id	intarsys	Medium
Vendor	pom	developer name	intarsys support	Medium
Vendor	pom	groupid	de.intarsys.opensource	Highest
Vendor	pom	name	jbig2	High
Vendor	pom	organization name	intarsys consulting GmbH	High
Vendor	pom	organization url	http://www.intarsys.de	Medium

Vendor	pom	url	http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage	Highest
Product	central	artifactid	jbig2	Highest
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Product	pom	artifactid	jbig2	Highest
Product	pom	developer email	support@intarsys.de	Low
Product	pom	developer id	intarsys	Low
Product	pom	developer name	intarsys support	Low
Product	pom	groupid	de.intarsys.opensource	Highest
Product	pom	name	jbig2	High
Product	pom	organization name	intarsys consulting GmbH	Low
Product	pom	organization url	http://www.intarsys.de	Low
Product	pom	url	http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage	Medium
Version	central	version	5.5.1	Highest
Version	pom	version	5.5.1	Highest

Identifiers

- [pkg:maven/de.intarsys.opensource/jbig2@5.5.1](#) (*Confidence:High*)
- [cpe:2.3:a:homepage_project:homepage:5.5.1:*:*:*:*:*](#) (*Confidence:Low*)

suppress

decoder.svg.zip: batik-anim-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-anim-inet_patched.jar

MD5: ca9b7e3470ec4fae98f63e1176598fd8

SHA1: df67336085c962bf3974ae7c8e0684ede311b1c6

SHA256: 76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-anim-inet_patched	High
Vendor	jar	package name	anim	Low
Vendor	jar	package name	apache	Low

Vendor	jar	package name	batik	Low
Product	file	name	batik-anim-inet_patched	High
Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-awt-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-awt-util-inet_patched.jar

MD5: 78d0f951cf21d193bb3019ced508670f

SHA1: 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

SHA256: c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeaafc218824b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-bridge-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-bridge-inet_patched.jar
MD5: cd9b26662448c977f32a01ae076153ec
SHA1: 69eb5e16d985e4b3e145ad2020346d9371c4112d
SHA256:3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

Identifiers

- None

decoder.svg.zip: batik-codec-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-codec-inet_patched.jar
MD5: 5e9f873b4c078f8e4129966c1db692bc
SHA1: 009427d5c286ce0ea63eaea73f678e6e1316d114
SHA256:b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-codec-inet_patched	High

Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

Identifiers

- None

decoder.svg.zip: batik-constants-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-constants-inet_patched.jar

MD5: 7ab5c8bdd3bffd8080327304340f808f

SHA1: 3d7521c16503666312e5ab3dda04e42040813ae8

SHA256:400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low
Product	jar	package name	xmlconstants	Low

Identifiers

- None

decoder.svg.zip: batik-css-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-css-inet_patched.jar
MD5: efe6d51256dfe90595905b466f50cb1d
SHA1: 59720f3521ef86920b1bee7ecad8f774b0291a00
SHA256: f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

Identifiers

- None

decoder.svg.zip: batik-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-dom-inet_patched.jar
MD5: 20ea7779e512f8c4bfa6531e062efd48
SHA1: 836eabda80a9a6b924aea09b9493c44e3bb413b6
SHA256: dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cfe1d
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-dom-inet_patched	High

Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Identifiers

- None

decoder.svg.zip: batik-ext-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ext-inet_patched.jar

MD5: 91711138884f8af1a08990da41b61af5

SHA1: 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

SHA256: cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

Identifiers

- None

decoder.svg.zip: batik-extension-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-extension-inet_patched.jar

MD5: 04d7a025623894e24609572a4a95c827

SHA1: 254337ea5358ce3660ce8063bf576ddfcfd828c

SHA256: a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-gui-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gui-util-inet_patched.jar

MD5: d4f5c11c2ef0e885edf427ba341bb43a

SHA1: e3d52600773e327e718226ba885ba4240d1f5708

SHA256: de10ba6c89374b3bbc0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low

Product jar package name util Low

Identifiers

- None

decoder.svg.zip: batik-gvt-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-gvt-inet_patched.jar
MD5: 531c7350c3df1c016703d2f26d4656f5
SHA1: bbbfd0825b068e7a5636505c9d3ed2c1803c1f44
SHA256: d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

Identifiers

- None

decoder.svg.zip: batik-i18n-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-i18n-inet_patched.jar
MD5: 1650351fc520b589f64f25bbb10014eb
SHA1: e20373bfbefb8e38c877ba55da0fd6f88b1a898c
SHA256: 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

Identifiers

- [cpe:2.3:a:inet:inet:18:*:*:*:*:*](#) (Confidence:High)

decoder.svg.zip: batik-parser-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-parser-inet_patched.jar
MD5: ec8662e2761223a07c1c5cd352760762
SHA1: c93a4fa23c50b6fc598c196bf818ae990b33c8f9
SHA256: ad5e96d9367b6a100f42dfeb99b9e81f23bbd74d881f098eb6d448fdcf62d331
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

Identifiers

- None

decoder.svg.zip: batik-script-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-script-inet_patched.jar

MD5: ed9d79818286c08b981f7e735f2ebbf2

SHA1: fe5fbc17f4d45b81fa8c888458e48538f46dfb90

SHA256: defa2b26e8f7fd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

Identifiers

- None

decoder.svg.zip: batik-slideshow-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-slideshow-inet_patched.jar

MD5: 4d7ff121bc7e6740a613f240cc0777de

SHA1: 20d91541127828edfc0b6ee7dd0252002f87c4ea

SHA256: aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

Identifiers

- None

decoder.svg.zip: batik-svg-dom-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svg-dom-inet_patched.jar

MD5: b20d5f86935e8dd59d3fb3f5708cac47

SHA1: 2e031b04335b7e61b0de6fedd5533037123ce81d

SHA256: 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-svggen-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svggen-inet_patched.jar
MD5: 6d9a3465bc61d02429b4eb0c65c770e7
SHA1: f8c3849db028b84c4e82d0adbc54bf24b8eb67
SHA256: bb6afbba9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

Identifiers

- None

decoder.svg.zip: batik-svgpp-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-svgpp-inet_patched.jar
MD5: 2ce45f43360285cfee6f2f3061af1bab
SHA1: 521eac762ffb626752a4f606b23f9d5c934c4ec0
SHA256: 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High

Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

Identifiers

- None

decoder.svg.zip: batik-swing-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-swing-inet_patched.jar

MD5: 17abc0c5ca14b602d7ed885527fc829c

SHA1: 6d37ed715d5842e3754dada7a67325b654fd42bd

SHA256: d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low
Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low
Product	jar	package name	swing	Low

Identifiers

- None

decoder.svg.zip: batik-transcoder-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-transcoder-inet_patched.jar

MD5: 0cdad6039646ea411d4510d8a20507fa

SHA1: e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

SHA256:bbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

Identifiers

- None

decoder.svg.zip: batik-ttf2svg-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-ttf2svg-inet_patched.jar

MD5: 6f0b1bf368468dc8a8227b3f401afa52

SHA1: ba2b2e3d95123857e71c60d49a9a221b4fc36db3

SHA256:1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low

Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:inet:inet:2:*:*:*:*:*](#) (Confidence:High)

decoder.svg.zip: batik-util-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-util-inet_patched.jar

MD5: 183dac6411b205b38957a11d234906ca

SHA1: 86236e20930356d458ddd067c8c4308dc5932e56

SHA256: 2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

Identifiers

- None

decoder.svg.zip: batik-xml-inet_patched.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/batik-xml-inet_patched.jar

MD5: 2ee7b66eaa72669fdbbdc1ccf5a532cf

SHA1: c81c9b2f41a01688c55ea47d7add3789bdc9f71d

SHA256: fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

Identifiers

- None

decoder.svg.zip: decoder.svg.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/decoder.svg.jar

MD5: a786490ccb3a226e52a58f9027aebe79

SHA1: 9b8d7d0baaaaea061df5cee910426fb2a28cf3aa

SHA256: 9695ec34edad792ee2194c86b5fb0fac419a7c11228cca26cc76a8b216c8d399

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low

Vendor	Manifest	built-date	2024-01-16 13:18	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2024-01-16 13:18	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

decoder.svg.zip: xml-apis-ext.jar

Description:

xml-commons provides an Apache-hosted set of DOM, SAX, and JAXP interfaces for use in other xml-based projects. Our hope is that we can standardize on both a common version and packaging scheme for these critical XML standards interfaces to make the lives of both our developers and users easier. The External Components portion of xml-commons contains interfaces that are defined by external standards organizations. For DOM, that's the W3C; for SAX it's David Megginson and sax.sourceforge.net; for JAXP it's Sun.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xml-apis-ext.jar

MD5: bcb07d3b8d2397db7a3013b6465d347b

SHA1: 41a8b86b358e87f3f13cf46069721719105aff66

SHA256:d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	xml-apis-ext	Highest
Vendor	central	groupid	xml-apis	Highest
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest org /w3c /css /sac/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /smil/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	manifest org /w3c /dom /svg/	Implementation- Vendor	World Wide Web Consortium	Medium
Vendor	pom	artifactid	xml-apis-ext	Low
Vendor	pom	groupid	xml-apis	Highest
Vendor	pom	name	XML Commons External Components XML APIs Extensions	High
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Vendor	pom	url	http://xml.apache.org/commons/components /external/	Highest
Product	central	artifactid	xml-apis-ext	Highest
Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest

Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest org /w3c /css /sac/	Implementation- Title	org.w3c.css.sac	Medium
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium
Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Product	pom	artifactid	xml-apis-ext	Highest
Product	pom	groupid	xml-apis	Highest
Product	pom	name	XML Commons External Components XML APIs Extensions	High
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Product	pom	url	http://xml.apache.org/commons/components /external/	Medium
Version	central	version	1.3.04	Highest
Version	pom	parent-version	1.3.04	Low
Version	pom	version	1.3.04	Highest

Identifiers

- [pkg:maven/xml-apis/xml-apis-ext@1.3.04](https://maven.apache.org/xml-apis/xml-apis-ext@1.3.04) (*Confidence:High*)

decoder.svg.zip: xmlgraphics-commons.jar

Description:

Apache XML Graphics Commons is a library that consists of several reusable components used by Apache Batik and Apache FOP. Many of these components can easily be used separately outside the domains of SVG and XSL-FO.

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/xmlgraphics-commons.jar

MD5: ec712218e2391e64672fd8ed1e9e1d71

SHA1: 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

SHA256: 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	xmlgraphics-commons	Highest
Vendor	central	groupid	org.apache.xmlgraphics	Highest
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Vendor	pom	artifactid	xmlgraphics-commons	Low
Vendor	pom	groupid	org.apache.xmlgraphics	Highest
Vendor	pom	name	Apache XML Graphics Commons	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Vendor	pom	url	http://xmlgraphics.apache.org/commons/	Highest
Product	central	artifactid	xmlgraphics-commons	Highest
Product	file	name	xmlgraphics-commons	High

Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Product	pom	artifactid	xmlgraphics-commons	Highest
Product	pom	groupid	org.apache.xmlgraphics	Highest
Product	pom	name	Apache XML Graphics Commons	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Product	pom	url	http://xmlgraphics.apache.org/commons/	Medium
Version	central	version	2.7	Highest
Version	Manifest	Implementation-Version	2.7	High
Version	pom	parent-version	2.7	Low
Version	pom	version	2.7	Highest

Identifiers

- [pkg:maven/org.apache.xmlgraphics/xmlgraphics-commons@2.7](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*:*](#) (*Confidence:Highest*)

designer.zip: JWebEngine.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller

/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JWebEngine.jar

MD5: b8941ad4c24925c989c46642b55d987d

SHA1: 3a87ca151205ae6b2aeb9bfc88b77ec88dc93d4b

SHA256: cc1a33c045b5ef81c5418d68895eb4bd261775d5cb5907e6abc1307e45b620a3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.13.1163	High

Identifiers

- None

designer.zip: JnlpDesigner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JnlpDesigner.jar

MD5: a2a9c3e61d2536bcabd08aed7638a107

SHA1: bd7bd47d8a7d1c760efcaff0f3072a366b1abf25

SHA256: 4bf7a3dfcd788e4aba09a800f9e1fbee3eceb63061c2e2221f2e5845c56f430e

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2024-01-16 13:21	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low

Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2024-01-16 13:21	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

designer.zip: SBSTutorial.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/SBSTutorial.jar

MD5: 5e2a9290c88fe830cd909e96f5c799d9

SHA1: 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9

SHA256: b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High

Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

Identifiers

- None

designer.zip: TableLayout.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/TableLayout.jar

MD5: 1e432e776e18d71f12dd72b7d235a965

SHA1: 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

SHA256: 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

Identifiers

- None

designer.zip: adhoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/adhoc.jar

MD5: 03b4365947e0e9e01509e48b90ba5c6b

SHA1: b26ed723d0396ff5a9c94386713000183d03291c

SHA256:0835adc74bc08c89846b70da16b0acfa4b75af192d5b310fc0f00a7ff289f61d

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-01-16 09:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-01-16 09:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

designer.zip: designer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar

MD5: 1c0d882774dedd729d5723480dfa7966

SHA1: c4f19c2301cdfe56c181d1c998b38cc98feb1342

SHA256: f34356cc4c0758543e99faf2685dde90fc89699c933e3e388f14b3afa9f1ac7f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 13:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2024-01-16 13:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

designer.zip: designer.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

MD5: bef1414c98319cd01072c0250d024d82

SHA1: c0d7139fe534898ee3b5ffe2cae0f9a58a59c7e5

SHA256: 41cba0c410b230a5bbcafd6a434b03f24750ab9008a3601c2fd01dd57eb27be7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: designer.jar: remotedesigner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

MD5: f0878203858ebc63a1c907df9cf5c2e7

SHA1: 9e082aa6a3e0cd9ad97b0927a4c07783d16a2368

SHA256: b04f7fdf26e617b2c8b7762e8b08d90d3321ac3864826806d26b9b317df468da

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: inetcore.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetcore.jar

MD5: e5d98e2a0cfd68e9e5d8841ad09c5ce0

SHA1: 904fd7e362ed3b635cbd3322daea53d5be0b36f9

SHA256:46b595a7d2be18c00624792f582ef48fd3030703686f5d5ae0bf26df4faaac38

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 11:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 11:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low

Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

designer.zip: inetswingcore.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetswingcore.jar

MD5: 3715ce6a58926f82fff27718428c4aac

SHA1: 5b2bcd1950f03ae2516c0dfcbb6ec5e98cdba7a

SHA256: ce1a5c1c85f412329cc8a89ccedcf70bae0d4432b8d20c755121a985a675cc01

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low

Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

MD5: 1630abc7d15bc0b46769890c66487ce6

SHA1: 65e47ff30f55a94449743785242f357327383e59

SHA256: 7be633f611a3cc2fed430270160e40ce565f0fdbb8a5608fd4bd9c471bb77d0b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High

Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

MD5: a48897a6490dbe771ba000155378b29f

SHA1: 582d83e9cd186c3f7142961da1fb138408b096fd

SHA256: 3981947aa782377e2ba4287b0fb7c52ca60b303fe947f9163cfc60d0a0a80d74

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
No evidence found.				

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js
MD5: a220b1b3b99ae8519bd3c7752c67c6ec
SHA1: 699a09bce4e56195f5301aa5b1c9289025bf15f1
SHA256: 2e7a8506fb5b87252937452190cc5bf5cb9a30f96d1d47e1b3a2932b0f7d8fa9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js
MD5: dcc7cb153b98c98a9284b8355fe059f3
SHA1: a2b9c989ecd08ecf852b254abb88ce4994b28e94
SHA256: 53d10a9c4356d0339a94952cb656230a9e2c73dbdb2501dfa68f2fa761436d71
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar
MD5: 58a29c1339d961eb2d6fa6a93cf219f3
SHA1: 66fb4bbbfc36bf94df7ac7ea554178a69573dee7
SHA256: e589beadd52cf67cfd78425cff6c05e6a39b6f1fc0b91eb790fbafef93c4a8d
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-01-16 12:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-01-16 12:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryPieChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

MD5: 42626a4c9ca338a4fcab2f76023b3066

SHA1: eb0f8d225202d92c5eb85fa4280223bf13556bb3

SHA256: 745789d5c53cb94947ce85fd4a0db43b1551b479217aface82a44d58001f5377

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

MD5: b79e192fd1f5ea3d4f9be1dcc001d1a

SHA1: 1dcbddea47f2917610777a5220510b75e2145fe4

SHA256: 8ef4ff98ec97575059f8b76c80e660c9451b654faa4bc4096db04f3041f41a9b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

MD5: 4934e98916d9180d7713313276bd51b0

SHA1: a97ee17d4f0c0be6de32add6f433a0253e7baf60
SHA256: b493af38d4b841a79beffd85e99cdf23fda5eb7b3bc810ba2956a75905600054
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js
MD5: b9bdb18908cc80ce56da5cdadee67466
SHA1: 90ca53aaae57cf06537d9bb37eaf7787452431ac
SHA256: 52ced4ea204372bec8672a726612cec4fc3973db7e5fa10438bd9416875ad1b3
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: client-server.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js
MD5: 9775c53615ccd0633dc879e29740d1d7
SHA1: 235fb16ef3b9c8ca2d35c383fc7ea7ccd0fbc35a
SHA256: b3e66a6f53af1654e7c444678e571870b4e96d48f2bb30a15a315eb8568ff8af
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/controller.js

MD5: 6f6ef0df9857365165283447995e8c30

SHA1: 8670fdb0ccaa0e0442de49ac80a06d8076b219ee

SHA256: 059b3c04fbfa12346db27a7bf34dc07a88f5808169a243a0b580bef2b7aa6279

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js

MD5: efc8a1bacfb8abea4c10226fef04dde

SHA1: 125b6c7b2803418a18b0991129aadcc9274b3abc

SHA256: 7c6656ce270748b123397d36aebc01cedc7f19ce8000840f9eb3e1782548dadb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: cpuspeed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js

MD5: e6773bb5fcc69118e1f9fc5d97d29ed9

SHA1: 4b76e6970f1a54c296f68631ed4631dc8be5a9ac

SHA256: 72f628d2b4ac181a67b1deb3fbb35f65ee9da07b998a07582433637ef90d9bcd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: directives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js

MD5: c0d5f943a97136f6b9269211e4d87a92

SHA1: fad31ec8415d7ce1f4efd062ef9a154d918be471

SHA256: 0707a6d4421a01721812dcf1f6395495d5bbab633157755b0092a16f13baca24

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: errorHistoryChart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js
MD5: 7db1c5d1ff857966be61bb2f1f7ae6a8
SHA1: a4844b6cf9ae6ccfcb17b1796276fc6f05593946
SHA256:29b643d551eb9a16c5efa6836a3e505699a5085da1228ff5d0279125f7150223
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: flot2.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/flotr2.min.js
MD5: 0b7015815b97473a69b1917da6dc9c7c
SHA1: d23aa3eb0326ea5ae26e4d98383e80f3f63a05de
SHA256:8e91d325cb89a573c87ec87930a17a0dd4e16b59926d4bcc06691c26e37ab9fc
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: global.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js
MD5: 18534cf8124e29a00282ed71477686f7

SHA1: 5adadf64dae9d41f975a75cfbaba4d02b6f943eb
SHA256: ba0e9b50f542cff2f0ee14105970cb6551d58367e4d4af7384717dc046cf438f
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: harddisk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js
MD5: 8455e549f56617f12154038a8f83662d
SHA1: 5c534bed65bb8ce9e652f2a9fb7248f098b69782
SHA256: fcd4d80fb7abbcc8882f12e5000b5230b03788bc358b3e2fa17666833f434344
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js
MD5: 210e1e95e6e689731e7d2699982fe594
SHA1: 0dcfb258e6458141cf7280821d6ad465f1335563
SHA256: eeb11a6c813f787e527db15712d25bd6c6521dd12a491038d5c7c9731ace36a2
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: informationCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js

MD5: 8f22e4059b61fce47c179c216822ba6d

SHA1: a675d185efd6182438192e3a199332eb14aab6f5

SHA256: 129e0f493e94afc43f5bd5e3f3b8c254d896abf949125a756098238d103b5220

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: intArrayUtils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js

MD5: 79a290bdef5c5e77f5d3bdfd8e3c957d

SHA1: f9c1a98a645712d8ee60897d29d634eca8888e1a

SHA256: 1fa5d253aa76306556a34f27144c0a2549fb10741c3b2dfece3a5135c85058f6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: iospeed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

MD5: 9513a5cc6db5b11ac8ccec13ebc66cf4

SHA1: 77dca27656bc1f6302f35d56f7c1d0fa08383de1

SHA256: 111f6477977551d4f341f5e495bb47a0cd4e34b8af74cda2b7a60006da45dce3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: jobs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

MD5: f1597ad20bab3007a79aca79192e2759

SHA1: 1e23c0354a07a0bd69a6f51af5e2e3c3de0178b5

SHA256: ff5b1c17de2f110cb68adaf14a4e9bb008064fa9b4c3728f6952157656150247

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: logging.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js
MD5: 92befd9b98d51019fc6e5207d27c77ec
SHA1: dbb88e75f7558546e93ad32233f024b8a5ab7ce8
SHA256:5cabbfd29b3fe50602f58a7d9427ad14d1a496b64254009666a1d960ea4b3bf5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: memory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js
MD5: a8e6f6a6db1d1d5642d9660c410ef86a
SHA1: e77983c1ac1019e864eb9e6a80693bf5672882
SHA256:97f74086b8273426e3c9b5550fc07624ab60f585a46d1a1218793b7e78da0d88
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: overviewCtrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js
MD5: e5b43d270ebf9a9ad22979995dd75aba

SHA1: 7bef88b1bb39b0c83bfec6937ee39e63c5618aa
SHA256: b8302f76b57f0af058b713eda0ffae316c7948c193814e2bc36f4db06828f65
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: pde.diagnostics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

MD5: e1cafa8fcb3e071eec07859c25e18992

SHA1: 3ba533c28f4cb5977be5b98ecf9ca77e0e97339c

SHA256: c71bb9125ac341046d989d319686118882eb5b2d661db86383e611b23c8ff7af

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: timeformat.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js

MD5: d8d84b44477ea45bab0f78152b2f4c49

SHA1: 625f35b9aca48a8eafc02a4acbecf41aca1caa88

SHA256: daae300534ae12d16f3d88482713f677a14074940450f80c293f917e2da47d71

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

docfx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js

MD5: 9fcf47eeee4046f68db669f1bbf36be0

SHA1: 018a17ba8cbd646c8484f2f826eec035990ca263

SHA256: 3ee452ac840fedbd2d236966adba5a302f82064927fb3c0147b532bc3678a632

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

docfx.vendor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.js

MD5: c5759c31f767d3c7a66bb0e9b0f28714

SHA1: bc21e0c3c13f65585267f4d62e92135d8ffbba6f

SHA256: d8faa8568604e8ed814ea44a2e0189be763aeabd721c1c5f9042c4ece3fd7b8a

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence: Highest*)

embeddedMode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

MD5: 92314f8cc3acd209a1f91a13fc50a2fb

SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab

SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- application.embedded.zip: embeddedMode.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
 - MD5: 92314f8cc3acd209a1f91a13fc50a2fb
 - SHA1: dadaca7712877d347c6052a89d3ac5bcc796ebab
 - SHA256: 4ed3dd2cdd5ef6552ed5af7ccc9dc6bd3622dd717d63b4a75631234ecf3186ae

Identifiers

- None

enginefactory.zip: enginefactory.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/enginefactory.zip/enginefactory.sample.sample.jar

MD5: 39e6979422b31d134ffd277c898ef7df

SHA1: fa52b135ffdbcecc1d2edd0ffd8be5d646492d77

SHA256: 9d3dfc614ccc343104781966ab899108d17dfb11981336764bdca58586119f1

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory	High
Product	Manifest	specification-title	enginefactory	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies



- enginefactory.zip: enginefactory.sample.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/EngineFactory/enginefactory.zip/enginefactory.sample.sample.jar
 - MD5: 39e6979422b31d134ffd277c898ef7df
 - SHA1: fa52b135ffdbcecc1d2edd0ffd8be5d646492d77
 - SHA256: 9d3dfc614ccc343104781966ab899108d17dfb11981336764bdcfa58586119f1

Identifiers

- None

errorhandler.zip: errorhandler.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/errorhandler.zip/errorhandler.jar

MD5: 1c1cf377ffac7f9e6f6cb987f9b0ce97

SHA1: 991423737cd54fbcf78332f3fdb3eb5c61706e40

SHA256: 74a5fdbf7c1ccbca9022a62a321af198d104aa6329b49ad807b75206fbf3b010

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	errorhandler	High
Vendor	jar	package name	error	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 12:19	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	errorhandler	High
Product	jar	package name	error	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 12:19	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	errorhandler	High
Product	Manifest	specification-title	errorhandler	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

exceljconnect.jar

Description:

A Excel driver (*.xlsx) written completely in Java (pure Java).

License:

The Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/exceljconnect.jar

MD5: 67ce890f0095a514ead492d4b2011d0d

SHA1: 084d5847a693b124baf796ce89a0916305b1761b

SHA256: 9b8e8600b972044cf977f24cc7fa22eca29c0e6474468e00c2f2a805af14ef76

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	exceljconnect	Highest
Vendor	central	groupid	de.inetsoftware	Highest
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Vendor	pom	artifactid	exceljconnect	Low
Vendor	pom	developer id	HardworkingMarek	Medium
Vendor	pom	developer name	Marek	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	Excel driver for Java	High
Vendor	pom	url	i-net-software/ExcelJConnect	Highest
Product	central	artifactid	exceljconnect	Highest
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low
Product	pom	artifactid	exceljconnect	Highest

Product	pom	developer id	HardworkingMarek	Low
Product	pom	developer name	Marek	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	Excel driver for Java	High
Product	pom	url	i-net-software/ExcelJConnect	High
Version	central	version	1.4	Highest
Version	pom	version	1.4	Highest

Identifiers

- <pkg:maven/de.inetsoftware/exceljconnect@1.4> (*Confidence:High*)

extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/src/com/inet/samples/htmlviewer/extension.js

MD5: bdd6fdaab122479103c1bcba3692f01e

SHA1: 72aa61085dce74ce094f905354878ce744caede8

SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- htmlviewerextension.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
 - MD5: bdd6fdaab122479103c1bcba3692f01e
 - SHA1: 72aa61085dce74ce094f905354878ce744caede8
 - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a
- htmlviewerextension.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js
 - MD5: bdd6fdaab122479103c1bcba3692f01e

- SHA1: 72aa61085dce74ce094f905354878ce744caede8
- SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

Identifiers

- None

extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/src/com/inet/htmlviewer/printpdf/extension.js

MD5: 7d8be1ef58947852666766c1db348644

SHA1: 26c37af43002d8764dbd80914476c548ce2354a5

SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- htmlviewer.printpdf.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 7d8be1ef58947852666766c1db348644
 - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
 - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
- htmlviewer.printpdf.zip: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js
 - MD5: 7d8be1ef58947852666766c1db348644
 - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
 - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

Identifiers

- None

Description:

The XSLT and XQuery Processor

License:

Mozilla Public License Version 2.0: <http://www.mozilla.org/MPL/2.0/>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/Saxon-HE.jar

MD5: 76f62733796b51b56f0b089906835ec2

SHA1: 2094978cd420710b0874e1e4c09323dd181465e1

SHA256: 6c546dfdf3c0fcb879df7549b53c2286db5cc19fd0f67b30cfc801be589017c8

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	Saxon-HE	Highest
Vendor	central	groupid	net.sf.saxon	Highest
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Highest
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Vendor	Manifest	project-name	Saxon-HE	Medium
Vendor	pom	artifactid	Saxon-HE	Low
Vendor	pom	developer email	debbie@saxonica.com	Low
Vendor	pom	developer email	john@saxonica.com	Low
Vendor	pom	developer email	mike@saxonica.com	Low
Vendor	pom	developer email	norm@saxonica.com	Low
Vendor	pom	developer email	oneil@saxonica.com	Low
Vendor	pom	developer id	debbie	Medium
Vendor	pom	developer id	john	Medium
Vendor	pom	developer id	mike	Medium
Vendor	pom	developer id	norm	Medium
Vendor	pom	developer id	ond1	Medium
Vendor	pom	developer name	Debbie Lockett	Medium
Vendor	pom	developer name	John Lumley	Medium
Vendor	pom	developer name	Michael Kay	Medium
Vendor	pom	developer name	Norman Walsh	Medium

Vendor	pom	developer name	O'Neil Delpratt	Medium
Vendor	pom	groupid	net.sf.saxon	Highest
Vendor	pom	name	Saxon-HE	High
Vendor	pom	organization name	Saxonica	High
Vendor	pom	organization url	https://www.saxonica.com/	Medium
Vendor	pom	url	http://www.saxonica.com/	Highest
Product	central	artifactid	Saxon-HE	Highest
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Highest
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low
Product	Manifest	project-name	Saxon-HE	Medium
Product	pom	artifactid	Saxon-HE	Highest
Product	pom	developer email	debbie@saxonica.com	Low
Product	pom	developer email	john@saxonica.com	Low
Product	pom	developer email	mike@saxonica.com	Low
Product	pom	developer email	norm@saxonica.com	Low
Product	pom	developer email	oneil@saxonica.com	Low
Product	pom	developer id	debbie	Low
Product	pom	developer id	john	Low
Product	pom	developer id	mike	Low
Product	pom	developer id	norm	Low
Product	pom	developer id	ond1	Low
Product	pom	developer name	Debbie Lockett	Low
Product	pom	developer name	John Lumley	Low
Product	pom	developer name	Michael Kay	Low
Product	pom	developer name	Norman Walsh	Low
Product	pom	developer name	O'Neil Delpratt	Low
Product	pom	groupid	net.sf.saxon	Highest
Product	pom	name	Saxon-HE	High
Product	pom	organization name	Saxonica	Low
Product	pom	organization url	https://www.saxonica.com/	Low
Product	pom	url	http://www.saxonica.com/	Medium
Version	central	version	12.3	Highest

Version pom version 12.3 Highest

Identifiers

- [pkg:maven/net.sf.saxon/Saxon-HE@12.3](#) (Confidence:High)
- [cpe:2.3:a:kay_framework_project:kay_framework:12.3:*:*:*:*:*](#) (Confidence:Low)

facturx.zip: facturx.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/facturx.jar

MD5: 1628dfdfc67e8ed57ea23c0ef7925f5e

SHA1: 6a0fe11e97df0fbe58fda1549058d8d8835d02b5

SHA256: f14d4b5775cf25d6d466fb797cc7b4542e4947d03c6048f43e303fa803f00af8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2024-01-16 13:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2024-01-16 13:21	Low
Product	Manifest	implementation-	reporting	Low

group

Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

facturx.zip: istack-commons-runtime.jar

Description:

istack common utility code

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/istack-commons-runtime.jar

MD5: 669f50fb835d86fcb3a9523a729f4d5e

SHA1: 131351109ff27c4aa0958a988bb273e879687232

SHA256: 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium

Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

Identifiers

- [pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java_se:4.2.0:*:*:*:*:*](#) (*Confidence:Low*)

facturx.zip: jakarta.activation-api.jar

Description:

`\${project.name}` `\${spec.version}` Specification

License:

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/factorx.zip/jakarta.activation-api.jar

MD5: 1af11450fafc7ee26c633d940286bc16

SHA1: 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

SHA256: f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	0750e49	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))";resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=jakarta.activation.spi.MailcapRegistryProvider);osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=jakarta.activation.spi.MimeTypeRegistryProvider);osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider";cardinality:=multiple;resolution:=optional,osgi.ii;filter:="(&(osgi.ii=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low

Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	mailcapregistryprovider	Highest
Product	jar	package name	mimetyperegistryprovider	Highest
Product	jar	package name	spi	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	0750e49	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))";resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=jakarta.activation.spi.MailcapRegistryProvider)";osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=jakarta.activation.spi.MimeTypeRegistryProvider)";osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider";cardinality:=multiple;resolution:=optional,osgi. ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium

Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.2	High
Version	pom	parent-version	2.1.2	Low
Version	pom	version	2.1.2	Highest

Identifiers

- [pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:eclipse_ide:2.1.2:*:*:*:*:*](#) (*Confidence:Highest*)

facturx.zip: jakarta.xml.bind-api.jar

Description:

Jakarta XML Binding API 4.0 Design Specification

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.xml.bind-api.jar

MD5: b5132a66e2d3a60904f8035a1f8a34a8

SHA1: bbb399208d288b15ec101fa4fcfc4bd77cedc97a

SHA256: 57e3796ad5753640088f5f9d3c53c183f2c250b7dad90529ea3e19a5515aa122

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	7e887b2	Low
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=11))"	Low

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	7e887b2	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High
Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.0	High
Version	Manifest	Implementation-Version	4.0.0	High
Version	pom	version	4.0.0	Highest

Identifiers

- <pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.0> (*Confidence:High*)

facturx.zip: jaxb-core.jar

Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

License:<http://www.eclipse.org/org/documents/edl-v10.php>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-core.jar**MD5:** 8c5d90e32ee3e76972b7d2acf7a49fdf**SHA1:** e9093b4a82069a1d78ee9a3233ca387bca88861f**SHA256:** d6d75c422752684fbf04dd74a21698feae0e4a406c2892b5af02d23dc97b2ac6**Referenced In Project/Scope:**server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	ff66b10	Low
Vendor	Manifest	implementation-build-id	4.0.3 - ff66b10	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low

Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	ff66b10	Low
Product	Manifest	implementation-build-id	4.0.3 - ff66b10	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.3	Medium
Version	Manifest	Bundle-Version	4.0.3	High
Version	Manifest	implementation-build-id	4.0.3	Low
Version	pom	version	4.0.3	Highest

Related Dependencies +

- facturx.zip: jaxb-runtime.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-runtime.jar
 - MD5: 1e3fe19cc19a1393c48b5116c0e0999f
 - SHA1: 93af25be25b2c92c83e0ce61cb8b3ed23568f316
 - SHA256: 795e2dbdd3e64c8ba7e532e35f83136603931a8e9a3b5ffeb05f9f483adab6e0
 - pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.3

Identifiers

- pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.3 (*Confidence:High*)
- cpe:2.3:a:eclipse:glassfish:4.0.3:*.***.*** (*Confidence:Highest*)

Description:

Special Java 1.8+ Library with extended collection related functionality

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-collection.jar

MD5: 03b75ca66b95f5a0db0f2fb7282f1862

SHA1: ac2f09b5501b0b0bd3e84e45830b3f8e8a679284

SHA256: 67f91658f40c0255cc507f09bc57cf8d4769384cce0fbe193474be1662e44afe

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest

Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.common	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.1.2	High
Version	Manifest	Implementation-Version	11.1.2	High
Version	pom	version	11.1.2	Highest

Identifiers

- [pkg:maven/com.helger.common.ph-collection@11.1.2](https://maven.com.helger.common.ph-collection@11.1.2) (*Confidence:High*)

facturx.zip: ph-commons.jar

Description:

Java 1.8+ Library with tons of utility classes required in all projects

License:

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-commons.jar
MD5: bd6dcca0c39d9e96a490853f0d5c0e35
SHA1: 0152f9204c471f38959b71d6014a3bb9e90ba9c3
SHA256: 2f0fd23c59c59368ce9f0e54299dedec10d2bdd40a84b49940aaa4166dc102a6
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals. IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode. IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert. ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty. IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert. ITypeConverterRegistrarSPI"	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)",osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.equals.IEqualsImplementationRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.	Low

```

serviceloader=com.helger.commons.
thirdparty.IThirdPartyModuleProviderSPI");
cardinality:=multiple;resolution:=optional,
osgi.serviceloader;filter="(osgi.
serviceloader=com.helger.commons.
typeconvert.ITypeConverterRegistrarSPI");
cardinality:=multiple;resolution:=optional,
osgi.serviceloader;filter="(osgi.
serviceloader=com.helger.commons.url.
IURLProtocolRegistrarSPI";cardinality:
=multiple;resolution:=optional,osgi.ee;filter="(
(&(osgi.ee=JavaSE)(version=11))"

```

Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashcode	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	http	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	iurlprotocolregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	jar	package name	url	Highest
Product	jar	package name	version	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)",osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.equals.IEqualsImplementationRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.typeconvert.ITypeConverterRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.commons.url.IURLProtocolRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest

Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.1.2	High
Version	Manifest	Implementation-Version	11.1.2	High
Version	pom	version	11.1.2	Highest

Identifiers

- <pkg:maven/com.helger.commons/ph-commons@11.1.2> (*Confidence:High*)

facturx.zip: ph-jaxb.jar

Description:

Special Java 1.8+ Library with extended JAXB support

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb.jar

MD5: 210864b2308a9cc0e44a88c074fc5535

SHA1: eee954885c8e6fb7d020ec4eb2c07e2e566a11e7

SHA256: 41615c859613dc89bb8038067cb065c976742b2913f911cbba3c11f210062550

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low

Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low

Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.1.2	High
Version	Manifest	Implementation-Version	11.1.2	High
Version	pom	version	11.1.2	Highest

Identifiers

- pkg:maven/com.helger.commons/ph-jaxb@11.1.2 (Confidence:High)

facturx.zip: ph-schematron-api.jar

Description:

Base API for the library for validating XML documents with Schematron

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-api.jar

MD5: ee0f6e58aef43ab890ab41ffcd7c7030

SHA1: d72f9cdca1c6416423d71c11f604d89632cd7603

SHA256: b0a106dd8e06e55afed5e74830089bffa9a157de6d590bb4f3d225e0dc4a1b1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High

Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)",osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.schematron.svrl.ISVRLLocationBeautifierSPI)";cardinality:=multiple;resolution:=optional,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	isvrllocationbeautifierspi	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	svrl	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)",osgi.serviceloader;filter:="(osgi.	Low

			serviceloader=com.helger.schematron.svrl.ISVRLLocationBeautifierSPI");cardinality:=multiple;resolution:=optional,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	7.1.2	High
Version	Manifest	Implementation-Version	7.1.2	High
Version	pom	version	7.1.2	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-api@7.1.2 (*Confidence:High*)

facturx.zip: ph-schematron-pure.jar

Description:

This package contains the 'Pure' Schematron implementation

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-pure.jar

MD5: c20860048010905d266c2dbca4df012d

SHA1: 1255c496a604c2cd286caa79410cc107bea1167c

SHA256: 6027ad10093b2578b52298b7a73b8a601f53612e2884a66141615d4c7a05feb7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	Manifest	require-	osgi.ee;filter:="(&(osgi.ee=JavaSE)	Low

		capability	(version=11))"	
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	7.1.2	High
Version	Manifest	Implementation-Version	7.1.2	High
Version	pom	version	7.1.2	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-pure@7.1.2](https://maven.com.helger.schematron/ph-schematron-pure@7.1.2) (Confidence:High)

facturx.zip: ph-schematron-schxslt.jar

Description:

Library for validating XML documents using the SchXslt implementation

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-schxslt.jar

MD5: 1bb8bad0d7db2205c8622fbd8615519f

SHA1: d32eca3df0dd3fc0532bc83805c42f402dd46e72

SHA256: 0afcc8f0442ab4731170a4729a944d097c6c8f7c2b1e166144bbc85bc5ede7ed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High

Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High

Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	7.1.2	High
Version	Manifest	Implementation-Version	7.1.2	High
Version	pom	version	7.1.2	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-schxslt@7.1.2](https://maven.com.helger.schematron/ph-schematron-schxslt@7.1.2) (*Confidence:High*)

facturx.zip: ph-schematron-validator.jar

Description:

Base POM to build the ph-schematron projects

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-validator.jar

MD5: d8632a35d5b26a4c8ab4e501a9782954

SHA1: dc5ddd514df96fa848189b107ee899abdb7c25b3

SHA256: a16db31d39f5cf168a848c6569670dc6b5b5a52efdb132d66d35492e0f85b535

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium

Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	7.1.2	High
Version	Manifest	Implementation-Version	7.1.2	High
Version	pom	version	7.1.2	Highest

Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@7.1.2](https://maven.com.helger.schematron/ph-schematron-validator@7.1.2) (*Confidence:High*)

facturx.zip: ph-schematron-xslt.jar

Description:

Library for validating XML documents using the original Schematron implementation

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-xslt.jar

MD5: 8f0bc2af888663e3d888b32bbe342bd6

SHA1: fecbfc4e8631511c740e1d30f838ab4bcaa66e6c

SHA256: dc3ea3ed80950eeb7907b9658df7f59c0e42796740639830e1bb8d7ebfa69a0b

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High

Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	7.1.2	High
Version	Manifest	Implementation-Version	7.1.2	High
Version	pom	version	7.1.2	Highest

Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-xslt@7.1.2 (*Confidence:High*)

facturx.zip: ph-xml.jar

Description:

Java 1.8+ Library with XML handling routines

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xml.jar

MD5: 835538a3c9aa5ba0bab569d8cbf9eeef

SHA1: d84e80b7b12671a07dcfe124f1496127614be5d0

SHA256: 93c9298c45b2a50e273815adc18dba7bfed915d1366340d25b4ed5d34cfa3abe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)",osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low

Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)",osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)",osgi.serviceloader;filter:="(osgi.serviceloader=com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI)";cardinality:=multiple;resolution:=optional,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.1.2	High
Version	Manifest	Implementation-Version	11.1.2	High
Version	pom	version	11.1.2	Highest

Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.1.2](https://maven.com.helger.commons/ph-xml@11.1.2) (*Confidence:High*)

facturx.zip: ph-xsds-xml.jar

Description:

XML.xsd wrapped in JAXB

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xsds-xml.jar

MD5: f5d0d9170cce23fc050a0cb8e2fc8b94

SHA1: e1f471db4b77cb7c5804129746fcbad2dd57a28a

SHA256: de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest

Product	jar	package name	xsd	Highest
Product	Manifest	automatic-module-name	com.helger.xsd.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsd.xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsd.xml	Medium
Product	Manifest	Implementation-Title	ph-xsd.xml	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=11))"	Low
Product	pom	artifactid	ph-xsd.xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsd.xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsd-parent-pom	Medium
Product	pom	url	phax/ph-xsd/ph-xsd.xml	High
Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

Identifiers

- <pkg:maven/com.helger.xsd/ph-xsd.xml@3.0.0> (*Confidence:High*)

facturx.zip: txw2.jar

Description:

TXW is a library that allows you to write XML documents.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/txw2.jar

MD5: b95e92bbc4dd7183916a11ed210b6169

SHA1: 47b8fe31c6d1a3382203af919400527389e01e9c

SHA256:df07a51801b995e44aec9a95ef875d95fbb8de2874417de6066d84f731cb9e9c

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	ff66b10	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	ff66b10	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest

Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-twx-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.3	Medium
Version	pom	version	4.0.3	Highest

Identifiers

- [pkg:maven/org.glassfish.jaxb/twx2@4.0.3](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:glassfish:4.0.3:*:*:*:*:*](#) (*Confidence:Highest*)

facturx.zip: xmlresolver.jar

Description:

An XML entity/uri resolver

License:

Apache License version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/xmlresolver.jar

MD5: 50e717a95de8755fc235d06596948269

SHA1: 46b331b4dbe8985a11f7e29bc8fc64285ab7a104

SHA256: 18c7b2d0a99c95d24c2ec9a7566afb88f3dc2bc5086666634d882c679a2037b4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	xmlresolver	Highest
Vendor	central	groupid	org.xmlresolver	Highest
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Vendor	pom	artifactid	xmlresolver	Low

Vendor	pom	developer id	ndw	Medium
Vendor	pom	developer name	Norman Walsh	Medium
Vendor	pom	groupid	org.xmlresolver	Highest
Vendor	pom	name	XML Resolver	High
Vendor	pom	url	xmlresolver/xmlresolver	Highest
Product	central	artifactid	xmlresolver	Highest
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Product	pom	artifactid	xmlresolver	Highest
Product	pom	developer id	ndw	Low
Product	pom	developer name	Norman Walsh	Low
Product	pom	groupid	org.xmlresolver	Highest
Product	pom	name	XML Resolver	High
Product	pom	url	xmlresolver/xmlresolver	High
Version	central	version	5.2.1	Highest
Version	Manifest	Implementation-Version	5.2.1	High
Version	pom	version	5.2.1	Highest

Identifiers

- [pkg:maven/org.xmlresolver/xmlresolver@5.2.1](https://pkg.maven.org.xmlresolver/xmlresolver@5.2.1) (*Confidence:High*)

googleanalytics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/googleanalytics.js

MD5: 27e84a16f62654339f0e4253da113fc6

SHA1: 4661e80cf863e7f126f1aa3ffa254c6393f7157a

SHA256: 51f5a345e8bb36a0ccf6d36049d038c499b1b70fb84ea9f3e28aa6534e036332

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- application.googleanalytics.zip: googleanalytics.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.zip/src /com/inet/application/googleanalytics/googleanalytics.js
 - MD5: 27e84a16f62654339f0e4253da113fc6
 - SHA1: 4661e80cf863e7f126f1aa3ffa254c6393f7157a
 - SHA256: 51f5a345e8bb36a0ccf6d36049d038c499b1b70fb84ea9f3e28aa6534e036332

Identifiers

- None

hamcrest-2.2.jar

Description:

Core API and libraries of hamcrest matcher framework.

License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

MD5: 10b47e837f271d0662f28780e60388e8

SHA1: 1820c0968dba3a11a1b30669bb1f01978a91dedc

SHA256: 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

Referenced In Project/Scope: server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	hamcrest	Highest
Vendor	central	groupid	org.hamcrest	Highest
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low

Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	central	artifactid	hamcrest	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest

Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	central	version	2.2	Highest
Version	file	version	2.2	High
Version	gradle	version	2.2	Highest
Version	Manifest	Bundle-Version	2.2	High
Version	Manifest	Implementation-Version	2.2	High
Version	pom	version	2.2	Highest

Identifiers

- <pkg:maven/org.hamcrest/hamcrest@2.2> (*Confidence:High*)

help.zip: commons-beanutils.jar

Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-beanutils.jar

MD5: 07dc532ee316fe1f2f0323e9bd2f8df4

SHA1: d52b9abcd97f38c81342bb7e7ae1eee9b73cba51

SHA256: 7d938c81789028045c08c065e94be75fc280527620d5bd62b519d5838532368a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium

Vendor	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Vendor	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	gregory@apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium

Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrang	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium

Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils/	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	implementation-build	UNKNOWN_BRANCH@r??????; 2019-07-28 22:14:44+0000	Low
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	implementation-url	https://commons.apache.org/proper/commons-beanutils/	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory@apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low

Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low

Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrangre	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils/	Medium
Version	Manifest	Bundle-Version	1.9.4	High
Version	Manifest	Implementation-Version	1.9.4	High
Version	pom	parent-version	1.9.4	Low
Version	pom	version	1.9.4	Highest

Identifiers

- [pkg:maven/commons-beanutils/commons-beanutils@1.9.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_beanutils:1.9.4:*:*:*:*:*](#) (*Confidence:Highest*)

help.zip: commons-digester3.jar

Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-digester3.jar

MD5: 41d2c62c7aedafa7a3627794abc83f71

SHA1: c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

SHA256: 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcaud@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low

Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetriodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetriodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest

Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetriodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetriodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low

Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

Identifiers

- <pkg:maven/org.apache.commons/commons-digester3@3.2> (*Confidence:High*)

help.zip: help.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar

MD5: 6ffc1690d3228e2395b85474e7aa9353

SHA1: c9a099e99d1dc3137e73c6425d5a112a3573bebe

SHA256:00acfe16f566b678721d7e2a96845610062b2f6b86c59655c67ef2677d672010

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	built-date	2024-01-16 12:16	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2024-01-16 12:16	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

help.zip: help.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

MD5: 33e7e0d008199ab0d98395ed9868abc4

SHA1: b062faef11230309ec707c5cdc18976822367f0d

SHA256: 44fdf1156cbace5a1e53a2bd9147db3858861e9fc8c51c81410f44d34a6cb022

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

MD5: 8491354f63292e4891cb14a635bdb73a

SHA1: 9ba2aa2160ca52e0aba02f9218c3ffa937e6427f

SHA256:3c61ec107d0945f4698486d4e83f4f4e70b9ec578abbfe9adef4195685f014

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

MD5: d9560114c61a027daa602124caa8f0bd

SHA1: a5199190b480c68dbd769d4186ed73b24849d83e

SHA256:94a69c6c0d5950ecb14d3bb24e8ecc1a6bea836b79c165714257631fda39bf51

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: help.jar: shared.highlighter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

MD5: 89519d94e7239a3edb9aa847dc4ad933

SHA1: f85c6f02a034326315b2e4a71eff5baac51e601f

SHA256: d962320ae6469953d5c64d0fb6527a5d45d7ac7176f36bbd9b1524dc68af1f74

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

help.zip: jsoup.jar

Description:

jsoup is a Java library for working with real-world HTML. It provides a very convenient API for fetching URLs and extracting and manipulating data, using the best of HTML5 DOM methods and CSS selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers do.

License:

The MIT License: <https://jsoup.org/license>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/jsoup.jar

MD5: ed35af29909c856c8ee4c4001d660e0f

SHA1: ae551410a16433984cd4a8603622fafa9d8299f0

SHA256: 1f115726540ddf71958c14bc517ebfc49cf481e91cd917b0face84f01272e901

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	automatic-module-name	org.jsoup	Medium

Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhy.io/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	parser	Highest
Product	Manifest	automatic-module-name	org.jsoup	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low

Product	pom	organization url	https://jhy.io/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.16.1	High
Version	Manifest	Implementation-Version	1.16.1	High
Version	pom	version	1.16.1	Highest

Identifiers

- [pkg:maven/org.jsoup/jsoup@1.16.1](#) (*Confidence:High*)
- [cpe:2.3:a:jsoup:jsoup:1.16.1:*:*:*:*:*](#) (*Confidence:Highest*)

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.sample.jar

MD5: 68442714aae4327753afb489df0e7e

SHA1: cf87a3567f3d50f443cc4f8769f12bab38afa372

SHA256: 75e10e0498c3ff7546f0deb30bd6f74561d49e64a2eb390cdc4147c00cbe5214

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample.sample	High

Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf	High
Product	Manifest	specification-title	htmlviewer.printpdf	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies +

- `htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.sample.jar`
 - File Path: `/home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar`
 - MD5: `68442714aae4327753afb489df0e7e`
 - SHA1: `cf87a3567f3d50f443cc4f8769f12bab38afa372`
 - SHA256: `75e10e0498c3ff7546f0deb30bd6f74561d49e64a2eb390cdc4147c00cbe5214`

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.sample.jar: extension.js

File Path: `/home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.sample.jar/com/inet/htmlviewer/printpdf/extension.js`

MD5: `6acd647a1c8e76ce288ea5bc648fe7ff`

SHA1: `ca08f75aa6267e5a5a020439e93569bde8f89b90`

SHA256: `abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934`

Referenced In Project/Scope: `server`

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- `htmlviewer.printpdf.zip`: `htmlviewer.printpdf.sample.sample.jar`: `extension.js`
 - File Path: `/home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.sample.jar/com/inet/htmlviewer/printpdf/extension.js`
 - MD5: `6acd647a1c8e76ce288ea5bc648fe7ff`
 - SHA1: `ca08f75aa6267e5a5a020439e93569bde8f89b90`
 - SHA256: `abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934`

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

File Path: `/home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar`

MD5: `75402351cd7c09f436e93054793a3806`

SHA1: `060be4f13d7f33952b2da2109d3fd539be55a60c`

SHA256: `b52a20ab1d67ef06456673235c346175f8ce5d043035604b3c3fb29d7524d0b5`

Referenced In Project/Scope: `server`

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 13:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest

Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2024-01-16 13:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

MD5: 688ab2bfd28e5659f4836b71c32465e8

SHA1: e28f43e29b4a9fc3be1dce00a22a3c190ecee8b2

SHA256: 72d5840d2fb6e08ac18c18ebb7f0f6172bf6429240588fc3fe9cae88a4b0dfb3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
No evidence found.				

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.sample.jar

MD5: 920679aee9b8aa91b6fb29460b72c1d9

SHA1: be5e9965667fee8c477a74b8c5b45a246c841b37

SHA256: 7a96a4795cbe2dc1f7cd76d6a5fabbce3f7d6becc3722977d4be40f3c61ab124

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension	High
Product	Manifest	specification-title	htmlviewerextension	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies



- htmlviewerextension.zip: htmlviewerextension.sample.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip/htmlviewerextension.sample.sample.jar
 - MD5: 920679aee9b8aa91b6fb29460b72c1d9
 - SHA1: be5e9965667fee8c477a74b8c5b45a246c841b37
 - SHA256: 7a96a4795cbe2dc1f7cd76d6a5fabbce3f7d6becc3722977d4be40f3c61ab124

Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.sample.jar: extension.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.zip/htmlviewerextension.sample.sample.jar/com/inet/samples/htmlviewer/extension.js

MD5: d5cfbcaea8c127118769cd47eac8f79d

SHA1: a270f777e85e4e3c6aef999a28772502961e05b1

SHA256: e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- htmlviewerextension.zip: htmlviewerextension.sample.sample.jar: extension.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.zip/htmlviewerextension.sample.sample.jar/com/inet/samples/htmlviewer/extension.js
 - MD5: d5cfbcaea8c127118769cd47eac8f79d
 - SHA1: a270f777e85e4e3c6aef999a28772502961e05b1
 - SHA256: e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c

Identifiers

- None

inetcore-23.10-tools.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/f3b42daed1351532e9c0d1c8abcd2942e1900fdf/inetcore-23.10-tools.jar

MD5: 73e63f94645ccdbc824050e22b275bd6

SHA1: f3b42daed1351532e9c0d1c8abcd2942e1900fdf

SHA256: 4ba90830087ebf59913f54e9b8c020b8b5373fa2639dfa77798e60dc2342e0a2

Referenced In Project/Scope:server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest

Identifiers

- <pkg:maven/shared/inetcore@23.10> (*Confidence*:Highest)

inetcore-23.10.jar (shaded: com.inet.shared:inetcore:null)

Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9/inetcore-23.10.jar/META-INF/com/inet/shared/utills/BlendComposite/pom.xml

MD5: b7bc59004e73f85cce4369bc5e034e6b

SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de

SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low

Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

Related Dependencies +

- designer.zip: inetcore.jar (shaded: com.inet.shared:inetcore:null)
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetcore.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml
 - MD5: b7bc59004e73f85cce4369bc5e034e6b
 - SHA1: 9caff88589bdd8fdc3c3f320340b76830f3818de
 - SHA256: aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

Identifiers

- None

inetcore-23.10.jar

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/23.10/ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9/inetcore-23.10.jar

MD5: b84ca8a30fe3dfd2d2c81244cb8bfe25

SHA1: ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9

SHA256: aad1b596da5f7a4d8eb420fed1f25798b33e1d344229a31cd5aef0b58fd944c

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 11:42	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High

Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 11:42	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	23.10	High
Version	gradle	version	23.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies +

- inetcore.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetcore.jar
 - MD5: b84ca8a30fe3dfd2d2c81244cb8bfe25
 - SHA1: ae8e7b2228454b5bc46f4d990b0f2ed0a2eeced9
 - SHA256: aad1b596da5f7a4d8eb420fed1f25798b33e1d344229a31cd5aef0b58fd944c

Identifiers

- [pkg:maven/shared/inetcore@23.10](#) (*Confidence*:Highest)

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetloggeradapter.jar

MD5: 5542d969524ae03c6516c8da71abb0f8

SHA1: fee014cd9f9ec8e20e406ab5d8219e7981e0b0e7

SHA256:33250b01c85ce30af10a019b47af4f76615af57876c87b653fda3657df2b94c3

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 12:09	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 12:09	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetloggeradapter	High

Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

inetsoftware.Reporting.dll

Description:

Reporting

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/inetsoftware.Reporting.dll

MD5: 6d939cd4fd8343f2b3c94f61df124fe9

SHA1: 0c576b778c5f1095dd16c3642e51c2ec0c679a2a

SHA256: 785232c196bcbbc3e60d1a943b2315f083a20b7dfcf0dfa2ac6567892f822484

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	dll	namespace	inetsoftware.Reporting	Highest
Vendor	file	name	inetsoftware.Reporting	High
Product	dll	namespace	inetsoftware.Reporting	Highest
Product	file	name	inetsoftware.Reporting	High
Product	grokass	FileDescription	Reporting	High
Product	grokass	InternalName	inetsoftware.Reporting.dll	Medium
Product	grokass	OriginalFilename	inetsoftware.Reporting.dll	Medium
Product	grokass	ProductName	Reporting	Highest
Version	Assembl	FilteredVersion	23.10.295.0	Highest
Version	grokass	FileVersion	23.10.295.0	High
Version	grokass	ProductVersion	23.10.295.0	Highest

Related Dependencies



- inetsoftware.Reporting.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/strongly named/inetsoftware.Reporting.dll
 - MD5: ffd5cecebd19a748005dd50a41142b02
 - SHA1: b7c99d41a6d23549e3b8dfe6f926ffee177d1755
 - SHA256: 4427486667fe312654bd6ee6b89518669f1418ba234174f105efece861b8be8a
 - pkg:generic/inetsoftware.Reporting@23.10.295.0

Identifiers

- [pkg:generic/inetsoftware.Reporting@23.10.295.0](#) (*Confidence:Medium*)

jakarta.servlet-api.jar

Description:

Jakarta Servlet 4.0

License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.servlet-api.jar

MD5: f5d1d7a29978e4ae0be5a456ee1c65c3

SHA1: b8a1142e04838fe54194049c6e7a18dae8f9b960

SHA256: 586e27706c21258f5882f43be06904f49b02db9ac54e345d393fe4a32494d127

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	automatic-module-name	java.servlet	Medium
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	javax.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High

Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	http://www.oracle.com/	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	filter	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	servlet	Highest
Product	Manifest	automatic-module-name	java.servlet	Medium
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	javax.servlet	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium

Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	parent-version	4.0.4	Low
Version	pom	version	4.0.4	Highest

Identifiers

- [pkg:maven/jakarta.servlet/jakarta.servlet-api@4.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java_se:4.0.4:*:*:*:*:*](#) (*Confidence:Low*)
- [cpe:2.3:a:oracle:projects:4.0.4:*:*:*:*](#) (*Confidence:Low*)

jakarta.websocket-api.jar

Description:

Jakarta WebSocket - Server API

License:

<https://projects.eclipse.org/license/epl-2.0>, <https://projects.eclipse.org/license/secondary-gpl-2.0-cp>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-api.jar

MD5: 60cc2e06d3a1e5ea820f8aed5cdb1728

SHA1: 69c2fd7b75081cc935bc9d6c5616d12b0b73815f

SHA256: e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Vendor	Manifest	extension-name	javax.websocket	Medium

Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	javax	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	javax.websocket-api	Medium
Product	Manifest	extension-name	javax.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	1.1.2	High
Version	Manifest	Implementation-Version	1.1.2	High
Version	pom	version	1.1.2	Highest

Related Dependencies +

- webserver.zip: jakarta.websocket-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jakarta.websocket-api.jar
 - MD5: 60cc2e06d3a1e5ea820f8aed5cdb1728
 - SHA1: 69c2fd7b75081cc935bc9d6c5616d12b0b73815f
 - SHA256: e2f4e99e04130a29fc8e57e334fa029e96e2ca6672ba0166585c59d19798904c
 - [pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2](https://mvnrepository.com/artifact/jakarta.websocket/jakarta.websocket-api/1.1.2)

Identifiers

- [pkg:maven/jakarta.websocket/jakarta.websocket-api@1.1.2](https://mvnrepository.com/artifact/jakarta.websocket/jakarta.websocket-api/1.1.2) (*Confidence:High*)

java-17-jre-x64-linux.tar.gz: java-17-jre-x64-linux.tar: jrt-fs.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/java-17-jre-x64-linux.tar.gz/java-17-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar

MD5: ea4c2a3bc8b6563e4e5453ca022447f3

SHA1: 4702067e43a1ba583999aa3e72c1a12fc99f8e80

SHA256: f4fde8064ec1dc1494a6bf12955dcc83347e1aab2c1bf206c55fa3e0aa7e690b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	17.0.9	High

Identifiers

- [cpe:2.3:a:eclipse:platform:17.0.9:*:*:*:*:*](#) (Confidence:Medium)

javase.jar

Description:

Java SE-specific extensions to core ZXing library

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/javase.jar

MD5: 533316e37d639469925b61b6ec50dbc7

SHA1: b9b1eeed1032e57d086ae80019861f77e8b54752

SHA256: a1289c546d1f4f978363247b0aa5a211fa635abb40a58999f7c34cdd8081e37d

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.2	Highest

Identifiers

- [pkg:maven/com.google.zxing/javase@3.5.2](#) (Confidence:High)

Description:

This is the core module containing the basic JEuclid rendering and document handling classes.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/jeuclid-core.jar

MD5: 4d3b8aeb80327b2b8ae74c32b7c77432

SHA1: df34d11b83e17a5eec1d922e55f8283a1c531fd9

SHA256: 3157e56f8fe47b051a5902d52976e7929eadf97f4d5d93cdac8433054ad026ef

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jeuclid-core	High
Vendor	jar	package name	jeuclid	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	Implementation-Vendor	The JEuclid project	High
Vendor	Manifest	Implementation-Vendor-Id	net.sourceforge.jeuclid	Medium
Vendor	Manifest	specification-vendor	The JEuclid project	Low
Vendor	pom	artifactid	jeuclid-core	Low
Vendor	pom	groupid	net.sourceforge.jeuclid	Highest
Vendor	pom	name	JEuclid Core Module	High
Vendor	pom	parent-artifactid	jeuclid-parent	Low
Product	file	name	jeuclid-core	High
Product	jar	package name	jeuclid	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	Implementation-Title	JEuclid Core Module	High
Product	Manifest	specification-title	JEuclid Core Module	Medium
Product	pom	artifactid	jeuclid-core	Highest
Product	pom	groupid	net.sourceforge.jeuclid	Highest
Product	pom	name	JEuclid Core Module	High
Product	pom	parent-artifactid	jeuclid-parent	Medium
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

Identifiers

- [pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3](https://maven.apache.org/repositories/central/index.html?repo=net.sourceforge.jeuclid/jeuclid-core@3.0.3) (*Confidence:High*)

jlessc-1.11.jar

Description:

A Less CSS compiler written completely in Java (pure Java).

License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.11/525ff2466d960d86981ab5c9549ed5f27630d240/jlessc-1.11.jar

MD5: 079ff98c0653477f054269bc624a5b1a

SHA1: 525ff2466d960d86981ab5c9549ed5f27630d240

SHA256: a03f0805182f417a220007940616c77abc13b6f2e5c46bb1e1205061a2ec4ef6

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jlessc	Highest
Vendor	central	groupid	de.inetsoftware	Highest
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low

Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de/	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	central	artifactid	jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	central	version	1.11	Highest
Version	file	version	1.11	High
Version	gradle	version	1.11	Highest
Version	Manifest	Bundle-Version	1.11	High
Version	Manifest	Implementation-Version	1.11	High
Version	pom	version	1.11	Highest

Related Dependencies



- theme.zip: jlessc.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/jlessc.jar
 - MD5: 079ff98c0653477f054269bc624a5b1a
 - SHA1: 525ff2466d960d86981ab5c9549ed5f27630d240
 - SHA256: a03f0805182f417a220007940616c77abc13b6f2e5c46bb1e1205061a2ec4ef6
 - [pkg:maven/de.inetsoftware/jlessc@1.11](https://maven.de.inetsoftware/jlessc@1.11)

Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.11](https://maven.de.inetsoftware/jlessc@1.11) (*Confidence:High*)

jna.jar

Description:

Java Native Access

License:

LGPL-2.1-or-later: <https://www.gnu.org/licenses/old-licenses/lgpl-2.1>

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar

MD5: 237d9e29373db1962be6ddecf1dfc8f3

SHA1: 27770efb6329f092f895c7329662d1aa8ee8c0ac

SHA256: e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jna	Highest
Vendor	central	groupid	net.java.dev.jna	Highest
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low

Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm;osname=linux, com/sun/jna/linux-arm/libjnidispatch.so; processor=arm_le;osname=linux, com/sun/jna/linux-armel/libjnidispatch.so; processor=armel;osname=linux, com/sun/jna/linux-aarch64/libjnidispatch.so; processor=aarch64;osname=linux, com/sun/jna/linux-ia64/libjnidispatch.so; processor=ia64;osname=linux, com/sun/jna/linux-sparcv9/libjnidispatch.so; processor=sparcv9;osname=linux, com/sun/jna/linux-mips64el/libjnidispatch.so; processor=mips64el;osname=linux, com/sun/jna/linux-s390x/libjnidispatch.so; processor=S390x;osname=linux, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun/jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com/sun/jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun/jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com/sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx; processor=ppc, com/sun/jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;	Low

			processor=ppc64, com/sun/jna/darwin-x86/libjnidispatch.jnilib; osname=macosx; processor=x86, com/sun/jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx; processor=x86-64, com/sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.6	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Vendor	pom	artifactid	jna	Low
Vendor	pom	developer email	mblaesing@doppel-helix.eu	Low
Vendor	pom	developer id	twall	Medium
Vendor	pom	developer name	Matthias Bläsing	Medium
Vendor	pom	developer name	Timothy Wall	Medium
Vendor	pom	groupid	net.java.dev.jna	Highest
Vendor	pom	name	Java Native Access	High
Vendor	pom	url	java-native-access/jna	Highest
Product	central	artifactid	jna	Highest
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna	Low

```

/win32-aarch64/jnidispatch.dll;
processor=aarch64;osname=win, com/sun
/jna/w32ce-arm/jnidispatch.dll;
processor=arm;osname=wince, com/sun/jna
/sunos-x86/libjniidispach.so; processor=x86;
osname=sunos, com/sun/jna/sunos-x86-64
/libjniidispach.so; processor=x86-64;
osname=sunos, com/sun/jna/sunos-sparc
/libjniidispach.so; processor=sparc;
osname=sunos, com/sun/jna/sunos-sparcv9
/libjniidispach.so; processor=sparcv9;
osname=sunos, com/sun/jna/aix-ppc
/libjniidispach.a; processor=ppc;
osname=aix, com/sun/jna/aix-ppc64
/libjniidispach.a; processor=ppc64;
osname=aix, com/sun/jna/linux-ppc
/libjniidispach.so; processor=ppc;
osname=linux, com/sun/jna/linux-ppc64
/libjniidispach.so; processor=ppc64;
osname=linux, com/sun/jna/linux-ppc64le
/libjniidispach.so; processor=ppc64le;
osname=linux, com/sun/jna/linux-x86
/libjniidispach.so; processor=x86;
osname=linux, com/sun/jna/linux-x86-64
/libjniidispach.so; processor=x86-64;
osname=linux, com/sun/jna/linux-arm
/libjniidispach.so; processor=arm;
osname=linux, com/sun/jna/linux-arm
/libjniidispach.so; processor=arm_le;
osname=linux, com/sun/jna/linux-armel
/libjniidispach.so; processor=armel;
osname=linux, com/sun/jna/linux-aarch64
/libjniidispach.so; processor=aarch64;
osname=linux, com/sun/jna/linux-ia64
/libjniidispach.so; processor=ia64;
osname=linux, com/sun/jna/linux-sparcv9
/libjniidispach.so; processor=sparcv9;
osname=linux, com/sun/jna/linux-mips64el
/libjniidispach.so; processor=mips64el;
osname=linux, com/sun/jna/linux-s390x
/libjniidispach.so; processor=S390x;
osname=linux, com/sun/jna/freebsd-x86
/libjniidispach.so; processor=x86;
osname=freebsd, com/sun/jna/freebsd-x86-
64/libjniidispach.so; processor=x86-64;
osname=freebsd, com/sun/jna/openbsd-x86
/libjniidispach.so; processor=x86;
osname=openbsd, com/sun/jna/openbsd-
x86-64/libjniidispach.so; processor=x86-64;
osname=openbsd, com/sun/jna/darwin-ppc
/libjniidispach.jnilib; osname=macosx;
processor=ppc, com/sun/jna/darwin-ppc64
/libjniidispach.jnilib; osname=macosx;
processor=ppc64, com/sun/jna/darwin-x86
/libjniidispach.jnilib; osname=macosx;
processor=x86, com/sun/jna/darwin-x86-64
/libjniidispach.jnilib; osname=macosx;
processor=x86-64, com/sun/jna/darwin-
aarch64/libjniidispach.jnilib;
osname=macosx;processor=aarch64

```

Product	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle- symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation-	com.sun.jna	High

		Title		
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Product	pom	artifactid	jna	Highest
Product	pom	developer email	mblaesing@doppel-helix.eu	Low
Product	pom	developer id	twall	Low
Product	pom	developer name	Matthias Bläsing	Low
Product	pom	developer name	Timothy Wall	Low
Product	pom	groupid	net.java.dev.jna	Highest
Product	pom	name	Java Native Access	High
Product	pom	url	java-native-access/jna	High
Version	central	version	5.11.0	Highest
Version	Manifest	Bundle-Version	5.11.0	High
Version	pom	version	5.11.0	Highest

Related Dependencies +

- authentication.pam.zip: jna.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar
 - MD5: 237d9e29373db1962be6ddec1dfc8f3
 - SHA1: 27770efb6329f092f895c7329662d1aa8ee8c0ac
 - SHA256: e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3
 - pkg:maven/net.java.dev.jna/jna@5.11.0
- authentication.windows.zip: jna.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar
 - MD5: 237d9e29373db1962be6ddec1dfc8f3
 - SHA1: 27770efb6329f092f895c7329662d1aa8ee8c0ac
 - SHA256: e2bce99e4aefd4dab097019a799d317cb3b5d56c3ddd7984c69a772dceed0dd3
 - pkg:maven/net.java.dev.jna/jna@5.11.0

Identifiers

- pkg:maven/net.java.dev.jna/jna@5.11.0 (*Confidence:High*)
- cpe:2.3:a:oracle:java_se:5.11.0:*:*:*:*:* (*Confidence:Low*)

suppress

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.

dll

MD5: 65b93b8a446bc4eded1e03db3e996164

SHA1: 272ad296884df043407db41c435d3114dc39538a

SHA256: 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: 65b93b8a446bc4eded1e03db3e996164
 - SHA1: 272ad296884df043407db41c435d3114dc39538a
 - SHA256: 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
 - MD5: 65b93b8a446bc4eded1e03db3e996164
 - SHA1: 272ad296884df043407db41c435d3114dc39538a
 - SHA256: 31904d830fadbc72f1f68436049434b4afd6719420fe59958537c276be449373

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

MD5: 4de85f9679c3a75f6d7d3e56094aa106

SHA1: 052f62fb2ebec89fbe412db480865910eab693ad

SHA256: 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High

Product file name jnidispatch High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 4de85f9679c3a75f6d7d3e56094aa106
 - SHA1: 052f62fb2ebec89fbe412db480865910eab693ad
 - SHA256: 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
 - MD5: 4de85f9679c3a75f6d7d3e56094aa106
 - SHA1: 052f62fb2ebec89fbe412db480865910eab693ad
 - SHA256: 3d1b2427b45ff5178bbb4db395758bedd3a1e91121ebb3e3640b5c4e20eb22cc

Identifiers

- None

jna.jar: jnidispatch.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
MD5: 856291fc5f373c1368a70b6bf31697ce
SHA1: d03cb1df184c322cd8285f7cee50c5f861e24116
SHA256: f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59
Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: 856291fc5f373c1368a70b6bf31697ce
 - SHA1: d03cb1df184c322cd8285f7cee50c5f861e24116

- SHA256: f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59
- authentication.windows.zip: jna.jar: jnidispatch.dll
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
 - MD5: 856291fc5f373c1368a70b6bf31697ce
 - SHA1: d03cb1df184c322cd8285f7cee50c5f861e24116
 - SHA256: f1225df0c346e0d4fde129771a7ce81c6a23e01950ae59f38fde86e626d8cd59

Identifiers

- None

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/asm.jar

MD5: 6448816c5468d0de4699a0b79edcb03b

SHA1: 0a03026e3123b0b3e21b6fcd618e8bd24d0cc91c

SHA256:392b98882f47eee99773839421b6826dc0f727bad024a057b40945816547adab

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low

Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.5	High
Version	Manifest	Implementation-Version	9.5	High

Identifiers

- None

jpeg2000.zip: concrt140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/concrt140.dll
MD5: 1028995446d0032530461be30ca98f48
SHA1: 18446678152e9997eed9c02995f957d58a8e8f32
SHA256: d404b49c25cc76dc4c86e1d82fc23799482f6509e85a73ed8177efc320ec0195
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	concrt140	High
Product	file	name	concrt140	High
Version	file	name	concrt140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: imageio-openjpeg.jar

Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.
Requires the OpenJPEG shared native library to be installed on the system.

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/imageio-openjpeg.jar

MD5: 7ea15108261fa764a1ed0bb6b616bb1c

SHA1: a28c30aeb85c84ffa806ae0c83b314830d738f26

SHA256: 6edaf94498a7d7e8bf6e2b806c09bf11a411ae192e7f96b901a7d2a7ec704e18

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-openjpeg	High
Vendor	jar	package name	de	Highest
Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High

Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.7	Highest

Identifiers

- <pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.7> (*Confidence:High*)

jpeg2000.zip: jffi-native.jar

Description:

Java Foreign Function Interface - Native Libraries

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar

MD5: 43ed457dd5bbf68c4fba6f92a8ce7f3e

SHA1: 6a713772f977140277372ce9446998839c657866

SHA256: 3242d9c8db64c61a11c0fe4c76d1893f69f3726be441e57a9cfe30dc85ce2291

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.11	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

MD5: 841e60814ed6b2971a47b267aef1c58a

SHA1: 07d30c6407fefad8df4b6afc4d85f83e547975ca

SHA256: d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/x86_64-Windows/jffi-1.2.dll

MD5: 5d80b61c1f9e31860c17b3a410948e7e

SHA1: 5ca292116336ee4ceed00d10e756afea580e62cf

SHA256: 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfef4efb4e7dd934e2733ef

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

Identifiers

- None

jpeg2000.zip: jffi.jar

Description:

Java Foreign Function Interface

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi.jar

MD5: e6ccf9b957dd7ede58a1d7b389d26993

SHA1: 56ab22e423d387cb01bb8a36e48161ab3ebcd872

SHA256: a40f0a001be34e96cdd1a0304a09afee281d624c761224949364b189d8b60c56

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest

Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.11	Highest

Identifiers

- pkg:maven/com.github.jnr/jffi@1.3.11 (*Confidence:High*)

jpeg2000.zip: jnr-ffi.jar

Description:

A library for invoking native functions from java

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jnr-ffi.jar

MD5: 29830873ee3f995df1635364a8314883

SHA1: 4e330a0f34db1157a4bf076c44dad57b91bdabce

SHA256: fd6119331b96ddb040d64ae10f774338d28ba5012951dfebd667addab58e3a0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-	org.jnrproject.ffi	Medium

		module-name		
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	http://github.com/jnr/jnr-ffi	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.14	High
Version	pom	version	2.2.14	Highest

Identifiers

- pkg:maven/com.github.jnr/jnr-ffi@2.2.14 (Confidence:High)

jpeg2000.zip: jpeg2000.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jpeg2000.jar

MD5: f94f7501003a883a14dce726fa88fe40

SHA1: 9e94c639949b5149a19a4d6aedd9ea2c0c70a8d7

SHA256: 7a470a575218b9e7270cf34471f1d0e847b6900f80015ba8c46a4f7bec00a5d2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2024-01-16 12:14	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2024-01-16 12:14	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-	23.10.295	High

Version

Identifiers

- None

jpeg2000.zip: msvcp140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll
MD5: c1b066f9e3e2f3a6785161a8c7e0346a
SHA1: 8b3b943e79c40bc81fdac1e038a276d034bbe812
SHA256: 99e3e25cda404283fbd96b25b7683a8d213e7954674adefa2279123a8d0701fd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

Identifiers

- None

jpeg2000.zip: openjp2.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll
MD5: e149c7f084ec94cac399b118f84ae814
SHA1: 1724ac5f89836d0174941d91da38870ad903cd97
SHA256: 1d562dc6420f425da844ff898a73777b4200c02bb1fc13dee5ea3f2eea0d6e15
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

Identifiers

- None

jpeg2000.zip: vcruntime140.dll

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

MD5: 1453290db80241683288f33e6dd5e80e

SHA1: 29fb9af50458df43ef40bfc8f0f516d0c0a106fd

SHA256: 2b7602cc1521101d116995e3e2ddfe0943349806378a0d40add81ba64e359b6c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

Identifiers

- None

junit-4.13.2.jar

Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

License:

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

MD5: d98a9a02a99a9acd22d7653cbcc1f31f**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3**Referenced In Project/Scope:**server:inetPlugin**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit	Highest
Vendor	central	groupid	junit	Highest
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest

Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	central	artifactid	junit	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	central	version	4.13.2	Highest
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-	4.13.2	High

Version

Version	pom	version	4.13.2	Highest
---------	-----	---------	--------	---------

Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence:High*)
- [cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*](#) (*Confidence:Low*)

junit-jupiter-5.10.0.jar

Description:

Module "junit-jupiter" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.0/8fea1d9c58b2156f1b998f2f18da04bc9e087f74/junit-jupiter-5.10.0.jar

MD5: ba19f309e63d0c128c381a8d68432c34

SHA1: 8fea1d9c58b2156f1b998f2f18da04bc9e087f74

SHA256: 8e4bde23ee28fc443975654a7b28c410a3b78d6be96b78c99ab73695ec344f7c

Referenced In Project/Scope:server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low

Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High

Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.0](https://maven.org/junit.jupiter/junit-jupiter@5.10.0) (Confidence:High)

junit-jupiter-api-5.10.0.jar

Description:

Module "junit-jupiter-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.0/2fe4ba3d31d5067878e468c96aa039005a9134d3/junit-jupiter-api-5.10.0.jar

MD5: d976b1d3b22eded7c2e496ea881ed77f

SHA1: 2fe4ba3d31d5067878e468c96aa039005a9134d3

SHA256: 108088fd7ea46a8e65a0ce7f5d75ae3ff7865606770a078715f5a6e5709e17d8

Referenced In Project/Scope:server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-api	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.	Low

			ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-api	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low

Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	require-capability	org.junit.platform.engine;filter:="(&(org.junit.platform.engine=junit-jupiter)(version>=5.10.0)(!(version>=6)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/junit5/	Medium

Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-api@5.10.0) (*Confidence:High*)

junit-jupiter-engine-5.10.0.jar

Description:

Module "junit-jupiter-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.0/90587932d718fc51a48112d33045a18476c542ad/junit-jupiter-engine-5.10.0.jar

MD5: 9b559627f23413bf20f450211f6edcba

SHA1: 90587932d718fc51a48112d33045a18476c542ad

SHA256: 57ea48e6f795200791065bbc86b70b84cd05367c5c9f2ac8f9268e27154c88a8

Referenced In Project/Scope:server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-engine	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low

Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)!(version>=2))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium

Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-engine	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low

Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.0> (*Confidence:High*)

junit-jupiter-params-5.10.0.jar

Description:

Module "junit-jupiter-params" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.0/9041c7365495a897a64782ea5a6fdb99dab1814e/junit-jupiter-params-5.10.0.jar

MD5: f005062186389c756ce58cb380190cc4

SHA1: 9041c7365495a897a64782ea5a6fdb99dab1814e

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-params	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium

Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-jupiter-params	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low

Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.0](https://maven.org/junit.jupiter/junit-jupiter-params@5.10.0) (*Confidence:High*)

junit-platform-commons-1.10.0.jar

Description:

Module "junit-platform-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.0/d533ff2c286eaf963566f92baf5f8a06628d2609/junit-platform-commons-1.10.0.jar

MD5: 0cef49daddba2084397f34eca55502f9

SHA1: d533ff2c286eaf963566f92baf5f8a06628d2609

SHA256:6083db08ca11fca1e16099d0dcfede0193d80b3762b276349d80d3da536791b2

Referenced In Project/Scope:server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low

Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-commons	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low
Product	Manifest	build-date	2023-07-23	Low

Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest

Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

junit-platform-engine-1.10.0.jar

Description:

Module "junit-platform-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.0/276c4edcf64fabb5a139fa7b4f99330d7a93b804/junit-platform-engine-1.10.0.jar

MD5: a383ac183081fe771888842534e77e62

SHA1: 276c4edcf64fabb5a139fa7b4f99330d7a93b804

SHA256: cd338efd02ee73966ea754e0c0c71e1a11f4af5db9c2003e4b6137e119155abe

Referenced In Project/Scope: server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low

Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High

Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-engine	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	filter	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low

Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

junit-platform-launcher-1.10.0.jar

Description:

Module "junit-platform-launcher" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.0/89a1922534ed102be1fb2a8c0b2c6151297a12bf/junit-platform-launcher-1.10.0.jar

MD5: ec357e6d7d3c5aafdca114aec83f1790

SHA1: 89a1922534ed102be1fb2a8c0b2c6151297a12bf

SHA256: 8c60b661ac170701a635dfc67565efbb8c85b5c5cdd5a4a9576e3a015c7111a4

Referenced In Project/Scope: server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-launcher	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium

Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-launcher	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.0"	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low

Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

suppress

junit-platform-suite-1.10.0.jar

Description:

Module "junit-platform-suite" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.0/65cf50c8940b9dfdf8b53b3e612e7d4664a4f631/junit-platform-suite-1.10.0.jar

MD5: 73d33febb587db050803e6b93e55eb1d

SHA1: 65cf50c8940b9dfdf8b53b3e612e7d4664a4f631

SHA256: 5982b7b258e031e5cee3f3fb7357e7c1175237559bd812cebcbdcaec74c38d8d

Referenced In Project/Scope: server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low

Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low

Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

Description:

Module "junit-platform-suite-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.0/baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700/junit-platform-suite-api-1.10.0.jar

MD5: 7fc1c589754da082f208f8f240000792

SHA1: baa35277c5e4913167fc8c5b2ceb0e5b2aa6b700

SHA256: 29375380c304d96c93466dd2d21e7a0692381689a0a2205e3c0d1961638beaf3

Referenced In Project/Scope: server:inetPlugin

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-api	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low

Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-api	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low

Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High

Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

junit-platform-suite-commons-1.10.0.jar

Description:

Module "junit-platform-suite-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.0/cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52/junit-platform-suite-commons-1.10.0.jar

MD5: 7e1b4ab2643a4003eb8378581312ffc3

SHA1: cee3d71ae0b90f7c96a1fb46cd788b77ab59ce52

SHA256: 01eb735855dc0d9d24d7219c84c4d4bf8751a126101e56948f792b27289f676b

Referenced In Project/Scope: server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low

Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-commons	Highest

Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low

Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

suppress

junit-platform-suite-engine-1.10.0.jar

Description:

Module "junit-platform-suite-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.0/911f55d5abdfa09306d09332fbf33bb024dbbb64/junit-platform-suite-engine-1.10.0.jar

MD5: cc571c912931dafb3da248845db9e98e

SHA1: 911f55d5abdfa09306d09332fbf33bb024dbbb64

SHA256: a70e59f996a222ca36c04989e766266cc2b446a63ce379bf02bac241fceb7f3

Referenced In Project/Scope: server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence

Vendor	central	artifactid	junit-platform-suite-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium

Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-engine	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low

Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.0	Highest
Version	file	version	1.10.0	High
Version	gradle	version	1.10.0	Highest
Version	Manifest	Bundle-Version	1.10.0	High
Version	Manifest	Implementation-Version	1.10.0	High
Version	pom	version	1.10.0	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.0](#) (*Confidence:High*)
- [cpe:2.3:a:fan_platform_project:fan_platform:1.10.0:*:*:*:*:*](#) (*Confidence:Low*)

Description:

Module "junit-vintage-engine" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.0/af4e0a3cb6901aa53d6401003fc10638014b39b1/junit-vintage-engine-5.10.0.jar

MD5: ff0ab1be3b14c837ca3d5d71defce409

SHA1: af4e0a3cb6901aa53d6401003fc10638014b39b1

SHA256: 6cb4d98b2f37ad78d28bbe4864869a110d278d9684445bde243de01148d8e8a

Referenced In Project/Scope:server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-vintage-engine	Highest
Vendor	central	groupid	org.junit.vintage	Highest
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2023-07-23	Low
Vendor	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low
Vendor	Manifest	build-time	14:51:13.722+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Vendor	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	junit.org	Low

Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-vintage-engine	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2023-07-23	Low
Product	Manifest	build-revision	7f619ca7ac9ecd1b20cc01c44a4df98f5fb67804	Low

Product	Manifest	build-time	14:51:13.722+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.0"	Low
Product	Manifest	require-capability	org.junit.platform.launcher;filter:="(&(org.junit.platform.launcher=junit-platform-launcher)(version>=1.10.0)(!(version>=2)))";effective:=active,osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High

Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.0	Highest
Version	file	version	5.10.0	High
Version	gradle	version	5.10.0	Highest
Version	Manifest	Bundle-Version	5.10.0	High
Version	Manifest	Implementation-Version	5.10.0	High
Version	pom	version	5.10.0	Highest

Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.0](#) (Confidence:High)
- [cpe:2.3:a:fan_platform_project:fan_platform:5.10.0:*:*:*:*:*](#) (Confidence:Low)

suppress

lang-css.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/lang-css.js

MD5: 914365fa44cd3c094afc7c0de229e29e

SHA1: 0a6564da73538b95de1d787c36347f63595891b4

SHA256: 9b6ac483033b02572714eb4d37ee199185c41008eb2b3f46a00ab0ebce6a20c5

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

linenumber.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/linenumber.js

MD5: 8520038fe7381ba8119956a342d21580

SHA1: ccbf2747b02c5204bf135f3b48fcfb74540c62e8

SHA256: bcc1057a550d0865cd8fceb0e7531b76226d25d42ebdfa8cab11f2314c3787

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

lunr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.js

MD5: da4f3703ce0083f8050d00e900aac7b0

SHA1: ae614550091dd5ea4b432d94fa4e286b2c91278d

SHA256: f9671350512fd9359469b1a2113ed3134e7b007fa0041e8e1cfe006de3d7f6f6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

lunr.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/lunr.min.js

MD5: 774cb91b6aaa5b48b7c1752283a92088

SHA1: 26bfa04058f330e6221d7591d20f34b0755bf6d6

SHA256: 735f50ae7a6f8318c182d0bf0049952ece4ad7f07f93bd784c234e91b0fba8b4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mail.zip: bccmail-jdk18on.jar

Description:

The Bouncy Castle Java S/MIME APIs for handling S/MIME protocols. This jar contains S/MIME APIs for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs. The JavaMail API and the Java activation framework will also be needed.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bccmail-jdk18on.jar

MD5: ec1136764ac619bcf6fc2c00a5b2dc9b

SHA1: 33e17d91d00544c4d7e28826abf8ef38600f7d6b

SHA256: 0a5a8e7de098c2b707cbe7dd00a9f9fc37dec1ef229ef6221d743002a86de095

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bccmail-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bccmail-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.mail	Medium
Vendor	Manifest	bundle-	J2SE-1.5	Low

requiredexecution

Vendor	Manifest	bundle-symbolicname	bcmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcmail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcmail-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle S/MIME API	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcmail-jdk18on	Highest
Product	file	name	bcmail-jdk18on	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle S/MIME API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.mail	Medium
Product	Manifest	Bundle-Name	bcmail	Medium
Product	Manifest	bundle-	J2SE-1.5	Low

		requiredexecution		
Product	Manifest	bundle-symbolicname	bcmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcmail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcmail-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle S/MIME API	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

Identifiers

- [pkg:maven/org.bouncycastle/bcmail-jdk18on@1.76](#) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:*](#) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:*](#) (*Confidence:Low*)

mail.zip: bcpkix-jdk18on.jar

Description:

The Bouncy Castle Java APIs for CMS, PKCS, EAC, TSP, CMP, CRMF, OCSP, and certificate generation. This jar contains APIs for JDK 1.8 and up. The APIs can be used in conjunction with a JCE/JCA provider such as the one provided with the Bouncy Castle Cryptography APIs.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkix-jdk18on.jar

MD5: 661d57d384f768f2bf92c0392f88379e

SHA1: 10c9cf5c1b4d64abeda28ee32fbade3b74373622

SHA256: 935a388854c329f9a6f32708f30c90045d2f91294fa687281273145d4cf9834a

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcpkix-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcpkix-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcpkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low

Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcpkix-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcpkix-jdk18on	Highest
Product	file	name	bcpkix-jdk18on	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcpkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcpkix-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest

Product	pom	name	Bouncy Castle PKIX, CMS, EAC, TSP, PKCS, OCSP, CMP, and CRMF APIs	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

Related Dependencies +

- webserver.zip: bcpkix-jdk18on.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcpkix-jdk18on.jar
 - MD5: 661d57d384f768f2bf92c0392f88379e
 - SHA1: 10c9cf5c1b4d64abeda28ee32fbade3b74373622
 - SHA256: 935a388854c329f9a6f32708f30c90045d2f91294fa687281273145d4cf9834a
 - [pkg:maven/org.bouncycastle/bcpkix-jdk18on@1.76](https://maven.org/bouncycastle/bcpkix-jdk18on@1.76)

Identifiers

- [pkg:maven/org.bouncycastle/bcpkix-jdk18on@1.76](https://maven.org/bouncycastle/bcpkix-jdk18on@1.76) (*Confidence:High*)
- [cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*](https://cpe.org/cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:*) (*Confidence:Low*)
- [cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*](https://cpe.org/cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*) (*Confidence:Low*)

mail.zip: bcprov-jdk18on.jar

Description:

The Bouncy Castle Crypto package is a Java implementation of cryptographic algorithms. This jar contains JCE provider and lightweight API for the Bouncy Castle Cryptography APIs for JDK 1.8 and up.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcprov-jdk18on.jar

MD5: 7020b9a9e1b951f5754a2168a26367f1

SHA1: 3a785d0b41806865ad7e311162bfa3fa60b3965b

SHA256: fda85d777aaae168015860b23a77cad9b8d3a1d5c904fda875313427bd560179

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	central	artifactid	bcprov-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcprov-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle Provider	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.provider	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcprov	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcprovider	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcprov-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle Provider	High
Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest

Product	central	artifactid	bcprov-jdk18on	Highest
Product	file	name	bcprov-jdk18on	High
Product	hint analyzer	product	legion-of-the-bouncy-castle-java-cryptography-api	High
Product	hint analyzer	product	the_bouncy_castle_crypto_package_for_java	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	org	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle Provider	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.provider	Medium
Product	Manifest	Bundle-Name	bcprov	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcprov	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcprovider	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcprov-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle Provider	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

Related Dependencies



- webserver.zip: bcprov-jdk18on.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcprov-jdk18on.jar
 - MD5: 7020b9a9e1b951f5754a2168a26367f1
 - SHA1: 3a785d0b41806865ad7e311162bfa3fa60b3965b
 - SHA256: fda85d777aaae168015860b23a77cad9b8d3a1d5c904fda875313427bd560179
 - pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76

Identifiers

- pkg:maven/org.bouncycastle/bcprov-jdk18on@1.76 (*Confidence:High*)
- cpe:2.3:a:bouncycastle:bouncy-castle-crypto-package:1.76:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:bouncy_castle_crypto_package:1.76:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle-java-cryptography-api:1.76:*:*:*:*:* (*Confidence:Low*)
- cpe:2.3:a:bouncycastle:the_bouncy_castle_crypto_package_for_java:1.76:*:*:*:*:* (*Confidence:Low*)

mail.zip: bcutil-jdk18on.jar

Description:

The Bouncy Castle Java APIs for ASN.1 extension and utility APIs used to support bcpkix and bctls. This jar contains APIs for JDK 1.8 and up.

License:

Bouncy Castle Licence: <https://www.bouncycastle.org/licence.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcutil-jdk18on.jar

MD5: 4df5b021c310b4c7c07d4490318d75cb

SHA1: 8c7594e651a278bcde18e038d8ab55b1f97f4d31

SHA256: 1a65ad02958223a3f31373bd72eea942cafd1b1877a3ed0b492c2487e77c3c27

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	bcutil-jdk18on	Highest
Vendor	central	groupid	org.bouncycastle	Highest
Vendor	file	name	bcutil-jdk18on	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	oer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle Utility APIs	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.util	Medium
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcutil	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Vendor	pom	artifactid	bcutil-jdk18on	Low
Vendor	pom	developer email	feedback-crypto@bouncycastle.org	Low
Vendor	pom	developer id	feedback-crypto	Medium
Vendor	pom	developer name	The Legion of the Bouncy Castle Inc.	Medium
Vendor	pom	groupid	org.bouncycastle	Highest
Vendor	pom	name	Bouncy Castle ASN.1 Extension and Utility APIs	High

Vendor	pom	url	https://www.bouncycastle.org/java.html	Highest
Product	central	artifactid	bcutil-jdk18on	Highest
Product	file	name	bcutil-jdk18on	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	oer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle Utility APIs	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcutil	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	25.362-b09 (Private Build)	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Product	pom	artifactid	bcutil-jdk18on	Highest
Product	pom	developer email	feedback-crypto@bouncycastle.org	Low
Product	pom	developer id	feedback-crypto	Low
Product	pom	developer name	The Legion of the Bouncy Castle Inc.	Low
Product	pom	groupid	org.bouncycastle	Highest
Product	pom	name	Bouncy Castle ASN.1 Extension and Utility APIs	High
Product	pom	url	https://www.bouncycastle.org/java.html	Medium
Version	central	version	1.76	Highest
Version	Manifest	Bundle-Version	1.76	High
Version	pom	version	1.76	Highest

Related Dependencies



- webserver.zip: bcutil-jdk18on.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcutil-jdk18on.jar
 - MD5: 4df5b021c310b4c7c07d4490318d75cb
 - SHA1: 8c7594e651a278bcde18e038d8ab55b1f97f4d31
 - SHA256: 1a65ad02958223a3f31373bd72eea942cafd1b1877a3ed0b492c2487e77c3c27
 - pkg:maven/org.bouncycastle/bcutil-jdk18on@1.76

Identifiers

- pkg:maven/org.bouncycastle/bcutil-jdk18on@1.76 (Confidence:High)
- cpe:2.3:a:bouncycastle:bouncy_castle_for_java:1.76:*:*:*:*:* (Confidence:Low)
- cpe:2.3:a:bouncycastle:legion-of-the-bouncy-castle:1.76:*:*:*:*:* (Confidence:Low)

mail.zip: jakarta.activation.jar

Description:

Jakarta Activation

License:

<http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.activation.jar

MD5: 0b8bee3bf29b9a015f8b992035581a7c

SHA1: 74548703f9851017ce2f556066659438019e7eb5

SHA256: 02156773e4ae9d048d14a56ad35d644bee9f1052a791d072df3ded3c656e6e1a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium

Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=9.0))"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation	Low
Vendor	pom	groupid	com.sun.activation	Highest
Vendor	pom	name	Jakarta Activation	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	javax	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation	Medium
Product	Manifest	bundle-symbolicname	com.sun.activation.jakarta.activation	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	Implementation-Title	javax.activation	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=9.0))"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation	Highest
Product	pom	groupid	com.sun.activation	Highest
Product	pom	name	Jakarta Activation	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.2.2	High
Version	Manifest	Implementation-Version	1.2.2	High
Version	pom	version	1.2.2	Highest

Identifiers

- [pkg:maven/com.sun.activation/jakarta.activation@1.2.2](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java_se:1.2.2:*:*:*:*:*](#) (*Confidence:Low*)

mail.zip: jakarta.mail.jar

Description:

Jakarta Mail API

License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.mail.jar

MD5: 17eb378c9dd574be23e71014ce9d5d30

SHA1: 319df0e9d536c1a01acdfc49b6e82b97d2393073

SHA256: 1b258ef45fae93059b65d0a0dd109e59ab93e8cd8a735ff66b2ba85f870d5150

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail	High
Vendor	jar	package name	javax	Highest
Vendor	jar	package name	mail	Highest
Vendor	jar	package name	provider	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.oracle.com	Low
Vendor	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Vendor	Manifest	extension-name	javax.mail	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun	Medium
Vendor	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Vendor	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	Oracle	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High

Vendor	Manifest (hint)	specification-vendor	sun	Low
Vendor	pom	artifactid	jakarta.mail	Low
Vendor	pom	groupid	com.sun.mail	Highest
Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	jakarta.mail	High
Product	jar	package name	javax	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	provider	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	version	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.oracle.com	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	com.sun.mail.jakarta.mail	Medium
Product	Manifest	extension-name	javax.mail	Medium
Product	Manifest	Implementation-Title	javax.mail	High
Product	Manifest	probe-provider-xml-file-names	META-INF/gfprobe-provider.xml	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Jakarta Mail API Design Specification	Medium
Product	pom	artifactid	jakarta.mail	Highest
Product	pom	groupid	com.sun.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	1.6.7	High
Version	Manifest	Implementation-Version	1.6.7	High
Version	pom	version	1.6.7	Highest

Identifiers

- [pkg:maven/com.sun.mail/jakarta.mail@1.6.7](#) (*Confidence:High*)
- [cpe:2.3:a:oracle:java_se:1.6.7:*:*:*:*:*](#) (*Confidence:Low*) suppress

mail.zip: mail.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar

MD5: 1e8de872a10a6944ce4f53becf3ac00e

SHA1: 883267501635819af10e726cceac5f7164c22c0d

SHA256: 3d055343e47959e2d9ac480309d8642f443740b52063c99dabefe1b2fe6ca887

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2024-01-16 12:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	api	Low
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	Manifest	built-date	2024-01-16 12:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

mail.zip: mail.jar: smimeconfig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

MD5: 8f813fb422994be74d9179f2cbf12b35

SHA1: f28664c17585233f31c47030d853d5dd9756d0c4

SHA256: 33ddf4e09a83a52a627af09c27c086bd3ac0b0a519e49e0f3c31cccf80f100f8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

main.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

MD5: d79b7693c3fedef6d2701f98bd63395e

SHA1: dcb11c632f69f2a29632327c71ce2b36f0ed2da0

SHA256: 8c8530e356505da9f829ef1cf582c79f20fdd14cf1bb8491abc354d5e6882334

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.reporting.zip: maintenance.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.reporting.zip/maintenance.reporting.jar

MD5: fba03702d191f263879482f1a8b61c23

SHA1: 0fcad140e2ce9e27cf9782ce8e52c153ce02bbfc

SHA256: ccfbd3a0b1ec70fefe750139fe28f493df4e2221fe2a7bd5561fd07383d700e4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar

MD5: 2524ca978d4c7f6a4c7ac134f28b86dd

SHA1: 4d81f40497dec3965371e9771ce15197891b6099

SHA256: 16c285dc6bd9f09895ec60b2d5b324f201a036485a4352109b80df5384074fda

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

MD5: 5fa34241ecd0c996afaf14c662ae9901

SHA1: c52d0b3c5f0c21d3d48781cd8deeee63b7db1370

SHA256: a5f769e96f722fc7fbc017f95cbf902ec14aae4dfba8177521f58c62143f1c5c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js

MD5: 760d0d54bf7b07b22789ea76c4360520

SHA1: 6c7325ca5f25beda4965d76c573334c6ecb25b30

SHA256: 3628d6f5f3503981544bd8df4857536e29ed10e61bb4c43344c2275b40bf41a7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

MD5: c4c0f96fb7ad5a948fb59148c4517645

SHA1: 29e4337eb88cf1fa563d865a41ccb2ebda887160

SHA256: 376d53550ee05b991e9f0e41b7b81ddd652bedf5f00e4c526924562a5bb6b9c1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar
MD5: e33ea616b21d09c12e99e6ed537eca23
SHA1: f253bb6c2afc89c1f5dd83560f5c5d570f17de00
SHA256:30b7db97eec2506644655683667dfa22e762537eb65a82337d6b85b9b7a31f28
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

MD5: f6af6877bfef1fcb24b83fa1ec0a1092

SHA1: 08adadcfad002ade7e42e7c12b697c1e30c936ca

SHA256: c508db9d3c6f49d6b04945eb481d01b97ff56d88390856d9f9771e7b15acffe4

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

MD5: 75a2a467d59514437fe8d40d7c759ab3

SHA1: 5c1142a7bb98e8e80e42c0f969b4efb54db8b0b7

SHA256: c404cedb100ab444adacbfcf48eb3ddafb2ee13793af5f4f1b7e5eb8e441515f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

MD5: 55014fba3d1f72a4197c2d3079557108
SHA1: 69c7a58b818cdfcb5149482b60463a8971a79a5c
SHA256: a109462f5780c90bba9589fdc18018c8a47ae5045ba5b94ddd4de9b8177557f0
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

MD5: e9102b50be7a4c99936f78f337122fcc
SHA1: ceffe7a5a653bc9c1ed03fc866b7eef1de8a07be
SHA256: d1be524371b0378c644e2ac040712dcb9356a4956f5ad2c9d425c53b43e26b48
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js

MD5: 33e019c927cbf722763c68a644d60736
SHA1: de671966f649195e128d75e9ccb6128ad048a646
SHA256: 3dead73142a30b0b0769889226167527b4e0289caa202b36436c22df65f1c50c
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: filechooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js

MD5: 7e349031ffa62855e2e88bbbc31e7562

SHA1: 77cb9ee8db2a2378ea01c996aa3e5f3645f7d8e7

SHA256: c6e6ea0e831892e42efcd9f3c45a92731d23e2ef4e14455a9024df237d3cdc89

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

maintenance.zip: maintenance.jar: multieditusers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js

MD5: 4fb706fcdf12a1ea85ca0be863b60859

SHA1: a2e696a0927f0027f95bf3c8ce08f3f64e117e23

SHA256: 834e075ae9681fbe5332f1575cf178b5994ed4698849010b618552eaa4c90c8e

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

mysql-connector-j.jar

Description:

JDBC Type 4 driver for MySQL.

License:

The GNU General Public License, v2 with Universal FOSS Exception, v1.0

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mysql-connector-j.jar

MD5: a331817ab5c572777e25539a70b51bb6

SHA1: 56d34aea30915904b1c883f1cfae731dd2df6029

SHA256: 06f14fbd664d0e382347489e66495ca27ab7e6c2e1d9969a496931736197465f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	mysql-connector-j	Highest
Vendor	central	groupid	com.mysql	Highest
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Vendor	pom	artifactid	mysql-connector-j	Low

Vendor	pom	developer email	filipe.silva@oracle.com	Low
Vendor	pom	developer name	Filipe Silva	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	https://www.oracle.com/	Medium
Vendor	pom	groupid	com.mysql	Highest
Vendor	pom	name	MySQL Connector/J	High
Vendor	pom	organization name	Oracle Corporation	High
Vendor	pom	organization url	https://www.oracle.com/	Medium
Vendor	pom	url	http://dev.mysql.com/doc/connector-j/en/	Highest
Product	central	artifactid	mysql-connector-j	Highest
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Product	pom	artifactid	mysql-connector-j	Highest
Product	pom	developer email	filipe.silva@oracle.com	Low
Product	pom	developer name	Filipe Silva	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	https://www.oracle.com/	Low
Product	pom	groupid	com.mysql	Highest
Product	pom	name	MySQL Connector/J	High

Product	pom	organization name	Oracle Corporation	Low
Product	pom	organization url	https://www.oracle.com/	Low
Product	pom	url	http://dev.mysql.com/doc/connector-j/en/	Medium
Version	central	version	8.2.0	Highest
Version	Manifest	Bundle-Version	8.2.0	High
Version	Manifest	Implementation-Version	8.2.0	High
Version	pom	version	8.2.0	Highest

Identifiers

- [pkg:maven/com.mysql/mysql-connector-j@8.2.0](#) (Confidence:High)
- [cpe:2.3:a:mysql:mysql:8.2.0:*:*:*:*:*](#) (Confidence:Highest)
- [cpe:2.3:a:oracle:mysql_connector\j:8.2.0:*:*:*:*:*](#) (Confidence:Highest)

notification.zip: notification.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar

MD5: 9a1133acfa1862f330313f90220fc25e

SHA1: ec2e58dae9bd9afcb864f2d87e70b3ac50de160d

SHA256: d2348577b473b1b0624ac79ed0a0b485d448f14cff1cc973a34944ce6a3727c2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2024-01-16 12:21	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-01-16 12:21	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

notification.zip: notification.jar: notification.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

MD5: 5e3788899a22f3fe6d6f7fa94a5cbf1c

SHA1: e79358c9a561525170e114f4bbfe43018e234e86

SHA256: a1135f6beecfeedb7c7019241bd555292104aec385d85ab9967c3c0c78d89519

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_config.js
MD5: e53c9eb27e83a09e35fa18802ca93f96
SHA1: f7f43fadb1fb424c471cca69794aedb1c7bca812
SHA256: ae19e52bbb0c74fb9fc09bc9bc5839688d70ae17151322eaa178d8b058fb46da
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: notification_taskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification_taskplanner.js
MD5: 1fd307d62ba19fbdc038c44cd72b62d2
SHA1: 1952936593bdbbea48df6a9a9e3fb0915be76f188
SHA256: 6c0ced9e67d00af753087cf43514b7dbf029727aa5177bbfd69b5b3c17bc0d51
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

notification.zip: notification.jar: targetrender.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrender.js
MD5: 94d7d514f946077f0c8acc5797a372ef
SHA1: d7fbfcfb1863ebea41303cce8c7ba15488e7678c
SHA256: 0e7851f6b57913d9a8042927978c4f8d501a5285e0574f13ebd5a29360b42a7e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

odbc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/odbc.jar

MD5: f633114e085fdb90dfc693cadccc9190

SHA1: 4ac12dc234b22614c5a6a2e84ad9a7a0a4830dd0

SHA256: 09f8cb6c8cec042361360be8d768ea7156701561fd54ccb1bef33ca6e1501792

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	odbc	High
--------	------	------	------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	odbc	Low
--------	-----	--------------	------	-----

Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
--------	----------	-----------------------	--------------------------------------	------

Vendor	Manifest	specification-vendor	i-net software GmbH, Berlin, Germany	Low
--------	----------	----------------------	--------------------------------------	-----

Product	file	name	odbc	High
---------	------	------	------	------

Product	jar	package name	odbc	Highest
---------	-----	--------------	------	---------

Product	jar	package name	odbc	Low
---------	-----	--------------	------	-----

Product	Manifest	Implementation-Title	odbc	High
---------	----------	----------------------	------	------

Product	Manifest	specification-title	odbc	Medium
---------	----------	---------------------	------	--------

Version	Manifest	Implementation-Version	5.0.168	High
---------	----------	------------------------	---------	------

Identifiers

- None

opentest4j-1.3.0.jar

Description:

Open Test Alliance for the JVM

License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

MD5: 03c404f727531f3fd3b4c73997899327

SHA1: 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

SHA256: 48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

Referenced In Project/Scope:server:inetPlugin

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	opentest4j	Highest
Vendor	central	groupid	org.opentest4j	Highest
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low

Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	central	artifactid	opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	central	version	1.3.0	Highest
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

Identifiers

- <pkg:maven/org.opentest4j/opentest4j@1.3.0> (*Confidence:High*)

persistence.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/persistence.jar

MD5: 4db040c98c75152b8c4510c434ce448a

SHA1: b8a74c58b47d79b1b1b264a18297bb0cab3a7e14

SHA256: eed35485b1593b7c0fd492347165bb5286e2a8d7742ca90b1efd7572395c6620

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2024-01-16 12:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2024-01-16 12:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar

MD5: 3cb4fe3dc2266df98c051812133f3211

SHA1: 662b40f323422add009e6f753e9634a3f84186e5

SHA256: bca918eae43a7cae2f341bea649c221c600ad6bc448c8652c34ae21a9a8b8bdc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High

Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2024-01-16 12:23	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	jar	package name	ui	Low
Product	Manifest	built-date	2024-01-16 12:23	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

MD5: bae377e07f3c94980792a3cb0a3777e6

SHA1: c7766396cbe87781ad46c96d70b7195c0a92dc68

SHA256: 94beaf8244f013ef5d078cc7e91b1220066099c5cdbc4e0cc5071e8dae13e038

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

MD5: 3d4696013fd0e4b45fde1582f03667c8

SHA1: c3e6cb5a70cf72af8dc63fdc993ae7b124f026c5

SHA256: 57372793d88fd06a67a9c9fdf1b95623c25b7638dfdb08bcfaabe9392f706414

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

MD5: 3a2e6acd20c105a43ac4619718c827d0

SHA1: 1bf76948f8a34e8dfd05727bcb0c9ca296fba5d1

SHA256: dea50e7705e039c90045df2de735fa73dafaf495f15d8340b6ba20a73b7ba8c3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

MD5: d27b7841b1a9f5e08c641ab03581bb8e

SHA1: ee6981a6676d23579c087c33aad99e19c79d4cb1

SHA256: 1e9ecc1344fb76410ebe1e97beebd18ef31664019ebd9ef9f62e24c2939acef6

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

MD5: 3d319b49b850af4acd616cd29f4a73a6

SHA1: bbaf34a81cb476e45484d4249ba55e868a154ba

SHA256:b38301d399eb686854f1e87057f16ff2165bcd2f2bc6517e52c986987643ae36

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pluginstore.client.zip: pluginstore.client.jar: storemodel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js

MD5: b65d60b435eb17adc51f52a6cb3818f5

SHA1: 66a66f49545eea88837edf1664a271a2e87f57a4

SHA256: 8166194f544d37295e0aa43aab68e38857dfea64bc4e2e8b8f99ebc0c3418447

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

postgresql.jar

Description:

PostgreSQL JDBC Driver Postgresql

License:

BSD-2-Clause: <https://jdbc.postgresql.org/about/license.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/postgresql.jar

MD5: 527f2c51d65f6a78d6548c51a35556aa

SHA1: 7614cfce466145b84972781ab0079b8dea49e363

SHA256: b817c67a40c94249fd59d4e686e3327ed0d3d3fae426b20da0f1e75652cfc461

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	central	artifactid	postgresql	Highest
--------	---------	------------	------------	---------

Vendor	central	groupid	org.postgresql	Highest
--------	---------	---------	----------------	---------

Vendor	file	name	postgresql	High
--------	------	------	------------	------

Vendor	jar	package name	jdbc	Highest
--------	-----	--------------	------	---------

Vendor	jar	package name	postgresql	Highest
Vendor	jar	package name	postgresql	Low
Vendor	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Vendor	Manifest	bundle-copyright	Copyright (c) 2003-2020, PostgreSQL Global Development Group	Low
Vendor	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low
Vendor	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Vendor	Manifest	Implementation-Vendor	PostgreSQL Global Development Group	High
Vendor	Manifest	Implementation-Vendor-Id	org.postgresql	Medium
Vendor	Manifest	provide-capability	osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver"	Low
Vendor	Manifest	require-capability	osgi.ee;filter:="(&!(osgi.ee=J2SE)(osgi.ee=JavaSE))(version>=1.8)"	Low
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	pom	artifactid	postgresql	Low
Vendor	pom	developer id	bokken	Medium
Vendor	pom	developer id	davecramer	Medium
Vendor	pom	developer id	jurka	Medium
Vendor	pom	developer id	oliver	Medium
Vendor	pom	developer id	ringerc	Medium
Vendor	pom	developer id	vlsi	Medium
Vendor	pom	developer name	Brett Okken	Medium
Vendor	pom	developer name	Craig Ringer	Medium
Vendor	pom	developer name	Dave Cramer	Medium
Vendor	pom	developer name	Kris Jurka	Medium
Vendor	pom	developer name	Oliver Jowett	Medium
Vendor	pom	developer name	Vladimir Sitnikov	Medium
Vendor	pom	groupid	org.postgresql	Highest
Vendor	pom	name	PostgreSQL JDBC Driver	High
Vendor	pom	organization name	PostgreSQL Global Development Group	High
Vendor	pom	organization url	https://jdbc.postgresql.org/	Medium
Vendor	pom	url	https://jdbc.postgresql.org	Highest

Product	central	artifactid	postgresql	Highest
Product	file	name	postgresql	High
Product	hint analyzer	product	pgjdbc	Highest
Product	hint analyzer	product	postgresql_jdbc_driver	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	osgi	Highest
Product	jar	package name	postgresql	Highest
Product	jar	package name	version	Highest
Product	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Product	Manifest	bundle-copyright	Copyright (c) 2003-2020, PostgreSQL Global Development Group	Low
Product	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low
Product	Manifest	Bundle-Name	PostgreSQL JDBC Driver	Medium
Product	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Product	Manifest	Implementation-Title	PostgreSQL JDBC Driver	High
Product	Manifest	provide-capability	osgi.service;effective:=active;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver"	Low
Product	Manifest	require-capability	osgi.ee;filter:="(&!(osgi.ee=J2SE)(osgi.ee=JavaSE))(version>=1.8)"	Low
Product	Manifest	specification-title	JDBC	Medium
Product	pom	artifactid	postgresql	Highest
Product	pom	developer id	bokken	Low
Product	pom	developer id	davecramer	Low
Product	pom	developer id	jurka	Low
Product	pom	developer id	oliver	Low
Product	pom	developer id	ringerc	Low
Product	pom	developer id	vlsi	Low
Product	pom	developer name	Brett Okken	Low
Product	pom	developer name	Craig Ringer	Low
Product	pom	developer name	Dave Cramer	Low
Product	pom	developer name	Kris Jurka	Low

Product	pom	developer name	Oliver Jowett	Low
Product	pom	developer name	Vladimir Sitnikov	Low
Product	pom	groupid	org.postgresql	Highest
Product	pom	name	PostgreSQL JDBC Driver	High
Product	pom	organization name	PostgreSQL Global Development Group	Low
Product	pom	organization url	https://jdbc.postgresql.org/	Low
Product	pom	url	https://jdbc.postgresql.org	Medium
Version	central	version	42.6.0	Highest
Version	Manifest	Bundle-Version	42.6.0	High
Version	Manifest	Implementation-Version	42.6.0	High
Version	pom	version	42.6.0	Highest

Identifiers

- [pkg:maven/org.postgresql/postgresql@42.6.0](#) (*Confidence:High*)
- [cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.6.0:*:*:*:*:*](#) (*Confidence:Low*)

suppress

prettify.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/prettify.js

MD5: 709bfcc456c694bfe8ee86d184a1c360

SHA1: a4e5934397f97f79b8066984475c90af8a970a36

SHA256: e2e576e3bc607cd179ff511947010f645d3441a35313aec0dbd06c4437f83b77

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.reporting.zip/processbridge.reporting.jar

MD5: 86dee5f876cd569eb4dda897072215d9

SHA1: 6dcc176737ae1a9603343fa369af62f487bbddf

SHA256: ecd0c660fec7fce87a739b532b5ba7df86f308c8fdd3b73fa93eaf97fc1ca83b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

processbridge.zip: processbridge.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.zip/processbridge.jar

MD5: 7c1a95831a554fef2a56b6ae9a795160

SHA1: 6ecd28aef08d9fed7acf7d4025d04d7463dbe32b

SHA256: e2469bebbdd16b25bcaa1864b80268596ce3b10aeef63faa2a6ba99a537901f5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

promptdialog.zip: promptdialog.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar

MD5: d813b6925ca84fb81f3ae1de59232ee4

SHA1: 0e6d76445420aaca493ef647d344c4468dba3d4e

SHA256: 47232d3098b279ea9b84d92ab52ff48de1cbe5f11e97099100e5556f52b949cb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-01-16 13:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium

Version Manifest Implementation- 23.10.295
Version

High

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

MD5: bb59fcf20e682d1628dc3141fb0a8e5f

SHA1: 7eaf7cbc374c3fd20267845a5ca597ece0621e45

SHA256: 34dc7ab2595ab7044a5083fed176142f406d8f6a5c40c3382cea06854c04caed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

MD5: 3ac7c9211771f7abdedfe4d720a209d9

SHA1: 8e63f944e72874cdbc279f32bd939156cd5c2a69

SHA256: e882ac8a10bbcab9da24388c866a3e18a9e634522aff5609e6e945dbcfba015f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js

MD5: d1ad03b4146d9531ad016232cfdb53f7

SHA1: a6e10201c62f2da9c3e8050818466091f8ecac4b

SHA256: 16bea0fa17b79ef9fcb5ac3acc0719b71ef2e6607a4b18e12ebd6dfcc600b13

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptpanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js

MD5: e1247570ea802ec71e7b553fbbb616f4

SHA1: fb0254e7b8cedd6b415aa4e078090499b5811444

SHA256: 159b4e8aaaaed6cc5aa67679ec0a8194c35cda26e79f2066252fb43b37c2f0c6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

promptdialog.zip: promptdialog.jar: promptrender.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrender.js

MD5: 9cafac0d29e627099ec55115ad80089e

SHA1: 2c008b8b81775485813c8c8c031feba247cfa6d0

SHA256: 445b8263ff48d5a7812ee1d854664cf91b160e11400e9d3ad03dbde58c7157fc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

propertieschecker.zip: propertieschecker.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/propertieschecker.zip/propertieschecker.sample.sample.jar

MD5: 9028300cedb8d829a142caf19ab350f4

SHA1: f25a68c92f90e5d40df5120ab33baccee1d6f66d

SHA256: a8f28a14982c8d892a060966230fbb98a60175b2ae68fc4b4edede4b5a44fe34

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	propertieschecker.sample.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker	High
Product	Manifest	specification-title	propertieschecker	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies +

- propertieschecker.zip: propertieschecker.sample.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/PropertiesChecker/propertieschecker.zip/propertieschecker.sample.sample.jar
 - MD5: 9028300cedb8d829a142caf19ab350f4
 - SHA1: f25a68c92f90e5d40df5120ab33baccee1d6f66d
 - SHA256: a8f28a14982c8d892a060966230fbb98a60175b2ae68fc4b4edede4b5a44fe34

Identifiers

- None

remotegui.zip: Echo2-FileTransfer_App.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_App.jar

MD5: 6fd2b10e224c844ed153e2b22c15e55c

SHA1: cdcf0ec282bca45eachf90358ddfb78fcbd87b06

SHA256: cd6ef6577f47dad417e9cdea6c5a7bd07b01ae02fffc189c1096c8297a7aee0f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_App	High

Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Product	file	name	Echo2-FileTransfer_App	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Version	file	name	Echo2-FileTransfer_App	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*](#) (Confidence:High)

remotegui.zip: Echo2-FileTransfer_WebContainer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar

MD5: 92dbd034fab7348d296ac68e4db7a08

SHA1: cbf567ae2536ccfb7d131381e39418db16a202db

SHA256: 6e4917ed3243e589d12be95a22679b53293477a86ead9341c7bf6fe6baf8e9a3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	Echo2-FileTransfer_WebContainer	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	jar	package name	webcontainer	Low
Product	file	name	Echo2-FileTransfer_WebContainer	High
Product	jar	package name	echo2	Low
Product	jar	package name	filetransfer	Low
Product	jar	package name	webcontainer	Low
Version	file	name	Echo2-FileTransfer_WebContainer	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:file-transfer:file_transfer:2.*.*.*.*.*](#) (Confidence:High) suppress
- [cpe:2.3:a:web_project:web:2.*.*.*.*.*](#) (Confidence:High) suppress

remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Download.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Download.js
MD5: 69ff0dd778973ed673d040ea99553c6d
SHA1: 2f6f79a0fac16ba28942b9bf70c460ca317c81be
SHA256: eae8dd34aeed905956fb2fbfdd023015eec242b1f0969f8340e1ce445bad5863
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: Echo2-FileTransfer_WebContainer.jar: Upload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/Echo2-FileTransfer_WebContainer.jar/nextapp/echo2/webcontainer/filetransfer/resource/js/Upload.js
MD5: a7717a7b4972a81a08cf43f074c34dc8
SHA1: 7504304ad8e1d53035726c91f2630d21f38ddb88
SHA256: c69ec375cc81b5fba88b087c20377fd71b4b226780a2496adf145fb5177ddf2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angularjs.jar

Description:

WebJar for AngularJS

License:

MIT License: <https://github.com/angular/angular.js/blob/master/LICENSE>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar

MD5: 370627d359050ff6a4e657cc1ec1892e

SHA1: 7a971be489a3f321b2db104e2a45afaa633e040d

SHA256:65451ec03c0817d8c79594eda3ebd81c1d8f04dbaa082158115bc92660cbb3ee

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	angularjs	High
Vendor	pom	artifactid	angularjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	AngularJS	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	angularjs	High
Product	pom	artifactid	angularjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	AngularJS	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.8.2	Highest

Identifiers

- [pkg:javascript/angularjs@1.8.2](#) (*Confidence: Highest*)
- [pkg:maven/org.webjars/angularjs@1.8.2](#) (*Confidence: High*)
- [cpe:2.3:a:angularjs:angularjs:1.8.2:*:*:*:*:*](#) (*Confidence: High*) suppress

remotegui.zip: angularjs.jar: angular-locale_af-na.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_af-na.js

MD5: 7872bb91b9fdb959f4bee2aceeb3faf0

SHA1: 8a61bac8abc104ebefef38f49a4e15bf12d0b305

SHA256: 339883200f0e8b13cebed1549553b6947095740591a322262eb1502c06f042d0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_af-na.js.gz: angular-locale_af-na.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_af-na.js.gz/angular-locale_af-na.js
 - MD5: 7872bb91b9fdb959f4bee2aceeb3faf0
 - SHA1: 8a61bac8abc104ebefef38f49a4e15bf12d0b305
 - SHA256: 339883200f0e8b13cebed1549553b6947095740591a322262eb1502c06f042d0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_af-za.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_af-za.js

MD5: a05fa0e7812a0d5369ea1bf3084bfe91

SHA1: 8cef7dd74b22ca817e40191c49f40a07a5df1c91

SHA256: d841e2b61eb5346170ea748f76b633b566a66abee1bd4e9c12a5212fe37dedf

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_af-za.js.gz: angular-locale_af-za.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_af-za.js.gz/angular-locale_af-za.js
 - MD5: a05fa0e7812a0d5369ea1bf3084bfe91
 - SHA1: 8cef7dd74b22ca817e40191c49f40a07a5df1c91
 - SHA256: d841e2b61eb5346170ea748f76b633b566a66abee1bd4e9c12a5212fe37dedf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_af.js

MD5: 95078db82561b66e0b555ef8bb8b9a0d

SHA1: 377d7380f09970b90b722bf28e82bc2f5025592b

SHA256: 5324dc4e3c978bb154c28840fb8b75c1adf506598327901244c3d32694cfb5f0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_af.js.gz: angular-locale_af.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_af.js.gz/angular-locale_af.js
 - MD5: 95078db82561b66e0b555ef8bb8b9a0d
 - SHA1: 377d7380f09970b90b722bf28e82bc2f5025592b
 - SHA256: 5324dc4e3c978bb154c28840fb8b75c1adf506598327901244c3d32694cfb5f0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_agq-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_agq-cm.js

MD5: e7b6bcfa213b234e2d3848954c12068b

SHA1: 16426351b1863f1dde56e0dee1fc1127a455edcf

SHA256: 6ab5405a96194d27b4aa411e87e9a38a8321aa782ef4b2ffcd0ffbbf0ccfafa4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_agq-cm.js.gz: angular-locale_agq-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_agq-cm.js.gz/angular-locale_agq-cm.js
 - MD5: e7b6bcfa213b234e2d3848954c12068b
 - SHA1: 16426351b1863f1dde56e0dee1fc1127a455edcf
 - SHA256: 6ab5405a96194d27b4aa411e87e9a38a8321aa782ef4b2ffcd0ffbbf0ccfafa4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_agq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_agq.js

MD5: 64881697cec8092636d997d5f82d9b3e

SHA1: bf53d124e3cf3ce057b4bbd6193d38a67522cd17

SHA256: 8e1c06a04fa95ca42a86eba7b0b1b1db42954f352a56f2970ea40b064ee1fb79

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_agq.js.gz: angular-locale_agq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_agq.js.gz/angular-locale_agq.js
 - MD5: 64881697cec8092636d997d5f82d9b3e
 - SHA1: bf53d124e3cf3ce057b4bbd6193d38a67522cd17
 - SHA256: 8e1c06a04fa95ca42a86eba7b0b1b1db42954f352a56f2970ea40b064ee1fb79

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ak-gh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ak-gh.js
MD5: 896f221d139e60a57d2971334a88bc39
SHA1: 822a94db96207c175dbfa7bbc0152e24b64a5da5
SHA256: 6a6c341681477ad0a5b14e25fa8da2fac7180742b10c467d1d282ee7aefafb0b
Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ak-gh.js.gz: angular-locale_ak-gh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ak-gh.js.gz/angular-locale_ak-gh.js
 - MD5: 896f221d139e60a57d2971334a88bc39
 - SHA1: 822a94db96207c175dbfa7bbc0152e24b64a5da5
 - SHA256: 6a6c341681477ad0a5b14e25fa8da2fac7180742b10c467d1d282ee7aefafb0b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ak.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ak.js

MD5: afd7fd491261b7301c861f01e62141a6

SHA1: 53e3cc85d95627334ca8801ba9f80795757dc080

SHA256: 0470d3695eb75c66877296704989a87897084a93cb170de269220d11be0710d3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ak.js.gz: angular-locale_ak.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ak.js.gz/angular-locale_ak.js
 - MD5: afd7fd491261b7301c861f01e62141a6
 - SHA1: 53e3cc85d95627334ca8801ba9f80795757dc080
 - SHA256: 0470d3695eb75c66877296704989a87897084a93cb170de269220d11be0710d3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_am-et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_am-et.js

MD5: 3180ecc1629bcb94da0be63e68f00489

SHA1: 80d774171c184ba1cefad82ab1ba90d833a6e453

SHA256: 192a99240ad4298551d97068a6708ec2902a12cd02dce02388c6e16ff607be8a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_am-et.js.gz: angular-locale_am-et.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_am-et.js.gz/angular-locale_am-et.js
 - MD5: 3180ecc1629bcb94da0be63e68f00489
 - SHA1: 80d774171c184ba1cefad82ab1ba90d833a6e453
 - SHA256: 192a99240ad4298551d97068a6708ec2902a12cd02dce02388c6e16ff607be8a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_am.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_am.js

MD5: 9f1c037bea1728126989d25c1b67c08a

SHA1: f551f08ba49a13417078d643c58f92fdef0f41bb

SHA256: 1e0e268a60ad218419e0f4d3aca58ca4074c23e9766d1d16e7730d161646cd72

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_am.js.gz: angular-locale_am.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_am.js.gz/angular-locale_am.js
 - MD5: 9f1c037bea1728126989d25c1b67c08a
 - SHA1: f551f08ba49a13417078d643c58f92fdef0f41bb
 - SHA256: 1e0e268a60ad218419e0f4d3aca58ca4074c23e9766d1d16e7730d161646cd72

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-001.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-001.js

MD5: 9801cf34d88e2016d7a1d2aac80acbbd

SHA1: 60c2fe7b66e401ee23d7e9d53bbd4e7eeede9ba7

SHA256: c92815b8e586ad942957fa4d202ff3ed826be1bb689d74475ab6bc6b66935456

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-001.js.gz: angular-locale_ar-001.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-001.js.gz/angular-locale_ar-001.js
 - MD5: 9801cf34d88e2016d7a1d2aac80acbbd
 - SHA1: 60c2fe7b66e401ee23d7e9d53bbd4e7eeede9ba7
 - SHA256: c92815b8e586ad942957fa4d202ff3ed826be1bb689d74475ab6bc6b66935456

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-ae.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ae.js

MD5: ad90d1eff47be9bc7e776e9b94f02afa

SHA1: 7ac151ae86d70cbd61535f81476adc8a22f66d45

SHA256: 9cb7acb49e1a810925c968e0049eb02437c1e76f3c74e0481ef08f06ad7b21d1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-ae.js.gz: angular-locale_ar-ae.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ae.js.gz/angular-locale_ar-ae.js
 - MD5: ad90d1eff47be9bc7e776e9b94f02afa
 - SHA1: 7ac151ae86d70cbd61535f81476adc8a22f66d45
 - SHA256: 9cb7acb49e1a810925c968e0049eb02437c1e76f3c74e0481ef08f06ad7b21d1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-bh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-bh.js

MD5: 7fb2e9c5fcba4bf3c16859fe06a07279

SHA1: 9a393493518a3e20b7c5f7885861f5c353458fb2

SHA256: 8b003126d11760e3db6c705150b6ad7ca782ea80df21008fb0dc4c3a98b23c73

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-bh.js.gz: angular-locale_ar-bh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-bh.js.gz/angular-locale_ar-bh.js
 - MD5: 7fb2e9c5fcba4bf3c16859fe06a07279
 - SHA1: 9a393493518a3e20b7c5f7885861f5c353458fb2
 - SHA256: 8b003126d11760e3db6c705150b6ad7ca782ea80df21008fb0dc4c3a98b23c73

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-dj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-dj.js

MD5: 0fc9f3adb3302b4c918725a47414cc72

SHA1: 7fa0a5925e912761965c246a7567b6cefca1225a

SHA256: fe28727ae49bfdec5aa0aa776961c5ac8a33c324e3f871eb16925430b6e83aa6

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ar-dj.js.gz: angular-locale_ar-dj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-dj.js.gz/angular-locale_ar-dj.js
 - MD5: 0fc9f3adb3302b4c918725a47414cc72
 - SHA1: 7fa0a5925e912761965c246a7567b6cefca1225a
 - SHA256: fe28727ae49bfdec5aa0aa776961c5ac8a33c324e3f871eb16925430b6e83aa6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-dz.js

MD5: a1ed460c0ba661f68bde739fa227e361

SHA1: a7fdc70cbb970fa1a91ca1487c4dfe5c9c668e2b

SHA256: 9ea8439fc0bef93fbe701316724cf04372aa0ad194e174e97494dfc6c5b1f6e

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ar-dz.js.gz: angular-locale_ar-dz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-dz.js.gz/angular-locale_ar-dz.js
 - MD5: a1ed460c0ba661f68bde739fa227e361
 - SHA1: a7fdc70cbb970fa1a91ca1487c4dfe5c9c668e2b
 - SHA256: 9ea8439fc0bef93fbe701316724cf04372aa0ad194e174e97494dff6c6c5b1f6e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-eg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-eg.js

MD5: 6433e9955ca934c59944856637b31af9

SHA1: 5afbb33da36c1f7e0c2f0661d5bae2ceb40ea7a2

SHA256: bf35a092f5230e66ceeab87e749cd8dcc9cfc7f3fc0de875831fd79552abed38

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-eg.js.gz: angular-locale_ar-eg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-eg.js.gz/angular-locale_ar-eg.js
 - MD5: 6433e9955ca934c59944856637b31af9
 - SHA1: 5afbb33da36c1f7e0c2f0661d5bae2ceb40ea7a2
 - SHA256: bf35a092f5230e66ceeab87e749cd8dcc9cfc7f3fc0de875831fd79552abed38

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-eh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-eh.js
MD5: 2f90e268df390dcce5a41f3b16ad0701
SHA1: eecde1d1abf6079bffb88022c03d73d3474ff0e
SHA256: 0673a24fc070d5c67e96acf0a7ba68439386f569877afe6257803eb6cc042ed
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-eh.js.gz: angular-locale_ar-eh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-eh.js.gz/angular-locale_ar-eh.js
 - MD5: 2f90e268df390dcce5a41f3b16ad0701
 - SHA1: eecde1d1abf6079bffb88022c03d73d3474ff0e
 - SHA256: 0673a24fc070d5c67e96acf0a7ba68439386f569877afe6257803eb6cc042ed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-er.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-er.js
MD5: cbff772d7fe9498f67fe137b235e8c74
SHA1: 15ca0cd819daf693075f6ab2e296f2481a7197cc
SHA256: fcbdbe1077ceb85e2407b96059068ddca8423b45f0e935ad7453332373fe7375
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-er.js.gz: angular-locale_ar-er.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-er.js.gz/angular-locale_ar-er.js
- MD5: cbff772d7fe9498f67fe137b235e8c74
- SHA1: 15ca0cd819daf693075f6ab2e296f2481a7197cc
- SHA256: fcbdbe1077ceb85e2407b96059068ddca8423b45f0e935ad7453332373fe7375

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-il.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-il.js

MD5: 3eb692ab09bd5526692e9714718a5547

SHA1: f4c81d41485d76d138c61c1e1573572ec71eadc6

SHA256: 1549fae295e1b8396175b9f7753667781d6f610de2e05389fa97b5d7febfbdc6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-il.js.gz: angular-locale_ar-il.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-il.js.gz/angular-locale_ar-il.js
 - MD5: 3eb692ab09bd5526692e9714718a5547
 - SHA1: f4c81d41485d76d138c61c1e1573572ec71eadc6
 - SHA256: 1549fae295e1b8396175b9f7753667781d6f610de2e05389fa97b5d7febfbdc6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-iq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-iq.js
MD5: e058741d2f99d25d13405abca1dbc57f
SHA1: 7761bcf03e01400af3eca8d070c44b21ff928433
SHA256:989a3c43f3c6620283def1e4c124ae7975d7ce696f5b7b5b580d256be4bc622f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-iq.js.gz: angular-locale_ar-iq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-iq.js.gz/angular-locale_ar-iq.js
 - MD5: e058741d2f99d25d13405abca1dbc57f
 - SHA1: 7761bcf03e01400af3eca8d070c44b21ff928433
 - SHA256: 989a3c43f3c6620283def1e4c124ae7975d7ce696f5b7b5b580d256be4bc622f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-jo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-jo.js
MD5: bfc03b729f665790b67476e7da137d5e
SHA1: 357675fba07819b5b634bb548e19fba27ec7af79
SHA256:eb6ae99dbdbec23c9aa3d3ef09f03dab0902dd0c40215511cd09fc8e96fb41af
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-jo.js.gz: angular-locale_ar-jo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-jo.js.gz/angular-locale_ar-jo.js

- MD5: bfc03b729f665790b67476e7da137d5e
- SHA1: 357675fba07819b5b634bb548e19fba27ec7af79
- SHA256: eb6ae99dbdbec23c9aa3d3ef09f03dab0902dd0c40215511cd09fc8e96fb41af

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-km.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-km.js

MD5: faba8d8309e9a8f028492ecfc560c4c4

SHA1: b51600c6498cb5bb5e2d94a72f79c762736e8790

SHA256: 18b3196a3d6e43907130cdcf9e265f08c00914a86b53020453d219c669e8a9b1

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ar-km.js.gz: angular-locale_ar-km.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-km.js.gz/angular-locale_ar-km.js
 - MD5: faba8d8309e9a8f028492ecfc560c4c4
 - SHA1: b51600c6498cb5bb5e2d94a72f79c762736e8790
 - SHA256: 18b3196a3d6e43907130cdcf9e265f08c00914a86b53020453d219c669e8a9b1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-kw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF

/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-kw.js

MD5: 73d1a8135ab8c4ee851d7636f28fe182

SHA1: 2a9856099c43a0f4e3829c354fa721c5929a5011

SHA256: 885bc4eda91994df0a5e1ed1d4d6a3a5b4567924e47639ca006b4efeaeab8f17

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-kw.js.gz: angular-locale_ar-kw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-kw.js.gz/angular-locale_ar-kw.js
 - MD5: 73d1a8135ab8c4ee851d7636f28fe182
 - SHA1: 2a9856099c43a0f4e3829c354fa721c5929a5011
 - SHA256: 885bc4eda91994df0a5e1ed1d4d6a3a5b4567924e47639ca006b4efeaeab8f17

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-lb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-lb.js

MD5: 2b1234929eb125afb0b1ec0a9cefa2b2

SHA1: 94bc6861f15e9f8932999c3583cd5c1afd7e7d50

SHA256: 594ced3fb5205b9db5d11b015ba8d7c4cf362feb6bcd80e5ee4f6ff32cc81a73

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-lb.js.gz: angular-locale_ar-lb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-lb.js.gz/angular-locale_ar-lb.js

- MD5: 2b1234929eb125afb0b1ec0a9cefa2b2
- SHA1: 94bc6861f15e9f8932999c3583cd5c1afd7e7d50
- SHA256: 594ced3fb5205b9db5d11b015ba8d7c4cf362feb6bcd80e5ee4f6ff32cc81a73

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-ly.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ly.js

MD5: 0931c4ca3ab1118ab28c14ffeb3b5008

SHA1: 09a7404540656d420ee392b29b93590582510052

SHA256: 3d643d07b64818679765287bae159098c6a789e7e8fe74c76f72807c692e97ac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-ly.js.gz: angular-locale_ar-ly.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ly.js.gz/angular-locale_ar-ly.js
 - MD5: 0931c4ca3ab1118ab28c14ffeb3b5008
 - SHA1: 09a7404540656d420ee392b29b93590582510052
 - SHA256: 3d643d07b64818679765287bae159098c6a789e7e8fe74c76f72807c692e97ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ma.js

MD5: 6de8d2bc9e8cb2c03cf709979ff361f1

SHA1: 6243975b444e5e111d5c79de8e4e54d4c0e80e82

SHA256:4e66785c710d29deef082b2e69ec61d2005f92757cf88c56e17dbdc74ea41cb4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-ma.js.gz: angular-locale_ar-ma.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ma.js.gz/angular-locale_ar-ma.js
 - MD5: 6de8d2bc9e8cb2c03cf709979ff361f1
 - SHA1: 6243975b444e5e111d5c79de8e4e54d4c0e80e82
 - SHA256: 4e66785c710d29deef082b2e69ec61d2005f92757cf88c56e17dbdc74ea41cb4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-mr.js

MD5: 5ae49578edaee62af9402fcaed8d3c2a

SHA1: 11ba09b7d210c7e937892ce45e934b554466d85f

SHA256:fdc7966e51eb27c787422626c4be07082fbc4def8fa60a0b671c2d78a52d5b4b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-mr.js.gz: angular-locale_ar-mr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-mr.js.gz/angular-locale_ar-mr.js
 - MD5: 5ae49578edaee62af9402fcaed8d3c2a
 - SHA1: 11ba09b7d210c7e937892ce45e934b554466d85f

- SHA256: fdc7966e51eb27c787422626c4be07082fbc4def8fa60a0b671c2d78a52d5b4b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-om.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-om.js

MD5: af5a8d90a382ad497ce6b848a4373c72

SHA1: 811461bc44009e65df9628d69d970333b00af50e

SHA256: 88c21c507f6f4b5e7e353e7af90753d029c5785d5cb8f9602c4304fd32e81063

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ar-om.js.gz: angular-locale_ar-om.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-om.js.gz/angular-locale_ar-om.js
 - MD5: af5a8d90a382ad497ce6b848a4373c72
 - SHA1: 811461bc44009e65df9628d69d970333b00af50e
 - SHA256: 88c21c507f6f4b5e7e353e7af90753d029c5785d5cb8f9602c4304fd32e81063

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-ps.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ps.js

MD5: 13a3e4f9b3ecfa4a24be63c4d59b92d5

SHA1: 5d206b45d66453e5bd9de197bde3f871129ac6b5

SHA256: b5c26ff20e472410d6ba5f80ff294cb29a08325ac98dfcd4bf289e4963a00f85

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-ps.js.gz: angular-locale_ar-ps.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ps.js.gz/angular-locale_ar-ps.js
 - MD5: 13a3e4f9b3ecfa4a24be63c4d59b92d5
 - SHA1: 5d206b45d66453e5bd9de197bde3f871129ac6b5
 - SHA256: b5c26ff20e472410d6ba5f80ff294cb29a08325ac98dfcd4bf289e4963a00f85

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-qa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-qa.js

MD5: 3e9b1d3f0f01180ae002f519f97514dc

SHA1: ec31bdad99a6edb72766ae84536ccf8e82f7d979

SHA256: 51313aa5bb59901d5790177305cba11cdab89a090a126f9a4499d3ad4be7a268

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-qa.js.gz: angular-locale_ar-qa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-qa.js.gz/angular-locale_ar-qa.js
 - MD5: 3e9b1d3f0f01180ae002f519f97514dc
 - SHA1: ec31bdad99a6edb72766ae84536ccf8e82f7d979

- SHA256: 51313aa5bb59901d5790177305cba11cdab89a090a126f9a4499d3ad4be7a268

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-sa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-sa.js

MD5: 8e7dd550a048343c258e5c8712d15196

SHA1: e3d5949147b79b6c7bb94d16a3340ded7dd4a171

SHA256: 89b263aa40db7c27331e96e8da856f6b05661def337d4b5c600fdd9f9e6dc77c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-sa.js.gz: angular-locale_ar-sa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-sa.js.gz/angular-locale_ar-sa.js
 - MD5: 8e7dd550a048343c258e5c8712d15196
 - SHA1: e3d5949147b79b6c7bb94d16a3340ded7dd4a171
 - SHA256: 89b263aa40db7c27331e96e8da856f6b05661def337d4b5c600fdd9f9e6dc77c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-sd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-sd.js

MD5: 2fefbd969a63f3f870c6dc6192c64d0f

SHA1: 5db4a5a0a32f8d1f86bfafbf9053d3d06e02f763

SHA256:0cd480006319bb680a6ad0d9f74c0e6320110453883150606791e2e989b8c56d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-sd.js.gz: angular-locale_ar-sd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-sd.js.gz/angular-locale_ar-sd.js
 - MD5: 2fefbd969a63f3f870c6dc6192c64d0f
 - SHA1: 5db4a5a0a32f8d1f86bfafbf9053d3d06e02f763
 - SHA256: 0cd480006319bb680a6ad0d9f74c0e6320110453883150606791e2e989b8c56d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-so.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-so.js

MD5: c81ca618e37b69b236589df4cf9ef096

SHA1: a81d6cefde5129bec6900cff8e959d81245256f4

SHA256:930d5e77ebf018dc087db8232679ccf34dc89e7b92a198eab663dae7e21992bf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-so.js.gz: angular-locale_ar-so.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-so.js.gz/angular-locale_ar-so.js
 - MD5: c81ca618e37b69b236589df4cf9ef096
 - SHA1: a81d6cefde5129bec6900cff8e959d81245256f4

- SHA256: 930d5e77ebf018dc087db8232679ccf34dc89e7b92a198eab663dae7e21992bf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-ss.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ss.js

MD5: 0c0dc493218797aae0a72434e354fd6d

SHA1: 57b673bb7922f01cb133dec068a3c54972d3cf4b

SHA256: 88ecddfce0e0a0b59c19256d6882d5254987feec2f0e62ad9a3ec79c2fc0ed1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-ss.js.gz: angular-locale_ar-ss.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ss.js.gz/angular-locale_ar-ss.js
 - MD5: 0c0dc493218797aae0a72434e354fd6d
 - SHA1: 57b673bb7922f01cb133dec068a3c54972d3cf4b
 - SHA256: 88ecddfce0e0a0b59c19256d6882d5254987feec2f0e62ad9a3ec79c2fc0ed1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-sy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-sy.js

MD5: 0a1fae6dace19b1e5cb3f7dc58cbb7a4

SHA1: 8d99b8114a204a425a6d7a396083ddf905478d7f

SHA256:43285ccaa61b7a1c0747a8de45f1f9da284646ea6a443afb8aeea672c0a9007f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-sy.js.gz: angular-locale_ar-sy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-sy.js.gz/angular-locale_ar-sy.js
 - MD5: 0a1fae6dace19b1e5cb3f7dc58cbb7a4
 - SHA1: 8d99b8114a204a425a6d7a396083ddf905478d7f
 - SHA256: 43285ccaa61b7a1c0747a8de45f1f9da284646ea6a443afb8aeea672c0a9007f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-td.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-td.js

MD5: 854a3eb46349b557a2df1f79c518c108

SHA1: c984b1bef2cf12e20c82cd450e8b6032587e327f

SHA256:fa44b4d6ff7a154622aa7a1633d671830f4635cb71c8b58ac3d83e6ed1c2575

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-td.js.gz: angular-locale_ar-td.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-td.js.gz/angular-locale_ar-td.js
 - MD5: 854a3eb46349b557a2df1f79c518c108
 - SHA1: c984b1bef2cf12e20c82cd450e8b6032587e327f

- SHA256: fa44b4d6ffd7a154622aa7a1633d671830f4635cb71c8b58ac3d83e6ed1c2575

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-tn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-tn.js

MD5: 59dcdefe240103b4d25544844f02dbf0

SHA1: a01d539cc3b21e0fca2f017ea3e7baa820e1c527

SHA256: 3d8f713b5b1d9e5b8675ba08e9d4914591bfd4280bd02621fc2c623721492bf9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-tn.js.gz: angular-locale_ar-tn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-tn.js.gz/angular-locale_ar-tn.js
 - MD5: 59dcdefe240103b4d25544844f02dbf0
 - SHA1: a01d539cc3b21e0fca2f017ea3e7baa820e1c527
 - SHA256: 3d8f713b5b1d9e5b8675ba08e9d4914591bfd4280bd02621fc2c623721492bf9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-xb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-xb.js

MD5: 86739d6bdfada1499ca836e288f3ddba

SHA1: ad6ca156da627ce06108e0b25f4084dacfd54bcb

SHA256:70adacb43bd2bfe1fb8e2f362b9dac1a4cfa06044cd04a5c67c686628fa34acf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-xb.js.gz: angular-locale_ar-xb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-xb.js.gz/angular-locale_ar-xb.js
 - MD5: 86739d6bdfada1499ca836e288f3ddba
 - SHA1: ad6ca156da627ce06108e0b25f4084dacfd54bcb
 - SHA256: 70adacb43bd2bfe1fb8e2f362b9dac1a4cfa06044cd04a5c67c686628fa34acf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar-ye.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ye.js

MD5: 8b8fa9f682ef867c46e47454fb6d90bd

SHA1: ba488a10d5169d023a7c07ed09426e179afa4d3b

SHA256:54c61e6aba53b023bc4ea687ecee40eeafe3dadbed330ae2d5ba9cacd4c4190d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar-ye.js.gz: angular-locale_ar-ye.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar-ye.js.gz/angular-locale_ar-ye.js
 - MD5: 8b8fa9f682ef867c46e47454fb6d90bd
 - SHA1: ba488a10d5169d023a7c07ed09426e179afa4d3b

- SHA256: 54c61e6aba53b023bc4ea687ecee40eeafe3dadbed330ae2d5ba9cacd4c4190d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar.js

MD5: f2993ed7186539d478ff834622aa6cff

SHA1: 8f9ebf565fa09cec566515e2ffeb5ebc87d19432

SHA256: 5a30463756c3d93ab92209d0f7a0591f6fbb68a471515f41312f6ad0302178fb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ar.js.gz: angular-locale_ar.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ar.js.gz/angular-locale_ar.js
 - MD5: f2993ed7186539d478ff834622aa6cff
 - SHA1: 8f9ebf565fa09cec566515e2ffeb5ebc87d19432
 - SHA256: 5a30463756c3d93ab92209d0f7a0591f6fbb68a471515f41312f6ad0302178fb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_as-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_as-in.js

MD5: fc45fded7c651b7692c5dad396313bc3

SHA1: c62b58f33a276520995df8c6977514a7593cc730

SHA256: a83b62e065d763c8c01df715b28b63f60342675dbb20c8be49632848dd1475cf

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_as-in.js.gz: angular-locale_as-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_as-in.js.gz/angular-locale_as-in.js
 - MD5: fc45fded7c651b7692c5dad396313bc3
 - SHA1: c62b58f33a276520995df8c6977514a7593cc730
 - SHA256: a83b62e065d763c8c01df715b28b63f60342675dbb20c8be49632848dd1475cf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_as.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_as.js

MD5: f70fbff3c64cd273b1d1534503ac1631

SHA1: 4891bdd6ab3ae9fe1bfd97ef0e1193ed50654350

SHA256: 2aef8d2b35ae040f000516372d1714131942ab320fe33f61534ca7c71919f2e3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_as.js.gz: angular-locale_as.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_as.js.gz/angular-locale_as.js
 - MD5: f70fbff3c64cd273b1d1534503ac1631
 - SHA1: 4891bdd6ab3ae9fe1bfd97ef0e1193ed50654350

- SHA256: 2aef8d2b35ae040f000516372d1714131942ab320fe33f61534ca7c71919f2e3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_asa-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_asa-tz.js

MD5: e6c49deb68b149efa9889e7f99dd26c1

SHA1: 621406db25fbd7bd4dc01832fe3684d3bc471e44

SHA256: 6e41afdb68259152613fb7801451f24df86496520d9a8675265bb39e678221fe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_asa-tz.js.gz: angular-locale_asa-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_asa-tz.js.gz/angular-locale_asa-tz.js
 - MD5: e6c49deb68b149efa9889e7f99dd26c1
 - SHA1: 621406db25fbd7bd4dc01832fe3684d3bc471e44
 - SHA256: 6e41afdb68259152613fb7801451f24df86496520d9a8675265bb39e678221fe

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_asa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_asa.js

MD5: c6fae667fa0d0eaf3a0da323f16e1bc7

SHA1: f786a6eafe2aa42646a7104931bfe395840b595a

SHA256: 5dc7f53492374489d99c6d55c058498464d4a61ed572daf2db2f2ec801aeb304

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_asa.js.gz: angular-locale_asa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_asa.js.gz/angular-locale_asa.js
 - MD5: c6fae667fa0d0eaf3a0da323f16e1bc7
 - SHA1: f786a6eafe2aa42646a7104931bfe395840b595a
 - SHA256: 5dc7f53492374489d99c6d55c058498464d4a61ed572daf2db2f2ec801aeb304

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ast-es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ast-es.js

MD5: 59895bd2088e503a8af5eb0a762bdc4f

SHA1: 1e09ed3d769f2f124895ee874c2ddf309a8cebaa

SHA256: 13a042d4c5af207c49aaf5d00979fb3420b1fea5fcfedd8b9de2aab78ca7da0d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ast-es.js.gz: angular-locale_ast-es.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ast-es.js.gz/angular-locale_ast-es.js
 - MD5: 59895bd2088e503a8af5eb0a762bdc4f
 - SHA1: 1e09ed3d769f2f124895ee874c2ddf309a8cebaa

- SHA256: 13a042d4c5af207c49aaf5d00979fb3420b1fea5fcfedd8b9de2aab78ca7da0d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ast.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ast.js

MD5: 3a04f057b80259ecf79d1bd6b61f04a7

SHA1: 69c7de4806986b9f5d79c7af2c77c903ed004d06

SHA256:3945960919ad5e68c146bed3356ad4cd5a942c3dda6085bcd4cb89d3c509cdb0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ast.js.gz: angular-locale_ast.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ast.js.gz/angular-locale_ast.js
 - MD5: 3a04f057b80259ecf79d1bd6b61f04a7
 - SHA1: 69c7de4806986b9f5d79c7af2c77c903ed004d06
 - SHA256: 3945960919ad5e68c146bed3356ad4cd5a942c3dda6085bcd4cb89d3c509cdb0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_az-cyrl-az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-cyrl-az.js

MD5: 02d3f1f1ef4080dfcc9ee5074dac8bd6

SHA1: 17c9d4076006a1c60915196774619aa81c1963f8

SHA256:45e4227e31f3adc2aabcb940957b3cdcd7ea2a4078f0b780590b23de5866e3e7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_az-cyrl-az.js.gz: angular-locale_az-cyrl-az.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-cyrl-az.js.gz/angular-locale_az-cyrl-az.js
 - MD5: 02d3f1f1ef4080dfcc9ee5074dac8bd6
 - SHA1: 17c9d4076006a1c60915196774619aa81c1963f8
 - SHA256: 45e4227e31f3adc2aabcb940957b3cdcd7ea2a4078f0b780590b23de5866e3e7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_az-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-cyrl.js

MD5: 91bb398407cc7a5db7fd7368488679e4

SHA1: bed7b4f91ec8c20af8ecd3209e7b4ab5b743285c

SHA256:004cf604627698d42b914cefe7d6f7f9df3f670b79431d185242d360a245a21f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_az-cyrl.js.gz: angular-locale_az-cyrl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-cyrl.js.gz/angular-locale_az-cyrl.js
 - MD5: 91bb398407cc7a5db7fd7368488679e4
 - SHA1: bed7b4f91ec8c20af8ecd3209e7b4ab5b743285c

- SHA256: 004cf604627698d42b914cefe7d6f7f9df3f670b79431d185242d360a245a21f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_az-latn-az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-latn-az.js

MD5: 381466c2c072d26f17c42dc31114ffea

SHA1: fa8dfb03fe4946a6385ad69d87d3c97b6dc4e8fe

SHA256: 46b9565122b2908ae3558edd11f9a9a0d53438f6f577891c59a262b185dda396

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_az-latn-az.js.gz: angular-locale_az-latn-az.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-latn-az.js.gz/angular-locale_az-latn-az.js
 - MD5: 381466c2c072d26f17c42dc31114ffea
 - SHA1: fa8dfb03fe4946a6385ad69d87d3c97b6dc4e8fe
 - SHA256: 46b9565122b2908ae3558edd11f9a9a0d53438f6f577891c59a262b185dda396

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_az-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-latn.js

MD5: 20914d014acf6d0418ddee2f6f0a6358

SHA1: 84dc48cd9eca5e7ac77f994cb283b23471f23fcd
SHA256:575d67d6eae9d0ba2ed119b9007a6750f5350c054e4807d194875adef6ebe114
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_az-latn.js.gz: angular-locale_az-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az-latn.js.gz/angular-locale_az-latn.js
 - MD5: 20914d014acf6d0418ddee2f6f0a6358
 - SHA1: 84dc48cd9eca5e7ac77f994cb283b23471f23fcd
 - SHA256: 575d67d6eae9d0ba2ed119b9007a6750f5350c054e4807d194875adef6ebe114

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az.js
MD5: 343a8749fe92e25dc9afae581ff906f4
SHA1: 83972c4330c6d26bacf0c21994967abfc2b6dbf6
SHA256:3a86b8309ac6f49dd7070385a846e860e73fc113652b9a79d5a32e25afabf09d
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_az.js.gz: angular-locale_az.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_az.js.gz/angular-locale_az.js
 - MD5: 343a8749fe92e25dc9afae581ff906f4
 - SHA1: 83972c4330c6d26bacf0c21994967abfc2b6dbf6

- SHA256: 3a86b8309ac6f49dd7070385a846e860e73fc113652b9a79d5a32e25afabf09d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bas-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bas-cm.js

MD5: 3b245ce7fb197e62c3b781a0cfab7dfd

SHA1: 1f474d244f1e10148c7030c2fa2143f0e3b4a8f7

SHA256: 84f8f2c21118bf97655137cf10f40924ca2a4af79e081b59329ce44710c93395

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_bas-cm.js.gz: angular-locale_bas-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bas-cm.js.gz/angular-locale_bas-cm.js
 - MD5: 3b245ce7fb197e62c3b781a0cfab7dfd
 - SHA1: 1f474d244f1e10148c7030c2fa2143f0e3b4a8f7
 - SHA256: 84f8f2c21118bf97655137cf10f40924ca2a4af79e081b59329ce44710c93395

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bas.js

MD5: e58176a37160826fae18fed0227e93c1

SHA1: 31d9f0fa83bf4d08eea5cd9e797f9e8c47162f8c

SHA256: 78a0f5a1b9d2391806e5484d682d19d1ceaa8c6c00ab97cdd96343057cc0be08

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bas.js.gz: angular-locale_bas.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bas.js.gz/angular-locale_bas.js
 - MD5: e58176a37160826fae18fed0227e93c1
 - SHA1: 31d9f0fa83bf4d08eea5cd9e797f9e8c47162f8c
 - SHA256: 78a0f5a1b9d2391806e5484d682d19d1ceaa8c6c00ab97cdd96343057cc0be08

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_be-by.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_be-by.js

MD5: d381bf048418c9c1466ff669c1cafa48

SHA1: 45e81ac2d3bf8b4b65b817b2ef0066f4e28c6bb1

SHA256: 7993b8e30b08e7a52b3ec32756ea65e59602ae7ee5e65e1e3fbb8158a2f7bcc2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_be-by.js.gz: angular-locale_be-by.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_be-by.js.gz/angular-locale_be-by.js
 - MD5: d381bf048418c9c1466ff669c1cafa48
 - SHA1: 45e81ac2d3bf8b4b65b817b2ef0066f4e28c6bb1

- SHA256: 7993b8e30b08e7a52b3ec32756ea65e59602ae7ee5e65e1e3fbb8158a2f7bcc2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_be.js

MD5: 04263f428ca27f72043ef6c014f5c106

SHA1: a05ec6d9e001e2c3e8282e50d6f37fa7b2b41db4

SHA256: bb3f7d411cc133f5e6e70b7062ef24c4772bf48a2f341921608bd1b4da7d7a01

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_be.js.gz: angular-locale_be.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_be.js.gz/angular-locale_be.js
 - MD5: 04263f428ca27f72043ef6c014f5c106
 - SHA1: a05ec6d9e001e2c3e8282e50d6f37fa7b2b41db4
 - SHA256: bb3f7d411cc133f5e6e70b7062ef24c4772bf48a2f341921608bd1b4da7d7a01

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bem-zm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bem-zm.js

MD5: 2a1a87cbac1a5bffc8c4f23b1087dbe

SHA1: 1529bc099efb207e24e93f836d8fa485dbb38464

SHA256: d55c7255c450083ff2b73309fbff1ad39228539137306196cb4a31c8c956f8c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bem-zm.js.gz: angular-locale_bem-zm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bem-zm.js.gz/angular-locale_bem-zm.js
 - MD5: 2a1a87cbac1a5bffc8c4f23b1087dbe
 - SHA1: 1529bc099efb207e24e93f836d8fa485dbb38464
 - SHA256: d55c7255c450083ff2b73309fbff1ad39228539137306196cb4a31c8c956f8c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bem.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bem.js

MD5: 1e8ee8c1d9417edbf84bd0e3169d271

SHA1: 5efbe349de5ecd32a27380b3705a1e1ba6ecfe2c

SHA256: ab1d8c7d44f429862dc9d112a79249bf60ec4da32fa2aad512ad522971492cca

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bem.js.gz: angular-locale_bem.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bem.js.gz/angular-locale_bem.js
 - MD5: 1e8ee8c1d9417edbf84bd0e3169d271
 - SHA1: 5efbe349de5ecd32a27380b3705a1e1ba6ecfe2c

- SHA256: ab1d8c7d44f429862dc9d112a79249bf60ec4da32fa2aad512ad522971492cca

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bez-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bez-tz.js

MD5: ec4b08644de04ca8b844b0b697ca1e31

SHA1: 7b8a812d4b6f036490b56a49e69f5eed4ea11d4a

SHA256: 697c2f9518027d81af3f4354238061b2b004eb7a493fdc35432a875a1109c4e1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bez-tz.js.gz: angular-locale_bez-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bez-tz.js.gz/angular-locale_bez-tz.js
 - MD5: ec4b08644de04ca8b844b0b697ca1e31
 - SHA1: 7b8a812d4b6f036490b56a49e69f5eed4ea11d4a
 - SHA256: 697c2f9518027d81af3f4354238061b2b004eb7a493fdc35432a875a1109c4e1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bez.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bez.js

MD5: 3f23df842a4ebc349057e9e1baf6680b

SHA1: 00b21bb49a5d13aec30563a2525724b9429ec54c

SHA256:9efb1d294aab87b701f4d436bafd153b65ce7f6a05a47023139fb84afd50249a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bez.js.gz: angular-locale_bez.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bez.js.gz/angular-locale_bez.js
 - MD5: 3f23df842a4ebc349057e9e1baf6680b
 - SHA1: 00b21bb49a5d13aec30563a2525724b9429ec54c
 - SHA256: 9efb1d294aab87b701f4d436bafd153b65ce7f6a05a47023139fb84afd50249a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bg-bg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bg-bg.js

MD5: af6313711feaa559c107ad09dc87199b

SHA1: 2358cc98e36fb08991767830f80369a0ad252f95

SHA256:9c9c072a13c529b2a03f3b9b5ff730acefb4445e98cc8dcb7a7d45fb9bae273

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bg-bg.js.gz: angular-locale_bg-bg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bg-bg.js.gz/angular-locale_bg-bg.js
 - MD5: af6313711feaa559c107ad09dc87199b
 - SHA1: 2358cc98e36fb08991767830f80369a0ad252f95

- SHA256: 9c9c072a13c529b2a03f3b9b5ff730acefb4445e98cc8dcb7a7d45fbf9bae273

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bg.js

MD5: 959af4a8a722823dac20a9bd2c3789dc

SHA1: 13d906bc69b8f4cbc6cb616a3a747ebfc48d3f

SHA256: 6706f3762596862e5afc1111a11c8bae48f071e6879e4e6790857e75ea54c392

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_bg.js.gz: angular-locale_bg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bg.js.gz/angular-locale_bg.js
 - MD5: 959af4a8a722823dac20a9bd2c3789dc
 - SHA1: 13d906bc69b8f4cbc6cb616a3a747ebfc48d3f
 - SHA256: 6706f3762596862e5afc1111a11c8bae48f071e6879e4e6790857e75ea54c392

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bm-ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bm-ml.js

MD5: c64b5424c66d2e73d56c53719b9328e9

SHA1: 76d4221335b17c6f74c501afaca72758517c83f9
SHA256:3588852ac7a552de9dba236370174ff8eea54f7bb7d593ecdc9bd2165907b3ce
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bm-ml.js.gz: angular-locale_bm-ml.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bm-ml.js.gz/angular-locale_bm-ml.js
 - MD5: c64b5424c66d2e73d56c53719b9328e9
 - SHA1: 76d4221335b17c6f74c501afaca72758517c83f9
 - SHA256: 3588852ac7a552de9dba236370174ff8eea54f7bb7d593ecdc9bd2165907b3ce

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bm.js
MD5: 60018f7d94615eab24b4e956db921a61
SHA1: a9c3915d0d9106604577bed79ec06ac10c0b32d8
SHA256:40c30ceb89ed49da05ce247e1f9aed6b316da06ee2642b041af6a70a1faf6786
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bm.js.gz: angular-locale_bm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bm.js.gz/angular-locale_bm.js
 - MD5: 60018f7d94615eab24b4e956db921a61
 - SHA1: a9c3915d0d9106604577bed79ec06ac10c0b32d8

- SHA256: 40c30ceb89ed49da05ce247e1f9aed6b316da06ee2642b041af6a70a1faf6786

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bn-bd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bn-bd.js

MD5: b2bae464f798cf977dc94b923cfb1a21

SHA1: 3aeb8c043403832f656f94d5485334119af9c741

SHA256: 1b039bc9c8e67e129adcf5397ec74dd0b8a05f0701fb1beec70d517183ab8bff

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_bn-bd.js.gz: angular-locale_bn-bd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bn-bd.js.gz/angular-locale_bn-bd.js
 - MD5: b2bae464f798cf977dc94b923cfb1a21
 - SHA1: 3aeb8c043403832f656f94d5485334119af9c741
 - SHA256: 1b039bc9c8e67e129adcf5397ec74dd0b8a05f0701fb1beec70d517183ab8bff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bn-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bn-in.js

MD5: 02843a8118550a1a4168981a805e169f

SHA1: 31039478337ad4f94f487044a07f7f4c6ac09837

SHA256: 7fd82818c050ea78e7acda25b72fbc62831aeca7de7d7589c59f0319a8449cd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bn-in.js.gz: angular-locale_bn-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bn-in.js.gz/angular-locale_bn-in.js
 - MD5: 02843a8118550a1a4168981a805e169f
 - SHA1: 31039478337ad4f94f487044a07f7f4c6ac09837
 - SHA256: 7fd82818c050ea78e7acda25b72fbc62831aeca7de7d7589c59f0319a8449cd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bn.js

MD5: 644184e0ceb79f64227603d6c493010f

SHA1: e926423c95065658b4cf662fdedf716497701f1e

SHA256: d76177c913d194bb5a798bbc1812dfb2a5118dc27708c66fa9601eb139abcda3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bn.js.gz: angular-locale_bn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bn.js.gz/angular-locale_bn.js
 - MD5: 644184e0ceb79f64227603d6c493010f
 - SHA1: e926423c95065658b4cf662fdedf716497701f1e

- SHA256: d76177c913d194bb5a798bbc1812dfb2a5118dc27708c66fa9601eb139abcda3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bo-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bo-cn.js

MD5: 426d1bbb6c3ce9078408de377aa9e69d

SHA1: abd19d91cb681c762ef26bb9360a1a2c36be8905

SHA256: 708a47aeda40485cca5e44d9ac80a0e531115df3fcb2afddc11845047cf1dac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bo-cn.js.gz: angular-locale_bo-cn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bo-cn.js.gz/angular-locale_bo-cn.js
 - MD5: 426d1bbb6c3ce9078408de377aa9e69d
 - SHA1: abd19d91cb681c762ef26bb9360a1a2c36be8905
 - SHA256: 708a47aeda40485cca5e44d9ac80a0e531115df3fcb2afddc11845047cf1dac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bo-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bo-in.js

MD5: e875b94baac4348ca0fb14c595a9fa0d

SHA1: c58266c38650b5e58d94d660d1ebd6695f032054

SHA256: 01d30316434cd7167dabb510c20e456f5c6cce72e70e37fbc7cc442521ecad52

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bo-in.js.gz: angular-locale_bo-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bo-in.js.gz/angular-locale_bo-in.js
 - MD5: e875b94baac4348ca0fb14c595a9fa0d
 - SHA1: c58266c38650b5e58d94d660d1ebd6695f032054
 - SHA256: 01d30316434cd7167dabb510c20e456f5c6cce72e70e37fbc7cc442521ecad52

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bo.js

MD5: 69cbda6e3acdb721f79215ca561f8870

SHA1: c86f96a632c7646592f5f74b46e417bfec9bcbfe

SHA256: 3e2d3d4384d4756084465eef825d5fb3a1ea893ddf8820e6d3a220e6a89048f9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bo.js.gz: angular-locale_bo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bo.js.gz/angular-locale_bo.js
 - MD5: 69cbda6e3acdb721f79215ca561f8870
 - SHA1: c86f96a632c7646592f5f74b46e417bfec9bcbfe

- SHA256: 3e2d3d4384d4756084465eef825d5fb3a1ea893ddf8820e6d3a220e6a89048f9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_br-fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_br-fr.js

MD5: a6ca31e2cc4ff3c72da321e90294171b

SHA1: f0f6b2906e194c0aa5c98cd2dd59bde75976eb4d

SHA256: db400c6231f18147e430887cbfaba3ce0ee2b9aea11cdbde5fa7cae41f67750f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_br-fr.js.gz: angular-locale_br-fr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_br-fr.js.gz/angular-locale_br-fr.js
 - MD5: a6ca31e2cc4ff3c72da321e90294171b
 - SHA1: f0f6b2906e194c0aa5c98cd2dd59bde75976eb4d
 - SHA256: db400c6231f18147e430887cbfaba3ce0ee2b9aea11cdbde5fa7cae41f67750f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_br.js

MD5: 860f33c2f49e76b7ca212ac427151a06

SHA1: 8411a50a3b9c6d7a1a67de7305d530d81aa365ae

SHA256:7be026073c751d9046f769d0a2afc12e9de18c1a77de45a738d20f0a84d5c3a4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_br.js.gz: angular-locale_br.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_br.js.gz/angular-locale_br.js
 - MD5: 860f33c2f49e76b7ca212ac427151a06
 - SHA1: 8411a50a3b9c6d7a1a67de7305d530d81aa365ae
 - SHA256: 7be026073c751d9046f769d0a2afc12e9de18c1a77de45a738d20f0a84d5c3a4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_brx-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_brx-in.js

MD5: a91a65d5171e90fa0c5a73b8fdbbc06d

SHA1: 9d7675e4a71cfaf9aa9861b5f4b99af9a3202675

SHA256:e088ed646497f87adf7ce787e0903ff9a5dd75b1da90c0d09fbc6e7d8a771bdb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_brx-in.js.gz: angular-locale_brx-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_brx-in.js.gz/angular-locale_brx-in.js
 - MD5: a91a65d5171e90fa0c5a73b8fdbbc06d
 - SHA1: 9d7675e4a71cfaf9aa9861b5f4b99af9a3202675

- SHA256: e088ed646497f87adf7ce787e0903ff9a5dd75b1da90c0d09fbc6e7d8a771bdb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_brx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_brx.js

MD5: ae5cb84cd66872fa34b0da582ba5f80d

SHA1: 08fa759789f71d2561ab7d53d0d23adae62d73cd

SHA256: 9b2ed3ad4acc9afceba842b6768ab032bfd051eec75a3d4fde5a34532f43eeb8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_brx.js.gz: angular-locale_brx.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_brx.js.gz/angular-locale_brx.js
 - MD5: ae5cb84cd66872fa34b0da582ba5f80d
 - SHA1: 08fa759789f71d2561ab7d53d0d23adae62d73cd
 - SHA256: 9b2ed3ad4acc9afceba842b6768ab032bfd051eec75a3d4fde5a34532f43eeb8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bs-cyrl-ba.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-cyrl-ba.js

MD5: 805be14a26a31e7b68f4d8323fdd72bc

SHA1: 5bfc382df6c84492266ff54d1b183d26b2e98394

SHA256: fc5064dd7b57689ae0011068be4625e927c3049cd3e89073d0a210682839bb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bs-cyrl-ba.js.gz: angular-locale_bs-cyrl-ba.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-cyrl-ba.js.gz/angular-locale_bs-cyrl-ba.js
 - MD5: 805be14a26a31e7b68f4d8323fdd72bc
 - SHA1: 5bfc382df6c84492266ff54d1b183d26b2e98394
 - SHA256: fc5064dd7b57689ae0011068be4625e927c3049cd3e89073d0a210682839bb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bs-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-cyrl.js

MD5: b36f0a9ca906ce59488e45de1961fe24

SHA1: f6ab44574917f4a711133233a1d2faaced30cbfd

SHA256: 672a43c631aa4df9b849b20b174a8579aa5aa7d484013b5907ab2c70ca974bb6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bs-cyrl.js.gz: angular-locale_bs-cyrl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-cyrl.js.gz/angular-locale_bs-cyrl.js
 - MD5: b36f0a9ca906ce59488e45de1961fe24
 - SHA1: f6ab44574917f4a711133233a1d2faaced30cbfd

- SHA256: 672a43c631aa4df9b849b20b174a8579aa5aa7d484013b5907ab2c70ca974bb6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bs-latn-ba.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-latn-ba.js

MD5: 945639549e0d8163842204d42af7432b

SHA1: 17ff8ba35e149f1ce57ccfac4e6dd4ec8c67bba2

SHA256: 98014a48d23972f448788f16c60ba44db6723497915b1e40013c883e88b2359f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bs-latn-ba.js.gz: angular-locale_bs-latn-ba.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-latn-ba.js.gz/angular-locale_bs-latn-ba.js
 - MD5: 945639549e0d8163842204d42af7432b
 - SHA1: 17ff8ba35e149f1ce57ccfac4e6dd4ec8c67bba2
 - SHA256: 98014a48d23972f448788f16c60ba44db6723497915b1e40013c883e88b2359f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bs-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-latn.js

MD5: 605e7f86c5059a631663a33c9b968ad0

SHA1: 0481c79ec71c3db6981e793ca7e23b9d29d0d416

SHA256:8dbb7624cedb6909ff39af1eb20aff6e171e211ff0745678111068af8af676f3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bs-latn.js.gz: angular-locale_bs-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs-latn.js.gz/angular-locale_bs-latn.js
 - MD5: 605e7f86c5059a631663a33c9b968ad0
 - SHA1: 0481c79ec71c3db6981e793ca7e23b9d29d0d416
 - SHA256: 8dbb7624cedb6909ff39af1eb20aff6e171e211ff0745678111068af8af676f3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_bs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs.js

MD5: 87bde60469acc6a5c4569f734a2ad5c7

SHA1: 72fc53d218addcf9fd5dd8fea5aafe16ffd40f4f

SHA256:2bf164b91b3dd888e08a5cef614c8cd8f0941d656dfe2155573d4fee9e9d0bd0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_bs.js.gz: angular-locale_bs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_bs.js.gz/angular-locale_bs.js
 - MD5: 87bde60469acc6a5c4569f734a2ad5c7
 - SHA1: 72fc53d218addcf9fd5dd8fea5aafe16ffd40f4f

- SHA256: 2bf164b91b3dd888e08a5cef614c8cd8f0941d656dfe2155573d4fee9e9d0bd0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ca-ad.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-ad.js

MD5: 68fbed378058419d19c9c9642c28b51a

SHA1: ff5bfa7a02e3979f1514534e2d2f067da1c1e3a8

SHA256: ecaa4ffba5f69a2fa8a85afbe71d077cdde42a00718e8c024a231bc1670dcc7c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ca-ad.js.gz: angular-locale_ca-ad.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-ad.js.gz/angular-locale_ca-ad.js
 - MD5: 68fbed378058419d19c9c9642c28b51a
 - SHA1: ff5bfa7a02e3979f1514534e2d2f067da1c1e3a8
 - SHA256: ecaa4ffba5f69a2fa8a85afbe71d077cdde42a00718e8c024a231bc1670dcc7c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ca-es-valencia.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-es-valencia.js

MD5: deb6b6adcc985730578b4b6250b3c597

SHA1: eac73d94d5c5c595914e8cbd13ae2322337e6c2e

SHA256:2e17274b0aaa7b0792489735720f0911659eb112e2f9bc477dac75d78854b846

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ca-es-valencia.js.gz: angular-locale_ca-es-valencia.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-es-valencia.js.gz/angular-locale_ca-es-valencia.js
 - MD5: deb6b6adcc985730578b4b6250b3c597
 - SHA1: eac73d94d5c5c595914e8cbd13ae2322337e6c2e
 - SHA256: 2e17274b0aaa7b0792489735720f0911659eb112e2f9bc477dac75d78854b846

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ca-es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-es.js

MD5: ff50b45c822024c6aa137fd686f69ebc

SHA1: 157f8db79cf50de5bf0d8dad531733dd5fa554f8

SHA256:0f7b29361a56b2cf762c453e6e6552b3bb679c0a6722f06e0ae3fcfd5514dc79

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ca-es.js.gz: angular-locale_ca-es.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-es.js.gz/angular-locale_ca-es.js
 - MD5: ff50b45c822024c6aa137fd686f69ebc

- SHA1: 157f8db79cf50de5bf0d8dad531733dd5fa554f8
- SHA256: 0f7b29361a56b2cf762c453e6e6552b3bb679c0a6722f06e0ae3fcfd5514dc79

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ca-fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-fr.js

MD5: 9e67ccf1319f71a294256445860fa4b1

SHA1: 4ea792a167bd02588b16e42ddae57738286a43c9

SHA256: f9ffce2ebbe0fa2b979cc2b5516c83536b50f3e8fa651b47ae8f92387e717b57

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ca-fr.js.gz: angular-locale_ca-fr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-fr.js.gz/angular-locale_ca-fr.js
 - MD5: 9e67ccf1319f71a294256445860fa4b1
 - SHA1: 4ea792a167bd02588b16e42ddae57738286a43c9
 - SHA256: f9ffce2ebbe0fa2b979cc2b5516c83536b50f3e8fa651b47ae8f92387e717b57

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ca-it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-it.js

MD5: 5393365ce75d0ec5abbe512247c5e774

SHA1: e88a62766b8ce1e3ac7901286bf4d2c1852babf5

SHA256:eb62f6dab560704b49a1350240cbc14c3c61ec3d48afb7efa8d4deb2b4edb689
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_ca-it.js.gz: angular-locale_ca-it.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca-it.js.gz/angular-locale_ca-it.js
 - MD5: 5393365ce75d0ec5abbe512247c5e774
 - SHA1: e88a62766b8ce1e3ac7901286bf4d2c1852babf5
 - SHA256: eb62f6dab560704b49a1350240cbc14c3c61ec3d48afb7efa8d4deb2b4edb689

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca.js
MD5: cc4691156c0a5207ded0d6a425cbc503
SHA1: 1ec1f82c33c5576b92842ee06d30712bc36c26dc
SHA256: b10370370b37c34e73cfc283deacba2fd28420bf9940412db691c6d5b3b2a234
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_ca.js.gz: angular-locale_ca.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ca.js.gz/angular-locale_ca.js
 - MD5: cc4691156c0a5207ded0d6a425cbc503
 - SHA1: 1ec1f82c33c5576b92842ee06d30712bc36c26dc
 - SHA256: b10370370b37c34e73cfc283deacba2fd28420bf9940412db691c6d5b3b2a234

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ce-ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ce-ru.js

MD5: 321448715b03590757fe90e333849d23

SHA1: 867666b86a57cd5731ed20e6c4b1e4d447a98d35

SHA256: a6c48a0cb0cd86aec061c2231f6dd01d10d830aa20079e217a36414b1f7b592e

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ce-ru.js.gz: angular-locale_ce-ru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ce-ru.js.gz/angular-locale_ce-ru.js
 - MD5: 321448715b03590757fe90e333849d23
 - SHA1: 867666b86a57cd5731ed20e6c4b1e4d447a98d35
 - SHA256: a6c48a0cb0cd86aec061c2231f6dd01d10d830aa20079e217a36414b1f7b592e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ce.js

MD5: 8f1757de619605c528ab89e70732232d

SHA1: ecc6dab05e07f25e0d5ad0ad1ecf81b29adaf624

SHA256: a1a3a056dda89c97bf0ad617d022515b5a7c92cd6950b63255aa9c0d6502a50e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ce.js.gz: angular-locale_ce.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ce.js.gz/angular-locale_ce.js
 - MD5: 8f1757de619605c528ab89e70732232d
 - SHA1: ecc6dab05e07f25e0d5ad0ad1ecf81b29adaf624
 - SHA256: a1a3a056dda89c97bf0ad617d022515b5a7c92cd6950b63255aa9c0d6502a50e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cgg-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cgg-ug.js

MD5: d1e1192f513a4ef26dff82671c0ba960

SHA1: 41a3a7fa94896c06782f1e84e42b222d9783e1f3

SHA256: 137f8524ed92981a6627cc279257a2e7cf63cac95d1cbc10b6b95eac134c58b2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cgg-ug.js.gz: angular-locale_cgg-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cgg-ug.js.gz/angular-locale_cgg-ug.js
 - MD5: d1e1192f513a4ef26dff82671c0ba960
 - SHA1: 41a3a7fa94896c06782f1e84e42b222d9783e1f3
 - SHA256: 137f8524ed92981a6627cc279257a2e7cf63cac95d1cbc10b6b95eac134c58b2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cgg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cgg.js

MD5: aae2b2dff4e6ba324f30c16393b9849f

SHA1: 6d58b8e491e8e0f8ce16a77ed20b077a2c88e729

SHA256: e063d6d4cf527d849c008d88009c130d54f64af73c2ab1c0e322453cc415d198

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_cgg.js.gz: angular-locale_cgg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cgg.js.gz/angular-locale_cgg.js
 - MD5: aae2b2dff4e6ba324f30c16393b9849f
 - SHA1: 6d58b8e491e8e0f8ce16a77ed20b077a2c88e729
 - SHA256: e063d6d4cf527d849c008d88009c130d54f64af73c2ab1c0e322453cc415d198

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_chr-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_chr-us.js

MD5: ca68c74ca811c07216e9c34993b83a93

SHA1: a914670c234fc011811aa25c95d4ae19130251a0

SHA256: a876084e5b496d63ebea04389646bc0e76f5244654c78786fa1386d89e8aa8da

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_chr-us.js.gz: angular-locale_chr-us.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_chr-us.js.gz/angular-locale_chr-us.js
 - MD5: ca68c74ca811c07216e9c34993b83a93
 - SHA1: a914670c234fc011811aa25c95d4ae19130251a0
 - SHA256: a876084e5b496d63ebea04389646bc0e76f5244654c78786fa1386d89e8aa8da

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_chr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_chr.js

MD5: 0c6a86ad365ad177b12eff12a48eed18

SHA1: 6a18a8cedbec66b988fa3d40628885501b95d2c5

SHA256: ce29e4359a1916c977a3d8ec1d1843f0f005c916c7705eaf0da91564e7e23646

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_chr.js.gz: angular-locale_chr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_chr.js.gz/angular-locale_chr.js
 - MD5: 0c6a86ad365ad177b12eff12a48eed18
 - SHA1: 6a18a8cedbec66b988fa3d40628885501b95d2c5
 - SHA256: ce29e4359a1916c977a3d8ec1d1843f0f005c916c7705eaf0da91564e7e23646

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-arab-iq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-arab-iq.js

MD5: 9fd99b4adb712e7d912c5b92a6f038

SHA1: f662c4192d3d9628e6211b5fc303b59f0a54446d

SHA256: 80536c675582719cd80023bb468314d37162920b45ac4f4621c3fd30c861d445

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ckb-arab-iq.js.gz: angular-locale_ckb-arab-iq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-arab-iq.js.gz/angular-locale_ckb-arab-iq.js
 - MD5: 9fd99b4adb712e7d912c5b92a6f038
 - SHA1: f662c4192d3d9628e6211b5fc303b59f0a54446d
 - SHA256: 80536c675582719cd80023bb468314d37162920b45ac4f4621c3fd30c861d445

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-arab-ir.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-arab-ir.js

MD5: e6d48785afbe19006fab6804bf7514bf

SHA1: 4df62e981535e31b01c6f78831d168a664cb9345

SHA256: 405df35b03f9b0365dc4bef6e9c0f1097a6687da5ab72a899b196af8499335fe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ckb-arab-ir.js.gz: angular-locale_ckb-arab-ir.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-arab-ir.js.gz/angular-locale_ckb-arab-ir.js
 - MD5: e6d48785afbe19006fab6804bf7514bf
 - SHA1: 4df62e981535e31b01c6f78831d168a664cb9345
 - SHA256: 405df35b03f9b0365dc4bef6e9c0f1097a6687da5ab72a899b196af8499335fe

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-arab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-arab.js

MD5: 3e0332e9e84ea7fb3a9c453b841b8d9e

SHA1: a016bd26ec2f63fb0bd9b82ad6afd4dc7ccbc4a8

SHA256: 4cd48af4e552dfb414d6a2513a2e722cd69b1a78a9539b43ada32c3e7a687839

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ckb-arab.js.gz: angular-locale_ckb-arab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-arab.js.gz/angular-locale_ckb-arab.js
 - MD5: 3e0332e9e84ea7fb3a9c453b841b8d9e
 - SHA1: a016bd26ec2f63fb0bd9b82ad6afd4dc7ccbc4a8
 - SHA256: 4cd48af4e552dfb414d6a2513a2e722cd69b1a78a9539b43ada32c3e7a687839

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-iq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-iq.js

MD5: d7be1fc07d5ef77824e5a39e25ba896d

SHA1: 9bdb5ba84cf74396b7cc3186d71d39106f5a9532

SHA256: 7c5100bc7094ca484da8f47eeb9b7a9c6e50fc2d058fc0736bb42eb06db018fe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ckb-iq.js.gz: angular-locale_ckb-iq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-iq.js.gz/angular-locale_ckb-iq.js
 - MD5: d7be1fc07d5ef77824e5a39e25ba896d
 - SHA1: 9bdb5ba84cf74396b7cc3186d71d39106f5a9532
 - SHA256: 7c5100bc7094ca484da8f47eeb9b7a9c6e50fc2d058fc0736bb42eb06db018fe

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-ir.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-ir.js

MD5: ec8c6b5f2209d8f27a16e96b6aa8cec4

SHA1: 99d21d16323446d66e5e05b8dbcb82c38b51afb0

SHA256: f620d4a0305a8c1b18ebe679c968bec38dc3d3fb98e23af596dd7ee410d10052

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_ckb-ir.js.gz: angular-locale_ckb-ir.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-ir.js.gz/angular-locale_ckb-ir.js
 - MD5: ec8c6b5f2209d8f27a16e96b6aa8cec4
 - SHA1: 99d21d16323446d66e5e05b8dbcb82c38b51afb0
 - SHA256: f620d4a0305a8c1b18ebe679c968bec38dc3d3fb98e23af596dd7ee410d10052

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-latn-iq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-latn-iq.js

MD5: a2c37054786f6f00c22933410332613a

SHA1: f239d3f491a1a458c14ff7594f939743e397d140

SHA256: 22c43b6a47986586507e7d319ae988d8eff88586e1045ed58797b15633368a7e

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_ckb-latn-iq.js.gz: angular-locale_ckb-latn-iq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-latn-iq.js.gz/angular-locale_ckb-latn-iq.js
 - MD5: a2c37054786f6f00c22933410332613a
 - SHA1: f239d3f491a1a458c14ff7594f939743e397d140
 - SHA256: 22c43b6a47986586507e7d319ae988d8eff88586e1045ed58797b15633368a7e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-latn.js

MD5: 3cb63050b7c363bbaad54cc5e00111b7

SHA1: 82d73701f3748272448c08084212630bea59889e

SHA256: 2d880e3baf6fc887fc2576935ca3dedf580cf269b327422194b7c11cca8363df

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ckb-latn.js.gz: angular-locale_ckb-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb-latn.js.gz/angular-locale_ckb-latn.js
 - MD5: 3cb63050b7c363bbaad54cc5e00111b7
 - SHA1: 82d73701f3748272448c08084212630bea59889e
 - SHA256: 2d880e3baf6fc887fc2576935ca3dedf580cf269b327422194b7c11cca8363df

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ckb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckb.js

MD5: 466ff9211cbe52949ff43c3994a10815

SHA1: 259e983e75f0857e0eaf66f0719c6571f771ebec

SHA256: d5b076b1f04e5ff7b4b2a411d1ba904eb5756c5e27f5b2a4415ef31119c5a6b7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ckpt.js.gz: angular-locale_ckpt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ckpt.js.gz/angular-locale_ckpt.js
 - MD5: 466ff9211cbe52949ff43c3994a10815
 - SHA1: 259e983e75f0857e0eaf66f0719c6571f771ebec
 - SHA256: d5b076b1f04e5ff7b4b2a411d1ba904eb5756c5e27f5b2a4415ef31119c5a6b7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cs-cz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cs-cz.js

MD5: 4c29a4a9f4305e7dd8e0e5df837fdb83

SHA1: 726f7ac9df100beeba0c0e81b9d108b331afbee9

SHA256: 7d3abf71eacb55494012ceb60f2113d8c2fdb32ce9b66aec279728ca575cffcd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cs-cz.js.gz: angular-locale_cs-cz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cs-cz.js.gz/angular-locale_cs-cz.js
 - MD5: 4c29a4a9f4305e7dd8e0e5df837fdb83
 - SHA1: 726f7ac9df100beeba0c0e81b9d108b331afbee9
 - SHA256: 7d3abf71eacb55494012ceb60f2113d8c2fdb32ce9b66aec279728ca575cffcd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cs.js

MD5: 15b917db583301f446560459acf6421c

SHA1: db1212284e01b66a639242fc3c651d7e1c54d154

SHA256: 4ad9a640dcb36c4eb1acf6688183aed1665c53b56df2e3cf3846741956afc8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cs.js.gz: angular-locale_cs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cs.js.gz/angular-locale_cs.js
 - MD5: 15b917db583301f446560459acf6421c
 - SHA1: db1212284e01b66a639242fc3c651d7e1c54d154
 - SHA256: 4ad9a640dcb36c4eb1acf6688183aed1665c53b56df2e3cf3846741956afc8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cu-ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cu-ru.js

MD5: a21ab1f792a4962eba334930adec6e17

SHA1: 8d1496d9065bc28d0ef2dd31e24cf62e700a6af0

SHA256: 5948880213a874ce0511f4eabd94a4fe9955e634b8c5fadfde6bb36368c400db

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cu-ru.js.gz: angular-locale_cu-ru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cu-ru.js.gz/angular-locale_cu-ru.js
 - MD5: a21ab1f792a4962eba334930adec6e17
 - SHA1: 8d1496d9065bc28d0ef2dd31e24cf62e700a6af0
 - SHA256: 5948880213a874ce0511f4eabd94a4fe9955e634b8c5fadfde6bb36368c400db

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cu.js

MD5: bb275cfb058ee2dd51ce7a79302175a8

SHA1: a65f621f04e7f8affcd9c8479329641792fa3bf0

SHA256: 2180231c92df16469cb5ed26f157403ebc9478ca4cd71fa61b02dbba4c162b3a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cu.js.gz: angular-locale_cu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cu.js.gz/angular-locale_cu.js
 - MD5: bb275cfb058ee2dd51ce7a79302175a8
 - SHA1: a65f621f04e7f8affcd9c8479329641792fa3bf0
 - SHA256: 2180231c92df16469cb5ed26f157403ebc9478ca4cd71fa61b02dbba4c162b3a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cy-gb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cy-gb.js
MD5: 76c022741f4cad3f2edf139e7ee72b89
SHA1: cc039b462e79d1e6413c99635eb701cca4d09673
SHA256: 67de291828fcefef737ff61af5eac2d3a57e2df80ef2fd7916ee7b551a0936ce2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cy-gb.js.gz: angular-locale_cy-gb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cy-gb.js.gz/angular-locale_cy-gb.js
 - MD5: 76c022741f4cad3f2edf139e7ee72b89
 - SHA1: cc039b462e79d1e6413c99635eb701cca4d09673
 - SHA256: 67de291828fcefef737ff61af5eac2d3a57e2df80ef2fd7916ee7b551a0936ce2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cy.js
MD5: 7a092aa53df08802e91e4e69e29d3c06
SHA1: 17d04f9e2d8ac27e4dce09707cef6d2b90963f9c
SHA256: 8cd49d49fea6fd6f922ea96af82a973c7b367b346a9d8f562252add686a241c0
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_cy.js.gz: angular-locale_cy.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_cy.js.gz/angular-locale_cy.js
- MD5: 7a092aa53df08802e91e4e69e29d3c06
- SHA1: 17d04f9e2d8ac27e4dce09707cef6d2b90963f9c
- SHA256: 8cd49d49fea6fd6f922ea96af82a973c7b367b346a9d8f562252add686a241c0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_da-dk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_da-dk.js

MD5: 35702951482a69a00af56e8330eca781

SHA1: a8c79369162683b8769c178a8579d878611a6472

SHA256: b6a4e6f80aa5bf977de191da4e79ed7a8e184a6a4dcb8c48934f22158c786b1c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_da-dk.js.gz: angular-locale_da-dk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_da-dk.js.gz/angular-locale_da-dk.js
 - MD5: 35702951482a69a00af56e8330eca781
 - SHA1: a8c79369162683b8769c178a8579d878611a6472
 - SHA256: b6a4e6f80aa5bf977de191da4e79ed7a8e184a6a4dcb8c48934f22158c786b1c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_da-gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_da-gl.js
MD5: f29a50cc6d6ea29f01343ea516c121be
SHA1: 877eb072d5686d4f1c3b341032129ca204a9cdf8
SHA256: 9f2f86fd898ab9d698cea71b51e7845cbfec16347db12bc01ab959ce95007d22
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_da-gl.js.gz: angular-locale_da-gl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_da-gl.js.gz/angular-locale_da-gl.js
 - MD5: f29a50cc6d6ea29f01343ea516c121be
 - SHA1: 877eb072d5686d4f1c3b341032129ca204a9cdf8
 - SHA256: 9f2f86fd898ab9d698cea71b51e7845cbfec16347db12bc01ab959ce95007d22

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_da.js
MD5: a93515f54a24fd380f36896e1195b3f5
SHA1: 6825402d322f0c4fe54f320da9d6e7cd11fa2dfa
SHA256: c9e9acc8baf4fbbf4fe1c8dcaae0b3b54badce290420bb3491d03432cd703166
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_da.js.gz: angular-locale_da.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

- /remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_da.js.gz/angular-locale_da.js
- MD5: a93515f54a24fd380f36896e1195b3f5
- SHA1: 6825402d322f0c4fe54f320da9d6e7cd11fa2dfa
- SHA256: c9e9acc8baf4fbfb4fe1c8dcaae0b3b54badce290420bb3491d03432cd703166

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dav-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dav-ke.js

MD5: 38c4aae1da581158779dd345769f22b7

SHA1: ee2f2d5b69cea3608a8544cd4390eee40e8f658d

SHA256: 2c06fe51cd541655d1609bd702b9ea623dc188b879a8d0432d50374b25d30fe7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dav-ke.js.gz: angular-locale_dav-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dav-ke.js.gz/angular-locale_dav-ke.js
 - MD5: 38c4aae1da581158779dd345769f22b7
 - SHA1: ee2f2d5b69cea3608a8544cd4390eee40e8f658d
 - SHA256: 2c06fe51cd541655d1609bd702b9ea623dc188b879a8d0432d50374b25d30fe7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dav.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF

/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dav.js

MD5: 7f9890dce29e0882dbb0e3b041105532

SHA1: 69bfc6d658cc8295629786d096ee41746fddeb71

SHA256: 19ba12c3e4af3f48c8ef0d3e4042d4b0d5871dfce604c7ff048f1ab1eb8dd4a1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dav.js.gz: angular-locale_dav.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dav.js.gz/angular-locale_dav.js
 - MD5: 7f9890dce29e0882dbb0e3b041105532
 - SHA1: 69bfc6d658cc8295629786d096ee41746fddeb71
 - SHA256: 19ba12c3e4af3f48c8ef0d3e4042d4b0d5871dfce604c7ff048f1ab1eb8dd4a1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-at.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-at.js

MD5: 62ef83187ede8c6cc1b8666938701f70

SHA1: bb92987d9a0e5d413116c228429dba6503c52b18

SHA256: a49ad28a60a39d5c0c1598c63014fe7a55570a449da88a9d1b36915399b11273

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-at.js.gz: angular-locale_de-at.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-at.js.gz/angular-locale_de-at.js

- MD5: 62ef83187ede8c6cc1b8666938701f70
- SHA1: bb92987d9a0e5d413116c228429dba6503c52b18
- SHA256: a49ad28a60a39d5c0c1598c63014fe7a55570a449da88a9d1b36915399b11273

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-be.js

MD5: 5d4fa1f72459dfa3e5cf04f77f55e8f2

SHA1: cb6b0f376f011485de3f7682d08c3642185dc7e9

SHA256: b9800f38b79e84070f05925d0918d927e43f4257e7cab43f31ad96f74b5198ba

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-be.js.gz: angular-locale_de-be.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-be.js.gz/angular-locale_de-be.js
 - MD5: 5d4fa1f72459dfa3e5cf04f77f55e8f2
 - SHA1: cb6b0f376f011485de3f7682d08c3642185dc7e9
 - SHA256: b9800f38b79e84070f05925d0918d927e43f4257e7cab43f31ad96f74b5198ba

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-ch.js

MD5: a8462d8ee27352294f82dbadca3821cc

SHA1: 93eb3af568ba8f75bc108d1724563fb18c0413ec

SHA256: fb4e6ad3c44815c641c9cfbe1b3e38330b35a158bf3d0fea0c25c3797bf75717

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-ch.js.gz: angular-locale_de-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-ch.js.gz/angular-locale_de-ch.js
 - MD5: a8462d8ee27352294f82dbadca3821cc
 - SHA1: 93eb3af568ba8f75bc108d1724563fb18c0413ec
 - SHA256: fb4e6ad3c44815c641c9cfbe1b3e38330b35a158bf3d0fea0c25c3797bf75717

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-de.js

MD5: bef8329c258f22d04189439c38321ad6

SHA1: 472b624622cc7cc4c48ac5ca6eb01f696658c7d5

SHA256: 7c448a0316f41a86a9ca78672bf0848ceb24769e18cb3afe49505cd157874292

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-de.js.gz: angular-locale_de-de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-de.js.gz/angular-locale_de-de.js
 - MD5: bef8329c258f22d04189439c38321ad6
 - SHA1: 472b624622cc7cc4c48ac5ca6eb01f696658c7d5

- SHA256: 7c448a0316f41a86a9ca78672bf0848ceb24769e18cb3afe49505cd157874292

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-it.js

MD5: 131f79040c9bcfd2efbf84d05be0c895

SHA1: 9a78331dda6178507a86c6bf7fb05192e8cb2cb9

SHA256: db33e6f2fd43689ad5db9083410e28938336e12d7e61cf13abbcaadbe72a6325

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-it.js.gz: angular-locale_de-it.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-it.js.gz/angular-locale_de-it.js
 - MD5: 131f79040c9bcfd2efbf84d05be0c895
 - SHA1: 9a78331dda6178507a86c6bf7fb05192e8cb2cb9
 - SHA256: db33e6f2fd43689ad5db9083410e28938336e12d7e61cf13abbcaadbe72a6325

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-li.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-li.js

MD5: a33506517d8885ffccb6f59d1471b237

SHA1: cb0f711d1923d79ee3cac1049b5e8a6e780a5e7c

SHA256:5383674e18c294d52d190e82572e49404716e2086c2113b6522d0011f4e07747

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-li.js.gz: angular-locale_de-li.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-li.js.gz/angular-locale_de-li.js
 - MD5: a33506517d8885ffccb6f59d1471b237
 - SHA1: cb0f711d1923d79ee3cac1049b5e8a6e780a5e7c
 - SHA256: 5383674e18c294d52d190e82572e49404716e2086c2113b6522d0011f4e07747

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de-lu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-lu.js

MD5: 9f4662ef1ceaf457ae05b7deffee2038

SHA1: 839b6f5eeee95381788727256c5ee00d0719255a

SHA256:5d023a7a987bd47130f08c2fb69728b27e89ba75145a9526ad11fe0abd9dc215

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_de-lu.js.gz: angular-locale_de-lu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de-lu.js.gz/angular-locale_de-lu.js
 - MD5: 9f4662ef1ceaf457ae05b7deffee2038
 - SHA1: 839b6f5eeee95381788727256c5ee00d0719255a

- SHA256: 5d023a7a987bd47130f08c2fb69728b27e89ba75145a9526ad11fe0abd9dc215

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de.js

MD5: 6bdbb7cb10dedfed38924d5e14d89a5f

SHA1: 1d16ba2f91b60c3f40f772132060489e29040de7

SHA256: e39e81439596e8adbd6a44ab4aa2ef80cdf7103de52a914c627743c1616b9834

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_de.js.gz: angular-locale_de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_de.js.gz/angular-locale_de.js
 - MD5: 6bdbb7cb10dedfed38924d5e14d89a5f
 - SHA1: 1d16ba2f91b60c3f40f772132060489e29040de7
 - SHA256: e39e81439596e8adbd6a44ab4aa2ef80cdf7103de52a914c627743c1616b9834

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dje-ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dje-ne.js

MD5: 29ec9e60fb367d726fd9b5e2e602cbcc

SHA1: 0db6034d9a4968ca9e2fbb565a1c60446de2cd53

SHA256: 70738987f2920860c326c640c0549af61f7069b5789b0664a93a827bd12fe9ff

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dje-ne.js.gz: angular-locale_dje-ne.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dje-ne.js.gz/angular-locale_dje-ne.js
 - MD5: 29ec9e60fb367d726fd9b5e2e602cbcc
 - SHA1: 0db6034d9a4968ca9e2fbb565a1c60446de2cd53
 - SHA256: 70738987f2920860c326c640c0549af61f7069b5789b0664a93a827bd12fe9ff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dje.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dje.js

MD5: c9fc0e19dd1aca79b6b9dceb61cd6491

SHA1: 202822ae91ed296c950026a158fc57b913e59a57

SHA256: 82aa1f4c61dbfba1ebf565848be7a4a7a774a57f60ec292a8ef618281b9c8878

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dje.js.gz: angular-locale_dje.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dje.js.gz/angular-locale_dje.js
 - MD5: c9fc0e19dd1aca79b6b9dceb61cd6491
 - SHA1: 202822ae91ed296c950026a158fc57b913e59a57

- SHA256: 82aa1f4c61dbfba1ebf565848be7a4a7a774a57f60ec292a8ef618281b9c8878

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dsb-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dsb-de.js

MD5: 4624f1b2600c23de72e45153cfc7dc49

SHA1: 50aa9958a810833efdca92229f7a895557f3312

SHA256: d8dc828c9f17b0189832ff54fc9457e49ff5b7962aa9082d9f96d83ec9c0bea2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dsb-de.js.gz: angular-locale_dsb-de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dsb-de.js.gz/angular-locale_dsb-de.js
 - MD5: 4624f1b2600c23de72e45153cfc7dc49
 - SHA1: 50aa9958a810833efdca92229f7a895557f3312
 - SHA256: d8dc828c9f17b0189832ff54fc9457e49ff5b7962aa9082d9f96d83ec9c0bea2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dsb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dsb.js

MD5: 90d126d8091c543926dad8c6c96d4c7

SHA1: f9d6a60cbf6b71efd27b7db434d8261c30ded057

SHA256:9fece813b4e2ca3e6b5df5041e2db20b8574309b6da9cb9d6abb9e9d2c3be210

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_dsb.js.gz: angular-locale_dsb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dsb.js.gz/angular-locale_dsb.js
 - MD5: 90d126d8091c543926dad8c8c6c96d4c7
 - SHA1: f9d6a60cbf6b71efd27b7db434d8261c30ded057
 - SHA256: 9fece813b4e2ca3e6b5df5041e2db20b8574309b6da9cb9d6abb9e9d2c3be210

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dua-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dua-cm.js

MD5: 507157ae47c77aff33355bc8c696e3d0

SHA1: 46063446647faf9ef263ccbdde46fba3a01a7982

SHA256:d875a24d8164c12562d6fbf6110fb6eea9ded5fcd28ab80053c40fab605c6ef1

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_dua-cm.js.gz: angular-locale_dua-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dua-cm.js.gz/angular-locale_dua-cm.js
 - MD5: 507157ae47c77aff33355bc8c696e3d0
 - SHA1: 46063446647faf9ef263ccbdde46fba3a01a7982

- SHA256: d875a24d8164c12562d6fbf6110fb6eea9ded5fcd28ab80053c40fab605c6ef1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dua.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dua.js

MD5: 995eb85135cab4d93f28966cec893d85

SHA1: 54eaaad3762bb9df52020bb9cbc95a6b086ca85e

SHA256: f126d85b32b71ac56201db0c9a6fa6c94dab3fc66fd45c55036e4cf709a7e5da

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dua.js.gz: angular-locale_dua.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dua.js.gz/angular-locale_dua.js
 - MD5: 995eb85135cab4d93f28966cec893d85
 - SHA1: 54eaaad3762bb9df52020bb9cbc95a6b086ca85e
 - SHA256: f126d85b32b71ac56201db0c9a6fa6c94dab3fc66fd45c55036e4cf709a7e5da

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dyo-sn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dyo-sn.js

MD5: 65545ebe5028522e72919be66389685a

SHA1: c13d38b608ef2031bd58b3093d4f61a35fd49b7e

SHA256:34a7b0e89d5f0d0313466bde772a55a60d025e77774669adcc3235dca1730eaf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dyo-sn.js.gz: angular-locale_dyo-sn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dyo-sn.js.gz/angular-locale_dyo-sn.js
 - MD5: 65545ebe5028522e72919be66389685a
 - SHA1: c13d38b608ef2031bd58b3093d4f61a35fd49b7e
 - SHA256: 34a7b0e89d5f0d0313466bde772a55a60d025e77774669adcc3235dca1730eaf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dyo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dyo.js

MD5: 9537ea2c7196c3147fb77424da6d715d

SHA1: 3b57c992dbcb51ebeca8b0e160bacc8ccc2f63bf

SHA256:b3c7c21bf2156626531ef10c74bf1fdc3c9dccc9a1e5111c75ec310f839b81b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dyo.js.gz: angular-locale_dyo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dyo.js.gz/angular-locale_dyo.js
 - MD5: 9537ea2c7196c3147fb77424da6d715d
 - SHA1: 3b57c992dbcb51ebeca8b0e160bacc8ccc2f63bf

- SHA256: b3c7c21bf2156626531ef10c74bf1fdc3c9dccc9a1e5111c75ec310f839b81b9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dz-bt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dz-bt.js

MD5: ccda86a55d4ecf55959f2b1f36231989

SHA1: f5cbf139491b15eb14ba75595054384001924e01

SHA256: dc0266fa04d5b03822114c5a51a28439777ce2fea8151dd5afed81dce4d4022e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dz-bt.js.gz: angular-locale_dz-bt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dz-bt.js.gz/angular-locale_dz-bt.js
 - MD5: ccda86a55d4ecf55959f2b1f36231989
 - SHA1: f5cbf139491b15eb14ba75595054384001924e01
 - SHA256: dc0266fa04d5b03822114c5a51a28439777ce2fea8151dd5afed81dce4d4022e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dz.js

MD5: dde5382531f79a8e5187d39327e108ae

SHA1: 30becce12b41cdc2d1495031c5d1005af56a05e3

SHA256:226ab7385fc0a159cb4211f440e7c85fd5233bed4a220eb28ad30540ff2563d9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_dz.js.gz: angular-locale_dz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_dz.js.gz/angular-locale_dz.js
 - MD5: dde5382531f79a8e5187d39327e108ae
 - SHA1: 30becce12b41cdc2d1495031c5d1005af56a05e3
 - SHA256: 226ab7385fc0a159cb4211f440e7c85fd5233bed4a220eb28ad30540ff2563d9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ebu-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ebu-ke.js

MD5: b61ea19df7d6ab4ff2bb573e5aa6ae25

SHA1: 257ec65832b4f6dba0bab2589e11743464f9d4a4

SHA256:c20cc461d42e43ad45756b9588d3881fa81bd30e81da71f67643e7a06afc2776

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ebu-ke.js.gz: angular-locale_ebu-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ebu-ke.js.gz/angular-locale_ebu-ke.js
 - MD5: b61ea19df7d6ab4ff2bb573e5aa6ae25
 - SHA1: 257ec65832b4f6dba0bab2589e11743464f9d4a4

- SHA256: c20cc461d42e43ad45756b9588d3881fa81bd30e81da71f67643e7a06afc2776

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ebu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ebu.js

MD5: 16b27b718f3918e1ee418b5bc742624c

SHA1: cbc73accce74694318fe3e8e0bc111d86f86d631

SHA256: 3fc693fd5cf8b4fcc39a2d5945b8f363b205e16a2da6be465bf959d882a4cd31

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ebu.js.gz: angular-locale_ebu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ebu.js.gz/angular-locale_ebu.js
 - MD5: 16b27b718f3918e1ee418b5bc742624c
 - SHA1: cbc73accce74694318fe3e8e0bc111d86f86d631
 - SHA256: 3fc693fd5cf8b4fcc39a2d5945b8f363b205e16a2da6be465bf959d882a4cd31

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ee-gh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ee-gh.js

MD5: 609517f9a4b41810c634adef43c84252

SHA1: aa0aab5f83ad5eae983d8a1c47cc655d68aa773

SHA256: 168937848e5d2dfd6c4b09f7214c34bb49404fb54360244060e7f204a406f0a8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ee-gh.js.gz: angular-locale_ee-gh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ee-gh.js.gz/angular-locale_ee-gh.js
 - MD5: 609517f9a4b41810c634adef43c84252
 - SHA1: aa0aab5f83ad5eae983d8a1c47cc655d68aa773
 - SHA256: 168937848e5d2dfd6c4b09f7214c34bb49404fb54360244060e7f204a406f0a8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ee-tg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ee-tg.js

MD5: ad05ad8415989c6c4dab9140f39c40e0

SHA1: a14158391913309fd692afe57d6979dc49e8fa3e

SHA256: 2b89ed983feb7cbd5e0f4071cd70f646788d8ed97c4bd64cbe5c6f16e40062ac

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ee-tg.js.gz: angular-locale_ee-tg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ee-tg.js.gz/angular-locale_ee-tg.js
 - MD5: ad05ad8415989c6c4dab9140f39c40e0
 - SHA1: a14158391913309fd692afe57d6979dc49e8fa3e

- SHA256: 2b89ed983feb7cbd5e0f4071cd70f646788d8ed97c4bd64cbe5c6f16e40062ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ee.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ee.js

MD5: 1c64ef13ac28a4055cfb74eab043b6e7

SHA1: 44da0e028ef3063d3f310404f82443dbf7b54d2f

SHA256: e4921a4d89843290fa7316fd54ef56445b6088f388723b5a4fc528353ea34420

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ee.js.gz: angular-locale_ee.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ee.js.gz/angular-locale_ee.js
 - MD5: 1c64ef13ac28a4055cfb74eab043b6e7
 - SHA1: 44da0e028ef3063d3f310404f82443dbf7b54d2f
 - SHA256: e4921a4d89843290fa7316fd54ef56445b6088f388723b5a4fc528353ea34420

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_el-cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_el-cy.js

MD5: c23b5fff2b8056c9ea59f2ed6755c20e

SHA1: cf692617e14bf0c1a5df9d35e8fd7f2756f18db2

SHA256: f6de58e8e10b7869692eb1a5a07506bba5529641838cde737077243414c4b24b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_el-cy.js.gz: angular-locale_el-cy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_el-cy.js.gz/angular-locale_el-cy.js
 - MD5: c23b5fff2b8056c9ea59f2ed6755c20e
 - SHA1: cf692617e14bf0c1a5df9d35e8fd7f2756f18db2
 - SHA256: f6de58e8e10b7869692eb1a5a07506bba5529641838cde737077243414c4b24b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_el-gr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_el-gr.js

MD5: 1a5e97fe2e5942322de045777a751f4f

SHA1: 81701bb4ec41d785f6064959b29a9fe4dee3368f

SHA256: 311c32759cce0ceb81d277b86a435c481472ec22bd95650b91945471f9b01859

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_el-gr.js.gz: angular-locale_el-gr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_el-gr.js.gz/angular-locale_el-gr.js
 - MD5: 1a5e97fe2e5942322de045777a751f4f
 - SHA1: 81701bb4ec41d785f6064959b29a9fe4dee3368f

- SHA256: 311c32759cce0ceb81d277b86a435c481472ec22bd95650b91945471f9b01859

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_el.js

MD5: 4bb65528a3d9f30d63112f6292d13a6f

SHA1: 90ba65fdca15e8da2fe6a5d9b91098245769004f

SHA256: 3ac70a33b1f133dcbd0475354a4c70a2f79fa2c61371d66a36391f64e4f75688

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_el.js.gz: angular-locale_el.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_el.js.gz/angular-locale_el.js
 - MD5: 4bb65528a3d9f30d63112f6292d13a6f
 - SHA1: 90ba65fdca15e8da2fe6a5d9b91098245769004f
 - SHA256: 3ac70a33b1f133dcbd0475354a4c70a2f79fa2c61371d66a36391f64e4f75688

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-001.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-001.js

MD5: 634856747bfd16904263b8bd1001cbdb

SHA1: 1848758e0cf2c30beb7b83f1dc8e3d8af6eff7d

SHA256: dadc01a45ff85fd435e4d48c3f409a4c8c5ca68807cb8853da2f99cd3a42ad62

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-001.js.gz: angular-locale_en-001.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-001.js.gz/angular-locale_en-001.js
 - MD5: 634856747bfd16904263b8bd1001cbdb
 - SHA1: 1848758e0cf2c30beb7b83f1dc8e3d8af6eff7d
 - SHA256: dadc01a45ff85fd435e4d48c3f409a4c8c5ca68807cb8853da2f99cd3a42ad62

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-150.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-150.js

MD5: 0fdd5541ee67b25467907795e513088e

SHA1: 500f8b4b83babd8ff6b69051e385854be70897ff

SHA256: 3b41f8c82ceea10e99960a4dd00c9d742991714ffbae1a01a188ed25fc65b168

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-150.js.gz: angular-locale_en-150.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-150.js.gz/angular-locale_en-150.js
 - MD5: 0fdd5541ee67b25467907795e513088e
 - SHA1: 500f8b4b83babd8ff6b69051e385854be70897ff

- SHA256: 3b41f8c82ceea10e99960a4dd00c9d742991714ffbae1a01a188ed25fc65b168

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ag.js

MD5: e1ef6bf0ac890e79a4c4e0cb8988216

SHA1: b35841a8d7e373c3f2d0c648a245f84688fc0c08

SHA256: f4a0488a6790fb1acd39e72118036840b96a2bad1dfc7d07b60891fa4d81bcda

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ag.js.gz: angular-locale_en-ag.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ag.js.gz/angular-locale_en-ag.js
 - MD5: e1ef6bf0ac890e79a4c4e0cb8988216
 - SHA1: b35841a8d7e373c3f2d0c648a245f84688fc0c08
 - SHA256: f4a0488a6790fb1acd39e72118036840b96a2bad1dfc7d07b60891fa4d81bcda

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ai.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ai.js

MD5: 29288a6c0c508eb745df15e092cf98be

SHA1: 425b4563dd6bfc7b2284ad1133662260f89c125b

SHA256:04f9ecf0c9f172c22c44b71836a58d8fb714a667af9c113eb830a51034d13ae0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ai.js.gz: angular-locale_en-ai.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ai.js.gz/angular-locale_en-ai.js
 - MD5: 29288a6c0c508eb745df15e092cf98be
 - SHA1: 425b4563dd6bfc7b2284ad1133662260f89c125b
 - SHA256: 04f9ecf0c9f172c22c44b71836a58d8fb714a667af9c113eb830a51034d13ae0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-as.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-as.js

MD5: 344260d07b5f2f911470a3d90f1b62c6

SHA1: f1ac1ff1b7d71e1821e008e205eea1a87fd076e8

SHA256:22786f948af6fd96e0273c45153c4c9f791f811066552aa789b8bcf6c17a631b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-as.js.gz: angular-locale_en-as.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-as.js.gz/angular-locale_en-as.js
 - MD5: 344260d07b5f2f911470a3d90f1b62c6
 - SHA1: f1ac1ff1b7d71e1821e008e205eea1a87fd076e8

- SHA256: 22786f948af6fd96e0273c45153c4c9f791f811066552aa789b8bcf6c17a631b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-at.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-at.js

MD5: addca54db2746843fb286823dde2343a

SHA1: e86daccef8dbccbca33ccdf69b0bb7312b61f26a

SHA256: 491cc0c74c18f10dd82588986e57e69c70f52a6ee51ce372b1a999b57a48e041

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-at.js.gz: angular-locale_en-at.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-at.js.gz/angular-locale_en-at.js
 - MD5: addca54db2746843fb286823dde2343a
 - SHA1: e86daccef8dbccbca33ccdf69b0bb7312b61f26a
 - SHA256: 491cc0c74c18f10dd82588986e57e69c70f52a6ee51ce372b1a999b57a48e041

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-au.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-au.js

MD5: a75ed3b062a0f540580d915ec06bb3cd

SHA1: 2860316dd74b4a8cb63b36f6e76c847d86488bbc

SHA256:44b78071c934a6edf00ba51dd7b269741a9014ea9e8a62302ee690418616a068

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-au.js.gz: angular-locale_en-au.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-au.js.gz/angular-locale_en-au.js
 - MD5: a75ed3b062a0f540580d915ec06bb3cd
 - SHA1: 2860316dd74b4a8cb63b36f6e76c847d86488bbc
 - SHA256: 44b78071c934a6edf00ba51dd7b269741a9014ea9e8a62302ee690418616a068

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-bb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bb.js

MD5: 169f093c966d6c85f22ee4de58ecf804

SHA1: 668aee74e61bc4d695e6e87228978626b51a6c12

SHA256:ca6548a9813c1eed440e1d181654429883485b7961dfe81e3cb34f374ed27aa2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-bb.js.gz: angular-locale_en-bb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bb.js.gz/angular-locale_en-bb.js
 - MD5: 169f093c966d6c85f22ee4de58ecf804
 - SHA1: 668aee74e61bc4d695e6e87228978626b51a6c12

- SHA256: ca6548a9813c1eed440e1d181654429883485b7961dfe81e3cb34f374ed27aa2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-be.js

MD5: db91d0d7ebea7677ab85283a1e26a586

SHA1: 64d3f564926a80e7c8fe2ffdb12581bbfae3f4cd

SHA256: 380bac6ff9db307a03f1a52400bf374fbee5d10e33d1203831a310e082a9ca3c

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-be.js.gz: angular-locale_en-be.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-be.js.gz/angular-locale_en-be.js
 - MD5: db91d0d7ebea7677ab85283a1e26a586
 - SHA1: 64d3f564926a80e7c8fe2ffdb12581bbfae3f4cd
 - SHA256: 380bac6ff9db307a03f1a52400bf374fbee5d10e33d1203831a310e082a9ca3c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-bi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bi.js

MD5: 03bbe79ff159e5c9a4456dd61e2e75fa

SHA1: 94adb3de8a56e65b05b41224b6b69beae02f86c6

SHA256:d577bd46ccd9723beb48a35f21ead44d504eba9d691b80da0a1d9e198f35444b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-bi.js.gz: angular-locale_en-bi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bi.js.gz/angular-locale_en-bi.js
 - MD5: 03bbe79ff159e5c9a4456dd61e2e75fa
 - SHA1: 94adb3de8a56e65b05b41224b6b69beae02f86c6
 - SHA256: d577bd46ccd9723beb48a35f21ead44d504eba9d691b80da0a1d9e198f35444b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-bm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bm.js

MD5: df9c0e2368def551da46bac952046583

SHA1: 9e83646a9ccc3bd063fd7624b8216f534a7864eb

SHA256:901b7681dd81b559be0d389d4f6d0e3e90771c8d0d096ee8d2c708d620f358d8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-bm.js.gz: angular-locale_en-bm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bm.js.gz/angular-locale_en-bm.js
 - MD5: df9c0e2368def551da46bac952046583
 - SHA1: 9e83646a9ccc3bd063fd7624b8216f534a7864eb

- SHA256: 901b7681dd81b559be0d389d4f6d0e3e90771c8d0d096ee8d2c708d620f358d8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-bs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bs.js

MD5: 38abcb908a67645f0a094bc625497fbb

SHA1: c5db37c082bd0ba3bd3fc82151557ea59fbaa3a5

SHA256: e7a149e58720d8967c28bdf484fdc43c674fbfb307f53c738f1097cbd918657a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-bs.js.gz: angular-locale_en-bs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bs.js.gz/angular-locale_en-bs.js
 - MD5: 38abcb908a67645f0a094bc625497fbb
 - SHA1: c5db37c082bd0ba3bd3fc82151557ea59fbaa3a5
 - SHA256: e7a149e58720d8967c28bdf484fdc43c674fbfb307f53c738f1097cbd918657a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-bw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bw.js

MD5: d7ff799ab38357b9d4cc5b5194c2b96b

SHA1: 99a2502d4b64cbee0dd452453246a6031a5a76af

SHA256:070bdd4c6ecb3b69ca3e1f8d85e4728c94530e44bec96b27cceddc67e8efff54

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-bw.js.gz: angular-locale_en-bw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bw.js.gz/angular-locale_en-bw.js
 - MD5: d7ff799ab38357b9d4cc5b5194c2b96b
 - SHA1: 99a2502d4b64cbee0dd452453246a6031a5a76af
 - SHA256: 070bdd4c6ecb3b69ca3e1f8d85e4728c94530e44bec96b27cceddc67e8efff54

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-bz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bz.js

MD5: 20c2008f54f36f1d7b233b5796810400

SHA1: 9602240036050b08a7524128a4c30b2f6b446462

SHA256:1a2a624a9def4650f55c6d9deb50e827a482670090e830d5f40a0f33941de4c5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-bz.js.gz: angular-locale_en-bz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-bz.js.gz/angular-locale_en-bz.js
 - MD5: 20c2008f54f36f1d7b233b5796810400
 - SHA1: 9602240036050b08a7524128a4c30b2f6b446462

- SHA256: 1a2a624a9def4650f55c6d9deb50e827a482670090e830d5f40a0f33941de4c5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ca.js

MD5: 6765d196027279dadb39932f7902ba11

SHA1: 4c50e12fc586dc210c20c3769a24fe3b53064865

SHA256: 67563318f781475915e443fef24576ea64e5de5a80e7ab3fd6b967de15538dcc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ca.js.gz: angular-locale_en-ca.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ca.js.gz/angular-locale_en-ca.js
 - MD5: 6765d196027279dadb39932f7902ba11
 - SHA1: 4c50e12fc586dc210c20c3769a24fe3b53064865
 - SHA256: 67563318f781475915e443fef24576ea64e5de5a80e7ab3fd6b967de15538dcc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-cc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cc.js

MD5: 2d14d13e1e2114b461c6ac83907ce01f

SHA1: 3ed4355e9f431301aa1a077d28d2cec8394c2aa4

SHA256:9c2ad942535430769268a714c7f705c5dc8208b6f95dd9c5ccfb224110e3793c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-cc.js.gz: angular-locale_en-cc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cc.js.gz/angular-locale_en-cc.js
 - MD5: 2d14d13e1e2114b461c6ac83907ce01f
 - SHA1: 3ed4355e9f431301aa1a077d28d2cec8394c2aa4
 - SHA256: 9c2ad942535430769268a714c7f705c5dc8208b6f95dd9c5ccfb224110e3793c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ch.js

MD5: cb291abcc7fbc373fca6e66090a0cebc

SHA1: 073559dd69b0ee10212156b3d073fa6ed1230217

SHA256:be4f5e6b803f2c470fad8b51b1a44fd5a5d4de528ae0784bf5809dfcb9cb555b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ch.js.gz: angular-locale_en-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ch.js.gz/angular-locale_en-ch.js
 - MD5: cb291abcc7fbc373fca6e66090a0cebc
 - SHA1: 073559dd69b0ee10212156b3d073fa6ed1230217

- SHA256: be4f5e6b803f2c470fad8b51b1a44fd5a5d4de528ae0784bf5809dfcb9cb555b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ck.js

MD5: a294e4cd48cf2e355817e06a312c563f

SHA1: 326b2a264a2fa8a7e9e352d128abb9b4efdebc2c

SHA256: a68abb9f3cc17da9a3093efca9f867c13f9ed8dd600150c9d23b01477f245c12

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-ck.js.gz: angular-locale_en-ck.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ck.js.gz/angular-locale_en-ck.js
 - MD5: a294e4cd48cf2e355817e06a312c563f
 - SHA1: 326b2a264a2fa8a7e9e352d128abb9b4efdebc2c
 - SHA256: a68abb9f3cc17da9a3093efca9f867c13f9ed8dd600150c9d23b01477f245c12

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cm.js

MD5: c073f7178174ac1fcbca3c8a32a2e752

SHA1: 349804f1887d81b46ed34dc2ed2787b836a4edb9

SHA256: 1aba172fc1399f15ba094733f3bb24d13ff557b0eaf913c71349617d34cc124e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-cm.js.gz: angular-locale_en-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cm.js.gz/angular-locale_en-cm.js
 - MD5: c073f7178174ac1fcbea3c8a32a2e752
 - SHA1: 349804f1887d81b46ed34dc2ed2787b836a4edb9
 - SHA256: 1aba172fc1399f15ba094733f3bb24d13ff557b0eaf913c71349617d34cc124e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-cx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cx.js

MD5: 4ddda0aba8ae6bdf7a62dbe369f088ae

SHA1: b2e3e775953e8b45ead15823d147e2fbd892b273

SHA256: c83b4ed03793b992d1eb3b863d2348ad8b3103945abab0a0bfc99c4de636108b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-cx.js.gz: angular-locale_en-cx.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cx.js.gz/angular-locale_en-cx.js
 - MD5: 4ddda0aba8ae6bdf7a62dbe369f088ae
 - SHA1: b2e3e775953e8b45ead15823d147e2fbd892b273

- SHA256: c83b4ed03793b992d1eb3b863d2348ad8b3103945abab0a0bfc99c4de636108b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cy.js

MD5: 310c4475469b7ee78cb945f085c13580

SHA1: 03d9ef989966e775ed2dd0f4c53e2f571d99ffac

SHA256: 1a5b98f033f9dea510ec9e30b18884240820a32806d75e49c9e55587d8cad260

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-cy.js.gz: angular-locale_en-cy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-cy.js.gz/angular-locale_en-cy.js
 - MD5: 310c4475469b7ee78cb945f085c13580
 - SHA1: 03d9ef989966e775ed2dd0f4c53e2f571d99ffac
 - SHA256: 1a5b98f033f9dea510ec9e30b18884240820a32806d75e49c9e55587d8cad260

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-de.js

MD5: aac1cb87ca4382b3aa2bf511962c9eaa

SHA1: 66d1d906991028381c984c605cdf6e92654fc5a7

SHA256:5d38de0c023e316d2f9aa7206face457432ac7264000840d16c0416663370605

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-de.js.gz: angular-locale_en-de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-de.js.gz/angular-locale_en-de.js
 - MD5: aac1cb87ca4382b3aa2bf511962c9eaa
 - SHA1: 66d1d906991028381c984c605cdf6e92654fc5a7
 - SHA256: 5d38de0c023e316d2f9aa7206face457432ac7264000840d16c0416663370605

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-dg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-dg.js

MD5: 3da6f61f9101fc106f3aa177fc496646

SHA1: 4c81e6f0b1a54703967fb1a069c8e2ef3cb75818

SHA256:6bb7177fdb365ace92bac80611bfd57aea12bf50fc00150f836e4285b15cf84

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-dg.js.gz: angular-locale_en-dg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-dg.js.gz/angular-locale_en-dg.js
 - MD5: 3da6f61f9101fc106f3aa177fc496646
 - SHA1: 4c81e6f0b1a54703967fb1a069c8e2ef3cb75818

- SHA256: 6bb7177fdb365ace92bac80611fbdf57aea12bf50fc00150f836e4285b15cf84

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-dk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-dk.js

MD5: bfc8ec431d1e07d73e5e50ef96006789

SHA1: 65873daa44b9fa19c2699d048e8093bf30b01321

SHA256: 654141332cff792553dd6958e64a1da3d6a2c7641113dfaf8fe265ef1ba94acd

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-dk.js.gz: angular-locale_en-dk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-dk.js.gz/angular-locale_en-dk.js
 - MD5: bfc8ec431d1e07d73e5e50ef96006789
 - SHA1: 65873daa44b9fa19c2699d048e8093bf30b01321
 - SHA256: 654141332cff792553dd6958e64a1da3d6a2c7641113dfaf8fe265ef1ba94acd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-dm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-dm.js

MD5: 0f7d4ac400f3474287e973006123148f

SHA1: 53493435f78eba7cc66fb77417d11fe6210b8aa2

SHA256:94787c88b1a5b02d55456186929ff356d3e6b3a2cf671f934797b8c23c8b21ac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-dm.js.gz: angular-locale_en-dm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-dm.js.gz/angular-locale_en-dm.js
 - MD5: 0f7d4ac400f3474287e973006123148f
 - SHA1: 53493435f78eba7cc66fb77417d11fe6210b8aa2
 - SHA256: 94787c88b1a5b02d55456186929ff356d3e6b3a2cf671f934797b8c23c8b21ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-er.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-er.js

MD5: 5a72ddf6af64424e5607a41217df9450

SHA1: 8e9f024b0a7a57fcb7cdf390eb73272ce5529c52

SHA256:94489e79d4deeea5c20b96bb23b7872022dbd30f333bce6cb2de4722e2c6f3e3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-er.js.gz: angular-locale_en-er.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-er.js.gz/angular-locale_en-er.js
 - MD5: 5a72ddf6af64424e5607a41217df9450
 - SHA1: 8e9f024b0a7a57fcb7cdf390eb73272ce5529c52

- SHA256: 94489e79d4deeea5c20b96bb23b7872022dbd30f333bce6cb2de4722e2c6f3e3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fi.js

MD5: 3dda6f0b535e763dc8d7a6bf8cc9477f

SHA1: 84bc69b3320d7a2583706650d07ada1da9ca5184

SHA256: 51256645fb699ef04fba604a24083d56ce79b62ac0c2f74af8548d168a5276a3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-fi.js.gz: angular-locale_en-fi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fi.js.gz/angular-locale_en-fi.js
 - MD5: 3dda6f0b535e763dc8d7a6bf8cc9477f
 - SHA1: 84bc69b3320d7a2583706650d07ada1da9ca5184
 - SHA256: 51256645fb699ef04fba604a24083d56ce79b62ac0c2f74af8548d168a5276a3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-fj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fj.js

MD5: a89f2405070252fafac3a8e452bfeec1

SHA1: 718ce268f8a659f151207cd0357b2a490505a8f8

SHA256: 73a2de29ad39f681d54a827e208b65a54ae9bfe4b03b372f50555d998f57d8e0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-fj.js.gz: angular-locale_en-fj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fj.js.gz/angular-locale_en-fj.js
 - MD5: a89f2405070252fafac3a8e452bfeec1
 - SHA1: 718ce268f8a659f151207cd0357b2a490505a8f8
 - SHA256: 73a2de29ad39f681d54a827e208b65a54ae9bfe4b03b372f50555d998f57d8e0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-fk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fk.js

MD5: 47d0a7e07556e7fbbd340a68707195bb

SHA1: 0fec08c4b54bdccd3a8fea0d0c31440a0a5f5197

SHA256: 5f561e3b163c51490c1606532bf05f3a37ed7e8f91ee71a8def918705589045d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-fk.js.gz: angular-locale_en-fk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fk.js.gz/angular-locale_en-fk.js
 - MD5: 47d0a7e07556e7fbbd340a68707195bb
 - SHA1: 0fec08c4b54bdccd3a8fea0d0c31440a0a5f5197

- SHA256: 5f561e3b163c51490c1606532bf05f3a37ed7e8f91ee71a8def918705589045d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-fm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fm.js

MD5: 181249aeca65203f2800c1d3ea4baeab

SHA1: b4857f779336d4d9ce1efa8463592494c78dd85b

SHA256: a071269cf3e6fe85f9801484c29f316f2c64d6523b0bfbff3d7c1d21a8ae31e9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-fm.js.gz: angular-locale_en-fm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-fm.js.gz/angular-locale_en-fm.js
 - MD5: 181249aeca65203f2800c1d3ea4baeab
 - SHA1: b4857f779336d4d9ce1efa8463592494c78dd85b
 - SHA256: a071269cf3e6fe85f9801484c29f316f2c64d6523b0bfbff3d7c1d21a8ae31e9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gb.js

MD5: 6ea8b85f204a0adfb986b2210bbbff77

SHA1: cad08a66f072eeec2936dea7e43736eaa748d8de

SHA256:5efeb6deaa4cb21cf8a961caa44a2f061a854fa332477fa1f11f5380dabc89a0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gb.js.gz: angular-locale_en-gb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gb.js.gz/angular-locale_en-gb.js
 - MD5: 6ea8b85f204a0adfb986b2210bbbff77
 - SHA1: cad08a66f072eeec2936dea7e43736eaa748d8de
 - SHA256: 5efeb6deaa4cb21cf8a961caa44a2f061a854fa332477fa1f11f5380dabc89a0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gd.js

MD5: ffbe7afd1baacc2583aae68419257909

SHA1: 8392bbc283b997738055555bfa74336cbfa64cd2

SHA256:e6ce1f479e8ce01885b35df7f76abbee812a977328dbc30a58daa6347c95e585

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gd.js.gz: angular-locale_en-gd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gd.js.gz/angular-locale_en-gd.js
 - MD5: ffbe7afd1baacc2583aae68419257909
 - SHA1: 8392bbc283b997738055555bfa74336cbfa64cd2

- SHA256: e6ce1f479e8ce01885b35df7f76abbee812a977328dbc30a58daa6347c95e585

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gg.js

MD5: 1d07d813675c924002fe3bdab00e2933

SHA1: 7efcb58e0452d441e05808c6c28aff70184fae80

SHA256: c1ba0f0e540792c689060123602b53fa81b0d3966d6ee2ba0da1c3e5b5135044

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gg.js.gz: angular-locale_en-gg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gg.js.gz/angular-locale_en-gg.js
 - MD5: 1d07d813675c924002fe3bdab00e2933
 - SHA1: 7efcb58e0452d441e05808c6c28aff70184fae80
 - SHA256: c1ba0f0e540792c689060123602b53fa81b0d3966d6ee2ba0da1c3e5b5135044

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gh.js

MD5: 5a45b2c907cd2c26cbebb520c4336246

SHA1: 7ee779d08b6c17c2dbf106f0b8e0d3f9aefcbcfce

SHA256: cea1a6fe9b67108943d914536883ef94f43ecbf86801a8effd3c9f1200e9e51d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gh.js.gz: angular-locale_en-gh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gh.js.gz/angular-locale_en-gh.js
 - MD5: 5a45b2c907cd2c26cbebb520c4336246
 - SHA1: 7ee779d08b6c17c2dbf106f0b8e0d3f9aefcbcfce
 - SHA256: cea1a6fe9b67108943d914536883ef94f43ecbf86801a8effd3c9f1200e9e51d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gi.js

MD5: b84d9e1180a114239ae28aa2c6f3a5cf

SHA1: b8d0281cd1e42ccc8697c955ddd12f30b21a6c06

SHA256: 5358c7d26faa7338d5d757aece824385450f81a919aaf00d9dfb0a38c912ba69

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gi.js.gz: angular-locale_en-gi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gi.js.gz/angular-locale_en-gi.js
 - MD5: b84d9e1180a114239ae28aa2c6f3a5cf
 - SHA1: b8d0281cd1e42ccc8697c955ddd12f30b21a6c06

- SHA256: 5358c7d26faa7338d5d757aece824385450f81a919aaf00d9dfb0a38c912ba69

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gm.js

MD5: 546d6c176b18ad6164773e359eb95bdd

SHA1: fdd488a87c6d4ed0f9d17503bc0ec2e6ed2dae5b

SHA256: d631f1972d26fad466b7fbf870d5b740f9590fd4f870838c748e87948144fcf0

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-gm.js.gz: angular-locale_en-gm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gm.js.gz/angular-locale_en-gm.js
 - MD5: 546d6c176b18ad6164773e359eb95bdd
 - SHA1: fdd488a87c6d4ed0f9d17503bc0ec2e6ed2dae5b
 - SHA256: d631f1972d26fad466b7fbf870d5b740f9590fd4f870838c748e87948144fcf0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gu.js

MD5: 23a206d5894387df030638f5f325bcc9

SHA1: 193fb1286c2e16667ad3c0af676e15925107b3d0

SHA256: 781c3673eb6bc9cbc92261098ae74b5f9c52c2c90b85dc029d6ac6819646ea67

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gu.js.gz: angular-locale_en-gu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gu.js.gz/angular-locale_en-gu.js
 - MD5: 23a206d5894387df030638f5f325bcc9
 - SHA1: 193fb1286c2e16667ad3c0af676e15925107b3d0
 - SHA256: 781c3673eb6bc9cbc92261098ae74b5f9c52c2c90b85dc029d6ac6819646ea67

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-gy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gy.js

MD5: 2d97a59e79fff71b8573d3d6e7bb1504

SHA1: be3d065df76038b14269fea6b32686475d514e92

SHA256: d5388e789453c448502a01ad268263b4bf1e4e3831bfa25a460836fd2a2bdb95

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-gy.js.gz: angular-locale_en-gy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-gy.js.gz/angular-locale_en-gy.js
 - MD5: 2d97a59e79fff71b8573d3d6e7bb1504
 - SHA1: be3d065df76038b14269fea6b32686475d514e92

- SHA256: d5388e789453c448502a01ad268263b4bf1e4e3831bfa25a460836fd2a2bdb95

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-hk.js

MD5: 295fc16a9661bea218db8c1bc9fb45d1

SHA1: d06b40fc4b572761b811d4fb0bdef710bbb57360

SHA256: 29f933016356f03292fe81d371dc232273770d7bbc4d507e177e255fa0f9b7ac

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_en-hk.js.gz: angular-locale_en-hk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-hk.js.gz/angular-locale_en-hk.js
 - MD5: 295fc16a9661bea218db8c1bc9fb45d1
 - SHA1: d06b40fc4b572761b811d4fb0bdef710bbb57360
 - SHA256: 29f933016356f03292fe81d371dc232273770d7bbc4d507e177e255fa0f9b7ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ie.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ie.js

MD5: 374fd92d8aa3ff057b33dfd0568cb25d

SHA1: 258bd43437e8f4be1a3f9b638ad78ebb65683667

SHA256:2ca147c2c6adff3d7ffa880516e0e2e564b85bb2a25d5349d5344becb2421858

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ie.js.gz: angular-locale_en-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ie.js.gz/angular-locale_en-ie.js
 - MD5: 374fd92d8aa3ff057b33dfd0568cb25d
 - SHA1: 258bd43437e8f4be1a3f9b638ad78ebb65683667
 - SHA256: 2ca147c2c6adff3d7ffa880516e0e2e564b85bb2a25d5349d5344becb2421858

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-il.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-il.js

MD5: 404fddd2c53e27ae8581f17fe37bc8c8

SHA1: 80aeb426326101ad8442346708893971d3517727

SHA256:de19c1adab2c50ff23038fa4a700c69a6ab016579dc17af95773a222353d4a7f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-il.js.gz: angular-locale_en-il.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-il.js.gz/angular-locale_en-il.js
 - MD5: 404fddd2c53e27ae8581f17fe37bc8c8
 - SHA1: 80aeb426326101ad8442346708893971d3517727

- SHA256: de19c1adab2c50ff23038fa4a700c69a6ab016579dc17af95773a222353d4a7f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-im.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-im.js

MD5: 9518c8daa28df0f6daeba1d0ad8954c3

SHA1: 5884de9476e3214b9fef45e8b7a7e3d5aaa831cc

SHA256: afdb0dd6fbed0efacca70cc77ab44a88a98c77952af362bcfa5fae65fd3f43f7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-im.js.gz: angular-locale_en-im.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-im.js.gz/angular-locale_en-im.js
 - MD5: 9518c8daa28df0f6daeba1d0ad8954c3
 - SHA1: 5884de9476e3214b9fef45e8b7a7e3d5aaa831cc
 - SHA256: afdb0dd6fbed0efacca70cc77ab44a88a98c77952af362bcfa5fae65fd3f43f7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-in.js

MD5: 6fb84ac0389213ee0bd3e793fa299b6f

SHA1: b9baf1b6e72e70c5f051c21e18535d6f14cde906

SHA256:4864c14965a133c27eaf3f4bc6f120d5e6b27eaaef2d10939316ece304ab9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-in.js.gz: angular-locale_en-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-in.js.gz/angular-locale_en-in.js
 - MD5: 6fb84ac0389213ee0bd3e793fa299b6f
 - SHA1: b9baf1b6e72e70c5f051c21e18535d6f14cde906
 - SHA256: 4864c14965a133c27eaf3f4bc6f120d5e6b27eaaef2d10939316ece304ab9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-io.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-io.js

MD5: 133f58047b5f8b21f79dcf2c26e38560

SHA1: b33cc5849ac18ddd56fb6f07b00ff791ba4c96a3

SHA256:ec5b2f5742cc7b2edf8fd76a6740692ddee630aca9db619e7edce75a1849213d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-io.js.gz: angular-locale_en-io.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-io.js.gz/angular-locale_en-io.js
 - MD5: 133f58047b5f8b21f79dcf2c26e38560
 - SHA1: b33cc5849ac18ddd56fb6f07b00ff791ba4c96a3

- SHA256: ec5b2f5742cc7b2edf8fd76a6740692ddee630aca9db619e7edce75a1849213d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-iso.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-iso.js

MD5: 493837144c4d42b965f47836dcbc8a8e

SHA1: d28f88a7449000cbc3e1200ca64c4769bcdd4231

SHA256: d391618ea87a02e9ac79dc8524aac23aaa7a805085de0345c502766e74375790

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-iso.js.gz: angular-locale_en-iso.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-iso.js.gz/angular-locale_en-iso.js
 - MD5: 493837144c4d42b965f47836dcbc8a8e
 - SHA1: d28f88a7449000cbc3e1200ca64c4769bcdd4231
 - SHA256: d391618ea87a02e9ac79dc8524aac23aaa7a805085de0345c502766e74375790

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-je.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-je.js

MD5: d02faa4eff3949f63b7d2922971a75e9

SHA1: cb1ddd82064272abc4255ccdfbe9aa088a5380d6

SHA256:33e88ecbd1c57d5bfd19508dba60b4df5f3be30b9fd8c0b05099580fea4dc258

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-je.js.gz: angular-locale_en-je.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-je.js.gz/angular-locale_en-je.js
 - MD5: d02faa4eff3949f63b7d2922971a75e9
 - SHA1: cb1ddd82064272abc4255ccdfbe9aa088a5380d6
 - SHA256: 33e88ecbd1c57d5bfd19508dba60b4df5f3be30b9fd8c0b05099580fea4dc258

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-jm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-jm.js

MD5: f6186b891b3bcca01627dc9c47b7e6d5

SHA1: 30c39f75ae71b3853b3729b0525ef34f8b9c01d5

SHA256:b56e3b6d5252976a079f271ead9847037ec53d98fe9b8806697458033eb1c97d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-jm.js.gz: angular-locale_en-jm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-jm.js.gz/angular-locale_en-jm.js
 - MD5: f6186b891b3bcca01627dc9c47b7e6d5
 - SHA1: 30c39f75ae71b3853b3729b0525ef34f8b9c01d5

- SHA256: b56e3b6d5252976a079f271ead9847037ec53d98fe9b8806697458033eb1c97d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ke.js

MD5: 26b539d024c2df55297fcf3e44db5d4d

SHA1: 41b7c6f70287368353ff0ac953a8daa5d544d3da

SHA256: c82e5985b7645dbb2cb3f48288a2c525b4cae1010ffb4402b166f74c94da3d2f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_en-ke.js.gz: angular-locale_en-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ke.js.gz/angular-locale_en-ke.js
 - MD5: 26b539d024c2df55297fcf3e44db5d4d
 - SHA1: 41b7c6f70287368353ff0ac953a8daa5d544d3da
 - SHA256: c82e5985b7645dbb2cb3f48288a2c525b4cae1010ffb4402b166f74c94da3d2f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ki.js

MD5: 88cda491801f8b690a353c52c2d2a71c

SHA1: 3b612efce943d15f373acc2e7f6360364110dbb7

SHA256: d173dd1067e2f9dd6bc3f39561cf6ed32e44cc8ea78c369d6a48d4db395c02bc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ki.js.gz: angular-locale_en-ki.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ki.js.gz/angular-locale_en-ki.js
 - MD5: 88cda491801f8b690a353c52c2d2a71c
 - SHA1: 3b612efce943d15f373acc2e7f6360364110dbb7
 - SHA256: d173dd1067e2f9dd6bc3f39561cf6ed32e44cc8ea78c369d6a48d4db395c02bc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-kn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-kn.js

MD5: 8d35634a7791b5df84f0eed46913c60d

SHA1: 47620f48aad7f70c46833ed02ec36c8012690bf6

SHA256: 6b3318cc27bae55a11b56bd6ba3283840227c1149d6c858c0e02a0fad3ba8e35

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-kn.js.gz: angular-locale_en-kn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-kn.js.gz/angular-locale_en-kn.js
 - MD5: 8d35634a7791b5df84f0eed46913c60d
 - SHA1: 47620f48aad7f70c46833ed02ec36c8012690bf6

- SHA256: 6b3318cc27bae55a11b56bd6ba3283840227c1149d6c858c0e02a0fad3ba8e35

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ky.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ky.js

MD5: 34f0a74c84652c8293dd090def84cd82

SHA1: e778acf22160c2544bde2fb7365da9767ef6e89d

SHA256: 358c1aa4afc80f8f22f7cfadaec04e69eaba8b817e27f165ee22d7ea18c38dd4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ky.js.gz: angular-locale_en-ky.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ky.js.gz/angular-locale_en-ky.js
 - MD5: 34f0a74c84652c8293dd090def84cd82
 - SHA1: e778acf22160c2544bde2fb7365da9767ef6e89d
 - SHA256: 358c1aa4afc80f8f22f7cfadaec04e69eaba8b817e27f165ee22d7ea18c38dd4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-lc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-lc.js

MD5: 2190487917edcd207dd73db2ecf69523

SHA1: bd1524a1f58d35e9629dae1a40bf889cc217cf47
SHA256: dd00144e710d1cd8464477420e6db368d82e5d6b32531436fd92b24fd334635b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-lc.js.gz: angular-locale_en-lc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-lc.js.gz/angular-locale_en-lc.js
 - MD5: 2190487917edcd207dd73db2ecf69523
 - SHA1: bd1524a1f58d35e9629dae1a40bf889cc217cf47
 - SHA256: dd00144e710d1cd8464477420e6db368d82e5d6b32531436fd92b24fd334635b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-lr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-lr.js
MD5: 5a79c02ec048b64f7b33ea118650ea53
SHA1: b008e61fcc080dd1caa3e0eb9c09b2bc9d6c094e
SHA256: 8593baa55b0fedf3c66123423be3e3813fd5545074f96997fb8d4dd9e6e82760
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-lr.js.gz: angular-locale_en-lr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-lr.js.gz/angular-locale_en-lr.js
 - MD5: 5a79c02ec048b64f7b33ea118650ea53
 - SHA1: b008e61fcc080dd1caa3e0eb9c09b2bc9d6c094e

- SHA256: 8593baa55b0fedf3c66123423be3e3813fd5545074f96997fb8d4dd9e6e82760

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ls.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ls.js

MD5: f364e31d6cac740d6042b96fa07bb23

SHA1: 6e302af7433406b5891e48dc965aea2a76db2f7a

SHA256: 5bcffca28781ad38a2c8a6853f1f9933386882f52f812540f86b1f2aa5af938b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ls.js.gz: angular-locale_en-ls.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ls.js.gz/angular-locale_en-ls.js
 - MD5: f364e31d6cac740d6042b96fa07bb23
 - SHA1: 6e302af7433406b5891e48dc965aea2a76db2f7a
 - SHA256: 5bcffca28781ad38a2c8a6853f1f9933386882f52f812540f86b1f2aa5af938b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mg.js

MD5: a50a29b05946eff96d11a4e49c973697

SHA1: a155f92673ab6d4270b7bd1e3613f772bf1234d6

SHA256:43050dbee3417cf4eff12dd3e3462d20b32560a791bfdb788f7fbb27ef3d67f6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-mg.js.gz: angular-locale_en-mg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mg.js.gz/angular-locale_en-mg.js
 - MD5: a50a29b05946eff96d11a4e49c973697
 - SHA1: a155f92673ab6d4270b7bd1e3613f772bf1234d6
 - SHA256: 43050dbee3417cf4eff12dd3e3462d20b32560a791bfdb788f7fbb27ef3d67f6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mh.js

MD5: fee4b0b12d7b2c6b5dfb616e79b2a3b2

SHA1: 59327c9cdb3b3230eb14cc531181e839419c92b1

SHA256:4790a65b8b68a2abaf572661f4e7c36c6ce71f5144ad356c9764a5afa3e00c6b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-mh.js.gz: angular-locale_en-mh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mh.js.gz/angular-locale_en-mh.js
 - MD5: fee4b0b12d7b2c6b5dfb616e79b2a3b2
 - SHA1: 59327c9cdb3b3230eb14cc531181e839419c92b1

- SHA256: 4790a65b8b68a2abaf572661f4e7c36c6ce71f5144ad356c9764a5afa3e00c6b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mo.js

MD5: e27d506a2f59f4a8a6a3a80447a0e2ef

SHA1: f30a84d9ff9b6ff7d9993c7f1145c2355722865f

SHA256: a87d7fa7a930ceb95b3294fb1fbe372badd093475c75742f3feac6b19fa0398f

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_en-mo.js.gz: angular-locale_en-mo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mo.js.gz/angular-locale_en-mo.js
 - MD5: e27d506a2f59f4a8a6a3a80447a0e2ef
 - SHA1: f30a84d9ff9b6ff7d9993c7f1145c2355722865f
 - SHA256: a87d7fa7a930ceb95b3294fb1fbe372badd093475c75742f3feac6b19fa0398f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mp.js

MD5: e078ddc2d70d3e319c88cbdee803bb60

SHA1: 6592feb877a971b6f9ca95f709ec976d192cfb1b

SHA256:4a741829f7999537a7a225e326df129ad071dc39928754689a9e1379e6b317cf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-mp.js.gz: angular-locale_en-mp.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mp.js.gz/angular-locale_en-mp.js
 - MD5: e078ddc2d70d3e319c88cbdee803bb60
 - SHA1: 6592feb877a971b6f9ca95f709ec976d192cfb1b
 - SHA256: 4a741829f7999537a7a225e326df129ad071dc39928754689a9e1379e6b317cf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ms.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ms.js

MD5: 93cce60bf4e7c674c117f51c6dcf2d60

SHA1: 086f5480ac3860cb25882fb84cf82574b687d3c6

SHA256:dffa04fa380028042edd9f87d5c56695503f8e0996c70eae07280692d18805f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ms.js.gz: angular-locale_en-ms.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ms.js.gz/angular-locale_en-ms.js
 - MD5: 93cce60bf4e7c674c117f51c6dcf2d60
 - SHA1: 086f5480ac3860cb25882fb84cf82574b687d3c6

- SHA256: dfffa04fa380028042edd9f87d5c56695503f8e0996c70eae07280692d18805f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mt.js

MD5: 2912097fde3642706ec49e8c3480cfa6

SHA1: f57135318c1739fe77dc150d2af7f030311e725e

SHA256: 7b3658e39c90448f74155355310f62bf930fe0643c5415879ec83901dcbd539f

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-mt.js.gz: angular-locale_en-mt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mt.js.gz/angular-locale_en-mt.js
 - MD5: 2912097fde3642706ec49e8c3480cfa6
 - SHA1: f57135318c1739fe77dc150d2af7f030311e725e
 - SHA256: 7b3658e39c90448f74155355310f62bf930fe0643c5415879ec83901dcbd539f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mu.js

MD5: 2f68ff88cd21e1e04395e55dfb38156f

SHA1: 472f80daeb0c5072f827bf6d806d330ea7d31240

SHA256:3abb9c2329ffa147d87b2715ca76f0885779e7305addfb7f61a49ff0a9328302

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-mu.js.gz: angular-locale_en-mu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mu.js.gz/angular-locale_en-mu.js
 - MD5: 2f68ff88cd21e1e04395e55dfb38156f
 - SHA1: 472f80daeb0c5072f827bf6d806d330ea7d31240
 - SHA256: 3abb9c2329ffa147d87b2715ca76f0885779e7305addfb7f61a49ff0a9328302

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-mw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mw.js

MD5: 8f53e0175ac246203678154f71f2f970

SHA1: 6d46769925ec420bfb46f9c4bde90045b6156edc

SHA256:f1636e5dc67ff76cb32363169230f1024b78025df0d204c0a91ffe9d87fcec58

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-mw.js.gz: angular-locale_en-mw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-mw.js.gz/angular-locale_en-mw.js
 - MD5: 8f53e0175ac246203678154f71f2f970
 - SHA1: 6d46769925ec420bfb46f9c4bde90045b6156edc

- SHA256: f1636e5dc67ff76cb32363169230f1024b78025df0d204c0a91ffe9d87fcec58

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-my.js

MD5: 8bb947dc639d4bf27122caed7633bff7

SHA1: 128ca0f9079a5cad961050a2a6b997065ceb37e7

SHA256: d72d2a0e7acf154643777aa086bafb5fe93fcc320a4dd391ba11a314819f930a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-my.js.gz: angular-locale_en-my.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-my.js.gz/angular-locale_en-my.js
 - MD5: 8bb947dc639d4bf27122caed7633bff7
 - SHA1: 128ca0f9079a5cad961050a2a6b997065ceb37e7
 - SHA256: d72d2a0e7acf154643777aa086bafb5fe93fcc320a4dd391ba11a314819f930a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-na.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-na.js

MD5: d1827ea59b50d84b94a5784c4421678c

SHA1: b554030c255a90415e04d148fe4729cf168a6987

SHA256: e3ee7fdf6c9f9fa7e63f45fbde03d4381000dcd2f5adcaf2ff04430a434e2b82

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-na.js.gz: angular-locale_en-na.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-na.js.gz/angular-locale_en-na.js
 - MD5: d1827ea59b50d84b94a5784c4421678c
 - SHA1: b554030c255a90415e04d148fe4729cf168a6987
 - SHA256: e3ee7fdf6c9f9fa7e63f45fbde03d4381000dcd2f5adcaf2ff04430a434e2b82

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-nf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nf.js

MD5: eb62ca815c7aa97dffe2424a58c4debe

SHA1: 65545c686a96fd41c37203b155e8c77f3c77576e

SHA256: 180e70e26b2d5db3a9ced7c2860745752132101ef98b46b2cc3567879aadd541

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-nf.js.gz: angular-locale_en-nf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nf.js.gz/angular-locale_en-nf.js
 - MD5: eb62ca815c7aa97dffe2424a58c4debe
 - SHA1: 65545c686a96fd41c37203b155e8c77f3c77576e

- SHA256: 180e70e26b2d5db3a9ced7c2860745752132101ef98b46b2cc3567879aadd541

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ng.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ng.js

MD5: 720df526ec204f991bc3fb0e2a7f03f1

SHA1: 9a761f34a79a90bda84cdeb50d90ec97369f4fb5

SHA256: 20cdf44ed2e0a28dfa53c4d548165677e863616a77f0e1b1a3029b53c92692

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ng.js.gz: angular-locale_en-ng.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ng.js.gz/angular-locale_en-ng.js
 - MD5: 720df526ec204f991bc3fb0e2a7f03f1
 - SHA1: 9a761f34a79a90bda84cdeb50d90ec97369f4fb5
 - SHA256: 20cdf44ed2e0a28dfa53c4d548165677e863616a77f0e1b1a3029b53c92692

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nl.js

MD5: 0f3e13ff33f269686e0f875bc2d17039

SHA1: 10c278ef128d935ee811807dae064215dee486a5

SHA256: 825586031930a51451b5a7f3ebe13d983bfdb8488d0faa947b9333ecb6a9f348

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-nl.js.gz: angular-locale_en-nl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nl.js.gz/angular-locale_en-nl.js
 - MD5: 0f3e13ff33f269686e0f875bc2d17039
 - SHA1: 10c278ef128d935ee811807dae064215dee486a5
 - SHA256: 825586031930a51451b5a7f3ebe13d983bfdb8488d0faa947b9333ecb6a9f348

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-nr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nr.js

MD5: 5777cd64c597bb6abe3ac288461a8096

SHA1: 13b2f1a27e327ecf1ebe21ecce3db5cb0da319b8

SHA256: 1a2a20c4dcc3bfbd40baf3d68ae456564ee9e9de2ebbdd997c84c4f111db7651

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-nr.js.gz: angular-locale_en-nr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nr.js.gz/angular-locale_en-nr.js
 - MD5: 5777cd64c597bb6abe3ac288461a8096
 - SHA1: 13b2f1a27e327ecf1ebe21ecce3db5cb0da319b8

- SHA256: 1a2a20c4dcc3bfb40baf3d68ae456564ee9e9de2ebbdd997c84c4f111db7651

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-nu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nu.js

MD5: 63a7269b66d1747a22e0b68f69203b6e

SHA1: efd9455998db8bcb8e04ff13bfdc9092c7c03bfc

SHA256: 32bb2fbb3841847682c63c0732dfb1464d755dc17eb3f5d568bae4e33fabaea0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-nu.js.gz: angular-locale_en-nu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nu.js.gz/angular-locale_en-nu.js
 - MD5: 63a7269b66d1747a22e0b68f69203b6e
 - SHA1: efd9455998db8bcb8e04ff13bfdc9092c7c03bfc
 - SHA256: 32bb2fbb3841847682c63c0732dfb1464d755dc17eb3f5d568bae4e33fabaea0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-nz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nz.js

MD5: c9a0b6747eb8ee32332afed0fd84adfa

SHA1: 7abf4741349d3ebd37fcd7aab49ee1d1999dc17c

SHA256: f37147e61460d1b5d50c4a00e00af63d233f361170d94863be4769d4c3c56abc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-nz.js.gz: angular-locale_en-nz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-nz.js.gz/angular-locale_en-nz.js
 - MD5: c9a0b6747eb8ee32332afed0fd84adfa
 - SHA1: 7abf4741349d3ebd37fcd7aab49ee1d1999dc17c
 - SHA256: f37147e61460d1b5d50c4a00e00af63d233f361170d94863be4769d4c3c56abc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-pg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pg.js

MD5: 3d8ae928f8cb726bc3e734c03923133d

SHA1: 6b9a369158d00245b41f42068d1e11d8bf9fb4a3

SHA256: 01d65192b8c7f72cd791f4fd35b1669d4dff03e6e194bf7fd0cfbcafd2bafcd4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-pg.js.gz: angular-locale_en-pg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pg.js.gz/angular-locale_en-pg.js
 - MD5: 3d8ae928f8cb726bc3e734c03923133d
 - SHA1: 6b9a369158d00245b41f42068d1e11d8bf9fb4a3

- SHA256: 01d65192b8c7f72cd791f4fd35b1669d4dff03e6e194bf7fd0cfbcafd2bafcd4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ph.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ph.js

MD5: 98562e045843fa5f9cc9b4f774800be9

SHA1: 01d1a98f559966a05923a74ee239c6bbeeb0fdac

SHA256: abd840d5464317d062531ca754ff84c2c8162e98ac14e469bef48f2376efd562

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ph.js.gz: angular-locale_en-ph.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ph.js.gz/angular-locale_en-ph.js
 - MD5: 98562e045843fa5f9cc9b4f774800be9
 - SHA1: 01d1a98f559966a05923a74ee239c6bbeeb0fdac
 - SHA256: abd840d5464317d062531ca754ff84c2c8162e98ac14e469bef48f2376efd562

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-pk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pk.js

MD5: e7805cfd5cd4ef52205749516ff7fdfb

SHA1: f31277cce427fda09a585dd3d466ac26247159bb

SHA256: 50bd3243970237d706b146b2d594452a7a1f7e413b230627fdda98de6fbd9f83

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-pk.js.gz: angular-locale_en-pk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pk.js.gz/angular-locale_en-pk.js
 - MD5: e7805cfd5cd4ef52205749516ff7fdb
 - SHA1: f31277cce427fda09a585dd3d466ac26247159bb
 - SHA256: 50bd3243970237d706b146b2d594452a7a1f7e413b230627fdda98de6fbd9f83

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-pn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pn.js

MD5: 4041b8020e379857ba372214b998fdac

SHA1: 60bc7b643de6278fab8b052d5785235eae7618d0

SHA256: b5529afcb826c8f19cf926b7184816174a1c34d7fbd714b48e33d3cc16440aa2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-pn.js.gz: angular-locale_en-pn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pn.js.gz/angular-locale_en-pn.js
 - MD5: 4041b8020e379857ba372214b998fdac
 - SHA1: 60bc7b643de6278fab8b052d5785235eae7618d0

- SHA256: b5529afcb826c8f19cf926b7184816174a1c34d7fbd714b48e33d3cc16440aa2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-pr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pr.js

MD5: ab52632060afba6abc3c9e81377895e2

SHA1: 0a8e45a54d5b774154dbf07ff392f2e544406e9a

SHA256: 27d706b59a6cd7f3442b594dfa1a31017011b58e0f70a6b4cea18d0faf043aae

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-pr.js.gz: angular-locale_en-pr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pr.js.gz/angular-locale_en-pr.js
 - MD5: ab52632060afba6abc3c9e81377895e2
 - SHA1: 0a8e45a54d5b774154dbf07ff392f2e544406e9a
 - SHA256: 27d706b59a6cd7f3442b594dfa1a31017011b58e0f70a6b4cea18d0faf043aae

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-pw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pw.js

MD5: 8bfd337d36c43c406c8d0eebca84035c

SHA1: 854efab782bdfd822df55428828fbec713c5b21

SHA256: ae0730226c5c83b42af8486229b54f52d43c1b319a3fb24bf3616f57028ab249

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-pw.js.gz: angular-locale_en-pw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-pw.js.gz/angular-locale_en-pw.js
 - MD5: 8bfd337d36c43c406c8d0eebca84035c
 - SHA1: 854efab782bdfd822df55428828fbec713c5b21
 - SHA256: ae0730226c5c83b42af8486229b54f52d43c1b319a3fb24bf3616f57028ab249

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-rw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-rw.js

MD5: f02050cbefb8599d9f1d8133e1c2881c

SHA1: 504b5fbec7e4272fc012a130a4811e4968ae92e6

SHA256: 7a7bcbb76e15724af6e326db97605451fa2313eeaf4fab496d6deda0ed66ac73

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-rw.js.gz: angular-locale_en-rw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-rw.js.gz/angular-locale_en-rw.js
 - MD5: f02050cbefb8599d9f1d8133e1c2881c
 - SHA1: 504b5fbec7e4272fc012a130a4811e4968ae92e6

- SHA256: 7a7bcbb76e15724af6e326db97605451fa2313eeaf4fab496d6deda0ed66ac73

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sb.js

MD5: 71cef8bbf635e294c54f1d7bc87e33ce

SHA1: dcbb8df528ddefa61a2004fd1c67637d119472ee

SHA256: d5e8cc3d8d2bdb40016a59d49a84f5a7fdcdcde3fed0093c94059731b81cf154

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sb.js.gz: angular-locale_en-sb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sb.js.gz/angular-locale_en-sb.js
 - MD5: 71cef8bbf635e294c54f1d7bc87e33ce
 - SHA1: dcbb8df528ddefa61a2004fd1c67637d119472ee
 - SHA256: d5e8cc3d8d2bdb40016a59d49a84f5a7fdcdcde3fed0093c94059731b81cf154

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sc.js

MD5: c100b99bcc47d6798e4996c468426557

SHA1: d09b6f397d0d56519f34fcf6e1c30e68bc8bfcfc

SHA256: 933adb412e9375f2606d985b7fc6e1d66cbb6655c0db7bf23635f66d04eae086

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sc.js.gz: angular-locale_en-sc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sc.js.gz/angular-locale_en-sc.js
 - MD5: c100b99bcc47d6798e4996c468426557
 - SHA1: d09b6f397d0d56519f34fcf6e1c30e68bc8bfcfc
 - SHA256: 933adb412e9375f2606d985b7fc6e1d66cbb6655c0db7bf23635f66d04eae086

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sd.js

MD5: 363a5fd97529dd6fd5bf48299cb0ca2d

SHA1: 05c9a276a0e03f7a5f99de5cc8911583fd8fd60e

SHA256: 19c9e80d5aa7f4430507c41dd3c3dac2760c9696cdaf3c1ddc215936f6871f17

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sd.js.gz: angular-locale_en-sd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sd.js.gz/angular-locale_en-sd.js
 - MD5: 363a5fd97529dd6fd5bf48299cb0ca2d
 - SHA1: 05c9a276a0e03f7a5f99de5cc8911583fd8fd60e

- SHA256: 19c9e80d5aa7f4430507c41dd3c3dac2760c9696cdaf3c1ddc215936f6871f17

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-se.js

MD5: 6ccfebb3556b960c7c558814e6a608df

SHA1: af54d58d5a0e35c71b895e5abbd1455dbbdc29e4

SHA256: 0000c616f2ead25aac4176e9884e50ec76c83ea5781ce0e01cb01bdf652527b2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-se.js.gz: angular-locale_en-se.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-se.js.gz/angular-locale_en-se.js
 - MD5: 6ccfebb3556b960c7c558814e6a608df
 - SHA1: af54d58d5a0e35c71b895e5abbd1455dbbdc29e4
 - SHA256: 0000c616f2ead25aac4176e9884e50ec76c83ea5781ce0e01cb01bdf652527b2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sg.js

MD5: ae22ea15f8bb24e0d0c9e6dddec0b672

SHA1: 6f0cdd751764f05643c4679279edbd37dae264dd

SHA256: a0eebd5d6d09bd574c14ed63f55652c82a1752f3131f8bbb670b47e860d3e596

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sg.js.gz: angular-locale_en-sg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sg.js.gz/angular-locale_en-sg.js
 - MD5: ae22ea15f8bb24e0d0c9e6dddec0b672
 - SHA1: 6f0cdd751764f05643c4679279edbd37dae264dd
 - SHA256: a0eebd5d6d09bd574c14ed63f55652c82a1752f3131f8bbb670b47e860d3e596

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sh.js

MD5: b4cb0d02f42d920661bb113c808b115a

SHA1: e0d29b7e52b6b708e2d30261a087d60b911326f8

SHA256: 3a64451482904f164f888aa920c9838901f3fbecaed5a01c871385b6557e0949

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sh.js.gz: angular-locale_en-sh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sh.js.gz/angular-locale_en-sh.js
 - MD5: b4cb0d02f42d920661bb113c808b115a
 - SHA1: e0d29b7e52b6b708e2d30261a087d60b911326f8

- SHA256: 3a64451482904f164f888aa920c9838901f3fbecaed5a01c871385b6557e0949

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-si.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-si.js

MD5: e9d402b784a1688ddb92936f9c37ca3e

SHA1: 611fd49bdbc34adad7ad3b554c13bea217b8fd4e

SHA256: b744e2cbd9e863448732596f0e9fa36fcf9f1027565be37278955b84982db35a

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-si.js.gz: angular-locale_en-si.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-si.js.gz/angular-locale_en-si.js
 - MD5: e9d402b784a1688ddb92936f9c37ca3e
 - SHA1: 611fd49bdbc34adad7ad3b554c13bea217b8fd4e
 - SHA256: b744e2cbd9e863448732596f0e9fa36fcf9f1027565be37278955b84982db35a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sl.js

MD5: 0b84ae430b614c1efc3d280eb354b435

SHA1: 03976fddc6cde0095067b7f620ac71369b75e8dc

SHA256:fa4b45d2cc429f7066d38c591d91c3e40310fc8d18e78729755a1f3561875502

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sl.js.gz: angular-locale_en-sl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sl.js.gz/angular-locale_en-sl.js
 - MD5: 0b84ae430b614c1efc3d280eb354b435
 - SHA1: 03976fddc6cde0095067b7f620ac71369b75e8dc
 - SHA256: fa4b45d2cc429f7066d38c591d91c3e40310fc8d18e78729755a1f3561875502

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ss.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ss.js

MD5: 5954ec155af1aeaa0c07cf7cac5fb731

SHA1: 831684f4ba7b912a221ba09dd0779317c9ca5764

SHA256:4109f251bf17950ab0fddca8130a8562bd3238c2e12eb67defcdda876b858ab4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ss.js.gz: angular-locale_en-ss.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ss.js.gz/angular-locale_en-ss.js
 - MD5: 5954ec155af1aeaa0c07cf7cac5fb731
 - SHA1: 831684f4ba7b912a221ba09dd0779317c9ca5764

- SHA256: 4109f251bf17950ab0fddca8130a8562bd3238c2e12eb67defcdda876b858ab4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sx.js

MD5: f43748527337e4980b291ad662c4ba84

SHA1: 765ec5768decb15185cd643156050d7044686cbc

SHA256: 6b5654a130e39a2db40dbd5e2803e69145c9456dc1982ff10eb654e12c5e059a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sx.js.gz: angular-locale_en-sx.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sx.js.gz/angular-locale_en-sx.js
 - MD5: f43748527337e4980b291ad662c4ba84
 - SHA1: 765ec5768decb15185cd643156050d7044686cbc
 - SHA256: 6b5654a130e39a2db40dbd5e2803e69145c9456dc1982ff10eb654e12c5e059a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-sz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sz.js

MD5: a581edc90a0da38b4f83b4a80735b531

SHA1: 94d4a52de1b48c27069b34ebb5fa4495f47f150a

SHA256:f49f800ce8a77dd8d7277335bb51aa9712546f0fe2399170d98555993bb07b27

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-sz.js.gz: angular-locale_en-sz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-sz.js.gz/angular-locale_en-sz.js
 - MD5: a581edc90a0da38b4f83b4a80735b531
 - SHA1: 94d4a52de1b48c27069b34ebb5fa4495f47f150a
 - SHA256: f49f800ce8a77dd8d7277335bb51aa9712546f0fe2399170d98555993bb07b27

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-tc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tc.js

MD5: 3db75244c29ae9d5491815af882b04a7

SHA1: 39550fad526a2d3140c48c68cbdfca51273a3c5e

SHA256:bd45d8d3d13b3792591fe92c7f81ed1ab64389a190b2d9cf4a69c295ff68b16f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-tc.js.gz: angular-locale_en-tc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tc.js.gz/angular-locale_en-tc.js
 - MD5: 3db75244c29ae9d5491815af882b04a7
 - SHA1: 39550fad526a2d3140c48c68cbdfca51273a3c5e

- SHA256: bd45d8d3d13b3792591fe92c7f81ed1ab64389a190b2d9cf4a69c295ff68b16f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-tk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tk.js

MD5: e24680520ced4e13c2237db0a5c15ebc

SHA1: 96afa8b22615d697fcb6dd8fb984874e6ea5e3cb

SHA256: f411926fcbc0f7c20f0ec1cbf318c180c908baa4e3216a0d6f327c7f886bac5a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-tk.js.gz: angular-locale_en-tk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tk.js.gz/angular-locale_en-tk.js
 - MD5: e24680520ced4e13c2237db0a5c15ebc
 - SHA1: 96afa8b22615d697fcb6dd8fb984874e6ea5e3cb
 - SHA256: f411926fcbc0f7c20f0ec1cbf318c180c908baa4e3216a0d6f327c7f886bac5a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-to.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-to.js

MD5: 0fecdd445541d6635425dbcdc0b938cf7

SHA1: 9c640f62723ce0db252108b7f3ea4267ce727e13

SHA256: db50789c9531993f126c70ebbe115958dad41ee451c0221b99d42a3540917940

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-to.js.gz: angular-locale_en-to.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-to.js.gz/angular-locale_en-to.js
 - MD5: 0fecd445541d6635425dbc0b938cf7
 - SHA1: 9c640f62723ce0db252108b7f3ea4267ce727e13
 - SHA256: db50789c9531993f126c70ebbe115958dad41ee451c0221b99d42a3540917940

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-tt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tt.js

MD5: f65148b2289aff243fec056ff72aa815

SHA1: 538954fe91d1edabfa39748ad02d6f3992be4bd4

SHA256: d8dce31f5dbce53bb8ebf0b5ded21e399d784c05bdb5b08637aff91b029bdd05

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-tt.js.gz: angular-locale_en-tt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tt.js.gz/angular-locale_en-tt.js
 - MD5: f65148b2289aff243fec056ff72aa815
 - SHA1: 538954fe91d1edabfa39748ad02d6f3992be4bd4

- SHA256: d8dce31f5dbce53bb8ebf0b5ded21e399d784c05bdb5b08637aff91b029bdd05

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-tv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tv.js

MD5: eced905f5deb3c0cff2b1b7910f66033

SHA1: 1c37b4674c2050ca9222cd249bc3928389868851

SHA256: ae1066b8781dbdb646fe0ad8faa23f9f56641f6f4a9a87ea14778e2936e4088e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-tv.js.gz: angular-locale_en-tv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tv.js.gz/angular-locale_en-tv.js
 - MD5: eced905f5deb3c0cff2b1b7910f66033
 - SHA1: 1c37b4674c2050ca9222cd249bc3928389868851
 - SHA256: ae1066b8781dbdb646fe0ad8faa23f9f56641f6f4a9a87ea14778e2936e4088e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tz.js

MD5: 2e7ea0070e4e20eb18b04aa49274488c

SHA1: 256085b7176cec1f99d7681581c19712c9ec8f6d

SHA256:3bc3d40e9d7e18a4d744e879e25cbfff0ba35b1ebbc0f4f96102db75772e35b1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-tz.js.gz: angular-locale_en-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-tz.js.gz/angular-locale_en-tz.js
 - MD5: 2e7ea0070e4e20eb18b04aa49274488c
 - SHA1: 256085b7176cec1f99d7681581c19712c9ec8f6d
 - SHA256: 3bc3d40e9d7e18a4d744e879e25cbfff0ba35b1ebbc0f4f96102db75772e35b1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ug.js

MD5: 63febb5adc8854d819251d472bec88eb

SHA1: 7724a606b37976459df431b5309da0409346f200

SHA256:87925888137f44ba81bfb80865e805017bc73cd381311e5f12715bc144b8f9b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ug.js.gz: angular-locale_en-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ug.js.gz/angular-locale_en-ug.js
 - MD5: 63febb5adc8854d819251d472bec88eb
 - SHA1: 7724a606b37976459df431b5309da0409346f200

- SHA256: 87925888137f44ba81bfb80865e805017bc73cd381311e5f12715bc144b8f9b9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-um.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-um.js

MD5: 1c93915c43a8d216431f123563cf29af

SHA1: e66f2f715ce20ef8c7575ea115f07d2bdf9f287

SHA256: 13d9fad774d53faa8dfe914afb57b3083d82a9c22649b776bce1f5a1d0a172f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-um.js.gz: angular-locale_en-um.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-um.js.gz/angular-locale_en-um.js
 - MD5: 1c93915c43a8d216431f123563cf29af
 - SHA1: e66f2f715ce20ef8c7575ea115f07d2bdf9f287
 - SHA256: 13d9fad774d53faa8dfe914afb57b3083d82a9c22649b776bce1f5a1d0a172f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-us-posix.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-us-posix.js

MD5: f70d3965a378ac831d75ecc97611ed80

SHA1: f678976abb3553312c07ee4d475faf0d90b18d9c

SHA256:2924c6b446ad09b73bed6a3f92110ef419130e529e4c49ddf07afa8580157b02

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-us-posix.js.gz: angular-locale_en-us-posix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-us-posix.js.gz/angular-locale_en-us-posix.js
 - MD5: f70d3965a378ac831d75ecc97611ed80
 - SHA1: f678976abb3553312c07ee4d475faf0d90b18d9c
 - SHA256: 2924c6b446ad09b73bed6a3f92110ef419130e529e4c49ddf07afa8580157b02

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-us.js

MD5: 4e84db290d2e1743fa3b8a199683c146

SHA1: 78af36433234f9899fce2c12595b3864ae7ed98f

SHA256:be1a99b11acde26fa93149b45583b86994c7d7e388ffd24b0b4da17eb7d33f4b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-us.js.gz: angular-locale_en-us.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-us.js.gz/angular-locale_en-us.js
 - MD5: 4e84db290d2e1743fa3b8a199683c146

- SHA1: 78af36433234f9899fce2c12595b3864ae7ed98f
- SHA256: be1a99b11acde26fa93149b45583b86994c7d7e388ffd24b0b4da17eb7d33f4b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-vc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vc.js

MD5: 413a77051bde6c6e8bb29a3300fb1795

SHA1: d1c2a433040792b312ce515bb2650a2bad60c8e0

SHA256: dad40b3f0c5166a6d5f874476938194417aea941a12ffdda63593ce135bea34

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-vc.js.gz: angular-locale_en-vc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vc.js.gz/angular-locale_en-vc.js
 - MD5: 413a77051bde6c6e8bb29a3300fb1795
 - SHA1: d1c2a433040792b312ce515bb2650a2bad60c8e0
 - SHA256: dad40b3f0c5166a6d5f874476938194417aea941a12ffdda63593ce135bea34

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-vg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vg.js

MD5: 2844380042ff8b66391b8fb0fb06c9d0

SHA1: bc974c11f577d4a79333a1bc7d5556aa65df5a5e

SHA256:ef361d206867753f01bd0e2ca7ecf532bdec33bd85648fe58f2921b69d369f96
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-vg.js.gz: angular-locale_en-vg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vg.js.gz/angular-locale_en-vg.js
 - MD5: 2844380042ff8b66391b8fb0fb06c9d0
 - SHA1: bc974c11f577d4a79333a1bc7d5556aa65df5a5e
 - SHA256: ef361d206867753f01bd0e2ca7ecf532bdec33bd85648fe58f2921b69d369f96

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vi.js
MD5: 571234bd261af3d85c6e4ca83310246c
SHA1: 9e8e7d5378a882ad44545e41e48c6686a7ac8224
SHA256: da7c7cab190ef7d06b26ad4c7ae7bebd8cc8822cf8b8ab3dc1133c4e0857cf3
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-vi.js.gz: angular-locale_en-vi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vi.js.gz/angular-locale_en-vi.js
 - MD5: 571234bd261af3d85c6e4ca83310246c
 - SHA1: 9e8e7d5378a882ad44545e41e48c6686a7ac8224
 - SHA256: da7c7cab190ef7d06b26ad4c7ae7bebd8cc8822cf8b8ab3dc1133c4e0857cf3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-vu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vu.js

MD5: 5df230a27fce3c110e6b76a33f058eac

SHA1: 88c0c95379ed93a2fa35eb628c7d67f9a78137b3

SHA256: 807bb9fad0bd37fa626421deaefecd020aed345257566f9c07f8e04a3efb1c4

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en-vu.js.gz: angular-locale_en-vu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-vu.js.gz/angular-locale_en-vu.js
 - MD5: 5df230a27fce3c110e6b76a33f058eac
 - SHA1: 88c0c95379ed93a2fa35eb628c7d67f9a78137b3
 - SHA256: 807bb9fad0bd37fa626421deaefecd020aed345257566f9c07f8e04a3efb1c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-ws.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ws.js

MD5: bf9d50895a527692c777100ce8f84ce5

SHA1: fbcf0a58e1f81c3bce1b2519e8ed131c5825eed9

SHA256: 02746bf5dceeff4f17a8f1b48ca9e01a733a70336b2b216acb124b179efba5d0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-ws.js.gz: angular-locale_en-ws.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-ws.js.gz/angular-locale_en-ws.js
 - MD5: bf9d50895a527692c777100ce8f84ce5
 - SHA1: fbcf0a58e1f81c3bce1b2519e8ed131c5825eed9
 - SHA256: 02746bf5dceeff4f17a8f1b48ca9e01a733a70336b2b216acb124b179efba5d0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-xa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-xa.js

MD5: b4889fa7f7ce616dd60e947f7ef5565c

SHA1: 1b2bc43ce9df3a7663dbd43898ae19a5b7317912

SHA256: 81a57d4a2ae61509f17a8f38c2aee3d8edce741b7c40f347ad2a14df21e20280

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-xa.js.gz: angular-locale_en-xa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-xa.js.gz/angular-locale_en-xa.js
 - MD5: b4889fa7f7ce616dd60e947f7ef5565c
 - SHA1: 1b2bc43ce9df3a7663dbd43898ae19a5b7317912
 - SHA256: 81a57d4a2ae61509f17a8f38c2aee3d8edce741b7c40f347ad2a14df21e20280

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-za.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-za.js

MD5: 2a03d180859d276c984f7b7765628a08

SHA1: a7a4ebcefde4c6414b56d3663668b094c40bb175

SHA256: ba4ab5cdca5a24be9222ad3a3849db6e0844fc9c8e466bdbf744a3085cae1a

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_en-za.js.gz: angular-locale_en-za.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-za.js.gz/angular-locale_en-za.js
 - MD5: 2a03d180859d276c984f7b7765628a08
 - SHA1: a7a4ebcefde4c6414b56d3663668b094c40bb175
 - SHA256: ba4ab5cdca5a24be9222ad3a3849db6e0844fc9c8e466bdbf744a3085cae1a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-zm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-zm.js

MD5: 659e4481f60496e45d7aef35e85d8e40

SHA1: b39da80e58e5ede1cf90cac524962664e6f9b5fc

SHA256: 1da16dc72fccd7df58b4bd60c97d790d09b6559a99074123e8a0c67f5b053c9f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-zm.js.gz: angular-locale_en-zm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-zm.js.gz/angular-locale_en-zm.js
 - MD5: 659e4481f60496e45d7aef35e85d8e40
 - SHA1: b39da80e58e5ede1cf90cac524962664e6f9b5fc
 - SHA256: 1da16dc72fccd7df58b4bd60c97d790d09b6559a99074123e8a0c67f5b053c9f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en-zw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-zw.js

MD5: 5d99803e4399dd29fe204ca64ab917e3

SHA1: 6afbfb63d613188e424a06182177b89c8f978f93

SHA256: 096ba1c85db6918b9c6f99b5156893b7928528cc2bbea535425acbf324f275d5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_en-zw.js.gz: angular-locale_en-zw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en-zw.js.gz/angular-locale_en-zw.js
 - MD5: 5d99803e4399dd29fe204ca64ab917e3
 - SHA1: 6afbfb63d613188e424a06182177b89c8f978f93
 - SHA256: 096ba1c85db6918b9c6f99b5156893b7928528cc2bbea535425acbf324f275d5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_en.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en.js

MD5: 151556949d3a84a9b745591f620fcfea

SHA1: faca351fd8ccad8b748a0cfd5a6ba6bd5a080c44

SHA256: 376d9c85a9e3694fe46f62fcfe11e7dc6c18535170c3375778eaa5c558b8bd4b

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_en.js.gz: angular-locale_en.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_en.js.gz/angular-locale_en.js
 - MD5: 151556949d3a84a9b745591f620fcfea
 - SHA1: faca351fd8ccad8b748a0cfd5a6ba6bd5a080c44
 - SHA256: 376d9c85a9e3694fe46f62fcfe11e7dc6c18535170c3375778eaa5c558b8bd4b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_eo-001.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eo-001.js

MD5: 669b5d73ed925694f69dbd5c051f45f7

SHA1: e6067d8702ff137b3b0baf00a6044082f2850b59

SHA256: 71726e1c520066cdc5563e16e07dc3058d17341cacbdf3e40c132121e6069eba

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_eo-001.js.gz: angular-locale_eo-001.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eo-001.js.gz/angular-locale_eo-001.js
 - MD5: 669b5d73ed925694f69dbd5c051f45f7
 - SHA1: e6067d8702ff137b3b0baf00a6044082f2850b59
 - SHA256: 71726e1c520066cdc5563e16e07dc3058d17341cacbdf3e40c132121e6069eba

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eo.js

MD5: 5753e47a8ed39becc2c9912ad824b6c2

SHA1: 54d2ccdb6c8f9f4859b11ef941c93997874314f7

SHA256: a49352cb0af29007acce8adf7132e3b31dc90dd33e1cf9e9ab326ca815862aa

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_eo.js.gz: angular-locale_eo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eo.js.gz/angular-locale_eo.js
 - MD5: 5753e47a8ed39becc2c9912ad824b6c2
 - SHA1: 54d2ccdb6c8f9f4859b11ef941c93997874314f7
 - SHA256: a49352cb0af29007acce8adf7132e3b31dc90dd33e1cf9e9ab326ca815862aa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-419.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-419.js

MD5: 982e7fcfb2748116d325278300123053

SHA1: 3108de41f0894617d12ced74ccaf3b510a82106c

SHA256: 63ea0112a2da4cb29d098ff7b920045af7e914b96d7433d79d206b8376c3e4a4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-419.js.gz: angular-locale_es-419.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-419.js.gz/angular-locale_es-419.js
 - MD5: 982e7fcfb2748116d325278300123053
 - SHA1: 3108de41f0894617d12ced74ccaf3b510a82106c
 - SHA256: 63ea0112a2da4cb29d098ff7b920045af7e914b96d7433d79d206b8376c3e4a4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ar.js

MD5: e29eb4b73937cde70d3bf493269d4f02

SHA1: 252f6283491048c55213b73bd4dbb616df2b943f

SHA256: c638c0f71bc85c32c09294a68b7458eb0b13d16217d77f48981958d37ab9cac8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_es-ar.js.gz: angular-locale_es-ar.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ar.js.gz/angular-locale_es-ar.js
 - MD5: e29eb4b73937cde70d3bf493269d4f02
 - SHA1: 252f6283491048c55213b73bd4dbb616df2b943f
 - SHA256: c638c0f71bc85c32c09294a68b7458eb0b13d16217d77f48981958d37ab9cac8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-bo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-bo.js

MD5: 6760e272b8f6424b2c27a7066366dc54

SHA1: f6a6d1a9394418f7b390ebb6a5eec9e50e821463

SHA256: ed6b244c66ebef8c34101a97415790b98e4ea57ef716a21ceb56e94ecf89b92a

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_es-bo.js.gz: angular-locale_es-bo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-bo.js.gz/angular-locale_es-bo.js
 - MD5: 6760e272b8f6424b2c27a7066366dc54
 - SHA1: f6a6d1a9394418f7b390ebb6a5eec9e50e821463
 - SHA256: ed6b244c66ebef8c34101a97415790b98e4ea57ef716a21ceb56e94ecf89b92a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-br.js

MD5: bd07c81b5143e0fc7628ded30a34c1ef

SHA1: e21f5b50bd3c56f37906ba1269ed2b99a2b838d7

SHA256: ca0afc9e45cb684371d4e19589251824dea4deefeeee94d3e9025ba3f3b5b6c3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-br.js.gz: angular-locale_es-br.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-br.js.gz/angular-locale_es-br.js
 - MD5: bd07c81b5143e0fc7628ded30a34c1ef
 - SHA1: e21f5b50bd3c56f37906ba1269ed2b99a2b838d7
 - SHA256: ca0afc9e45cb684371d4e19589251824dea4deefeeee94d3e9025ba3f3b5b6c3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-bz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-bz.js

MD5: 845aab695fd15a69705d15f2529c0359

SHA1: 4fbfddd77185a204012dd2acceca37a31b2bf69e0

SHA256: b9fbb8250b403aa83b45db22bd4994e032477ebfcca7cab6da66ff52686b402

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-bz.js.gz: angular-locale_es-bz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-bz.js.gz/angular-locale_es-bz.js
 - MD5: 845aab695fd15a69705d15f2529c0359
 - SHA1: 4fbfddd77185a204012dd2acceca37a31b2bf69e0
 - SHA256: b9fbb8250b403aa83b45db22bd4994e032477ebfccaa7cab6da66ff52686b402

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-cl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-cl.js

MD5: 57fe761e8d51ab6f69602b95417bceda

SHA1: e0459e0213732548c145b1e2a589f0ebd6991e7c

SHA256: 60b8d08a90a1705184c80cfb5efe718ccd75d0aaca55f2e16a268756d85c9218

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-cl.js.gz: angular-locale_es-cl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-cl.js.gz/angular-locale_es-cl.js
 - MD5: 57fe761e8d51ab6f69602b95417bceda
 - SHA1: e0459e0213732548c145b1e2a589f0ebd6991e7c
 - SHA256: 60b8d08a90a1705184c80cfb5efe718ccd75d0aaca55f2e16a268756d85c9218

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-co.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-co.js
MD5: fbb1e3ead87c1b233c0a3f74c108946c
SHA1: b4709bd68847f8787ca6fbab835f18cacc868714
SHA256: 743c0dabdf21eb43e728f65d780f3cb20c63dfd9860ce2e6b96efabe91a93f29
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_es-co.js.gz: angular-locale_es-co.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-co.js.gz/angular-locale_es-co.js
 - MD5: fbb1e3ead87c1b233c0a3f74c108946c
 - SHA1: b4709bd68847f8787ca6fbab835f18cacc868714
 - SHA256: 743c0dabdf21eb43e728f65d780f3cb20c63dfd9860ce2e6b96efabe91a93f29

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-cr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-cr.js
MD5: d76b7e449986f3658a0be24d58e0a992
SHA1: c610e9a8167cfc603bc21751517134aa864ffccf
SHA256: 1ee56ae5c732eb7bfa0661a6f99b2c99f8ac011b7eab85e0050ca5ed6005ff9c
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_es-cr.js.gz: angular-locale_es-cr.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-cr.js.gz/angular-locale_es-cr.js
- MD5: d76b7e449986f3658a0be24d58e0a992
- SHA1: c610e9a8167cfc603bc21751517134aa864ffccf
- SHA256: 1ee56ae5c732eb7bfa0661a6f99b2c99f8ac011b7eab85e0050ca5ed6005ff9c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-cu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-cu.js

MD5: 34eebafbc262773241968c773f2874c2

SHA1: 4e348186826772480516404c3dc0aacda70e5dd7

SHA256: dc2a8d54b751fc2c640806c2db683120617a8c9952270972841cf9e56b19c319

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-cu.js.gz: angular-locale_es-cu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-cu.js.gz/angular-locale_es-cu.js
 - MD5: 34eebafbc262773241968c773f2874c2
 - SHA1: 4e348186826772480516404c3dc0aacda70e5dd7
 - SHA256: dc2a8d54b751fc2c640806c2db683120617a8c9952270972841cf9e56b19c319

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-do.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-do.js
MD5: 8865ba0019a1601b89856818d766c950
SHA1: ae5e570ea74c71bd427e064d3b862709152cfa17
SHA256:bb43c047d5ee813dd8df769f777df72bb3f13ffa4b5afb5b2194754c2af8a8e8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-do.js.gz: angular-locale_es-do.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-do.js.gz/angular-locale_es-do.js
 - MD5: 8865ba0019a1601b89856818d766c950
 - SHA1: ae5e570ea74c71bd427e064d3b862709152cfa17
 - SHA256: bb43c047d5ee813dd8df769f777df72bb3f13ffa4b5afb5b2194754c2af8a8e8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ea.js
MD5: bafc78c9d1b56ce32080983b3e1071f6
SHA1: d4abcef5d8349e6e40ca0d9f3b28429b3fb5580c
SHA256:b4615d5309e457feb0b3d8ba4ac7744e3d4723e659985fce39469f333fabf4e3
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-ea.js.gz: angular-locale_es-ea.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ea.js.gz/angular-locale_es-ea.js

- MD5: bafc78c9d1b56ce32080983b3e1071f6
- SHA1: d4abcef5d8349e6e40ca0d9f3b28429b3fb5580c
- SHA256: b4615d5309e457feb0b3d8ba4ac7744e3d4723e659985fce39469f333fabf4e3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ec.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ec.js

MD5: 7b887152bfdbef61900d8928aba93ff3

SHA1: ac06097306b99e10fb23035fbb8bda2251d671d2

SHA256: 01490290ffefdb7d0f19842426e99bfce6d122084bf0f6f4f040b30f6dbae63d

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_es-ec.js.gz: angular-locale_es-ec.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ec.js.gz/angular-locale_es-ec.js
 - MD5: 7b887152bfdbef61900d8928aba93ff3
 - SHA1: ac06097306b99e10fb23035fbb8bda2251d671d2
 - SHA256: 01490290ffefdb7d0f19842426e99bfce6d122084bf0f6f4f040b30f6dbae63d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF

/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-es.js

MD5: 41df311f4b8636ddfdb00c208fe45807

SHA1: 7a16b9707ada0f4313f4eb197f4d23fabd3fa175

SHA256: 01e9e5bdac5396f0ef7d3cb7b68615702fcc784dff5f5421f893697a4a875ef8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-es.js.gz: angular-locale_es-es.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-es.js.gz/angular-locale_es-es.js
 - MD5: 41df311f4b8636ddfdb00c208fe45807
 - SHA1: 7a16b9707ada0f4313f4eb197f4d23fabd3fa175
 - SHA256: 01e9e5bdac5396f0ef7d3cb7b68615702fcc784dff5f5421f893697a4a875ef8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-gq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-gq.js

MD5: 9809e7bba6f765cc21135e1e98b960b4

SHA1: dc329d98bd5a397a0373986f54bf39ba31f1d990

SHA256: 4ee627c3bf36c4df8d22d7f5ade3707e348276c8308b82eac55e766464e6bf96

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-gq.js.gz: angular-locale_es-gq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-gq.js.gz/angular-locale_es-gq.js

- MD5: 9809e7bba6f765cc21135e1e98b960b4
- SHA1: dc329d98bd5a397a0373986f54bf39ba31f1d990
- SHA256: 4ee627c3bf36c4df8d22d7f5ade3707e348276c8308b82eac55e766464e6bf96

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-gt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-gt.js

MD5: a3880b822195e87a26b3781f85639ccc

SHA1: e10484fd1399b7317911d9bae7996c0877728f0a

SHA256: 1f04ada52ebcb66eef0133b7ab5196cc9cec7706b4df4340993cb1108a10440f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-gt.js.gz: angular-locale_es-gt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-gt.js.gz/angular-locale_es-gt.js
 - MD5: a3880b822195e87a26b3781f85639ccc
 - SHA1: e10484fd1399b7317911d9bae7996c0877728f0a
 - SHA256: 1f04ada52ebcb66eef0133b7ab5196cc9cec7706b4df4340993cb1108a10440f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-hn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-hn.js

MD5: 7665d7c6faf033f02b566a8032cf2a8c

SHA1: 4aa173af1ddc3eb320527199b1d975aa0e625b46

SHA256: d59a3541ba391652f4f3caafb8b4e2bc7aebdde18bc16aedc6de846ecd6bdb91

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-hn.js.gz: angular-locale_es-hn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-hn.js.gz/angular-locale_es-hn.js
 - MD5: 7665d7c6faf033f02b566a8032cf2a8c
 - SHA1: 4aa173af1ddc3eb320527199b1d975aa0e625b46
 - SHA256: d59a3541ba391652f4f3caafb8b4e2bc7aebdde18bc16aedc6de846ecd6bdb91

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ic.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ic.js

MD5: f74dc22734b5a39409e5df50477eafdd

SHA1: 8fdb7105fa6b0352a5ab312a93195155a3ded7b

SHA256: 50cfcbe0775f888664576517eb2e46fa0cc117e29dfde8c325e78caf71bad7f2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-ic.js.gz: angular-locale_es-ic.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ic.js.gz/angular-locale_es-ic.js
 - MD5: f74dc22734b5a39409e5df50477eafdd
 - SHA1: 8fdb7105fa6b0352a5ab312a93195155a3ded7b

- SHA256: 50cfcbe0775f888664576517eb2e46fa0cc117e29dfde8c325e78caf71bad7f2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-mx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-mx.js

MD5: 969ef360e681aef65e77db0d1b992f9d

SHA1: 0039621e7ff56ca4c71aa7dcd37e7c1652231253

SHA256: 3b0145b517fddc0c67176ba3747c660add6b6233f090080d31c012e72f14e55b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-mx.js.gz: angular-locale_es-mx.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-mx.js.gz/angular-locale_es-mx.js
 - MD5: 969ef360e681aef65e77db0d1b992f9d
 - SHA1: 0039621e7ff56ca4c71aa7dcd37e7c1652231253
 - SHA256: 3b0145b517fddc0c67176ba3747c660add6b6233f090080d31c012e72f14e55b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ni.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ni.js

MD5: 069983180a5e3a855c10227d1e2eaea3

SHA1: df73dc810ef20e5269d1488481522ac956b347e9

SHA256:0be499e3bb23abfb7e2660edfee17515f4b7ec795df6c6a8a3db7f6b69530534

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-ni.js.gz: angular-locale_es-ni.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ni.js.gz/angular-locale_es-ni.js
 - MD5: 069983180a5e3a855c10227d1e2eaea3
 - SHA1: df73dc810ef20e5269d1488481522ac956b347e9
 - SHA256: 0be499e3bb23abfb7e2660edfee17515f4b7ec795df6c6a8a3db7f6b69530534

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-pa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-pa.js

MD5: af641be76ccc96aa7f35127cad51f5d4

SHA1: 2687d1485966284f03671c1b10a2401df3c2187b

SHA256:3613ac592af15e3010fd099f138edcc60fa101cca45d37d6c91de34b7b6232cd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-pa.js.gz: angular-locale_es-pa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-pa.js.gz/angular-locale_es-pa.js
 - MD5: af641be76ccc96aa7f35127cad51f5d4
 - SHA1: 2687d1485966284f03671c1b10a2401df3c2187b

- SHA256: 3613ac592af15e3010fd099f138edcc60fa101cca45d37d6c91de34b7b6232cd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-pe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-pe.js

MD5: 80f36b981a50727c2afac1d3885ea59b

SHA1: 512c58de1196f9a1e67b70e558fdeb164c6c676f

SHA256: 54c1d95f15ee81ec75909554dac222abf566215b94c64590bf77a520a69171f8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-pe.js.gz: angular-locale_es-pe.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-pe.js.gz/angular-locale_es-pe.js
 - MD5: 80f36b981a50727c2afac1d3885ea59b
 - SHA1: 512c58de1196f9a1e67b70e558fdeb164c6c676f
 - SHA256: 54c1d95f15ee81ec75909554dac222abf566215b94c64590bf77a520a69171f8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ph.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ph.js

MD5: f2fd250cf9ed232868a9a19148249dbc

SHA1: 12a429802705fd4c8727f5eb82d279dd7e587ba1

SHA256:649bd0218914e0b38d97cc915056661d5c5116b5c4047da0422907eac399f23b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-ph.js.gz: angular-locale_es-ph.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ph.js.gz/angular-locale_es-ph.js
 - MD5: f2fd250cf9ed232868a9a19148249dbc
 - SHA1: 12a429802705fd4c8727f5eb82d279dd7e587ba1
 - SHA256: 649bd0218914e0b38d97cc915056661d5c5116b5c4047da0422907eac399f23b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-pr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-pr.js

MD5: 0fed433b00676377a8e70e3a3aff959d

SHA1: 7d412d334b49fe8f8401a98aa1a41069fd0f84de

SHA256:6323e287f8f45ded05aaa22c8581baa32892e02c342e016f1e7f2336a9f469ac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-pr.js.gz: angular-locale_es-pr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-pr.js.gz/angular-locale_es-pr.js
 - MD5: 0fed433b00676377a8e70e3a3aff959d
 - SHA1: 7d412d334b49fe8f8401a98aa1a41069fd0f84de

- SHA256: 6323e287f8f45ded05aaa22c8581baa32892e02c342e016f1e7f2336a9f469ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-py.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-py.js

MD5: c4083f0ad06da8f0f63c385344affc3f

SHA1: cc918c70d2f67d696d878c8967aa688ccfe85ccb

SHA256: f16e5b73da0c0f3a2886165c3fc0140a9deb5d31d57ac84e04997188a73f122b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-py.js.gz: angular-locale_es-py.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-py.js.gz/angular-locale_es-py.js
 - MD5: c4083f0ad06da8f0f63c385344affc3f
 - SHA1: cc918c70d2f67d696d878c8967aa688ccfe85ccb
 - SHA256: f16e5b73da0c0f3a2886165c3fc0140a9deb5d31d57ac84e04997188a73f122b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-sv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-sv.js

MD5: b143a3f9183737bd55b98aea44b4f49d

SHA1: 9d4607000098096949506aebb9feafc3118d9a1f

SHA256: c5d7e1b31d0ab338e66f4bda05b7231ea873791cf6f978a0b9bfb1a0628b071a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-sv.js.gz: angular-locale_es-sv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-sv.js.gz/angular-locale_es-sv.js
 - MD5: b143a3f9183737bd55b98aea44b4f49d
 - SHA1: 9d4607000098096949506aebb9feafc3118d9a1f
 - SHA256: c5d7e1b31d0ab338e66f4bda05b7231ea873791cf6f978a0b9bfb1a0628b071a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-us.js

MD5: 9f06353515b2f88733d813c3295b8822

SHA1: b7e7543ca2c75e69e0728c377d7c0a6d43e3b970

SHA256: 899b198be7959024431843b1ae4f21dca722de030c7a716194ee8412250d4d63

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-us.js.gz: angular-locale_es-us.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-us.js.gz/angular-locale_es-us.js
 - MD5: 9f06353515b2f88733d813c3295b8822
 - SHA1: b7e7543ca2c75e69e0728c377d7c0a6d43e3b970

- SHA256: 899b198be7959024431843b1ae4f21dca722de030c7a716194ee8412250d4d63

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-uy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-uy.js

MD5: 32e34654b20c44f92854fd238da991ef

SHA1: d3b7fe54744ce61d4560e9c41b91a2585f04568e

SHA256: d0d52db60aee4ccb9664c34d9f9cf345db5c5cf54bc77ba309043428e8e313c8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-uy.js.gz: angular-locale_es-uy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-uy.js.gz/angular-locale_es-uy.js
 - MD5: 32e34654b20c44f92854fd238da991ef
 - SHA1: d3b7fe54744ce61d4560e9c41b91a2585f04568e
 - SHA256: d0d52db60aee4ccb9664c34d9f9cf345db5c5cf54bc77ba309043428e8e313c8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es-ve.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ve.js

MD5: 6cc8e884d5b60d4118b1e9285c8ca2fa

SHA1: d5203f78f5e05e5fee46542ce85cc036e10c9860

SHA256: e13c09e26fcee189664df77d586d2816c924e416966276005156437eb0dc6a9c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es-ve.js.gz: angular-locale_es-ve.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es-ve.js.gz/angular-locale_es-ve.js
 - MD5: 6cc8e884d5b60d4118b1e9285c8ca2fa
 - SHA1: d5203f78f5e05e5fee46542ce85cc036e10c9860
 - SHA256: e13c09e26fcee189664df77d586d2816c924e416966276005156437eb0dc6a9c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es.js

MD5: 81bbf699bac971ab7ab7627465ebe8fa

SHA1: ab607cd29ecb7889a13feda2c1fd33a94dd065ce

SHA256: 6159978c4bcc22de38be74c46cb06f31d5e56d87e7faa25cc48f63b4f22b2e33

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_es.js.gz: angular-locale_es.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_es.js.gz/angular-locale_es.js
 - MD5: 81bbf699bac971ab7ab7627465ebe8fa
 - SHA1: ab607cd29ecb7889a13feda2c1fd33a94dd065ce

- SHA256: 6159978c4bcc22de38be74c46cb06f31d5e56d87e7faa25cc48f63b4f22b2e33

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_et-ee.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_et-ee.js

MD5: 62a828d7caa08b30d47dbf765a5727a2

SHA1: 30a8d82d7ac4d51dba5604b2b649312dac4febe6

SHA256: b051a9ee29acc6b7a9c58961669562da7fe593109568a189594d97243a799ef5

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_et-ee.js.gz: angular-locale_et-ee.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_et-ee.js.gz/angular-locale_et-ee.js
 - MD5: 62a828d7caa08b30d47dbf765a5727a2
 - SHA1: 30a8d82d7ac4d51dba5604b2b649312dac4febe6
 - SHA256: b051a9ee29acc6b7a9c58961669562da7fe593109568a189594d97243a799ef5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_et.js

MD5: 744575fbaed3a87f3328d28c36f03765

SHA1: 1715ed97cddb60d2f3794fb0ed120bd7eaad6896

SHA256:50cbf7e3099213574745978e3303bfe486f0428cac13f2c2377facafe36fe446

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_et.js.gz: angular-locale_et.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_et.js.gz/angular-locale_et.js
 - MD5: 744575fbaed3a87f3328d28c36f03765
 - SHA1: 1715ed97cddb60d2f3794fb0ed120bd7eaad6896
 - SHA256: 50cbf7e3099213574745978e3303bfe486f0428cac13f2c2377facafe36fe446

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_eu-es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eu-es.js

MD5: 95da600ced83d4a826b2d682fbb0680b

SHA1: cfb584c551c4f045d8e9fa08aa0e66285666346f

SHA256:dfd7cfb81f06297fcdc846b8125882dd15e6d8d06f9bb19c2b70fa45a9468fb7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_eu-es.js.gz: angular-locale_eu-es.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eu-es.js.gz/angular-locale_eu-es.js
 - MD5: 95da600ced83d4a826b2d682fbb0680b
 - SHA1: cfb584c551c4f045d8e9fa08aa0e66285666346f

- SHA256: dfd7cfb81f06297fcdbc846b8125882dd15e6d8d06f9bb19c2b70fa45a9468fb7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eu.js

MD5: 7d59e9925d1693348e4802800401e8d1

SHA1: e1bd97058366a94db19441161733b6b107795103

SHA256: 0d3f51eed327c16b0fde7e07a59c6287a06fb76e7f63dff63675ea82e97be91f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_eu.js.gz: angular-locale_eu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_eu.js.gz/angular-locale_eu.js
 - MD5: 7d59e9925d1693348e4802800401e8d1
 - SHA1: e1bd97058366a94db19441161733b6b107795103
 - SHA256: 0d3f51eed327c16b0fde7e07a59c6287a06fb76e7f63dff63675ea82e97be91f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ewo-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ewo-cm.js

MD5: d7547dcecef91068a8d1f2d639abdc87

SHA1: 9a7a13bb4fea109ca64ecb4be52bfc4216c35414

SHA256: a7b0d6d5c1ee5fc6e358c032f40b1fba103dfc74731abd576fd179fb352abd03

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ewo-cm.js.gz: angular-locale_ewo-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ewo-cm.js.gz/angular-locale_ewo-cm.js
 - MD5: d7547dcecef91068a8d1f2d639abdc87
 - SHA1: 9a7a13bb4fea109ca64ecb4be52bfc4216c35414
 - SHA256: a7b0d6d5c1ee5fc6e358c032f40b1fba103dfc74731abd576fd179fb352abd03

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ewo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ewo.js

MD5: 82d009c882e111467e70f713b633159b

SHA1: 01d381f2fcdd1bdf642af83c9e96083f2c8d1c03

SHA256: 5d4524d762b9fd654a5e1ce53a9f6275de869f006e66eec65d8c40d052192e72

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ewo.js.gz: angular-locale_ewo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ewo.js.gz/angular-locale_ewo.js
 - MD5: 82d009c882e111467e70f713b633159b
 - SHA1: 01d381f2fcdd1bdf642af83c9e96083f2c8d1c03

- SHA256: 5d4524d762b9fd654a5e1ce53a9f6275de869f006e66eec65d8c40d052192e72

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fa-af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fa-af.js

MD5: 1f18135e669bd1fd4c5ea12019ed125d

SHA1: d27d3492ab77d78eb1c3de37478be433aafd6d5b

SHA256: 979ebecaf884091b8dc1f3e5a629af0d391a2167fff398c099aa61484bcfb7b

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fa-af.js.gz: angular-locale_fa-af.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fa-af.js.gz/angular-locale_fa-af.js
 - MD5: 1f18135e669bd1fd4c5ea12019ed125d
 - SHA1: d27d3492ab77d78eb1c3de37478be433aafd6d5b
 - SHA256: 979ebecaf884091b8dc1f3e5a629af0d391a2167fff398c099aa61484bcfb7b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fa-ir.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fa-ir.js

MD5: 02af49d27b31ab183cfbd3b8995affe2

SHA1: 31032d869249821acc9a1fa5e8eff84e81688df8

SHA256:006ff17f49cdbafb0734449d94aa3738f75330874d5c9f15d2549dfdde2ecb4a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fa-ir.js.gz: angular-locale_fa-ir.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fa-ir.js.gz/angular-locale_fa-ir.js
 - MD5: 02af49d27b31ab183cfbd3b8995affe2
 - SHA1: 31032d869249821acc9a1fa5e8eff84e81688df8
 - SHA256: 006ff17f49cdbafb0734449d94aa3738f75330874d5c9f15d2549dfdde2ecb4a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fa.js

MD5: bed62d7b87fae5badcdafad78c438676

SHA1: 3f82630137374b547fc44297a951c8046e097a09

SHA256:a55d60af9286836eaaa1ac014f79e2e692ed465fc79b71105f3996350387d7f7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fa.js.gz: angular-locale_fa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fa.js.gz/angular-locale_fa.js
 - MD5: bed62d7b87fae5badcdafad78c438676
 - SHA1: 3f82630137374b547fc44297a951c8046e097a09

- SHA256: a55d60af9286836eaaa1ac014f79e2e692ed465fc79b71105f3996350387d7f7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ff-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-cm.js

MD5: 39f82ca2aefe92ce31267786ca6d0526

SHA1: 85f3c3c8abb7da30cbef0142ec864c92ab6168e8

SHA256: ab8f0bd57c2c55b6991af0825e2b8a37e3088b0ba23be44f705892202fced2e2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ff-cm.js.gz: angular-locale_ff-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-cm.js.gz/angular-locale_ff-cm.js
 - MD5: 39f82ca2aefe92ce31267786ca6d0526
 - SHA1: 85f3c3c8abb7da30cbef0142ec864c92ab6168e8
 - SHA256: ab8f0bd57c2c55b6991af0825e2b8a37e3088b0ba23be44f705892202fced2e2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ff-gn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-gn.js

MD5: 6e4626fcef3d5e9e4e7be3151eb297f8

SHA1: 597480266ae1b9097a3e509146f0a35bb9a5a203

SHA256: a7edb26f4c4c12eaa762eaa0348fe65663a989f3e48b8d21a6d1c699bd54ce52

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ff-gn.js.gz: angular-locale_ff-gn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-gn.js.gz/angular-locale_ff-gn.js
 - MD5: 6e4626fcef3d5e9e4e7be3151eb297f8
 - SHA1: 597480266ae1b9097a3e509146f0a35bb9a5a203
 - SHA256: a7edb26f4c4c12eaa762eaa0348fe65663a989f3e48b8d21a6d1c699bd54ce52

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ff-mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-mr.js

MD5: 771999e7dbc96f491acabbc271fcc5e5

SHA1: 49b1d35f4f9c9550161197782f7ff6c9fbd79cd5

SHA256: d82c153d93179dd0d344438aa6ef9031a64bad999828e1a8e2b8ff2aff8d2350

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ff-mr.js.gz: angular-locale_ff-mr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-mr.js.gz/angular-locale_ff-mr.js
 - MD5: 771999e7dbc96f491acabbc271fcc5e5
 - SHA1: 49b1d35f4f9c9550161197782f7ff6c9fbd79cd5

- SHA256: d82c153d93179dd0d344438aa6ef9031a64bad999828e1a8e2b8ff2aff8d2350

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ff-sn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-sn.js

MD5: b261c41b440cf797496851dd3fc7bc0e

SHA1: 7bd3bf71033d76b8c58f79eff866d20c517ee35b

SHA256: cdd43dedec247b080a0313764022354c36ad818a937e845e2e06784566e8bdda

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ff-sn.js.gz: angular-locale_ff-sn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff-sn.js.gz/angular-locale_ff-sn.js
 - MD5: b261c41b440cf797496851dd3fc7bc0e
 - SHA1: 7bd3bf71033d76b8c58f79eff866d20c517ee35b
 - SHA256: cdd43dedec247b080a0313764022354c36ad818a937e845e2e06784566e8bdda

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff.js

MD5: a8b30c4a7c2fd355abb786bd93b5b1c4

SHA1: 3af1933bcb8c1a618d759dcc907e54f1d2e698f8
SHA256: cc65ab37f5a4c7c5ad75b8d4788048a4a52844dae437d99f0b1e30180162723e
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ff.js.gz: angular-locale_ff.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ff.js.gz/angular-locale_ff.js
 - MD5: a8b30c4a7c2fd355abb786bd93b5b1c4
 - SHA1: 3af1933bcb8c1a618d759dcc907e54f1d2e698f8
 - SHA256: cc65ab37f5a4c7c5ad75b8d4788048a4a52844dae437d99f0b1e30180162723e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fi-fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fi-fi.js
MD5: 411c146e7088a9508fa9b9ac2610f34a
SHA1: f77f7037a89b308a3a0a03517f8ca34ac1a186cd
SHA256: a5edd0dd30c3921161217bbf6aef3be7a3b1404400b30c8d5098043e676fa5a1
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fi-fi.js.gz: angular-locale_fi-fi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fi-fi.js.gz/angular-locale_fi-fi.js
 - MD5: 411c146e7088a9508fa9b9ac2610f34a
 - SHA1: f77f7037a89b308a3a0a03517f8ca34ac1a186cd

- SHA256: a5edd0dd30c3921161217bbf6aef3be7a3b1404400b30c8d5098043e676fa5a1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fi.js

MD5: 3ce297d3b4a1567d42bb708bef2099e0

SHA1: 04e9068130f5ae5e4f34343f8fb9003c83d0ccf9

SHA256: 7e52c7aa912c8fa45430bc017dc81f4f61d47a0d87c31d75199124ac5602a190

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fi.js.gz: angular-locale_fi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fi.js.gz/angular-locale_fi.js
 - MD5: 3ce297d3b4a1567d42bb708bef2099e0
 - SHA1: 04e9068130f5ae5e4f34343f8fb9003c83d0ccf9
 - SHA256: 7e52c7aa912c8fa45430bc017dc81f4f61d47a0d87c31d75199124ac5602a190

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fil-ph.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fil-ph.js

MD5: 57b5374ad5dccefadd6e67e0ea1f74e3

SHA1: d0c6e4660c2591b85a24b8d71dfe0c4756d2df08

SHA256:477a061f413f0bf0f590b4aaaefb4644a477eff88e376a47998ca88e96636afa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fil-ph.js.gz: angular-locale_fil-ph.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fil-ph.js.gz/angular-locale_fil-ph.js
 - MD5: 57b5374ad5dccefadd6e67e0ea1f74e3
 - SHA1: d0c6e4660c2591b85a24b8d71dfe0c4756d2df08
 - SHA256: 477a061f413f0bf0f590b4aaaefb4644a477eff88e376a47998ca88e96636afa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fil.js

MD5: 51e7af140e6a286df175de817a919fd4

SHA1: d4b66896d89068469c31576d31978486c5196045

SHA256:42899187aa6e9be9e5b4954a585717d7405eb735a82b2c5f24e43238d2ba7680

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fil.js.gz: angular-locale_fil.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fil.js.gz/angular-locale_fil.js
 - MD5: 51e7af140e6a286df175de817a919fd4
 - SHA1: d4b66896d89068469c31576d31978486c5196045

- SHA256: 42899187aa6e9be9e5b4954a585717d7405eb735a82b2c5f24e43238d2ba7680

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fo-dk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fo-dk.js

MD5: 42fff021890617bdb05966cf6dcbc742

SHA1: 73afbaa9efb454083bc4de5135acdfd49618e38d

SHA256: b49a51462ff31361632242cd9a44b6be4119205e6ccb22c885a473d981ecd4c7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fo-dk.js.gz: angular-locale_fo-dk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fo-dk.js.gz/angular-locale_fo-dk.js
 - MD5: 42fff021890617bdb05966cf6dcbc742
 - SHA1: 73afbaa9efb454083bc4de5135acdfd49618e38d
 - SHA256: b49a51462ff31361632242cd9a44b6be4119205e6ccb22c885a473d981ecd4c7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fo-fo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fo-fo.js

MD5: 171389cf5c1305f5525baeab9367e571

SHA1: 05a77fc5ad411c8b0c41cd93d541f4cd505914ba

SHA256: fef631f2c46f4964d2b5559ec32006b73fea02052fd6e3bdfe995e5c449af25e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fo-fo.js.gz: angular-locale_fo-fo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fo-fo.js.gz/angular-locale_fo-fo.js
 - MD5: 171389cf5c1305f5525baeab9367e571
 - SHA1: 05a77fc5ad411c8b0c41cd93d541f4cd505914ba
 - SHA256: fef631f2c46f4964d2b5559ec32006b73fea02052fd6e3bdfe995e5c449af25e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fo.js

MD5: 9357f40bcb6c093694593ade9146802f

SHA1: 20b510b959a89aefca9d33463b5a4e85a9d94068

SHA256: 5c4e140c5df4224a2daf86a205525b4af2d3728b4652e5a55c043cb5f72de47d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fo.js.gz: angular-locale_fo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fo.js.gz/angular-locale_fo.js
 - MD5: 9357f40bcb6c093694593ade9146802f
 - SHA1: 20b510b959a89aefca9d33463b5a4e85a9d94068

- SHA256: 5c4e140c5df4224a2daf86a205525b4af2d3728b4652e5a55c043cb5f72de47d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-be.js

MD5: 1bfec47fcb2eeb2700549865edf0ab54

SHA1: 3b32e6ae04f1770dc37049e69f2502cfcef32d4c

SHA256: e9537bf825c544fa8963ca88df22074ae11dd5d173d07d8be70659dafb72483e

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-be.js.gz: angular-locale_fr-be.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-be.js.gz/angular-locale_fr-be.js
 - MD5: 1bfec47fcb2eeb2700549865edf0ab54
 - SHA1: 3b32e6ae04f1770dc37049e69f2502cfcef32d4c
 - SHA256: e9537bf825c544fa8963ca88df22074ae11dd5d173d07d8be70659dafb72483e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-bf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bf.js

MD5: 95084231a155f3b3465cb3b83dac2782

SHA1: b5a424e80939aa5a379389609937a1116549b801

SHA256: b2593bdd252adf61c869075861d2e557bc280ef6e95c5ba23991f7c23e6143eb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-bf.js.gz: angular-locale_fr-bf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bf.js.gz/angular-locale_fr-bf.js
 - MD5: 95084231a155f3b3465cb3b83dac2782
 - SHA1: b5a424e80939aa5a379389609937a1116549b801
 - SHA256: b2593bdd252adf61c869075861d2e557bc280ef6e95c5ba23991f7c23e6143eb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-bi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bi.js

MD5: fe6f9d43a92db9cf894da0d2f1a34b58

SHA1: ea9bf3ae4b7a2a92fb230d90dde7362f68100223

SHA256: 4f41a0aab3a8aafdb6409c8089f9a734025615b4685a62281d11caf895211780

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-bi.js.gz: angular-locale_fr-bi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bi.js.gz/angular-locale_fr-bi.js
 - MD5: fe6f9d43a92db9cf894da0d2f1a34b58
 - SHA1: ea9bf3ae4b7a2a92fb230d90dde7362f68100223

- SHA256: 4f41a0aab3a8aafdb6409c8089f9a734025615b4685a62281d11caf895211780

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-bj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bj.js

MD5: b0693e88a23abbaa645a6f3c3e3f9d80

SHA1: f290a51285ff4346d688e7f143c481537556fc1b

SHA256: 6c06c5826fd2a3891fa185986e1e9755883024fed7e54675bcdb19044da96b34

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-bj.js.gz: angular-locale_fr-bj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bj.js.gz/angular-locale_fr-bj.js
 - MD5: b0693e88a23abbaa645a6f3c3e3f9d80
 - SHA1: f290a51285ff4346d688e7f143c481537556fc1b
 - SHA256: 6c06c5826fd2a3891fa185986e1e9755883024fed7e54675bcdb19044da96b34

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-bl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bl.js

MD5: 17477972a0282e775023fc84e12b865d

SHA1: a199b3257837a92459d476dec40e070df07962e4

SHA256:4bca154a2570470b6fe8eb2d993b84feb8ca4f013ddaabe96611ce1e3ba16019

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-bl.js.gz: angular-locale_fr-bl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-bl.js.gz/angular-locale_fr-bl.js
 - MD5: 17477972a0282e775023fc84e12b865d
 - SHA1: a199b3257837a92459d476dec40e070df07962e4
 - SHA256: 4bca154a2570470b6fe8eb2d993b84feb8ca4f013ddaabe96611ce1e3ba16019

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ca.js

MD5: 93539e188087c6ac541eac6c8e28c92e

SHA1: c94d8433b41c8e73cd5b9be2f82645b0780bbfaf

SHA256:fb129568a22dff5ec238e6848521ad6f64feec5c2a92a1ba11c954a20e7666

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ca.js.gz: angular-locale_fr-ca.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ca.js.gz/angular-locale_fr-ca.js
 - MD5: 93539e188087c6ac541eac6c8e28c92e
 - SHA1: c94d8433b41c8e73cd5b9be2f82645b0780bbfaf

- SHA256: fb129568a22dff5ec238e6848521ad6f64feec5c2a92a1ba11c954a20e7666

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-cd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cd.js

MD5: 0819d5894f69c34b361cd14a87e922eb

SHA1: f05441d5d436ca1f9c94fd0a64f0b00e01a37c8a

SHA256: dfcba55775cfcaface062714a7a47acdc7f79f88e235b38623551686fbfb61a9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-cd.js.gz: angular-locale_fr-cd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cd.js.gz/angular-locale_fr-cd.js
 - MD5: 0819d5894f69c34b361cd14a87e922eb
 - SHA1: f05441d5d436ca1f9c94fd0a64f0b00e01a37c8a
 - SHA256: dfcba55775cfcaface062714a7a47acdc7f79f88e235b38623551686fbfb61a9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-cf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cf.js

MD5: 5fc479744fb59b705588fa3709b8ecc8

SHA1: c06c2eb9878bf4ee8e755693184df4e9c3fbd0e

SHA256: 7ef7a0c5ea6abbadf1c08b097ac0b11083392ce400a5d5f883e858d494f2cac7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-cf.js.gz: angular-locale_fr-cf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cf.js.gz/angular-locale_fr-cf.js
 - MD5: 5fc479744fb59b705588fa3709b8ecc8
 - SHA1: c06c2eb9878bf4ee8e755693184df4e9c3fbd0e
 - SHA256: 7ef7a0c5ea6abbadf1c08b097ac0b11083392ce400a5d5f883e858d494f2cac7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-cg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cg.js

MD5: cf698c930f768f6e1c2250623f76a2e4

SHA1: c1abaa391b22d9ca3da0cec14ba7947049545046

SHA256: 905c1434a6e1a22a3eb0bb0c4e476913106dc226d5d7292f6933311af2843bff

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-cg.js.gz: angular-locale_fr-cg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cg.js.gz/angular-locale_fr-cg.js
 - MD5: cf698c930f768f6e1c2250623f76a2e4
 - SHA1: c1abaa391b22d9ca3da0cec14ba7947049545046

- SHA256: 905c1434a6e1a22a3eb0bb0c4e476913106dc226d5d7292f6933311af2843bff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ch.js

MD5: bf229322f2a8f9dbdd053ba9fccc55c8

SHA1: c9388bdd995d4c0105588a8909adffec09d593a

SHA256: dfc9bb0f3f68a61926ea5206c16cc738e54095dd1b965cabe3c08b03f0482e1b

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-ch.js.gz: angular-locale_fr-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ch.js.gz/angular-locale_fr-ch.js
 - MD5: bf229322f2a8f9dbdd053ba9fccc55c8
 - SHA1: c9388bdd995d4c0105588a8909adffec09d593a
 - SHA256: dfc9bb0f3f68a61926ea5206c16cc738e54095dd1b965cabe3c08b03f0482e1b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ci.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ci.js

MD5: 69c840a03877350cd4482a747f13fbd1

SHA1: e1a0a054da467dd099b20d0957b09a0936c7b636

SHA256:521641dc981961e2adb908a86bb9fb94fc5261859f6f6c1b5ac12d6a2aa94c9e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ci.js.gz: angular-locale_fr-ci.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ci.js.gz/angular-locale_fr-ci.js
 - MD5: 69c840a03877350cd4482a747f13fbd1
 - SHA1: e1a0a054da467dd099b20d0957b09a0936c7b636
 - SHA256: 521641dc981961e2adb908a86bb9fb94fc5261859f6f6c1b5ac12d6a2aa94c9e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cm.js

MD5: 536a83383d1ecff5add729db6a383eba

SHA1: 51f64f7a2d129277f1f120a3addb04ecfb2527b8

SHA256:af40c9d75457d52fa5aaf493b521c1667b7eb8394b0066829764da0b16afc9d7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-cm.js.gz: angular-locale_fr-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-cm.js.gz/angular-locale_fr-cm.js
 - MD5: 536a83383d1ecff5add729db6a383eba
 - SHA1: 51f64f7a2d129277f1f120a3addb04ecfb2527b8

- SHA256: af40c9d75457d52fa5aaf493b521c1667b7eb8394b0066829764da0b16afc9d7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-dj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-dj.js

MD5: b70aedb00275013b4decc5e7f2e33feb

SHA1: e60da19cc5681279738fe9daa4eae734aa5264a2

SHA256: c60538f8220c5c0e96c7ff7b13037077d510e3e4ee934fc21da742a804d86007

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-dj.js.gz: angular-locale_fr-dj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-dj.js.gz/angular-locale_fr-dj.js
 - MD5: b70aedb00275013b4decc5e7f2e33feb
 - SHA1: e60da19cc5681279738fe9daa4eae734aa5264a2
 - SHA256: c60538f8220c5c0e96c7ff7b13037077d510e3e4ee934fc21da742a804d86007

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-dz.js

MD5: 2c2c891831b2917f86e62f6dedf5505c

SHA1: e55741315a102fd80c291dc52901956f20cb2512

SHA256: ebd074551f4ed635501338a1c57029e76f23c157abe2b7021b6df6c70eecdf62

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-dz.js.gz: angular-locale_fr-dz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-dz.js.gz/angular-locale_fr-dz.js
 - MD5: 2c2c891831b2917f86e62f6dedf5505c
 - SHA1: e55741315a102fd80c291dc52901956f20cb2512
 - SHA256: ebd074551f4ed635501338a1c57029e76f23c157abe2b7021b6df6c70eecdf62

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-fr.js

MD5: 236d06f877f73596ad59c11ed24c2845

SHA1: 82aca43f0cfc95282775c3a5045b581620a266f6

SHA256: daf27a1d00ed2af1a86142eccb9cd8076a486ba8c8fd174bcdaa9e83eff7a3ba

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-fr.js.gz: angular-locale_fr-fr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-fr.js.gz/angular-locale_fr-fr.js
 - MD5: 236d06f877f73596ad59c11ed24c2845
 - SHA1: 82aca43f0cfc95282775c3a5045b581620a266f6

- SHA256: daf27a1d00ed2af1a86142eccb9cd8076a486ba8c8fd174bcdaa9e83eff7a3ba

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ga.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ga.js

MD5: 173daa39965fbfcfd47882e1ca2b164

SHA1: 06b954f22a24431bbfdd221b6ef22ab44987b23c

SHA256: 35383045b3d17bee3ba8fb144d6968a08b77eb2f9c1884b895c54921c65e1251

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ga.js.gz: angular-locale_fr-ga.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ga.js.gz/angular-locale_fr-ga.js
 - MD5: 173daa39965fbfcfd47882e1ca2b164
 - SHA1: 06b954f22a24431bbfdd221b6ef22ab44987b23c
 - SHA256: 35383045b3d17bee3ba8fb144d6968a08b77eb2f9c1884b895c54921c65e1251

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-gf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gf.js

MD5: 13e2b8076c6d6160a12dd3174afa4468

SHA1: 1da193d61aa4a0b05f6eeda05e6792223967334a

SHA256: b0c24e870e2ff03f4f5d061c24ccb8e60cd45e5e37cbcaf84b1260daa8392962

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-gf.js.gz: angular-locale_fr-gf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gf.js.gz/angular-locale_fr-gf.js
 - MD5: 13e2b8076c6d6160a12dd3174afa4468
 - SHA1: 1da193d61aa4a0b05f6eeda05e6792223967334a
 - SHA256: b0c24e870e2ff03f4f5d061c24ccb8e60cd45e5e37cbcaf84b1260daa8392962

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-gn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gn.js

MD5: 4b6719503ffc351305ad514f7a08bd1a

SHA1: 9fb041d2ec4a0ff694ffefb1783fe0b3247ba996

SHA256: 0a1f347f981c0a984e94b0212410ccfa9c37831843bc19542514fcd71dd383da

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-gn.js.gz: angular-locale_fr-gn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gn.js.gz/angular-locale_fr-gn.js
 - MD5: 4b6719503ffc351305ad514f7a08bd1a
 - SHA1: 9fb041d2ec4a0ff694ffefb1783fe0b3247ba996

- SHA256: 0a1f347f981c0a984e94b0212410ccfa9c37831843bc19542514fcd71dd383da

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-gp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gp.js

MD5: c1b5e13dd00a68e0beef07b87e134a7f

SHA1: 381b4e6869f64d6a1ff795cd67244c6d207b2ff2

SHA256: 4a03d4223a6cb32e2d97afbfc28bcbdde2152d80e13e4d5f998afe281e2eefed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-gp.js.gz: angular-locale_fr-gp.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gp.js.gz/angular-locale_fr-gp.js
 - MD5: c1b5e13dd00a68e0beef07b87e134a7f
 - SHA1: 381b4e6869f64d6a1ff795cd67244c6d207b2ff2
 - SHA256: 4a03d4223a6cb32e2d97afbfc28bcbdde2152d80e13e4d5f998afe281e2eefed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-gq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gq.js

MD5: 10cdac8653fcb14b88c95461d32b4926

SHA1: 563461a319236444894a9917707a670d0847e695

SHA256: 0f25b754ee1d6e40a243cb17b665b5a0b0da3901c37b5c5a6aabc7b509ab2e6b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-gq.js.gz: angular-locale_fr-gq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-gq.js.gz/angular-locale_fr-gq.js
 - MD5: 10cdac8653fcb14b88c95461d32b4926
 - SHA1: 563461a319236444894a9917707a670d0847e695
 - SHA256: 0f25b754ee1d6e40a243cb17b665b5a0b0da3901c37b5c5a6aabc7b509ab2e6b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ht.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ht.js

MD5: aeab8b9bde530ec577cff12b90f3ce34

SHA1: 28cd43019e2a273a9ffde6e232283e86589034d7

SHA256: b5bb88aa512d2b6c49b2456957e01bfe254a75a3b26e591ae95f609a7e0af474

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ht.js.gz: angular-locale_fr-ht.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ht.js.gz/angular-locale_fr-ht.js
 - MD5: aeab8b9bde530ec577cff12b90f3ce34
 - SHA1: 28cd43019e2a273a9ffde6e232283e86589034d7

- SHA256: b5bb88aa512d2b6c49b2456957e01bfe254a75a3b26e591ae95f609a7e0af474

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-km.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-km.js

MD5: 511e654c86f25e156db49c66cd0c1c4e

SHA1: 6dcfd1944d0766646e2944a86ecd48ecf1287c00

SHA256: 2b2376aeb8d0a9cc2e20ea4f289e8e7957dd6a6ced1a5c885a2ad4be2dfc4426

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-km.js.gz: angular-locale_fr-km.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-km.js.gz/angular-locale_fr-km.js
 - MD5: 511e654c86f25e156db49c66cd0c1c4e
 - SHA1: 6dcfd1944d0766646e2944a86ecd48ecf1287c00
 - SHA256: 2b2376aeb8d0a9cc2e20ea4f289e8e7957dd6a6ced1a5c885a2ad4be2dfc4426

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-lu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-lu.js

MD5: 66666a5cb2190927cc3cd8b75e17e586

SHA1: 8caf60c302e99a57fae7de251aeefdb3716315fe

SHA256:d42049bee4c7e07053f835cd30e78d5eb12beb439fb75def942526751f7a4f8a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-lu.js.gz: angular-locale_fr-lu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-lu.js.gz/angular-locale_fr-lu.js
 - MD5: 66666a5cb2190927cc3cd8b75e17e586
 - SHA1: 8caf60c302e99a57fae7de251aeefdb3716315fe
 - SHA256: d42049bee4c7e07053f835cd30e78d5eb12beb439fb75def942526751f7a4f8a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ma.js

MD5: a004dfc8f326b532c37f771f8a9e27a9

SHA1: 8b4b8c2568da03ab5ae0d5fc17eccd9c6423c15f

SHA256:b9d404480c33eb3ef867dd7f6c7ad779acea89f27c057f7b125a38a658b24af3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ma.js.gz: angular-locale_fr-ma.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ma.js.gz/angular-locale_fr-ma.js
 - MD5: a004dfc8f326b532c37f771f8a9e27a9
 - SHA1: 8b4b8c2568da03ab5ae0d5fc17eccd9c6423c15f

- SHA256: b9d404480c33eb3ef867dd7f6c7ad779acea89f27c057f7b125a38a658b24af3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-mc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mc.js

MD5: 1fe097872c4d2c086d8b236d9dbf9979

SHA1: 750caf443149639fee8f7b37b8641290591563fa

SHA256: 6a2b802d19be10560d44feae9e05879521003e71e6f355e510f1f7427688d890

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-mc.js.gz: angular-locale_fr-mc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mc.js.gz/angular-locale_fr-mc.js
 - MD5: 1fe097872c4d2c086d8b236d9dbf9979
 - SHA1: 750caf443149639fee8f7b37b8641290591563fa
 - SHA256: 6a2b802d19be10560d44feae9e05879521003e71e6f355e510f1f7427688d890

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-mf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mf.js

MD5: 6b6c57073345ef128c8362b3d3942027

SHA1: acb4e84bab5acb000cc33eddbd4d1f92db75ebfb

SHA256:905eeb2ac0f96f92fe2e071beaf4e325a6de7cc5a49c35f1dc038d981692793b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-mf.js.gz: angular-locale_fr-mf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mf.js.gz/angular-locale_fr-mf.js
 - MD5: 6b6c57073345ef128c8362b3d3942027
 - SHA1: acb4e84bab5acb000cc33eddbd4d1f92db75ebfb
 - SHA256: 905eeb2ac0f96f92fe2e071beaf4e325a6de7cc5a49c35f1dc038d981692793b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-mg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mg.js

MD5: 879708b39e8a297d563336fdce60cdc4

SHA1: 38af4690443b14e4143135e3748435edd147aee4

SHA256:6412902b29d7eedf89bd7efde939be37686d9c7d23f396fb38a0970e88b56a43

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-mg.js.gz: angular-locale_fr-mg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mg.js.gz/angular-locale_fr-mg.js
 - MD5: 879708b39e8a297d563336fdce60cdc4
 - SHA1: 38af4690443b14e4143135e3748435edd147aee4

- SHA256: 6412902b29d7eedf89bd7efde939be37686d9c7d23f396fb38a0970e88b56a43

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ml.js

MD5: 9cef182e4262353a49400eb615eef49a

SHA1: 2f8e9bfb01c4e932532cae758d209b294d90de0d

SHA256: 048f917540490f18d02b8cc0f0e8e87dedc602e0f98bae8b1057d07e58085dbd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ml.js.gz: angular-locale_fr-ml.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ml.js.gz/angular-locale_fr-ml.js
 - MD5: 9cef182e4262353a49400eb615eef49a
 - SHA1: 2f8e9bfb01c4e932532cae758d209b294d90de0d
 - SHA256: 048f917540490f18d02b8cc0f0e8e87dedc602e0f98bae8b1057d07e58085dbd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-mq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mq.js

MD5: 46bd56a3981481857b8348b644f6dbec

SHA1: 8204fd0dba857db29f8b03fb0ddaf45ff4f9480b

SHA256: b0cfde34468691f890cdd3601ffed106a2f24cceb0d3ce1c8882cf17c131869

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-mq.js.gz: angular-locale_fr-mq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mq.js.gz/angular-locale_fr-mq.js
 - MD5: 46bd56a3981481857b8348b644f6dbec
 - SHA1: 8204fd0dba857db29f8b03fb0ddaf45ff4f9480b
 - SHA256: b0cfde34468691f890cdd3601ffed106a2f24cceb0d3ce1c8882cf17c131869

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mr.js

MD5: 7e409d6c036462ae209b7328046bf8cc

SHA1: 820e527754b4ee2213dd2f7bf6203792d96dca52

SHA256: d74b5ac47a06fc98f4284063b01e48669f8b56361ca16e96505e79fe08b2cfe7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-mr.js.gz: angular-locale_fr-mr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mr.js.gz/angular-locale_fr-mr.js
 - MD5: 7e409d6c036462ae209b7328046bf8cc
 - SHA1: 820e527754b4ee2213dd2f7bf6203792d96dca52

- SHA256: d74b5ac47a06fc98f4284063b01e48669f8b56361ca16e96505e79fe08b2cfe7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-mu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mu.js

MD5: d522f6ea0c87f9c8303bce4fa0bff95c

SHA1: dd74f443377d463e6b279b165e8bdb5d99883b29

SHA256: 48815dc5666049e99d43804b7c2e52d642f6d28891b4fa71b061335aca317994

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-mu.js.gz: angular-locale_fr-mu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-mu.js.gz/angular-locale_fr-mu.js
 - MD5: d522f6ea0c87f9c8303bce4fa0bff95c
 - SHA1: dd74f443377d463e6b279b165e8bdb5d99883b29
 - SHA256: 48815dc5666049e99d43804b7c2e52d642f6d28891b4fa71b061335aca317994

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-nc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-nc.js

MD5: 9182087eb80332b4dde88a48b28cc107

SHA1: 0d545334f449a28b7ffdf7802d1871cb3e85e27e

SHA256:46ea023be11585429f53077f65fb49c47d03681fc13628a20ee6976c5a39f599

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-nc.js.gz: angular-locale_fr-nc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-nc.js.gz/angular-locale_fr-nc.js
 - MD5: 9182087eb80332b4dde88a48b28cc107
 - SHA1: 0d545334f449a28b7ffdf7802d1871cb3e85e27e
 - SHA256: 46ea023be11585429f53077f65fb49c47d03681fc13628a20ee6976c5a39f599

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ne.js

MD5: 4dcf96b3d18d70c7e8245b915b944bcf

SHA1: 5c49154a1a88fe5dfd089b372c4edd14fd1a1d8c

SHA256:798b230d8d21901848d115a8edd89bfad74e356ff2540e6a66520a33a51e859f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-ne.js.gz: angular-locale_fr-ne.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-ne.js.gz/angular-locale_fr-ne.js
 - MD5: 4dcf96b3d18d70c7e8245b915b944bcf
 - SHA1: 5c49154a1a88fe5dfd089b372c4edd14fd1a1d8c

- SHA256: 798b230d8d21901848d115a8edd89bfad74e356ff2540e6a66520a33a51e859f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-pf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-pf.js

MD5: 215c2de9fc6f28a584759afe04c62359

SHA1: 352d19d93f8d6a891a348636a7a726c8b2a9f8cb

SHA256: ed9b925ebf2c4eec965c9cea4ad3eb9b7f329605d48f0cc1dddf591595a4e1ce

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-pf.js.gz: angular-locale_fr-pf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-pf.js.gz/angular-locale_fr-pf.js
 - MD5: 215c2de9fc6f28a584759afe04c62359
 - SHA1: 352d19d93f8d6a891a348636a7a726c8b2a9f8cb
 - SHA256: ed9b925ebf2c4eec965c9cea4ad3eb9b7f329605d48f0cc1dddf591595a4e1ce

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-pm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-pm.js

MD5: 859fdad475a5e55e5c5a3c38771333ce

SHA1: db0a863f8357d6679d64d28dc3a335b00e544f50

SHA256: 1e66e1d30c268f9c032d06b1071faa5881ca62506ab9aa7fce3af415e2b13147

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-pm.js.gz: angular-locale_fr-pm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-pm.js.gz/angular-locale_fr-pm.js
 - MD5: 859fdad475a5e55e5c5a3c38771333ce
 - SHA1: db0a863f8357d6679d64d28dc3a335b00e544f50
 - SHA256: 1e66e1d30c268f9c032d06b1071faa5881ca62506ab9aa7fce3af415e2b13147

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-re.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-re.js

MD5: 0866cfcd0913d87c34a4b7d607718a5c

SHA1: adf73fffd1288d0d1af344725e192747f50117ea

SHA256: e425471b0da57b6dde79f69e5947a152e02f711b2ddb991a161df76d5bc8260

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-re.js.gz: angular-locale_fr-re.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-re.js.gz/angular-locale_fr-re.js
 - MD5: 0866cfcd0913d87c34a4b7d607718a5c
 - SHA1: adf73fffd1288d0d1af344725e192747f50117ea

- SHA256: e425471b0da57b6dde79f69e5947a152e02f711b2ddb991a161df76d5bc8260

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-rw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-rw.js

MD5: 5c824a6e28e973a080b70c4888d28e5d

SHA1: 6445cccac0452f945c010e6895e225ffe27bb3b0

SHA256: 0fa68671270247d0cff483109fc5d625db02e22b810b02d990450a12aba80613

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-rw.js.gz: angular-locale_fr-rw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-rw.js.gz/angular-locale_fr-rw.js
 - MD5: 5c824a6e28e973a080b70c4888d28e5d
 - SHA1: 6445cccac0452f945c010e6895e225ffe27bb3b0
 - SHA256: 0fa68671270247d0cff483109fc5d625db02e22b810b02d990450a12aba80613

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-sc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-sc.js

MD5: e734eab4a9af87b1f460c15c02e9597a

SHA1: f030536fbffecb561a54ea41dc0d1ef5d3f76b27

SHA256: a1c84fa9af4ccda5f1a71d1b6a0840748a9e8da71a10016dc2a15caf748620b3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-sc.js.gz: angular-locale_fr-sc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-sc.js.gz/angular-locale_fr-sc.js
 - MD5: e734eab4a9af87b1f460c15c02e9597a
 - SHA1: f030536fbffecb561a54ea41dc0d1ef5d3f76b27
 - SHA256: a1c84fa9af4ccda5f1a71d1b6a0840748a9e8da71a10016dc2a15caf748620b3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-sn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-sn.js

MD5: 266c54febce29e08792a80f149822a41

SHA1: f28aba11293d2e03f7209fd9b6b0009fd82f40a6

SHA256: 800a4c4de3020bf6fe4c1b5ba6e4d5735ddf4409b3edd0c69367ddf24750e414

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-sn.js.gz: angular-locale_fr-sn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-sn.js.gz/angular-locale_fr-sn.js
 - MD5: 266c54febce29e08792a80f149822a41
 - SHA1: f28aba11293d2e03f7209fd9b6b0009fd82f40a6

- SHA256: 800a4c4de3020bf6fe4c1b5ba6e4d5735ddf4409b3edd0c69367ddf24750e414

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-sy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-sy.js

MD5: 75d457912277a87b0a9a8aa2a366d66e

SHA1: 00a223f080dee3d92a856805c3bb0c2e9b48705d

SHA256: 16f8f43ad7776e687b06ee9fe498bbf3cb745fda463aa6e758ef175fd2ee9d0c

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-sy.js.gz: angular-locale_fr-sy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-sy.js.gz/angular-locale_fr-sy.js
 - MD5: 75d457912277a87b0a9a8aa2a366d66e
 - SHA1: 00a223f080dee3d92a856805c3bb0c2e9b48705d
 - SHA256: 16f8f43ad7776e687b06ee9fe498bbf3cb745fda463aa6e758ef175fd2ee9d0c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-td.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-td.js

MD5: 95e5e076f30717d323f0e83d19ab8fc9

SHA1: ba9a8e9dd91ada215934f9bad3796abdb0bdfed7

SHA256: fc73cb21ec7ba6b42adbd3125afb55e340218e10fc1f43a648c9d50ad21afcf1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-tt.js.gz: angular-locale_fr-tt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-tt.js.gz/angular-locale_fr-tt.js
 - MD5: 95e5e076f30717d323f0e83d19ab8fc9
 - SHA1: ba9a8e9dd91ada215934f9bad3796abdb0bdfed7
 - SHA256: fc73cb21ec7ba6b42adbd3125afb55e340218e10fc1f43a648c9d50ad21afcf1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-tt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-tt.js

MD5: e4c68a637aa44d205a896f8f03e9b19e

SHA1: 8585a16ae66cfe2d51ae7ed8e8636c0f83a0ea17

SHA256: 106ce3b23c536946571522d73082bfaf33bf6337ec0af52e97597b171d537907

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-tt.js.gz: angular-locale_fr-tt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-tt.js.gz/angular-locale_fr-tt.js
 - MD5: e4c68a637aa44d205a896f8f03e9b19e
 - SHA1: 8585a16ae66cfe2d51ae7ed8e8636c0f83a0ea17

- SHA256: 106ce3b23c536946571522d73082bfaf33bf6337ec0af52e97597b171d537907

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-tn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-tn.js

MD5: 95c748e78f432abfbe3e667b5651abee

SHA1: 1c0988352f590a2dbf70ca43ddd7fc85265f8d49

SHA256: 52d7aaf002bf25d8c348f1ede31ab169049126a1e5cc9fa2b3e2bcb56c9a540f

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_fr-tn.js.gz: angular-locale_fr-tn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-tn.js.gz/angular-locale_fr-tn.js
 - MD5: 95c748e78f432abfbe3e667b5651abee
 - SHA1: 1c0988352f590a2dbf70ca43ddd7fc85265f8d49
 - SHA256: 52d7aaf002bf25d8c348f1ede31ab169049126a1e5cc9fa2b3e2bcb56c9a540f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-vu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-vu.js

MD5: ef5ff1d94683822b4aed596fe90a30be

SHA1: 06133d1486c6c0a360a8488247331fc2dab66513

SHA256:6b48fbc82a58909d8a0a8847a0e30cc2e3c30b140af63c57d51cdd461e1d24cf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-vu.js.gz: angular-locale_fr-vu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-vu.js.gz/angular-locale_fr-vu.js
 - MD5: ef5ff1d94683822b4aed596fe90a30be
 - SHA1: 06133d1486c6c0a360a8488247331fc2dab66513
 - SHA256: 6b48fbc82a58909d8a0a8847a0e30cc2e3c30b140af63c57d51cdd461e1d24cf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-wf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-wf.js

MD5: e5739aad1d00d324035dc020c2e75b1c

SHA1: 6a8fd093bf916f3de4d2db4b5197bbdc1304c921

SHA256:e54f4161c4e272439be2c8c677ab63775096ca954a6fe39788c361d7b3692df6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-wf.js.gz: angular-locale_fr-wf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-wf.js.gz/angular-locale_fr-wf.js
 - MD5: e5739aad1d00d324035dc020c2e75b1c
 - SHA1: 6a8fd093bf916f3de4d2db4b5197bbdc1304c921

- SHA256: e54f4161c4e272439be2c8c677ab63775096ca954a6fe39788c361d7b3692df6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr-yt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-yt.js

MD5: cffef1d9fb8507493f68bb4320a8527f

SHA1: 63d4419b96c82610510eb349a7cc0c6a03674ae2

SHA256: f2a645be6700211af68993dcfd83bd14fa27bfb52c98b7f08155402950ce5404

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr-yt.js.gz: angular-locale_fr-yt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr-yt.js.gz/angular-locale_fr-yt.js
 - MD5: cffef1d9fb8507493f68bb4320a8527f
 - SHA1: 63d4419b96c82610510eb349a7cc0c6a03674ae2
 - SHA256: f2a645be6700211af68993dcfd83bd14fa27bfb52c98b7f08155402950ce5404

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr.js

MD5: 80daaf6c0b1b3f453e398985033e5fff

SHA1: 131bdda0a5dbf8ee6cfe0d12947da3e827642594

SHA256: b1aabf16c6acfb732dc8c966115b84dbde2e148891f3d55666bfb2cceebe4042

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fr.js.gz: angular-locale_fr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fr.js.gz/angular-locale_fr.js
 - MD5: 80daaf6c0b1b3f453e398985033e5fff
 - SHA1: 131bdda0a5dbf8ee6cfe0d12947da3e827642594
 - SHA256: b1aabf16c6acfb732dc8c966115b84dbde2e148891f3d55666bfb2cceebe4042

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fur-it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fur-it.js

MD5: e369a4fd061b3105c6d6853e5272640d

SHA1: 1d2cb7da53c4b6ae273087e8d040c166465f6dd9

SHA256: abd33cb56bcf219e6df1e67b404d0c34d475424b9a465f1e9ac255d13921b4eb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fur-it.js.gz: angular-locale_fur-it.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fur-it.js.gz/angular-locale_fur-it.js
 - MD5: e369a4fd061b3105c6d6853e5272640d
 - SHA1: 1d2cb7da53c4b6ae273087e8d040c166465f6dd9

- SHA256: abd33cb56bcf219e6df1e67b404d0c34d475424b9a465f1e9ac255d13921b4eb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fur.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fur.js

MD5: 428868f774f2bbfe03b987612fffb3f3

SHA1: 6932cd18507b9a5f863eb99ee8f170bdbfb561eb

SHA256: 96422cb21f5716b25cb2fa0363ee5e02ecb1ba384a6f6d686a3758393d303257

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fur.js.gz: angular-locale_fur.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fur.js.gz/angular-locale_fur.js
 - MD5: 428868f774f2bbfe03b987612fffb3f3
 - SHA1: 6932cd18507b9a5f863eb99ee8f170bdbfb561eb
 - SHA256: 96422cb21f5716b25cb2fa0363ee5e02ecb1ba384a6f6d686a3758393d303257

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fy-nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fy-nl.js

MD5: 9b05e3469882396c8cd7736e5561ca39

SHA1: 43f6097d44a2b09d37bfd2a3101292e69c8ca290

SHA256: d74c0c0198394abd94d8672ddd5a0347229951230c2d0bd4a22406480d8cc20f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fy-nl.js.gz: angular-locale_fy-nl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fy-nl.js.gz/angular-locale_fy-nl.js
 - MD5: 9b05e3469882396c8cd7736e5561ca39
 - SHA1: 43f6097d44a2b09d37bfd2a3101292e69c8ca290
 - SHA256: d74c0c0198394abd94d8672ddd5a0347229951230c2d0bd4a22406480d8cc20f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_fy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fy.js

MD5: f8dc88fd011f3eccf31376aa38a68b90

SHA1: 75869df07b6d5f89e0fba39d190c2f0335fb3f1d

SHA256: 6f1421cda0e5d8077061e086ee154513489ddd30ad2d10a719aad8623aa35c91

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_fy.js.gz: angular-locale_fy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_fy.js.gz/angular-locale_fy.js
 - MD5: f8dc88fd011f3eccf31376aa38a68b90
 - SHA1: 75869df07b6d5f89e0fba39d190c2f0335fb3f1d

- SHA256: 6f1421cda0e5d8077061e086ee154513489ddd30ad2d10a719aad8623aa35c91

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ga-ie.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ga-ie.js

MD5: 1cfaf06a28f4dbee9fae41cb258a910a

SHA1: 257362d7cf788bfdc45b3651f3ed2bc359e75795

SHA256: f7c065775683321395b626cec9f826f579bb4c93d78189033f563a5abdd71559

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ga-ie.js.gz: angular-locale_ga-ie.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ga-ie.js.gz/angular-locale_ga-ie.js
 - MD5: 1cfaf06a28f4dbee9fae41cb258a910a
 - SHA1: 257362d7cf788bfdc45b3651f3ed2bc359e75795
 - SHA256: f7c065775683321395b626cec9f826f579bb4c93d78189033f563a5abdd71559

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ga.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ga.js

MD5: 3c397c2c9df420f85edfd0352dd958a6

SHA1: 52e828272bfc4f5d61e25f25d3d0316f980a8584

SHA256: 1f1c49d616aaf43705e351ee56a4349a466b88c3bcd5adfd2e6c9cb333c2f77d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ga.js.gz: angular-locale_ga.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ga.js.gz/angular-locale_ga.js
 - MD5: 3c397c2c9df420f85edfd0352dd958a6
 - SHA1: 52e828272bfc4f5d61e25f25d3d0316f980a8584
 - SHA256: 1f1c49d616aaf43705e351ee56a4349a466b88c3bcd5adfd2e6c9cb333c2f77d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gd-gb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gd-gb.js

MD5: 1d499ba385c63d3cdb512b9af992d40e

SHA1: 27761f2d63b9c306e4efe476e8671692dad37a7

SHA256: ba3a384d55f071c337bb04e252179ca1ce42e7ff30666ae585a50190d123ee70

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gd-gb.js.gz: angular-locale_gd-gb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gd-gb.js.gz/angular-locale_gd-gb.js
 - MD5: 1d499ba385c63d3cdb512b9af992d40e
 - SHA1: 27761f2d63b9c306e4efe476e8671692dad37a7

- SHA256: ba3a384d55f071c337bb04e252179ca1ce42e7ff30666ae585a50190d123ee70

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gd.js

MD5: 611a999349bd5b3f1db932df0b06edba

SHA1: a7d82484748664b54e75b8cfa4aa29ba854aa4aa

SHA256: 9692d0fa639f03ea24e6e7a24d570ea9f103efa6a384baa8ce7d543b918637c2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gd.js.gz: angular-locale_gd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gd.js.gz/angular-locale_gd.js
 - MD5: 611a999349bd5b3f1db932df0b06edba
 - SHA1: a7d82484748664b54e75b8cfa4aa29ba854aa4aa
 - SHA256: 9692d0fa639f03ea24e6e7a24d570ea9f103efa6a384baa8ce7d543b918637c2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gl-es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gl-es.js

MD5: 29aede115059ce4745a4b5bcf78c7892

SHA1: 4632a48cea4d27117ae311f0ab8ac32845184007

SHA256: 196f8c5bddd029b32ed34476c07d3e070f7b7d47020f4b60e03c60301c8a9ed4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gl-es.js.gz: angular-locale_gl-es.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gl-es.js.gz/angular-locale_gl-es.js
 - MD5: 29aede115059ce4745a4b5bcf78c7892
 - SHA1: 4632a48cea4d27117ae311f0ab8ac32845184007
 - SHA256: 196f8c5bddd029b32ed34476c07d3e070f7b7d47020f4b60e03c60301c8a9ed4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gl.js

MD5: 4d7be5685c3f5fff76fcd830e6084bcd

SHA1: 38f2d0cc2fdb4d15e2899732ff5f3faccfd730

SHA256: 0ff656897813d7095bbada7145fa755e5f752aec595495471ce1224a07b427ed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gl.js.gz: angular-locale_gl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gl.js.gz/angular-locale_gl.js
 - MD5: 4d7be5685c3f5fff76fcd830e6084bcd
 - SHA1: 38f2d0cc2fdb4d15e2899732ff5f3faccfd730

- SHA256: 0ff656897813d7095bbada7145fa755e5f752aec595495471ce1224a07b427ed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gsw-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw-ch.js

MD5: e145346ec4c14666c4b1243f017b841b

SHA1: 401840b9bb4a757caa7dfa631c55fd325942a26c

SHA256: 03442b52373e2ec43c094713a04d78b8f65c711c8c54d5af562652604f65050e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gsw-ch.js.gz: angular-locale_gsw-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw-ch.js.gz/angular-locale_gsw-ch.js
 - MD5: e145346ec4c14666c4b1243f017b841b
 - SHA1: 401840b9bb4a757caa7dfa631c55fd325942a26c
 - SHA256: 03442b52373e2ec43c094713a04d78b8f65c711c8c54d5af562652604f65050e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gsw-fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw-fr.js

MD5: 3750e29d71b8e47573f9000cc2238cfd

SHA1: e589ef8d0dd4ac468922e38ce90c2988dd06d613

SHA256: 8b505bd15f80a00ceb15150fe51122fb03fcfc2b45f22dc933d00e3e8e1197c4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gsw-fr.js.gz: angular-locale_gsw-fr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw-fr.js.gz/angular-locale_gsw-fr.js
 - MD5: 3750e29d71b8e47573f9000cc2238cfd
 - SHA1: e589ef8d0dd4ac468922e38ce90c2988dd06d613
 - SHA256: 8b505bd15f80a00ceb15150fe51122fb03fcfc2b45f22dc933d00e3e8e1197c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gsw-li.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw-li.js

MD5: 04a0e8830eea2b54d93168633c6a6835

SHA1: 48a612944b72f1bc4935ca23ca8a473c4122a7a7

SHA256: eaadde6072104c0510309d7f7f82a2adad3fbd33ca5541628dafa6093ae63db2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gsw-li.js.gz: angular-locale_gsw-li.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw-li.js.gz/angular-locale_gsw-li.js
 - MD5: 04a0e8830eea2b54d93168633c6a6835
 - SHA1: 48a612944b72f1bc4935ca23ca8a473c4122a7a7

- SHA256: eaadde6072104c0510309d7f7f82a2adad3fbd33ca5541628dafa6093ae63db2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gsw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw.js

MD5: e47ab57e706461966c7bfe6e18d52691

SHA1: f4700a8bf8ae88b06b5e80434a538d1b148f3a5

SHA256: a3ee52a6911d7abb40d3d54101262f92055630afc65a7fb6924fb8c12d4802a3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gsw.js.gz: angular-locale_gsw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gsw.js.gz/angular-locale_gsw.js
 - MD5: e47ab57e706461966c7bfe6e18d52691
 - SHA1: f4700a8bf8ae88b06b5e80434a538d1b148f3a5
 - SHA256: a3ee52a6911d7abb40d3d54101262f92055630afc65a7fb6924fb8c12d4802a3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gu-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gu-in.js

MD5: 82c14e416d02e8ad18f6e09a7aff095f

SHA1: 69bf688dcb914e52506a58a2cfb5715b9575542d

SHA256: 1e57d9d5f02979e88f2523c1f23b1c5177ed1b51cedfa163954de0b40fe63bf5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gu-in.js.gz: angular-locale_gu-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gu-in.js.gz/angular-locale_gu-in.js
 - MD5: 82c14e416d02e8ad18f6e09a7aff095f
 - SHA1: 69bf688dcb914e52506a58a2cfb5715b9575542d
 - SHA256: 1e57d9d5f02979e88f2523c1f23b1c5177ed1b51cedfa163954de0b40fe63bf5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gu.js

MD5: bda0e21031a5e42182d256b2084d8d4f

SHA1: b5da60207359fe5b1af1d233a42f9f1b33b33cd2

SHA256: 4e28cf229746b66ae4b020c00798cf4f4b7c538dea3edad16d397eb942c24bbe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gu.js.gz: angular-locale_gu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gu.js.gz/angular-locale_gu.js
 - MD5: bda0e21031a5e42182d256b2084d8d4f
 - SHA1: b5da60207359fe5b1af1d233a42f9f1b33b33cd2

- SHA256: 4e28cf229746b66ae4b020c00798cf4f4b7c538dea3edad16d397eb942c24bbe

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_guz-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_guz-ke.js

MD5: 3d8e2cb7cc51d1a77912a54cc8f43202

SHA1: c4e24b27a72f6bb8a48723be01831ff840804462

SHA256: bb0187c02428eb999c84c19688b0efe6a1a7c90b838b1462cf6a44cd3d62a391

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_guz-ke.js.gz: angular-locale_guz-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_guz-ke.js.gz/angular-locale_guz-ke.js
 - MD5: 3d8e2cb7cc51d1a77912a54cc8f43202
 - SHA1: c4e24b27a72f6bb8a48723be01831ff840804462
 - SHA256: bb0187c02428eb999c84c19688b0efe6a1a7c90b838b1462cf6a44cd3d62a391

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_guz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_guz.js

MD5: 41e28c15dd48f74de7e53594f3fe5b6d

SHA1: 4b0ef6b95f8b32ab4d038adad4e073b9eed2666e

SHA256: a8b2057bcc7c054c9c3d46bcad5337717be56b8c0f0bdb8674803a484c593d49

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_guz.js.gz: angular-locale_guz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_guz.js.gz/angular-locale_guz.js
 - MD5: 41e28c15dd48f74de7e53594f3fe5b6d
 - SHA1: 4b0ef6b95f8b32ab4d038adad4e073b9eed2666e
 - SHA256: a8b2057bcc7c054c9c3d46bcad5337717be56b8c0f0bdb8674803a484c593d49

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gv-im.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gv-im.js

MD5: fbadc379b818d1585210b12cb12258da

SHA1: 875b90402bf8abaa0713782a8f94f736caada374

SHA256: ca73a41287e12590878e0cd7ea3e224f0e8df4435d8f70c3babc0e59a29388d3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gv-im.js.gz: angular-locale_gv-im.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gv-im.js.gz/angular-locale_gv-im.js
 - MD5: fbadc379b818d1585210b12cb12258da
 - SHA1: 875b90402bf8abaa0713782a8f94f736caada374

- SHA256: ca73a41287e12590878e0cd7ea3e224f0e8df4435d8f70c3babc0e59a29388d3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_gv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gv.js

MD5: bbd26dbfbdfd612ead20154ffedeccb

SHA1: a2c1880c52dd2fd28bbd8bb337a654643f4defce

SHA256: c4f44fe8a6b66e9d2a2970c0d743c5ba6131d7f9485bcd3d94a800ca8d2ebb8f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_gv.js.gz: angular-locale_gv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_gv.js.gz/angular-locale_gv.js
 - MD5: bbd26dbfbdfd612ead20154ffedeccb
 - SHA1: a2c1880c52dd2fd28bbd8bb337a654643f4defce
 - SHA256: c4f44fe8a6b66e9d2a2970c0d743c5ba6131d7f9485bcd3d94a800ca8d2ebb8f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ha-gh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha-gh.js

MD5: 5bc9040d7cff7c756378f1c417953c55

SHA1: 1067d46b2aa810e2336951666a22a7cde78d451c

SHA256: 90d76e37894c67ce3793c18d2a162dfc37fb1d7e5e2dd74f8b77507234bb9465

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_ha-gh.js.gz: angular-locale_ha-gh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha-gh.js.gz/angular-locale_ha-gh.js
 - MD5: 5bc9040d7cff7c756378f1c417953c55
 - SHA1: 1067d46b2aa810e2336951666a22a7cde78d451c
 - SHA256: 90d76e37894c67ce3793c18d2a162dfc37fb1d7e5e2dd74f8b77507234bb9465

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ha-ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha-ne.js

MD5: 8db8f7fab0bec1a0bd2fa81ecc52b76

SHA1: f27171772b2a49b49e08c449187cc28e41d34f35

SHA256: dee974f97c1b39c95a292dbdfae8a8de7bb4f39eebd2f34da77e42ebcd0695b2

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_ha-ne.js.gz: angular-locale_ha-ne.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha-ne.js.gz/angular-locale_ha-ne.js
 - MD5: 8db8f7fab0bec1a0bd2fa81ecc52b76
 - SHA1: f27171772b2a49b49e08c449187cc28e41d34f35

- SHA256: dee974f97c1b39c95a292dbdfae8a8de7bb4f39eebd2f34da77e42ebcd0695b2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ha-ng.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha-ng.js

MD5: 0e4edebddc87f834b5a3dc9170796766

SHA1: b22e4a5064cb64605d19f52751a5fba678e52fef

SHA256: 8fcd3ac472f4b115843d07114314192c1b7faf17b6d233d8450e213d2d9a7e2d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ha-ng.js.gz: angular-locale_ha-ng.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha-ng.js.gz/angular-locale_ha-ng.js
 - MD5: 0e4edebddc87f834b5a3dc9170796766
 - SHA1: b22e4a5064cb64605d19f52751a5fba678e52fef
 - SHA256: 8fcd3ac472f4b115843d07114314192c1b7faf17b6d233d8450e213d2d9a7e2d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ha.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha.js

MD5: 46268565fbc351ba676f72a54fd14345

SHA1: 8595c7a671f604fb5bfab55c02df2b0ba1810aa0

SHA256: c53435a7dffcf3709caae6aaf3d7dcfdc9ec54c5d5398d5c2c24b2a072fc6fed

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ha.js.gz: angular-locale_ha.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ha.js.gz/angular-locale_ha.js
 - MD5: 46268565fbc351ba676f72a54fd14345
 - SHA1: 8595c7a671f604fb5bfab55c02df2b0ba1810aa0
 - SHA256: c53435a7dffcf3709caae6aaf3d7dcfdc9ec54c5d5398d5c2c24b2a072fc6fed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_haw-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_haw-us.js

MD5: 1974ceea1c62bb813dc4eff582e2fbeb

SHA1: 7a35b49405a862f992dfac1ee6b031ace012dea

SHA256: 40ae0d958eb3d5b85129ee2b9760d2850a3ee9f6fb1a9d32707ea1dbf14d9786

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_haw-us.js.gz: angular-locale_haw-us.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_haw-us.js.gz/angular-locale_haw-us.js
 - MD5: 1974ceea1c62bb813dc4eff582e2fbeb
 - SHA1: 7a35b49405a862f992dfac1ee6b031ace012dea

- SHA256: 40ae0d958eb3d5b85129ee2b9760d2850a3ee9f6fb1a9d32707ea1dbf14d9786

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_haw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_haw.js

MD5: 0cb381a986d2a4e40b63ebb55ef3308c

SHA1: dc7dfa63047274962f78db6929cdebdbc11e77fa

SHA256: cbba57731ade83ede843988aa4d9f46f6d8397a42363078402320352f7e14b19

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_haw.js.gz: angular-locale_haw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_haw.js.gz/angular-locale_haw.js
 - MD5: 0cb381a986d2a4e40b63ebb55ef3308c
 - SHA1: dc7dfa63047274962f78db6929cdebdbc11e77fa
 - SHA256: cbba57731ade83ede843988aa4d9f46f6d8397a42363078402320352f7e14b19

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_he-il.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_he-il.js

MD5: 9cd773f80924edf52837b1bd3eed8f4

SHA1: d2196b8a8dc0cfa021eb054e60bea6346e5a657f

SHA256: a4e5931dc750b02abbd35334da02d3b77a4a521602eaf527a114265dfefa2257

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_he-il.js.gz: angular-locale_he-il.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_he-il.js.gz/angular-locale_he-il.js
 - MD5: 9cd773f80924edf52837b1bd3eead8f4
 - SHA1: d2196b8a8dc0cfa021eb054e60bea6346e5a657f
 - SHA256: a4e5931dc750b02abbd35334da02d3b77a4a521602eaf527a114265dfefa2257

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_he.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_he.js

MD5: 9f9f200af8510a35c342afef79c9ab75

SHA1: d0ad925b8532ed1a06b5254a3dae303e505de137

SHA256: 1912072ce2d53ba6fa9736c197c1ded2044d37c2b37246310270f51aa856e733

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_he.js.gz: angular-locale_he.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_he.js.gz/angular-locale_he.js
 - MD5: 9f9f200af8510a35c342afef79c9ab75
 - SHA1: d0ad925b8532ed1a06b5254a3dae303e505de137

- SHA256: 1912072ce2d53ba6fa9736c197c1ded2044d37c2b37246310270f51aa856e733

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hi-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hi-in.js

MD5: 313940f98a292e4ad53a933821acd63f

SHA1: c942689d597d8c8c3837bc4e56d39eea35a471f9

SHA256: 3fddf26ed32467a95bb544f8349843110df17ffb7403a4a1d70b74768e496c1d

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_hi-in.js.gz: angular-locale_hi-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hi-in.js.gz/angular-locale_hi-in.js
 - MD5: 313940f98a292e4ad53a933821acd63f
 - SHA1: c942689d597d8c8c3837bc4e56d39eea35a471f9
 - SHA256: 3fddf26ed32467a95bb544f8349843110df17ffb7403a4a1d70b74768e496c1d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hi.js

MD5: 0ea800d52f1d2259e349693087b8c57c

SHA1: c05aafe5253cbbb56736d70904acc51292a52dba

SHA256: e6afa0788eb642984a949e67893258ae8ccb8d42917f46ed6a0b2ab7bceb0587

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hi.js.gz: angular-locale_hi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hi.js.gz/angular-locale_hi.js
 - MD5: 0ea800d52f1d2259e349693087b8c57c
 - SHA1: c05aafe5253cbbb56736d70904acc51292a52dba
 - SHA256: e6afa0788eb642984a949e67893258ae8ccb8d42917f46ed6a0b2ab7bceb0587

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hr-ba.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hr-ba.js

MD5: 1bfcab04a47f35e055e3902abe7960c1

SHA1: e9aefaf810c6f473b5eb7659e800f8815a3fae25

SHA256: dcd0de8519680fbb4556074829bf56169b120de10a894fb0540e9d1e2d1c25c4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hr-ba.js.gz: angular-locale_hr-ba.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hr-ba.js.gz/angular-locale_hr-ba.js
 - MD5: 1bfcab04a47f35e055e3902abe7960c1
 - SHA1: e9aefaf810c6f473b5eb7659e800f8815a3fae25

- SHA256: dcd0de8519680fbb4556074829bf56169b120de10a894fb0540e9d1e2d1c25c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hr-hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hr-hr.js

MD5: 252427e7989b3083ec3da79ac2af21b0

SHA1: 732b8d29aeaf537917ead8b40c800f7a8e1c5794

SHA256: c6e6b252bd9435f06a5c4909c975b47e484ce4ef5f4c0e89d7111f07aadb89

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hr-hr.js.gz: angular-locale_hr-hr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hr-hr.js.gz/angular-locale_hr-hr.js
 - MD5: 252427e7989b3083ec3da79ac2af21b0
 - SHA1: 732b8d29aeaf537917ead8b40c800f7a8e1c5794
 - SHA256: c6e6b252bd9435f06a5c4909c975b47e484ce4ef5f4c0e89d7111f07aadb89

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hr.js

MD5: 9bd96810243863bebbd696829da73277

SHA1: e2ed0aff328bc0bb750150e83de785a40e108082

SHA256: 16377e1b3e6d5c1af43b0a7426a88cd52db84737619fc166a1d4f1f2be6ff965

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hr.js.gz: angular-locale_hr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hr.js.gz/angular-locale_hr.js
 - MD5: 9bd96810243863bebbd696829da73277
 - SHA1: e2ed0aff328bc0bb750150e83de785a40e108082
 - SHA256: 16377e1b3e6d5c1af43b0a7426a88cd52db84737619fc166a1d4f1f2be6ff965

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hsb-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hsb-de.js

MD5: 66d27ef0e452ef63dd95831fcdd1a2d0

SHA1: 606ad7473dccc90ef344970a343c09a89bd48c5c

SHA256: b19e3c66f2797a693849e89baea1f84bc9c40ce0ae3b26a0abc877f4d778dac5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hsb-de.js.gz: angular-locale_hsb-de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hsb-de.js.gz/angular-locale_hsb-de.js
 - MD5: 66d27ef0e452ef63dd95831fcdd1a2d0
 - SHA1: 606ad7473dccc90ef344970a343c09a89bd48c5c

- SHA256: b19e3c66f2797a693849e89baea1f84bc9c40ce0ae3b26a0abc877f4d778dac5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hsb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hsb.js

MD5: a7967ff82c330736b7f69eb375ac522a

SHA1: 3aa3689c94f56c1001d1b1b20296d9ee0347051f

SHA256: 168fc65458cf49fa73e8dff1af598471d06a8eb6e69862a027a5fcf26f055a5a

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_hsb.js.gz: angular-locale_hsb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hsb.js.gz/angular-locale_hsb.js
 - MD5: a7967ff82c330736b7f69eb375ac522a
 - SHA1: 3aa3689c94f56c1001d1b1b20296d9ee0347051f
 - SHA256: 168fc65458cf49fa73e8dff1af598471d06a8eb6e69862a027a5fcf26f055a5a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hu-hu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hu-hu.js

MD5: d383cffd8b7a151b88b72172339aecf8

SHA1: 963c56606f133b8d2ee185b4f7794165d693bb8b

SHA256:4ddc908ca24af2efca1b6ec3a7022f55604c151e4ea3d18de8ddfefb22f576e8a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hu-hu.js.gz: angular-locale_hu-hu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hu-hu.js.gz/angular-locale_hu-hu.js
 - MD5: d383cffd8b7a151b88b72172339aecf8
 - SHA1: 963c56606f133b8d2ee185b4f7794165d693bb8b
 - SHA256: 4ddc908ca24af2efca1b6ec3a7022f55604c151e4ea3d18de8ddfefb22f576e8a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hu.js

MD5: 823b5f813693c8257baeb537b6afed1b

SHA1: bb47193b8343cd0f719708fde3fc7357a0bac1d4

SHA256:5aedcbef16624a8034b678110773bef389dfbaf5317f4a7c1511f079f5e5c192

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hu.js.gz: angular-locale_hu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hu.js.gz/angular-locale_hu.js
 - MD5: 823b5f813693c8257baeb537b6afed1b
 - SHA1: bb47193b8343cd0f719708fde3fc7357a0bac1d4

- SHA256: 5aedcbbeb16624a8034b678110773bef389dfbaf5317f4a7c1511f079f5e5c192

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hy-am.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hy-am.js

MD5: b0be21992e14344e9de6043a860238b7

SHA1: 8e3eb6675571ab9e615acfded2faa0f1bc97cb35

SHA256: 79293c83247cf958731507b63b2c50d93fd637a7e346e308438fb685abc48e2a

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_hy-am.js.gz: angular-locale_hy-am.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hy-am.js.gz/angular-locale_hy-am.js
 - MD5: b0be21992e14344e9de6043a860238b7
 - SHA1: 8e3eb6675571ab9e615acfded2faa0f1bc97cb35
 - SHA256: 79293c83247cf958731507b63b2c50d93fd637a7e346e308438fb685abc48e2a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_hy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hy.js

MD5: c854bcb3594334672830c0edd1c4f3ea

SHA1: baf22df9c74e5d5e4fcba49ad7a071f93003806c

SHA256: 3a82372b02cebdb8fc7c6bd8a1df2911378f18bf2bf710f1fa666f43c3fcd54

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_hy.js.gz: angular-locale_hy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_hy.js.gz/angular-locale_hy.js
 - MD5: c854bcb3594334672830c0edd1c4f3ea
 - SHA1: baf22df9c74e5d5e4fcba49ad7a071f93003806c
 - SHA256: 3a82372b02cebdb8fc7c6bd8a1df2911378f18bf2bf710f1fa666f43c3fcd54

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_id-id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_id-id.js

MD5: e6dd1e59c1fcce294660a1b5afc7267a

SHA1: 61abf7b7ab73a32daae8e90e8058e47f4200c765

SHA256: b0560eddc698b73316c937f0378de55b29d618bc7e537aff897f1f3b22bf1718

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_id-id.js.gz: angular-locale_id-id.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_id-id.js.gz/angular-locale_id-id.js
 - MD5: e6dd1e59c1fcce294660a1b5afc7267a
 - SHA1: 61abf7b7ab73a32daae8e90e8058e47f4200c765

- SHA256: b0560eddc698b73316c937f0378de55b29d618bc7e537aff897f1f3b22bf1718

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_id.js

MD5: 60bb86e8ff8bb045298cbab32641516f

SHA1: 58c7a1afebc00145662a51c12622a12cf992a88f

SHA256: dad3293b5cb0dd2ad5852f74cbe62ca0c14ed7aebe0156ee47a0d902d2478a53

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_id.js.gz: angular-locale_id.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_id.js.gz/angular-locale_id.js
 - MD5: 60bb86e8ff8bb045298cbab32641516f
 - SHA1: 58c7a1afebc00145662a51c12622a12cf992a88f
 - SHA256: dad3293b5cb0dd2ad5852f74cbe62ca0c14ed7aebe0156ee47a0d902d2478a53

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ig-ng.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ig-ng.js

MD5: 05ef888b727d2602c7303566c4e28428

SHA1: 7ca66f381ec025a51e1256e63bdb44a99104e3a1

SHA256: 6e9abbd8fc0a9f9c85423566851408e4343c0503ad72276c78691c6e0cc907f1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ig-ng.js.gz: angular-locale_ig-ng.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ig-ng.js.gz/angular-locale_ig-ng.js
 - MD5: 05ef888b727d2602c7303566c4e28428
 - SHA1: 7ca66f381ec025a51e1256e63bdb44a99104e3a1
 - SHA256: 6e9abbd8fc0a9f9c85423566851408e4343c0503ad72276c78691c6e0cc907f1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ig.js

MD5: 9d7bb561675d3018d074b6b38f2256cc

SHA1: cfaf1aac3230036f8c6251bb6f2c6955af017b78

SHA256: f74d1ff6b74568580d8deed24af1225a587fd490e666144c8de50ebfa2a5d664

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ig.js.gz: angular-locale_ig.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ig.js.gz/angular-locale_ig.js
 - MD5: 9d7bb561675d3018d074b6b38f2256cc
 - SHA1: cfaf1aac3230036f8c6251bb6f2c6955af017b78

- SHA256: f74d1ff6b74568580d8deed24af1225a587fd490e666144c8de50ebfa2a5d664

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ii-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ii-cn.js

MD5: 9fdddbaaa102ae0a445656f8af935492

SHA1: a79d88ca1f0269ee0e4e94bb0160a151f6934af6

SHA256: eb7962abb878f3a0eeded3dde3adc19709d4bd143cd9dc65d40bfd9645fd3cf0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ii-cn.js.gz: angular-locale_ii-cn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ii-cn.js.gz/angular-locale_ii-cn.js
 - MD5: 9fdddbaaa102ae0a445656f8af935492
 - SHA1: a79d88ca1f0269ee0e4e94bb0160a151f6934af6
 - SHA256: eb7962abb878f3a0eeded3dde3adc19709d4bd143cd9dc65d40bfd9645fd3cf0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ii.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ii.js

MD5: 5db726fb67f7628802eea5af73501c68

SHA1: dc45054fd36c590f6865dc79dc08b176567e7773

SHA256: e88e88cc6bab7414681e033aa1fc8ed354dc219585d60ae4a613e18b5fb6ee34

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ii.js.gz: angular-locale_ii.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ii.js.gz/angular-locale_ii.js
 - MD5: 5db726fb67f7628802eea5af73501c68
 - SHA1: dc45054fd36c590f6865dc79dc08b176567e7773
 - SHA256: e88e88cc6bab7414681e033aa1fc8ed354dc219585d60ae4a613e18b5fb6ee34

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_in.js

MD5: 918ed6c34efd346853956b72e5296a55

SHA1: 22dbafe0b604514b9a47479ec880ea505f779057

SHA256: abb65b311b4f06f93949d440dcc35b659bc718d61c6431a8340aaad17528a191

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_in.js.gz: angular-locale_in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_in.js.gz/angular-locale_in.js
 - MD5: 918ed6c34efd346853956b72e5296a55
 - SHA1: 22dbafe0b604514b9a47479ec880ea505f779057

- SHA256: abb65b311b4f06f93949d440dcc35b659bc718d61c6431a8340aad17528a191

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_is-is.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_is-is.js

MD5: 5498eea2f8e9cf7903e352d21dce15d3

SHA1: 054ce9a8b464fa46a6b97c93238b776fcb64b9d7

SHA256: edd9bbd0c28dc35941c8464f4877124613db261a654f948534afb1a6bd69f4ed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_is-is.js.gz: angular-locale_is-is.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_is-is.js.gz/angular-locale_is-is.js
 - MD5: 5498eea2f8e9cf7903e352d21dce15d3
 - SHA1: 054ce9a8b464fa46a6b97c93238b776fcb64b9d7
 - SHA256: edd9bbd0c28dc35941c8464f4877124613db261a654f948534afb1a6bd69f4ed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_is.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_is.js

MD5: dd5bb568bc7f39c29f2738ae69211258

SHA1: 2d0dcdd73d568e2b523437a7a96ce057dcefc4b0

SHA256: 947a2fe5eaa286fffeafb69ebbc3bd52ae320c96a11ef3854c89a14fa7652e2a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_is.js.gz: angular-locale_is.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_is.js.gz/angular-locale_is.js
 - MD5: dd5bb568bc7f39c29f2738ae69211258
 - SHA1: 2d0dcdd73d568e2b523437a7a96ce057dcefc4b0
 - SHA256: 947a2fe5eaa286fffeafb69ebbc3bd52ae320c96a11ef3854c89a14fa7652e2a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_it-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-ch.js

MD5: 7f4f8d68228b06d9a4ceb902b75cf2f0

SHA1: c4f8d04fe0af1ecfe9bfb1548c02b83bdd12fdac

SHA256: ba37c5ab970b5af331896cd944a0098c9a056342f1b3ce710af943b1af80d64c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_it-ch.js.gz: angular-locale_it-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-ch.js.gz/angular-locale_it-ch.js
 - MD5: 7f4f8d68228b06d9a4ceb902b75cf2f0
 - SHA1: c4f8d04fe0af1ecfe9bfb1548c02b83bdd12fdac

- SHA256: ba37c5ab970b5af331896cd944a0098c9a056342f1b3ce710af943b1af80d64c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_it-it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-it.js

MD5: d815dcace0dd229b80696667b5d3d726

SHA1: 459253d68b330e65c167f7d34126ab8989676472

SHA256: 3568c69d13695aef65905888df76aa43d4b3ec7963fde26ddf417dead76ea591

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_it-it.js.gz: angular-locale_it-it.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-it.js.gz/angular-locale_it-it.js
 - MD5: d815dcace0dd229b80696667b5d3d726
 - SHA1: 459253d68b330e65c167f7d34126ab8989676472
 - SHA256: 3568c69d13695aef65905888df76aa43d4b3ec7963fde26ddf417dead76ea591

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_it-sm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-sm.js

MD5: 3b9d29b8fc15ff85be69f4c0df7bdfda

SHA1: 0b3fc6044b70fbe433f929ddb59abbbbbe187f44

SHA256: aa640457ee08ca3b116f0c12a795747af1a072122d72821662f91c924fac5b1d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_it-sm.js.gz: angular-locale_it-sm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-sm.js.gz/angular-locale_it-sm.js
 - MD5: 3b9d29b8fc15ff85be69f4c0df7bfdfa
 - SHA1: 0b3fc6044b70fbe433f929ddb59abbbbbe187f44
 - SHA256: aa640457ee08ca3b116f0c12a795747af1a072122d72821662f91c924fac5b1d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_it-va.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-va.js

MD5: cfd4d822ae63526893e0112df932462d

SHA1: e84ea556509866b6671e0c8da5d5e36290de423b

SHA256: 89c6079597f3696f2f5022b21d37429fe1a593b3585ab2f17e299d4129939e58

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_it-va.js.gz: angular-locale_it-va.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it-va.js.gz/angular-locale_it-va.js
 - MD5: cfd4d822ae63526893e0112df932462d
 - SHA1: e84ea556509866b6671e0c8da5d5e36290de423b

- SHA256: 89c6079597f3696f2f5022b21d37429fe1a593b3585ab2f17e299d4129939e58

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it.js

MD5: f158b8d434c69acc1a7daf9fdc7f5dc1

SHA1: 37619adc3be82432658767a4613e451a381828f3

SHA256: ec776afecf6e16339c99f1dcae660bb472a8f25aa43b11ac496b3227ea97a95c

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_it.js.gz: angular-locale_it.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it.js.gz/angular-locale_it.js
 - MD5: f158b8d434c69acc1a7daf9fdc7f5dc1
 - SHA1: 37619adc3be82432658767a4613e451a381828f3
 - SHA256: ec776afecf6e16339c99f1dcae660bb472a8f25aa43b11ac496b3227ea97a95c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_iw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_iw.js

MD5: 6704cb21de8c9d1f05b142a24f4bd9f2

SHA1: ddb7551d9d362c9cc3d95f66806ef6cb49325b89

SHA256:2345fb81251715735745e11d9a142c8b06272394c79392d50b663845f871f3bb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_iw.js.gz: angular-locale_iw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_iw.js.gz/angular-locale_iw.js
 - MD5: 6704cb21de8c9d1f05b142a24f4bd9f2
 - SHA1: ddb7551d9d362c9cc3d95f66806ef6cb49325b89
 - SHA256: 2345fb81251715735745e11d9a142c8b06272394c79392d50b663845f871f3bb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ja-jp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ja-jp.js

MD5: a97deca6c1897a5e054592cd4336076d

SHA1: 8962e07cf9377aff71d095fe67fe467d23760c18

SHA256:0397208eb0b8677aff682fe3712514cca50fc8ce2d84026fb6afc20aaffc54c8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ja-jp.js.gz: angular-locale_ja-jp.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ja-jp.js.gz/angular-locale_ja-jp.js
 - MD5: a97deca6c1897a5e054592cd4336076d
 - SHA1: 8962e07cf9377aff71d095fe67fe467d23760c18

- SHA256: 0397208eb0b8677aff682fe3712514cca50fc8ce2d84026fb6afc20aaffc54c8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ ja.js

MD5: 066d0781b26eafe3ad89530043bd015f

SHA1: 525aae8590aae8089f1901f5057eec6fe833a570

SHA256: 7a56b180c9e40d2c847d9892bc24f2554672222cf5750e88e46b31a944098bf1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ ja.js.gz: angular-locale_ ja.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ ja.js.gz/angular-locale_ ja.js
 - MD5: 066d0781b26eafe3ad89530043bd015f
 - SHA1: 525aae8590aae8089f1901f5057eec6fe833a570
 - SHA256: 7a56b180c9e40d2c847d9892bc24f2554672222cf5750e88e46b31a944098bf1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ jgo-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ jgo-cm.js

MD5: bfd6d2ecf7ef08c1d023181fabb6a46b

SHA1: e9502be5f5e9b6f16c3ca0042ee475a13386826a

SHA256: ec9d4cc143cc1499685ec797358543c1fa213f00be1a85f626f6ee03f6cae5f3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_jgo-cm.js.gz: angular-locale_jgo-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jgo-cm.js.gz/angular-locale_jgo-cm.js
 - MD5: bfd6d2ecf7ef08c1d023181fabb6a46b
 - SHA1: e9502be5f5e9b6f16c3ca0042ee475a13386826a
 - SHA256: ec9d4cc143cc1499685ec797358543c1fa213f00be1a85f626f6ee03f6cae5f3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_jgo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jgo.js

MD5: e7c0ecd2c1b3792714f81a5f29c1af26

SHA1: 64d3986b909d705ed64fdb025a4901cc709f90ac

SHA256: 14c9d35e3ca3648cf3e6de4221f8b8c9160ff336efa21c23a1d6035d296202e1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_jgo.js.gz: angular-locale_jgo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jgo.js.gz/angular-locale_jgo.js
 - MD5: e7c0ecd2c1b3792714f81a5f29c1af26
 - SHA1: 64d3986b909d705ed64fdb025a4901cc709f90ac

- SHA256: 14c9d35e3ca3648cf3e6de4221f8b8c9160ff336efa21c23a1d6035d296202e1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_jmc-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jmc-tz.js

MD5: 76f663dd08373b8395565fb3b30a8530

SHA1: 3924586ae9212af39700e53a27eea776cbcee9fa

SHA256: 53d8a958a325872f1df485ba224c613feecbfc971b68fd60a3ca8a4709dd434

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_jmc-tz.js.gz: angular-locale_jmc-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jmc-tz.js.gz/angular-locale_jmc-tz.js
 - MD5: 76f663dd08373b8395565fb3b30a8530
 - SHA1: 3924586ae9212af39700e53a27eea776cbcee9fa
 - SHA256: 53d8a958a325872f1df485ba224c613feecbfc971b68fd60a3ca8a4709dd434

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_jmc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jmc.js

MD5: 27143548e44eed0ea3dba26e2bf7ca91

SHA1: 844522dfc87e732bbdb1502cf540f666c3ee3a09

SHA256:05017fa5c1c86f8a98eaa49d4410a9b5e475f767f84576ea59996077bc19a524

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_jmc.js.gz: angular-locale_jmc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_jmc.js.gz/angular-locale_jmc.js
 - MD5: 27143548e44eed0ea3dba26e2bf7ca91
 - SHA1: 844522dfc87e732bbdb1502cf540f666c3ee3a09
 - SHA256: 05017fa5c1c86f8a98eaa49d4410a9b5e475f767f84576ea59996077bc19a524

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ka-ge.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ka-ge.js

MD5: 8db8ca3bb7a56f412bb4ea7824b7ce04

SHA1: 8051c87b15046e2fce247819645c49be80f61307

SHA256:1755ee65c1e40a9c24cd524a62f654832120da1448a48ae5d882797316a7b564

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ka-ge.js.gz: angular-locale_ka-ge.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ka-ge.js.gz/angular-locale_ka-ge.js
 - MD5: 8db8ca3bb7a56f412bb4ea7824b7ce04
 - SHA1: 8051c87b15046e2fce247819645c49be80f61307

- SHA256: 1755ee65c1e40a9c24cd524a62f654832120da1448a48ae5d882797316a7b564

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ka.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ka.js

MD5: a37f5ba2f5d58204c04e059c78746027

SHA1: 492c5e5a3a9c7c1a4ce561fb4ecbc69bab8e7c7

SHA256: 99a7af9caf7f77cbbfe050473e2ba2fe365278fd648ab4efbf7d0d75b9008ee4

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ka.js.gz: angular-locale_ka.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ka.js.gz/angular-locale_ka.js
 - MD5: a37f5ba2f5d58204c04e059c78746027
 - SHA1: 492c5e5a3a9c7c1a4ce561fb4ecbc69bab8e7c7
 - SHA256: 99a7af9caf7f77cbbfe050473e2ba2fe365278fd648ab4efbf7d0d75b9008ee4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kab-dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kab-dz.js

MD5: a7a38f906a2cefd3ff561544f633049f

SHA1: 3b346e39170c9473ed8655d30ffedaec80c5568f

SHA256: fae8443d861187ed80a92468946c7904b93cf39b304fb68d2f728d6060942f0f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kab-dz.js.gz: angular-locale_kab-dz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kab-dz.js.gz/angular-locale_kab-dz.js
 - MD5: a7a38f906a2cefd3ff561544f633049f
 - SHA1: 3b346e39170c9473ed8655d30ffedaec80c5568f
 - SHA256: fae8443d861187ed80a92468946c7904b93cf39b304fb68d2f728d6060942f0f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kab.js

MD5: c96b43612bb2f8fa063022e5dc34da99

SHA1: e49247ec740811c9e65b3f573fb16fde67e3b89b

SHA256: 232a1ae35ea1baeeda525cc69d835013afd2f8b5fb076c24bc9767c7c1b231f7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kab.js.gz: angular-locale_kab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kab.js.gz/angular-locale_kab.js
 - MD5: c96b43612bb2f8fa063022e5dc34da99
 - SHA1: e49247ec740811c9e65b3f573fb16fde67e3b89b

- SHA256: 232a1ae35ea1baeeda525cc69d835013afd2f8b5fb076c24bc9767c7c1b231f7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kam-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kam-ke.js

MD5: 85710f718b6b7a283176f0a7703fac10

SHA1: 409ab4a221575e8d12f21f86949b4bb0eda9060f

SHA256: d7a6965c1a58d79f8809a3ac4a8776fb36d817d455d92e0d9fdc4a134dfd7906

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kam-ke.js.gz: angular-locale_kam-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kam-ke.js.gz/angular-locale_kam-ke.js
 - MD5: 85710f718b6b7a283176f0a7703fac10
 - SHA1: 409ab4a221575e8d12f21f86949b4bb0eda9060f
 - SHA256: d7a6965c1a58d79f8809a3ac4a8776fb36d817d455d92e0d9fdc4a134dfd7906

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kam.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kam.js

MD5: 0827f781c2d4f35b597f774915b66902

SHA1: c3709016491acea07c09c7ed57c11b4d5707bf39

SHA256:46a0eae657404f6fbb19b2d48c45874d888e615c49e25c72f4e159011a15398e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kam.js.gz: angular-locale_kam.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kam.js.gz/angular-locale_kam.js
 - MD5: 0827f781c2d4f35b597f774915b66902
 - SHA1: c3709016491acea07c09c7ed57c11b4d5707bf39
 - SHA256: 46a0eae657404f6fbb19b2d48c45874d888e615c49e25c72f4e159011a15398e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kde-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kde-tz.js

MD5: e369cabf83a93becbe88333a42eb78fa

SHA1: 4ec66cc03b2d6212100c178fb0b6da6e7bb6f169

SHA256:8f8dba6cb661e8f2f9362bafa8f4df557ccf5b99385eb4404c5043ef62c8c946

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kde-tz.js.gz: angular-locale_kde-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kde-tz.js.gz/angular-locale_kde-tz.js
 - MD5: e369cabf83a93becbe88333a42eb78fa
 - SHA1: 4ec66cc03b2d6212100c178fb0b6da6e7bb6f169

- SHA256: 8f8dba6cb661e8f2f9362bafa8f4df557ccf5b99385eb4404c5043ef62c8c946

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kde.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kde.js

MD5: 61b6496ada3defa04c5656366aade661

SHA1: cbe73ea20eac06b2477c453f976930f630eee3dd

SHA256: 6f227699b12884b05fe578e959c70eff176c641fe2dd31230816452b47938e95

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kde.js.gz: angular-locale_kde.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kde.js.gz/angular-locale_kde.js
 - MD5: 61b6496ada3defa04c5656366aade661
 - SHA1: cbe73ea20eac06b2477c453f976930f630eee3dd
 - SHA256: 6f227699b12884b05fe578e959c70eff176c641fe2dd31230816452b47938e95

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kea-cv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kea-cv.js

MD5: bd0d25c7e846d04716827471dd840716

SHA1: a957a0ddc0771fcd868eddabd374ae85c211de99

SHA256:2af528ef18ad2561803bedad2c909f493fec33fbb74c680f2ab002970b1b4dd2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kea-cv.js.gz: angular-locale_kea-cv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kea-cv.js.gz/angular-locale_kea-cv.js
 - MD5: bd0d25c7e846d04716827471dd840716
 - SHA1: a957a0ddc0771fcd868eddabd374ae85c211de99
 - SHA256: 2af528ef18ad2561803bedad2c909f493fec33fbb74c680f2ab002970b1b4dd2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kea.js

MD5: 828489a0e831d6f72a2dfdd94c980811

SHA1: 9914e1ad2b5d6e558694dadf2e54af70db24f298

SHA256:36774258cd18baea0f19d3a86d6eef995c985e6237cb20f5fd9099f7c8365a95

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kea.js.gz: angular-locale_kea.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kea.js.gz/angular-locale_kea.js
 - MD5: 828489a0e831d6f72a2dfdd94c980811
 - SHA1: 9914e1ad2b5d6e558694dadf2e54af70db24f298

- SHA256: 36774258cd18baea0f19d3a86d6eef995c985e6237cb20f5fd9099f7c8365a95

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_khq-ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_khq-ml.js

MD5: 949df9fd0b9c89107039802668e63aa6

SHA1: 86be236501cc6e55d59686b0c88382f18b6ba10e

SHA256: 74d284e34d2e7c60c52c37fefa5012bf62e8f54225f72420d7afae16310666f3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_khq-ml.js.gz: angular-locale_khq-ml.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_khq-ml.js.gz/angular-locale_khq-ml.js
 - MD5: 949df9fd0b9c89107039802668e63aa6
 - SHA1: 86be236501cc6e55d59686b0c88382f18b6ba10e
 - SHA256: 74d284e34d2e7c60c52c37fefa5012bf62e8f54225f72420d7afae16310666f3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_khq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_khq.js

MD5: 7bba7af67cfad35ec85b022fb93a498a

SHA1: 804e6706bfbf5cc8b1eecb80229f07c97492eb16

SHA256: e07c1bcb2f1648c82e38aecbb50fe370c621c5e347e15a0f12a68f14164ac4e4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_khq.js.gz: angular-locale_khq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_khq.js.gz/angular-locale_khq.js
 - MD5: 7bba7af67cfad35ec85b022fb93a498a
 - SHA1: 804e6706bfbf5cc8b1eecb80229f07c97492eb16
 - SHA256: e07c1bcb2f1648c82e38aecbb50fe370c621c5e347e15a0f12a68f14164ac4e4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ki-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ki-ke.js

MD5: 8d3da4043555558b28e8c95d0cf88275

SHA1: 296d093c84ecfdb116ec2a8de443b60f106eed9f

SHA256: aab0992d095cae321b1f4dedc8d2be6afef275a1e43db68df55ded185e676573

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ki-ke.js.gz: angular-locale_ki-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ki-ke.js.gz/angular-locale_ki-ke.js
 - MD5: 8d3da4043555558b28e8c95d0cf88275
 - SHA1: 296d093c84ecfdb116ec2a8de443b60f106eed9f

- SHA256: aab0992d095cae321b1f4dedc8d2be6afef275a1e43db68df55ded185e676573

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ki.js

MD5: 89c818d0dda5012da082e69bf11127ad

SHA1: bf7e5a4691a8d6f946898a640c5e14bb03b420ad

SHA256: 23a9b43fee6ebc17170b5b426b7600db317501b4346c01b48ec8c906dc7b5a21

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ki.js.gz: angular-locale_ki.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ki.js.gz/angular-locale_ki.js
 - MD5: 89c818d0dda5012da082e69bf11127ad
 - SHA1: bf7e5a4691a8d6f946898a640c5e14bb03b420ad
 - SHA256: 23a9b43fee6ebc17170b5b426b7600db317501b4346c01b48ec8c906dc7b5a21

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kk-kz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kk-kz.js

MD5: f406b3c46d30e7fc2800b3c4bfaf72dc

SHA1: e578bea4df7b7b04f09773de391df8478d5cc3c7

SHA256: e848878fe541bcf59867ca2dd280a6056e95623df8f2379a240dd95b1f8dbaab

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kk-kz.js.gz: angular-locale_kk-kz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kk-kz.js.gz/angular-locale_kk-kz.js
 - MD5: f406b3c46d30e7fc2800b3c4bfaf72dc
 - SHA1: e578bea4df7b7b04f09773de391df8478d5cc3c7
 - SHA256: e848878fe541bcf59867ca2dd280a6056e95623df8f2379a240dd95b1f8dbaab

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kk.js

MD5: 43a2f546e4bf20ccf82f8c7e590e1162

SHA1: b5abeabc35e98b9b0b2f8f98d9fbd7d16828f82c

SHA256: 9c134a2ebbc9a77ff92cad7e8553589e5e2e5f0c66600725410c3283da6b4643

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kk.js.gz: angular-locale_kk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kk.js.gz/angular-locale_kk.js
 - MD5: 43a2f546e4bf20ccf82f8c7e590e1162
 - SHA1: b5abeabc35e98b9b0b2f8f98d9fbd7d16828f82c

- SHA256: 9c134a2ebbc9a77ff92cad7e8553589e5e2e5f0c66600725410c3283da6b4643

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kkj-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kkj-cm.js

MD5: 9a4406bf5902a85ae452af2872ea48f7

SHA1: cbd3fa0ed359920f861263554092367a6cc8d27e

SHA256: 258233decefb8808a38f556a11a7e3c2f6cfe36582dc9ca7442a9a137ecb6a00

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kkj-cm.js.gz: angular-locale_kkj-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kkj-cm.js.gz/angular-locale_kkj-cm.js
 - MD5: 9a4406bf5902a85ae452af2872ea48f7
 - SHA1: cbd3fa0ed359920f861263554092367a6cc8d27e
 - SHA256: 258233decefb8808a38f556a11a7e3c2f6cfe36582dc9ca7442a9a137ecb6a00

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kkj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kkj.js

MD5: bb6b2968a8ab8b984ffafcd0e4967281

SHA1: 6e203c6fdad5f45634dfd5a6f066a6b77d1d91d3

SHA256:806a641b339594b8471018467e8b9d3adf7cefa053dfc4c071e09bf6e841389f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kkj.js.gz: angular-locale_kkj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kkj.js.gz/angular-locale_kkj.js
 - MD5: bb6b2968a8ab8b984ffafcd0e4967281
 - SHA1: 6e203c6fdad5f45634dfd5a6f066a6b77d1d91d3
 - SHA256: 806a641b339594b8471018467e8b9d3adf7cefa053dfc4c071e09bf6e841389f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kl-gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kl-gl.js

MD5: 0811286109dcd16befd7e28d84d353ca

SHA1: 0bd105fbd7e3025aec4b91875143b522e0f2b56

SHA256:db17358161a60ff4628b3dcb08704da71c70412391b1f1a40706271a2029f95b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kl-gl.js.gz: angular-locale_kl-gl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kl-gl.js.gz/angular-locale_kl-gl.js
 - MD5: 0811286109dcd16befd7e28d84d353ca
 - SHA1: 0bd105fbd7e3025aec4b91875143b522e0f2b56

- SHA256: db17358161a60ff4628b3dcb08704da71c70412391b1f1a40706271a2029f95b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kl.js

MD5: 72b939d3aeb9ccb093152da1910dec62

SHA1: 015ba5230a4e3e6fbc4aa52c067120131cd05abc

SHA256: e884754606caa584e418c6b5bed38f12278679f66aea3f63673d1edb7afa4b65

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kl.js.gz: angular-locale_kl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kl.js.gz/angular-locale_kl.js
 - MD5: 72b939d3aeb9ccb093152da1910dec62
 - SHA1: 015ba5230a4e3e6fbc4aa52c067120131cd05abc
 - SHA256: e884754606caa584e418c6b5bed38f12278679f66aea3f63673d1edb7afa4b65

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kln-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kln-ke.js

MD5: 2f1e073208b79500114a25e5c198a503

SHA1: 58b338544a61a59a40737b7b509b5524364c9612

SHA256:8c18cdcdb14ebfe2850172ff9fb1a76073fa6330df28113f25d3846e4633e6f7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kln-ke.js.gz: angular-locale_kln-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kln-ke.js.gz/angular-locale_kln-ke.js
 - MD5: 2f1e073208b79500114a25e5c198a503
 - SHA1: 58b338544a61a59a40737b7b509b5524364c9612
 - SHA256: 8c18cdcdb14ebfe2850172ff9fb1a76073fa6330df28113f25d3846e4633e6f7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kln.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kln.js

MD5: bf5b2b8b8ff5461688a145fd392c7290

SHA1: 4c8cf21b44414497973ae577b9872792ff35fda0

SHA256:ac0909560cd9bf5288211c6bd3fcf8cc67ae0381c41b81a8bfb7ecd5efa73682

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kln.js.gz: angular-locale_kln.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kln.js.gz/angular-locale_kln.js
 - MD5: bf5b2b8b8ff5461688a145fd392c7290
 - SHA1: 4c8cf21b44414497973ae577b9872792ff35fda0

- SHA256: ac0909560cd9bf5288211c6bd3fcf8cc67ae0381c41b81a8bf7ecd5efa73682

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_km-kh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_km-kh.js

MD5: 2e3fa40f95126067ac5d3ba70d2a7857

SHA1: d33504a34d2e641ef3f8840f371875f85031356f

SHA256: 775c679b96e363b7839aea80e6c77695f3cad8ca30c099e9cb55fa8fa052d7ca

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_km-kh.js.gz: angular-locale_km-kh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_km-kh.js.gz/angular-locale_km-kh.js
 - MD5: 2e3fa40f95126067ac5d3ba70d2a7857
 - SHA1: d33504a34d2e641ef3f8840f371875f85031356f
 - SHA256: 775c679b96e363b7839aea80e6c77695f3cad8ca30c099e9cb55fa8fa052d7ca

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_km.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_km.js

MD5: a5346d2206b19ac8899b7067468f0f88

SHA1: 37f451b14c0b8e24add72ec3934d0b3f8d5ee3c

SHA256:62192274a9dbaac5471bdfcbf29a019cf6c8e66d41d013775665f71bf0b820b2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_km.js.gz: angular-locale_km.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_km.js.gz/angular-locale_km.js
 - MD5: a5346d2206b19ac8899b7067468f0f88
 - SHA1: 37f451b14c0b8e24add72ec3934d0b3f8d5ee3c
 - SHA256: 62192274a9dbaac5471bdfcbf29a019cf6c8e66d41d013775665f71bf0b820b2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kn-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kn-in.js

MD5: 768e1989a100cf7a2e449fa77c0c17e4

SHA1: 61a46da8e2ef27e133c1a2abfcaa1f8b3a07943d

SHA256:4eba2bdac68d45bb13b80533cb8a6ecab3f154b48ded5c054a502e617521f1b5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kn-in.js.gz: angular-locale_kn-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kn-in.js.gz/angular-locale_kn-in.js
 - MD5: 768e1989a100cf7a2e449fa77c0c17e4
 - SHA1: 61a46da8e2ef27e133c1a2abfcaa1f8b3a07943d

- SHA256: 4eba2bdac68d45bb13b80533cb8a6ecab3f154b48ded5c054a502e617521f1b5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kn.js

MD5: 6d02f81654c2cc65253fff5b86e6007c

SHA1: 27d7a49436861910d236b34ac29a77fcfb66b2ce

SHA256: 68fff953ce7bddcce218f685e5000e8127eb87703f70f22e7230cfe48830c15d

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_kn.js.gz: angular-locale_kn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kn.js.gz/angular-locale_kn.js
 - MD5: 6d02f81654c2cc65253fff5b86e6007c
 - SHA1: 27d7a49436861910d236b34ac29a77fcfb66b2ce
 - SHA256: 68fff953ce7bddcce218f685e5000e8127eb87703f70f22e7230cfe48830c15d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ko-kp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ko-kp.js

MD5: c47e441666b56d0f526ca89d83de6cda

SHA1: 43c72378376429d450c336172157cfc178e3ab7b

SHA256:99dda173e82ec3ecffedf0eea3f7e010ec1ba0d3a711adec05a2a4479c03b93f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ko-kp.js.gz: angular-locale_ko-kp.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ko-kp.js.gz/angular-locale_ko-kp.js
 - MD5: c47e441666b56d0f526ca89d83de6cda
 - SHA1: 43c72378376429d450c336172157cfc178e3ab7b
 - SHA256: 99dda173e82ec3ecffedf0eea3f7e010ec1ba0d3a711adec05a2a4479c03b93f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ko-kr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ko-kr.js

MD5: 09d9c2b2bd054c5d05fadd625b80fcad

SHA1: de0d350b76c8fc3db7b1ac13711e2bb6ad1e93d5

SHA256:f41519c74b336214f294adf89a5415cf357331c9fefcc302b4b79a7748b3a753

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ko-kr.js.gz: angular-locale_ko-kr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ko-kr.js.gz/angular-locale_ko-kr.js
 - MD5: 09d9c2b2bd054c5d05fadd625b80fcad
 - SHA1: de0d350b76c8fc3db7b1ac13711e2bb6ad1e93d5

- SHA256: f41519c74b336214f294adf89a5415cf357331c9fefcc302b4b79a7748b3a753

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ko.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ko.js

MD5: a84b7871452fb8330fb14c9e5ed101dc

SHA1: 19e5fccd9f3b89e8044d62f760a556affddc15cd

SHA256: 3d083c58765c6084e07595be18e56c98044e0c4e4da601353f694023e7baeb87

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ko.js.gz: angular-locale_ko.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ko.js.gz/angular-locale_ko.js
 - MD5: a84b7871452fb8330fb14c9e5ed101dc
 - SHA1: 19e5fccd9f3b89e8044d62f760a556affddc15cd
 - SHA256: 3d083c58765c6084e07595be18e56c98044e0c4e4da601353f694023e7baeb87

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kok-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kok-in.js

MD5: c2f3171e0c7adbad695a9ed9a6687c6f

SHA1: de6e8dad24665ef0972e150334922e0bcea0d7de

SHA256:568efdaa25ac3818b2a2496fe661687dca3472b518df4d76da28b17e82d2361a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kok-in.js.gz: angular-locale_kok-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kok-in.js.gz/angular-locale_kok-in.js
 - MD5: c2f3171e0c7adb695a9ed9a6687c6f
 - SHA1: de6e8dad24665ef0972e150334922e0bcea0d7de
 - SHA256: 568efdaa25ac3818b2a2496fe661687dca3472b518df4d76da28b17e82d2361a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kok.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kok.js

MD5: 7bcc55cf81388ca7c5854951eeba9f53

SHA1: 457aa830402b369422d95bba0a86cad9fab598ff

SHA256:832b11451a0e2e6d481d4aaeb9f6781e89040ba8e2cfc8d35238d5c314f84e3d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kok.js.gz: angular-locale_kok.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kok.js.gz/angular-locale_kok.js
 - MD5: 7bcc55cf81388ca7c5854951eeba9f53
 - SHA1: 457aa830402b369422d95bba0a86cad9fab598ff

- SHA256: 832b11451a0e2e6d481d4aaeb9f6781e89040ba8e2cfc8d35238d5c314f84e3d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ks-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ks-in.js

MD5: ba02355b97ad450a6aa662927a84e851

SHA1: 2fc7caa2c159503905a4d7f7779f66f8dcfcb3c5

SHA256: 1c00c93fc6616ba5c58121f0c5d85f3b3680da36f775c3c9f955626885cd8f82

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ks-in.js.gz: angular-locale_ks-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ks-in.js.gz/angular-locale_ks-in.js
 - MD5: ba02355b97ad450a6aa662927a84e851
 - SHA1: 2fc7caa2c159503905a4d7f7779f66f8dcfcb3c5
 - SHA256: 1c00c93fc6616ba5c58121f0c5d85f3b3680da36f775c3c9f955626885cd8f82

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ks.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ks.js

MD5: 869b06f2faf3999bc43f61620eac2551

SHA1: b11fad64dd53b83abcfb3e917068690153364ce6

SHA256: eab78952c0578ec49160b6774fe2766a45aa0af72279098bdf04f0adcff08920

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ks.js.gz: angular-locale_ks.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ks.js.gz/angular-locale_ks.js
 - MD5: 869b06f2faf3999bc43f61620eac2551
 - SHA1: b11fad64dd53b83abcfb3e917068690153364ce6
 - SHA256: eab78952c0578ec49160b6774fe2766a45aa0af72279098bdf04f0adcff08920

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ksb-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksb-tz.js

MD5: 334550427387d88627a6a36388c16d76

SHA1: b25ee66e535ce73f9746502a210e041127eaf26b

SHA256: 7af8bb12130963893847c6d20cada1953b1efa6ef92479b09c0cbcdf30e0792d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ksb-tz.js.gz: angular-locale_ksb-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksb-tz.js.gz/angular-locale_ksb-tz.js
 - MD5: 334550427387d88627a6a36388c16d76
 - SHA1: b25ee66e535ce73f9746502a210e041127eaf26b

- SHA256: 7af8bb12130963893847c6d20cada1953b1efa6ef92479b09c0cbedf30e0792d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ksb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksb.js

MD5: 63cd70c7dfac9c98d505ded517188b7f

SHA1: afb136c1d61c24b871d6099d718739b379a7a6ef

SHA256: d2b8992688f9744d529245f8ef6e02ddb420bc270c5134993cf45b39ee33afcf

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_ksb.js.gz: angular-locale_ksb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksb.js.gz/angular-locale_ksb.js
 - MD5: 63cd70c7dfac9c98d505ded517188b7f
 - SHA1: afb136c1d61c24b871d6099d718739b379a7a6ef
 - SHA256: d2b8992688f9744d529245f8ef6e02ddb420bc270c5134993cf45b39ee33afcf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ksf-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksf-cm.js

MD5: c3270a8fdb87d011ed06efb38e347699

SHA1: e8314168fad05de32cbb5d67e9a3d0c314578dd5

SHA256:68750f051d394792c2ce5a78784d416306d8abc11c2b81e163e7ece4efa4cfb4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ksf-cm.js.gz: angular-locale_ksf-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksf-cm.js.gz/angular-locale_ksf-cm.js
 - MD5: c3270a8fdb87d011ed06efb38e347699
 - SHA1: e8314168fad05de32cbb5d67e9a3d0c314578dd5
 - SHA256: 68750f051d394792c2ce5a78784d416306d8abc11c2b81e163e7ece4efa4cfb4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ksf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksf.js

MD5: 09e9a54aaa5a825e84629df346e61a3e

SHA1: ac195ad0f8d068bb331540c420fc4e157c4141dc

SHA256:eacd8abe296752383464b2d5c81c5f47d0245afb0794d6aa1bc5bd734d32da72

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ksf.js.gz: angular-locale_ksf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksf.js.gz/angular-locale_ksf.js
 - MD5: 09e9a54aaa5a825e84629df346e61a3e
 - SHA1: ac195ad0f8d068bb331540c420fc4e157c4141dc

- SHA256: eacd8abe296752383464b2d5c81c5f47d0245afb0794d6aa1bc5bd734d32da72

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ksh-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksh-de.js

MD5: 714e0fff97d3ff8091e1f35e68945132

SHA1: ad6aea0398196fa32732424749861c026302c4a8

SHA256: 85d2df4f645a349d20a995cab1ffa0401b5695d67d960e5383b6c9d461bf8e2d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ksh-de.js.gz: angular-locale_ksh-de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksh-de.js.gz/angular-locale_ksh-de.js
 - MD5: 714e0fff97d3ff8091e1f35e68945132
 - SHA1: ad6aea0398196fa32732424749861c026302c4a8
 - SHA256: 85d2df4f645a349d20a995cab1ffa0401b5695d67d960e5383b6c9d461bf8e2d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ksh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksh.js

MD5: 544485af788c91008484548e7198e18a

SHA1: 3f579909c01027f6612dc5702cc9174691894127

SHA256: 015c5f1f5790b3d2eab57033346cd8228391d3436c53841fd6528fcab6d59e89

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ksh.js.gz: angular-locale_ksh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ksh.js.gz/angular-locale_ksh.js
 - MD5: 544485af788c91008484548e7198e18a
 - SHA1: 3f579909c01027f6612dc5702cc9174691894127
 - SHA256: 015c5f1f5790b3d2eab57033346cd8228391d3436c53841fd6528fcab6d59e89

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kw-gb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kw-gb.js

MD5: 2d8c4bc36db0d978bd248947613b3d0f

SHA1: 1bc47451a9739a9e4bd8d590d4a54e934ac9a5a3

SHA256: f92b16ba1a3bab32fab9fcd1434573729a151b7fb6f56f4dc1348215d4478966

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_kw-gb.js.gz: angular-locale_kw-gb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kw-gb.js.gz/angular-locale_kw-gb.js
 - MD5: 2d8c4bc36db0d978bd248947613b3d0f
 - SHA1: 1bc47451a9739a9e4bd8d590d4a54e934ac9a5a3

- SHA256: f92b16ba1a3bab32fab9fcd1434573729a151b7fb6f56f4dc1348215d4478966

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_kw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kw.js

MD5: c0902ff8e4ab77e7eccf5446967a2e3a

SHA1: 03836b6af79cd3ab57b839a3f4e433604f8822c7

SHA256: 4a1abd8bd3b7ea4e00e82d9e7feb1b8d17a23c280ba5bb4753b9c96448fbd338

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_kw.js.gz: angular-locale_kw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_kw.js.gz/angular-locale_kw.js
 - MD5: c0902ff8e4ab77e7eccf5446967a2e3a
 - SHA1: 03836b6af79cd3ab57b839a3f4e433604f8822c7
 - SHA256: 4a1abd8bd3b7ea4e00e82d9e7feb1b8d17a23c280ba5bb4753b9c96448fbd338

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ky-kg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ky-kg.js

MD5: 39f586d039b12e99da8f79678777a621

SHA1: 794fc89867ea68446d98d87dd300a22d32ba07d7

SHA256:af4cba42d8cd8ea1a095d2fc969535759ebf4929d9b85d0e34dfa6802412d552

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ky-kg.js.gz: angular-locale_ky-kg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ky-kg.js.gz/angular-locale_ky-kg.js
 - MD5: 39f586d039b12e99da8f79678777a621
 - SHA1: 794fc89867ea68446d98d87dd300a22d32ba07d7
 - SHA256: af4cba42d8cd8ea1a095d2fc969535759ebf4929d9b85d0e34dfa6802412d552

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ky.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ky.js

MD5: 544b24fcd40c84672157fa736391cdb6

SHA1: ac3fa36920e1081d32cd8b6505f7eb15695468ac

SHA256:f81514a6082cd1267ee477611259df7801fd5716953d5fbd17c0e09978e0653

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ky.js.gz: angular-locale_ky.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ky.js.gz/angular-locale_ky.js
 - MD5: 544b24fcd40c84672157fa736391cdb6
 - SHA1: ac3fa36920e1081d32cd8b6505f7eb15695468ac

- SHA256: f81514a6082cd1267ee477611259df7801fd5716953d5fbda17c0e09978e0653

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lag-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lag-tz.js

MD5: 12dcd248455663a0f573be5d3298ed63

SHA1: 8ebfb4611d8fa52a84bf5666b1387a9b39299251

SHA256: 3c7f1d29fca6f8851dcfe3f5f4f5fc024b818ca71b5e3705ef2bc59110ad02fa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lag-tz.js.gz: angular-locale_lag-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lag-tz.js.gz/angular-locale_lag-tz.js
 - MD5: 12dcd248455663a0f573be5d3298ed63
 - SHA1: 8ebfb4611d8fa52a84bf5666b1387a9b39299251
 - SHA256: 3c7f1d29fca6f8851dcfe3f5f4f5fc024b818ca71b5e3705ef2bc59110ad02fa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lag.js

MD5: b6cdb1c47ecb75d35f00b160381f4658

SHA1: ff9e6e5c7ce0ddd7e0a5582f1e697786f73481b1

SHA256: ad77a675d8771760cf978669722c97855de5c8f62d4b34dfc0f9fe1f9babb733

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lag.js.gz: angular-locale_lag.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lag.js.gz/angular-locale_lag.js
 - MD5: b6cdb1c47ecb75d35f00b160381f4658
 - SHA1: ff9e6e5c7ce0ddd7e0a5582f1e697786f73481b1
 - SHA256: ad77a675d8771760cf978669722c97855de5c8f62d4b34dfc0f9fe1f9babb733

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lb-lu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lb-lu.js

MD5: a7b8848c91f74e9d93c228b0b6bca203

SHA1: 126b2281b2ec22ff55183316991e10c57e0b8df6

SHA256: 7d018695e90497dae2ebb83b999b8bda67fdb0df5bbbed661f35d632fe33c9981

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lb-lu.js.gz: angular-locale_lb-lu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lb-lu.js.gz/angular-locale_lb-lu.js
 - MD5: a7b8848c91f74e9d93c228b0b6bca203
 - SHA1: 126b2281b2ec22ff55183316991e10c57e0b8df6

- SHA256: 7d018695e90497dae2ebb83b999b8bda67fdb0df5bbed661f35d632fe33c9981

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lb.js

MD5: abac65852afd8440cb48ea4ce519ef59

SHA1: 074a0ca7131ae8fd9665cfe68a0c124eb6ad0170

SHA256: 6390042c5705ae34e3dbbf7c6026bfe02d5e18958540ab4e646335a7a906bb8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lb.js.gz: angular-locale_lb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lb.js.gz/angular-locale_lb.js
 - MD5: abac65852afd8440cb48ea4ce519ef59
 - SHA1: 074a0ca7131ae8fd9665cfe68a0c124eb6ad0170
 - SHA256: 6390042c5705ae34e3dbbf7c6026bfe02d5e18958540ab4e646335a7a906bb8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lg-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lg-ug.js

MD5: ed14755d3a8888031dc47994ecb7aae5

SHA1: dc7450667144a2f32190d499156583ad1dcab341

SHA256: e1c5fcc63a696fdb7ac082765f6bdd974bf5986d5c67661ea471d58deda6a315

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lg-ug.js.gz: angular-locale_lg-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lg-ug.js.gz/angular-locale_lg-ug.js
 - MD5: ed14755d3a8888031dc47994ecb7aae5
 - SHA1: dc7450667144a2f32190d499156583ad1dcab341
 - SHA256: e1c5fcc63a696fdb7ac082765f6bdd974bf5986d5c67661ea471d58deda6a315

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lg.js

MD5: 3c45a96a5bced0b538476d74543b3d9f

SHA1: 4ef495ed5839cdbcbcb0f2db3cea73dfd6e1a87a

SHA256: b9c3da351f0491da44f647204e861d0f9758929d7b7aa617d15d4c3bb24fb967

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lg.js.gz: angular-locale_lg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lg.js.gz/angular-locale_lg.js
 - MD5: 3c45a96a5bced0b538476d74543b3d9f
 - SHA1: 4ef495ed5839cdbcbcb0f2db3cea73dfd6e1a87a

- SHA256: b9c3da351f0491da44f647204e861d0f9758929d7b7aa617d15d4c3bb24fb967

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lkt-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lkt-us.js

MD5: 799a46cc3575857bab0d89883c48620a

SHA1: f610412086d13cb6c39733e9dcdbf3feafa57112

SHA256: e457db05c88cddcae6f865bfbc063ca3c0096eb77ee639b499227009aa86383b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lkt-us.js.gz: angular-locale_lkt-us.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lkt-us.js.gz/angular-locale_lkt-us.js
 - MD5: 799a46cc3575857bab0d89883c48620a
 - SHA1: f610412086d13cb6c39733e9dcdbf3feafa57112
 - SHA256: e457db05c88cddcae6f865bfbc063ca3c0096eb77ee639b499227009aa86383b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lkt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lkt.js

MD5: 52024d80a54ee76528d38dcc74c15f68

SHA1: 65f07dbfeb59a110b8afce86899def3a74b57376

SHA256: 10bd7d193c0b1eecf0027b7c08f4b783f9c102aa26d2052501eb006732211ce0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ikt.js.gz: angular-locale_ikt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ikt.js.gz/angular-locale_ikt.js
 - MD5: 52024d80a54ee76528d38dcc74c15f68
 - SHA1: 65f07dbfeb59a110b8afce86899def3a74b57376
 - SHA256: 10bd7d193c0b1eecf0027b7c08f4b783f9c102aa26d2052501eb006732211ce0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_In-ao.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-ao.js

MD5: abb89e9487cafc0324bbc5172cd6c4cb

SHA1: 837f73ce72a824e22dc36b6179b81648362c474e

SHA256: 4189f2d42b3920ecee9e61d8e51729df544436ac197c31ab3b7764f61c2fe3bf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_In-ao.js.gz: angular-locale_In-ao.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-ao.js.gz/angular-locale_In-ao.js
 - MD5: abb89e9487cafc0324bbc5172cd6c4cb
 - SHA1: 837f73ce72a824e22dc36b6179b81648362c474e

- SHA256: 4189f2d42b3920ecee9e61d8e51729df544436ac197c31ab3b7764f61c2fe3bf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_In-cd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-cd.js

MD5: 4503e9171c5fa9c65ef29300a543d110

SHA1: fa38e6ca65bbbdcae86d9128c15fc21132a06e7

SHA256: acc7b4271b014e87b08dabd4c109a9383a8d3429c5ff4c40a9d565a1e16fde18

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_In-cd.js.gz: angular-locale_In-cd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-cd.js.gz/angular-locale_In-cd.js
 - MD5: 4503e9171c5fa9c65ef29300a543d110
 - SHA1: fa38e6ca65bbbdcae86d9128c15fc21132a06e7
 - SHA256: acc7b4271b014e87b08dabd4c109a9383a8d3429c5ff4c40a9d565a1e16fde18

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_In-cf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-cf.js

MD5: 9d08186b51fb18bc9f963da9fc32831f

SHA1: 5b14967991beef31f94c2559d681c492c0bd21a2

SHA256:6bb3a3db97f06255467eac86bc017af45e8344c9a95103a9f35c3b147f2ff814

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_In-cf.js.gz: angular-locale_In-cf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-cf.js.gz/angular-locale_In-cf.js
 - MD5: 9d08186b51fb18bc9f963da9fc32831f
 - SHA1: 5b14967991beef31f94c2559d681c492c0bd21a2
 - SHA256: 6bb3a3db97f06255467eac86bc017af45e8344c9a95103a9f35c3b147f2ff814

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_In-cg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-cg.js

MD5: 45f0dfe16eebaa21c1b3b39ebd52b91e

SHA1: e13777a5bd81c70d4a130a7ce77244885ead940b

SHA256:975602d3af1e27f33414c298ca64a6aaf021b9222e46813479945da4f7b127fa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_In-cg.js.gz: angular-locale_In-cg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In-cg.js.gz/angular-locale_In-cg.js
 - MD5: 45f0dfe16eebaa21c1b3b39ebd52b91e
 - SHA1: e13777a5bd81c70d4a130a7ce77244885ead940b

- SHA256: 975602d3af1e27f33414c298ca64a6aaf021b9222e46813479945da4f7b127fa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_In.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In.js

MD5: 7009caf48e815559169efc02abaf2535

SHA1: fda183086fdecd9eb0bf30350b08715576f26e9e

SHA256: cd0638f3303c9b1115ab778f2eb06d47113e7740060b3164b3265a193f35b63b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_In.js.gz: angular-locale_In.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_In.js.gz/angular-locale_In.js
 - MD5: 7009caf48e815559169efc02abaf2535
 - SHA1: fda183086fdecd9eb0bf30350b08715576f26e9e
 - SHA256: cd0638f3303c9b1115ab778f2eb06d47113e7740060b3164b3265a193f35b63b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lo-la.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lo-la.js

MD5: 0fca4bfb2e6cab13a4487799087ccc7c

SHA1: 8388786e1d5f5f3d4e2bc7df609d709f4297a67f

SHA256:661b66b77bab13e030379279ad58e0bb17f9435b909dbf4e932f7c40c67c051b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lo-la.js.gz: angular-locale_lo-la.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lo-la.js.gz/angular-locale_lo-la.js
 - MD5: 0fca4bfb2e6cab13a4487799087ccc7c
 - SHA1: 8388786e1d5f5f3d4e2bc7df609d709f4297a67f
 - SHA256: 661b66b77bab13e030379279ad58e0bb17f9435b909dbf4e932f7c40c67c051b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lo.js

MD5: 4d64b6537a23c4b7a4867a4c9dca5acb

SHA1: 1587fe8ec648f0725894b043b027a6fe5e8da75c

SHA256:762dd9d76261ce5b6b4bf07fc1c6ce18540742751129f68fb2a8156e0f44e558

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lo.js.gz: angular-locale_lo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lo.js.gz/angular-locale_lo.js
 - MD5: 4d64b6537a23c4b7a4867a4c9dca5acb
 - SHA1: 1587fe8ec648f0725894b043b027a6fe5e8da75c

- SHA256: 762dd9d76261ce5b6b4bf07fc1c6ce18540742751129f68fb2a8156e0f44e558

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lrc-iq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lrc-iq.js

MD5: 99f8c37ee612929d2c629f5199eeb3ae

SHA1: 6fc955c427fac5327f02ac33221a91236be9bb47

SHA256: ae44df35822101b7646a52839de478a3f7dcf75befe56459d50998124487e582

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_lrc-iq.js.gz: angular-locale_lrc-iq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lrc-iq.js.gz/angular-locale_lrc-iq.js
 - MD5: 99f8c37ee612929d2c629f5199eeb3ae
 - SHA1: 6fc955c427fac5327f02ac33221a91236be9bb47
 - SHA256: ae44df35822101b7646a52839de478a3f7dcf75befe56459d50998124487e582

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lrc-ir.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lrc-ir.js

MD5: 4a409b63e2cf630ec055aff234ea9dbb

SHA1: 3a65a79bdef98968bac318917c4345bcb8f40c1a

SHA256:67b57a9368931a7a4ba133cd6fa934ee855847676a63ec6e75dafb7052af68c4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lrc-ir.js.gz: angular-locale_lrc-ir.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lrc-ir.js.gz/angular-locale_lrc-ir.js
 - MD5: 4a409b63e2cf630ec055aff234ea9dbb
 - SHA1: 3a65a79bdef98968bac318917c4345bcb8f40c1a
 - SHA256: 67b57a9368931a7a4ba133cd6fa934ee855847676a63ec6e75dafb7052af68c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lrc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lrc.js

MD5: 41971dcf64fa771ef9ba94df32495449

SHA1: c60b5ae45eb58eb22897f9b96428825934d584a0

SHA256:adb99fd7ea9ffddd8cf96de55622f098976ca096a46b5e6ea9ce3d2da4d815fc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lrc.js.gz: angular-locale_lrc.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lrc.js.gz/angular-locale_lrc.js
 - MD5: 41971dcf64fa771ef9ba94df32495449
 - SHA1: c60b5ae45eb58eb22897f9b96428825934d584a0

- SHA256: adb99fd7ea9ffddd8cf96de55622f098976ca096a46b5e6ea9ce3d2da4d815fc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lt-lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lt-lt.js

MD5: 775efce5804c4d6f392419969d7a5cb8

SHA1: f1d02d1ec54c7048b4f36ce15f077c8fadba3715

SHA256: 13b39be0cca1bb5714cbd6ca1f697e288eaff7c256a10f0c41a8d3530b332cc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lt-lt.js.gz: angular-locale_lt-lt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lt-lt.js.gz/angular-locale_lt-lt.js
 - MD5: 775efce5804c4d6f392419969d7a5cb8
 - SHA1: f1d02d1ec54c7048b4f36ce15f077c8fadba3715
 - SHA256: 13b39be0cca1bb5714cbd6ca1f697e288eaff7c256a10f0c41a8d3530b332cc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lt-lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lt-lt.js

MD5: 716222a260a54ad7de6d954e55fc25b8

SHA1: 075b11ae383071bda9be66e336c916f6e6e1f49c

SHA256: 1a90847e79ae67234bf860d2604a324fa1c7bb68ce557a035007a333901eb9f2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_it.js.gz: angular-locale_it.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_it.js.gz/angular-locale_it.js
 - MD5: 716222a260a54ad7de6d954e55fc25b8
 - SHA1: 075b11ae383071bda9be66e336c916f6e6e1f49c
 - SHA256: 1a90847e79ae67234bf860d2604a324fa1c7bb68ce557a035007a333901eb9f2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lu-cd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lu-cd.js

MD5: b4cecdfef89917c1b1424088cf8ce377

SHA1: ffd28972d5ec9c3cd630881a0906f9087390fd4e

SHA256: 1ea01e59b8fa47cdd89927c802128de7a459b052d3a1d6d621c7215e04910995

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lu-cd.js.gz: angular-locale_lu-cd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lu-cd.js.gz/angular-locale_lu-cd.js
 - MD5: b4cecdfef89917c1b1424088cf8ce377
 - SHA1: ffd28972d5ec9c3cd630881a0906f9087390fd4e

- SHA256: 1ea01e59b8fa47cdd89927c802128de7a459b052d3a1d6d621c7215e04910995

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lu.js

MD5: 0f94696a8651106a2554fed2f15251a5

SHA1: 94109cbd634daaf35c8154cae22f901789f06718

SHA256: 7b7beae57ba47d17e36741ca45628fd3634e02ae938eb30cda15daf52209d4d7

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_lu.js.gz: angular-locale_lu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lu.js.gz/angular-locale_lu.js
 - MD5: 0f94696a8651106a2554fed2f15251a5
 - SHA1: 94109cbd634daaf35c8154cae22f901789f06718
 - SHA256: 7b7beae57ba47d17e36741ca45628fd3634e02ae938eb30cda15daf52209d4d7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_luo-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luo-ke.js

MD5: df2b4c8556090b082d3c1ac00005ac50

SHA1: 58ac8bb94e9ee5bd78f765ed5f5d4af11496c76c

SHA256:26bca908412bfbe38ded258e427e73b308efa2a06ef62a98d527b92980e5f9ff

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_luo-ke.js.gz: angular-locale_luo-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luo-ke.js.gz/angular-locale_luo-ke.js
 - MD5: df2b4c8556090b082d3c1ac00005ac50
 - SHA1: 58ac8bb94e9ee5bd78f765ed5f5d4af11496c76c
 - SHA256: 26bca908412bfbe38ded258e427e73b308efa2a06ef62a98d527b92980e5f9ff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_luo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luo.js

MD5: 1e251fd824589a790e3437bc47b2c96c

SHA1: 58bebc12f45a8ce837c389de73ede194128fe78b

SHA256:cb5efd1f03e4ecb61cc8ee78f2c1a842236d8b8429e9edbf569bd35afcdb9d4e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_luo.js.gz: angular-locale_luo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luo.js.gz/angular-locale_luo.js
 - MD5: 1e251fd824589a790e3437bc47b2c96c
 - SHA1: 58bebc12f45a8ce837c389de73ede194128fe78b

- SHA256: cb5efd1f03e4ecb61cc8ee78f2c1a842236d8b8429e9edbf569bd35afcdb9d4e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_luy-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luy-ke.js

MD5: 44e11853924b8505afdd3afa6cf0ce23

SHA1: f3b79f2fb9c7a745d78e2dd16e9bdb99765f28cb

SHA256: d6d495dcbc3af49b2d6e1a9a5b747e17224378f960c92a7931dcd22aee23e8df

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_luy-ke.js.gz: angular-locale_luy-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luy-ke.js.gz/angular-locale_luy-ke.js
 - MD5: 44e11853924b8505afdd3afa6cf0ce23
 - SHA1: f3b79f2fb9c7a745d78e2dd16e9bdb99765f28cb
 - SHA256: d6d495dcbc3af49b2d6e1a9a5b747e17224378f960c92a7931dcd22aee23e8df

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_luy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luy.js

MD5: a3f2090d461cffdc29c4f7049055f7be

SHA1: d65d4aad5fefa619f26bcabab3796cc2eaa87041

SHA256:696a0dee1304da223d354d338bc72c5ea8f7f93eef527c083de7f72f9994d5c4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_luy.js.gz: angular-locale_luy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_luy.js.gz/angular-locale_luy.js
 - MD5: a3f2090d461cfffcd29c4f7049055f7be
 - SHA1: d65d4aad5fefa619f26bcabab3796cc2eaa87041
 - SHA256: 696a0dee1304da223d354d338bc72c5ea8f7f93eef527c083de7f72f9994d5c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lv-lv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lv-lv.js

MD5: fbb2016e747be0487d75cc1bf4fd3e81

SHA1: 14ddb5259a68d62cf5c03c0d76147d0e593a4f86

SHA256:03702ea18e3bc94e49cb2489788f389f16957a647a3ce57ed956dcf5ce470830

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lv-lv.js.gz: angular-locale_lv-lv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lv-lv.js.gz/angular-locale_lv-lv.js
 - MD5: fbb2016e747be0487d75cc1bf4fd3e81
 - SHA1: 14ddb5259a68d62cf5c03c0d76147d0e593a4f86

- SHA256: 03702ea18e3bc94e49cb2489788f389f16957a647a3ce57ed956dcf5ce470830

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_lv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lv.js

MD5: f4daed31543e05261e1a8b69b159f629

SHA1: 05625786f7e4ad0f12d929daa2c978f1d71643b5

SHA256: f395350248c5f3ec8b18a82d67c35b74b5451d7a4ca2a607bd6ffb66dd65e44

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_lv.js.gz: angular-locale_lv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_lv.js.gz/angular-locale_lv.js
 - MD5: f4daed31543e05261e1a8b69b159f629
 - SHA1: 05625786f7e4ad0f12d929daa2c978f1d71643b5
 - SHA256: f395350248c5f3ec8b18a82d67c35b74b5451d7a4ca2a607bd6ffb66dd65e44

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mas-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mas-ke.js

MD5: 12678e6b73a76bf8989f2781080a9db4

SHA1: 53586f97c8691515e4bee75121eb5eba973872a4

SHA256: e1379996915609e56391a96cb290e12f5a3acb8ad842bfdbd205c11990182db4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mas-ke.js.gz: angular-locale_mas-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mas-ke.js.gz/angular-locale_mas-ke.js
 - MD5: 12678e6b73a76bf8989f2781080a9db4
 - SHA1: 53586f97c8691515e4bee75121eb5eba973872a4
 - SHA256: e1379996915609e56391a96cb290e12f5a3acb8ad842bfdbd205c11990182db4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mas-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mas-tz.js

MD5: 4604e098c9ee4b8fe23c93d4d23e1cb5

SHA1: c075d948be6bc51e724a0c95298c4b1aa25d33a0

SHA256: fbf5330825962b0d5631383f7a69d49bb6efecd7277afcd7e963f8615463baae

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mas-tz.js.gz: angular-locale_mas-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mas-tz.js.gz/angular-locale_mas-tz.js
 - MD5: 4604e098c9ee4b8fe23c93d4d23e1cb5
 - SHA1: c075d948be6bc51e724a0c95298c4b1aa25d33a0

- SHA256: fbf5330825962b0d5631383f7a69d49bb6efecd7277afcd7e963f8615463baae

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mas.js

MD5: d70bb1870d0205e5b397d3cb44384fa2

SHA1: 154717715670d2b59db9e70a363ba00aab0a763b

SHA256: 6b7862912891ab3fbd23cea18de0ca428b801e0547d842180cb8071439178040

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mas.js.gz: angular-locale_mas.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mas.js.gz/angular-locale_mas.js
 - MD5: d70bb1870d0205e5b397d3cb44384fa2
 - SHA1: 154717715670d2b59db9e70a363ba00aab0a763b
 - SHA256: 6b7862912891ab3fbd23cea18de0ca428b801e0547d842180cb8071439178040

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mer-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mer-ke.js

MD5: 6b88c342f76cc2aa7f456a50d6f00320

SHA1: f105312ad0b82c2e0c4a661b8998e184312272f0

SHA256:099361cd90be49fa9b9ce22b011bb9dc23d45fba38547e8e6d7462200780c158

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mer-ke.js.gz: angular-locale_mer-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mer-ke.js.gz/angular-locale_mer-ke.js
 - MD5: 6b88c342f76cc2aa7f456a50d6f00320
 - SHA1: f105312ad0b82c2e0c4a661b8998e184312272f0
 - SHA256: 099361cd90be49fa9b9ce22b011bb9dc23d45fba38547e8e6d7462200780c158

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mer.js

MD5: 6b362c2d2ee8f96f3034a023c838f7a3

SHA1: 77699dc252442fe70a866dd40b59a789e0c623a6

SHA256:dabcb7c35bf289fe84cd6da117d97a669dc47667279d09832019bd728d14bfbf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mer.js.gz: angular-locale_mer.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mer.js.gz/angular-locale_mer.js
 - MD5: 6b362c2d2ee8f96f3034a023c838f7a3
 - SHA1: 77699dc252442fe70a866dd40b59a789e0c623a6

- SHA256: dabcb7c35bf289fe84cd6da117d97a669dc47667279d09832019bd728d14bfbf

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mfe-mu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mfe-mu.js

MD5: b23b8c6a5700057b3d6ef71facde8433

SHA1: 6ddeb3b6be7a9e441b9f062ffc1c04088e429c9d

SHA256: d9d7cfed7b3404e0dd2f72104ea150515249088daaac59ed002d13f0924c3d77

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_mfe-mu.js.gz: angular-locale_mfe-mu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mfe-mu.js.gz/angular-locale_mfe-mu.js
 - MD5: b23b8c6a5700057b3d6ef71facde8433
 - SHA1: 6ddeb3b6be7a9e441b9f062ffc1c04088e429c9d
 - SHA256: d9d7cfed7b3404e0dd2f72104ea150515249088daaac59ed002d13f0924c3d77

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mfe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mfe.js

MD5: d8e9634190860c6b1d5dc2dc607b0937

SHA1: 7de3dd5450fd507b0a43473e3e7289a52fcbfd01
SHA256: c143afecffc73d19d3077c405d607edf82f9088c6b9bc94779aedad9ae9eac0b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mfe.js.gz: angular-locale_mfe.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mfe.js.gz/angular-locale_mfe.js
 - MD5: d8e9634190860c6b1d5dc2dc607b0937
 - SHA1: 7de3dd5450fd507b0a43473e3e7289a52fcbfd01
 - SHA256: c143afecffc73d19d3077c405d607edf82f9088c6b9bc94779aedad9ae9eac0b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mg-mg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mg-mg.js
MD5: 5455672e1773b8caa7624a167082c879
SHA1: 51ae148a310c544c0ee5cc6714df5c98aab33ba8
SHA256: fbfcc07eb60396f07a44b7cae3d9260885dbca0be62abedfd78082b852272ad5
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mg-mg.js.gz: angular-locale_mg-mg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mg-mg.js.gz/angular-locale_mg-mg.js
 - MD5: 5455672e1773b8caa7624a167082c879
 - SHA1: 51ae148a310c544c0ee5cc6714df5c98aab33ba8

- SHA256: fbfcc07eb60396f07a44b7cae3d9260885dbca0be62abedfd78082b852272ad5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mg.js

MD5: e045b2201dc360b6d6618207a8efc369

SHA1: b6e12137bc9553a090d177bf7c7e2e824b354972

SHA256: ad535d65c6614d5e53282e89e48ed860efb76b64b5e173bccccd5079276a65c9

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_mg.js.gz: angular-locale_mg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mg.js.gz/angular-locale_mg.js
 - MD5: e045b2201dc360b6d6618207a8efc369
 - SHA1: b6e12137bc9553a090d177bf7c7e2e824b354972
 - SHA256: ad535d65c6614d5e53282e89e48ed860efb76b64b5e173bccccd5079276a65c9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mgh-mz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgh-mz.js

MD5: c5f3592c243ed8ea9d1ff857f78b77a1

SHA1: 9ce30e3bbbea546e54938912488343f83465e191

SHA256: 79dd59e0ec141e1b605d67178a72bae684c59d2d4a34493dab676ffc0d585d33

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mgh-mz.js.gz: angular-locale_mgh-mz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgh-mz.js.gz/angular-locale_mgh-mz.js
 - MD5: c5f3592c243ed8ea9d1ff857f78b77a1
 - SHA1: 9ce30e3bbbea546e54938912488343f83465e191
 - SHA256: 79dd59e0ec141e1b605d67178a72bae684c59d2d4a34493dab676ffc0d585d33

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mgh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgh.js

MD5: 3969200bb64e8d7164977957b6fb30dd

SHA1: 107df9631619ec321c352393da099503543485b4

SHA256: 77c85e4febbdf3a9ac4906363a9a7100f2ee80dcb26381ac9af1fbe7f3bff19a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mgh.js.gz: angular-locale_mgh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgh.js.gz/angular-locale_mgh.js
 - MD5: 3969200bb64e8d7164977957b6fb30dd
 - SHA1: 107df9631619ec321c352393da099503543485b4

- SHA256: 77c85e4febbdf3a9ac4906363a9a7100f2ee80dcb26381ac9af1fbe7f3bff19a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mgo-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgo-cm.js

MD5: ab7a25f695e127354f1618a85ab6ecac

SHA1: 479d2f9b1c54a65b0aea9c7596d8f4729b2564d0

SHA256: 86ea961a5c22bec3681883611235887fa85d56e688f8352bf0cb2ea6ec6711e5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mgo-cm.js.gz: angular-locale_mgo-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgo-cm.js.gz/angular-locale_mgo-cm.js
 - MD5: ab7a25f695e127354f1618a85ab6ecac
 - SHA1: 479d2f9b1c54a65b0aea9c7596d8f4729b2564d0
 - SHA256: 86ea961a5c22bec3681883611235887fa85d56e688f8352bf0cb2ea6ec6711e5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mgo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgo.js

MD5: 792706eea3760f706e34969b6c7b8efc

SHA1: 547062b664e75a78c66b8d0cfbd6f1cd781918a4

SHA256:0b7f8cc82e8d64a2a51d2817de46e840c2832cb0b6e58c91356514dcb3f421ee

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mgo.js.gz: angular-locale_mgo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mgo.js.gz/angular-locale_mgo.js
 - MD5: 792706eea3760f706e34969b6c7b8efc
 - SHA1: 547062b664e75a78c66b8d0cfbd6f1cd781918a4
 - SHA256: 0b7f8cc82e8d64a2a51d2817de46e840c2832cb0b6e58c91356514dcb3f421ee

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mk-mk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mk-mk.js

MD5: da9f3f1e538167a3ba2294c2fff83d2b

SHA1: 7230c449b617496a9cf0771b236445465fcfe69b

SHA256:f10baab240cfb9e40523414999c947b147b76bf4c601d75653e080159ebaad34

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mk-mk.js.gz: angular-locale_mk-mk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mk-mk.js.gz/angular-locale_mk-mk.js
 - MD5: da9f3f1e538167a3ba2294c2fff83d2b
 - SHA1: 7230c449b617496a9cf0771b236445465fcfe69b

- SHA256: f10baab240cfb9e40523414999c947b147b76bf4c601d75653e080159ebaad34

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mk.js

MD5: 6a5fe02b3dba57dc16f05996a23c3576

SHA1: ff7161c1b31322eaa2a8335fb5394299207caf03

SHA256: 3aa972634128631e94f44a08d39d56b10529529778d709afc2c165dd367fbf89

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_mk.js.gz: angular-locale_mk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mk.js.gz/angular-locale_mk.js
 - MD5: 6a5fe02b3dba57dc16f05996a23c3576
 - SHA1: ff7161c1b31322eaa2a8335fb5394299207caf03
 - SHA256: 3aa972634128631e94f44a08d39d56b10529529778d709afc2c165dd367fbf89

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ml-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ml-in.js

MD5: 4a4d3f2e41adf9bb9ccde12452bfe86e

SHA1: 4cd64e37644372f746cb536d8d1e105e20a5b5ec

SHA256:568ae8db4c264168c8dcc0b3f9c1b14990699344a4125b88d344beef6e73ac1c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ml-in.js.gz: angular-locale_ml-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ml-in.js.gz/angular-locale_ml-in.js
 - MD5: 4a4d3f2e41adf9bb9ccde12452bfe86e
 - SHA1: 4cd64e37644372f746cb536d8d1e105e20a5b5ec
 - SHA256: 568ae8db4c264168c8dcc0b3f9c1b14990699344a4125b88d344beef6e73ac1c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ml.js

MD5: 665bbb5fb5a2a368d3ecb5205e82fc36

SHA1: 272d9210b1e5150b97feb7a0c44767efac387cd4

SHA256:e7ab8b2cbcd4baebae12e59aa21be989cf6c147d7423a85200a3c3bd2f30274f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ml.js.gz: angular-locale_ml.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ml.js.gz/angular-locale_ml.js
 - MD5: 665bbb5fb5a2a368d3ecb5205e82fc36
 - SHA1: 272d9210b1e5150b97feb7a0c44767efac387cd4

- SHA256: e7ab8b2cbcd4baebae12e59aa21be989cf6c147d7423a85200a3c3bd2f30274f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mn-mn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mn-mn.js

MD5: 1127e87fe75cc10188791958ae7c794b

SHA1: 5e78e0b6ab41091f02605cca088257c6c1d35360

SHA256: daaa78ed9de5eaf9a2846322bf5b748876fbbf2b984e65c89d4fe2574fd29b4f

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_mn-mn.js.gz: angular-locale_mn-mn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mn-mn.js.gz/angular-locale_mn-mn.js
 - MD5: 1127e87fe75cc10188791958ae7c794b
 - SHA1: 5e78e0b6ab41091f02605cca088257c6c1d35360
 - SHA256: daaa78ed9de5eaf9a2846322bf5b748876fbbf2b984e65c89d4fe2574fd29b4f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mn.js

MD5: 9838114d2844e1a3ca94d9e1eaaca26b

SHA1: a744dd4263232ec254090cdefd41bfdb0e39afdc

SHA256: c15e504c53deff693eb670c52a09544e31d551b725d1f7a275f90cfd49a5890e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mn.js.gz: angular-locale_mn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mn.js.gz/angular-locale_mn.js
 - MD5: 9838114d2844e1a3ca94d9e1eaaca26b
 - SHA1: a744dd4263232ec254090cdefd41bfdb0e39afdc
 - SHA256: c15e504c53deff693eb670c52a09544e31d551b725d1f7a275f90cfd49a5890e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mo.js

MD5: 5b57e0805289006058a832ebfda79566

SHA1: 75860907ccdb8a58ad828265aa1cfecbc5e17730

SHA256: b174b1cc28a4105a6fb391bac348516cd4648e3714bc5b0570f21ca3297122c3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mo.js.gz: angular-locale_mo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mo.js.gz/angular-locale_mo.js
 - MD5: 5b57e0805289006058a832ebfda79566
 - SHA1: 75860907ccdb8a58ad828265aa1cfecbc5e17730

- SHA256: b174b1cc28a4105a6fb391bac348516cd4648e3714bc5b0570f21ca3297122c3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mr-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mr-in.js

MD5: a815f5c0517189ba4265b2c5d1b03fbb

SHA1: 93d6028696f9ccf10028358cf7a6cebd0e735e

SHA256: d086f536e67fd00fb78d6989eb5a4c4d89b44451ff149288ecb40a83801cbc7c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mr-in.js.gz: angular-locale_mr-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mr-in.js.gz/angular-locale_mr-in.js
 - MD5: a815f5c0517189ba4265b2c5d1b03fbb
 - SHA1: 93d6028696f9ccf10028358cf7a6cebd0e735e
 - SHA256: d086f536e67fd00fb78d6989eb5a4c4d89b44451ff149288ecb40a83801cbc7c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mr.js

MD5: a2f7bb0e9d5ec973a274db69b421faa7

SHA1: 5b6ca5aa2dda21ae01621da517ed23e656fbc804

SHA256: f06dbc1eb6f4c27e0cf668355f8513b269b7a1e55742e8f7acb536bb4a8abc58

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mr.js.gz: angular-locale_mr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mr.js.gz/angular-locale_mr.js
 - MD5: a2f7bb0e9d5ec973a274db69b421faa7
 - SHA1: 5b6ca5aa2dda21ae01621da517ed23e656fbc804
 - SHA256: f06dbc1eb6f4c27e0cf668355f8513b269b7a1e55742e8f7acb536bb4a8abc58

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ms-bn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms-bn.js

MD5: b3e6b1531d4bee7a9bc506e3883c6a4e

SHA1: 593ca5de1130d39b9e07fc0d86702b283d1ee9ac

SHA256: 0db23e0cc09f66641b8d765e440d126489c9dab5ea5ad39d983b0d66a3aa42c4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ms-bn.js.gz: angular-locale_ms-bn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms-bn.js.gz/angular-locale_ms-bn.js
 - MD5: b3e6b1531d4bee7a9bc506e3883c6a4e
 - SHA1: 593ca5de1130d39b9e07fc0d86702b283d1ee9ac

- SHA256: 0db23e0cc09f66641b8d765e440d126489c9dab5ea5ad39d983b0d66a3aa42c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ms-my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms-my.js

MD5: 957369dce67663bc16352d83464d2a6c

SHA1: fd0a933b3be0d7690636822737068dc4ac080f87

SHA256: 3d53e1d4010e417294cdd9c0d4dc2fde529efe9f74e82719ffb070d4ca85639f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ms-my.js.gz: angular-locale_ms-my.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms-my.js.gz/angular-locale_ms-my.js
 - MD5: 957369dce67663bc16352d83464d2a6c
 - SHA1: fd0a933b3be0d7690636822737068dc4ac080f87
 - SHA256: 3d53e1d4010e417294cdd9c0d4dc2fde529efe9f74e82719ffb070d4ca85639f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ms-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms-sg.js

MD5: b66563828d17fec868026076ce04886b

SHA1: 1c65c480589aac132bb2d4462e72747186b75c0c

SHA256: 4a2f0b68d45222347db0c8c31c06fa90d6db720f15ba75a58bd9b958c6cf9b2b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ms-sg.js.gz: angular-locale_ms-sg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms-sg.js.gz/angular-locale_ms-sg.js
 - MD5: b66563828d17fec868026076ce04886b
 - SHA1: 1c65c480589aac132bb2d4462e72747186b75c0c
 - SHA256: 4a2f0b68d45222347db0c8c31c06fa90d6db720f15ba75a58bd9b958c6cf9b2b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ms.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms.js

MD5: df8453663c4741835c723a11f91505a2

SHA1: cb84ca6b7994846f4fa02c8b07cb40ec67f0882d

SHA256: 93eb7b9d36788e9c7771bb04c2a2b1d0675dd31702ca45916f4d52ba69c7f959

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ms.js.gz: angular-locale_ms.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ms.js.gz/angular-locale_ms.js
 - MD5: df8453663c4741835c723a11f91505a2
 - SHA1: cb84ca6b7994846f4fa02c8b07cb40ec67f0882d

- SHA256: 93eb7b9d36788e9c7771bb04c2a2b1d0675dd31702ca45916f4d52ba69c7f959

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mt-mt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mt-mt.js

MD5: df12edcde33f12c66f85873928d69f55

SHA1: 4ec1853031b52bdb30cbe6b1e2a83fba23dcba7b

SHA256: 7653dce719eb96dbb1dedcd73054fee04bf51414c3fbe7f173796ff64c6b9e59

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mt-mt.js.gz: angular-locale_mt-mt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mt-mt.js.gz/angular-locale_mt-mt.js
 - MD5: df12edcde33f12c66f85873928d69f55
 - SHA1: 4ec1853031b52bdb30cbe6b1e2a83fba23dcba7b
 - SHA256: 7653dce719eb96dbb1dedcd73054fee04bf51414c3fbe7f173796ff64c6b9e59

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mt.js

MD5: f04fcbcf0beaa65614dad57c89677cf7

SHA1: 9eafbdea8606bd6a141b66a4063fe460c4f27324

SHA256:ff4b215adfd5ad6e6866d5a873ef46b870f63130edae1d4fa623219b8293920c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mt.js.gz: angular-locale_mt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mt.js.gz/angular-locale_mt.js
 - MD5: f04fcbcf0beaa65614dad57c89677cf7
 - SHA1: 9eafbdea8606bd6a141b66a4063fe460c4f27324
 - SHA256: ff4b215adfd5ad6e6866d5a873ef46b870f63130edae1d4fa623219b8293920c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mua-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mua-cm.js

MD5: a22735f043246e311f14efad0231755b

SHA1: 33e5f28197477151c38523ba1010bc95e0af4860

SHA256:76f09e264f2c89a5f8b5eb69bdaa19185bcbcf7d62a3ac6b530dfe6e7085962d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mua-cm.js.gz: angular-locale_mua-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mua-cm.js.gz/angular-locale_mua-cm.js
 - MD5: a22735f043246e311f14efad0231755b
 - SHA1: 33e5f28197477151c38523ba1010bc95e0af4860

- SHA256: 76f09e264f2c89a5f8b5eb69bdaa19185bcbcf7d62a3ac6b530dfe6e7085962d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mua.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mua.js

MD5: 177ad350c0f0086d1818513ad8010c62

SHA1: 3a8c85fb9fc8b43b3a889086346f19f79eb50eb5

SHA256: b0c4239df15eb84373557ea829e3efc98dc7e071f3987ce5340db5436e7e3da3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mua.js.gz: angular-locale_mua.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mua.js.gz/angular-locale_mua.js
 - MD5: 177ad350c0f0086d1818513ad8010c62
 - SHA1: 3a8c85fb9fc8b43b3a889086346f19f79eb50eb5
 - SHA256: b0c4239df15eb84373557ea829e3efc98dc7e071f3987ce5340db5436e7e3da3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_my-mm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_my-mm.js

MD5: d0b39002c6ed099585768a8c4617ff26

SHA1: 7b16f949c5abdc1577fd47ad7cd5c8bb73bec63a

SHA256:2490a28c89903d95015b3594f745ed3bebd9134fc3b5461ede83b8749824c076

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_my-mm.js.gz: angular-locale_my-mm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_my-mm.js.gz/angular-locale_my-mm.js
 - MD5: d0b39002c6ed099585768a8c4617ff26
 - SHA1: 7b16f949c5abdc1577fd47ad7cd5c8bb73bec63a
 - SHA256: 2490a28c89903d95015b3594f745ed3bebd9134fc3b5461ede83b8749824c076

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_my.js

MD5: b19dc2995a98750350497daafa55dd99

SHA1: 7641bbdf9a4480ce810a44eff42ec5ce55cc233e

SHA256:2387991b25667646b40c6fa2ed9acdf8aea55fd11729779efb62d734c5c554e4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_my.js.gz: angular-locale_my.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_my.js.gz/angular-locale_my.js
 - MD5: b19dc2995a98750350497daafa55dd99
 - SHA1: 7641bbdf9a4480ce810a44eff42ec5ce55cc233e

- SHA256: 2387991b25667646b40c6fa2ed9acdf8aea55fd11729779efb62d734c5c554e4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mzn-ir.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mzn-ir.js

MD5: b973eb191f1b4274626e0d4b670d745f

SHA1: d2412c8152046f6b60114edb2271291a57f6f20a

SHA256: 645273698925115c8c254cd890593338f7b35b6aa0477d9144486cfb22872a35

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_mzn-ir.js.gz: angular-locale_mzn-ir.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mzn-ir.js.gz/angular-locale_mzn-ir.js
 - MD5: b973eb191f1b4274626e0d4b670d745f
 - SHA1: d2412c8152046f6b60114edb2271291a57f6f20a
 - SHA256: 645273698925115c8c254cd890593338f7b35b6aa0477d9144486cfb22872a35

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_mzn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mzn.js

MD5: 285e61882275640c15cf241bbdb1cf8e

SHA1: 24632243c520407457399a8aea65920c9e2b9b3b

SHA256: 97febe3f6d5a0723fc99c4f8f4ea15bc07cbff93a5c656ae81a809fb9c053c8b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_mzn.js.gz: angular-locale_mzn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_mzn.js.gz/angular-locale_mzn.js
 - MD5: 285e61882275640c15cf241bbdb1cf8e
 - SHA1: 24632243c520407457399a8aea65920c9e2b9b3b
 - SHA256: 97febe3f6d5a0723fc99c4f8f4ea15bc07cbff93a5c656ae81a809fb9c053c8b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_naq-na.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_naq-na.js

MD5: 40e3f7aa5cfd889d4158dc87c0ccc603

SHA1: f96ce1aa46e0469d3c70c8658b76e9cd62c5aba5

SHA256: 16716ff21241e20857468d83c48e8b7984cdebe5bc2278611cffe2b38752b9fb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_naq-na.js.gz: angular-locale_naq-na.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_naq-na.js.gz/angular-locale_naq-na.js
 - MD5: 40e3f7aa5cfd889d4158dc87c0ccc603
 - SHA1: f96ce1aa46e0469d3c70c8658b76e9cd62c5aba5

- SHA256: 16716ff21241e20857468d83c48e8b7984cdebe5bc2278611cffe2b38752b9fb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_naq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_naq.js

MD5: fc892f5f023a15e8e371c79c9fe78d47

SHA1: a4682c8078e210816db2a1f3b9d3bf1300c92cd2

SHA256: bc369b171e968f8775d0b467cbf5b2e263aeed96642093ee76a4b48188b94b39

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_naq.js.gz: angular-locale_naq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_naq.js.gz/angular-locale_naq.js
 - MD5: fc892f5f023a15e8e371c79c9fe78d47
 - SHA1: a4682c8078e210816db2a1f3b9d3bf1300c92cd2
 - SHA256: bc369b171e968f8775d0b467cbf5b2e263aeed96642093ee76a4b48188b94b39

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nb-no.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nb-no.js

MD5: 07b450450c2eea35edff1dd940ab08cf

SHA1: de3a87fea40a170649968c6dfb0c9b522680bbb9

SHA256:54bf722c795f99eb9eb233d691a6e665f60cf4074c20e7c36a87402614350a11c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nb-no.js.gz: angular-locale_nb-no.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nb-no.js.gz/angular-locale_nb-no.js
 - MD5: 07b450450c2eea35edff1dd940ab08cf
 - SHA1: de3a87fea40a170649968c6dfb0c9b522680bbb9
 - SHA256: 54bf722c795f99eb9eb233d691a6e665f60cf4074c20e7c36a87402614350a11c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nb-sj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nb-sj.js

MD5: 64b1386b40704ef55f6219fcc02c93a

SHA1: cff1e255038b9ce58c27759c81b922cd0d8cac98

SHA256: eea21279693b5738825cd455c08836d8209682292e4632b66557859af9c57e1f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nb-sj.js.gz: angular-locale_nb-sj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nb-sj.js.gz/angular-locale_nb-sj.js
 - MD5: 64b1386b40704ef55f6219fcc02c93a
 - SHA1: cff1e255038b9ce58c27759c81b922cd0d8cac98

- SHA256: eea21279693b5738825cd455c08836d8209682292e4632b66557859af9c57e1f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nb.js

MD5: 3bccd8b8058c8c3a6741defa0cf5dbf9

SHA1: 42625e9d8f3b01fa7e6973c4287cee96f7954c35

SHA256: 06986875dfb59d41ef5363ae6b16c89412c571263beff0b2904cfb9c24f60bca

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_nb.js.gz: angular-locale_nb.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nb.js.gz/angular-locale_nb.js
 - MD5: 3bccd8b8058c8c3a6741defa0cf5dbf9
 - SHA1: 42625e9d8f3b01fa7e6973c4287cee96f7954c35
 - SHA256: 06986875dfb59d41ef5363ae6b16c89412c571263beff0b2904cfb9c24f60bca

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nd-zw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nd-zw.js

MD5: 774b21ae46acf554699d76c46ed0cdf8

SHA1: 7c389d97653cfa4acb45bc11ad45363ef35203c7

SHA256: 75d2e385a3f57e7ba1289a28d1b651fbfbb8cfbe75248fd08473929bc5e0cf8f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_nd-zw.js.gz: angular-locale_nd-zw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nd-zw.js.gz/angular-locale_nd-zw.js
 - MD5: 774b21ae46acf554699d76c46ed0cdf8
 - SHA1: 7c389d97653cfa4acb45bc11ad45363ef35203c7
 - SHA256: 75d2e385a3f57e7ba1289a28d1b651fbfbb8cfbe75248fd08473929bc5e0cf8f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nd.js

MD5: c2c193eddeb512a3bd133965ab09c669

SHA1: 64f6c184a6a8011d4eaf05441d564ff822d77672

SHA256: 6aa2f45e312e3f8b452fd8c46c1cb6f1ded0a436d43a748c57b8632d51209787

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_nd.js.gz: angular-locale_nd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nd.js.gz/angular-locale_nd.js
 - MD5: c2c193eddeb512a3bd133965ab09c669
 - SHA1: 64f6c184a6a8011d4eaf05441d564ff822d77672

- SHA256: 6aa2f45e312e3f8b452fd8c46c1cb6f1ded0a436d43a748c57b8632d51209787

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nds-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nds-de.js

MD5: 8db6074ee70a0d14d311b5c9a2e187ab

SHA1: 319deb3b8100f32c163ad3f5c92a59f17363f834

SHA256: 3e4eacf178bc7c6f7680f0fdb8a8345711f06d1d47c8c586b64bff85aa9ec34d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nds-de.js.gz: angular-locale_nds-de.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nds-de.js.gz/angular-locale_nds-de.js
 - MD5: 8db6074ee70a0d14d311b5c9a2e187ab
 - SHA1: 319deb3b8100f32c163ad3f5c92a59f17363f834
 - SHA256: 3e4eacf178bc7c6f7680f0fdb8a8345711f06d1d47c8c586b64bff85aa9ec34d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nds-nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nds-nl.js

MD5: b2e8716f44c5659ef4c0d2ad5fe9d3eb

SHA1: 403747db8aafc71c4764ef0058ab3f7ae2a12898

SHA256:408865023ca037558bf6e2b695cdc94e5b147ca3b6c687bcc2af05fec4399f90

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nds-nl.js.gz: angular-locale_nds-nl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nds-nl.js.gz/angular-locale_nds-nl.js
 - MD5: b2e8716f44c5659ef4c0d2ad5fe9d3eb
 - SHA1: 403747db8aafc71c4764ef0058ab3f7ae2a12898
 - SHA256: 408865023ca037558bf6e2b695cdc94e5b147ca3b6c687bcc2af05fec4399f90

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nds.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nds.js

MD5: 9a66a4b395f794ac4d7499d4452911f8

SHA1: a2f690205bde97444cc1a188ff3c1852ff6d33c5

SHA256:24a5a119224d2f8aee8fff9ecb123e904b284c16ca28950cedf448266f6174ba

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nds.js.gz: angular-locale_nds.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nds.js.gz/angular-locale_nds.js
 - MD5: 9a66a4b395f794ac4d7499d4452911f8
 - SHA1: a2f690205bde97444cc1a188ff3c1852ff6d33c5

- SHA256: 24a5a119224d2f8aee8fff9ecb123e904b284c16ca28950cedf448266f6174ba

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ne-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ne-in.js

MD5: 4f6e750ed4c4e3516eb653dbe9bb85b6

SHA1: 9436c7e1087eb9c6599529e061cb7aeda3eb943a

SHA256: cbc9492b3480e5b0140d2bddd0500aab7bf23639d85238845a246dc8d14de913

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ne-in.js.gz: angular-locale_ne-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ne-in.js.gz/angular-locale_ne-in.js
 - MD5: 4f6e750ed4c4e3516eb653dbe9bb85b6
 - SHA1: 9436c7e1087eb9c6599529e061cb7aeda3eb943a
 - SHA256: cbc9492b3480e5b0140d2bddd0500aab7bf23639d85238845a246dc8d14de913

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ne-np.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ne-np.js

MD5: 0c3e822842fce5612ccf32dd2c995c55

SHA1: 8a28945e7f573cf1b45677334424d5b631e87525

SHA256: 18aec0d1ad72148765abdee0611d9d965b2c7d0ec74da76c344c845da3cd914b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ne-np.js.gz: angular-locale_ne-np.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ne-np.js.gz/angular-locale_ne-np.js
 - MD5: 0c3e822842fce5612ccf32dd2c995c55
 - SHA1: 8a28945e7f573cf1b45677334424d5b631e87525
 - SHA256: 18aec0d1ad72148765abdee0611d9d965b2c7d0ec74da76c344c845da3cd914b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ne.js

MD5: 1e89a5c40808c4c163b38fcb6b2467f5

SHA1: 76a14ae11de23880d24ab1ecc27a2ad7d832c8fc

SHA256: 773becb0a56f409161a9f7655e3e9f717ea1311ba1a647eb8151a474b426bf78

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ne.js.gz: angular-locale_ne.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ne.js.gz/angular-locale_ne.js
 - MD5: 1e89a5c40808c4c163b38fcb6b2467f5
 - SHA1: 76a14ae11de23880d24ab1ecc27a2ad7d832c8fc

- SHA256: 773becb0a56f409161a9f7655e3e9f717ea1311ba1a647eb8151a474b426bf78

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-aw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-aw.js

MD5: b725bad86e7ee483b85879d11c408594

SHA1: fe613b7349bc49feb6f73314f1c9a9b589c95842

SHA256: 037f89dd9ad07d27e6ee55e639e3e82fbb5902fc5b2ee2f6445d852aee071578

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nl-aw.js.gz: angular-locale_nl-aw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-aw.js.gz/angular-locale_nl-aw.js
 - MD5: b725bad86e7ee483b85879d11c408594
 - SHA1: fe613b7349bc49feb6f73314f1c9a9b589c95842
 - SHA256: 037f89dd9ad07d27e6ee55e639e3e82fbb5902fc5b2ee2f6445d852aee071578

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-be.js

MD5: 029c21cbc7369ba75459d499a90cdbff

SHA1: f3802d807ee2aac720310f34f0e51a8fbbedd8eb
SHA256: 1993bccfa3aa89b4516c35951843a3b0eff95c3894630c937fce677d399a6f9b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nl-be.js.gz: angular-locale_nl-be.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-be.js.gz/angular-locale_nl-be.js
 - MD5: 029c21cbc7369ba75459d499a90cdbff
 - SHA1: f3802d807ee2aac720310f34f0e51a8fbbedd8eb
 - SHA256: 1993bccfa3aa89b4516c35951843a3b0eff95c3894630c937fce677d399a6f9b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-bq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-bq.js
MD5: 06dbfd00fb144e43d6e57e7882f38f5a
SHA1: 98ad2f8c6aa7bc869d1ddf70c4f4d1d77fcedf07
SHA256: 5b358d4bf2d51bde2eec9aa015e91f32731855fe796d881a547e48082cf85524
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nl-bq.js.gz: angular-locale_nl-bq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-bq.js.gz/angular-locale_nl-bq.js
 - MD5: 06dbfd00fb144e43d6e57e7882f38f5a
 - SHA1: 98ad2f8c6aa7bc869d1ddf70c4f4d1d77fcedf07

- SHA256: 5b358d4bf2d51bde2eec9aa015e91f32731855fe796d881a547e48082cf85524

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-cw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-cw.js

MD5: d432c8609c8ea19f590777670c7e403e

SHA1: 559ccd300e91a114887bc77fd1b4efe729ad6cf7

SHA256: 0985928f3d45d22dbaf47e6a4dcabd2ad2dd3eb0ba2ec0f7494fd35b7905745d

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_nl-cw.js.gz: angular-locale_nl-cw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-cw.js.gz/angular-locale_nl-cw.js
 - MD5: d432c8609c8ea19f590777670c7e403e
 - SHA1: 559ccd300e91a114887bc77fd1b4efe729ad6cf7
 - SHA256: 0985928f3d45d22dbaf47e6a4dcabd2ad2dd3eb0ba2ec0f7494fd35b7905745d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-nl.js

MD5: 98dc8669ccade4770fa2cab8f1a268f6

SHA1: 858b876f3cf3e1713c65067d00dbd76076bfebbd

SHA256:cb3f8ae278fd770e68155ec9074b4a290ecb31709be1312dfeabb66b966702da

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nl-nl.js.gz: angular-locale_nl-nl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-nl.js.gz/angular-locale_nl-nl.js
 - MD5: 98dc8669ccade4770fa2cab8f1a268f6
 - SHA1: 858b876f3cf3e1713c65067d00dbd76076bfebbd
 - SHA256: cb3f8ae278fd770e68155ec9074b4a290ecb31709be1312dfeabb66b966702da

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-sr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-sr.js

MD5: 9ee61e849cb64e31d24b77444a49e91f

SHA1: 346a9415b8e8708b0b571daad206e3e62a14812d

SHA256:5f217bcf42ec6e3749b2b27596b6c476740a73d9ded1c06f5dd24c3db8a9a605

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nl-sr.js.gz: angular-locale_nl-sr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-sr.js.gz/angular-locale_nl-sr.js
 - MD5: 9ee61e849cb64e31d24b77444a49e91f
 - SHA1: 346a9415b8e8708b0b571daad206e3e62a14812d

- SHA256: 5f217bcf42ec6e3749b2b27596b6c476740a73d9ded1c06f5dd24c3db8a9a605

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl-sx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-sx.js

MD5: ec0614f7634a51e606475d573b9d8931

SHA1: e71121dce8b82d31e1d28b05a10a1777fd8efb89

SHA256: 5f589a0b9d2a8c25e043ccdb1c24dc305b68138783b307fa31b462ad41fa72b7

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_nl-sx.js.gz: angular-locale_nl-sx.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl-sx.js.gz/angular-locale_nl-sx.js
 - MD5: ec0614f7634a51e606475d573b9d8931
 - SHA1: e71121dce8b82d31e1d28b05a10a1777fd8efb89
 - SHA256: 5f589a0b9d2a8c25e043ccdb1c24dc305b68138783b307fa31b462ad41fa72b7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl.js

MD5: 4a60310c006601a6be13d8ef36b89563

SHA1: 4ca92253171297adf6af657b9854d62e5598b0d8

SHA256:48c5781ab64a0e938c97dec01089992b3dffba5b6f8ddb49fc115a65377aefa3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nl.js.gz: angular-locale_nl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nl.js.gz/angular-locale_nl.js
 - MD5: 4a60310c006601a6be13d8ef36b89563
 - SHA1: 4ca92253171297adf6af657b9854d62e5598b0d8
 - SHA256: 48c5781ab64a0e938c97dec01089992b3dffba5b6f8ddb49fc115a65377aefa3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nmg-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nmg-cm.js

MD5: bf160fab0e0080c9fe90f746c595daa7

SHA1: 241b52fab04d00678406ac4bf92814a825d1ee23

SHA256:85670655ef53f13ad0b80d5e2ba5d671dd6e629780862aecff336bea91beb0db

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nmg-cm.js.gz: angular-locale_nmg-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nmg-cm.js.gz/angular-locale_nmg-cm.js
 - MD5: bf160fab0e0080c9fe90f746c595daa7
 - SHA1: 241b52fab04d00678406ac4bf92814a825d1ee23

- SHA256: 85670655ef53f13ad0b80d5e2ba5d671dd6e629780862aecff336bea91beb0db

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nmg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nmg.js

MD5: 57caa496541ca7eb6efa3490585472c0

SHA1: 9a29fc66c54eade4cf374fbb2b4c2c856ae991da

SHA256: d2d233f2761bf36d51e834377a0c26c51ccaa5c8c24eea24392538a49d390954

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_nmg.js.gz: angular-locale_nmg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nmg.js.gz/angular-locale_nmg.js
 - MD5: 57caa496541ca7eb6efa3490585472c0
 - SHA1: 9a29fc66c54eade4cf374fbb2b4c2c856ae991da
 - SHA256: d2d233f2761bf36d51e834377a0c26c51ccaa5c8c24eea24392538a49d390954

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nn-no.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nn-no.js

MD5: 13143af4c28decb6686d37de6958ad1a

SHA1: 12dee510ea922d3700d529ca525aa18e4cab97f1

SHA256: 1b436f04ef5eac2f3d98dd828244552635891662c8d90ae9b50b14159e0a58c6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nn-no.js.gz: angular-locale_nn-no.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nn-no.js.gz/angular-locale_nn-no.js
 - MD5: 13143af4c28dec6686d37de6958ad1a
 - SHA1: 12dee510ea922d3700d529ca525aa18e4cab97f1
 - SHA256: 1b436f04ef5eac2f3d98dd828244552635891662c8d90ae9b50b14159e0a58c6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nn.js

MD5: 85a5a29626e6c435fd70d635e8bf9537

SHA1: e603cfdb5af1da0c89b726a17debf42538d749a3

SHA256: 53ac12a65db0fe14924b9b33db270053722cd33dcf5496ce37d09e4c8a658715

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nn.js.gz: angular-locale_nn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nn.js.gz/angular-locale_nn.js
 - MD5: 85a5a29626e6c435fd70d635e8bf9537
 - SHA1: e603cfdb5af1da0c89b726a17debf42538d749a3

- SHA256: 53ac12a65db0fe14924b9b33db270053722cd33dcf5496ce37d09e4c8a658715

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nnh-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nnh-cm.js

MD5: 9cdc9b550e53cfaee61c511457941cbd

SHA1: 12b319fafa123cd48b3c55bc4a2e5255e88b88b9

SHA256: 5ab320a3c5e2adc8044b4327f0e6d54eb2a362f851bc1b754080e70552f9b888

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_nnh-cm.js.gz: angular-locale_nnh-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nnh-cm.js.gz/angular-locale_nnh-cm.js
 - MD5: 9cdc9b550e53cfaee61c511457941cbd
 - SHA1: 12b319fafa123cd48b3c55bc4a2e5255e88b88b9
 - SHA256: 5ab320a3c5e2adc8044b4327f0e6d54eb2a362f851bc1b754080e70552f9b888

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nnh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nnh.js

MD5: 1dea16d69cfc213d036868b25fe78a5

SHA1: 0229ae8336e4436f3361228324607022ef7c32cb

SHA256: 7bf46df61e25a0e83a4cc4ba7c14c466baf7da0856561f7a2847dd5016a3fe2b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nnh.js.gz: angular-locale_nnh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nnh.js.gz/angular-locale_nnh.js
 - MD5: 1dea16d69cfcf213d036868b25fe78a5
 - SHA1: 0229ae8336e4436f3361228324607022ef7c32cb
 - SHA256: 7bf46df61e25a0e83a4cc4ba7c14c466baf7da0856561f7a2847dd5016a3fe2b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_no-no.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_no-no.js

MD5: 0be00cacbd6eaf0b9e6e60eeb0cc9bf8

SHA1: ca20ecc16cbba0bdb4953bdc3687a0417b95bea5

SHA256: 70fc65d1e51967f16665db45ac08a91c9a0039d5306fd1e0ea4d996419922c2d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_no-no.js.gz: angular-locale_no-no.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_no-no.js.gz/angular-locale_no-no.js
 - MD5: 0be00cacbd6eaf0b9e6e60eeb0cc9bf8
 - SHA1: ca20ecc16cbba0bdb4953bdc3687a0417b95bea5

- SHA256: 70fc65d1e51967f16665db45ac08a91c9a0039d5306fd1e0ea4d996419922c2d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_no.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_no.js

MD5: 40e07e9a0491bc5c29ff302b1c12197c

SHA1: 95f2725f77ada7813f3762bccebf4115ee24bfcf

SHA256: 50d46018e68031c1b264034359648703467728412ad70f0526593b6a7984ca76

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_no.js.gz: angular-locale_no.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_no.js.gz/angular-locale_no.js
 - MD5: 40e07e9a0491bc5c29ff302b1c12197c
 - SHA1: 95f2725f77ada7813f3762bccebf4115ee24bfcf
 - SHA256: 50d46018e68031c1b264034359648703467728412ad70f0526593b6a7984ca76

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nus-ss.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nus-ss.js

MD5: 42677c32fdbc1c451512f5faeb3e2b18

SHA1: 5ea0e710c231fdeb422763e4a8a4cd0426b0c3f8

SHA256:31703f6af66622ae216260a2f0da67a8d8769fa98792ba0fc76fbedb1ee1382f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nus-ss.js.gz: angular-locale_nus-ss.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nus-ss.js.gz/angular-locale_nus-ss.js
 - MD5: 42677c32fbd1c451512f5faeb3e2b18
 - SHA1: 5ea0e710c231fdeb422763e4a8a4cd0426b0c3f8
 - SHA256: 31703f6af66622ae216260a2f0da67a8d8769fa98792ba0fc76fbedb1ee1382f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nus.js

MD5: d59318e2013569c6cd34ebd48a590a6c

SHA1: 910396bc45238ba17067f052259cfa71a0b66b4f

SHA256:968501c755561759b75f57bf871639b2a9e818ed4d80d2b1ecd2faeeaa6e33a8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nus.js.gz: angular-locale_nus.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nus.js.gz/angular-locale_nus.js
 - MD5: d59318e2013569c6cd34ebd48a590a6c
 - SHA1: 910396bc45238ba17067f052259cfa71a0b66b4f

- SHA256: 968501c755561759b75f57bf871639b2a9e818ed4d80d2b1ecd2faeeaa6e33a8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nyn-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nyn-ug.js

MD5: 4a914d38863c0f8846288ccea55af728

SHA1: 65ffb6f274d4d0beff1a213012ec8fa26ba2fd04

SHA256: c0c521e32b2ee277543463e0359ab2754a8ec6d7b0299c7879e576f14af1730b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_nyn-ug.js.gz: angular-locale_nyn-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nyn-ug.js.gz/angular-locale_nyn-ug.js
 - MD5: 4a914d38863c0f8846288ccea55af728
 - SHA1: 65ffb6f274d4d0beff1a213012ec8fa26ba2fd04
 - SHA256: c0c521e32b2ee277543463e0359ab2754a8ec6d7b0299c7879e576f14af1730b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_nyn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nyn.js

MD5: 7928878bc5d4e887610d24da23f57b8b

SHA1: 7949853ffa6093dd59e99fba002bc4caf58b0a8f

SHA256: 186cef17594cb781295512594f2ae44553d8eb470b230a16384953bc5b8fdf61

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_nyn.js.gz: angular-locale_nyn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_nyn.js.gz/angular-locale_nyn.js
 - MD5: 7928878bc5d4e887610d24da23f57b8b
 - SHA1: 7949853ffa6093dd59e99fba002bc4caf58b0a8f
 - SHA256: 186cef17594cb781295512594f2ae44553d8eb470b230a16384953bc5b8fdf61

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_om-et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_om-et.js

MD5: fe1d612b6c708bd50a7d69a6469cccf3

SHA1: c00d74a70e6bf97ce77b6cb0ce90796851dbe9ad

SHA256: 826306f524c12773aa95ed65de539f950033aefb6a6fca5d8abc3c19ad2f7a94

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_om-et.js.gz: angular-locale_om-et.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_om-et.js.gz/angular-locale_om-et.js
 - MD5: fe1d612b6c708bd50a7d69a6469cccf3
 - SHA1: c00d74a70e6bf97ce77b6cb0ce90796851dbe9ad

- SHA256: 826306f524c12773aa95ed65de539f950033aefb6a6fca5d8abc3c19ad2f7a94

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_om-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_om-ke.js

MD5: 3d94452833fc3ea8384c5e93a506ae7

SHA1: 9af7525c718179b96e49b126bebc6ca46749e58a

SHA256: ff4973fd8ea7a4fce4f656573cb7a1ab970b9bc23578f261af9ec31a58da28c1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_om-ke.js.gz: angular-locale_om-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_om-ke.js.gz/angular-locale_om-ke.js
 - MD5: 3d94452833fc3ea8384c5e93a506ae7
 - SHA1: 9af7525c718179b96e49b126bebc6ca46749e58a
 - SHA256: ff4973fd8ea7a4fce4f656573cb7a1ab970b9bc23578f261af9ec31a58da28c1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_om.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_om.js

MD5: 837d3182503f428d91bf31c1efd6d941

SHA1: b96da863e3b0bec3349fcdf7322a218f6775dad5

SHA256:8ce3beaab6957d07a22c0319df9b1be38560a563279e73cb6d5d97221b96d08d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_om.js.gz: angular-locale_om.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_om.js.gz/angular-locale_om.js
 - MD5: 837d3182503f428d91bf31c1efd6d941
 - SHA1: b96da863e3b0bec3349fcdf7322a218f6775dad5
 - SHA256: 8ce3beaab6957d07a22c0319df9b1be38560a563279e73cb6d5d97221b96d08d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_or-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_or-in.js

MD5: 59259d06923365b8ccf7161498f3085d

SHA1: 6b66b25658e3067115ef4f2cac6ea7ee48362af4

SHA256:a77c1245ddaf128ae2c4a6a781f17ef0e3631a29472f980c27ca78b02cdd4783

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_or-in.js.gz: angular-locale_or-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_or-in.js.gz/angular-locale_or-in.js
 - MD5: 59259d06923365b8ccf7161498f3085d
 - SHA1: 6b66b25658e3067115ef4f2cac6ea7ee48362af4

- SHA256: a77c1245ddaf128ae2c4a6a781f17ef0e3631a29472f980c27ca78b02cdd4783

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_or.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_or.js

MD5: a139949f2a9d627828dce56b2e242fbd

SHA1: 32ab7ebdd735fe96deed33fb0659ed34614e8b55

SHA256: 5e3fe5a8775fb2ffd588b730d77d9c7e07fc0f76bce07d32f3df3f614858e95a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_or.js.gz: angular-locale_or.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_or.js.gz/angular-locale_or.js
 - MD5: a139949f2a9d627828dce56b2e242fbd
 - SHA1: 32ab7ebdd735fe96deed33fb0659ed34614e8b55
 - SHA256: 5e3fe5a8775fb2ffd588b730d77d9c7e07fc0f76bce07d32f3df3f614858e95a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_os-ge.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_os-ge.js

MD5: 79784226d1f71a20b1b81cd4e9f85389

SHA1: adfee08e9050176f6bfc3ab10aefe9bae5b2ddb6

SHA256:3c2ba1c3830ce07037bdafcdff041b1332142392c7e0d8390a5515277cfe7513

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_os-ge.js.gz: angular-locale_os-ge.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_os-ge.js.gz/angular-locale_os-ge.js
 - MD5: 79784226d1f71a20b1b81cd4e9f85389
 - SHA1: adfee08e9050176f6bfc3ab10aefe9bae5b2ddb6
 - SHA256: 3c2ba1c3830ce07037bdafcdff041b1332142392c7e0d8390a5515277cfe7513

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_os-ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_os-ru.js

MD5: 8f020ec86977c9c6dd1a3d98518b09b8

SHA1: a20808d40f6a711835be5c017b1d6abd10d031b2

SHA256:e3a8d571e53b2d554310f11a16606f6dd5bde9e7b0ed9622c22cabaa59f1a2bd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_os-ru.js.gz: angular-locale_os-ru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_os-ru.js.gz/angular-locale_os-ru.js
 - MD5: 8f020ec86977c9c6dd1a3d98518b09b8
 - SHA1: a20808d40f6a711835be5c017b1d6abd10d031b2

- SHA256: e3a8d571e53b2d554310f11a16606f6dd5bde9e7b0ed9622c22cabaa59f1a2bd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_os.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_os.js

MD5: c7ef43964478a18593afd74aa9ad2baf

SHA1: a6bea4cc0a540aa743c164bb8a860eb1c4094eb2

SHA256: 81cc283a4b7fea449d172676f9825237d270f30bf92970a160b767a946d6ebae

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_os.js.gz: angular-locale_os.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_os.js.gz/angular-locale_os.js
 - MD5: c7ef43964478a18593afd74aa9ad2baf
 - SHA1: a6bea4cc0a540aa743c164bb8a860eb1c4094eb2
 - SHA256: 81cc283a4b7fea449d172676f9825237d270f30bf92970a160b767a946d6ebae

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pa-arab-pk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-arab-pk.js

MD5: a4d9e702e630c5f42e5c1636de2915e8

SHA1: aa50ad7dc220ce85dacf8782c7f651b72e6e2f38
SHA256: 18cba324b9071a83f81e93b18f72f4ecc3b239090d71711d41f06b66db3dbcb1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pa-arab-pk.js.gz: angular-locale_pa-arab-pk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-arab-pk.js.gz/angular-locale_pa-arab-pk.js
 - MD5: a4d9e702e630c5f42e5c1636de2915e8
 - SHA1: aa50ad7dc220ce85dacf8782c7f651b72e6e2f38
 - SHA256: 18cba324b9071a83f81e93b18f72f4ecc3b239090d71711d41f06b66db3dbcb1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pa-arab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-arab.js
MD5: 543084fe15bd9badefb2c2095748a9ce
SHA1: 9fd8b3cb8f97c16e43193dd096f3815f823eb9bb
SHA256: 460d6fa1f9b26746767dcee863cc2b07fe549f1cfb598803f4fc236c5809e2ac
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pa-arab.js.gz: angular-locale_pa-arab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-arab.js.gz/angular-locale_pa-arab.js
 - MD5: 543084fe15bd9badefb2c2095748a9ce
 - SHA1: 9fd8b3cb8f97c16e43193dd096f3815f823eb9bb

- SHA256: 460d6fa1f9b26746767dcee863cc2b07fe549f1cfb598803f4fc236c5809e2ac

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pa-guru-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-guru-in.js

MD5: 3d2fb0c47a711073496a1c29c5d27392

SHA1: f2f31397b684f71de5546eb3b117eaafcae9c824

SHA256: 74dd9532ba82649bba967e8dded1d63b8640d21937f9544f8163c089efce8227

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pa-guru-in.js.gz: angular-locale_pa-guru-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-guru-in.js.gz/angular-locale_pa-guru-in.js
 - MD5: 3d2fb0c47a711073496a1c29c5d27392
 - SHA1: f2f31397b684f71de5546eb3b117eaafcae9c824
 - SHA256: 74dd9532ba82649bba967e8dded1d63b8640d21937f9544f8163c089efce8227

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pa-guru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-guru.js

MD5: 5f3795e4b2f4eb45708d3fce890d4f64

SHA1: 19533ad08ab746c9384d87c6c49922aa820111df

SHA256:307e0c3d6342ab7baa27b79f49b7790186ba1bd149719960c7d620d3c1d94e92

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pa-guru.js.gz: angular-locale_pa-guru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa-guru.js.gz/angular-locale_pa-guru.js
 - MD5: 5f3795e4b2f4eb45708d3fce890d4f64
 - SHA1: 19533ad08ab746c9384d87c6c49922aa820111df
 - SHA256: 307e0c3d6342ab7baa27b79f49b7790186ba1bd149719960c7d620d3c1d94e92

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa.js

MD5: 64625516e891b4d05c5b9b466f6fdfa3

SHA1: 31d89c4fab1980a1fd7447169a47a41555092b4f

SHA256:112055f7a07b69a83a28c776c5fed3907fc954910022b95c83eda65f7b4b9b69

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pa.js.gz: angular-locale_pa.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pa.js.gz/angular-locale_pa.js
 - MD5: 64625516e891b4d05c5b9b466f6fdfa3
 - SHA1: 31d89c4fab1980a1fd7447169a47a41555092b4f

- SHA256: 112055f7a07b69a83a28c776c5fed3907fc954910022b95c83eda65f7b4b9b69

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pl-pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pl-pl.js

MD5: 0683c9ad6ce0f8ecacf859dc2e63cbcd

SHA1: d2a9553d12aa00f289a801dc80cd13dd7d28b6cc

SHA256: aefe9ec502cf3ef053af09f07a78313bc06800af561a09ac5bf8ace4342756d1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pl-pl.js.gz: angular-locale_pl-pl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pl-pl.js.gz/angular-locale_pl-pl.js
 - MD5: 0683c9ad6ce0f8ecacf859dc2e63cbcd
 - SHA1: d2a9553d12aa00f289a801dc80cd13dd7d28b6cc
 - SHA256: aefe9ec502cf3ef053af09f07a78313bc06800af561a09ac5bf8ace4342756d1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pl-pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pl-pl.js

MD5: 98644dbf4aa9c7e09989df1f495d83aa

SHA1: b0fc172c63649566eb0b0ef4c3ce6fbc9c70533c

SHA256: 7c88beb8166c9e2ed186848d48449bb749c20a0bcb4de280aeeb9029a56fdd2e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pl.js.gz: angular-locale_pl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pl.js.gz/angular-locale_pl.js
 - MD5: 98644dbf4aa9c7e09989df1f495d83aa
 - SHA1: b0fc172c63649566eb0b0ef4c3ce6fbc9c70533c
 - SHA256: 7c88beb8166c9e2ed186848d48449bb749c20a0bcb4de280aeeb9029a56fdd2e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_prg-001.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_prg-001.js

MD5: 47a96a0eee14d1bd5c40045c09069538

SHA1: b48de17fa55dfe6c1ebbb838e88e5569ce103975

SHA256: 831542b5354bcc983b0e5daf3e0595c2c9603f7d6207c33d1cc951e9109ad704

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_prg-001.js.gz: angular-locale_prg-001.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_prg-001.js.gz/angular-locale_prg-001.js
 - MD5: 47a96a0eee14d1bd5c40045c09069538
 - SHA1: b48de17fa55dfe6c1ebbb838e88e5569ce103975

- SHA256: 831542b5354bcc983b0e5daf3e0595c2c9603f7d6207c33d1cc951e9109ad704

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_prg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_prg.js

MD5: 97ba872b52029bde66c366148c7e2eb1

SHA1: e7b616bdf63c6e81b1258786e95d5e0638e9ac22

SHA256: ba8f27bb26fd709e31c09ba6eb2f9eb5bffbbe38a53c1b238c7d719f905760c3

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_prg.js.gz: angular-locale_prg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_prg.js.gz/angular-locale_prg.js
 - MD5: 97ba872b52029bde66c366148c7e2eb1
 - SHA1: e7b616bdf63c6e81b1258786e95d5e0638e9ac22
 - SHA256: ba8f27bb26fd709e31c09ba6eb2f9eb5bffbbe38a53c1b238c7d719f905760c3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ps-af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ps-af.js

MD5: 5eedeb25a4a25b439cf185210fbd4663

SHA1: 7e1e9170c44d93e41e24594de01938d02921bf17

SHA256: 936957a3b6bb4b69fbdef25ca85bcffb20f8a7fbb4bdf5006128b7088e082da1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ps-af.js.gz: angular-locale_ps-af.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ps-af.js.gz/angular-locale_ps-af.js
 - MD5: 5eedeb25a4a25b439cf185210fbd4663
 - SHA1: 7e1e9170c44d93e41e24594de01938d02921bf17
 - SHA256: 936957a3b6bb4b69fbdef25ca85bcffb20f8a7fbb4bdf5006128b7088e082da1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ps.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ps.js

MD5: b8f2d4b491aee3f70f5ff2cf8fdb5033

SHA1: 0441aae2150ab4aaffcd02840ff14159e12b8b24

SHA256: ef62d47987d907deeeac5de1a2d387f4c1af5dbd02531127d4da6db8649ee005

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ps.js.gz: angular-locale_ps.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ps.js.gz/angular-locale_ps.js
 - MD5: b8f2d4b491aee3f70f5ff2cf8fdb5033
 - SHA1: 0441aae2150ab4aaffcd02840ff14159e12b8b24

- SHA256: ef62d47987d907deeeac5de1a2d387f4c1af5dbd02531127d4da6db8649ee005

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-ao.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-ao.js

MD5: 0621ab1f1b825f97f662a94e407a50e6

SHA1: a4a60c030b3180d4caf62d2e0b6f599c012a70a7

SHA256: 1daed968687c0947d02b147bf889d5434711ada3da0e7fc6b052571cb8ef534e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-ao.js.gz: angular-locale_pt-ao.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-ao.js.gz/angular-locale_pt-ao.js
 - MD5: 0621ab1f1b825f97f662a94e407a50e6
 - SHA1: a4a60c030b3180d4caf62d2e0b6f599c012a70a7
 - SHA256: 1daed968687c0947d02b147bf889d5434711ada3da0e7fc6b052571cb8ef534e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-br.js

MD5: dbed1f6590bd8bf66091a70735e65071

SHA1: 5e3bc4077d4bc06cc39ff84ed0edfecebcbb9ead

SHA256: 809bda148cc1ee85bbee18c90e8a7fb6ea4956b5362e8764c4b44a68f36cba30

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-br.js.gz: angular-locale_pt-br.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-br.js.gz/angular-locale_pt-br.js
 - MD5: dbed1f6590bd8bf66091a70735e65071
 - SHA1: 5e3bc4077d4bc06cc39ff84ed0edfecebcbb9ead
 - SHA256: 809bda148cc1ee85bbee18c90e8a7fb6ea4956b5362e8764c4b44a68f36cba30

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-ch.js

MD5: fdc473875a794155df5879e643de9206

SHA1: 3e11459e83c2591142a5c6c13920afd0bace8400

SHA256: 4ea6d42e6fe43d4b4ebb278a534bdc7360c63505e0ffbfed8da23d9f9988615f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-ch.js.gz: angular-locale_pt-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-ch.js.gz/angular-locale_pt-ch.js
 - MD5: fdc473875a794155df5879e643de9206
 - SHA1: 3e11459e83c2591142a5c6c13920afd0bace8400

- SHA256: 4ea6d42e6fe43d4b4ebb278a534bdc7360c63505e0ffbfed8da23d9f9988615f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-cv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-cv.js

MD5: 7d3ebdadbc6b39e215bd59ce999414d

SHA1: 69f107d01191624f6c6334988298fa74456e2c18

SHA256: 7f9b8eed97e23a8f0749c8c36dac530e1d50675e796b0324faeec45977c06ece

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_pt-cv.js.gz: angular-locale_pt-cv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-cv.js.gz/angular-locale_pt-cv.js
 - MD5: 7d3ebdadbc6b39e215bd59ce999414d
 - SHA1: 69f107d01191624f6c6334988298fa74456e2c18
 - SHA256: 7f9b8eed97e23a8f0749c8c36dac530e1d50675e796b0324faeec45977c06ece

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-gq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-gq.js

MD5: 685f0915725f506a7010d0705fe7702f

SHA1: ac4bcd5d510d6963572f1058e0af63f840621c12

SHA256:04c573d6cf1c232f320d407dfc32cc5c609a585f1a50853c458f1fae259affcd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-gq.js.gz: angular-locale_pt-gq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-gq.js.gz/angular-locale_pt-gq.js
 - MD5: 685f0915725f506a7010d0705fe7702f
 - SHA1: ac4bcd5d510d6963572f1058e0af63f840621c12
 - SHA256: 04c573d6cf1c232f320d407dfc32cc5c609a585f1a50853c458f1fae259affcd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-gw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-gw.js

MD5: 372312928dbdd210e51a0925469d1f33

SHA1: d8d461ee09df5340a18b228ef8b18b82dae5e662

SHA256:ad2aef7755f4411f11da71126c6660d4f49d65ecf6dc2334ffd2a2d1d140d96c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-gw.js.gz: angular-locale_pt-gw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-gw.js.gz/angular-locale_pt-gw.js
 - MD5: 372312928dbdd210e51a0925469d1f33
 - SHA1: d8d461ee09df5340a18b228ef8b18b82dae5e662

- SHA256: ad2aef7755f4411f11da71126c6660d4f49d65ecf6dc2334ffd2a2d1d140d96c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-lu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-lu.js

MD5: c60bbcedd4c92577f0250177bcc33f3d

SHA1: b906be4262c3537e0cf0fd5f6e71330d239909b7

SHA256: 4025ad55d180a4ac1c9a1352c510312ad9ae59970d2e8cf7a2798f37b61134b5

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_pt-lu.js.gz: angular-locale_pt-lu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-lu.js.gz/angular-locale_pt-lu.js
 - MD5: c60bbcedd4c92577f0250177bcc33f3d
 - SHA1: b906be4262c3537e0cf0fd5f6e71330d239909b7
 - SHA256: 4025ad55d180a4ac1c9a1352c510312ad9ae59970d2e8cf7a2798f37b61134b5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-mo.js

MD5: d3a46b55bea60b6496e75f6c82eae50a

SHA1: c609e6cd81085b74191cc03410785b11fb8391a3

SHA256:468d73f3ed113260594f8df19c79e97398cda3b22955c1f7a1dd42de060818d9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-mo.js.gz: angular-locale_pt-mo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-mo.js.gz/angular-locale_pt-mo.js
 - MD5: d3a46b55bea60b6496e75f6c82eae50a
 - SHA1: c609e6cd81085b74191cc03410785b11fb8391a3
 - SHA256: 468d73f3ed113260594f8df19c79e97398cda3b22955c1f7a1dd42de060818d9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-mz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-mz.js

MD5: 2bb9b447ef6d3cbe6d2004b4c59b389c

SHA1: 391080b96dd8a382c15ff7b8673bd0d908f332cc

SHA256:2d213e09beeb8f16d7ae19a1cabaf78d4d80f6d223e8d26d74f6bbdf3b1bc7c2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-mz.js.gz: angular-locale_pt-mz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-mz.js.gz/angular-locale_pt-mz.js
 - MD5: 2bb9b447ef6d3cbe6d2004b4c59b389c
 - SHA1: 391080b96dd8a382c15ff7b8673bd0d908f332cc

- SHA256: 2d213e09beeb8f16d7ae19a1cabaf78d4d80f6d223e8d26d74f6bbdf3b1bc7c2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-pt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-pt.js

MD5: 5e816258070d963e3cc45c659dd321d0

SHA1: 59767fc68b5874184b20a9febad15c172b7d1fb2

SHA256: 1e923136ccfaf5e625d17b5cfca639be65f10c97f9c7d498ea8175881454c02f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_pt-pt.js.gz: angular-locale_pt-pt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-pt.js.gz/angular-locale_pt-pt.js
 - MD5: 5e816258070d963e3cc45c659dd321d0
 - SHA1: 59767fc68b5874184b20a9febad15c172b7d1fb2
 - SHA256: 1e923136ccfaf5e625d17b5cfca639be65f10c97f9c7d498ea8175881454c02f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-st.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-st.js

MD5: a034b808c44cded66b6c28110b646264

SHA1: 762bfb20176d0bd0eedaa9d309437cc892d9e6f3

SHA256: b1ab889e8c71992577c4d113bf2cf8516eb324af5eb9656bef2308a9b278a672

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-st.js.gz: angular-locale_pt-st.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-st.js.gz/angular-locale_pt-st.js
 - MD5: a034b808c44cded66b6c28110b646264
 - SHA1: 762bfb20176d0bd0eedaa9d309437cc892d9e6f3
 - SHA256: b1ab889e8c71992577c4d113bf2cf8516eb324af5eb9656bef2308a9b278a672

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt-tl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-tl.js

MD5: 930a7defb7b806c0076d90d8feb0e37f

SHA1: a7d5dc777e17bebf69d660c80c795be702d74c44

SHA256: 73706aa50b1a9b8bcbbacbf1c42f853799df032d125ca9599886419b3b803d5f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_pt-tl.js.gz: angular-locale_pt-tl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt-tl.js.gz/angular-locale_pt-tl.js
 - MD5: 930a7defb7b806c0076d90d8feb0e37f
 - SHA1: a7d5dc777e17bebf69d660c80c795be702d74c44

- SHA256: 73706aa50b1a9b8bcbbacbf1c42f853799df032d125ca9599886419b3b803d5f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_pt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt.js

MD5: e8f554e2a8da7308c330226275a5e51c

SHA1: 1af2d70cf298709b7e27e4c2820fa97740404fac

SHA256: 777c31dc85360b3cd609991490f926a9067f5305554cdb2c69a86d71fedf34c7

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_pt.js.gz: angular-locale_pt.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_pt.js.gz/angular-locale_pt.js
 - MD5: e8f554e2a8da7308c330226275a5e51c
 - SHA1: 1af2d70cf298709b7e27e4c2820fa97740404fac
 - SHA256: 777c31dc85360b3cd609991490f926a9067f5305554cdb2c69a86d71fedf34c7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_qu-bo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu-bo.js

MD5: 8d6264145887f281524bd7ecc640e75f

SHA1: a8c2c2e733cd1e339b0e13cd8d730ecd982af297

SHA256: 12556317a6e51bf9c215e5b0f381ede0f3995dbd4538539129e59f4e3a5154b8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_qu-bo.js.gz: angular-locale_qu-bo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu-bo.js.gz/angular-locale_qu-bo.js
 - MD5: 8d6264145887f281524bd7ecc640e75f
 - SHA1: a8c2c2e733cd1e339b0e13cd8d730ecd982af297
 - SHA256: 12556317a6e51bf9c215e5b0f381ede0f3995dbd4538539129e59f4e3a5154b8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_qu-ec.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu-ec.js

MD5: 2731eabc953c6fc1af91f3ee97ec072b

SHA1: f104c6e87f5ef72719ba7034557a623105387020

SHA256: c8446a36f34ce54e030cfccee48ea6b7a2a7dc50e9f713a442501ff3c78bc15c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_qu-ec.js.gz: angular-locale_qu-ec.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu-ec.js.gz/angular-locale_qu-ec.js
 - MD5: 2731eabc953c6fc1af91f3ee97ec072b
 - SHA1: f104c6e87f5ef72719ba7034557a623105387020

- SHA256: c8446a36f34ce54e030cfccee48ea6b7a2a7dc50e9f713a442501ff3c78bc15c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_qu-pe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu-pe.js

MD5: 338af6c5550cb5e744d0fd69236abf6b

SHA1: 787bb184061115a2f8a9f3826f5c979d2fb011dc

SHA256: 61992d22f3c9ca543b4b79ab3f733f16c7ab80c0dff6490bca710e3d9cdc2918

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_qu-pe.js.gz: angular-locale_qu-pe.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu-pe.js.gz/angular-locale_qu-pe.js
 - MD5: 338af6c5550cb5e744d0fd69236abf6b
 - SHA1: 787bb184061115a2f8a9f3826f5c979d2fb011dc
 - SHA256: 61992d22f3c9ca543b4b79ab3f733f16c7ab80c0dff6490bca710e3d9cdc2918

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_qu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu.js

MD5: 22abf9cc8a6f84336358bc3c9a26dbfe

SHA1: d6944cf83e8011969b9c0daa9ca1da992642a3b4

SHA256: 0c946f8e3574593e7f7d405676f6d6d0501f4cf3e3667648f235a52ce227444d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_qu.js.gz: angular-locale_qu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_qu.js.gz/angular-locale_qu.js
 - MD5: 22abf9cc8a6f84336358bc3c9a26dbfe
 - SHA1: d6944cf83e8011969b9c0daa9ca1da992642a3b4
 - SHA256: 0c946f8e3574593e7f7d405676f6d6d0501f4cf3e3667648f235a52ce227444d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rm-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rm-ch.js

MD5: 975b3d89ae0e49a8d280b93ea54036ee

SHA1: 6dc670570834a6beac0ea72ee6f26d85daa207aa

SHA256: 775c721dbf20179a07d45300e472093e774a56e035c32aa7e8eb2aa90b38e212

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rm-ch.js.gz: angular-locale_rm-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rm-ch.js.gz/angular-locale_rm-ch.js
 - MD5: 975b3d89ae0e49a8d280b93ea54036ee
 - SHA1: 6dc670570834a6beac0ea72ee6f26d85daa207aa

- SHA256: 775c721dbf20179a07d45300e472093e774a56e035c32aa7e8eb2aa90b38e212

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rm.js

MD5: 3dde7e41ced7f590f599a7e3fdb5de00

SHA1: 6845714e8db452dfcc315bc67d9b7e9373ff09ba

SHA256: 21f47cc6a1dabc5cdf4a3e9f4852289680c39589b04533a50c23b94a3eead014

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_rm.js.gz: angular-locale_rm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rm.js.gz/angular-locale_rm.js
 - MD5: 3dde7e41ced7f590f599a7e3fdb5de00
 - SHA1: 6845714e8db452dfcc315bc67d9b7e9373ff09ba
 - SHA256: 21f47cc6a1dabc5cdf4a3e9f4852289680c39589b04533a50c23b94a3eead014

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rn-bi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rn-bi.js

MD5: 6a7af8ab66978ef8c2441105d120eaf1

SHA1: 0a817f1054385c9020d3e2e1cca7438438edeb5b

SHA256:aa3dbbbad812017da22eb52b93d7fab8499b8f671934febca02ace48f48eaa83

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rn-bi.js.gz: angular-locale_rn-bi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rn-bi.js.gz/angular-locale_rn-bi.js
 - MD5: 6a7af8ab66978ef8c2441105d120eaf1
 - SHA1: 0a817f1054385c9020d3e2e1cca7438438edeb5b
 - SHA256: aa3dbbbad812017da22eb52b93d7fab8499b8f671934febca02ace48f48eaa83

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rn.js

MD5: 8f944060faabf4121596cb2db5e94948

SHA1: 40f0d24d73823d9408e4bd807f40252de5976f91

SHA256:5f51518031548ea768b75f42cef22d24393ab4dcedb45be4d4e83ddc8f334473

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rn.js.gz: angular-locale_rn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rn.js.gz/angular-locale_rn.js
 - MD5: 8f944060faabf4121596cb2db5e94948
 - SHA1: 40f0d24d73823d9408e4bd807f40252de5976f91

- SHA256: 5f51518031548ea768b75f42cef22d24393ab4dcedb45be4d4e83ddc8f334473

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ro-md.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ro-md.js

MD5: aea4f48ebe861b6304457537cf16014b

SHA1: c3a988b453e7c9a03019d59224e238be1c44d89f

SHA256: 47c836c57ab7891bd5a9ab3842e1ecb0a76fce5e95c72117ad7788e05a3d57b5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ro-md.js.gz: angular-locale_ro-md.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ro-md.js.gz/angular-locale_ro-md.js
 - MD5: aea4f48ebe861b6304457537cf16014b
 - SHA1: c3a988b453e7c9a03019d59224e238be1c44d89f
 - SHA256: 47c836c57ab7891bd5a9ab3842e1ecb0a76fce5e95c72117ad7788e05a3d57b5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ro-ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ro-ro.js

MD5: 5022edd8a47ab93a4b8d0d2aae7b9d87

SHA1: d23e18d02311d4cb714e1f6b35a4ce90fb23764c

SHA256: e9da0d8a7216082be2ebd320f055e64ecc9a81855e77ac2016f757f986ebbf50

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ro-ro.js.gz: angular-locale_ro-ro.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ro-ro.js.gz/angular-locale_ro-ro.js
 - MD5: 5022edd8a47ab93a4b8d0d2aae7b9d87
 - SHA1: d23e18d02311d4cb714e1f6b35a4ce90fb23764c
 - SHA256: e9da0d8a7216082be2ebd320f055e64ecc9a81855e77ac2016f757f986ebbf50

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ro.js

MD5: 439b6715b1e2632841755a6f4fb0d81a

SHA1: 2f3d37fd0f5d02b9fe281320f16b9be3284a9dfe

SHA256: 538a630572b7bc28df7d05e847821506175ac86c0e179b898c0abc65023d8466

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ro.js.gz: angular-locale_ro.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ro.js.gz/angular-locale_ro.js
 - MD5: 439b6715b1e2632841755a6f4fb0d81a
 - SHA1: 2f3d37fd0f5d02b9fe281320f16b9be3284a9dfe

- SHA256: 538a630572b7bc28df7d05e847821506175ac86c0e179b898c0abc65023d8466

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rof-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rof-tz.js

MD5: 0cb74c32e6cfedd9d3febfcaeacf6767

SHA1: eca1df7b2c2c3b68d6b415ab1d0aacc9dfeebb72

SHA256: 37b10d2898c2a1681e80278697162990d03e020ef2ff093f2ab3552524a919c7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rof-tz.js.gz: angular-locale_rof-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rof-tz.js.gz/angular-locale_rof-tz.js
 - MD5: 0cb74c32e6cfedd9d3febfcaeacf6767
 - SHA1: eca1df7b2c2c3b68d6b415ab1d0aacc9dfeebb72
 - SHA256: 37b10d2898c2a1681e80278697162990d03e020ef2ff093f2ab3552524a919c7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rof.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rof.js

MD5: 5542c185b4f24f2d7bf3edb4a20ca95b

SHA1: d73d4cb54f164162d74e6748b26d095e5235e99f

SHA256: cbd13b5f17b47a3a3007158b50ecf6425b68b25632b2c957465c95bd6a999d73

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rof.js.gz: angular-locale_rof.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rof.js.gz/angular-locale_rof.js
 - MD5: 5542c185b4f24f2d7bf3edb4a20ca95b
 - SHA1: d73d4cb54f164162d74e6748b26d095e5235e99f
 - SHA256: cbd13b5f17b47a3a3007158b50ecf6425b68b25632b2c957465c95bd6a999d73

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru-by.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-by.js

MD5: 0484bf1b73c9ed9fd6e5c13689ebe4a3

SHA1: c60d38da000c58e495f724eb03c770d20e42302e

SHA256: 8f45b057e1390f8f4f72472c578fef26b7a1c5aa4a7a0a25470ceb4c765abd10

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru-by.js.gz: angular-locale_ru-by.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-by.js.gz/angular-locale_ru-by.js
 - MD5: 0484bf1b73c9ed9fd6e5c13689ebe4a3
 - SHA1: c60d38da000c58e495f724eb03c770d20e42302e

- SHA256: 8f45b057e1390f8f4f72472c578fef26b7a1c5aa4a7a0a25470ceb4c765abd10

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru-kg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-kg.js

MD5: 121a6b016935c26674198859d217ed3b

SHA1: d01958a3f0f09f42495af5a1c0551df45c5142

SHA256: 782791c65b322b7be373fc5e68112d668c5707c79b3045f97c0f34ee76756300

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru-kg.js.gz: angular-locale_ru-kg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-kg.js.gz/angular-locale_ru-kg.js
 - MD5: 121a6b016935c26674198859d217ed3b
 - SHA1: d01958a3f0f09f42495af5a1c0551df45c5142
 - SHA256: 782791c65b322b7be373fc5e68112d668c5707c79b3045f97c0f34ee76756300

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru-kz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-kz.js

MD5: 1e6e996cb6a1cf3ea3b063fb192a91dc

SHA1: 87747153198ca44fb45fec7a2125102203018d2d

SHA256: 842af5c8e6bf7f775f58c2c89073db49468eaef70ae7ce29bd99c9254bc76fd2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru-kz.js.gz: angular-locale_ru-kz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-kz.js.gz/angular-locale_ru-kz.js
 - MD5: 1e6e996cb6a1cf3ea3b063fb192a91dc
 - SHA1: 87747153198ca44fb45fec7a2125102203018d2d
 - SHA256: 842af5c8e6bf7f775f58c2c89073db49468eaef70ae7ce29bd99c9254bc76fd2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru-md.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-md.js

MD5: 3ddd58dbe3af90079a1e9af773b57e97

SHA1: a0235c7bd388c159ed50fb4c0524293284f431cd

SHA256: 86db847362456f26dcbde6d5365d59c12574354685081d5d994afb9fe6353dd8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru-md.js.gz: angular-locale_ru-md.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-md.js.gz/angular-locale_ru-md.js
 - MD5: 3ddd58dbe3af90079a1e9af773b57e97
 - SHA1: a0235c7bd388c159ed50fb4c0524293284f431cd

- SHA256: 86db847362456f26dcbde6d5365d59c12574354685081d5d994afb9fe6353dd8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru-ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-ru.js

MD5: cdc2df0db5f61476579d189b59d4dc3c

SHA1: 424f3618987e60586fa1c57a2813f0c6ab315db6

SHA256: 32d179e2dbf5cd3e8bea968e501318ac3aae383557960a38bcfe872c2803c5fc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru-ru.js.gz: angular-locale_ru-ru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-ru.js.gz/angular-locale_ru-ru.js
 - MD5: cdc2df0db5f61476579d189b59d4dc3c
 - SHA1: 424f3618987e60586fa1c57a2813f0c6ab315db6
 - SHA256: 32d179e2dbf5cd3e8bea968e501318ac3aae383557960a38bcfe872c2803c5fc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru-ua.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-ua.js

MD5: 9b43b627cd275b32178d764d08393715

SHA1: ad051ba65aa838d8746b5b3f5f8ee4b388a796a2

SHA256: 87dde6df3492b0a0800ea0740975f919c0295d4e0e6bdf2e60fa66df5fe18f85

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru-ua.js.gz: angular-locale_ru-ua.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru-ua.js.gz/angular-locale_ru-ua.js
 - MD5: 9b43b627cd275b32178d764d08393715
 - SHA1: ad051ba65aa838d8746b5b3f5f8ee4b388a796a2
 - SHA256: 87dde6df3492b0a0800ea0740975f919c0295d4e0e6bdf2e60fa66df5fe18f85

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru.js

MD5: 6603a6b1e41bd073daece35680fc253c

SHA1: e2e4e9b27b90d9e64c13b8601905be7e47df78fc

SHA256: 9617a126db1859e510ad5c3ffe2bd3f66f286b2706ab4f9f95798fd8f761e06d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ru.js.gz: angular-locale_ru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ru.js.gz/angular-locale_ru.js
 - MD5: 6603a6b1e41bd073daece35680fc253c
 - SHA1: e2e4e9b27b90d9e64c13b8601905be7e47df78fc

- SHA256: 9617a126db1859e510ad5c3ffe2bd3f66f286b2706ab4f9f95798fd8f761e06d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rw-rw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rw-rw.js

MD5: d3f3b8a24c176eb4991ae52f7590b691

SHA1: 56fd43c39e9dc146709f0889ca61275329337069

SHA256: cc77168d72e65cd7d3179b1780cc39c823793b3a02c898f5f1def05105fa8d81

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rw-rw.js.gz: angular-locale_rw-rw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rw-rw.js.gz/angular-locale_rw-rw.js
 - MD5: d3f3b8a24c176eb4991ae52f7590b691
 - SHA1: 56fd43c39e9dc146709f0889ca61275329337069
 - SHA256: cc77168d72e65cd7d3179b1780cc39c823793b3a02c898f5f1def05105fa8d81

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rw.js

MD5: 95b4fadd514606fea84869813c336eb

SHA1: 188b659f77535f6177eec7c7e43b0cefdddc2680
SHA256:2956c209cd94be7f7d1007adb44ab96f95f4097319fc0281e377348e01348431
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rw.js.gz: angular-locale_rw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rw.js.gz/angular-locale_rw.js
 - MD5: 95b4fadd514606fea84869813c336eb
 - SHA1: 188b659f77535f6177eec7c7e43b0cefdddc2680
 - SHA256: 2956c209cd94be7f7d1007adb44ab96f95f4097319fc0281e377348e01348431

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rwk-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rwk-tz.js
MD5: a3199c76e02c15f0ca4e715e7f5caf8e
SHA1: 460e1eef2c9c3cb307d178b068cbdc7fd9a9d3f1
SHA256:c59b63f40cb3c725ee129917bf41e3ac053a8217e174e4686ccfe7c5664d6a57
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rwk-tz.js.gz: angular-locale_rwk-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rwk-tz.js.gz/angular-locale_rwk-tz.js
 - MD5: a3199c76e02c15f0ca4e715e7f5caf8e
 - SHA1: 460e1eef2c9c3cb307d178b068cbdc7fd9a9d3f1

- SHA256: c59b63f40cb3c725ee129917bf41e3ac053a8217e174e4686ccfe7c5664d6a57

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_rwk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rwk.js

MD5: d594ded803b684539148dd4be577d1e5

SHA1: 8c0d42cba43c4c4b5f1896b253b360b9ad12f588

SHA256: e7927b610b375b9e12c1ae48a6ced141e42d11c89673293d39311e8ae6c0064b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_rwk.js.gz: angular-locale_rwk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_rwk.js.gz/angular-locale_rwk.js
 - MD5: d594ded803b684539148dd4be577d1e5
 - SHA1: 8c0d42cba43c4c4b5f1896b253b360b9ad12f588
 - SHA256: e7927b610b375b9e12c1ae48a6ced141e42d11c89673293d39311e8ae6c0064b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sah-ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sah-ru.js

MD5: b06b443f8b9ceeb51b225629fcf4d43e

SHA1: 7344f69ac762ba74e62b55d3e529ab1672db8922

SHA256:8563d1e61fb05d19a733f48e2d3c3932ecd1f66fd26c57a1846d5caacf40f4b8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sah-ru.js.gz: angular-locale_sah-ru.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sah-ru.js.gz/angular-locale_sah-ru.js
 - MD5: b06b443f8b9ceeb51b225629fcf4d43e
 - SHA1: 7344f69ac762ba74e62b55d3e529ab1672db8922
 - SHA256: 8563d1e61fb05d19a733f48e2d3c3932ecd1f66fd26c57a1846d5caacf40f4b8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sah.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sah.js

MD5: 81c3b2d04791027804b93c89ad05d05b

SHA1: 6474383c51a4295477d59d7b2f6af397289cf41f

SHA256:2aedf292920287859fae12598c79e071287d6b2976fb246aad927706dda5d6b4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sah.js.gz: angular-locale_sah.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sah.js.gz/angular-locale_sah.js
 - MD5: 81c3b2d04791027804b93c89ad05d05b
 - SHA1: 6474383c51a4295477d59d7b2f6af397289cf41f

- SHA256: 2aedf292920287859fae12598c79e071287d6b2976fb246aad927706dda5d6b4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_saq-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_saq-ke.js

MD5: 6675a2b4d185e4f3359d0bdb1fcdafc8

SHA1: 7161e37b09815565336537408ffab976def817bc

SHA256: b599817af248d98045030d30363ffaca95e638fdaffa8b025e09c53bab21e04d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_saq-ke.js.gz: angular-locale_saq-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_saq-ke.js.gz/angular-locale_saq-ke.js
 - MD5: 6675a2b4d185e4f3359d0bdb1fcdafc8
 - SHA1: 7161e37b09815565336537408ffab976def817bc
 - SHA256: b599817af248d98045030d30363ffaca95e638fdaffa8b025e09c53bab21e04d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_saq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_saq.js

MD5: 3d78b2f8e0b2815965d217f75a68b1ce

SHA1: 9145e90649e3fc77092f6889d36ce25c16721b1f

SHA256:c199e95ed2ee08e0afe75933fa8bdf256ccc538cc5c6839807ecaab5b0264bb2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_saq.js.gz: angular-locale_saq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_saq.js.gz/angular-locale_saq.js
 - MD5: 3d78b2f8e0b2815965d217f75a68b1ce
 - SHA1: 9145e90649e3fc77092f6889d36ce25c16721b1f
 - SHA256: c199e95ed2ee08e0afe75933fa8bdf256ccc538cc5c6839807ecaab5b0264bb2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sbp-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sbp-tz.js

MD5: 07cb9c28a8017f5558d6095a038b913c

SHA1: 23f0d60dcdf143e628178cccc0d42fa1b869b293

SHA256:1b80cbc803f5e6a949aac3377b9fd3ffe08defa3e93cfd38794744d5ec38cf29

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sbp-tz.js.gz: angular-locale_sbp-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sbp-tz.js.gz/angular-locale_sbp-tz.js
 - MD5: 07cb9c28a8017f5558d6095a038b913c
 - SHA1: 23f0d60dcdf143e628178cccc0d42fa1b869b293

- SHA256: 1b80cbc803f5e6a949aac3377b9fd3ffe08defa3e93cfd38794744d5ec38cf29

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sbp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sbp.js

MD5: ce5c70482ade5891711843385023363f

SHA1: 5f79e3fe17f8fda3f44d37262cf5e1da1ee268c4

SHA256: f22c984654550f5a8e3ebd6df828693d96489b3f7914960162f5d542f2376494

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sbp.js.gz: angular-locale_sbp.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sbp.js.gz/angular-locale_sbp.js
 - MD5: ce5c70482ade5891711843385023363f
 - SHA1: 5f79e3fe17f8fda3f44d37262cf5e1da1ee268c4
 - SHA256: f22c984654550f5a8e3ebd6df828693d96489b3f7914960162f5d542f2376494

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_se-fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se-fi.js

MD5: 8ba19c43e3d7f972e8e9463785ae7a83

SHA1: 01d2ed5cf67b228a997bea822112e1ff3a3cd98c

SHA256: cea81c15625e54bef02957445ad072732d0c76ddf9d69c83f5ab9875bf08c47a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_se-fi.js.gz: angular-locale_se-fi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se-fi.js.gz/angular-locale_se-fi.js
 - MD5: 8ba19c43e3d7f972e8e9463785ae7a83
 - SHA1: 01d2ed5cf67b228a997bea822112e1ff3a3cd98c
 - SHA256: cea81c15625e54bef02957445ad072732d0c76ddf9d69c83f5ab9875bf08c47a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_se-no.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se-no.js

MD5: b80800251598bcd5c7ef5109133262d

SHA1: 715ef5cb3c5a0ae72031a4e2e2abf559387d9fba

SHA256: 34ec2699317d321e0c9b0a1d8cbf3a5ba4798d71b0c003acce9300194425119e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_se-no.js.gz: angular-locale_se-no.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se-no.js.gz/angular-locale_se-no.js
 - MD5: b80800251598bcd5c7ef5109133262d
 - SHA1: 715ef5cb3c5a0ae72031a4e2e2abf559387d9fba

- SHA256: 34ec2699317d321e0c9b0a1d8cbf3a5ba4798d71b0c003acce9300194425119e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_se-se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se-se.js

MD5: 34ee8d6670bc0ff6764e9f2da70762e9

SHA1: 5effb095657df1ba9cd5d6aba17b068e0e5501be

SHA256: f5abcf0f1d61e29e3491d58bdb143e9d33d5981483fed692333ef1a4292dcc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_se-se.js.gz: angular-locale_se-se.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se-se.js.gz/angular-locale_se-se.js
 - MD5: 34ee8d6670bc0ff6764e9f2da70762e9
 - SHA1: 5effb095657df1ba9cd5d6aba17b068e0e5501be
 - SHA256: f5abcf0f1d61e29e3491d58bdb143e9d33d5981483fed692333ef1a4292dcc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se.js

MD5: fb72302c205123418199d36d2605a184

SHA1: df1dbc977383528e5af76bdf48075b8dd08a0227

SHA256:0809dfedde8c205e0fc74455ddfc34ea3bead53759365f8b0581bcfa426eb42a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_se.js.gz: angular-locale_se.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_se.js.gz/angular-locale_se.js
 - MD5: fb72302c205123418199d36d2605a184
 - SHA1: df1dbc977383528e5af76bdf48075b8dd08a0227
 - SHA256: 0809dfedde8c205e0fc74455ddfc34ea3bead53759365f8b0581bcfa426eb42a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_seh-mz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_seh-mz.js

MD5: e1aced0ae776f11bc239468e48f73212

SHA1: 3bcb6077fb2e787f6d7b710f07758aabe4e97037

SHA256:36eaeda0ede52c1015b1c6c620fbc6591d2dee1f0077bcf31825d67ef11c2738

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_seh-mz.js.gz: angular-locale_seh-mz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_seh-mz.js.gz/angular-locale_seh-mz.js
 - MD5: e1aced0ae776f11bc239468e48f73212
 - SHA1: 3bcb6077fb2e787f6d7b710f07758aabe4e97037

- SHA256: 36eaeda0ede52c1015b1c6c620fbc6591d2dee1f0077bcf31825d67ef11c2738

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_seh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_seh.js

MD5: d7d4447b73aa6fda286d8f2084177687

SHA1: cec925876634c86ca4386529966a4e9a882c97b7

SHA256: ce78ca1790b0ae99068ad67f7b39b5f06165ceee7b6c618751b5d90345f516c3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_seh.js.gz: angular-locale_seh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_seh.js.gz/angular-locale_seh.js
 - MD5: d7d4447b73aa6fda286d8f2084177687
 - SHA1: cec925876634c86ca4386529966a4e9a882c97b7
 - SHA256: ce78ca1790b0ae99068ad67f7b39b5f06165ceee7b6c618751b5d90345f516c3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ses-ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ses-ml.js

MD5: 8affb38516e47e501b9e1ec2c8f3db38

SHA1: 7ffdc5499b1f9f91b1c219d5ccc3a71a6af23c3

SHA256:08a0a6381696d2a08e80aebc908f410a846932e480f67b7ec71a169ebfba891d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ses-ml.js.gz: angular-locale_ses-ml.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ses-ml.js.gz/angular-locale_ses-ml.js
 - MD5: 8affb38516e47e501b9e1ec2c8f3db38
 - SHA1: 7ffdc5499b1f9f91b1c219d5ccc3a71a6af23c3
 - SHA256: 08a0a6381696d2a08e80aebc908f410a846932e480f67b7ec71a169ebfba891d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ses.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ses.js

MD5: 0aca3b586dd063bb4cdc15b63b10e4aa

SHA1: e9728e20b6d7cc790a50d9b63c487e3c227b0ae4

SHA256:b01b1719bda85c3cb5e2301e94b52ea1925b112cb5d783f85108d63ac82aa00c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ses.js.gz: angular-locale_ses.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ses.js.gz/angular-locale_ses.js
 - MD5: 0aca3b586dd063bb4cdc15b63b10e4aa
 - SHA1: e9728e20b6d7cc790a50d9b63c487e3c227b0ae4

- SHA256: b01b1719bda85c3cb5e2301e94b52ea1925b112cb5d783f85108d63ac82aa00c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sg-cf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sg-cf.js

MD5: 41ac06bfc37bd85b64dcac0f571d77ca

SHA1: 9fdd8690e4bf9321bd27ca076332d546da1c0c0d

SHA256: 88e69491a6b009c3a92725f9dd2761ebe19227270e376472d1586640b6a5628d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sg-cf.js.gz: angular-locale_sg-cf.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sg-cf.js.gz/angular-locale_sg-cf.js
 - MD5: 41ac06bfc37bd85b64dcac0f571d77ca
 - SHA1: 9fdd8690e4bf9321bd27ca076332d546da1c0c0d
 - SHA256: 88e69491a6b009c3a92725f9dd2761ebe19227270e376472d1586640b6a5628d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sg.js

MD5: 204ce58206e93c91c0def07a50ddb1f7

SHA1: 5816d63625e6cba921153db053882f5bb3583387

SHA256:4155647a43ba86ea124ddf18a545188246189640fae06c035fb1f28add6c58a8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sg.js.gz: angular-locale_sg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sg.js.gz/angular-locale_sg.js
 - MD5: 204ce58206e93c91c0def07a50ddb1f7
 - SHA1: 5816d63625e6cba921153db053882f5bb3583387
 - SHA256: 4155647a43ba86ea124ddf18a545188246189640fae06c035fb1f28add6c58a8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sh.js

MD5: 5511c24d8bb8a305feba5aca77afd1de

SHA1: cb4632131be1432a469388ef476bb11f7be702a2

SHA256:494ba75a516f7a892dc43d475225539ceb4935a65255abff715861dc5d64c413

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sh.js.gz: angular-locale_sh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sh.js.gz/angular-locale_sh.js
 - MD5: 5511c24d8bb8a305feba5aca77afd1de
 - SHA1: cb4632131be1432a469388ef476bb11f7be702a2

- SHA256: 494ba75a516f7a892dc43d475225539ceb4935a65255abff715861dc5d64c413

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_shi-latn-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-latn-ma.js

MD5: d90d1e86486bf16887ccc921012e0f67

SHA1: c34f2348260abbe7022c1977129aa5d7ad82303b

SHA256: 3c441bcd24bfd981aaad685f1099e90a7958175261946d371140782d35612f10

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_shi-latn-ma.js.gz: angular-locale_shi-latn-ma.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-latn-ma.js.gz/angular-locale_shi-latn-ma.js
 - MD5: d90d1e86486bf16887ccc921012e0f67
 - SHA1: c34f2348260abbe7022c1977129aa5d7ad82303b
 - SHA256: 3c441bcd24bfd981aaad685f1099e90a7958175261946d371140782d35612f10

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_shi-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-latn.js

MD5: 69804bac1d8a4bb2b72f6a16233c978d

SHA1: 8dac500f760eae9023db8a8c2213842f42c88c7a

SHA256:acfb72052490826a5e7baa0d8492075bbc4408e781b9aa71b5aeb8a9eb39554
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_shi-latn.js.gz: angular-locale_shi-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-latn.js.gz/angular-locale_shi-latn.js
 - MD5: 69804bac1d8a4bb2b72f6a16233c978d
 - SHA1: 8dac500f760eae9023db8a8c2213842f42c88c7a
 - SHA256: acfb72052490826a5e7baa0d8492075bbc4408e781b9aa71b5aeb8a9eb39554

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_shi-tfng-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-tfng-ma.js
MD5: 739ff71005992976b67f8d100ed7d179
SHA1: c564561d9f1a3a123d4c8da0ce88dbd8f5b67408
SHA256:badda3ff54b97d29146bbcf654c1aaebe539b2731f208bde02c2a5a04d10dbe
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_shi-tfng-ma.js.gz: angular-locale_shi-tfng-ma.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-tfng-ma.js.gz/angular-locale_shi-tfng-ma.js
 - MD5: 739ff71005992976b67f8d100ed7d179
 - SHA1: c564561d9f1a3a123d4c8da0ce88dbd8f5b67408

- SHA256: badda3ff54b97d29146bbcfa654c1aaebe539b2731f208bde02c2a5a04d10dbe

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_shi-tfng.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-tfng.js

MD5: 021ec91e3c54a091472567da0877749c

SHA1: aedb7d96e60b68a8d6ac8fd72042732132a58b36

SHA256: 24ee3307727831c82934b9aa4751ab8d816f68d0bfe6ae478f439344d9763d66

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_shi-tfng.js.gz: angular-locale_shi-tfng.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi-tfng.js.gz/angular-locale_shi-tfng.js
 - MD5: 021ec91e3c54a091472567da0877749c
 - SHA1: aedb7d96e60b68a8d6ac8fd72042732132a58b36
 - SHA256: 24ee3307727831c82934b9aa4751ab8d816f68d0bfe6ae478f439344d9763d66

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_shi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi.js

MD5: aa8647a6ee13572b452d786b7be18402

SHA1: 9ded8761e8785c1744eb0fd0444d1e7faf9674dc

SHA256: 8f4b80407f50f483e6fe4e9efdba7b64d650e50502827d56ffd7834028b43729

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_shi.js.gz: angular-locale_shi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_shi.js.gz/angular-locale_shi.js
 - MD5: aa8647a6ee13572b452d786b7be18402
 - SHA1: 9ded8761e8785c1744eb0fd0444d1e7faf9674dc
 - SHA256: 8f4b80407f50f483e6fe4e9efdba7b64d650e50502827d56ffd7834028b43729

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_si-lk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_si-lk.js

MD5: fd2a397a7068c57ba1078a2fe51b8b33

SHA1: f6f0f4a7c627371909a96ab6deea4d9f46ecc465

SHA256: 1d89c3bbf970a1773e944162d804dbc22316aaaa8f9b00373126e14f2a89874e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_si-lk.js.gz: angular-locale_si-lk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_si-lk.js.gz/angular-locale_si-lk.js
 - MD5: fd2a397a7068c57ba1078a2fe51b8b33
 - SHA1: f6f0f4a7c627371909a96ab6deea4d9f46ecc465

- SHA256: 1d89c3bbf970a1773e944162d804dbc22316aaaa8f9b00373126e14f2a89874e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_si.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_si.js

MD5: d75a3039db8f859f16dbbb1125d0269e

SHA1: 466e18fa280369bce925b246da06fc9fd9dcc92c

SHA256: 640fb0d1598608ed555d9ce24359c749af7840467ce8a556cdeb7ebcc3e0c562

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_si.js.gz: angular-locale_si.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_si.js.gz/angular-locale_si.js
 - MD5: d75a3039db8f859f16dbbb1125d0269e
 - SHA1: 466e18fa280369bce925b246da06fc9fd9dcc92c
 - SHA256: 640fb0d1598608ed555d9ce24359c749af7840467ce8a556cdeb7ebcc3e0c562

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sk-sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sk-sk.js

MD5: b62d7756d1c059c5cc049f7a4438975f

SHA1: ea499539605b54b5c931f7e992633344470ff448

SHA256:523ee717235b8f244f277eb47aa57144e638f04bc7f265c9db6cd59a47416014

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sk-sk.js.gz: angular-locale_sk-sk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sk-sk.js.gz/angular-locale_sk-sk.js
 - MD5: b62d7756d1c059c5cc049f7a4438975f
 - SHA1: ea499539605b54b5c931f7e992633344470ff448
 - SHA256: 523ee717235b8f244f277eb47aa57144e638f04bc7f265c9db6cd59a47416014

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sk.js

MD5: 415cbf8b82d72335f2a481b6c501ea5f

SHA1: 5f368c8a7a9c37ca6b7bb39a9fec157084c65eae

SHA256:3fdcc6dfd91ecee8c575d50cc73d262ea418d6c309624fa481ef63b01ba3ca64

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sk.js.gz: angular-locale_sk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sk.js.gz/angular-locale_sk.js
 - MD5: 415cbf8b82d72335f2a481b6c501ea5f
 - SHA1: 5f368c8a7a9c37ca6b7bb39a9fec157084c65eae

- SHA256: 3fdcc6dfd91ecee8c575d50cc73d262ea418d6c309624fa481ef63b01ba3ca64

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sl-si.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sl-si.js

MD5: 4845bb60a0048ef32f0030b08f1f3321

SHA1: 6631220c5ecec0dcfa4b29402adc9fbc38902519

SHA256: 3ec442247d1d75f2432612d7c0b2b7f8d1708327ffe7f0773886ea0dd9864e0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sl-si.js.gz: angular-locale_sl-si.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sl-si.js.gz/angular-locale_sl-si.js
 - MD5: 4845bb60a0048ef32f0030b08f1f3321
 - SHA1: 6631220c5ecec0dcfa4b29402adc9fbc38902519
 - SHA256: 3ec442247d1d75f2432612d7c0b2b7f8d1708327ffe7f0773886ea0dd9864e0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sl.js

MD5: be9b64d39ab37ed1e06e4afbd56539ef

SHA1: c4bfd5fcf9cec9c6f2ca09ca606c5d721c816241

SHA256:5196be8d20542b8583a0501e15e47e74094785dc5b8e83b3058edeeb65112aa3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sl.js.gz: angular-locale_sl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sl.js.gz/angular-locale_sl.js
 - MD5: be9b64d39ab37ed1e06e4afbd56539ef
 - SHA1: c4bfd5fcf9cec9c6f2ca09ca606c5d721c816241
 - SHA256: 5196be8d20542b8583a0501e15e47e74094785dc5b8e83b3058edeeb65112aa3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_smn-fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_smn-fi.js

MD5: 2a371bb44be30ae1148f965f14595824

SHA1: 7e77ec9fc1fe37a767ea326abbbc4e55b399f70b

SHA256:441b90c7c7244c027eee0ea75a9e0cc62a3b25677900bd2921032551838554f0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_smn-fi.js.gz: angular-locale_smn-fi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_smn-fi.js.gz/angular-locale_smn-fi.js
 - MD5: 2a371bb44be30ae1148f965f14595824
 - SHA1: 7e77ec9fc1fe37a767ea326abbbc4e55b399f70b

- SHA256: 441b90c7c7244c027eee0ea75a9e0cc62a3b25677900bd2921032551838554f0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_smn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_smn.js

MD5: 72f96f705dedea348e52d6ff9653ed1b

SHA1: 123c2d16a695a0d0580e460e1b889e3c3c00e770

SHA256: 3a888331c3332584990b125264979c3cf640dab94aaf797b1d58d14f0563c656

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_smn.js.gz: angular-locale_smn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_smn.js.gz/angular-locale_smn.js
 - MD5: 72f96f705dedea348e52d6ff9653ed1b
 - SHA1: 123c2d16a695a0d0580e460e1b889e3c3c00e770
 - SHA256: 3a888331c3332584990b125264979c3cf640dab94aaf797b1d58d14f0563c656

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sn-zw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sn-zw.js

MD5: 22fb4ab50a53fa3cd36b185eb16087ad

SHA1: 3888b78abbcdb9c0615e00b9af5210abbbe48388

SHA256:52f8cbe98e964773080971d7bee71756bf81f740f448163aea44051aadaef444

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sn-zw.js.gz: angular-locale_sn-zw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sn-zw.js.gz/angular-locale_sn-zw.js
 - MD5: 22fb4ab50a53fa3cd36b185eb16087ad
 - SHA1: 3888b78abbcdb9c0615e00b9af5210abbbe48388
 - SHA256: 52f8cbe98e964773080971d7bee71756bf81f740f448163aea44051aadaef444

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sn.js

MD5: f46a7e0027bfd619474624cbefb5db64

SHA1: e9ddb17b5c80dd02d99642f33663b5457a24470a

SHA256:483f38c8a1d6487636cfb4b05dc6f4b6e50d8207632bc4be1900cf10f06a5d20

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sn.js.gz: angular-locale_sn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sn.js.gz/angular-locale_sn.js
 - MD5: f46a7e0027bfd619474624cbefb5db64
 - SHA1: e9ddb17b5c80dd02d99642f33663b5457a24470a

- SHA256: 483f38c8a1d6487636cfb4b05dc6f4b6e50d8207632bc4be1900cf10f06a5d20

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_so-dj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-dj.js

MD5: da7c0af9b8d0dbbb271f9f852655202e

SHA1: 939ddea71995f36f1898030b985c8cbbbb88d33

SHA256: 2b1be0335d8ab40377c5b23a234aeae62f6dda1e6d6760990dc8013b35cb0b57

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_so-dj.js.gz: angular-locale_so-dj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-dj.js.gz/angular-locale_so-dj.js
 - MD5: da7c0af9b8d0dbbb271f9f852655202e
 - SHA1: 939ddea71995f36f1898030b985c8cbbbb88d33
 - SHA256: 2b1be0335d8ab40377c5b23a234aeae62f6dda1e6d6760990dc8013b35cb0b57

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_so-et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-et.js

MD5: 9a5b7b1417e55bf931cab51b9ca9910c

SHA1: d6eeda000f03a3609435a96ac898c5ef0728d0c1

SHA256: a89447cc7bbe1c8f38b37c23539cdf7c905d9f49e2de26880d9a98edc8e466d4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_so-et.js.gz: angular-locale_so-et.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-et.js.gz/angular-locale_so-et.js
 - MD5: 9a5b7b1417e55bf931cab51b9ca9910c
 - SHA1: d6eeda000f03a3609435a96ac898c5ef0728d0c1
 - SHA256: a89447cc7bbe1c8f38b37c23539cdf7c905d9f49e2de26880d9a98edc8e466d4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_so-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-ke.js

MD5: fcda366a7084bb7bf9f1d39f45aa6980

SHA1: db55ee3e64089afa9c2d646a70487343ab6fe27e

SHA256: 14ddc9d2338941ac4c71646382b20a22fc7eae78e3de782cf04c49446289af8d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_so-ke.js.gz: angular-locale_so-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-ke.js.gz/angular-locale_so-ke.js
 - MD5: fcda366a7084bb7bf9f1d39f45aa6980
 - SHA1: db55ee3e64089afa9c2d646a70487343ab6fe27e

- SHA256: 14ddc9d2338941ac4c71646382b20a22fc7eae78e3de782cf04c49446289af8d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_so-so.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-so.js

MD5: e3c648977f07f86c8555603bb10e46f8

SHA1: 03e54cdc506bb201ed5fb7671f9e8a44da2d8b94

SHA256: e1c802ce1b53a7e5b1e999628362ce2d80398be1d645697f34e20d9ac0f89838

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_so-so.js.gz: angular-locale_so-so.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so-so.js.gz/angular-locale_so-so.js
 - MD5: e3c648977f07f86c8555603bb10e46f8
 - SHA1: 03e54cdc506bb201ed5fb7671f9e8a44da2d8b94
 - SHA256: e1c802ce1b53a7e5b1e999628362ce2d80398be1d645697f34e20d9ac0f89838

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_so.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so.js

MD5: 46925eecd7e7098f85cd20c1313c604e

SHA1: dc6d7546f8708be819b1d5413a0f928735dda8fe

SHA256: ec1767d40da53486f0942e4e3aea622691b20800fa98683a747f88db41a8cd3a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_so.js.gz: angular-locale_so.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_so.js.gz/angular-locale_so.js
 - MD5: 46925eecd7e7098f85cd20c1313c604e
 - SHA1: dc6d7546f8708be819b1d5413a0f928735dda8fe
 - SHA256: ec1767d40da53486f0942e4e3aea622691b20800fa98683a747f88db41a8cd3a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sq-al.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq-al.js

MD5: ba57058133d3e061b589d298a9f49ac7

SHA1: 1723265b8c4737ea0643167b75a4a8351cffe93

SHA256: 9a34908a3ced4e5f6cb785a578acbc5762d6880086f38eb9b105ecd8aa64864d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sq-al.js.gz: angular-locale_sq-al.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq-al.js.gz/angular-locale_sq-al.js
 - MD5: ba57058133d3e061b589d298a9f49ac7
 - SHA1: 1723265b8c4737ea0643167b75a4a8351cffe93

- SHA256: 9a34908a3ced4e5f6cb785a578acbc5762d6880086f38eb9b105ecd8aa64864d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sq-mk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq-mk.js

MD5: baf420acdf9ab478c14afa8de6972927

SHA1: 6367a5faafa8b590a06ecceb94760c136593129b

SHA256: 4477a8b5d9948776752d872a7804caa014db86a27de4b9466800fff2969e7865

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_sq-mk.js.gz: angular-locale_sq-mk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq-mk.js.gz/angular-locale_sq-mk.js
 - MD5: baf420acdf9ab478c14afa8de6972927
 - SHA1: 6367a5faafa8b590a06ecceb94760c136593129b
 - SHA256: 4477a8b5d9948776752d872a7804caa014db86a27de4b9466800fff2969e7865

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sq-xk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq-xk.js

MD5: 813e6dee6db3cf657f0e09a2d885c45b

SHA1: ecb8a22eb0c7061ee9683484347e0b3f8b0965a7

SHA256: e7d2a642c16cdd07bef204cbb4dd99f6992afdaa60831f01983840f131975de1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sq-xk.js.gz: angular-locale_sq-xk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq-xk.js.gz/angular-locale_sq-xk.js
 - MD5: 813e6dee6db3cf657f0e09a2d885c45b
 - SHA1: ecb8a22eb0c7061ee9683484347e0b3f8b0965a7
 - SHA256: e7d2a642c16cdd07bef204cbb4dd99f6992afdaa60831f01983840f131975de1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq.js

MD5: dadb798f57b3a1dd857a4b03ca9af895

SHA1: da36d132ac338eb4ca31836070dbf981e9cc610d

SHA256: 2727a6b124e0f4ebe47343eb563d228f8aa3f2832346cea56cc9d860eae955fa

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sq.js.gz: angular-locale_sq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sq.js.gz/angular-locale_sq.js
 - MD5: dadb798f57b3a1dd857a4b03ca9af895
 - SHA1: da36d132ac338eb4ca31836070dbf981e9cc610d

- SHA256: 2727a6b124e0f4ebe47343eb563d228f8aa3f2832346cea56cc9d860eae955fa

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-ba.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-ba.js

MD5: 95824703b8b395c7a7d3ef99d9d72e89

SHA1: 6d086fcc8c0d5eeb327fa2ccee1db42fb5c8b23e

SHA256: b436dea3d0baa399e337f66bec8b7aa67b335b85895c0c133b66ab82a6f5674f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-ba.js.gz: angular-locale_sr-cyrl-ba.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-ba.js.gz/angular-locale_sr-cyrl-ba.js
 - MD5: 95824703b8b395c7a7d3ef99d9d72e89
 - SHA1: 6d086fcc8c0d5eeb327fa2ccee1db42fb5c8b23e
 - SHA256: b436dea3d0baa399e337f66bec8b7aa67b335b85895c0c133b66ab82a6f5674f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-me.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-me.js

MD5: ca0f7e0064b8e543e5e29b08fe78c2f4

SHA1: b430e6280512dbf32f85358e455bacd24c1fb72d

SHA256:69a8f83d7792cd85a2a9669d75ca4e537e86aedc5b154d5f596021b4a5703a5b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-me.js.gz: angular-locale_sr-cyrl-me.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-me.js.gz/angular-locale_sr-cyrl-me.js
 - MD5: ca0f7e0064b8e543e5e29b08fe78c2f4
 - SHA1: b430e6280512dbf32f85358e455bacd24c1fb72d
 - SHA256: 69a8f83d7792cd85a2a9669d75ca4e537e86aedc5b154d5f596021b4a5703a5b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-rs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-rs.js

MD5: 662130e72d82c63c564c7d9bd997901e

SHA1: 7ac79b5d022c7de9b2c51756e1e1e8f51db022f7

SHA256:5be070857b145e50d14b41cc9222bf4ee1efcffe4fa87fe401bb77097c60813

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-rs.js.gz: angular-locale_sr-cyrl-rs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-rs.js.gz/angular-locale_sr-cyrl-rs.js
 - MD5: 662130e72d82c63c564c7d9bd997901e
 - SHA1: 7ac79b5d022c7de9b2c51756e1e1e8f51db022f7

- SHA256: 5be070857b145e50d14b41cc9222bf4ee1efcffe4fa87fe401bb77097c60813

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-xk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-xk.js

MD5: 8f106b253afa2773d29ed4eb4aaac6ee

SHA1: 81ead253caaaf45ee4ba8b5adc7609b859c3bc17

SHA256: a7e07e1c77b2f6f57bf86003dd90fd2029ba047d2f9fa476d16a91506087b3a2

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_sr-cyrl-xk.js.gz: angular-locale_sr-cyrl-xk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl-xk.js.gz/angular-locale_sr-cyrl-xk.js
 - MD5: 8f106b253afa2773d29ed4eb4aaac6ee
 - SHA1: 81ead253caaaf45ee4ba8b5adc7609b859c3bc17
 - SHA256: a7e07e1c77b2f6f57bf86003dd90fd2029ba047d2f9fa476d16a91506087b3a2

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl.js

MD5: bbba057c9194746571fccba39477e3de

SHA1: 1af595265c17d8c4f3bd8352a75817e72812750d

SHA256:f4758c5a48121348ee53557009b280759010721251f8950b89f2e07b7d219d13

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-cyrl.js.gz: angular-locale_sr-cyrl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-cyrl.js.gz/angular-locale_sr-cyrl.js
 - MD5: bbaa057c9194746571fccba39477e3de
 - SHA1: 1af595265c17d8c4f3bd8352a75817e72812750d
 - SHA256: f4758c5a48121348ee53557009b280759010721251f8950b89f2e07b7d219d13

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-latn-ba.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-ba.js

MD5: 3f3ac1ede4229cb83dc2f0b363edf7d1

SHA1: 95cc852568bc214025acf8361b26c9cfa9c57700

SHA256:d63a59a820e3b5b905a601824174f210858276083bc9beb66c5b9175de85bd41

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-latn-ba.js.gz: angular-locale_sr-latn-ba.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-ba.js.gz/angular-locale_sr-latn-ba.js
 - MD5: 3f3ac1ede4229cb83dc2f0b363edf7d1
 - SHA1: 95cc852568bc214025acf8361b26c9cfa9c57700

- SHA256: d63a59a820e3b5b905a601824174f210858276083bc9beb66c5b9175de85bd41

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-latn-me.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-me.js

MD5: 36f685c71712ad81eb949928443b8c67

SHA1: a3c55242c0bd43ec70e2ae5ed82a286707d3d5

SHA256: eb35befc865ff050ed93c6430fb4f43d736b8e693a46cd4b524ade0eb091ee07

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-latn-me.js.gz: angular-locale_sr-latn-me.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-me.js.gz/angular-locale_sr-latn-me.js
 - MD5: 36f685c71712ad81eb949928443b8c67
 - SHA1: a3c55242c0bd43ec70e2ae5ed82a286707d3d5
 - SHA256: eb35befc865ff050ed93c6430fb4f43d736b8e693a46cd4b524ade0eb091ee07

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-latn-rs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-rs.js

MD5: c9fe759b0db15598d82544294712410b

SHA1: d2b193471b464d7558832d4a31fca604ed4f4a0c

SHA256:3973e276953cdcd8028cedfc3973dd85cdb18cad46f6d12effaba61684df241d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-latn-rs.js.gz: angular-locale_sr-latn-rs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-rs.js.gz/angular-locale_sr-latn-rs.js
 - MD5: c9fe759b0db15598d82544294712410b
 - SHA1: d2b193471b464d7558832d4a31fca604ed4f4a0c
 - SHA256: 3973e276953cdcd8028cedfc3973dd85cdb18cad46f6d12effaba61684df241d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-latn-xk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-xk.js

MD5: eea4f41a5fbd305cdc80434c2f2c5323

SHA1: 80ce6b8da7e2c831bece01096d59dd4833a4dd35

SHA256:99e30f9a6ef0ee51b9be08a604f6189c0e7e8402206abcd1821bc52ac4f80d64

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-latn-xk.js.gz: angular-locale_sr-latn-xk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn-xk.js.gz/angular-locale_sr-latn-xk.js
 - MD5: eea4f41a5fbd305cdc80434c2f2c5323
 - SHA1: 80ce6b8da7e2c831bece01096d59dd4833a4dd35

- SHA256: 99e30f9a6ef0ee51b9be08a604f6189c0e7e8402206abcd1821bc52ac4f80d64

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn.js

MD5: 67cb1dae0d2aa0d75ae1b3cd89160c9a

SHA1: 264a970f6e01b37e360f31de5938e988550e925c

SHA256: 93b15636874411f71880a0165abae4e367f6a14e7eec3f7af3aba0264b18a0de

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr-latn.js.gz: angular-locale_sr-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr-latn.js.gz/angular-locale_sr-latn.js
 - MD5: 67cb1dae0d2aa0d75ae1b3cd89160c9a
 - SHA1: 264a970f6e01b37e360f31de5938e988550e925c
 - SHA256: 93b15636874411f71880a0165abae4e367f6a14e7eec3f7af3aba0264b18a0de

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr.js

MD5: 50618901439fd2aaac4631c077bc5bfe

SHA1: 66e2718e57814c191656579d6f61760dba86eb81

SHA256: ebb721f6a4dc1da5ccfd50cd2533a383fe95ee94b0436ef0c990cc4a99e1a4db

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sr.js.gz: angular-locale_sr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sr.js.gz/angular-locale_sr.js
 - MD5: 50618901439fd2aaac4631c077bc5bfe
 - SHA1: 66e2718e57814c191656579d6f61760dba86eb81
 - SHA256: ebb721f6a4dc1da5ccfd50cd2533a383fe95ee94b0436ef0c990cc4a99e1a4db

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sv-ax.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv-ax.js

MD5: 0f0981425507de138f76b2f7db853816

SHA1: bf0f5c204c84cd325f220ca35919c5bab96a2675

SHA256: 6f59ba22a906e13ec7d50d3ac1ce8d48fcf4b44ba84cbd43046e84db56547518

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sv-ax.js.gz: angular-locale_sv-ax.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv-ax.js.gz/angular-locale_sv-ax.js
 - MD5: 0f0981425507de138f76b2f7db853816
 - SHA1: bf0f5c204c84cd325f220ca35919c5bab96a2675

- SHA256: 6f59ba22a906e13ec7d50d3ac1ce8d48fcf4b44ba84cbd43046e84db56547518

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sv-fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv-fi.js

MD5: 3f8a4698a2cc85e7df9cc931c8e0300c

SHA1: e66c349910ed08e12863f12376e85bfddca6671b

SHA256: be0849298bf5d2e807a66e00261b2fae09a9254cbae622cb4b51db24ed8a9d40

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sv-fi.js.gz: angular-locale_sv-fi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv-fi.js.gz/angular-locale_sv-fi.js
 - MD5: 3f8a4698a2cc85e7df9cc931c8e0300c
 - SHA1: e66c349910ed08e12863f12376e85bfddca6671b
 - SHA256: be0849298bf5d2e807a66e00261b2fae09a9254cbae622cb4b51db24ed8a9d40

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sv-se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv-se.js

MD5: dada87060ae1b7418f1ffd2b902567a

SHA1: 418a5183a1950c32a802c3e1fa8c516163270f39

SHA256:4ecbf86cf6a9ef4b35dd51e797541f9aa14ce6b1b81822429fa79d46994d3c8e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sv-se.js.gz: angular-locale_sv-se.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv-se.js.gz/angular-locale_sv-se.js
 - MD5: dada87060ae1b7418f1ffd2b902567a
 - SHA1: 418a5183a1950c32a802c3e1fa8c516163270f39
 - SHA256: 4ecbf86cf6a9ef4b35dd51e797541f9aa14ce6b1b81822429fa79d46994d3c8e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv.js

MD5: 7b368cb5b12ea3a9fd181b81972abfc1

SHA1: 7880befd819cb21fc52b3437c803082176e15124

SHA256:5bf817940168a3064ed6cb107fe4446e697a745910d7d889872a68ef806875d6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sv.js.gz: angular-locale_sv.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sv.js.gz/angular-locale_sv.js
 - MD5: 7b368cb5b12ea3a9fd181b81972abfc1
 - SHA1: 7880befd819cb21fc52b3437c803082176e15124

- SHA256: 5bf817940168a3064ed6cb107fe4446e697a745910d7d889872a68ef806875d6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sw-cd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-cd.js

MD5: d6539d1497bb43b7350898106e09cea1

SHA1: 47217ad2e59430b8cbf197d4b2c99c5f3cc51dea

SHA256: 64cdc25f0f53793a50d937f60548988d2780f04af694e8272b742ad0aa4857c4

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_sw-cd.js.gz: angular-locale_sw-cd.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-cd.js.gz/angular-locale_sw-cd.js
 - MD5: d6539d1497bb43b7350898106e09cea1
 - SHA1: 47217ad2e59430b8cbf197d4b2c99c5f3cc51dea
 - SHA256: 64cdc25f0f53793a50d937f60548988d2780f04af694e8272b742ad0aa4857c4

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sw-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-ke.js

MD5: 855dbdf8be25c7a82b1051201886ebd4

SHA1: ec7fc64da82228c8d6d993277a45de5dd8866ad8

SHA256: d7a697c9dad769a4fb9a4399e706064220b4ecb32df9707977b5313633b87079

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sw-ke.js.gz: angular-locale_sw-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-ke.js.gz/angular-locale_sw-ke.js
 - MD5: 855dbdf8be25c7a82b1051201886ebd4
 - SHA1: ec7fc64da82228c8d6d993277a45de5dd8866ad8
 - SHA256: d7a697c9dad769a4fb9a4399e706064220b4ecb32df9707977b5313633b87079

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sw-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-tz.js

MD5: cf50e2dec61be76fb12f98bcf3287745

SHA1: 4f7861b2cdc4473f10bd5cc6622fec58ae614776

SHA256: b20f78d59fd7d41678a167e8f1e87a87c01b169e40d254ee34f637a2f55b7e4d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sw-tz.js.gz: angular-locale_sw-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-tz.js.gz/angular-locale_sw-tz.js
 - MD5: cf50e2dec61be76fb12f98bcf3287745
 - SHA1: 4f7861b2cdc4473f10bd5cc6622fec58ae614776

- SHA256: b20f78d59fd7d41678a167e8f1e87a87c01b169e40d254ee34f637a2f55b7e4d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sw-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-ug.js

MD5: 9c5a6615d481310dc2f68253a205ea10

SHA1: 14bc4117b08f54947dde98ecd5e1e8ab2b65c28e

SHA256: f043c619b8d87567c6db1cdd506c4fa8945f9ef77e9bd4e9399feee2284d4f9e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sw-ug.js.gz: angular-locale_sw-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw-ug.js.gz/angular-locale_sw-ug.js
 - MD5: 9c5a6615d481310dc2f68253a205ea10
 - SHA1: 14bc4117b08f54947dde98ecd5e1e8ab2b65c28e
 - SHA256: f043c619b8d87567c6db1cdd506c4fa8945f9ef77e9bd4e9399feee2284d4f9e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_sw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw.js

MD5: 0422a3fdbd6efcf65aa3df92eb8835c5

SHA1: 7bd1e1908f0516cd04d7421adfb6013e41c762af

SHA256:ea31ae543d5edd7e8b3476b463651aed8793928902bc89e6c371320eff625068

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_sw.js.gz: angular-locale_sw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_sw.js.gz/angular-locale_sw.js
 - MD5: 0422a3fdbd6efcf65aa3df92eb8835c5
 - SHA1: 7bd1e1908f0516cd04d7421adfb6013e41c762af
 - SHA256: ea31ae543d5edd7e8b3476b463651aed8793928902bc89e6c371320eff625068

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ta-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-in.js

MD5: 44838fd91b69a6d4931b61c06381b332

SHA1: bf2ea13e9eefa2b4fe09bab43c9808b13313de6b

SHA256:3c34db618eaca2ea8c6fda33895a1aa0bbb5e96790721bc12aa9e816b9aeab02

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ta-in.js.gz: angular-locale_ta-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-in.js.gz/angular-locale_ta-in.js
 - MD5: 44838fd91b69a6d4931b61c06381b332
 - SHA1: bf2ea13e9eefa2b4fe09bab43c9808b13313de6b

- SHA256: 3c34db618eaca2ea8c6fda33895a1aa0bbb5e96790721bc12aa9e816b9aeab02

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ta-lk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-lk.js

MD5: b5859fce3c6f6a15f6bb824544a925f3

SHA1: e45ab1ccb00a81bcea14ee7373532c3ba38a0998

SHA256: 0a7c0d63a4f4517b1fd7f5edade4bc2999070eaa84460eb5f41b18ea12228411

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ta-lk.js.gz: angular-locale_ta-lk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-lk.js.gz/angular-locale_ta-lk.js
 - MD5: b5859fce3c6f6a15f6bb824544a925f3
 - SHA1: e45ab1ccb00a81bcea14ee7373532c3ba38a0998
 - SHA256: 0a7c0d63a4f4517b1fd7f5edade4bc2999070eaa84460eb5f41b18ea12228411

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ta-my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-my.js

MD5: d3fa3bcf346bd1e5170959ea1ea43231

SHA1: ae9559c5002501c92cd780fb5777e6d6f7c7a638

SHA256:eda85967c9a0e3ff18c4890f2dadd62f0f2a0ea8a24c8fcbdfa632a8050674ae

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ta-my.js.gz: angular-locale_ta-my.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-my.js.gz/angular-locale_ta-my.js
 - MD5: d3fa3bcf346bd1e5170959ea1ea43231
 - SHA1: ae9559c5002501c92cd780fb5777e6d6f7c7a638
 - SHA256: eda85967c9a0e3ff18c4890f2dadd62f0f2a0ea8a24c8fcbdfa632a8050674ae

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ta-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-sg.js

MD5: ba47157a80e4aca19615ad1c9a00dfc7

SHA1: 5f2807cf5caf248800aef830fb494e81cf6008

SHA256:d96f73c3eefab5b6ec40074b49f02134a39759fe68fbcf9f08b1e7b9fc4c61f9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ta-sg.js.gz: angular-locale_ta-sg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta-sg.js.gz/angular-locale_ta-sg.js
 - MD5: ba47157a80e4aca19615ad1c9a00dfc7
 - SHA1: 5f2807cf5caf248800aef830fb494e81cf6008

- SHA256: d96f73c3eefab5b6ec40074b49f02134a39759fe68fbcf9f08b1e7b9fc4c61f9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta.js

MD5: 3c82caaf11bcddd8339747d5548e2e06

SHA1: 48227aa2579b4515052e110dedc881b38fe03a4c

SHA256: f5a93cd4f06f88190cfb910de911f8e476d43ee9f65b63b7e5c0769dc933bd85

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ta.js.gz: angular-locale_ta.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ta.js.gz/angular-locale_ta.js
 - MD5: 3c82caaf11bcddd8339747d5548e2e06
 - SHA1: 48227aa2579b4515052e110dedc881b38fe03a4c
 - SHA256: f5a93cd4f06f88190cfb910de911f8e476d43ee9f65b63b7e5c0769dc933bd85

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_te-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_te-in.js

MD5: 62d36e04ba32408a812a06ee20f59ca9

SHA1: efaecdcd751b7ec7219339c59cf8be2d83727d98

SHA256: 6f903d166614cb1e20542979b1e640421d8c967adc9312d3ee431acd09263cf9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_te-in.js.gz: angular-locale_te-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_te-in.js.gz/angular-locale_te-in.js
 - MD5: 62d36e04ba32408a812a06ee20f59ca9
 - SHA1: efaecdcd751b7ec7219339c59cf8be2d83727d98
 - SHA256: 6f903d166614cb1e20542979b1e640421d8c967adc9312d3ee431acd09263cf9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_te.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_te.js

MD5: 9491e3c69ae94fda27c53a94e4638d44

SHA1: 38ff45fb3de433a184fc13ef7ef4ddc9acf29701

SHA256: e68c3e8dcb5ca96aa10ea2fb88b7e9ffec0b16e3eeefd431d41fab1a1b54cc17

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_te.js.gz: angular-locale_te.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_te.js.gz/angular-locale_te.js
 - MD5: 9491e3c69ae94fda27c53a94e4638d44
 - SHA1: 38ff45fb3de433a184fc13ef7ef4ddc9acf29701

- SHA256: e68c3e8dcb5ca96aa10ea2fb88b7e9ffec0b16e3eeefd431d41fab1a1b54cc17

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_teo-ke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_teo-ke.js

MD5: cf33e08af3385a21fe67403781f5ccd9

SHA1: 9a72932e7d52aaa054295aa4a83944101a59cab2

SHA256: 90d3d1afaaf8d9ab19e6a733383ac7af1b42717172651647186547e030e20460

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_teo-ke.js.gz: angular-locale_teo-ke.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_teo-ke.js.gz/angular-locale_teo-ke.js
 - MD5: cf33e08af3385a21fe67403781f5ccd9
 - SHA1: 9a72932e7d52aaa054295aa4a83944101a59cab2
 - SHA256: 90d3d1afaaf8d9ab19e6a733383ac7af1b42717172651647186547e030e20460

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_teo-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_teo-ug.js

MD5: 835d0f42f4d0fe018bae551c07dd7709

SHA1: 6ec9ee70c6c9021a2fa67d5eb91cf0229f21619f

SHA256:6e16749c06e84363d2ebe28a19d95bf4d1bdf8e126186641ae706904831d4797

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_teo-ug.js.gz: angular-locale_teo-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_teo-ug.js.gz/angular-locale_teo-ug.js
 - MD5: 835d0f42f4d0fe018bae551c07dd7709
 - SHA1: 6ec9ee70c6c9021a2fa67d5eb91cf0229f21619f
 - SHA256: 6e16749c06e84363d2ebe28a19d95bf4d1bdf8e126186641ae706904831d4797

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_teo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_teo.js

MD5: 92c667eb4bf4ddc75222a6628e4000f3

SHA1: d556cc97d346f43b79fdcce823b066efbad9da51

SHA256:c33610e326fdad532e365885f6855e428273aadb9fe91613803926b926ddeedb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_teo.js.gz: angular-locale_teo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_teo.js.gz/angular-locale_teo.js
 - MD5: 92c667eb4bf4ddc75222a6628e4000f3
 - SHA1: d556cc97d346f43b79fdcce823b066efbad9da51

- SHA256: c33610e326fdad532e365885f6855e428273aadb9fe91613803926b926ddeedb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_th-th.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_th-th.js

MD5: 7cacd63e277cdd903b2505086b47eef8

SHA1: 18033342d9b6b9dc0b7cb00632e4adcc361a4d30

SHA256: f242b68cfb6a39a893b5c81d1b4c7cdad262f51ab4541206bfeaac764fb381b0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_th-th.js.gz: angular-locale_th-th.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_th-th.js.gz/angular-locale_th-th.js
 - MD5: 7cacd63e277cdd903b2505086b47eef8
 - SHA1: 18033342d9b6b9dc0b7cb00632e4adcc361a4d30
 - SHA256: f242b68cfb6a39a893b5c81d1b4c7cdad262f51ab4541206bfeaac764fb381b0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_th.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_th.js

MD5: 4de69e74584b30eb3ddd9942c6bfb088

SHA1: b2772e11b87fed281a2bff60fcc871ce7ff38a6e

SHA256:176aa03e3e7ee6ca46ce0565b30cee8e9b9610302603c26d233f19344237e411

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_th.js.gz: angular-locale_th.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_th.js.gz/angular-locale_th.js
 - MD5: 4de69e74584b30eb3ddd9942c6bfb088
 - SHA1: b2772e11b87fed281a2bff60fcc871ce7ff38a6e
 - SHA256: 176aa03e3e7ee6ca46ce0565b30cee8e9b9610302603c26d233f19344237e411

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ti-er.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ti-er.js

MD5: abb575f222f27172d67ef11ed46b13de

SHA1: c4542402133f21b9ed56165c8e10cef60110c895

SHA256:ae8eb417513f8cf3d30734c70c03200fcb0e61ec3bd2bf8c90d5373db5a554ef

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ti-er.js.gz: angular-locale_ti-er.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ti-er.js.gz/angular-locale_ti-er.js
 - MD5: abb575f222f27172d67ef11ed46b13de
 - SHA1: c4542402133f21b9ed56165c8e10cef60110c895

- SHA256: ae8eb417513f8cf3d30734c70c03200fcb0e61ec3bd2bf8c90d5373db5a554ef

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ti-et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ti-et.js

MD5: 74bd12746a9569ec270bc58eec85ef98

SHA1: cfd98deed05b466bb33ada53877124aebbbb979

SHA256: 8ffcf312204766f33bdf67ba3bf72612c6456dc90da3763515721601aa76ee84

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ti-et.js.gz: angular-locale_ti-et.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ti-et.js.gz/angular-locale_ti-et.js
 - MD5: 74bd12746a9569ec270bc58eec85ef98
 - SHA1: cfd98deed05b466bb33ada53877124aebbbb979
 - SHA256: 8ffcf312204766f33bdf67ba3bf72612c6456dc90da3763515721601aa76ee84

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ti.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ti.js

MD5: 1b86fd8b5233496c4cce43f176b70667

SHA1: a2593470ee2faa6ea23a430174633e98b88c43fb

SHA256: ee3c69d276aede56f56295a3eb30981f7fa627ed5732c3779bceed148696410d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ti.js.gz: angular-locale_ti.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ti.js.gz/angular-locale_ti.js
 - MD5: 1b86fd8b5233496c4cce43f176b70667
 - SHA1: a2593470ee2faa6ea23a430174633e98b88c43fb
 - SHA256: ee3c69d276aede56f56295a3eb30981f7fa627ed5732c3779bceed148696410d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tk-tm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tk-tm.js

MD5: 92df6dea6431c4ff785bce5989345373

SHA1: b70740389adf0a6d5d69c078ed44062a004a3896

SHA256: fed15d448ea319aa129d17d410b13298b18cf82248dd47b724105a9f7c1471e9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tk-tm.js.gz: angular-locale_tk-tm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tk-tm.js.gz/angular-locale_tk-tm.js
 - MD5: 92df6dea6431c4ff785bce5989345373
 - SHA1: b70740389adf0a6d5d69c078ed44062a004a3896

- SHA256: fed15d448ea319aa129d17d410b13298b18cf82248dd47b724105a9f7c1471e9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tk.js

MD5: c03e82073b1538d7dc3bb016ca83bb3b

SHA1: d9419ae58a65b2c8c13a732f359b77251e4753e3

SHA256: 907df151f2bb90a6e38fe061d5885535a14105a1d644e40171b82d9b5a5c02ff

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_tk.js.gz: angular-locale_tk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tk.js.gz/angular-locale_tk.js
 - MD5: c03e82073b1538d7dc3bb016ca83bb3b
 - SHA1: d9419ae58a65b2c8c13a732f359b77251e4753e3
 - SHA256: 907df151f2bb90a6e38fe061d5885535a14105a1d644e40171b82d9b5a5c02ff

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tl.js

MD5: ada97faeeb791d7dcccfe32d673dd8788

SHA1: 220a9b2efaeb8b9e19f9d11e14366c139490f022

SHA256: a4f43691faf8bf6952606561cec145cf118a4167e07f982d088632735f13fdd

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tl.js.gz: angular-locale_tl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tl.js.gz/angular-locale_tl.js
 - MD5: ada97faeeb791d7dcccfe32d673dd8788
 - SHA1: 220a9b2efaeb8b9e19f9d11e14366c139490f022
 - SHA256: a4f43691faf8bf6952606561cec145cf118a4167e07f982d088632735f13fdd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_to-to.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_to-to.js

MD5: b939d2286bb5471505e32a4b6d749624

SHA1: c4d0a631a9ff8be82d239101939ef0e229f7d273

SHA256: 23c40e7f98c73b1ed0a3abde9905320ecc10775b6d8b5ff004050d4e2594179c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_to-to.js.gz: angular-locale_to-to.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_to-to.js.gz/angular-locale_to-to.js
 - MD5: b939d2286bb5471505e32a4b6d749624
 - SHA1: c4d0a631a9ff8be82d239101939ef0e229f7d273

- SHA256: 23c40e7f98c73b1ed0a3abde9905320ecc10775b6d8b5ff004050d4e2594179c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_to.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_to.js

MD5: 13e2b9769610a75edbaa43be2dc5054d

SHA1: 777cd23c89584da21fc59f1a3df726a83da1792d

SHA256: 950a4bdfc654ea8bdc62a964b6f5cb2548f9e0429332715c8d4594fd545132a7

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_to.js.gz: angular-locale_to.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_to.js.gz/angular-locale_to.js
 - MD5: 13e2b9769610a75edbaa43be2dc5054d
 - SHA1: 777cd23c89584da21fc59f1a3df726a83da1792d
 - SHA256: 950a4bdfc654ea8bdc62a964b6f5cb2548f9e0429332715c8d4594fd545132a7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tr-cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tr-cy.js

MD5: 7d93081ad1361469ab627bbd24c26b0f

SHA1: f8147da7407791a172cb79bcad41be1082f77630

SHA256: b0ea9428279f4d393d34e0a2b6e345703a2f11246a5ac6782503b5e022b6d935

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tr-cy.js.gz: angular-locale_tr-cy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tr-cy.js.gz/angular-locale_tr-cy.js
 - MD5: 7d93081ad1361469ab627bbd24c26b0f
 - SHA1: f8147da7407791a172cb79bcad41be1082f77630
 - SHA256: b0ea9428279f4d393d34e0a2b6e345703a2f11246a5ac6782503b5e022b6d935

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tr-tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tr-tr.js

MD5: 132be6a6e067aeb51bf80ad19e90d161

SHA1: fbd8c5d5e4b66a5cc2c704753d292ee32de3cf57

SHA256: ad7dcefe4e028770f8c78b06c993af936c4bd543a93bdf9945047ecea22d09ed

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tr-tr.js.gz: angular-locale_tr-tr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tr-tr.js.gz/angular-locale_tr-tr.js
 - MD5: 132be6a6e067aeb51bf80ad19e90d161
 - SHA1: fbd8c5d5e4b66a5cc2c704753d292ee32de3cf57

- SHA256: ad7dcefe4e028770f8c78b06c993af936c4bd543a93bdf9945047ecea22d09ed

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tr.js

MD5: 9afcb5c50ca4d36717d8159b548869a8

SHA1: 1ab73f7a4c3eafbb03596c5bbace7512ff657f08

SHA256: 0c745dc81bcddd96eb2290e7cd8a4b4668bbe0e1b8cdaff2972f04a5c6d490e9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tr.js.gz: angular-locale_tr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tr.js.gz/angular-locale_tr.js
 - MD5: 9afcb5c50ca4d36717d8159b548869a8
 - SHA1: 1ab73f7a4c3eafbb03596c5bbace7512ff657f08
 - SHA256: 0c745dc81bcddd96eb2290e7cd8a4b4668bbe0e1b8cdaff2972f04a5c6d490e9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_twq-ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_twq-ne.js

MD5: 126b93ac981b51394a4a12781b97744d

SHA1: 08561208b52c533ded00dac219dc447a8f48e4d1

SHA256:bb28113802f7af78574046e2ec2eebd3fbf292bc019c937a74bba8f18307a185

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_twq-ne.js.gz: angular-locale_twq-ne.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_twq-ne.js.gz/angular-locale_twq-ne.js
 - MD5: 126b93ac981b51394a4a12781b97744d
 - SHA1: 08561208b52c533ded00dac219dc447a8f48e4d1
 - SHA256: bb28113802f7af78574046e2ec2eebd3fbf292bc019c937a74bba8f18307a185

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_twq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_twq.js

MD5: e78d743ef88ce8cd2b3c60d1fa377591

SHA1: 178acc57a0be63d13cb461e83f41e6cbec9eb526

SHA256:4a9bf1c2e6e3dacb0f6c5facde4f35009a174366a7e704da84c044c49ce94cd9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_twq.js.gz: angular-locale_twq.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_twq.js.gz/angular-locale_twq.js
 - MD5: e78d743ef88ce8cd2b3c60d1fa377591
 - SHA1: 178acc57a0be63d13cb461e83f41e6cbec9eb526

- SHA256: 4a9bf1c2e6e3dadb0f6c5facde4f35009a174366a7e704da84c044c49ce94cd9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tzm-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tzm-ma.js

MD5: e5c69d3d829ce3718c9d3b7ea2c44160

SHA1: 80fb640fac9ed45a98b17e462a26c529c377cd2b

SHA256: ae283e84839349ff9a2219ee8377dcb247997da79d6b0066a330ec48aa83b7df

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tzm-ma.js.gz: angular-locale_tzm-ma.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tzm-ma.js.gz/angular-locale_tzm-ma.js
 - MD5: e5c69d3d829ce3718c9d3b7ea2c44160
 - SHA1: 80fb640fac9ed45a98b17e462a26c529c377cd2b
 - SHA256: ae283e84839349ff9a2219ee8377dcb247997da79d6b0066a330ec48aa83b7df

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_tzm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tzm.js

MD5: a21d0601576f6a719c98a01aff29bd8f

SHA1: 78e17f2e78dbc7bad68e63353b80da14dec7f25e

SHA256: d72f2f6f439148b84e472e0eaac26eff7eab38781f606b30bc0b012431d32080

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_tzm.js.gz: angular-locale_tzm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_tzm.js.gz/angular-locale_tzm.js
 - MD5: a21d0601576f6a719c98a01aff29bd8f
 - SHA1: 78e17f2e78dbc7bad68e63353b80da14dec7f25e
 - SHA256: d72f2f6f439148b84e472e0eaac26eff7eab38781f606b30bc0b012431d32080

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ug-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ug-cn.js

MD5: dbe2528dd7738dad808f81d617d584de

SHA1: cf5039df4a1a4309297058438dfb2071fa60fca6

SHA256: 39aa77205c0a2c984c02b1dc021f0fecb333e2ca16287855deb8b6e592d07b7e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ug-cn.js.gz: angular-locale_ug-cn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ug-cn.js.gz/angular-locale_ug-cn.js
 - MD5: dbe2528dd7738dad808f81d617d584de
 - SHA1: cf5039df4a1a4309297058438dfb2071fa60fca6

- SHA256: 39aa77205c0a2c984c02b1dc021f0fecb333e2ca16287855deb8b6e592d07b7e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ug.js

MD5: 13f7a35e059cec39b597f5b2511e3ddd

SHA1: c2c3da2d1d8a988338333e1272319057f10e89bc

SHA256: 8b287ca3a6768ea2d5e65655ce2f063a035c918ce7c8c89a95dc69721abae2e7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ug.js.gz: angular-locale_ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ug.js.gz/angular-locale_ug.js
 - MD5: 13f7a35e059cec39b597f5b2511e3ddd
 - SHA1: c2c3da2d1d8a988338333e1272319057f10e89bc
 - SHA256: 8b287ca3a6768ea2d5e65655ce2f063a035c918ce7c8c89a95dc69721abae2e7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uk-ua.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uk-ua.js

MD5: 42f43274a4d25cf078d474ced1f1b981

SHA1: 0a3c664ef78875b44b0b079fc1be87363a2925b3

SHA256: 1e27531e17fe6d3a3110acc9f2e372384611fb7344e305e5c4813eaaf9f89490

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uk-ua.js.gz: angular-locale_uk-ua.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uk-ua.js.gz/angular-locale_uk-ua.js
 - MD5: 42f43274a4d25cf078d474ced1f1b981
 - SHA1: 0a3c664ef78875b44b0b079fc1be87363a2925b3
 - SHA256: 1e27531e17fe6d3a3110acc9f2e372384611fb7344e305e5c4813eaaf9f89490

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uk.js

MD5: 8a6025e7a824a108e9aa108c2ef97a80

SHA1: 1e9c33027aae2f1aaaf3b8fe89758826c0c9de4

SHA256: 0ccdce0bbd6e9ad14ce8a64b6df00842063298b0d35a5a0cfa3d6c38e70683f3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uk.js.gz: angular-locale_uk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uk.js.gz/angular-locale_uk.js
 - MD5: 8a6025e7a824a108e9aa108c2ef97a80
 - SHA1: 1e9c33027aae2f1aaaf3b8fe89758826c0c9de4

- SHA256: 0ccdcce0bbd6e9ad14ce8a64b6df00842063298b0d35a5a0cfa3d6c38e70683f3

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ur-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ur-in.js

MD5: 6644d6550e3c9fce5d6e8f0bea8dc708

SHA1: e41d687a10f495e4d875c7f0700e5fc4ace4e10b

SHA256: a7402a3ba21087432db57ea49fcf739af4acffb18640bb4d4e76b1efa548e5d8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ur-in.js.gz: angular-locale_ur-in.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ur-in.js.gz/angular-locale_ur-in.js
 - MD5: 6644d6550e3c9fce5d6e8f0bea8dc708
 - SHA1: e41d687a10f495e4d875c7f0700e5fc4ace4e10b
 - SHA256: a7402a3ba21087432db57ea49fcf739af4acffb18640bb4d4e76b1efa548e5d8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ur-pk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ur-pk.js

MD5: a5423321320df7c2c04b7832c490ff0c

SHA1: e202507fa81573966aa2151d5a52cdc6b9967c74

SHA256:0a042243e94d85b62203c44c08c2f5770371c30f50d287ab97615c85d0703a6e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ur-pk.js.gz: angular-locale_ur-pk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ur-pk.js.gz/angular-locale_ur-pk.js
 - MD5: a5423321320df7c2c04b7832c490ff0c
 - SHA1: e202507fa81573966aa2151d5a52cdc6b9967c74
 - SHA256: 0a042243e94d85b62203c44c08c2f5770371c30f50d287ab97615c85d0703a6e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_ur.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ur.js

MD5: d62772fbc7b9588b35b9be4b1befa87d

SHA1: 9f8afa11a9f6408121c8d45cffb0f07959cbc7b7

SHA256:92073409b444875a5a369a6947ac769b82a5b1bcaa2a5a17457d095bdada7571

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_ur.js.gz: angular-locale_ur.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_ur.js.gz/angular-locale_ur.js
 - MD5: d62772fbc7b9588b35b9be4b1befa87d
 - SHA1: 9f8afa11a9f6408121c8d45cffb0f07959cbc7b7

- SHA256: 92073409b444875a5a369a6947ac769b82a5b1bcaa2a5a17457d095bdada7571

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz-arab-af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-arab-af.js

MD5: b13835b2f5fe9d4e23d41664098896b4

SHA1: b2ec9d1cb0f9a5ae4ac773b574fb1fc449a9d974

SHA256: b8f314634ade3f2ec94a22ac621dd9a64f4f8f127cc032389490f55591b4af78

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz-arab-af.js.gz: angular-locale_uz-arab-af.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-arab-af.js.gz/angular-locale_uz-arab-af.js
 - MD5: b13835b2f5fe9d4e23d41664098896b4
 - SHA1: b2ec9d1cb0f9a5ae4ac773b574fb1fc449a9d974
 - SHA256: b8f314634ade3f2ec94a22ac621dd9a64f4f8f127cc032389490f55591b4af78

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz-arab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-arab.js

MD5: 59f3def88b3ef4b60957f967f68acf81

SHA1: 4fef768ee78390c9600047fa88c0037b333258a2

SHA256: 7c7fe0479e0d204f1af7c40531573708df2ce58f64fe3ebb8105454198d4d1b0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz-arab.js.gz: angular-locale_uz-arab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-arab.js.gz/angular-locale_uz-arab.js
 - MD5: 59f3def88b3ef4b60957f967f68acf81
 - SHA1: 4fef768ee78390c9600047fa88c0037b333258a2
 - SHA256: 7c7fe0479e0d204f1af7c40531573708df2ce58f64fe3ebb8105454198d4d1b0

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz-cyrl-uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-cyrl-uz.js

MD5: 4760e324aeebf0e8b7b58f8b1732705c

SHA1: 65b5956da79f75da1974b2b3df50cb928f6e4793

SHA256: 441b0adb410e7badd10a900b24bba8e33e2011cd8c92b329ce7cbaf7a75ce206

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz-cyrl-uz.js.gz: angular-locale_uz-cyrl-uz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-cyrl-uz.js.gz/angular-locale_uz-cyrl-uz.js
 - MD5: 4760e324aeebf0e8b7b58f8b1732705c
 - SHA1: 65b5956da79f75da1974b2b3df50cb928f6e4793

- SHA256: 441b0adb410e7badd10a900b24bba8e33e2011cd8c92b329ce7cbaf7a75ce206

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-cyrl.js

MD5: 3a1e1f0d3a7b039dc42d5101bbecc1a8

SHA1: c8e95201868051bfe3d4de65f5b8707bd3f9ea53

SHA256: 4700aa0813efbf87eea22d6ac27d9c9e887785317b5beac5ada6296cce925820

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz-cyrl.js.gz: angular-locale_uz-cyrl.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-cyrl.js.gz/angular-locale_uz-cyrl.js
 - MD5: 3a1e1f0d3a7b039dc42d5101bbecc1a8
 - SHA1: c8e95201868051bfe3d4de65f5b8707bd3f9ea53
 - SHA256: 4700aa0813efbf87eea22d6ac27d9c9e887785317b5beac5ada6296cce925820

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz-latn-uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-latn-uz.js

MD5: abe715161ea8c4df56ca12e957f94932

SHA1: f97d58ee293b559eb75351f8efbf512d0e12a324

SHA256: 8ad5f372d3c5d7eabd3eaf12cc0affc24a719b649dae452f0c662dc298a7058f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz-latn-uz.js.gz: angular-locale_uz-latn-uz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-latn-uz.js.gz/angular-locale_uz-latn-uz.js
 - MD5: abe715161ea8c4df56ca12e957f94932
 - SHA1: f97d58ee293b559eb75351f8efbf512d0e12a324
 - SHA256: 8ad5f372d3c5d7eabd3eaf12cc0affc24a719b649dae452f0c662dc298a7058f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-latn.js

MD5: 4d8d0f8152e29b01d89e0fafd8e17590

SHA1: f8529d3fccc80fbb6eed649ada48e0eecfca3661

SHA256: 0361659d9151aba74f87191558f7fa4627d79bc136e3d533ef65c621fc4848a5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz-latn.js.gz: angular-locale_uz-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz-latn.js.gz/angular-locale_uz-latn.js
 - MD5: 4d8d0f8152e29b01d89e0fafd8e17590
 - SHA1: f8529d3fccc80fbb6eed649ada48e0eecfca3661

- SHA256: 0361659d9151aba74f87191558f7fa4627d79bc136e3d533ef65c621fc4848a5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz.js

MD5: e72da13413075284bc16d5e9b1d09f73

SHA1: 757664370fa5ff9721818883364091ceba291ed6

SHA256: 986f011e43107d70edac8e812d48dd9d1f34ca18aaf2770fc1041f579ce234ab

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_uz.js.gz: angular-locale_uz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_uz.js.gz/angular-locale_uz.js
 - MD5: e72da13413075284bc16d5e9b1d09f73
 - SHA1: 757664370fa5ff9721818883364091ceba291ed6
 - SHA256: 986f011e43107d70edac8e812d48dd9d1f34ca18aaf2770fc1041f579ce234ab

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vai-ltn-lr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-ltn-lr.js

MD5: 2428a426a27e96aac986b7141d171ab0

SHA1: c8bee0cc7f48c51dd86ca7e86d66341f8d3a1318

SHA256: 82e6a71f1805719a21b88932fcf48deb33498714953f31996e34c0d2b5c20c6a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vai-latn-lr.js.gz: angular-locale_vai-latn-lr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-latn-lr.js.gz/angular-locale_vai-latn-lr.js
 - MD5: 2428a426a27e96aac986b7141d171ab0
 - SHA1: c8bee0cc7f48c51dd86ca7e86d66341f8d3a1318
 - SHA256: 82e6a71f1805719a21b88932fcf48deb33498714953f31996e34c0d2b5c20c6a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vai-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-latn.js

MD5: 2484038c4b163f341b61385055f580f1

SHA1: 7a2e2e0d9b7e1dd419482548660296dba2a1eddf

SHA256: 90d9140a56e66a61b6e813b8d8d687393f771259e8bc2ab9cf2caacda9b0791d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vai-latn.js.gz: angular-locale_vai-latn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-latn.js.gz/angular-locale_vai-latn.js
 - MD5: 2484038c4b163f341b61385055f580f1
 - SHA1: 7a2e2e0d9b7e1dd419482548660296dba2a1eddf

- SHA256: 90d9140a56e66a61b6e813b8d8d687393f771259e8bc2ab9cf2caacda9b0791d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vai-vaii-lr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-vaii-lr.js

MD5: 85aadd6bf77db9fdb52899e4c581d419

SHA1: c3e785f92a03042fb7fa83b2f0e02c9285b43f2c

SHA256: c3bb3e1dcd25e7b2810e0922019689f368b3d448329b6d258a84239b9971c80b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vai-vaii-lr.js.gz: angular-locale_vai-vaii-lr.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-vaii-lr.js.gz/angular-locale_vai-vaii-lr.js
 - MD5: 85aadd6bf77db9fdb52899e4c581d419
 - SHA1: c3e785f92a03042fb7fa83b2f0e02c9285b43f2c
 - SHA256: c3bb3e1dcd25e7b2810e0922019689f368b3d448329b6d258a84239b9971c80b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vai-vaii.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-vaii.js

MD5: 7bacdde3586301ce7a61f055e42fe9fd

SHA1: 469b74433e9b338bf944a7005a2fa0435bf42cae

SHA256:4088df602a913041eb842d3bfa0932b9b07e879de50299660f3003883bdecb00

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vai-vaii.js.gz: angular-locale_vai-vaii.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai-vaii.js.gz/angular-locale_vai-vaii.js
 - MD5: 7bacdde3586301ce7a61f055e42fe9fd
 - SHA1: 469b74433e9b338bf944a7005a2fa0435bf42cae
 - SHA256: 4088df602a913041eb842d3bfa0932b9b07e879de50299660f3003883bdecb00

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vai.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai.js

MD5: b7759d4441a7bc3f043e4e07646643

SHA1: 2d07a7152b9dc707025b925f020a7b834e7b2192

SHA256:6bf6edd7c4d67d111ced5b12600fdffd22c109ee93d4cf8e7785e345156d5f41

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vai.js.gz: angular-locale_vai.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vai.js.gz/angular-locale_vai.js
 - MD5: b7759d4441a7bc3f043e4e07646643
 - SHA1: 2d07a7152b9dc707025b925f020a7b834e7b2192

- SHA256: 6bf6edd7c4d67d111ced5b12600fdidd22c109ee93d4cf8e7785e345156d5f41

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vi-vn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vi-vn.js

MD5: 6ded38defdd73666e174a3c3757ee960

SHA1: c64a580938faa902cf9f6e02dbe37a0554795d4f

SHA256: a0015b718d4711fdaa12ee4be8ee23c272b9e07f3ea162475977542b6b4721b8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vi-vn.js.gz: angular-locale_vi-vn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vi-vn.js.gz/angular-locale_vi-vn.js
 - MD5: 6ded38defdd73666e174a3c3757ee960
 - SHA1: c64a580938faa902cf9f6e02dbe37a0554795d4f
 - SHA256: a0015b718d4711fdaa12ee4be8ee23c272b9e07f3ea162475977542b6b4721b8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vi.js

MD5: 16e4db55adb5c2bbc4e58202fd77484e

SHA1: 5ca84604dbde29a8f311cc2b9fcc637371030144

SHA256: 710befca9d57aeb4298a2cffbf994ed54043228fcbef1f61e30ecabcfce640f6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vi.js.gz: angular-locale_vi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vi.js.gz/angular-locale_vi.js
 - MD5: 16e4db55adb5c2bbc4e58202fd77484e
 - SHA1: 5ca84604dbde29a8f311cc2b9fcc637371030144
 - SHA256: 710befca9d57aeb4298a2cffbf994ed54043228fcbef1f61e30ecabcfce640f6

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vo-001.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vo-001.js

MD5: 9812799f93776363cd3f1d441cc38ba8

SHA1: 8986829cefb997a69713b4db9daedb0c6a83c9e0

SHA256: b7d167d4fbc8b0d68f396bdbc8761091935a91d74489f48c2a90d9b6d5852001

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vo-001.js.gz: angular-locale_vo-001.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vo-001.js.gz/angular-locale_vo-001.js
 - MD5: 9812799f93776363cd3f1d441cc38ba8
 - SHA1: 8986829cefb997a69713b4db9daedb0c6a83c9e0

- SHA256: b7d167d4fbc8b0d68f396bdbc8761091935a91d74489f48c2a90d9b6d5852001

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vo.js

MD5: 9d3ef8d1617e3fe607f6189d063dd989

SHA1: 577863af1660f7917a0dec8b1de7c2db39b17e92

SHA256: b5ae2ee7060fd5e584b18acb3bb1d1c2ced5cac4640de7a3c766ee4802b5b07c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vo.js.gz: angular-locale_vo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vo.js.gz/angular-locale_vo.js
 - MD5: 9d3ef8d1617e3fe607f6189d063dd989
 - SHA1: 577863af1660f7917a0dec8b1de7c2db39b17e92
 - SHA256: b5ae2ee7060fd5e584b18acb3bb1d1c2ced5cac4640de7a3c766ee4802b5b07c

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vun-tz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vun-tz.js

MD5: d9dc4ee8fcb1f488f6e81a975823cd39

SHA1: 5edd2b562ab71c823caaf650233e25c9c3fd54d0

SHA256:9269be883a6241ed3b62a5c0ff19e4ce99c69dc176b65bef84994c8bb673d50b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vun-tz.js.gz: angular-locale_vun-tz.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vun-tz.js.gz/angular-locale_vun-tz.js
 - MD5: d9dc4ee8fcb1f488f6e81a975823cd39
 - SHA1: 5edd2b562ab71c823caaf650233e25c9c3fd54d0
 - SHA256: 9269be883a6241ed3b62a5c0ff19e4ce99c69dc176b65bef84994c8bb673d50b

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_vun.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vun.js

MD5: e5d80efa80ecc1626536ab35987c77e8

SHA1: 55b431667547c0de87c6ad0f84e8a502c127aeb8

SHA256:4a03a02b40048a098bdfc3becb2e96bc5d820a3af25751e69d7dccf3e528f145

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_vun.js.gz: angular-locale_vun.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_vun.js.gz/angular-locale_vun.js
 - MD5: e5d80efa80ecc1626536ab35987c77e8
 - SHA1: 55b431667547c0de87c6ad0f84e8a502c127aeb8

- SHA256: 4a03a02b40048a098bdfc3becb2e96bc5d820a3af25751e69d7dccf3e528f145

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_wae-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_wae-ch.js

MD5: 7479ff4f44c7f23ae3a6c448c2def2a0

SHA1: 2b30cef3a5c142017b5f18a314aa897834d64028

SHA256: 664dee323890281bb49cf33571db75dd375fd368effb90cb759a0d40dad27ada

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_wae-ch.js.gz: angular-locale_wae-ch.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_wae-ch.js.gz/angular-locale_wae-ch.js
 - MD5: 7479ff4f44c7f23ae3a6c448c2def2a0
 - SHA1: 2b30cef3a5c142017b5f18a314aa897834d64028
 - SHA256: 664dee323890281bb49cf33571db75dd375fd368effb90cb759a0d40dad27ada

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_wae.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_wae.js

MD5: 8fbc01a06db1447965663c69536545c4

SHA1: 08df546ee44d4b7546fce5a7b7e284ca35f1b059

SHA256: 1eefe955be5dbeb7a5862c278429163785c957d49463fba45bdea9f1d4bbabbd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_wae.js.gz: angular-locale_wae.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_wae.js.gz/angular-locale_wae.js
 - MD5: 8fbc01a06db1447965663c69536545c4
 - SHA1: 08df546ee44d4b7546fce5a7b7e284ca35f1b059
 - SHA256: 1eefe955be5dbeb7a5862c278429163785c957d49463fba45bdea9f1d4bbabbd

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_xog-ug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_xog-ug.js

MD5: c8116e0988682c6537d0cb71708df00d

SHA1: 51144ef5b27f6786a7a0248c65466f58a43cb378

SHA256: 4b29604ee037f12466626e1e6a26fc59cbd752a807f24e20621cf272bbe57418

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_xog-ug.js.gz: angular-locale_xog-ug.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_xog-ug.js.gz/angular-locale_xog-ug.js
 - MD5: c8116e0988682c6537d0cb71708df00d
 - SHA1: 51144ef5b27f6786a7a0248c65466f58a43cb378

- SHA256: 4b29604ee037f112466626e1e6a26fc59cbd752a807f24e20621cf272bbe57418

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_xog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_xog.js

MD5: bc6abb01afdf8dbd6d322e256a0bcdaa

SHA1: 7e18241afc636f6d29b05d6d4a8ef783adc596f6

SHA256: 1e2a7eb2819af56ce36b7996994b338057a8b8a490732d8084be8000ce73d887

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_xog.js.gz: angular-locale_xog.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_xog.js.gz/angular-locale_xog.js
 - MD5: bc6abb01afdf8dbd6d322e256a0bcdaa
 - SHA1: 7e18241afc636f6d29b05d6d4a8ef783adc596f6
 - SHA256: 1e2a7eb2819af56ce36b7996994b338057a8b8a490732d8084be8000ce73d887

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yav-cm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yav-cm.js

MD5: d978de047f0c34d6bf7f45681620436d

SHA1: 9b756f42ab8f9677810e07a3413412e412e8b469

SHA256: b1db53b28c0537a7cd118e851e2d112ed1f6b7e4cd4d67534353f5e230e4e740

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yav-cm.js.gz: angular-locale_yav-cm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yav-cm.js.gz/angular-locale_yav-cm.js
 - MD5: d978de047f0c34d6bf7f45681620436d
 - SHA1: 9b756f42ab8f9677810e07a3413412e412e8b469
 - SHA256: b1db53b28c0537a7cd118e851e2d112ed1f6b7e4cd4d67534353f5e230e4e740

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yav.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yav.js

MD5: a3b1a9490a7b9368543e4b57aa0189c6

SHA1: 6854a6fe22acd48070864bded8951cd485366952

SHA256: 38ff9996f1944ddece694225ae02e3b9c965612111a6360f329ecea84d45659

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yav.js.gz: angular-locale_yav.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yav.js.gz/angular-locale_yav.js
 - MD5: a3b1a9490a7b9368543e4b57aa0189c6
 - SHA1: 6854a6fe22acd48070864bded8951cd485366952

- SHA256: 38ff9996f1944ddece694225ae02e3b9c965612111a6360f329ecea84d45659

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yi-001.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yi-001.js

MD5: 0bfa1d857ef94cec4fe36c4ffc7b7d10

SHA1: 6fa765c3b1dee95f0956dc67688ffa311c1da846

SHA256: 114ec26ffb27f9b705ec77a49d9f81d3def175fe2b3fbb0dea905afd1716575e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yi-001.js.gz: angular-locale_yi-001.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yi-001.js.gz/angular-locale_yi-001.js
 - MD5: 0bfa1d857ef94cec4fe36c4ffc7b7d10
 - SHA1: 6fa765c3b1dee95f0956dc67688ffa311c1da846
 - SHA256: 114ec26ffb27f9b705ec77a49d9f81d3def175fe2b3fbb0dea905afd1716575e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yi.js

MD5: a774c2ae768f0b369bd006e29667f9e

SHA1: 92e30a13f6c22e63baf49bab4478fdc095131586

SHA256: 2f7f405de75ba7f67b0ab84dea2224ebb3ad52f7b45b811488d820b99eff2d3e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yi.js.gz: angular-locale_yi.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yi.js.gz/angular-locale_yi.js
 - MD5: a774c2ae768f0b369bdaa06e29667f9e
 - SHA1: 92e30a13f6c22e63baf49bab4478fdc095131586
 - SHA256: 2f7f405de75ba7f67b0ab84dea2224ebb3ad52f7b45b811488d820b99eff2d3e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yo-bj.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yo-bj.js

MD5: 230085802216dfeababb06872bfe7da1

SHA1: adeb34f9de05a39290bfd0658305a0381f4814db

SHA256: 555b157e3aec940868958f4854739e2b760c3017543820a452eb342db3af9af5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yo-bj.js.gz: angular-locale_yo-bj.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yo-bj.js.gz/angular-locale_yo-bj.js
 - MD5: 230085802216dfeababb06872bfe7da1
 - SHA1: adeb34f9de05a39290bfd0658305a0381f4814db

- SHA256: 555b157e3aec940868958f4854739e2b760c3017543820a452eb342db3af9af5

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yo-ng.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yo-ng.js

MD5: 1a89dff218a9567e2bc0571f9348bd1c

SHA1: a77d0becd0aceb2fe88533ca10bf2789e89b3bb0

SHA256: 65f6b2649a663b1baa1b9c334de6e8a8c7645c426a0ee977d4acccecb6baef12

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yo-ng.js.gz: angular-locale_yo-ng.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yo-ng.js.gz/angular-locale_yo-ng.js
 - MD5: 1a89dff218a9567e2bc0571f9348bd1c
 - SHA1: a77d0becd0aceb2fe88533ca10bf2789e89b3bb0
 - SHA256: 65f6b2649a663b1baa1b9c334de6e8a8c7645c426a0ee977d4acccecb6baef12

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yo.js

MD5: 07b04bd25aa83d85c8a052a011c980d5

SHA1: e7c06f100d9624c6f2bdeac6d830edaa30068b1d

SHA256:40147b44fd030f03b40b0c0e99fa0d2c806752891c78e4e0996186ffbd2251fb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yo.js.gz: angular-locale_yo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yo.js.gz/angular-locale_yo.js
 - MD5: 07b04bd25aa83d85c8a052a011c980d5
 - SHA1: e7c06f100d9624c6f2bdeac6d830edaa30068b1d
 - SHA256: 40147b44fd030f03b40b0c0e99fa0d2c806752891c78e4e0996186ffbd2251fb

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yue-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yue-hk.js

MD5: 441c761f2771ecaeb8137d35744c33e1

SHA1: eb541e2f1979099d75ef13e94464b6e4a3de7b3f

SHA256:c1f144e73bdd6e1fc67030bc992c22e6f35b6da0da09f125ff757235c955804e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_yue-hk.js.gz: angular-locale_yue-hk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yue-hk.js.gz/angular-locale_yue-hk.js
 - MD5: 441c761f2771ecaeb8137d35744c33e1
 - SHA1: eb541e2f1979099d75ef13e94464b6e4a3de7b3f

- SHA256: c1f144e73bdd6e1fc67030bc992c22e6f35b6da0da09f125ff757235c955804e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_yue.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yue.js

MD5: 674720441f4fa2d8dfdb5b5f40461ff6

SHA1: efdccf7ac9e81809259a967dc9734ec064faf53a

SHA256: 0cea9e5ef7f90f1ab5fccb4cacc83698c08272df8f1517556114cb24e973aa5f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: angularjs.jar: angular-locale_yue.js.gz: angular-locale_yue.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_yue.js.gz/angular-locale_yue.js
 - MD5: 674720441f4fa2d8dfdb5b5f40461ff6
 - SHA1: efdccf7ac9e81809259a967dc9734ec064faf53a
 - SHA256: 0cea9e5ef7f90f1ab5fccb4cacc83698c08272df8f1517556114cb24e973aa5f

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zgh-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zgh-ma.js

MD5: 285569740f2af6009f258685501dcc9f

SHA1: 37b802b5ec25fc0aaaadbe54db1ac082eeac6d73

SHA256:af2619959e95cfdcf321b86b7372c754143b0cd0c91192390983399d35ec975e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zgh-ma.js.gz: angular-locale_zgh-ma.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zgh-ma.js.gz/angular-locale_zgh-ma.js
 - MD5: 285569740f2af6009f258685501dcc9f
 - SHA1: 37b802b5ec25fc0aaaadbe54db1ac082eeac6d73
 - SHA256: af2619959e95cfdcf321b86b7372c754143b0cd0c91192390983399d35ec975e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zgh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zgh.js

MD5: 2dca2aa16bb17a83bcf8a983f1ab5e2e

SHA1: 5f49574c4a1a14c9f89fd17a115628750d9c198e

SHA256:a2345be917fefe35ee87f4ece8adb40474c85024937063d5b35a6e14e16d0fce

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zgh.js.gz: angular-locale_zgh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zgh.js.gz/angular-locale_zgh.js
 - MD5: 2dca2aa16bb17a83bcf8a983f1ab5e2e
 - SHA1: 5f49574c4a1a14c9f89fd17a115628750d9c198e

- SHA256: a2345be917fefe35ee87f4ece8adb40474c85024937063d5b35a6e14e16d0fce

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-cn.js

MD5: c11ec8efc698f6de0eb77047c315925b

SHA1: 5900397a2f050297b1ba40a8effeee8402d40fe2

SHA256: 469b0498d395d1571ad7011e4cfcb55e3ff90fcb60204f54a5b550563509273d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-cn.js.gz: angular-locale_zh-cn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-cn.js.gz/angular-locale_zh-cn.js
 - MD5: c11ec8efc698f6de0eb77047c315925b
 - SHA1: 5900397a2f050297b1ba40a8effeee8402d40fe2
 - SHA256: 469b0498d395d1571ad7011e4cfcb55e3ff90fcb60204f54a5b550563509273d

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hans-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-cn.js

MD5: b571a00f57b76e6a394070c1a3f3aefb

SHA1: 04e9c13f473a8c2ae0dc748fcf678096102103b4

SHA256:fd8e802be63f77becf8082385a84581e75d719d0508314bec80c174f24c51ca1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hans-cn.js.gz: angular-locale_zh-hans-cn.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-cn.js.gz/angular-locale_zh-hans-cn.js
 - MD5: b571a00f57b76e6a394070c1a3f3aefb
 - SHA1: 04e9c13f473a8c2ae0dc748fcf678096102103b4
 - SHA256: fd8e802be63f77becf8082385a84581e75d719d0508314bec80c174f24c51ca1

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hans-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-hk.js

MD5: c94a6ac573136a1738974b91315487b7

SHA1: a73da5a61aa2f8b3eb4b789317233075fb03ecc8

SHA256:3316b26e9c7324c8a490cea2227640f3b36b1d020fdbd9e943529f283426977a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hans-hk.js.gz: angular-locale_zh-hans-hk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-hk.js.gz/angular-locale_zh-hans-hk.js

- MD5: c94a6ac573136a1738974b91315487b7
- SHA1: a73da5a61aa2f8b3eb4b789317233075fb03ecc8
- SHA256: 3316b26e9c7324c8a490cea2227640f3b36b1d020fdbd9e943529f283426977a

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hans-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-mo.js

MD5: cb1eb7aaed750bc802b4d3bbc1bfa819

SHA1: 23c9f90ec86801752e71417e0cd7668ef522d0f0

SHA256: 455bcdeea25ecf5dc1eaba55d473a37a7d7adf00e5b217571b2de96f313ad7a8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hans-mo.js.gz: angular-locale_zh-hans-mo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-mo.js.gz/angular-locale_zh-hans-mo.js
 - MD5: cb1eb7aaed750bc802b4d3bbc1bfa819
 - SHA1: 23c9f90ec86801752e71417e0cd7668ef522d0f0
 - SHA256: 455bcdeea25ecf5dc1eaba55d473a37a7d7adf00e5b217571b2de96f313ad7a8

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hans-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-sg.js

MD5: ad080225bcfebb0077813f8f02eb1220

SHA1: ebe73ddaad9282db7bc294e6b3c918d1eefbaebf

SHA256:42984259d66a4277fab5e305a2970ec6e27ab7c117931541a56897624c48f1f9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hans-sg.js.gz: angular-locale_zh-hans-sg.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans-sg.js.gz/angular-locale_zh-hans-sg.js
 - MD5: ad080225bcfebb0077813f8f02eb1220
 - SHA1: ebe73ddaad9282db7bc294e6b3c918d1eefbaebf
 - SHA256: 42984259d66a4277fab5e305a2970ec6e27ab7c117931541a56897624c48f1f9

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans.js

MD5: 8d9629469bc810c328d162b52973524e

SHA1: 53f311d5b35ccd15b48519565fc70673b6aeb54a

SHA256:4e6b3b53a11883066f987acabdf116267403d814b269d62064be691144ca4281

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hans.js.gz: angular-locale_zh-hans.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hans.js.gz/angular-locale_zh-hans.js

- MD5: 8d9629469bc810c328d162b52973524e
- SHA1: 53f311d5b35ccd15b48519565fc70673b6aeb54a
- SHA256: 4e6b3b53a11883066f987acabdf116267403d814b269d62064be691144ca4281

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hant-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant-hk.js

MD5: 930d550880c3c6ed7631b1e0bfa95b7b

SHA1: 442c78f8addb515efc9fa4d27e71f1f2a3a245fa

SHA256: bd3ad465e633e3ab12ac61b864d82e239d986d7f7e4e59395345a1ee804b46dc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hant-hk.js.gz: angular-locale_zh-hant-hk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant-hk.js.gz/angular-locale_zh-hant-hk.js
 - MD5: 930d550880c3c6ed7631b1e0bfa95b7b
 - SHA1: 442c78f8addb515efc9fa4d27e71f1f2a3a245fa
 - SHA256: bd3ad465e633e3ab12ac61b864d82e239d986d7f7e4e59395345a1ee804b46dc

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hant-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant-mo.js

MD5: ab921b3e5e0bf90af50fff0858e41bdb

SHA1: 7970a5caea923757d8f19ca156bba75b8206ba2a

SHA256: 61d0c849b9d8f3ddccda4775cc3b032419da942b96afdab9fd54689bd419ef8e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hant-mo.js.gz: angular-locale_zh-hant-mo.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant-mo.js.gz/angular-locale_zh-hant-mo.js
 - MD5: ab921b3e5e0bf90af50fff0858e41bdb
 - SHA1: 7970a5caea923757d8f19ca156bba75b8206ba2a
 - SHA256: 61d0c849b9d8f3ddccda4775cc3b032419da942b96afdab9fd54689bd419ef8e

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hant-tw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant-tw.js

MD5: 49a3194339d368da02edad168a1f99a9

SHA1: eaa25e0eb645f2d270dc5cb3ad42fd9ec72030b7

SHA256: 1533ba4732af9ab177cbcf0caf2810ec61ddea1e124637d82fdd8e3ecb21fae7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hant-tw.js.gz: angular-locale_zh-hant-tw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant-tw.js.gz/angular-locale_zh-hant-tw.js
 - MD5: 49a3194339d368da02edad168a1f99a9

- SHA1: eaa25e0eb645f2d270dc5cb3ad42fd9ec72030b7
- SHA256: 1533ba4732af9ab177cbcf0caf2810ec61ddea1e124637d82fdd8e3ecb21fae7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hant.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant.js

MD5: 3e5f6f733d35b387ccea43b0830dfb0b

SHA1: 5591c07e4adcccaf11ae8785af25a6ec889ede72

SHA256: d8361676e78534137bf91a153557a1766982ebbcad3fa090e8ea1b3e78ddc4ef

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hant.js.gz: angular-locale_zh-hant.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hant.js.gz/angular-locale_zh-hant.js
 - MD5: 3e5f6f733d35b387ccea43b0830dfb0b
 - SHA1: 5591c07e4adcccaf11ae8785af25a6ec889ede72
 - SHA256: d8361676e78534137bf91a153557a1766982ebbcad3fa090e8ea1b3e78ddc4ef

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hk.js

MD5: a17e49c68b2b2b21e260a281b70594fc

SHA1: 78ff9f472cf2be8143d45dbcbdb089e3ddf2e8aa

SHA256:c92a20f45987333ccd484870fcc2c3fc8450be67293f7f8c29775f45410bc6d7
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-hk.js.gz: angular-locale_zh-hk.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-hk.js.gz/angular-locale_zh-hk.js
 - MD5: a17e49c68b2b2b21e260a281b70594fc
 - SHA1: 78ff9f472cf2be8143d45dbcdbb089e3ddf2e8aa
 - SHA256: c92a20f45987333ccd484870fcc2c3fc8450be67293f7f8c29775f45410bc6d7

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh-tw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-tw.js
MD5: 73fbd0339e00131dfaf539d6842b2eb1
SHA1: f77a883a46e84283627eab02830878db9b73f556
SHA256:09dd03c06c2fb9d426c6d8878cd72442b2a1c4205b18f0a03d1daa578423c437
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zh-tw.js.gz: angular-locale_zh-tw.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh-tw.js.gz/angular-locale_zh-tw.js
 - MD5: 73fbd0339e00131dfaf539d6842b2eb1
 - SHA1: f77a883a46e84283627eab02830878db9b73f556
 - SHA256: 09dd03c06c2fb9d426c6d8878cd72442b2a1c4205b18f0a03d1daa578423c437

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh.js

MD5: 80b666c2abca2f9f1710ed53310f0390

SHA1: 3e2b938b2e495ee2819ec9498866dcd15c2cfcf0

SHA256: a9df41ca31a72dbe7d113c618367feabd1a8228b4a4280ad9b3a2e9003819eea

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: angular-locale_zh.js.gz: angular-locale_zh.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zh.js.gz/angular-locale_zh.js
 - MD5: 80b666c2abca2f9f1710ed53310f0390
 - SHA1: 3e2b938b2e495ee2819ec9498866dcd15c2cfcf0
 - SHA256: a9df41ca31a72dbe7d113c618367feabd1a8228b4a4280ad9b3a2e9003819eea

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zu-za.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zu-za.js

MD5: a1d42008bc796da5c9f5cd2991c779aa

SHA1: c6db7e78a666bbe143678730342f5d473aa17687

SHA256: 3f2f1e4145c4861e7fd4f23d5b85c3a6842c6fc21453f2e4202e5ff3980d55db

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zu-za.js.gz: angular-locale_zu-za.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zu-za.js.gz/angular-locale_zu-za.js
 - MD5: a1d42008bc796da5c9f5cd2991c779aa
 - SHA1: c6db7e78a666bbe143678730342f5d473aa17687
 - SHA256: 3f2f1e4145c4861e7fd4f23d5b85c3a6842c6fc21453f2e4202e5ff3980d55db

Identifiers

- None

remotegui.zip: angularjs.jar: angular-locale_zu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zu.js

MD5: e229f2b7094b9acf225bf937956135a0

SHA1: f02065a94ab0670860b03063d7ea7ad955c9f17e

SHA256: df426da78402810bd1d382cb8713b4e4ff4b4ea975cf55e4d269f51efc7d3142

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: angularjs.jar: angular-locale_zu.js.gz: angular-locale_zu.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/i18n/angular-locale_zu.js.gz/angular-locale_zu.js
 - MD5: e229f2b7094b9acf225bf937956135a0
 - SHA1: f02065a94ab0670860b03063d7ea7ad955c9f17e
 - SHA256: df426da78402810bd1d382cb8713b4e4ff4b4ea975cf55e4d269f51efc7d3142

Identifiers

- None

remotegui.zip: angularjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/webjars-requirejs.js

MD5: 034e87ccc7629ce5cbcce8d61f101912

SHA1: c4976460a80468186d41a1e2436123b888a18424

SHA256:0332178ddd1347cffb749c53cfa5530a84cd25602e1ce537d70c10d7e09d1781

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: angularjs.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angularjs.jar/META-INF/resources/webjars/angularjs/1.8.2/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 034e87ccc7629ce5cbcce8d61f101912
 - SHA1: c4976460a80468186d41a1e2436123b888a18424
 - SHA256: 0332178ddd1347cffb749c53cfa5530a84cd25602e1ce537d70c10d7e09d1781

Identifiers

- None

remotegui.zip: bootstrap.jar

Description:

WebJar for Bootstrap

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar

MD5: ba2f9fda2c1fece5ff121e8abc385475

SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

SHA256:90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies +

- theme.zip: bootstrap.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar
 - MD5: ba2f9fda2c1fece5ff121e8abc385475
 - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
 - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54
 - [pkg:maven/org.webjars/bootstrap@3.4.1](https://mvnrepository.com/artifact/org.webjars/bootstrap/3.4.1)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](https://mvnrepository.com/artifact/org.webjars/bootstrap/3.4.1) (Confidence: Highest)
- [pkg:maven/org.webjars/bootstrap@3.4.1](https://mvnrepository.com/artifact/org.webjars/bootstrap/3.4.1) (Confidence: High)

remotegui.zip: bootstrap.jar: affix.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js

MD5: 235b2a9f9be29d377cadbe6d09823d9f

SHA1: 69a480bef250eabc4226f378b70792fd47560e2e

SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: affix.js.gz: affix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js.gz: affix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js.gz/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331
- theme.zip: bootstrap.jar: affix.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/affix.js
 - MD5: 235b2a9f9be29d377cadbe6d09823d9f
 - SHA1: 69a480bef250eabc4226f378b70792fd47560e2e
 - SHA256: 9a9859329afe1518320c8d730c0585199c3792009cb4307bd8a33b1040a67331

Identifiers

- None

remotegui.zip: bootstrap.jar: alert.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
MD5: 2be558ae78dedb0556f8c7bd632c1204
SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: alert.js.gz: alert.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js.gz: alert.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js.gz/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4
- theme.zip: bootstrap.jar: alert.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/alert.js
 - MD5: 2be558ae78dedb0556f8c7bd632c1204
 - SHA1: 1e3fa67e881909a71bf98ef37a4d3c013888d33b
 - SHA256: 1ec1bacee3ed0bb73aa9a799d4e07376b0f9356d093f2f343f7fad07fd7844b4

Identifiers

- None

remotegui.zip: bootstrap.jar: button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
MD5: 28900c815e911dbbae28594126e66fb4

SHA1: 2cc97dd04216865ef67fbc9b54040eaf83dd9f2

SHA256:fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: button.js.gz: button.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbc9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js.gz: button.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js.gz/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbc9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04
- theme.zip: bootstrap.jar: button.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/button.js
 - MD5: 28900c815e911dbbae28594126e66fb4
 - SHA1: 2cc97dd04216865ef67fbc9b54040eaf83dd9f2
 - SHA256: fa31bcbae72f8f82c2b25ec0421917b1c3a9cd60e7c03baca7429f44ec693f04

Identifiers

- None

remotegui.zip: bootstrap.jar: carousel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js

MD5: a8188dce14f888a29886bff2559dce10

SHA1: 146b160152d3f0740590fc575f82f2653ca54626

SHA256:20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: carousel.js.gz: carousel.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js.gz: carousel.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js.gz/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857
- theme.zip: bootstrap.jar: carousel.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/carousel.js
 - MD5: a8188dce14f888a29886bff2559dce10
 - SHA1: 146b160152d3f0740590fc575f82f2653ca54626
 - SHA256: 20dc2395e0d21da3776db73634934a69b9a7dd4770c24757ef26bd60a287d857

Identifiers

- None

remotegui.zip: bootstrap.jar: collapse.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js

MD5: 5f3ce339f7a59b240fa9ede502c2bcaa

SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984

SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: collapse.js.gz: collapse.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js.gz: collapse.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js.gz/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70
- theme.zip: bootstrap.jar: collapse.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/collapse.js
 - MD5: 5f3ce339f7a59b240fa9ede502c2bcaa
 - SHA1: 5b0dd11d3cd7a230f41c521a6c04256fbd34e984
 - SHA256: 407419f6c4ea29e13ada7134380a0fcb10d38e9e8611db54f60cb6278a424a70

Identifiers

- None

remotegui.zip: bootstrap.jar: dropdown.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js

MD5: 953819e6d09848299341fcd7ff93d1d4

SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e

SHA256: 0261c06fcfe41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js

- MD5: 953819e6d09848299341fcd7ff93d1d4
- SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
- SHA256: 0261c06f9e41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js.gz: dropdown.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js.gz/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06f9e41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904
- theme.zip: bootstrap.jar: dropdown.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/dropdown.js
 - MD5: 953819e6d09848299341fcd7ff93d1d4
 - SHA1: 72fe5a40eef90daa254dbb15d46e033cda2f6e9e
 - SHA256: 0261c06f9e41df6cca79148c3b4f2cd7e6966ce61c93ea325b6c8f2295e8904

Identifiers

- None

remotegui.zip: bootstrap.jar: modal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js

MD5: d73745175d40f05b339406f168bfd100

SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862

SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Related Dependencies +

- remotegui.zip: bootstrap.jar: modal.js.gz: modal.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js
 - MD5: d73745175d40f05b339406f168bfd100
 - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
 - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js.gz: modal.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins

/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js.gz/modal.js

- MD5: d73745175d40f05b339406f168bfd100
- SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
- SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2
- theme.zip: bootstrap.jar: modal.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/modal.js
 - MD5: d73745175d40f05b339406f168bfd100
 - SHA1: 16ff1ea73c055e81d65a44a509e67669dd351862
 - SHA256: 102481f4363d9070b4bf992b3c1d6c4d3e59f41e1a5384eb7cc56b2fa0a03da2

Identifiers

- None

remotegui.zip: bootstrap.jar: npm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js

MD5: ccb7f3909e30b1eb8f65a24393c6e12b

SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262

SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies

- remotegui.zip: bootstrap.jar: npm.js.gz: npm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js.gz: npm.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js.gz/npm.js
 - MD5: ccb7f3909e30b1eb8f65a24393c6e12b
 - SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
 - SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d
- theme.zip: bootstrap.jar: npm.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/npm.js
- MD5: ccb7f3909e30b1eb8f65a24393c6e12b
- SHA1: e2b7590d6ec1fdac66b01fdf66ae0879f53b1262
- SHA256: c7aa82a1aa7d45224a38d926d2adaff7fe4aef5bcdafa2a47bdac057f4422c2d

Identifiers

- None

remotegui.zip: bootstrap.jar: popover.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js

MD5: 3782df41a2ebe1257eded4e19f39ca02

SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3

SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: popover.js.gz: popover.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js.gz: popover.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js.gz/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e
- theme.zip: bootstrap.jar: popover.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/popover.js
 - MD5: 3782df41a2ebe1257eded4e19f39ca02
 - SHA1: 38b589512e09181dba3ad56caca00199c9cd20c3
 - SHA256: 415e3c557d74388c551d77497112a216601c88025d95e3c28b3fad4082d8863e

Identifiers

- None

remotegui.zip: bootstrap.jar: scrollspy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js

MD5: 86ed481e7ffa3549beb6108a5ad1e4d5

SHA1: 73f97f2354272103cc030712a317260e7126a445

SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js.gz: scrollspy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js.gz/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7
- theme.zip: bootstrap.jar: scrollspy.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/scrollspy.js
 - MD5: 86ed481e7ffa3549beb6108a5ad1e4d5
 - SHA1: 73f97f2354272103cc030712a317260e7126a445
 - SHA256: 7d2c33a3ec324089813056cf4a8120db1db77f9ff620fa55c38de06ac417fed7

Identifiers

- None

remotegui.zip: bootstrap.jar: tab.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js

MD5: a19cc7ef41a2f9683a10c8d29f1e1241

SHA1: b8bd432a8ada22a323df822fe1e77028130f100d

SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: tab.js.gz: tab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js.gz: tab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js.gz/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e
- theme.zip: bootstrap.jar: tab.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tab.js
 - MD5: a19cc7ef41a2f9683a10c8d29f1e1241
 - SHA1: b8bd432a8ada22a323df822fe1e77028130f100d
 - SHA256: d41c1f213273a374add7c9a4fb57798812d5d3472cd961237a1782998e7be82e

Identifiers

- None

remotegui.zip: bootstrap.jar: tooltip.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
MD5: 6ae9dc400f463921e1ded65db0556dfc
SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js.gz: tooltip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js.gz/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d
- theme.zip: bootstrap.jar: tooltip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/tooltip.js
 - MD5: 6ae9dc400f463921e1ded65db0556dfc
 - SHA1: 0001130406c5f241ba069035dc380f3579ba24eb
 - SHA256: efef210198a75adacd0d3e726500fde192fc94320e4acbf90eb3a4d877215a2d

Identifiers

- None

remotegui.zip: bootstrap.jar: transition.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
MD5: 0a47aaff7afca3b3485a6a845782947f
SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: transition.js.gz: transition.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js.gz: transition.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js.gz/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2
- theme.zip: bootstrap.jar: transition.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/transition.js
 - MD5: 0a47aaff7afca3b3485a6a845782947f
 - SHA1: 91c2a7be5c53a856679830e0681a31d57395bf28
 - SHA256: dfd38a036a1ed2f6362413696c71555c108aa06b2ffef68577705df1b1983bc2

Identifiers

- None

remotegui.zip: bootstrap.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js

MD5: 66507db20354e58b4c9ba7ab8f9ce714

SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567

SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- remotegui.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js.gz: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js.gz/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26
- theme.zip: bootstrap.jar: webjars-requirejs.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/webjars-requirejs.js
 - MD5: 66507db20354e58b4c9ba7ab8f9ce714
 - SHA1: 80f18f9b3ec47cf5854cb30dcd6b9548c32b9567
 - SHA256: b9a900c1c14f8b4980d34de9f2787b0bac576efc4f176aa70433a71950a14b26

Identifiers

- None

remotegui.zip: codemirror.jar

Description:

WebJar for codemirror

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar

MD5: 669061572ba6292cc848f48535366409

SHA1: c1c5b1fda926e89ab3204a2b4d2871078ce6d448

SHA256: b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

Identifiers

- [pkg:maven/org.webjars.npm/codemirror@6.65.7](#) (*Confidence:High*)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:*:*:*:*:*](#) (*Confidence:High*)

remotegui.zip: codemirror.jar: CodeMirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js

MD5: d154477df9eebe156a1a493731acb01d

SHA1: 69efd74f28f36317a2bb9101dbbaec73f5ca3735

SHA256: 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: codemirror.jar: ContentEditableInput.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js

MD5: 40e61dbb4388425c66403ecd7e9a5a10

SHA1: 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53

SHA256: 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Display.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js

MD5: bbf05006cf414f786e21cdb02b443aac

SHA1: 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464

SHA256: 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: Doc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

MD5: 66f02c635454d1ae55f7472709417566
SHA1: 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0
SHA256: 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: StringStream.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

MD5: d187f08909bf9bb188d04c79f089c26a
SHA1: f5c4fc956b8b4de762087204024eb625cb00a790
SHA256: 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: TextareaInput.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

MD5: 87e959dd1978b0e022083d3e5ad65158
SHA1: d08b9e7e675368968faf8e93bb1dbaddf9996410
SHA256: 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: active-line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

MD5: 774e515fe054cbcd6cc869bfd550b17d

SHA1: 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

SHA256: 3afbcf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: annotatescrollbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

MD5: a9dfd7f9d78bd36c617429ed88cb67e5

SHA1: ad1133e5432a7c65881747c87c84529fed297ecb

SHA256: 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: anyword-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

MD5: ba7fa17b24f0937d9431f93b9de2da37

SHA1: a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

SHA256: e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: apl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

MD5: c0d55e310ae0a4290d3fcca84bff448

SHA1: 006c98d2b17e85168065eebf44c3 added91b9ff874

SHA256: 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asciarmor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asciarmor/asciarmor.js

MD5: 42e5c7f3f48fa085f63bd7708bb204fd

SHA1: b15cdadbf5a869d06a79e6a9e187d0509dca1239

SHA256: bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asn.1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

MD5: a928fdb102ef88113a9d1c0d9e520114

SHA1: f293930644bd6093dbb02475e8b409fe9794f437

SHA256: 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: asterisk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

MD5: 2f4e25e805d878f43b8568609c48dba8

SHA1: 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

SHA256:0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: autorefresh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

MD5: 16b07faa9ef79a1fb79432fb4f4a9e3a

SHA1: 091a2b17758e7c3182542314256139a2247b508c

SHA256:2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: bidi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

MD5: 22a12be2f1e24a9bfddc5c3b0d187ede

SHA1: ab735d3376e0040172b6dc972f97df663f231dc4

SHA256:0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brace-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

MD5: d56849bd7cce8a10ccb842d50f0de179

SHA1: 4103103f28436925442d5397c24425fbaf660fce

SHA256: 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: brainfuck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

MD5: f3ff733b3609dfb34a49652f6a4a2d09

SHA1: 41a8164ddba5e25fe2401265eb9fd4222e415549

SHA256: 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: browser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

MD5: 564eafde7c1566f1b9b0d976cc3ace2f

SHA1: 2c592606b3242ac9cf080d138aae3516cc2ef05d

SHA256: de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: change_measurement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change_measurement.js

MD5: 39707c0eb637648efc07d95bb60253d3

SHA1: 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

SHA256: 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: changes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js
MD5: 822465b81d600e9a703579605e2147bc
SHA1: 1b77f1034de1cac51a8ff50e48f9604bc62556e5
SHA256: 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: chunk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js
MD5: 7dd1b45f75341b5a03a01f6607da69a4
SHA1: 89dfb21758e8a384033d09678a8d5b1ce8983e6f
SHA256: 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js
MD5: 145b41ea6cde47e8889ef8b2214eecde
SHA1: d0ae7cc4040a57a76b86265f492f87e251d1cc9d
SHA256: a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfcd2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js

MD5: 7f3277e322bd000aefbfb172d3edf7e6

SHA1: e701f8e843e3390a0a411700d3c8989dc147780c

SHA256: 86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closebrackets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

MD5: 667059f346609f6ad778936b17c43824

SHA1: 248b45be826a8856a0ed0733c8511d9d0c595507

SHA256: 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: closetag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js

MD5: 744876ab906996c429eef7654278f514

SHA1: 0e0e10e59f93f87c9bc35247b14831091113adb4

SHA256:6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cmake.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js

MD5: fc204bb5f2393f59bcd34a860f1e1a57

SHA1: 73985b80cdb80d12831a7476b740733e3fdd065d

SHA256:6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cobol.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js

MD5: d8a271c0bf27ef5cc2dd8ea19886aa75

SHA1: 93072b3c895318fc58f8ed16d68cc213ac7910de

SHA256: 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js

MD5: f1f47322e6af5937de4a14fb10863e3e

SHA1: 843d01e1379550e5fed3e64aba1af1a359441e7a

SHA256: a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF

/resources/webjars/codemirror/6.65.7/lib/codemirror.js

MD5: 15fc3cdf569fa38b1f91d86ebbea13d

SHA1: c5f9252d9467c2af70c5e6fc579e696648ee242b

SHA256: a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/codemirror.js

MD5: 0d4d22de0bcdf7f7afd8131d4e59f130

SHA1: 819f8c37a4df0c61ef735d5b884c6c598bc0983e

SHA256: b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js

MD5: a524724c274d1c038c7984e164428b3d

SHA1: 18fd7183236cbf1437175c8d31509ffa6cd4ba64

SHA256: fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js

MD5: e852ea5b9ebb97947ffd169523eca098

SHA1: 58ec1f05cb6893a519fe2d7ad1b9716f15219b89

SHA256:824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

MD5: 438a52e20ca46a26383d4eb6d33a5c6f

SHA1: 8dd398cbd2955bcffcd70180f9fb560f56acf567

SHA256:67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: colorize.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

MD5: 626a64f8687ca9576bb017843ab2c30b

SHA1: 4899e8d499849fb02f134afb39711d3ab2c28903

SHA256: 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commands.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js

MD5: 9f984e904c9556f8e270502eaf1d5a5b

SHA1: d16928b2cc389c46f7b77121beb7376a50f11c35

SHA256: 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js

MD5: 3bf750756a24d5a0ba9cf16819bf5cfe

SHA1: ad4d1534287f90692567139c0b007be29aac4a9d

SHA256: a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: comment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js

MD5: 18fc449bec0798e43182173ba47455b9

SHA1: 29442cfbafce86a08679824a999b87ec1acdf567

SHA256: a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: commonlisp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js

MD5: 9449ffe942392a1ad14eaa723578b606

SHA1: c734ecc91ff4949d4cac179a55bec5cee55da153

SHA256: 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuecomment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js

MD5: 174c186ec1902fdb1aa708a9dea1aa4

SHA1: 7c3bb959b0c3bafa4395c61ee8fbba3f7f6c6033

SHA256: eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: continuelist.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js

MD5: 630509c4379923d8c811b3f1acc931fc

SHA1: 09118fd53589fe18289006df5cc57b4818321197

SHA256: 6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: crystal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js

MD5: ae980ca83523592958a2c7f8144bd365

SHA1: b52f1f9ec7c854891491f792ae93aae419efd2ac

SHA256:5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

MD5: 55823389add79e8c52ffa7df6ba94515

SHA1: 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

SHA256:0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

MD5: e392cd5f86989535e38b3cbfb5134985

SHA1: 0986b3dc26b02d98a91b91bb38d46065b5c0214d

SHA256: f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: css.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js

MD5: 3675078ada8a185a353a6560bda2d5ac

SHA1: 1045cdc88a58fb002511eb21db184ed242730f05

SHA256: 60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cefb7341bcbdba9b572b32

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: cypher.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js
MD5: 0439f14eea37e69f9bd0af1b9c57e014
SHA1: c65b82f89865edb564d52f00afddafc3d18a8d6b
SHA256:6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: d.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js
MD5: 0632861907c7e77ea48e0952d2081136
SHA1: f000ac2fe16c377837034c69cdace651a45f4e7a
SHA256:8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dart.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js
MD5: 0bfa12b4210e1faba31c98d2fcbd226f

SHA1: 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0
SHA256:b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: deleteNearSelection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js
MD5: 813d638d2d4693bd14f7b6490445a417
SHA1: eec62305710c8c0a032933bbee41c3fd45142669
SHA256:dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dialog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js
MD5: 1b33c63e7d89d740d4738ce9766b19b0
SHA1: 14cccbefbcb2f33d928c4a41d854237cda5dd97
SHA256:fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: diff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js

MD5: f80746d74770ee6dcf444e99f75d5537

SHA1: 45f65817bf0cfe00f52a620c44e48031e926e5bc

SHA256: 3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: django.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js

MD5: 3c02fcac64b6100a0f369edc8d145f97

SHA1: 9ab00e90ea9a3788178187e9451bdaf61bd311fe

SHA256: 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dockerfile.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js

MD5: 35fd7d7d73ad6c400c0afed686a383da

SHA1: b6574f6951c483c563456c9094178769ea733631

SHA256: fca390cea85e1b711389d1a91b99faecf7b4df0f48e3ceaecf2e517982cb2b7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: document_data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document_data.js

MD5: 86420f7d4afaa1aa00313618bff8292f

SHA1: c26428a7245c7ccbc2da6e15ea8071a308efe21e

SHA256: bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dom.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js
MD5: b56830faf8f75c5daea99bdc94508b38
SHA1: 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe
SHA256:20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: drop_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop_events.js
MD5: 940690e5c792ff535ef797090cb7ed5d
SHA1: 05108fb9bb15e761e86ef290e006cb7c620de955
SHA256:60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dtd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js
MD5: eb3e9b71c4e33120225df386c29a0b30

SHA1: c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0

SHA256: 3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: dylan.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js

MD5: 99e3fa83adb7b3af2e363942a5b720ac

SHA1: 795b6199d3643d0a9eb0b018a02357da66be8f3d

SHA256: 999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ebnf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js

MD5: 8d8a62f6874e4e8378d16d02b09ada60

SHA1: 84295b3d4f48cd3080508f3c5c12ecca2842dca4

SHA256: 1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ecl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js

MD5: 04722d23df4c17765bb397d871875452

SHA1: 63a19016bf2e53ba5c73fde154b9bbc19d96130d

SHA256: c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: eiffel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js

MD5: d202831cfe3aa85bdefffd44534dc98e

SHA1: e5767dbfb329d8e3786acf893d038e1e4dd35c39

SHA256: 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: elm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js

MD5: c37089c171d4384ec97f9af66d5ac972

SHA1: e28a667656ac12ff06766d2ee857962dcd9146e2

SHA256: e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: emacs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js

MD5: 258e09f1d4cdb812940d869afce12a11

SHA1: fa3b963c38f809ab13c37fd7aa654ac46a39e740

SHA256: af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: erlang.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js
MD5: 29f92a4be923242d30cf1f4288c89adc
SHA1: 45f94b33af2bc74d8c5eeed73de27eb8a4047c20
SHA256: 2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: event.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js
MD5: b700f1676589e7f88e59c943cc209156
SHA1: 516c718a9b2f86f68127680267b92d10fbf5a579
SHA256: 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffb771ea8b75513
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: factor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js
MD5: d497dd1c4f0f85b83245bfb80943e5cc

SHA1: ec2430a02377f3b14692370e329b8f83b017d1b9

SHA256: baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fcl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js

MD5: bfa4a30d52fa501346b203c8ab6aa0cc

SHA1: 9befb1efc7f051c189e1c2c7cccd976576bcefca

SHA256: 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: feature_detection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature_detection.js

MD5: 3b63813f217d9351f7a1d90edf345310

SHA1: f236ad77f54768dfaf4b78905be71b6873691698

SHA256: 4aeaf197f379b3450c8c297f23e449df3795a9954bec48cfcdf4b3615d5f371

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: focus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js

MD5: 307daeb9d6322c3905fc5b2ba846fa16

SHA1: d1e1cceb41ec90a9b18fd25ae6cad9805e86811d

SHA256: 2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldcode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js

MD5: f520bc635201c451609403065b8bacfa

SHA1: 78958ff57ef86b84ac8a8085a4f0923433eea9d3

SHA256: 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: foldgutter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js

MD5: 9606e4f3ca8c5ac259c2cf703753017b

SHA1: 2f4f7e099042dcbde74bfd3a8f5856f595326ecd

SHA256: fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: forth.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js

MD5: 3e09048506ea36823a8a5e6ad244c7d5

SHA1: ef3e2632de5a4c57f8b14225026940309167d270

SHA256: 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fortran.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js
MD5: acf9c5ff78882f6ee77416eb957e881e
SHA1: 30130e625c08eedd8d62021c0dc77a71d066fd1d
SHA256: b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fromTextArea.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js
MD5: a910ea4413c5f8fabb9be57bc80a7cc7
SHA1: c2bb053e04c5cc11df632ae7332863f5f0d30c70
SHA256: 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: fullscreen.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js
MD5: dffe3df188ef201ff7f04977d0ead894

SHA1: 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330

SHA256: 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbede913083c307ac769e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js

MD5: 9403b8d57b58f52a0d02efd3d6d99571

SHA1: afdd8ef0502d68ba8020134c780ebce498f65ac9

SHA256: 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gfm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js

MD5: da48b005ec4e651d019aa09b3d6d4aac

SHA1: ea5f855ce519bf55f09cb2c968dce9660615c698

SHA256: 1fcd9fa611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gherkin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js

MD5: 3d87a67e559ce2d1851c4f1fcca83fe2

SHA1: 289ab840bb7ad7d5cf292406eff4fb8e55ece301

SHA256: 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: global_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global_events.js

MD5: 288615615004321c6abe2bf66842b8bc

SHA1: 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b

SHA256: fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: go.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js

MD5: 51890857b15156f02106103dd73d2b0e

SHA1: ef0de14a73f6656facd0d7355a11b1d17df86b16

SHA256: 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: groovy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js

MD5: d6ca518a6aa5ab5b420bbf21d65b2d05

SHA1: 48fb64db46a7408334eeda329d755dd09aec41ec

SHA256: 6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: gutters.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js
MD5: af3de2621d2ef402646889be16bcde7b
SHA1: 130d94f44dea7f614a15009677e496ad2b853025
SHA256: 2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js
MD5: 7d65bfd39de90f56597eb8e278a39af7
SHA1: 7bafda0fd81e500fb2f364d2e657fd9dec939505
SHA256: 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: handlebars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js
MD5: efacd8d006bf9f83baec2fc5a8c71feb

SHA1: 7fe944ec70e00d262252956fdc71f04c1046b2

SHA256:60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: hardwrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

MD5: 049ed63630662fcb8a977fa43f86e058

SHA1: 535a020f7839e52da6fc7b8af3d249f641c5e055

SHA256:bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell-literate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js

MD5: f0bd7313413cdc35018db90a6522d1ef

SHA1: 670b7735a8c85e5251aeadf51f5005d5cf45df44

SHA256:7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haskell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js

MD5: e4f82d95d10c028eebae3338e678be22

SHA1: 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff

SHA256:4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: haxe.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

MD5: 13c21da31a992b536d4f37ee53e09605

SHA1: 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

SHA256:f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js

MD5: d7710bcd63c26c5fdc37c19b15e02d4e

SHA1: cc5bac275e64696339642c6f5a52c254f139fbfd

SHA256: ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: highlight_worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight_worker.js

MD5: fc6f314859dad397c1f867ed5d73205f

SHA1: 80e56feeeffb3ad7b76e40dc4577962a60becc11

SHA256: fc9d8bf90534b9a6c7d5a45e8f8f79a4f8827a661c4271f812776e7c3d2bdc09

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: history.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js
MD5: 34cb233d1bf8cc676a0c5fc9e9c24b04
SHA1: 4c42d70f020d1fd9397fa16ea34f5cf54487e93d
SHA256:961d52432f8f463614f83e660c2945f9bfbcc9c8fb7767575b9221c3e88821a2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js
MD5: 609fea85a7894f8098719813c58219c5
SHA1: f593de64cb802e0e456482b88959a68260e06bff
SHA256:64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: html-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js
MD5: 0844a30ecec022fb60101fc0cc6a5cfe

SHA1: 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f

SHA256: ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htMLEmbedded.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlEmbedded/htmlEmbedded.js

MD5: e7a464409318dee8c3c6e0b68225d461

SHA1: 548ebed43650c26970abca5933aa237b4a1950c5

SHA256: 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadfb867601

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: htmlMixed.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlMixed/htmlMixed.js

MD5: 4c5a6f44d738b718d1f6164c1c8d6904

SHA1: a4f9c3552740fb908e14fb0f47832d10a3f535d6

SHA256: fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: http.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js

MD5: 42dcfb1c4b83e85eea0303f75a3f08e1

SHA1: 7fa224e2e3ab674ca61cedd48fd430c5e62e1218

SHA256: 89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: idl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js

MD5: 1ae58242a3b61aae5bdc5665bd5fc2ed

SHA1: c25b0c5644c33ee3993ee3152df8f4c27235e172

SHA256: 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js

MD5: 623d14360009d84560611f43b83e6759

SHA1: 731e1d84971dcafb20d1417761c18c55883c3d98

SHA256: a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: indent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js

MD5: 835649b199c40a992e89a61de3514147

SHA1: e3d98527805fcef17ac4f710d7600fe0da52db33

SHA256: f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: input.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js
MD5: 8347e0beb43b7f458587e94f323c58bd
SHA1: 62cfb278476d7f293b853e92e35bd9221c6d1a1c
SHA256:bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js
MD5: de72c8e29800ee9ae93e5c8a43c6c6a4
SHA1: e348c54c78f75047c06629a13422c0aee0ee3253
SHA256:e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js
MD5: 55eb8a1558ef8c9da7d355a32334d62e

SHA1: d452acc1222c992a222c6c4bc55c0546eb2a465f

SHA256:69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: javascript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js

MD5: 178dfcd5f64c97da22a3d3a62713b7a9

SHA1: 969b4a80be53b334612b44a0cc6ef57cfe171a26

SHA256:21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js

MD5: 82ad8f3f5eac62b4012d21c9deabfc69

SHA1: f1b92b1cce15292571979194dc1331acc5fb2d9

SHA256:b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js

MD5: b01056a065c6df2ed0f61038c88e5ecc

SHA1: 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183

SHA256: cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jsx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js

MD5: 5dcc6cfebb32872e929bee63d517295e

SHA1: f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6

SHA256: c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: julia.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js

MD5: 544d9103cd9877e0a7dbb26dd5a34eea

SHA1: 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f

SHA256:54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jump-to-line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js

MD5: ae33156dd047f75a6d2539b21ac92df9

SHA1: 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a

SHA256:39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: key_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key_events.js

MD5: c299e1b06d3f6ec725718c1dc60141c7

SHA1: 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23

SHA256:f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keymap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

MD5: 1c8d554d0dfbb08ac3b4ff11303f313a

SHA1: bcbddfc0d1411afa8455d75564758dacde1e15d5

SHA256:9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: keynames.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js

MD5: e4ae7351260c5e7b9f2253e21b5ca9dd

SHA1: 9b6381177e6d4afdd03388c548a00bef7e101b0b

SHA256: 7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js

MD5: dfa5acb74b48161d442a6d83e1abbc03

SHA1: 70f5248919c6a806ec8da7a53b9167ea0d28f28e

SHA256: 663e30df9b1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line_data.js

MD5: 0239405c8ea2b45a5a3a2de75bc481b7

SHA1: 936ff2393f4614f8fb907274c896d2435d34250d

SHA256: 11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_numbers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line_numbers.js
MD5: 22976744e5315917483bef53cab4d368
SHA1: 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0
SHA256:2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: line_widget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line_widget.js
MD5: 2a58b1a6d7eadb596d3968096f1493e4
SHA1: e06ec6ee060c9b180dd6269107c1643618024acf
SHA256:4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js

MD5: 7930c46b5411e82099bf4d021be44897

SHA1: 9d4fcf298565cd2e6b6234c331113e5ee80a996f

SHA256: 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: livescript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js

MD5: 303cf9371fc666702d07b7892d4d69b8

SHA1: cc1a29423cc292dab8ceccbe8d1d4995426ce11d

SHA256: b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: loadmode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js
MD5: 43a51215f06278be12990128bf16cfa
SHA1: 62a2787a4f3b623af185185edaedc7eaed7ffc08
SHA256: be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: lua.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js
MD5: ccf279dcbc882c0e99fc9dfda9dd734d
SHA1: 13ec1f41c7c723c70f185f6c22e116cdf532d8dd
SHA256: 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: main.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js
MD5: cc33d6b2c4f87f24fe91b103cfee3da7

SHA1: 7a267e163871e4d9c505a7dbda69289619573e76

SHA256:2644139a384fcda2ff3bcb59fad7a45a3faa166c443fcd2d05315558dc7d1f99

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark-selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

MD5: f2b8639c24afc6cc370f4097eb6bb217

SHA1: 62883a7928526106b19fa78a1195fadf463550b4

SHA256:5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark_text.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark_text.js

MD5: 7611054f886606aed04a7a3f3c4d5a78

SHA1: 3e6ac9ae6a89f720e9c148d25746ff37f9207d07

SHA256:b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js

MD5: e9844099dad7cf95607a804988677f22

SHA1: 400fdaaf493a4d15e10b397553549b6b4e09dc92

SHA256:6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js

MD5: a7326be775e85028373f9236c26a572e

SHA1: c7dda08f12cf129cba6b317f70ee7ce0abf775b9

SHA256:8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: match-highlighter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js

MD5: d7d3dd2592e2df81c743b86a46ccc555

SHA1: 21bd58338eb506c53cd367b4e30c6aefa2e7edee

SHA256: 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchbrackets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js

MD5: 2d2902edcfd32a8f481124c0957889ff

SHA1: 1555a87118f8082edd03c7b7c1363ebd1daaea45

SHA256: 9d0e5ee4c199fcb487a901860c2cf7d007263852677dd5858098fcaa8580f1e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchesonscrollbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js
MD5: e005f8b0c7cedc509a29ea1a517cc829
SHA1: 73a8bbcf26072f44bc7003faea790d1f3d59096f
SHA256: a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: matchtags.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js
MD5: 6e8c7c68653d8d6b912138fe6f155e1f
SHA1: 99f7135d209eb1da2c326486eb53ecdd330f0f2c
SHA256: 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mathematica.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js
MD5: a8c37dcebeb98162e29e9d1483edf7c4

SHA1: 82d9653bf7ca5b228759c5ad53845a8237625792

SHA256: a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mbox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js

MD5: 9ce449eaef8f2c3e6253bb202a3da0d0

SHA1: 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b

SHA256: 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: merge.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js

MD5: d2a6bc0c40e52723665afdc3b17ab226

SHA1: c2c82dc8159b4d4b38ac4e74d88b513cae40be01

SHA256: 916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: meta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js

MD5: 11f14aa114ed56768aa48301be3b9f03

SHA1: 516781b99334a9aeaed0d9f1b9463d8330d00ab2

SHA256: f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: methods.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js

MD5: e0aee4bf62e8df22b1edf8c98171c1ff

SHA1: ec9e2b700a1252d5787249b1c8046b5fb0df6073

SHA256: 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mirc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js

MD5: 23555fdd21b7305d57c24d1378a03754

SHA1: 373c327846304793f8016feaa0164226d6fd5020

SHA256: ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: misc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js

MD5: e94bdb7dadf69d57a0baf64df69e7780

SHA1: 7d04fd04c64f91033740df1756ceb180fe1ec38b

SHA256: dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mllike.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js
MD5: b30e7da7837eee7a5966685fa03522f0
SHA1: 648a539e28df2714182163665b797d783cd47d80
SHA256: a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mode_state.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode_state.js
MD5: ffc05060eaa3b3d89beaaaae86b0483a
SHA1: ad4db1fa999cdec7dca274bc0d440b9817706fcb
SHA256: 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modelica.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js
MD5: 9d173268d73ae885e07741f6a60913ef

SHA1: 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08
SHA256: 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: modes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js
MD5: bcf367e11e7fac26e7f1668e8f1d1968
SHA1: 26c51a0d675e8420deabe41af39537b98b494f6a
SHA256: faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mouse_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse_events.js
MD5: 9a8c2a4f4b71ceb0d641c905ea325dfa
SHA1: 88d8b3f37ba37358b2f270ac184852f0f53c4e8d
SHA256: 17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: movement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js

MD5: 386a27ecd12315f9eff836ce5ab2091f

SHA1: 3170cd5a925774250a79d9e1c9130040e89a6be8

SHA256: 45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mscgen.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js

MD5: 8e06dd81adc9a26c6c708d253868c290

SHA1: d44dd69d6fe4e456417da210928371090d426921

SHA256: 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js

MD5: 0bdb637f0ca08689fe55e572cc10ab16

SHA1: c1eb99a3fdd03722c84c78cb9351791428ff0bbe

SHA256: 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aef5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: multiplex_test.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex_test.js

MD5: 8a377bbbcf33896551524b1cceb823f

SHA1: bf15c3dc16b8de593577266b9ef1f5625d67a0ea

SHA256: 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mumps.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js
MD5: 8e0c6375b6bbe74f633feed856f4283c
SHA1: 6944b10c9a28d7097d90291dcae08e9924461140
SHA256: 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: nginx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js
MD5: 63e717882de52ba3a4bb62c9e7bef83d
SHA1: f008d01cd0b803de9bd5bf1088feec56c6eac9c5
SHA256: e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: nsis.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js
MD5: 4851ad88c595ddafbe3979f2e47b4d0a

SHA1: c27aea13ecb53b8797926e831d8730099a585d42

SHA256: 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ntriples.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js

MD5: a21f011183564e5725ea16a6ca11b089

SHA1: 62d7d39e91ecca5bad75c91241aa31421a303ba4

SHA256: d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js

MD5: d830f31f1647efb252a53d0cb1f18aa1

SHA1: 1abba38966f306c238e8f9cf168f95db0e16d5a5

SHA256: b6c6966b9a564ceafa2b2c5ddde2f2efb0349cacdab3f61d90fce2544ece8615

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation_group.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation_group.js

MD5: 72f0c675f45f87c9a45b5f5784212fa9

SHA1: 8ca609f3cf238954efccc55c720e733a56f5029d

SHA256:aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operations.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

MD5: f2e13ff94b86a05aa5daff82022da8d2

SHA1: dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

SHA256:6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: options.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js

MD5: feecb2723f03f979c8b8c9a85c553a1d

SHA1: 99d3d0aa7ab678573f2970b2273404ed4c7cc73b

SHA256: feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: overlay.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js

MD5: 3cb76447dd1f64cc2bb037f3ec8c88a9

SHA1: 1ad72da6c675d9b6074f69404c66118ff24389c7

SHA256: 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: oz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js
MD5: a097901a9fe996b190b9103a64ace0c6
SHA1: d49b86c59bab331924fc03e3f680af92a6bd79d5
SHA256:641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json
MD5: e2faa7704d8de49e9d70e7a834d83ae8
SHA1: cab269db696fc76be4a9c83dc82f287546253792
SHA256:352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js
MD5: f647c5e58b5c032c1691693333104941

SHA1: 5c8285f946d9888b499ae0266e8e165696947074

SHA256: 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdcdc20630296685d3cb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pascal.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js

MD5: bdc6c5432f1408c29254a933f45ca2e7

SHA1: 541ec18ed0863a528118a8026b6a5aa11a9c5918

SHA256: 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pegjs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js

MD5: ad4350eff079b204cd634114959c0904

SHA1: 978baa600d3539e1eb05834fd0b7d659f0fed792

SHA256: 8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: perl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js
MD5: c6a3b40a8b2971690ff06860516bd140
SHA1: 08bb3e219af9990114dda08e2ad935c5992dd39f
SHA256: a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: php.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js
MD5: f2f1668dbc8a4b0fd9f031dceda0e4ab
SHA1: 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962
SHA256: 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js

MD5: 40f967482626259f7cdfb972548743cd

SHA1: bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e

SHA256: e9a9ec475ae8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: placeholder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js

MD5: b5b4d8391f1b94044cda61cc979cc772

SHA1: af7eaa5519c4e0fa823224593b0ae0b7fda73a23

SHA256: 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pos.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js
MD5: d1fc4bdcc5a93ac92f4c3c9cb34bd220
SHA1: 810afb684197135ac8ac6626a4a7eebef9ad5cc3
SHA256: b708bfb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: position_measurement.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position_measurement.js
MD5: 6c17908c000f5a7beb67e75b1340c3ef
SHA1: c5dd40151e773a61694906cf92f941fe27ce51de
SHA256: c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: powershell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js
MD5: cf3b0559e54ae537a420d86a07b441a5

SHA1: 992cbac5ee6c618eab5f646438ba5fb54f66cfe1

SHA256: 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: properties.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js

MD5: fdca15c3c811413459ed12fce119db54

SHA1: 715881cc0ccd13302e302dade67f675d37cfdbd4

SHA256: 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: protobuf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js

MD5: 3e57a349742d01647347b7339572d9fe

SHA1: 909346135655b3aacdb909a19acb59876e2810dd

SHA256: 93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: pug.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js
MD5: 63473aabe4ad7435cc804132bf743ec3
SHA1: 4e624a3174fd238241f692c1f935ae75d41269f4
SHA256: 1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: puppet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js
MD5: be03e9aad763ae4b5ee3d6a226aa8c78
SHA1: 7dae96b96e285c5e747624c864be8f1b0cb61e5e
SHA256: 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: python.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js

MD5: 9b50648e6f546e4f63f1a8eb25adb039

SHA1: b178c4d31cc4eeefe58e97a60723d47af96b79ed

SHA256: ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: q.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js

MD5: ec0a69917f7ff85ef3c89ab34cbd0ee9

SHA1: c52261047f62fbf5a52a2fb36e0e926859505ac3

SHA256: 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: r.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js
MD5: 32999ceba0af47e9e6b4042314e2cdc0
SHA1: f044c32fe6998d6c6fbf774910766fca456273d5
SHA256: d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rollup.config.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js
MD5: 73a1da56a828ad2854d28749fc155632
SHA1: 48bed29223b72a22a9939b57333c2d6e58bdfd39
SHA256: 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rpm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js
MD5: 5fbb2d4919f2d396e78074f4c98812c0

SHA1: 719d22639e2bbb16d80df811da20013f3998c42b

SHA256: 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rst.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js

MD5: bd89a589282ae08505026ef31cd4c6ad

SHA1: bfc1dea7ab7b49ed20e4127add87019c8dc56850

SHA256: b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ruby.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js

MD5: b0b2ef072186390edb0444a0eb2e315f

SHA1: d63568f7de026f9c17e0a4124161ad5007c0c709

SHA256: 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rulers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js

MD5: 267bb54847534c8bfb41dcf227f7aeb0

SHA1: ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7

SHA256: 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js

MD5: 51867497bb73c2eba5e2e6cd1352f29d

SHA1: 591c22764dd7599a2d443c593bd5d4fd77928e65

SHA256: c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode-standalone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js

MD5: 8bb22c65e3d5cb3b6466654c7c6ec4c8

SHA1: 942779dcd636d8372e9d8c9949858ea5b68bfdcf

SHA256: 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js

MD5: 6b9c51f3ec2f5a79c75836a0f75569c0

SHA1: 88d7a8053ef7fe9996f63800076992a5f65c4dba

SHA256: 920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js
MD5: 3847af673a6ae44d53fa8d697df2b8e0
SHA1: 91e688f6fc356c47f9bea928ea3768b7c7a57693
SHA256: 0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edeae6
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: runmode.node.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js
MD5: fe41270e99f973a568d5a823cd6e2bfe
SHA1: c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98
SHA256: 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcbf9e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: rust.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js
MD5: bfb43032004a8d5d115c6b817cbbe2ba

SHA1: af76d8276b553e168b5fab49108e715452cff07e
SHA256: 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js
MD5: 46f6d321e806768f9ebbc0155a5f9807
SHA1: 441d94bf2da7c5299662ba76dba352aac7df705a
SHA256: b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js
MD5: 0067718b0d6fa922bcf032b58966c3fa
SHA1: 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380
SHA256: 01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw_special_spans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw_special_spans.js

MD5: 72b6184ab657ca37a0d984dc73e7088c

SHA1: d84fccefe8c3cd0f1a0b5b2f388de87e57503df3

SHA256: fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scheme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

MD5: a64f664dcef608b26dea48b1ea52b622

SHA1: 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

SHA256: 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scroll_events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll_events.js

MD5: 8c96ad450d94581a7a461c44fa1e7cfd

SHA1: c92034958533fbaa6512c99d715a6032d43355b0

SHA256: b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollbars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js

MD5: f06876b47feef8deb64e7cd59d76ab1f

SHA1: 73c1a417818efb800852fec0742136fb1c891c1f

SHA256: 11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrolling.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js
MD5: 104c04ec259e68a53516216e4947e9b1
SHA1: 54446fd791e3331041e6e9a0874fa66d4794bcb4
SHA256: 07f6964d12cb85a698967bcfecaf73824a7b602475d488ed6f57e2981879e7487
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: scrollpastend.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js
MD5: 74be53ff23fb5eda7725c96f1ff683b2
SHA1: 1aec49fd4f7f5571fac13fddaad9eb1705cd522d
SHA256: 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js
MD5: aee5a4efc34387df3d1974e09cd2965e

SHA1: aa36dc4a27460ccc0b4b40ee643907303b64a880

SHA256:4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: searchcursor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

MD5: ca8612c41c44b87a10703ffe71d4f750

SHA1: 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

SHA256:2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection-pointer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js

MD5: 3ea743f9f1b458692e5258bc8c8afbd8

SHA1: 4306383d109eb987ee62a6e2defa8926dec870ba

SHA256:fdd7ff53d0ca796c5e3792ceb5063c84d0735bcacf198a1c06c78880f1c664a22

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js

MD5: 34d76a4a0d6602f8d4ff937e499f7906

SHA1: c759ce0c87a62abdd8916125e3bad601e4ce4efe

SHA256: ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js

MD5: 8f89f30a603010383e7c118550697100

SHA1: da2d4548c10827c45fd625bdfd1ffdf0e28e0c30

SHA256: 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: selection_updates.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection_updates.js

MD5: 252e2ea7a38323b8d82902e6595d23ae

SHA1: 27719d66e1ff98e650abbc5b48f2f4635f65df13

SHA256: a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: shell.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js

MD5: ab0fc779b5fb9bdc1310a28d7dccc379

SHA1: ece7e7661886871cc46ef71248c67ea53a61ac7d

SHA256: 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: show-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js
MD5: c9e3db9bd2540c05ac67b249f8122387
SHA1: e8092d9477bb1ad4d17d44522d99cc67ead53b16
SHA256:28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sieve.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js
MD5: 88c6148d955c6542b3f10482b736e553
SHA1: 72627a945e27e3044717e5b8db378f3d776ad0fc
SHA256:c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simple.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js
MD5: 282f2d54ca2c7b60ab4bc0cd762b943d

SHA1: f08a5e5394568164edb85911dfc452f433bb2483
SHA256:400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: simplescrollbars.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js
MD5: 34d6903cded2822fb2261678e1a479cc
SHA1: 0707d27834fdde0fe2c32935af79d4575cf9f1ad
SHA256:62b48bff43436fb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: slim.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js
MD5: 447874e5c5dd225949004c357d17ffe2
SHA1: 2cdc3263aa6d9766131d73157afb05fc6767b50
SHA256:a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smalltalk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js

MD5: f6e7ef04f9f907a13604ea5b1938d3d7

SHA1: 57f009cf2b2147f14c530f697fd3ac493e053

SHA256: 9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: smarty.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js

MD5: 3ccd6f2129ee79c85ef96a8237f1de7a

SHA1: 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

SHA256: 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: solr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js

MD5: df4ba46ed00e24c144deaef9a817d024

SHA1: c880da8431afd54034ae7fbfedb45d94966638b7

SHA256: 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: soy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js

MD5: 1db8a99a573b2ab07cf30cc58da1bb2a

SHA1: 7c0a178caed0b849f140d0b21de6548a0355f9c1

SHA256: 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spans.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js
MD5: 52150a5a01dd7c56de003aa132f71e25
SHA1: 92cc8b4ab38a103a106f574c40d25d16e97d48eb
SHA256: 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sparql.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js
MD5: 856d73e41310b4dd6a18f13d64fec0be
SHA1: 1669e717cbfb9fa9b30e99415a6e5f7a66feb286
SHA256: e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: spreadsheet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js
MD5: 370c01bed3c433131f942ef7e6f69187

SHA1: 94b3e4c80f954a378ab94f13068d879e9ab3394b

SHA256: 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js

MD5: 8d41549d89ca9bfa3ef068190df379ca

SHA1: 6a2cbde78c9311f75509d3350877a8018499e8c7

SHA256: 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sql.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js

MD5: b48a3934b20b392ae812b17df05355f4

SHA1: 40d1a558afba1f5043b23131e496de37d8e2dfb4

SHA256: ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js

MD5: c7ef8ac785ee813860cc414ea17dbf6d

SHA1: 3e46d97b4e694c7389cd0df4d13b914697d28c8f

SHA256: edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: stylus.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js

MD5: 7e6d36c0cc269b4e518bd48b9b6342d6

SHA1: ea339b15b178a1082a2acdadae82ef1f4a599f32

SHA256: 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sublime.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js

MD5: 1d7ea7f929183e76740bd9d98e9cac41

SHA1: 84a64b60b5802e86b0689ccfa95665339347f0c7

SHA256: 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: swift.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js

MD5: bf859160b6f348fc2d72673fc40b9da9

SHA1: c6b46b402c9b1fc3166712d68eb10ad29c5d01f9

SHA256: 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tcl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js
MD5: 28a739b5550bd5ad13b47dbec84a9716
SHA1: 2ce8afb99f36fece39e1b3df7be02509f77b19ee
SHA256: 98552bab94ce9adc9fce5658da2965994a84e852c83098e94564884815b3026
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tern.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js
MD5: b9418efb9c0d90a3432dff86169fd293
SHA1: e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7
SHA256: 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: textile.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js
MD5: d3923b19d37114a9e2a346c191c318e1

SHA1: 979b17e6363d63ac2d1b3a6854ba6196564fc5d4

SHA256: c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiddlywiki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js

MD5: 3e4fb7a08d9df5cbe9822cb1756bec86

SHA1: 84885a1cb7be096c19a3dfddd70252efcc83960e

SHA256: 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tiki.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js

MD5: 6e4bd43879571d0fdfa79714f550a3bf

SHA1: 6fd2ece4b20160c1859f34cb245b173459c21163

SHA256: af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: toml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js

MD5: dc2ba16cf830b53759b71306e9473ed5

SHA1: 1a394f9f45c508fdbc270b7c0a1f72460fc897d9

SHA256:67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: tornado.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js

MD5: f45c2ec37cc008dc5dbd5f9c077ba666

SHA1: 8b55c6a85279c8f7d6b3f539fa097fed877c16b9

SHA256:d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: trailingspace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js

MD5: 43599469275c2b662b7907971147c978

SHA1: de4d3ee3d32f01f94921b8b3944c7383da7ba970

SHA256: a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: troff.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js

MD5: e7f5f0a2bf68a81f0f3e547ab5640627

SHA1: f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775

SHA256: f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn-cfg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js

MD5: d847dacea4534ee2841f01f5ac419060

SHA1: 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743

SHA256: 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: ttcn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js

MD5: f94e618b386e8bfd0ffa2252482e9c84

SHA1: a463a8817c26dcec47a7d006aa097dacf74b28d1

SHA256: 10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: turtle.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js

MD5: f36ec21c639822b370b87c63415533f1

SHA1: 9b6341bdf7330b71a5959cde815241b6e7deaf05
SHA256:0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: twig.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js
MD5: 09ab2491f1056e9d142e233dbc9dc1de
SHA1: 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8
SHA256:72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_display.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_display.js
MD5: 8a51230ca1be6a91aebe25d4d0f7b55a
SHA1: 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2
SHA256:cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_line.js

MD5: b9b8f3c5e697e33d73d1044eaaa86dc9

SHA1: 4f7c764ac36b54c918f06b68129b8835b22b55f4

SHA256: 5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: update_lines.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update_lines.js

MD5: c864b2f05d2101a47c52b9c01aad5b47

SHA1: c63e8555c30976387f5904fda11fb55174743a88

SHA256: 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js

MD5: 4e9e033cb9daa0702d84b88dfcebae20

SHA1: 8e5257ed7b93a00cb5eccbf544d6a1043f2edac7

SHA256:06220f9e424434492b73e0aea65bebba1fe74fc3002f8b3672d1d0d3a445f20d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: utils_line.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils_line.js

MD5: 0f6f365b60c1688d8f0fcb8d57a9d9d4

SHA1: 574435cdc400815c829db19a67652b7077b00433

SHA256:a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js
MD5: fa430588a34292ebd66e33fa60217b4a
SHA1: a89cb1b315fbed1886d709d921ae95b216d89fc9
SHA256: e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vbscript.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js
MD5: 2da61e304ec310d9291e372c53c6b06a
SHA1: 9c582c79ac9ef6d1c08850c180f988bf974aedb5
SHA256: 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: velocity.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js
MD5: be30a2a88271b692c85d7de9744f7c16

SHA1: d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7

SHA256:3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: verilog.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js

MD5: a79b1a94e41866ba625c37e77a76ba16

SHA1: 4818788973bd3f66d3b9e14992710d96a7ec18d4

SHA256:ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vhdl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhdl.js

MD5: 4f804b6884d0d7c233a0acc15fdab384

SHA1: d30d775adce22818b6e3955fae1d653028abb5dc

SHA256:da078efdda01a1245fb8ed5a16cfeeb0a51823e5917e3802457041dc48243539

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: view_tracking.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view_tracking.js

MD5: a26525bd629440e84b02128d6eb323b4

SHA1: 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6

SHA256: 077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vim.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js

MD5: 3a5542b6dabf86e3983f29c5c5a184b6

SHA1: b8afaac94045745d4517c9635a5d0c1c266db7ca

SHA256: c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: vue.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js

MD5: 9e7dbdd0bcaee6279ed4e77f5ebc36ad

SHA1: dc5c50230fdd556f9c3530f781b7a2b16ad30a20

SHA256: 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: wast.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js

MD5: fb1f6ce81911f07db605e2e5ccf41cf2

SHA1: be86e08e18cc74130b483022c355846d72116c20

SHA256: 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: webidl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js
MD5: f31e84cde3fcc1fa2efec9889038d7e5
SHA1: 0757847217a95faf4defc9685f6821accb9d8988
SHA256: a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: widgets.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js
MD5: 675098b5f0aea0bf351a1b5762febfa6
SHA1: c922dccdf98c79f92fa086bc2a36d970c76b56df
SHA256: 09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fetc060b60bfd65
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js
MD5: c6d16e68bc203e9489fbbd11b5b100ef

SHA1: f8adb9ac9944f88bf6e69048c001f89537f32198

SHA256: 80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-fold.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

MD5: bcfaae27958026e83cd442b5df731da4

SHA1: 7ad4740f2ecbaa3869b066156b19401075a0315f

SHA256: 4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml-hint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js

MD5: f2651770cad286ae58d12e9f5c4e9e6f

SHA1: 17bce6be75e45d7a291a32d0c1e346e4818296db

SHA256: 6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js

MD5: c93fe254ef100aeb5c9dfcda4c91d27f

SHA1: 510c71566cf81560cb5bd1bb25287ed6502dde75

SHA256: dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: xquery.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js

MD5: 56cd9562591919c15b7610f13cd112be

SHA1: b294546669da04806196e6aca774914a30a0b3f8

SHA256: 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yacas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js

MD5: a70c01cdbc7d4311d4dda287ace27a79

SHA1: e853bda930d5fed1db0bd56ab9426612e759f9b3

SHA256: edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-frontmatter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js

MD5: c2dc6071833d8d9bf02d81244403cbd6

SHA1: 212780f18d78644233eb826c8c660eee51b6ac70

SHA256: 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml-lint.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js
MD5: 925332d44aefcb89b106d4fe9b32e93d
SHA1: 19221be874d11d57582a77dd08fd2f244e9b5500
SHA256: ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: yaml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js
MD5: 77fd959da1bbaeff5cdd97689da94570
SHA1: 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722
SHA256: 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: z80.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js
MD5: 85b28ee5eafe8552bf842eeba91325f7

SHA1: 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

SHA256: 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: commons-fileupload.jar

Description:

The Apache Commons FileUpload component provides a simple yet flexible means of adding support for multipart file upload functionality to servlets and web applications.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/commons-fileupload.jar

MD5: e57ac8a1a6412886a133a2fa08b89735

SHA1: ad4ad2ab2961b4e1891472bd1a33fabefb0385f3

SHA256: 51f7b3dcb4e50c7662994da2f47231519ff99707a5c7fb7b05f4c4d3a1728c14

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-fileupload	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	fileupload	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Vendor	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low

Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-fileupload	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory@apache.org	Low
Vendor	pom	developer email	jason@zenplex.com	Low
Vendor	pom	developer email	jmcnally@collab.net	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sean [at] seansullivan [dot] com	Low
Vendor	pom	developer email	simonetripodi@apache.org	Low
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jmcnally	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	sullis	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	John McNally	Medium

Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Sean C. Sullivan	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer org	Adobe	Medium
Vendor	pom	developer org	CollabNet	Medium
Vendor	pom	developer org	Multitask Consulting	Medium
Vendor	pom	developer org	Yahoo!	Medium
Vendor	pom	developer org	Zenplex	Medium
Vendor	pom	groupid	commons-fileupload	Highest
Vendor	pom	name	Apache Commons FileUpload	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-fileupload/	Highest
Product	file	name	commons-fileupload	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	fileupload	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-fileupload/	Low
Product	Manifest	Bundle-Name	Apache Commons FileUpload	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-fileupload	Medium
Product	Manifest	implementation-build	UNKNOWN@r\${buildNumber}; 2023-02-01 12:39:33+0000	Low
Product	Manifest	Implementation-Title	Apache Commons FileUpload	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.6))"	Low
Product	Manifest	specification-title	Apache Commons FileUpload	Medium
Product	pom	artifactid	commons-fileupload	Highest
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	d1r@finemaltcoding.com	Low
Product	pom	developer email	ggregory@apache.org	Low

Product	pom	developer email	jason@zenplex.com	Low
Product	pom	developer email	jmcnally@collab.net	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sean at seansullivan dot com	Low
Product	pom	developer email	simonetripodi@apache.org	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jmcnally	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	sullis	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	John McNally	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Sean C. Sullivan	Low
Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer org	Adobe	Low
Product	pom	developer org	CollabNet	Low
Product	pom	developer org	Multitask Consulting	Low
Product	pom	developer org	Yahoo!	Low
Product	pom	developer org	Zenplex	Low
Product	pom	groupid	commons-fileupload	Highest

Product	pom	name	Apache Commons FileUpload	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-fileupload/	Medium
Version	Manifest	Implementation-Version	1.5	High
Version	pom	parent-version	1.5	Low
Version	pom	version	1.5	Highest

Identifiers

- [pkg:maven/commons-fileupload/commons-fileupload@1.5](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_fileupload:1.5:*:*:*:*:*](#) (*Confidence:Highest*)

remotegui.zip: commons-io.jar

Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/commons-io.jar

MD5: 8d000fa8939b71b8894637f0ef6ea28c

SHA1: 8bb2bc9b4df17e2411533a0708a69f983bf5e83b

SHA256: 671eaa39688dac2ffaa4645b3c9980ae2d0ea2471e4ae6a5da199cd15ae23666

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium

Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium

Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-io/	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High

Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low

Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.13.0	High
Version	Manifest	Implementation-Version	2.13.0	High
Version	pom	parent-version	2.13.0	Low
Version	pom	version	2.13.0	Highest

Identifiers

- [pkg:maven/commons-io/commons-io@2.13.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons_io:2.13.0:*:*:*:*:*](#) (*Confidence:Highest*)

remotegui.zip: cryptojs.jar

Description:

WebJar for CryptoJS

License:

New BSD: <http://opensource.org/licenses/BSD-3-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar

MD5: ca2422ebd0ff28d09593a3a8c76e5990

SHA1: da6ef33053fbfb29a62a6911a7387f965af1e210

SHA256:9b39bcd89452811cd761094d73f325f22277d33719822e1736192e8e8ab7c3a
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cryptojs	High
Vendor	pom	artifactid	cryptojs	Low
Vendor	pom	developer email	james@jamesward.com	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	CryptoJS	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	cryptojs	High
Product	pom	artifactid	cryptojs	Highest
Product	pom	developer email	james@jamesward.com	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	CryptoJS	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.1.2	Highest

Identifiers

- <pkg:maven/org.webjars/cryptojs@3.1.2> (*Confidence:High*)

remotegui.zip: cryptojs.jar: aes-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/aes-min.js

MD5: a5f764bf00c2703f46d7d6e0d8668366

SHA1: 819d85f3faf2620aacb392e3cbb1c860f37ed232

SHA256: 637745b0d1b630b4c766083aa8af42d749ae9bfaa75906f2b3a362584edf8392

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: aes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/aes.js

MD5: 9dd8fa7913289a929c164f3ea8a304a3

SHA1: 1ef8d4e93b97c3f06931497971ddcab6da8a4b88

SHA256: 89b549c40352d73c547beb9adfd439898a120ce5a9b6000e15aae2228ae4a651

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: aes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/aes.js

MD5: 4ff108e4584780dce15d610c142c3e62

SHA1: 77e4519962e2f6a9fc93342137dbb31c33b76b04

SHA256: fc7e184beeda61bf6427938a84560f52348976bb55e807b224eb53930e97ef6a

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: cipher-core-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/cipher-core-min.js

MD5: 5b267df5912609f3f8846a797f35a8bb

SHA1: ebefff569a3dec7035f72a049e32fa15f2163817

SHA256: a304d25d72fce665807689aa3937bed9a63efd26adaee8c6265259ae427f8198

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: cipher-core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/cipher-core.js

MD5: d64688a739990c909601eb87472db8b2

SHA1: 11e627d0b293cfffda348351370216a8d3ac09ba

SHA256: 9201c70df387a263d45f525fdac02d1a6955592e80fbd85d044f8b6389126041

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: core-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/core-min.js

MD5: 876597c9769e47d24de8ffde88c73366

SHA1: 3cf95fb106f87bdec25216c1aa92467fdb698806

SHA256: a8e02f6b74d94bccc41ceb58e405ef84e9b0d597d7e3a9ec9a7c45e458c9d422

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/core.js

MD5: 84596371c320e86f42f614acaa158a31

SHA1: 85a000e9d8f5c1bb8f3634fb5bc4631701e2d55d

SHA256: 968d6ede7130302736d8671a2be2cf9c1f11bf824545a549e30d5edaba76faca

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: enc-base64-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-base64-min.js

MD5: 0492f6d0c9073c63b0e45d6b7a3cd2f4

SHA1: eceda6841c0d271fb6c300fe12c53e8f255841ed
SHA256: 12d75addf14c5b37f4ddc288860b07b22451117b584176a44cc5204ed77dc5e8
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: enc-base64.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-base64.js
MD5: a5fb8f1f2d8134e0ed8d0ddd6e2ed216
SHA1: b0656c8f34803eb88693656d36a9876b58d93ca8
SHA256: e337112ff57db84347ffaaf07622bb6b2b8a74fef331897bc80bb10e8fb8eec2
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: enc-utf16-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-utf16-min.js
MD5: 0385220c12b19a71e01a471b32b93cf4
SHA1: 7f5d71da993361994a7f08fead73db791b61344f
SHA256: 65b1d707e070d00355c7c81965a1f6a6dc1f6547db1c1986e096fcbdfef7a17e
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: enc-utf16.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/enc-utf16.js

MD5: 90771760929ca5b6365c861a2e054962

SHA1: 8957d801132eb21f93eab6ea0269109e628fed07

SHA256: 13f78e44e39b3382030154b687e7fe2f93bfc8bd89f5d0f7f50db4bcd5f7b0c7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: evpkdf-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/evpkdf-min.js

MD5: 5ca1478046d88f4571d5c7ee32cf86fc

SHA1: 90029d5095bceb159b26e15248db4f6bb51ddda3

SHA256: 1c8da0de35dffe3c3a7f027e49ed67512e390973034497b72244301ceeb317a7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: evpkdf.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/evpkdf.js

MD5: 1e0c2c573175ec1d8947b393ef1bab21

SHA1: fd7c579253c50b63b4950da556c1f967ab1c817f

SHA256: 9f558f621956b72025a6d3edb1b98af186701c1aaa268db7bcf1ba7a0cb0d30a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: format-hex-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/format-hex-min.js

MD5: d86b647ca8b0746e866c3ec1cabac383

SHA1: fe452a95159e40e57d4f865c5fed53f62139e5ed

SHA256: f2b6a66f4432ee2471c9d2d70e7f3dba42dcb2ec833f2aa2690bf4f8b6fd2780

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: format-hex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/format-hex.js
MD5: eb69c9396890fd1ad46db3544045a01e
SHA1: f766948651242183b7bd584e8ffc10f79ccb012
SHA256:3ca4dabfb2a403b312ce4b00edf0b450ae4a55c01da7227cca03464de6c0743d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-md5.js
MD5: ac1d818cf114d33ded1ffa5b9cba2912
SHA1: cc5f45e637ff80f1bb5d980c9931ac5bc8dd0c07
SHA256:8b982efeb0214d60d3233658c488efa49d9f762843ede7e9c77c366ef99fd61b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/hmac-min.js
MD5: 4f0f6cd6b64b87afbde397a0ac3885f6

SHA1: 67c5c898598fbb3957691346d28282c8da4ed0e0
SHA256:ff79731fa59d1b2ad593405d8395d76888f4491f4a89f4085ea7a2865843eb1f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-ripemd160.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-ripemd160.js
MD5: d10439beccdce1e9246378559e80d019
SHA1: 0ed124a4ca5a13517830851c7c163f8d21067997
SHA256:f0510b0690a9d53c5f0678e677f86e0b043002a12438d44781268aa33dc2348f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha1.js
MD5: 89dfa17b6bb06a00f7a0f03196b71565
SHA1: 818800b462ee6b2e7c4e58e1209e0b63bad64d6b
SHA256:373015d4e34dbf73ecb406228a102a191bf689ab1531ad0afa629e97b6a4a7bd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha224.js

MD5: d354f5a93c5e1eb818a17e20e6dc528c

SHA1: 993104d4929c5c02f3ff3f3786a984a3539fd502

SHA256: 19c288f447bf8163c6f7a814c2970aeeb06752b7f0811ac6f975c18a740227df

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha256.js

MD5: e355334677dcf7e7b062c1e1aff8e36d

SHA1: fbd9ada101e46cbc914491333fe5c2f43022d2f5

SHA256: d6f2b21914a528e96d06a38fea4aa7a0e54f440349d651652ad276afc1ee464a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha3.js
MD5: 0416bb3db091ee460d471592623b9a42
SHA1: f5c555b3752d4768cab3fb1cb3420ed081e536a
SHA256: b5bd09194f6f872ddc3efaa2b544f91b66f51566dd9cb107c95fe2d98854a2cf
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha384.js
MD5: ca9b8d2cf335f4924d9a8584d207d718
SHA1: ffeaeb7f82d7406de4db66acefd3385e7014e00b
SHA256: 024d8fbd0958c339db7d2335a5ba6e1eb3e21166942c758a88a05962a829f14a
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac-sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/hmac-sha512.js
MD5: a28758bc2df0fbc3189d46ce9dec856f
SHA1: 3a102d8bdbcd8b53fa0b0e1200568cdbea89896c
SHA256:55efb41a6fe88299c3c00a4ea75f172f03ddc28df57c94495eed5520ca9ec4e8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: hmac.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/hmac.js
MD5: 8a816a10bd506d3fa9b9e2cd92d09b17
SHA1: 2949aa76446661c2c09cc8f97b85b81b6227b525
SHA256:c76d2b9a9ef3522e33ab5721f2bf66c95ee792c2e8c390c6fa5dae1f28fd0b70
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: lib-typedarrays-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/lib-typedarrays-min.js
MD5: 7aebd6e5146a607d15620176b0120089

SHA1: d44636a548994e2220dce4f0242419b1cc93dcfd
SHA256: fcf47b79b1d5f413e9359de56b9dfd7b415ddb2be3eb54342230c87f1d82df1c
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: lib-typedarrays.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/lib-typedarrays.js
MD5: ea206d2e3661ff79e9faa3d6f49423cf
SHA1: 8ab6415bb7974590138a0bcc936daac90a8c964d
SHA256: c314ae2eb6d9c745db4d9a02dd14484e991c2e51da4f81c628f64a106a136892
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: md5-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/md5-min.js
MD5: 8912fce611b282fe33e65deec22e1c0d
SHA1: ee72a1560aa25cae36d3dc64949a823a6c4d4355
SHA256: b08ef7fa1f2687fc118629900891bc36c5175b0bd5c17c49e0de8a9f77702bf2
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/md5.js

MD5: 0771d402f4b468ac83d8019eae54341b

SHA1: c905305f2cf7b69b518bde00438b5d01cb608179

SHA256: d07472f1d0decfe4f9e347a411e7c40b528e4ece66c2583f22f3d131d7ec64e8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: md5.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/md5.js

MD5: a6b81a1b266ec15dee03287742c3fd2b

SHA1: 292130bce7267964021f6aed61e114bbbe9cc54e

SHA256: df61117d7806f863533acc213c4fdf87a667c109fc708eb4bedb9d35e30adb1a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-cfb-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-cfb-min.js

MD5: e0e54c449fcd4f263bd756c07ff1f9f3

SHA1: bf24bffb805eb7446c205bdc0b174431af30b59f

SHA256: d4eb512535e033d3468c67da230663be9abfc05ff2c9ac8bc8f218c8e8dfa628

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-cfb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-cfb.js

MD5: 4296a872e15497cb9996c3fcac8c6ec4

SHA1: 798c1ec01a7267468516d145c9d6bdfb820860b0

SHA256: cbe118fe129f39c7900c94de2979421f62375117fe8ad3d747cc773811b48901

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ctr-gladman-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr-gladman-min.js
MD5: 9bc6fbfcf8e1be5eaea3f8fc8d73103d
SHA1: 74845a3e605d280b75d6935502fd0a768719ca54
SHA256:50c173dbc47de42cb5015d984314350db85b8dbbb2ae2553c27ee63395196fe4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ctr-gladman.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr-gladman.js
MD5: c97817cb36f659d1c0497810e7ba9af6
SHA1: 290069adffba53d254043bd66acbe3b57927f26d
SHA256:0287b28dda7499e7836590c79f6b0df782c2d6b85206a98f364b337e3fb5b25d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ctr-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr-min.js
MD5: 85bbbf3af1903c719b9034515091f245

SHA1: 9e30de4f213b374c26acf11bad0b412c13e59c23

SHA256:30ae41e6d993bd36781b2b316b17da9cd909471c53fcb89071c86785b18d7c38

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ctr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ctr.js

MD5: 7c8c48da72c3ddb8741ecffc4851e1a4

SHA1: d0b53355bbb417c9eb05968840bf5b4d2094f18b

SHA256:268226f92e8267996f74dad48398b47d92914b85d4fc2407815728c4b3eb1402

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ecb-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ecb-min.js

MD5: e68433d8b4e304cb5be10e721011b08c

SHA1: e92482e4399ea0e9b3122e74cbbb1537e5cec230

SHA256:9d2b815fa5b9255f38be8c13653e7d82f3c1ef90e6932efb490aa641771587fc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ecb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ecb.js

MD5: 851d991ec9be858820c7e23c40d9c552

SHA1: ac634eb825fb6ba5152d9e78a78d98f337c9f126

SHA256: 0de7a06acb29b065c94b95e01a3ab721a1ee42910ce8172efc31c03b45116074

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ofb-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ofb-min.js

MD5: 3364fb2c66ef404de1c4e42c1540f046

SHA1: 06e56954464bdf1c712a8e4b65bf567fddbcbef2

SHA256: 444b470b2908561e36c0626ba7306ceffd77c27a78e8f2673424d315994e5022

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: mode-ofb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/mode-ofb.js

MD5: 0d00951948325cb7ef255c32bf7c9840

SHA1: f2a5c4aa40be9143d970f9274436af661e8b1629

SHA256:4f7fa13cb1dc05c7a69b9cc61fa2a00995110d21c37f1ff14e45408fdb4a2d9c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-ansix923-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-ansix923-min.js

MD5: c6a52631fba1728058587739dca8f6c6

SHA1: f740a0d86248c8f6f502ef5848b18c7bad809f91

SHA256:8dfd3955cb61e842edab87550d7d6301ac98bab3f079fef400370cf9ac9b46cd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-ansix923.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-ansix923.js
MD5: 4ff5dea76f49dcee8466a11a1490c23e
SHA1: c2f197bd7aa3827cae7aa42a29af6413de60ce0e
SHA256: d6fd5250f58a0df8341181c52c7fc5d4e064f62074608d02e18b3ec3f378bae4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-iso10126-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso10126-min.js
MD5: 993d04c0bca8cb88001bcfe10db9b797
SHA1: ef509b2a2b944b008e930582873d24f80dff8feb
SHA256: 2e97273021e0fceba80c8b94853c9655e18c1db9e60006d804795849adc8362f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-iso10126.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso10126.js
MD5: 108913776bc82d0ad6c49f69451718f5

SHA1: a54761a99d7a9654a152083e232e2ecf234b6137
SHA256:4bd1e8e8f4444fdc27fd1a2c92ef1736bd4176b1eabe5657ebbbe7f8fd67980
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-iso97971-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso97971-min.js
MD5: bc42fad06d6a9c1c50e22dd4869c666d
SHA1: 540a840f17150d596e14003cfc3734aa803d1792
SHA256:b5b2654096e98f0840664fd1fa252e3c4a4834ea20af49f2da76032d4f8c5fe7
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-iso97971.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-iso97971.js
MD5: b6b30298d59d21c7921002618c399530
SHA1: bc727a7eb1f7549acfdbebacf4baa326c85819f2
SHA256:a61dd49cb98f2de697fbd7d22402852049b7fcb5512a927aec3c002773685bd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-nopadding-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-nopadding-min.js

MD5: c062c9dc9db63fa4f2fa42aeeaf4ecc7

SHA1: 47f212817c8f8ae321477f32559c3e6cf984f6d7

SHA256: a031e54195ba40a6db424fc7308071dc82278d755072d708e73fb2649f7857a5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-nopadding.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-nopadding.js

MD5: 2a962c9d479e0cc74f51d80098d5c0f0

SHA1: 7940341f8c4ea70188a9ff6ef3b21faeea18e1ef

SHA256: c00ec3b9e414448326b222f99aa50810d69b0ec56e3b8c70db74ff7d8f1e613b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-zeropadding-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-zeropadding-min.js

MD5: 5634f040d5e17a620dd4ec3bf41dd832

SHA1: f5dcb84835aa9dbd0b06bec3f33745c6d8d094c1

SHA256: bad34ae2d10693a14ce812646801c710f5b2a91dd6ae5acc57482e17640e9be1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pad-zeropadding.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pad-zeropadding.js

MD5: 1ac38923f40cea0cc97d906cd0bb9c5b

SHA1: 45a6f2b586daf4409eba6a2280c2fa2063199e6c

SHA256: d84ebdb22b9bcba745ff7b9571399e97cef3b4c3585e7b62992bc03d19ecd348

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pbkdf2-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pbkdf2-min.js
MD5: b10f2f19a079a87918487d6771254709
SHA1: 8c93fa08d10d428060b59f53820b06d6890e10f7
SHA256:37a5f1c4ba90e650692769bf935073baf006a438791857fe4f12feeae25f3090
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pbkdf2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/pbkdf2.js
MD5: 8b097984c6da1adccb255ba0bd68e3db
SHA1: b77439e0865bae93baf605a1be3b9a230adc98df
SHA256:66a9cff4a31cb862211977e011b51c37d20e18fa253cf2dd3b279949445faf2e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: pbkdf2.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/pbkdf2.js
MD5: a50897fea252b972449a9e246aa69fd7

SHA1: e6d089c4b43227db5062742edb336dfabfb5cd6b

SHA256: 5f8034781ba252e676db2ada75cb3d98df874aa3747830223141fefbed71c906

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rabbit-legacy-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit-legacy-min.js

MD5: 40317e69b3243f753a88a210318abb11

SHA1: 9ade15505f9a72af697f266611e55a629fab940a

SHA256: 18221326a9569e9dd4ec595cdd5406a2a5bccd245eb2e21bc783f5ef7c0b0754

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit-legacy.js

MD5: bd7de7560e8f5bd4a40c6759ad462176

SHA1: 8505a210e4c63bb8637a912623ec8b79261a3db7

SHA256: 9c203c51ef1035f470483e485ea7f97ae11fce26155614c194e6929ea01ac385

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rabbit-legacy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/rabbit-legacy.js
MD5: f799eaec552e61c61ac2cc4c15349efb
SHA1: c3908967e92d6e73abb1d7b03e8f71e34b4183f8
SHA256:41d0e6bc19983b6eb128e87aff1633006b6f16b1f14f1a609eb286e64b3846e5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rabbit-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit-min.js
MD5: 503e6e3ed74709ffe909d661c14f2242
SHA1: c163a170317b35edd5b438917f48c037e5d288e4
SHA256:40125b5c07482dc3bbfcdc50b05ec2cd4431b69eab99185b9979435ecd8d5375
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rabbit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rabbit.js

MD5: fd8e30dfd55a276b068d3a1ef5c43271

SHA1: e86c14a4cce9b01673ad9fb1dc7077d1aa09709a

SHA256:41472214b2738fe020950522d60b99592ed5650d830b9e70daf1b1c5ec295060

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rabbit.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/rabbit.js

MD5: 80c4218c9a75eeb6007cbfd671d602aa

SHA1: ad2d6efeeada82dfdc367056dd41c60f6a1511a

SHA256:1930970d3855cee4f19a970092ebb7fb372b4402ee909db8fe8862cf5e977578

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rc4-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rc4-min.js
MD5: 22038f0df3d52163b8e18795db4451a0
SHA1: 7f9217ff8ab5f1028205db69e081d1183a6a2edf
SHA256: eddbec403187a31b1ead7322f6c0bbc07adb76e2131ff351499a49cafdafac
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rc4.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/rc4.js
MD5: 371ad0bf7c59a69cb1ba83aff37b5351
SHA1: 0d41062a2abb35e726c5d67b3e072c55aa186940
SHA256: 0159c88b0ff6e6871d845c60a10007ef0a1541dde8bb9e9745949ab8988a6247
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: rc4.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/rc4.js
MD5: e0b9bc98543aca9c455034a07d9b7870

SHA1: 393dfe11ba8548ecc867d24e9fcd9bf3869a142b3
SHA256:f691c0f0b36f04f2f1e44e42e59e8f39aaf743467feff6655512d5aea2dd3050
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: ripemd160-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/ripemd160-min.js
MD5: 1a6b98aedd90b906e1672cbf8af9cb54
SHA1: 1dcd16cc050281963f22a70b1814de13b3392958
SHA256:86604b55eba2fd7df85f879521b034a775c00716930f59cbd142febb70f16a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: ripemd160.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/ripemd160.js
MD5: 28d8290ef7034640862371f8dcb06f2b
SHA1: e7ac99d32ffc745a907041a3e69e227ebebdf47c
SHA256:fa10120d589f0fc096d07b21ccd8e31d982ee65f07d0b3a8dd1f599958393380
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: ripemd160.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/ripemd160.js

MD5: 297584420f9a8cdfc7cc5f3083f47273

SHA1: 3c7f64b6c55fd5b9ba1167b95fc8d7e9f701d1bf

SHA256:29c12bc9b7cc7488cfe5d0512f72ac426858113f2e1d500c3cb05a2fb11df377

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha1-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha1-min.js

MD5: 56ffb0773df8e75d981014b4236cea35

SHA1: f3a0dadf84815645f1467769fc9d5bd547a2f152

SHA256:68e55843225fba9243cc1b9bbecebada3c9d0e69a2a844db822f5bdb387b23bda

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha1.js
MD5: 539689be018423b320715e7caf9376ff
SHA1: e8f4016d930618d9e9a103c2c84324fe609611fa
SHA256: 529a139a65c3fb986954f1a5689c428f88703a9cc1874180d8bb572c479b3fbe
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha1.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha1.js
MD5: c34df6c14ab5da6f6cc25fa796ee97de
SHA1: 55475790e5fd20e81d008dd53fetc1a45f30f544
SHA256: 26ddfeba7a963dd4607fd593782de6b8e9e623145b86fb9f0e4214235d98e0a4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha224-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha224-min.js
MD5: bbc341af09ce252ca7cc058e49bb2a0c
SHA1: 11ceabfea3b56f4f62f76ba179fc05d62b7e5b79
SHA256: c027382f5767eaeccb2416abe4bc0964b7049b978c39ddf9be4ecb71443bf6ac
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha224.js
MD5: 94083f6093b61e2fc55adfc2bd92609a
SHA1: c1c4629af01b85d68519ea83a1a38e1e62892099
SHA256: 500cc0ce64dcdf8a3b7bc15e2ac198616df7c88b51449751198e8e9744586a35
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha224.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha224.js
MD5: 1f2721bd362cb52d5879bf13f11db39f

SHA1: 9275ce71a44a1dc9eaea27fcf63be04c385fb4e6
SHA256:68f2b27bf927140004b76ed5dccdb732aec62b81f672b9c83b26590a190a965f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha256-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha256-min.js
MD5: c7b3117b5b40ccb7ff56f13dfa078ec
SHA1: 6fb89f2ce7bc06d8ff3098350c2281e3ddf0cc91
SHA256:cc4cad9cefc9264c71ed0990cd216b68bab8c2c85a98ef697749d18728e98ae6
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha256.js
MD5: f4df2bf3fd02b6fa430961b8bc5352e
SHA1: 0a1425b2382aa29cafc540b16b4ef439ded17ae0
SHA256:d3a42cf62e4e3fc02f26cbfbdefb61e8214845ae38121f345c039456dfe9d5d5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha256.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha256.js

MD5: e865bd9952e46357b2572dc64c6e7b78

SHA1: eccc807fdb530896a424138f2f793d440fc66fe8

SHA256: f7bfb9a64082e0371de86c3b3ed83e05f22be1eac3190d73736298f2f0ec8425

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha3-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha3-min.js

MD5: 05558da4af5db6434672b2273ce67c97

SHA1: e07cf6f99f83bf86301ed875ae48ba69f0e98aac

SHA256: ed1fb105c77b2aa75972f8e45d54f3d2e73ea4bc9df31c225ea2e35a01d0055d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha3.js
MD5: 3cd4eec1e85d5c94e82f1008b08be5ee
SHA1: 3fdc2f7765d907f5fbdccb7a7ccde7b5ad40957f
SHA256:b2ffd5cb9a9a1a2da2e0850201fee80f077574c8f6603831ff48c39527ce3e75
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha3.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha3.js
MD5: 010a7490abfb48b66e814fe047f07e00
SHA1: 946a39aeda88aa1d2091dbe42a1eb09bc4a14d41
SHA256:b731d92e4bcc8941d77cf52bf7d532741a95b4bfb5bf4005d34899073999cc96
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha384-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha384-min.js
MD5: 8c71f79e82b9fe75e0d7f3579e51b840
SHA1: 26156685c7400cca089dee06995398d40e40134f
SHA256: dbb21a27b4e989f7b14e2012f0347336e2d3ff2542d2377b83132772f9a4048d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha384.js
MD5: 5c126da0646459ed3e339e267887bb3e
SHA1: 3e1e9ca14fa05e988a2ee211d99026ab1c8fa7e9
SHA256: 5f473eb1164f22290806e0b1c5e8e33923b368815a9d0274bb6e8dc2a10345ec
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha384.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha384.js
MD5: 82dd1954a04d70ee8fcda54a067da807

SHA1: 4f8941d1da8bcf2a1983696dd8216e85ac901243

SHA256: 911134639a95e88083027fdc1d9ba0ba18602f8f8802d585d938cf21a954257e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha512-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha512-min.js

MD5: a009eea976443977b87049a0cb4e4339

SHA1: f265773a79c1fccfcc044000774318b795d2d4cf

SHA256: 6b310f257a869458601ca0ff978e0beaf7eaff972533a9d56f7c49bb5cf70446

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/sha512.js

MD5: 9950befc43bc7926047f1de1cec70b3b

SHA1: 640c9a7bba2ebe25baf38a7dd6a2d50806b6f1de

SHA256: c095f575e9a83158d42b982ca2d7232910ffe4e61403470f8a9294b39327fb7a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: sha512.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/sha512.js
MD5: 9b3b61cf2820503a031383477ad2de7b
SHA1: 2fab92ab35e2d2e3de9d5dfbe847649001525b75
SHA256: 46ad59f13d30ad897d8f2b6e6f65fbbfd9ff52b9f7a89c60db9b19d92f42a597
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: tripledes-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/tripledes-min.js
MD5: e161009dd0f2d9ea6a956c2f741e518c
SHA1: a27c3b6b5052dd668ac55964c9c7d217634717eb
SHA256: 69ee1b33c64b456dab8bc62e514747d10a8b3a074fc25b22cfeabfa8e0355385
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: tripledes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/tripledes.js

MD5: 5c8600198508347af06ba80a96c5f5c8

SHA1: 1593ac84f65bb1cbded0906bae9cebb5ccc2a441

SHA256:014cfefd073fc4da11a3b4de1c6dcfca9aab437ad321313d2de0c7e9b41997e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: tripledes.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/rollups/tripledes.js

MD5: c4dce8be669b8010fb60bcfc4a6d2005

SHA1: 17d9e82d5874b248ab404dff026089ec05419e6f

SHA256:dd1305f87b02ff891e4361fd582b7986a0b8af584430e5a680b6bbad95d1f518

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: x64-core-min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/x64-core-min.js
MD5: 613cc1be9d02096a538752e59c94e604
SHA1: 891d612a50ee8e7041f51b4e5a229fe5b4cd3b3a
SHA256:f9bf58dda72f89d33a1af997da77556f0a7f2158e734cc898e84f09aef547ab5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: cryptojs.jar: x64-core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/cryptojs.jar/META-INF/resources/webjars/cryptojs/3.1.2/components/x64-core.js
MD5: 369b1a188ee11a7f733ec7621ed7e7df
SHA1: d163e82d46a66fa186ccad143007916c1e13472b
SHA256:cc5cc408ac2ad97cd933ffeb4ef723b0d3c043c1b1f9ec08e047089f38aa9438
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-app.jar

Description:

Echo2 AJAX Framework

License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>
 LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>
 GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
 /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-app.jar

MD5: 6524d488cd7402977af43d02a32e52ce

SHA1: b4445286d07023c764ed9d02092fd76733f19fe4

SHA256:8ceb7a13bdc5a671d1b659ff05faed1e1d68e95813ad52597718fef38746556

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2-app	High
Vendor	jar	package name	app	Low
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2-app	Low
Vendor	pom	developer id	tleibeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2	High
Vendor	pom	url	http://echo.nextapp.com/site/echo2	Highest
Product	central	artifactid	echo2-app	Highest
Product	file	name	echo2-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	pom	artifactid	echo2-app	Highest
Product	pom	developer id	tleibeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2	High
Product	pom	url	http://echo.nextapp.com/site/echo2	Medium
Version	central	version	2.1.1	Highest
Version	pom	version	2.1.1	Highest

Related Dependencies



- remotegui.zip: echo2-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar
 - MD5: 783b5f05163587c4d19ce43977f564ec
 - SHA1: e401d4249ef1bdd399f6fee652bf1120a48b5882
 - SHA256: 4b4e1d96c4b304d6bbbfbd4ccdb85bc7c05070a93388e652d7331bc72d9119
 - pkg:maven/com.nextapp/echo2-webcontainer@2.1.1
- remotegui.zip: echo2-webrender.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrender.jar
 - MD5: cf2fcfc745ac1f7374007788b8fb30e3
 - SHA1: 8c912e8ce2e23407058bf8f55a6d68e2d4737f7d
 - SHA256: 72851edfb13406ec61dee6eeb347c5c8640244b80a89f3ed75a15d925caaad2c
 - pkg:maven/com.nextapp/echo2-webrender@2.1.1

Identifiers

- pkg:maven/com.nextapp/echo2-app@2.1.1 (*Confidence:High*)
- [cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*](https://cpe:2.3:a:nextapp:echo:2.1.1:*:*:*:*:*) (*Confidence:Highest*)

remotegui.zip: echo2-webcontainer.jar: BrowserCommand.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/BrowserCommand.js

MD5: cec5ed45ed5d929439b2ae615b645097

SHA1: aeea282f11788e5be7dafd78adb833e539ab75f4

SHA256: dcdc9a977d80f20f45d9f487692b7d5ba9dcc538da5b4a750b7ba03ee852f5af

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: Button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Button.js

MD5: 81215c8587cea98fc2c9f41d81e99386

SHA1: 4cc203b7f5b48a3672447f13dc333af29a02cb1c

SHA256: e6639e7a2eee92dd4c86c1a548ce8106d7358d8c7dea7c747e6fc2377050d138

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: ContentPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ContentPane.js

MD5: 6da93a27f5fafe89ad3dc8161cc60450

SHA1: 2a715f6111f70e16c1baab3b9960b9af31ff9409

SHA256: 830454078b8dca968b15c1b002066c6c7c21da19b3e2e0b87afeea17e07b562b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: ListComponent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/ListComponent.js

MD5: 3baac4b4c7d7570210bc70337f079511

SHA1: 2b40df2cc63611728d0154fb9a1f0ff5590e268e

SHA256:64a4f73273b6e27fa3641d23fc15a230f07e059aa3e37e2fa11466359dfed721

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: SplitPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/SplitPane.js

MD5: 73030d7f65e69b1963de89475dfca752

SHA1: e6f525f36c46d3e9581c786d16ce4e59dac0260c

SHA256:8f2ae429c270a4ae095f2aaa3cdddb5adb6249a61d35defbe6079d01f37872b4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: Table.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/Table.js

MD5: 83c78e8bfb81930f1c4646b765ef01c9

SHA1: 8a900c967b2ee0bb2abb2244075734f4907da416

SHA256:1fb14e2d9998d1cc09ef9bbb94c7492f27418e6cd23c82606041554bcd48be1a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: TextComponent.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/TextComponent.js

MD5: 44c40be87a258f223636a3b1e81223be

SHA1: a46b2983414fd8bf6873bcd7155c1b226f46df37

SHA256: 78d3b72d552e28209db2b832cff0fd0e4ec0848ba43d5b4ecd8d4c3f76b3d2f9

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: WebContainer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WebContainer.js

MD5: 3187e8b29a8357e96be24bde33f479dc

SHA1: 4208f56c5424a86cbf114d4638c068446baa31f8

SHA256:a303d0bd198f7590a251d6485cce0d34855ac9485d97d7d5880aab1ec72aa088

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webcontainer.jar: WindowPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webcontainer.jar/nextapp/echo2/webcontainer/resource/js/WindowPane.js

MD5: c9446071fff586f20e7f677e5dbb8597

SHA1: 58915a592236e816dd9f83eefc0977b542262d32

SHA256: da1fc1c3e27e3ce28847e410e51e66dc33f1f744650d9051afbaebe92f032977

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2-webrenderer.jar: ClientEngine.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2-webrenderer.jar/nextapp/echo2/webrenderer/resource/ClientEngine.js

MD5: b97d4b63d35a8f8a9cb5a99b720215de

SHA1: 4a2124b33e4d7e9db720d92924905aa1e7297378

SHA256: 57e9f7be3af39ba8f736cc97efa958335463959271b0885c74ee668f41b5f4a5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-app.jar

Description:

Echo2 Extras

License:MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-app.jar**MD5:** e1ba37ba20c3021c38e362cac081d986**SHA1:** 64e7748149ca2af54ee693c8e232343d64c1b966**SHA256:** ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b**Referenced In Project/Scope:**server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2extras-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2extras-app	Low
Vendor	pom	developer id	tliebeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2 Extras	High
Vendor	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Highest
Product	central	artifactid	echo2extras-app	Highest
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Product	pom	artifactid	echo2extras-app	Highest
Product	pom	developer id	tliebeck	Low
Product	pom	developer name	Tod Liebeck	Low
Product	pom	developer org	NextApp	Low

Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2 Extras	High
Product	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Medium
Version	central	version	2.1.0	Highest
Version	pom	version	2.1.0	Highest

Related Dependencies +

- remotegui.zip: echo2extras-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar
 - MD5: df488c27f775875afc2efa1ba1a14778
 - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
 - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0
 - [pkg:maven/com.nextapp/echo2extras-webcontainer@2.1.0](https://maven.com.nextapp/echo2extras-webcontainer@2.1.0)

Identifiers

- [pkg:maven/com.nextapp/echo2extras-app@2.1.0](https://maven.com.nextapp/echo2extras-app@2.1.0) (Confidence:High)
- [cpe:2.3:a:nextapp:echo:2.1.0:*:*:*:*](https://cpe:2.3:a:nextapp:echo:2.1.0:*:*:*:*:*) (Confidence:Highest) suppress

remotegui.zip: echo2extras-webcontainer.jar: AccordionPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/AccordionPane.js

MD5: 5e2309292be34670965e17a63f3d67e2

SHA1: 136a82463b674894191f92a08a7fb2c127728e68

SHA256: 2b02ad757a502013be2834c414c90832cce07e657f9c8fe4823f94351429aa4a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
None				

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: CalendarSelect.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/CalendarSelect.js

MD5: ee105b17e6a49ca6894f6a89b93038ca

SHA1: deb92e218480368f3d1e1b4471fa716e615d2694

SHA256: 333078b2953145f5c2798ec878ff5f7859cb7c73e5383b5f04e0641377dd882a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: ColorSelect.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ColorSelect.js

MD5: bb2817813b145fb047035165f4609e11

SHA1: 60ed59f4adf34e81089e8a6ed835a52952186b1f

SHA256: 154ab0e5af207065ae91524a90a06acecd3c88d914c541ed19f6f0e15e10170a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: DND.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/DND.js

MD5: c3190a4d76a03ff134dbe71d572d6093
SHA1: 29d971a57365ecd29d6233f6be54cd5e638cad5f
SHA256: 052a40f554e33a722e4e157a1f9c1dfb8bd26160ac98f5036ddf5cb594cb44bd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: ExtrasUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/ExtrasUtil.js

MD5: bb41e331c7cda7542545723669087b7d
SHA1: 94b6f7023b77af6bab7942d71edaa0a317a18741
SHA256: 27f7d1bc497b52e3c81cad90d7f8857d86534389649c01f58455d6e506e065d9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: Menu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/Menu.js

MD5: dff4844bd2e7e0ace646cfc026a22e2b
SHA1: 14a08892f49057de2266a978d3df2ba62ca6f0af
SHA256: 9955938b46227d85dc73b917640bc28c5c02ffddeb4b2d0b727a2527293d14b1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: TabPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TabPane.js

MD5: 7203f99e669e30e5bf1278610d799c25

SHA1: 6e706337109b8bc1931bfd90cd02051168617261

SHA256: 1b484543b2a8a9a473d7cdb39d8c939a8320f21b73cfd70f3fae4d43688435db

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echo2extras-webcontainer.jar: TransitionPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar/nextapp/echo2/extras/webcontainer/resource/js/TransitionPane.js

MD5: 52cfea31f2f87e072ff5b0a826655658

SHA1: 798043e69001103030dcb146240e387e77d2e587

SHA256: 18fd61e5fbf3dd6b5d63b1916714fb4a0239f7d9a9f4ec1411bfe41d70e954f3

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar
MD5: b97311541ad7a3a8d9bce707c0b5ae81
SHA1: 9da2843de342b6195589687135c44a1327ff494a
SHA256: fb4297263e65a013f39d2b2982343736476f22cd9b4bd2bafd1ac195a39efe8c
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	echopointng	High
Vendor	jar	package name	echopointng	Low
Product	file	name	echopointng	High

Identifiers

- None

remotegui.zip: echopointng.jar: blankcanvas.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/blankcanvas.js
MD5: af461ae7fcc7c2982dc7a2c9d66db238
SHA1: bbb3c48fedb35f63655e6604a7e2303077e0457a
SHA256: d402afcceaa4f1e5efaf55009c56886cd53c86d880a6b03e608d79ded024ee45
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: button.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/button.js

MD5: 8531b2c1536e2d30e3df983e2c7a2217

SHA1: c7ed360795011104ccf8c63338ed8e06e923797f

SHA256: 77646e360a21f4294cf45d839366dbc1a91b69573c87ba7234f2d09f7f0c7724

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: calculator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/calculator.js

MD5: c1585b51055b1631271c922d5555daad

SHA1: 3f285a1af63b444cbbb9361792b71a0ff16345f6

SHA256: 1475ac04db0d45f0b1b6e5de7355c73b61934207eea96dc1239ae8e1261f3f4f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: colorchooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/colorchooser.js
MD5: 76363342cd06ffe0e205fca9110d902c
SHA1: 77f2ba109f495b87b6224ef890ae08ab577561e4
SHA256: a1fec15a23c349ded1cbe91f0ad252d07086b75a9a0a6cf411a39208fb56418
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: combobox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/combobox.js
MD5: bc172893359138d97f3ccdda6b51c32b
SHA1: 4ebac02f8d296eebbbe9f1bb44a1c0d0a5f2acf0
SHA256: f6d39c6d806bfff5b67a76f89b5fef3ffa4f542a38282e9b23c9838bbbef770
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: command.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/command.js
MD5: 22524ba396f3b6193c57855db5041085
SHA1: 62dc2c5692866d1222946c225c00d1aedef154b8
SHA256: 3c55d005e1dd2f2723e2ce7c9cb906ccc99753230882f671e08e3f4196a9a842
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: containerex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/containerex.js

MD5: b080ee991e18c93e892ed63a43299893

SHA1: fe5ed5851f627cee32c72bad88351e25689a18f1

SHA256: b1b2a5b2daf9d4d22c646d4caeb0d9cfe33eecde3a89910e0b6c511b9164583d

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: csscommand.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/csscommand.js

MD5: dc731de6fea7b372aad1676f4f188c11

SHA1: 292d006070a00a557aca505771fccf3b15d819c4

SHA256: 3720eb758aa628f0817484a4c8dea8c26da92a6bd44612e2794ad1b8f9d18b04

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: datechooser.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/datechooser.js

MD5: 03360772d464936c4db0853af7f293ac

SHA1: 9ca7aa251deb9d6bfa224de421b405a77ceaab76

SHA256:beb9c8189e4a2ecb449b025fdce8a5af22e6fbd705f908ebe38970be44e2cae5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: directhtml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/directhtml.js

MD5: 67fe6a6d53c7f7a31ec424cca0cb113c

SHA1: 176ab2c18503d4f6f09e7939987ef9bbda793f50

SHA256:e98b3372e5a1dcbd3df5c922e05d738344f4078f09236f335bf5cc1097429af4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: ep.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/ep.js

MD5: 909939bf59b597cb43bab18b58915d45

SHA1: 1eb058d7ec9e90df36cee746342423df26cfdeb1

SHA256: 2310adacdc07bdc68bc04f67b438385735ddd2f7b8c094363061743e550eb3bd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epdrag.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epdrag.js

MD5: 9b2e790d15782ac504510920b8047dcd

SHA1: 7165f0c117bff0d7d58de91811f865fef0115b32

SHA256: 738d39774c0bc2b962b78d3aae1b64beb832d0197b9c6daa9b68750757041518

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epfx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epfx.js
MD5: 4e3b34df6d6fd962bee24cc944307e6d
SHA1: d8e0b8b1ed022c29c93d8aba4f00f79243f62d3d
SHA256: 2e0466c152814468619f3008887429aaef26139f41adbd74dd18ee83f17fb6b5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: epstretch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/epstretch.js
MD5: c06366200854d236a636ca39933736a6
SHA1: 39cbb54acbcc28878997d30c13e80ff868267b64
SHA256: 56e934dbaca23f709e52c48d3894207f4d89b7275aa33d44a1a7464d85e20e98
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: expandablesection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/expandablesection.js
MD5: 9ddcbeef2af11dd42386e18db317d250
SHA1: 86dd0803c2361c4e70d99c4f6f1836320dabc9b7
SHA256: 9e107c496ba94ece3ca6e4d8b4849bcdce46c05ce481b5c28ca40840354cb1e8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: flyoutpane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/flyoutpane.js

MD5: d56994dc24bf63ff67511e059ac153b8

SHA1: 3f36629e0fd1e7aa2806c177a593e74fa0840ab1

SHA256: a12d2eb0d62b961ae4866d040e86c3a991b9c75bbd052cb8ab980f8db4232a69

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: historymonitor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/historymonitor.js

MD5: a021bbe0a65436f4d5b0fada7f7a2e95

SHA1: bcc78b12603aaf90eef91e06041bfb00950ed5b1

SHA256: 6e2ffa35896b2c08cedf06ead4d6c2b39f9ce848ae138d68cf211f17f94188cc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: keystroke.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/keystroke.js

MD5: 2abc4444f27c24f3250735d0e24dd929

SHA1: 0165ba94e6678efe34006b14257abd8ab5f59b70

SHA256: 75cb2b3ec2ef321babcb2c9d048a26090138205cf8aa8b072bc432e496e1959f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: labelex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/labelex.js

MD5: 5e68e9198394e79d5344002a5c0ca388

SHA1: a46e072aa92701659c8961718c64de8cabb05672

SHA256: 2e8ebe8b669daefe4675d3fe025cef8bccefebae3360f36bd443a3a9e09b00bf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: lightbox.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lightbox.js

MD5: 1da8a9321b1a9537e9db1633be4e93ff

SHA1: 4acc96a88fd3711611a5479883fec0c577e61278

SHA256:68cb57c9cbfa41837b0b8e0a297ff5f63ed2e3dbcddc99ddb327e6eb2c344fa7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: livetable.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/livetable.js

MD5: e3d9068b389a26b6dc20cf8f649d6728

SHA1: dd4d66ee287098de8c3e310633fcef522bb6b38a

SHA256:9940cbf5b950edb0d00334bdb02edd45a9656a619bed29a6e14bfacc941db9f6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: lookupcache.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/lookupcache.js
MD5: d396ded32ccfc4c0eb7ea8d620f95c6b
SHA1: 5b0f6d8dc50f2e66bba7b6dfa816243a9564c13f
SHA256:2b8fbdcc66a72a3ab518039278db8b86ad0f3cd43545c3e2fb2dcc88c076e075
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: menu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/menu.js
MD5: ceb33b1b06161e20409918ac849ecc3a
SHA1: 2da105247ee62c35765d686a545486b0fc0c7e17
SHA256:aefb0d8e30e6c56e52ce37a9f2cf6a1561477e23c4f2a0c8137b8452f445418d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: nativewindow.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/nativewindow.js
MD5: 21205429823868aed449bbef8866781e
SHA1: d4e0c7cfec3fa5a642b2cf4e19330f8f7dd60923
SHA256:11e864c5e9349791fc04530b21860d5a5189cfbebf8c61749723bfe40d152a3
Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: popup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/popup.js

MD5: 526c00e6fd13059fe0e1d0e27e00ee6b

SHA1: 44d553436551d74f1e0b4d5b4beba24ad8619970

SHA256: 48e5e3afa1f17d32392c4d87336f0aa593fdd6a434d347cbcb74a7383256d8e6

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: rta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/rta.js

MD5: a3b886886418bad087f21cb3e41246f3

SHA1: 3d5230d844995ea50b3e79875f051de5c2b585d6

SHA256: 58ce95bc3f07abfd9c8e13a1837ff7eabd766f57fc220396d5c4755da3a22706

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: slider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/slider.js

MD5: 09c92eedaa0aa605eafc7c933ca451c1

SHA1: 339e0448113b76695bfeb102d2e5194766676763

SHA256:d36f46f7fc6e97a81417c6c67490bab3755092070689d390b211e7112c834182

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: stackedpaneex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/stackedpaneex.js

MD5: a9be9e800bb757b5173b2b33d26b36d9

SHA1: 8191a7c71fc4deea30a836cfde3e425e4cc41984

SHA256:61793aba49962d4477232f8577c3208d1ec89cd76f02a61b0164df69adad71d8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: tableex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tableex.js

MD5: ed81c9b7a76bc66c2865d09c5603fe95

SHA1: c896c1b21be028b1a27af5ab129e74279b22d718

SHA256: 069ffd460c63e5b3bb788f723cd9bcd16c3e97e083a2068f0300da8038af5d97

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: templatepanel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/templatepanel.js

MD5: 5323649865617422da0db27f9314834f

SHA1: 0510c58e3e49d4ed459b9154d508f67bb7dc458a

SHA256: ef8da75ec048040e466e45d48a774b2a0eabd54b50eeb3aae6195742fa8eeac5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: textfieldex.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/textfieldex.js
MD5: 72dbe933a2629cbced5859f30899435c
SHA1: 16f3d36326cf6c168d85cf9327258b2cab5ba42f
SHA256: ab7a0b4d02015202f5abe9b33fb286deab007a42ee9adff2dd025482b6df802a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: titlebar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/titlebar.js
MD5: e44b0a7d883fa295f513ae66e8baf3b6
SHA1: a73818b6bee622a8c949bc6f0ada96ac29527075
SHA256: 08457a169a8298c85215704f8e3acadd29ef4f01f7a07decdefcc520540d5f4c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: echopointng.jar: tree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echopointng.jar/echopointng/ui/resource/js/tree.js
MD5: 9657b74610592c6e68183de9a17a8014
SHA1: 663ca96d35d89bdf25b2eff628d7a1d854a68ff3
SHA256: dde9bc5bda4b2e85e21e69367624fb98b30de5af452a7ede67c4cc6a3afdc597
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar

Description:

WebJar for jQuery UI

License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar

MD5: b212bd218d190b381c4a924a50d846f6

SHA1: f847fc05575b7121960f728c20306e3f50f1d438

SHA256: c4878a9fe82d5a98242b4ef21fed7a26257f6243cd797fddacb188b0dc6bdbc7

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery-ui	High
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low

Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.13.2	Highest

Identifiers

- <pkg:maven/org.webjars/jquery-ui@1.13.2> (Confidence:High)

remotegui.zip: jquery-ui.jar: jquery-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/jquery-ui.js

MD5: cbc65ff85e08b21d7e0c0394bf3a371

SHA1: 0ebabcd2c6da47bde11fadf331a02c98845b0a8d

SHA256: c4b0fb9e123ad9f72c1192b6feff0bb0171be251bb76050b92e5e85c1fe3f757

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery-ui.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/jquery-ui.min.js

MD5: 1e2047978946a1d271356d0b557a84a3

SHA1: 5f29a324c8affb1fdb26ad4564b1e044372beed2

SHA256: 9528ca634fecad433d044ddd3e6f9ce1f068d5d932dafdbb19d8e6daea1968bd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: jquery-ui.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/package.json

MD5: f9a98ca55ce790fc5ffc1387f6ffa591

SHA1: 50b4033bd3d71bf6b6298584ac7577b02e065f94

SHA256: 438c7f1455a7dd61e030d921d84ebca77358ba4771efcb9a013637f379aacf55

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery-ui.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.13.2/webjars-requirejs.js

MD5: 2b45f24ce91f8c0d5c764e705b1eed88

SHA1: 03056311ea772e4b7b09a70f108cb2733ae13766

SHA256: a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Identifiers

- [pkg:javascript/jquery@2.2.4](#) (Confidence:Highest)

- pkg:maven/org.webjars/jquery@2.2.4 (Confidence:High)

remotegui.zip: jquery.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

MD5: 30e1a7f167b667001f50e32ea87bf7b5

SHA1: d18dc733350ad3549af2df096599e824c10f777e

SHA256:daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar

Description:

WebJar for moment-timezone

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar

MD5: 450be3d1b60cdca2f5980b70253dda18

SHA1: 7cdb36616562700d5bd578ad9bcb5c1980227885

SHA256:f9dd21271812450a1fe7d7a5ec90872ec35f2dc90e7283f2b757f455e1ad0eac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	moment-timezone	High
--------	------	------	-----------------	------

Vendor	pom	artifactid	moment-timezone	Low
--------	-----	------------	-----------------	-----

Vendor	pom	developer id	webjars	Medium
--------	-----	--------------	---------	--------

Vendor	pom	groupid	org.webjars.npm	Highest
--------	-----	---------	-----------------	---------

Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	0.5.43	Highest

Identifiers

- [pkg:maven/org.webjars.npm/moment-timezone@0.5.43](https://maven.org.webjars.npm/moment-timezone@0.5.43) (*Confidence:High*)

remotegui.zip: moment-timezone.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/index.js

MD5: 16b10b9be0471f35921bc17b645c6fcd

SHA1: 7e9c41f04cff37b876169e1e5108b5b757305822

SHA256: b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/moment-timezone-utils.js

MD5: edb7fba74607b74e61be773158b0951a

SHA1: 2ba0baf41953133f5864ae94449470ad88bad490
SHA256:240b667916ae2b2ee9044cdba46392422cddb26f0b8d1dfbe34f273526e7fed3
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-10-year-range.js
MD5: 1bec04a3f00e03138630782e66cee99d
SHA1: 1e424da88c1db2b7261f24347f042d8c7b41f9f4
SHA256:a8c878f012146d6b71933926ea4efce480e4617ed76e6accd5ea5e463634afac
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-10-year-range.min.js
MD5: a365b61955be78da13c648270d7f1729
SHA1: 78817143d00e9cc69ca4106391b5676b294b8f3b
SHA256:4541068197d1c1139b529987b03db202070cd3df77a20ebde2edeb6e96d83144
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-1970-2030.js

MD5: cb644e2690f6e82a13aa4998f7dba930

SHA1: 6328aba53fa86702d9f466cff348c6599b7c059d

SHA256: 6db98e0f479d589620d4541d58308a6d01e2acd2fab37d3eaae62f70864e87ef

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-1970-2030.min.js

MD5: 2bde95f3d2776a96239be4a543898706

SHA1: 909d1e99f3ab272e200359b7e1e11ef89a8d64cc

SHA256: d92825b456bb1537593c4c3e68eb08bad49cbd352846faf660afcf17cfe7e98b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-2012-2022.js

MD5: 08273a8d18c81f52354c6a3ba2839ef7

SHA1: a2a27547ab3e344aeef95ce992a282c737116600

SHA256: cc511db782dff570d55446b80b9bf360f4e43f5dd07a41db3b179fa6072086e7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data-2012-2022.min.js

MD5: 54b9ef764c3c9382aeedd7c4b13cb270

SHA1: 2525a6639b7e7c6f0134a0172b5eef7c8ace6511

SHA256: abab3f78698e409acfd9a8cab695cfe68b269e2b7b32fe0e05b57826b790b5b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data.js

MD5: c8b2796364dc00dd30c6c89df7711ffb

SHA1: a80574843e575b9a98257b28ac9e230957941223

SHA256: b3cf8ee8e549d231342ec459a98205d0cdf4aae76c13996db5ad99894a4b0d40

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone-with-data.min.js

MD5: a6604abaadcf1a25a434a312ae70e0ed

SHA1: e78cca5be7631d49ba661e7f328f5d98d7e5e22d

SHA256: 1202c7b0881d7c5abf572b1008b0361cf485298dda5734a77b7919ecd809d06b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/moment-timezone.js

MD5: 75a27eac4ebde8391345328a8de5bb87

SHA1: 8e6fc0d3b77565964bb8c8ce60215db88ab395b7

SHA256: 2c2321ec187119399b081dc2b2cee8fc11f6d660fd4e8034d8967b5c31a090f9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: moment-timezone.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/builds/moment-timezone.min.js

MD5: 46e00f681c7772f092340f87833f9bae

SHA1: 038553b73a86509efb4dadd4baaa112551100052

SHA256: 8e7d285a449160dd6dbd1d48a4514be7de0ec34f74448738d1e2603d855ee3fa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: moment-timezone.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.5.43/package.json

MD5: c31c5e27cda626ee69feadaffb34da46

SHA1: edb57da491bca26afa75961b3617a8b70abf32d5

SHA256: 783c10b44270b7863ba96c063fbe420d711227cbaebc01bbc2543d39f2311884

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar

Description:

WebJar for Moment.js

License:

MIT License: <http://opensource.org/licenses/MIT>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar

MD5: 72ad6b420b3b741d7def80f4837682f5

SHA1: 6087f9eb29294249887afa1eb4ec8308657c35f1

SHA256: 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High

Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (*Confidence:High*)

remotegui.zip: momentjs.jar: af.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

MD5: abbd3f78270e280c248535ca3e3b3e3b

SHA1: 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

SHA256: c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-dz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

MD5: 10e8f6da8f425e389f9dd462018dcece

SHA1: d638dc753916f10981ce562c7e7543944aa5755e

SHA256: 2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: momentjs.jar: ar-kw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js

MD5: 5ad9681e194f33543d33a588e2a21f09

SHA1: da190c4671145eb702d41ee980b985a9816bc9c5

SHA256:ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ly.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js

MD5: 293c5c572f1e70336fb5a5cab29faded

SHA1: d969dc63c258a2c5587efa0cb2ac80034c44a5f3

SHA256:0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-ma.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js

MD5: 6f5179b883bce68003df4d2c99caa156

SHA1: 3af849ad551cc126ea26fe472770b0f2c86363b2

SHA256: ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-sa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js

MD5: 92455d26a00821fe9aba7ea8e23ec89c

SHA1: 18d22d6e22b460fb0d248426001e4cbfd9a69393

SHA256: 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar-tn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

MD5: bf6b33329fd589f8b3b393f6e64717d4

SHA1: adf2dc833a46ad99f030b5761a7e6a97497ca764

SHA256:2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

MD5: b0110c65e23d25860762820db7d2150e

SHA1: 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

SHA256:73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fetc53703ffd5b3e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: az.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js

MD5: ec1a4acd4aa555dd71722c2639df4db6

SHA1: 49b4198f1b008f9deeb9aa5d33e27647e812f0df

SHA256:21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js

MD5: 5c38f8d3d5da2b1b930f109553918781

SHA1: 181a1762773de78de3e2d21696e77a49a9e188a5

SHA256: aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js

MD5: ebd43c527dac81f273926142beec5553

SHA1: 46101d46348f560c622895e9e65465dd26e92d6a

SHA256: 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js

MD5: 2ef1c37399931e14e2a4471ebc57bd21

SHA1: 1e10777797f13333027873cf0a1e05e52c2a9264

SHA256: 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn-bd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js

MD5: f2988fa9e29bc5573603a8140b321051

SHA1: ddca0b09ab220aa3e7d8b6d01e98b06071942e4a

SHA256: 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js
MD5: f5037a3495a3fefb37d9456b6745537a
SHA1: 5d8e28e5703371e674a9b2947426e23a1429455a
SHA256: a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js
MD5: 7dc25ead6d51909386b03c060b891690
SHA1: 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983
SHA256: dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js
MD5: 65949057a5632b430fce65f65c89ace7

SHA1: eda5bd14e942c85896b263b137e2e14f161836e6

SHA256: 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: bs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

MD5: fac80361cb7d5e0c44f8956063e8eb07

SHA1: e0f831af87ad28205b93fbe4d7ef9001227eb1e4

SHA256: 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js

MD5: 9c6c8738154552a40a29505cf41311af

SHA1: 65eee9703d130c7a90d085214ee60c4e087b9d1d

SHA256: c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js

MD5: 8f0a7bef088e6698b6a090a6f6fe22de

SHA1: b137a5adfe662d0b1c258fe7bb2b73b971e2268e

SHA256: 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js

MD5: baf681a1e97ac68186325a98d5ef1861

SHA1: c0433a02791baf8efe6945a4ae0370c6d8d55b6

SHA256: 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js

MD5: 868cca92c4392ae5b0627f305f9633b4

SHA1: 9c0f75132a2eaa3fdf0631a08f210f0e29208501

SHA256: 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js

MD5: 47fe4d0a5079542391abcd125b4cb60

SHA1: 423a66383275eaf3f441f384c69b2d6e2cf905d1

SHA256: 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-at.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF /resources/webjars/momentjs/2.29.4/locale/de-at.js
MD5: c2df366205b041e50b0dc27fe427c54d
SHA1: c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f
SHA256:0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF /resources/webjars/momentjs/2.29.4/locale/de-ch.js
MD5: 1f9bf40d5d392a14bb758de02e9d98df
SHA1: 838d95c91f39f7e28483c660e6f5005921d3da11
SHA256:b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF /resources/webjars/momentjs/2.29.4/locale/de.js
MD5: 260cdaa4a123af8e02f5aa4001cceaac

SHA1: b928a076571a81fde7fc1fd4a2adb45d9a9a2279

SHA256:20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: dv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

MD5: b3ac7e877fac1116b8759c6e7384e86d

SHA1: 3321dfc6f7147d148167b23a3642212fb10b1b89

SHA256:94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

MD5: 7a1966e1fd7848aabcbe28ff2a445e

SHA1: 29af743b2dd9c09d9962080c3a5b4cdac2b09409

SHA256:a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-au.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

MD5: fc0b9a852c77ef21ee6deb24d95769f8

SHA1: 829e7b64e421cc91fbb306243b31d71f06fabdc2

SHA256: 6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

MD5: b6f095c75787cb0eb2421b32b2e9ea14

SHA1: 415ffbaa1c99a53d233979f5e907e83b59d54c9a

SHA256: d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-gb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js

MD5: 5ebfadfe47485b65c484822391d0aad1

SHA1: 4154fff794c0118f1c280d4e3c222b0b3f96a6eb

SHA256:46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-ie.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js

MD5: f5175b64f4c382500e7a00ed4113c3a3

SHA1: 12cf24c0dcfa4f82be14783a2889022043fe1f80

SHA256:41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-il.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js
MD5: 8f131247f11cf746d1b477c75de2e0a2
SHA1: f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00
SHA256:494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js
MD5: 2d5a9ac86d2a83833aec6a68bc8947ae
SHA1: 64d4492b47eac3212f09a9dd1fdfe2afc9721142
SHA256:290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-nz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js
MD5: 3a68b41d7982ae7bbc8a396d23e9d1a1

SHA1: 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

SHA256: 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: en-sg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

MD5: d32a209c24b07b617c68fb03e081061c

SHA1: 34729febed76ec17cccafdc06ce4f51902daaf42

SHA256: e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js

MD5: f19d7f5dae34785b6ffd82971ff01712

SHA1: 8a6937235d4219a192ae127506cca9479097abdf

SHA256: 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-do.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js

MD5: 3f09c253c2e7ed72706b062bdb3ecee6

SHA1: 3bcd2f7f697c4241a5f47985835b0190a643630a

SHA256: a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-mx.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js

MD5: d16f10cddba51c3467b316318e592f22

SHA1: 4cc238005f4d59b4e3877449babf5cc8b3595f38

SHA256: a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es-us.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js

MD5: 276e7c3c7756f9e962f6141f5048894d

SHA1: bab0d54cfa34f527dcf6960f5379aeef05cc66c8

SHA256:3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js

MD5: 0e92f45548e01672fc6a2f73979c397e

SHA1: 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a

SHA256:2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: et.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js
MD5: 8b5c6c8136c1bcb3dd35ff204c28b1fc
SHA1: 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9
SHA256: 95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js
MD5: 1f0f32ac558d6bf2591f0e7c59b09e88
SHA1: e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7
SHA256: ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js
MD5: bad9e9e51e7cd982360114a2d6b9a03a

SHA1: 7285494b159552cdee8bb7050d1278144da80b04

SHA256: 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

MD5: 08d74def02ac724471fce607ab87f4af

SHA1: 7f40cb04e95803f706af5caf5a983f7aa3f2365b

SHA256: 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js

MD5: fbc9e6bd5b49897ba8503d27e2d061ec

SHA1: 2121d4a7333acb3b7b120c1580a809a8a5927dc6

SHA256: d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js

MD5: 85d4a1a25dd5c3fa021f9e6f63fd01ac

SHA1: 95d11e45e86f344a148706df7f5c86019e02ae30

SHA256:6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js

MD5: c0ef60f7029fe6ab773c090320f0a66e

SHA1: 8970ff163faa9c8702be24f65f95e94b962d8622

SHA256:59c5acfba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js

MD5: 3345c9d13645ae5fb2964c17559326f5

SHA1: d0cd4c6466797300434db0d6c8028bf46fe35bc0

SHA256: b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js

MD5: 775f1eb59d6f597b1c398036002ae329

SHA1: e6f1741f5598b62a83bb071459d9e8cae4b3a127

SHA256: d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: fy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js
MD5: a54d9827ca1a619a839a15c94b7893a0
SHA1: 66863e3aaff531e89e83acd8844ca87f8516cf38
SHA256: c33ae59d9a05aca0dbe86d74bff25eb44d04ee97b738034fcb72a21b73ec1cf1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ga.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js
MD5: 264a960fc2850670387b1cc90dc29dbb
SHA1: ddd261054362b16567ba858afae968cf2380bb6c
SHA256: fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js
MD5: 0f3b98fcc8a06995436819446130320f

SHA1: 0050fa33180aa1f35c739cecb397846bff7d24e4

SHA256: efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

MD5: 0d346a7ad989c39c04631e181056acb5

SHA1: 74c436284f15589fd53c9d4c090a4f75ff8376aa

SHA256: 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-deva.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js

MD5: 6d2091e4ba1b31399eb4f1f3d92acaa2

SHA1: 9e27b24c4f8ff43da0373ca75738e0322cc1bd77

SHA256: ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gom-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js

MD5: 45f0c567784f534e16f304dd625682ad

SHA1: fc4b281f7d57696decbf3bd5e8c572f4191c9289

SHA256: caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: gu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js

MD5: e108958bf473fcc52349ecba7dcff10e

SHA1: 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5

SHA256: 5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js

MD5: f5e7fb20bbb7618d95e4928fee094f7e

SHA1: cbc69bf9fa2cc2493d086af3a5cb15e893c7d64

SHA256: 93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js

MD5: 10451c28a31c032807f1fbf1bea5c32f

SHA1: 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9

SHA256: 482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js
MD5: bfeb6da022ce8f5d4610a485f6063935
SHA1: 0e475a985f8f3612c397a07781933bc4235be646
SHA256: 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js
MD5: d485a763ba31196c55bafddc763cf98e
SHA1: 83c283112870db2a37b8d6a96e2ff423f27addac
SHA256: 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hy-am.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js
MD5: 8fedcd99fde263a8a5a906b27de70605

SHA1: 3fbecec521a9f7cddb7576fb37a3f35ba2705e88

SHA256: 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

MD5: 3000b8d8d73e16384fd2a13aa7259d3e

SHA1: 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

SHA256: 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: is.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js

MD5: 0f5a457d3457dfb1c5d256436b5e442

SHA1: af0c0c6573bb9628ee8c97479651f65571d6a56e

SHA256: 6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it-ch.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js

MD5: 0c0cd69247909aeca5d78d255b30a617

SHA1: 71631e4e4ce3a8466d80d4960a86605634a713dd

SHA256: 9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js

MD5: 1abd9a8f32e7930bbdebd23a2bfa4afb

SHA1: 40cc21bf11475c48c1681ebc18a63a2bea4b8962

SHA256: 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js

MD5: f39b4bc3b33715242a84fed53b50d596

SHA1: 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482

SHA256: 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: jv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js

MD5: 307628de0dbfe42c1aedc98c3afc1aae

SHA1: 7620cfee82f0241100b34de89cefd40412456ef6

SHA256: 707617feaac7459e5d5c39ff3ea4a5e5da0cf398384902c1cd5975cbd1a113cd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ka.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js
MD5: 629be6bde33738ff66f7119b3b617798
SHA1: 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d
SHA256: 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js
MD5: 4532f947979a50597d1c82a42f0facb8
SHA1: 9a8cad32d8e4350e40184813f4d19aa05882a8c9
SHA256: 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: km.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js
MD5: f73d0c92be21341d171e019c00173f3d

SHA1: 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

SHA256: 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: kn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

MD5: 72e237c519a91674447b268b61983bbe

SHA1: d72624462d7dbcf362ccc15385d5cb5a124304c2

SHA256: 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ko.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js

MD5: 14369b837e9e15378938754b04bd2189

SHA1: 9c886434ef46530e25cea737272027ac505b6adc

SHA256: f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ku.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js

MD5: ba513eb127fa22206ca1a67ad8467da2

SHA1: 45c0c079a209932f8a8be25a94f0fb97be8ebf84

SHA256: 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ky.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js

MD5: 68f9c0556546367a8c25903bb8348b80

SHA1: 5bc99ba86f969c07cd1b0dc62510c572707adb64

SHA256: d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lb.js

MD5: 474c1a2279d961b67a8329372fb54367

SHA1: c6acf49c446bb128ce8aa5f980664107e92523cd

SHA256: cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lo.js

MD5: 629f0195acb5feb16432ffc78b6418d0

SHA1: 10730e85c79a5c325f30a5f0fd1b83928918cde2

SHA256: 83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js
MD5: 3aabc3a57ff7796110a9d427e6e61280
SHA1: 59155d41e1b7a2f651f26f8db2768c42206bc4b7
SHA256: a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: locales.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js
MD5: 5d62f0a64211c2d3e0d009cc69c48202
SHA1: 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12
SHA256: 1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js
MD5: fc931f5db9a4d5b832e7c53985cfb233

SHA1: 6d5575d2ab06036bb29e50e7b4607985b0c10aec
SHA256: a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js
MD5: bc6f1396c4b85e2b01b4b2fca550c0b7
SHA1: a18e4175ecd49b5e3382dac1bbcdc48c3279c60f
SHA256: e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: me.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js
MD5: 4b76ccc2617dfc9bd6a54643659bec05
SHA1: 924aea795ae1a9581ed184b384806891ce336e27
SHA256: 24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js

MD5: 89179085b30d2752584c4f4e9c3ac04a

SHA1: dbf999f790c8e7f99c27c55d8184cb46d1f0ee85

SHA256: 9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js

MD5: 7a6a2a4ae623481704f78bb0ed6e1968

SHA1: 3d984281f4acbb38920919c47916a0ecc46d8d82

SHA256: c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fce452b6b4bfa93efd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ml.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js

MD5: adaeaf5c9b5995567c7723ded581c647

SHA1: 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8

SHA256: d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js

MD5: 2229e9c27b35b688a4211bad4d7574eb

SHA1: 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3

SHA256: 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js
MD5: d07131713d356424c14481ed9e77ced2
SHA1: 6ef93c81041412f1b60d1254595cb04b53f8ec39
SHA256:f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js
MD5: d458b68730a7330653700489333a7837
SHA1: 4059aeca1d0b99aec8006b37a927f09d9c0e794d
SHA256:430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js
MD5: 6e5aa6783efbeff584f4292398326b32

SHA1: 450696675b814c89ec016901b570c05891ca2c04

SHA256:c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

MD5: 6c0a2330b0d8d6ea185d4669a0eddeab

SHA1: d4f50308961144876b2b5fa57684b737694a4b04

SHA256:f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js

MD5: cd715ac0f919538bf79acdb4a477763e

SHA1: 467bc9f9b59ee399af6ef3f89886c150f74ae52a

SHA256:f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms-my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js

MD5: cb7a91cedb211e85abf06a4683d39800

SHA1: 05754f446f94d9b0d34885bdb0dd40d08df23295

SHA256: fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ms.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js

MD5: 3f2df63e4e8e99e5f3a23b44e135f90a

SHA1: 7e8563a8e513fb3f2f711395992fb34d6039e841

SHA256: 6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: mt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js

MD5: 3cc610e1a28bb045e3f21adfa96614ce

SHA1: f22377dc419295b8cf22ca6459df3f834475ddf9

SHA256: 6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: my.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js

MD5: 1de06907d41a2fbf6861958ee0eaaba6

SHA1: 1b5eaf3d04d7a45a9e93db791963bfa0cf999383

SHA256: 92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nb.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js
MD5: ee293037089769cbdbbf9f2dba3e01e6
SHA1: bfed5520bb401c83f0b391cf09ab1907e4362f2e
SHA256: 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ne.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js
MD5: f09e1496b96096e594254145053e777d
SHA1: 601e6b5e8ead8fac21d661c4cb1f5aee22c96755
SHA256: 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl-be.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js
MD5: e50c24ded5247900814470d1a6cc8854

SHA1: 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

SHA256:2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

MD5: 843085f588379356ba9556d93aa9ccdb

SHA1: afe70913fffce08e256c3c9ffe350272bcb791a0

SHA256:037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: nn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js

MD5: 7c29b42f21ff6b7e0b1f16ebb20d2a5a

SHA1: 9464502746665d34779fd3e7c9c05212db534556

SHA256:66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: oc-lnc.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js

MD5: 16a8d7288d0007906a6ebb39fd954265

SHA1: 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c

SHA256: 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pa-in.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js

MD5: 8247ac1929cfdcc902a77542e9fa470c

SHA1: a0270710978d4f03b32a4d5cd38065d6d274729a

SHA256: 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: package.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js

MD5: a26087930b5278aa21fd79491b952ac0

SHA1: ea880b139fa5aad30129356d4c2b61c7acad7452

SHA256: 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: package.json

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json

MD5: f1965dc95e9d5ef4816ffbb597d484ab

SHA1: fa7b033b3a1adcb85370480289e6a60cfd21ac89

SHA256: 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js
MD5: ea2f9b5ff7c97f62603f1e8786708d7a
SHA1: a9b097f9c1dfe0872befdf47995602029bbd22c9
SHA256:5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt-br.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js
MD5: b70a96c3353ca41f14b5628aaeef6461
SHA1: 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2
SHA256:8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: pt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js
MD5: 71f120e6f7682b0e80a9d5982b8a4711

SHA1: 49494f7c1cdb36294b6d640a524c2cf19eed12b5
SHA256: 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js
MD5: 84b1a53a794d8749061a53eb558110f3
SHA1: c2241e36357a248cdc870a8f83c19d12a031b479
SHA256: f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js
MD5: c66d22693e1e950330471ed9de408aaa
SHA1: 3f4b2156029a26bc408cdfccf5812bd125c760cd
SHA256: 47b9c98d906dcdc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sd.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js

MD5: 115132c218de16cbea034b2762b9df9d

SHA1: ff940a6362744a8258e15cb09c4e4b46c48f3ec9

SHA256: e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: se.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js

MD5: d63f9c00eb2beeff26eabfea1406a3bc

SHA1: 8fc07d6276adf84ab94a1d352d55c105769f9017

SHA256: 424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: si.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/si.js

MD5: 0bdd326bd6fe7e94a1c3fed06cf79cdb

SHA1: 6dc83c8bee2af014c11994abd5f0718ed9c4dc64

SHA256: 8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sk.js

MD5: 0d4c93cc1adf0c2fe5bdcd7b1cca213

SHA1: 17c72fd3b31573f097f962b851fc82db22f217c1

SHA256: 7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js
MD5: 11bbdf40343f7ee615144b2c3df93d54
SHA1: 853a6dcfaa15df6205729d754739633de7e3f667
SHA256: ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js
MD5: f5c6cad85947f97d184ce17397145e3c
SHA1: 1817cdeeb3261b7f03f13902a7d8adfe46c36a65
SHA256: 9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr-cyrl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js
MD5: 403a704d0b31d44f5d43a05f060f879d

SHA1: fe545c0831b16a2393a771221f2daf3f8af50cf8

SHA256: e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js

MD5: b5752681e826802ad4578a65d446d2ab

SHA1: 18c79b7064d378b578c83facf15be80314e34581

SHA256: 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ss.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js

MD5: e61a001b0c3ea5bebde2d4d96d7c19c6

SHA1: a26e124883144d6ac990722d7915ceb80a44f7c8

SHA256: 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sv.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js
MD5: a276c85890a03d5a55715768969516fc
SHA1: 135396ef7e63b71af3df1cbafc5b060a32aaea4e
SHA256: 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js
MD5: b9e0ae98f621d6f9a622fe09225978cf
SHA1: 42f76f09c8d7049758fcf8f78e30881e6681c40e
SHA256: d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js

MD5: 2b48e3a057ec1ecf49d4e16d56263ed8

SHA1: 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321

SHA256: 2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: te.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js

MD5: 39e36c17c46798dfdcf0ddae92610807

SHA1: 1168038e9d7c735ac44fc0eca95796067ca7b51b

SHA256: 2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tests.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js
MD5: d39f31787b27fc1bb028ef80e699cd7c
SHA1: 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7
SHA256:895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tet.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js
MD5: 0a6f7bd649b280c8fff433d32591867
SHA1: 15f108397be93776a1c232f3de813e27f305550e
SHA256:d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tg.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js
MD5: 83e93f32f7f488c26def6938e280b716

SHA1: 59886e50e9d7e53beb111b317d5195ee0382050e
SHA256:24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: th.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js
MD5: e14a3488b2c85b54f65262d6fcc6b1b5
SHA1: 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791
SHA256:9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js
MD5: c01b5d264b1cfa34c4723e995439ebb9
SHA1: 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8
SHA256:fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tl-ph.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js

MD5: aefa584c5d3e7690a710b144fc505a7d

SHA1: ccc8535e56aeb0b2c2991ec7c2c232a16334f09b

SHA256: e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tlh.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js

MD5: 59508c37879615bd0a0beee8f69a28da

SHA1: 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef

SHA256: dceea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js

MD5: 0cf5765f4f245b2cd8a21dee0c3c92ba

SHA1: 7eb8afffa83fb85eba987c80a934c6ad30a23b23

SHA256: e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js

MD5: a2587bce05b5fa3015dce4ccedbd802

SHA1: b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6

SHA256: 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js
MD5: 582198d314e9ced1007620d4e7701734
SHA1: 17859d3345ae82ce39d5d036649c1976b9e4474a
SHA256: 7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js
MD5: 69d71f7f7674fd7f8b35f14dc179339b
SHA1: b5166e0443eb54c38185227e954cd5cc2b1f589b
SHA256: e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ug-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js
MD5: aad8845e8fb63517d21b322fef4a3545

SHA1: aff6b2361311a6475b9fd755bf63d23e3e6132b1
SHA256:58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js
MD5: fbe69f339b236b654b3e41d8d8b56536
SHA1: d9fdc9224f535c1338048858a9e457558f95349e
SHA256:725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: ur.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js
MD5: 3da71179953500680163984295abe43d
SHA1: 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2
SHA256:c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz-latn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js

MD5: 75ce0ce4c28806c32575c4f28ded6185

SHA1: 2648a6adc3ebb4dc12b070a5cc0a126050cf685a

SHA256: 3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: uz.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js

MD5: 3d11efeaad9c7b7f344eb8beb691a2d3

SHA1: 73ce197519648ecb5e6756bb2fb953688b42af2a

SHA256: 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js

MD5: 28c7ec0c4bf82120245da0d15112f4b0

SHA1: 1470d1969733e49331f2e435910b045e6a0a518b

SHA256: c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: webjars-requirejs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js

MD5: 34b1a7dcca0ee03eed1432670ed9c472

SHA1: 9de80e951270f04bbafd39d9d7822df4f7d08839

SHA256: 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: x-pseudo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js
MD5: 18b5b8d8f2f327f6d5ec947e550f35e0
SHA1: acc470244b95f709e4b68e7ab94b2c645f929f47
SHA256: ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: yo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js
MD5: 42b28f7a2ea67c7b5a342c87ef0a5771
SHA1: 84f6d714e3aadf74ab8a755b465df7ec8215fada
SHA256: d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-cn.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js
MD5: 49fa27dd7c374122f336369f30a87973

SHA1: 768eeb42e5372200634e8825680c6e18b0c8db8d

SHA256: 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-hk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

MD5: 9338eb6ad8e887a63be4fbaa05cab197

SHA1: 92340e4f48872df241a47bf9bd13647092fd25c9

SHA256: c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-mo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js

MD5: a986f68bda18d9751f6bedd7356e6e7c

SHA1: 6cac0e5b7b9e15ea799ce6a1575be93df4832c87

SHA256: 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: zh-tw.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js
MD5: 94fb46a7c1ce21f0a91512b170d4fdea
SHA1: cb69c6ca687ace454432d994ae5b624ba9011b62
SHA256: 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar
MD5: f6aba5fcd960bf1e18df7b064d8a057d
SHA1: d52857a85068d4be323fc5a1aa53ac766ac14277
SHA256: 00f45b494679e88dd43bbe0d4583395010c7873c88cb4e0a93e88cf79c49cf8b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low

Vendor	Manifest	built-date	2024-01-16 11:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2024-01-16 11:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

remotegui.zip: remotegui.jar: DbIClickButton.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbIClickButton.js

MD5: c35cd6abda035a7828fad8a14272397a

SHA1: 65385b9909c63a872d6a2fe776b2e05bffd029bc

SHA256: daa55ecad70e86d0ff8182c9193cd0e9ba9fd0d627632109caf441ddf984b709

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickDragSource.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickDragSource.js

MD5: b9f567f02c81be5c2f843f6e38aa894a

SHA1: 5136acd6b661d044d804e9075d286f0db02bc380

SHA256: 736fd4a9a895d5388b84bad8f3a6b9b9bd54120fff2e9a86d583a7a7a72e8e49

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: DbClickTable.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/DbClickTable.js

MD5: b5ac6f4dd2ae20f04e66f4384127629b

SHA1: fa13ae5a5dfa28c5608f82a6a60efc6ed89b319f

SHA256: 42b699f934a4f02836b0d8f168b210e1d6c1b4502e2fcf8ba7bc385d5b0eb7b4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: HeightDetermineButton.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/HeightDetermineButton.js

MD5: abd8bb7d4d3390b42e7d292435e79584

SHA1: aa34d0ec2c59d29e1e07fa92074913df1f9c4974

SHA256: 345d53ff522d1d288a06c1ce4be2fc7b7310cb25946366df704836a6fbd65606

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: InetContentPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/InetContentPane.js

MD5: d92edf895b367267a18b164461f7450a

SHA1: e8024cc29237e47f8e635125073cb13d0ad2a4ff

SHA256: b3e4706e5af04905f36bf92cd50c159d92248cbd01051320fbb84acb48a69ea3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: MouseOverTarget.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/MouseOverTarget.js

MD5: 0a897d206c56960e7839e11480367771

SHA1: 3766f3e726b8ed774c85a1591878d430d846f97c

SHA256:48b3c5e519a54b4c43292470eded7a21c9ab836b34a9dab6e84280ed7e07a27

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: PreventSelectionSplitPane.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/PreventSelectionSplitPane.js

MD5: 5b86b53aada37ddc636b5a0a1884ae66

SHA1: dc90617fb1c00b4f53e74202adbcc543bc75003f

SHA256:294120a9528e6dfd99a1eed73f3ef53be16d71e73cdc51648840ac7cbaa64534

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ScrollEventWindow.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/ScrollEventWindow.js

MD5: 8f8242238182a1beac5f5c64f600ae6a

SHA1: bc28865113709558b01ba63b49831aa940f18349

SHA256:9b68c31583e928ef7f79e3bc75cd162c21a8ae81a8b6d790bff3075d532f3ee4

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: SortDbClickTable.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/js/SortDbClickTable.js

MD5: e2e630e3637693634dda02f4dab7f5ef

SHA1: dbd89c0ef9cd8321e46aa55a331419fd2b4ccf2f

SHA256: 5f535d195fd0e603255eb4ef18f9c2127bc4f4338b2e138f11d9e1f7ec2d4c65

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: angular-websocket.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js

MD5: 3f86ccf4a10e6badf8742df346ba50d0

SHA1: 78b01247a82172c53701ab5056d999fd884d8788

SHA256: cee290dab1dfa96a8353cbbd27c783964862299fb03094f07a1a6d9785479d25

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js

MD5: 1347a0df7c7160e65cf89435a9bfcdb3

SHA1: 0dc1e3a9181ded604590f42b2fdccb680cc5be15

SHA256: 774f041dfb96652f883b4e7f568a7df7c5ebcd3f3e2c883b41a5a622fa3c6438

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js

MD5: 5c9a07ad00aa493976b33fe9a25fc49e

SHA1: cdaafd6cc723c95ce2483b92b6863c31c929951a

SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js

- MD5: 5c9a07ad00aa493976b33fe9a25fc49e
- SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
- SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681
- remotegui.zip: remotegui.jar: app.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
 - MD5: 5c9a07ad00aa493976b33fe9a25fc49e
 - SHA1: cdafe6cc723c95ce2483b92b6863c31c929951a
 - SHA256: 14b0bb8264d77d914174be291932c419fdf34be10ae054464f69c90ccfe5e681

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

MD5: d44f777bda98c2575c0fd09b0fed6365

SHA1: e9a9d78155906a6701e6651297d5938b30783ac6

SHA256: dde14cae0d8536b58b9231cdb02116c3913e24001aeb11e7c69cf1b867ca1c27

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: remotegui.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

MD5: c5a25c30b25493ddba670b39a30fb2ec

SHA1: 818255f797fadcd160ac04bf5bc006795f1ddbe2

SHA256: c8376d288d31f979994d422e0f9adc8cdaff08c40a7ec3e5187f573363e4f1d0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: appbadge.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

MD5: 972c23014cebfa2b2d70c29f9b40301d

SHA1: a787173bae8c89a77b0362f4b249d05878c12060

SHA256: ac37dc5111bef5fdd39faed0fe8c617c01759e8f60c1b0a2aad623d4477e227e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

MD5: af8f02f6ad340927c21ce655cf258248

SHA1: a3f84bac4f7a9abd8730199949c5be016ece4b7f
SHA256: f3fd2795c125a72579fececc03b6685d2c4d6ebfc034314b7bba2ec4a397c333
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js
MD5: 0699e43345bbba231e1ff01dceddf3dc
SHA1: 4420248444f730e7faf470e63c7935afab160741
SHA256: 93a513d95c14cded2adc604823b929c999e4c065f64647174d8ae4c761049a77
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatardetails.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js
MD5: 1f319a4ab5d332a7fcc81ce86b6ffbdb
SHA1: b4ea383253defd33315f715a3d8b5f57caa07b4c
SHA256: a25d6353999f2e9caaa9553deff4a264c6a75ee4fa82a0da9a6a697b53c8ae7a
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimage.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js

MD5: 82978a2f8971f9bf3ddf556dcfd32f3a

SHA1: 3459940aae24e5890b32d423e6c31bae9451a7c6

SHA256:ba811ab159edc428cfc8db17f43e374ee6bf5f72b64388b74b32e72aa45e016e

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js

MD5: 7c6bce15704f1b6a419e834171be92b1

SHA1: 069007e7f5cf99ef5c95e5a5e8af45b6f3629027

SHA256:a08266c902ff66bd0688ac5424c23ffc7033c10939e8a6eb4589710dfa94cf6c

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: basic.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js

MD5: f91b8d5cd5cf666abe7e3d2bd55a4971

SHA1: 9aea10ca77bd393ea90e193c701b09d9471e25c

SHA256: 585b73568c0d10d19ff99e71fbad3524c417a1c968d3eef3737c6c45f32d23b7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js

MD5: 1dcb55eb011d1126d80d43c30fc9bd47

SHA1: d78780d5547eaf80a57e424e2fd0107b8cc43573

SHA256: 8b00cde3d0d3bc5fbee87a890637483f323cda9c4b72818d81f0bde03045fe95

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/datetimepicker/js/bootstrap-datetimepicker.js
MD5: 660b0d1aaaec63a24899af6ab6cafa00
SHA1: 0bf9628c8b8d5b1d180dd51df71d5107b374846a
SHA256: 785a0b48dd539cd5b0fb890d114f56f45ab464bc78a5812afcea49bc514584b1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: browsercheck.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/browsercheck.js
MD5: 0757d9ff2514240f35f22ff5b4bd76d1
SHA1: 75c63027cab5857414d60d3720419e065f632432
SHA256: 31ae343e89fec66445b23bf0e4d124c374927ea4596199fab0ab451ffefc6d17
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js
MD5: cbae31f71f9ffc9ddcbe52bd7ed31082

SHA1: 5e16dcf177ba7c2c26452b9a7bc4a8c94d496761

SHA256: f5b5df7ee375523e85ce40ebb6fe58d51d1b42cda53d254d1d3f9dcca9a344a2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js

MD5: d220dc5582eb634437ac9bcf73ae8e75

SHA1: 9463768d9994662412ed51c8fecfd6388c381c433

SHA256: bade180b12b185211ab933bae8e997adf64a03886ac71fa157ca381e731b4f95

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: changeavatar.service.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js

MD5: 02438c1ef35652cbb7ec224e2e0085c4

SHA1: 3ea1c419796e1a50c85ca67ed0c9b41d2230b1e0

SHA256: e15d73e4dc848e7d142260e50c6c6700a6cfff6c189ec9f7c79614fa35351b03

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: clearreports.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js

MD5: de6c5d3b9c38b2e2bc0912da0aa58a1b

SHA1: 9e3ad14c2db3803f3ce928c32b48cf3e40420757

SHA256: c49b552cee19ce3bd0c60956a94c574f974c8fbfbf87cd143471ef3680f70d7b

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: collapse.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js

MD5: b5a0a930afa2a472aecac76fdf7dbb26

SHA1: 353dfe5129d32b4e7980a4add00a039877f3b631

SHA256: 14875f54306512d11d46ebeca561f837d49217353deb6450b0081b4eb89cdc9d

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: colorPicker.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js

MD5: 6e50ccf1829e11bb6b28095a001da6c1

SHA1: bb615fc7432b151b2ea2118d6017dc9475658d9b

SHA256: b74ba64710291260135de1a9377a54ac5a3f7c43ba8bba430c3a0181aa9ef268

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: connectionstate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js

MD5: de6e3bd6cfcbf3c335c1f14d35a3791f

SHA1: c658eac71cb8f96150f11beeb4acbf435cacdeea

SHA256: 9ea2c586fd94a9a164b505ed6e072b323b1a3937699fc2c8741aab0465bdc7e5

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/template/js/controller.js
MD5: 6f920bcf63766ec55c2125af798443af
SHA1: 0d4a6203f0efb3ea465e59aabf8a4e83a1e50506
SHA256: 4cf80237d2932cfe5f4401b1f6830952d6b2042774ef9a55746c5bb7353b1b63
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/modules/invalidlicense/js/controller.js
MD5: 6a9c7da3b28e059445113ff0457a4109
SHA1: 1a0145ed9606de216e01b300e65258628a045b41
SHA256:e034a8a0023946b8ce43fe9f859934f50cfb0c5b99c9112a5cf6e2dae6643a86
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/modules/vetomessage/js/controller.js
MD5: 69828c190c9a3d68ec14a74b4ce6d5fe

SHA1: b1c31c079bd5b13735b5de12dd2475430db211c1

SHA256: a46821dc18ffe0a34e1d3ddb08f19e03667b6142a9e9122936b9e6d6c2e88727

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerAbout.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

MD5: 35cded32079795971fb724b6d26735cc

SHA1: 03289bf22bef143d9ad78851e1fc0ada0a3ef36a

SHA256: f5b0244b69882e2da83b93969abb8310c342f0e53ce38c19996deb65391cf647

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js

MD5: 7e08d417343bb72558e38cf6f05b84ba

SHA1: 48f2c68979f50ad77692888065084b4bc68cb6a9

SHA256: 93b106ce893bd88230ff821050e33d164def642890aefd5100a0dbdf0ba92eb4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js

MD5: 88bf7fe06391d7ae6456acf159540b5c

SHA1: ecfaa182f500a156cb97771fd1ccc59ce22cb43c

SHA256:6041f2c037356d3bf41baa8b7a67a42586356033eccc5c0dd428ad297bf8bc79

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/controllers.js

MD5: 9b566414fac0eced4b8841f4db83d8e0

SHA1: 53c6b5cab63a5ccc7bc17f4b2e902356efb39f0

SHA256:309414a04de96d90e3867f80882c6f6e053c692de32153634b2edf3e87345bf3

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

MD5: fd79d533169b63853aa7c0d15b972934

SHA1: dbb1292a5fa95cbb86b6643a75f1365894ba05f9

SHA256: c3b70709a25c52fe710009ba3f9d53cbeb67203cb42c40ae4b2de178c6ad67ef

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

MD5: 462625767102cb7377da8be78dae903a

SHA1: f5dc35669733dc62cbb0b42a7e5aa0361304ef43

SHA256: b603ad6fe88b6c854a3bb987de4ce52d8c72879925ec044cdabd9abd647fb256

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js
MD5: 8936aa89df05f204ca5216c3feb8656c
SHA1: a9ca21ced6deb5d2690163e0c0ba6b33bf082c39
SHA256:62ebe2a67433d2e7525c4f68f95ab29e4c919b14f22a351e8736d41bf178fa93
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js
MD5: ac28f4708894a2888f9428bd5e807577
SHA1: d86605822570d6ae916e035a0a61b9b9df9e0054
SHA256:5e3cd825750d7e6658a505ebdecf961235afab40f254c89041b08b89ad65d186
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js
MD5: 4766cae43e55c5fd3e9e67b7459cffb3

SHA1: b8eb388c32b77a58874b0d5cc3a6402de717f33a
SHA256: dee426242e22731a4a42b29f187170c5db81030c9491b62eade40306d6e34668
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: controllers.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

MD5: ad69cde99b1307241b273905f4d0f9df

SHA1: f3ee193ed164808c0ff16881d8b89e22ef6cca8e

SHA256: c30bee314884174d4dd107284b7fbb1752919830bdc24b692e31a14d27b9324d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js

MD5: 84c1f2b0eb43d1e198e70233d831dbdb

SHA1: 28fecf0f626f8820482b1272d47195dd27844460

SHA256: fed16cd6195b7be36cdf911a263ccdca56ecee26d959f2b5326e09b724d24225

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: currencyValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js

MD5: 4670996c5b36afdf8a34c3e94e64cb38

SHA1: efeeb5e78c999fce3aed86dc03f0e837ba0789bd

SHA256: d54158b0a13b9db3712752bafd7274b43e787b8f5708f9ecd9b1453baaf0220

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js

MD5: b7b88c52dac551c7746fca21a6019994

SHA1: 3f319ac29a326cb6c80b62f320f8ccd0da1124c2

SHA256: a2ab98032bdf293622028340940cd808fa08399503942e0eaa11b550d2724c44

Referenced In Project/Scope: server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js

MD5: 89bf8e753f5a791fdc4d2c15cf9e3573

SHA1: 4786bbb83c90e38f01eafba11d444c242e08fc4b

SHA256: 582e1f75192f8df57f94e7ba15590205ec8c8323057fb01262ceec36b5ba9537

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: customemojiupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js

MD5: 44cabe61802b87ce058c07fe138d2fcf

SHA1: 730a519b12b6e984e2f9e081f3eb3fe988c3db78

SHA256: d761c78e232d3679a269936f1c5fe238b0ce885c30e2e686f1d9545c365efee4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dataservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js
MD5: 8b7a39c3aa88f90e2516595c487f416a
SHA1: 7bd77340cfe67270d9238d84fb955299e3b5b634
SHA256:4a9b5e14d7d02595b22a1d3145c3e4ba3d0ddf0cb82cf895ae799072d117f714
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: datepicker-de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js
MD5: d3355f1506a6f5cf222a7cb6b46037fe
SHA1: 100a3ca249cc93a6eab6d1569d8f80bd28764802
SHA256:bd2e4bfcebf6c88ce926e78b181dc56e649546f13f35bab1c0a31bb57dc6d6df
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: debug.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js
MD5: c118fc525f6b6f7124bba2d41c5f8189

SHA1: 56fc9afe8f39c52e0a2dfb247229993702d9bf81

SHA256:3cc717984e3be467497cf61fcd49f00374d82753b076d3a473adcc19e2d99829

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: dialogservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

MD5: 221c17e210e92fe7d8a3016b1c466b99

SHA1: a77e8e7b5cc01f9740fc9241743ed77097e67a72

SHA256:6998c264d5c7e929ba97999f481188b0726937c7a5e5641226531ebaa2888eb6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: directives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js

MD5: 7b9f0e9fdc85d436d2064dd2abb1be43

SHA1: 23870fd5178a3fa462db22a261f777d693960a85

SHA256:9103714fa136f409f7126b9b9e0fc50b0ec240360cb15e08628d04c48edea0bd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js

MD5: 0178d406afdf93aae07ceef6a5c137d0

SHA1: c548e1837375d598dc44e80a757e720032c6aa2c

SHA256:57597f5706b3e0e74966d2da6576d0e278fdda1613a86b434642c9ea18f62060

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: emojiselector.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

MD5: 0c135b17461c32042cb2c1c537e0bc07

SHA1: 7cee6e9153d6a8ed9cfea9484a5f2303a2076d3c

SHA256:5c6dda1d48c214b6bac17c642e9df4fb7c3ee8cff604f9c8ca5fbc1ab391261

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: errorservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js

MD5: 0e61cdaf037e08238c9808e67635a727

SHA1: 0f2f3b010a37c1333a7883ed1d540ae07f70b8e4

SHA256: 52161fb16d67a0ac4d1889e2b755ee07b3a44f0697e60ff3dec90e7d8166b995

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: filechooser.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js

MD5: 399eab78430b7cb656c321207338b7ce

SHA1: c9d53e48d0957d90a06f4945e62cc6a04f772068

SHA256: fb565e25df4a3ae0fb4f9e247b39087b0b6d80866e6381cd09a9fdb37f5b3b5b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/weblib/inet/js/number/fixNumber.directive.js
MD5: 0d490e8241a7067d2c32a16b2608f419
SHA1: e2e8d4c2aa40297233791719784946b22041e311
SHA256:f278c7400b8ea7f1ea4e6af57dc4d340ba81b6e00a7261efbaea1853c3dae53d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/weblib/inet/js/number/fixNumberValidator.directive.js
MD5: 3f5ebe341cf1309946e87c6501caabcc
SHA1: b0bb21c289c78bbc5af675376654cf5507c8c2ee
SHA256:b35b54e8378fd22bf1377efed4dafda79c8d1f982491dcff0958842434c5bf96
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remotegui/angular/weblib/inet/js/number/floatNumber.directive.js
MD5: 2d4b2142d6c67326eed229f9aaff4393

SHA1: 98f6a991a36437ba55e005a0144233eb03fc506b
SHA256:f4dd76261d408567850a4861bb9597851920e45902a9279215114d1568c7262a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js
MD5: 4e099d10495c47a8957ab2172ce5b35e
SHA1: 5acbe2d072a925a6c81335581a2ac7ad672a023f
SHA256:a72819cd47dc8c0f48735fde081c2969571a49aed6c8f3aaa021cc7bf7ef755e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: globalactionservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/globalactionservice.service.js
MD5: a9e7e389f95d95d455bae3e378d2e2c9
SHA1: 0ff96fb14eba73ae10f0e2569da6d6dd366b8f95
SHA256:76d3db82466040c12a6c7534519cbd2e831095f8b22c49748c3d1bbb1c0b8cd5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdField.directive.js

MD5: 42df5f488878bd827a995a300927a5f1

SHA1: 8517f66bd2b7bb48841a953c825e81a8de51d24b

SHA256: 71f7449ac8125372e1dc6c969ab5bce1c91fd3c77e1ef7fc56b1b7a2ab320a90

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdMandatory.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js

MD5: a1a2ed0e17ce3801df9871e9e2f20e3a

SHA1: 6cf63a24286daf6ad2465a0388cc53b6dd34ac78

SHA256: 1311d0f3cf45112d4801765957a31829851eaa88f844ad1bff8234317d8b7356

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdNeedchange.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js

MD5: 5239a81e120888887704634c0ceb01f4

SHA1: 8210293686bd9ed47448412c4721f39465e5e0de

SHA256: e4532aaa760ec553636521e1247f2c2323785555a10e739848711b527a954eb8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdValidate.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js

MD5: 70f6e853f5be943600ff9713ef515404

SHA1: b4c72e6afe51f48776cfe4ebb4da0187480b439c

SHA256: f8f4a528177d50b67143d77f60d7364410a757c50f93a61294de1922255bb237

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdattachment.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js
MD5: 1f09ae47da7013f08adadc844775cbe3
SHA1: c9d174e04faf404e93e41969058419c32d23ffc
SHA256: cd790ef6b7109253c5cb87808137d25df02920ca502816b32957ef3c16fbd28d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hdfileupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfileupload.js
MD5: 4f50a72fb8ccb5ffbf7e4fbc2621ad43
SHA1: 9e90c0d8d2fd0630710a64a6d557f6263553ba43
SHA256: 8c059f37866135b1e77afd575619973967f8e3fc457739b381c8d4d0ca632ea8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js
MD5: 31da02c3356fe92d686f09c9e9a2d3b5

SHA1: 77c9d1aae30a77bb4ff1015d9886a9fb2bad93
SHA256:44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: hsimp.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js
MD5: 145524977d38143d0d8feda731bbbb40
SHA1: 330f0ed3b8bc30fa516fde8e9de35d5e6b0f334c
SHA256:f9496f9d714ee4632e63bf04344ee2ba16ce23cc76e45c2ead2b17bac859d47f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: html5modeurls.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js
MD5: a58e0f5ab5e75fd4738493fb471f11eb
SHA1: 945f1a10acd5202137ad6991a784667c1f1ae59a
SHA256:cda6265dc9848b22a9d38fc76a030abae2b6c7f6c42ed18a26606ec3e8575d40
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditor.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js

MD5: 22ddffa55c850e5334a2ccaeaf16346b

SHA1: f4e77967b2eb743b3900c3ee8d606fee563055e4

SHA256: dfc84e8312de88106356dbc721bca433a33ae6a1d5de98d3d68811ecc37d8422

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorFactory.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js

MD5: 60afb054d2f87d5e2894cff959008704

SHA1: ce78f82daea98bcfbf5a8b264290f69df2fbc063

SHA256: 41ae8eabe8ea60d928c8d21addb357f3abf1d3d00ad2dcd64b81e8c3dd10cc32

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: htmleditorModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js

MD5: 07bbb19fede16469b98401455373a882

SHA1: 66c15ae2d4b9d63c961710bc86e0da67b4ce6a6a

SHA256: 2adb40a0401b9524b4c6d10d55bfe92f9059fdee378d29a2156723299d259d70

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: icons.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customtinymce/icons/inet/icons.js

MD5: be1529db0e0f990348104f5e10c63489

SHA1: 783305e7601e4b163f98770d53c28dc1b0ffd45c

SHA256: e71d6ba9022259ce04226a84128038dc92bd2f648aa463b09954dec1237ffc8b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: initUsernameField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js
MD5: e83a0f83b94932e21d0b675d2649f0ec
SHA1: e0371c84a3750d1476292b4e5e9f0dcbff707e67
SHA256: 1aedeb89590e2782d1c29f208579364f851778f652b298eac196d2c524dab4fc
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: introduction.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js
MD5: 71a7fa26fbeecc0ddf6a3d71df6dbfb
SHA1: 6b6306d9d4f2d2a29f8ef7c12be5c6d8e8a58de7
SHA256:f6e17e6087906346b18a232193567e7394989185934165ea23e325ab0cfefb12
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: jquery.fileupload.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js
MD5: 015c382ec73373f5adeb299de71f986d

SHA1: 587a3366d6c4e74ad0e30a2264b86bfa6e06a39a

SHA256:4493d721690b35f554daebaa2d1cb0d642519211cff94f1d1f3e14fc7a78556b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: keyservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js

MD5: 1d248ef72dd4a6a47b0a02169f921a29

SHA1: ad0a35060748c2020ce51dc4af639ff31d35dca0

SHA256:40dd70d9196988ac998e8dd33117c610b92e5363f067d5cd1e9643284187198e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: locationservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js

MD5: 1dd077296104d0706de341b300bc1b9f

SHA1: 1bb5d8ca1fb5e96c0da53e2782a5bb56779c52da

SHA256:df1f45ba3a0020dd15aeb87ce716fc88db01447a18743adbcc7339d50e856ec8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: modalservice.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modalservice.service.js

MD5: bac4d305c04e1eae8211b454c5ada623

SHA1: f962556fe1e4f78bfd4a986d45b2b89a4a11dacd

SHA256: df51cbc51fd3ec6ad29c6a1625a3ed21027e964c6613e9e1cfa2def4ea988f33

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: moduledragdrop.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/moduledragdrop.js

MD5: f33abdb637c0db60e1d05ea891579e65

SHA1: 4dd4b05fd62dfe236d540c16e7f250233b9affb

SHA256: 4575f0f735e9cd5309a486308f0f04ab41b3cfbafaa9e93ca6910a5a70fcc20d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ng-tinymce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ngtinymce/ng-tinymce.js

MD5: 8029a79da3a276b3b95bbb6cd8d73acb

SHA1: 8f6cd70d2150662b6d91eea5d41a5573a85f37da

SHA256:bb9a8b0e45a6731fa0426e0b9ba861e9502a4b46192e14913ca810a590a4c45b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: numberUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js

MD5: d5893e6d0bd20b4912d64ea78540b5bf

SHA1: 5b1817ef6e97416a55c5ac96f0c464f8b88355fd

SHA256:349a2c5a8a2c7a19ea7c3d618974a49eef9bcf0e9cd5f0e92a9066de0fdef7c4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: ocLazyLoad.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js
MD5: f2d4908265b909369078aed0cfaffa3
SHA1: 2d19edef03246ca520c6b3d658e75fad0d791695
SHA256: a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js
MD5: 0e891cb1efe8d7329586abc7a79b2091
SHA1: 7eab2e0b6268c3cc513fde52d198b5d4543b3dce
SHA256: db54aa685133a7b32a6020f94b561e3f0cefe9af09c92704bfffdb01c89b7173
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: paged.filter.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js
MD5: 4517ac89c1193aa004655d37534756d0

SHA1: 8987e7b45fbad3a23c566f82b43b615d528a32fd
SHA256:f8a3ba8d018a615e81511dff8c572c3f97e60fb339fd801673124b6b1ac06365
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pagination.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js
MD5: 89b7e3878c21bee24c47f57630716850
SHA1: 2ec014a73bc9ecb7f8d4a24145e8a1a38a0ff09a
SHA256:7e4f6b98b13aff0786071b8dbdb89c0e1afa7951efcda87cb5841775d47d7916
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: piechart.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js
MD5: 9e310689849b1cf084faad9abaefdd2
SHA1: 0456656b2d9097dd03e38b9cf8b8efffed37f5f
SHA256:87ab77404d853f3ebcb2ed4df1898e5db294aad833e7426b12e58a914c111973
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa-service-worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js
MD5: 95a33b245d3237810fe50090f6719728
SHA1: 1092e1c782d256a86ba9034dfc86b2af50d31117
SHA256: 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: pwa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js
MD5: d5f6fdc8eb151d3a71ca5eefe74f6dd9
SHA1: e7e28c16da057e3d23295da872a11d99239f67cb
SHA256: cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: qrcode.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js

MD5: 4b36f8e71a871112384d908a90471a76

SHA1: f103f61ed24f3dd86bbee1aecb91ad4ff0a15282

SHA256: 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: rangeSlider.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js

MD5: 20376051d3ea2a6162db3ad58f076fa9

SHA1: e47bf7c8863847aac27395ad204e978818b02d29

SHA256: 394dace84214f70c8ffb4d86f4499bd0b0a5c909c1220255d203a21ad8ae9dd2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: resizableDivider.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js
MD5: fa847d01adb2ccdfc94bde321dbd436f
SHA1: affd2857609d9a801bce9bff9d5ebdaba030b976
SHA256: cd453fb841394aae4a015d7c02e62f442fa90c28a524278196d449a45a523239
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/scrollabledropdownmenu.directive.js
MD5: adca62cbd6c593eb4b3820386d998b8f
SHA1: eddc3293b76697c17357ca5db338c1dcf8feed70
SHA256: 8f530fb140403c88fb3a54da4cf72f22eea007453937b247ccbe68ca1dd669b5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: search-panel.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js
MD5: 74721a5f30b6e3802fd5d7aceae443be

SHA1: 0bbb0913b57d3238ecaed8b01fbbc572c2774a7b

SHA256:df4994c45e72c7844f089f81d174e652dfc6316c2797f0edf40

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: selectInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js

MD5: 1d2d777978d8b0e228d5afa4a90c9e95

SHA1: df97085d1d93aef90118c5f521574f93dc45e28d

SHA256:e6061ec5e75529ed5d4556fb8cd4b8ce7599cd3fdceb198638cb3b90aa2076bc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: shadowLogger.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js

MD5: 7fb285ba68fd8f73752378984e7d64b3

SHA1: 8c9a157918399ff6a7e161847985955118fed3e1

SHA256:2af095330d60bd76f3b0644e42d9ad3203184fc37897356e7fbbc38c27e85f18

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: sidenavigation.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js
MD5: fbeefc0a7658729e8c65da2a66a24d78
SHA1: b276c70f0e4824a0611c5df1f6703376cb892bd9
SHA256: 91c4331e93e8757cc5a3056b40715acd400dcebf61de8482cd0c3af43dd55b28
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataController.controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js
MD5: 2db0d42505769d9ad4488d61de46dc23
SHA1: 8334c9966238cd1744439982992440aa3dc9a392
SHA256: ec576037a423ef29d952d37e4a7f088e0ccb85b1a61a1fc581361679f3a75323
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js
MD5: f0f7bf8b0db5939aa4f95efee40c9a7d
SHA1: 9d2bb947861af7eeeace922dac84caeb9dfc5fd4
SHA256: 61701863dd18ab12e3a4e8d1c748b2edaef7f1e72359e2e7507d9f779a35d450
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: takeoutDataModel.service.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js
MD5: 89340a5c50b020ccf235d29a59ba7aa1
SHA1: c04271bde4da616aa448ef3dcb220995ddf210d1
SHA256: 7d6d634870c9dc64b1798e78a6d240b31b07335478e5d374fc48e352f66b21e9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeInput.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInput.directive.js
MD5: dc89e0cf7af80dc372c523f4475a742b
SHA1: 346dd178641407d330f98378afaa2e82b23ce335
SHA256: 3e1f583a1c3d93ac0933c03293121ff7cce230f28a9ac564017111942eed1175
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timelInputContainer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputContainer.directive.js
MD5: 38ebda66df735a153e899bdb455ba627
SHA1: 6d76490fba423fbb26ad2e2379e0469e354bd8d7
SHA256: 0505ad1f8c7b7c1502da18d67b80c5e1abdb4097082002223bfe0c65557fed7b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timelInputUtil.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timelInputUtil.js
MD5: 6e6b983b79ecc163db62de048fad0bea

SHA1: a04fbc0b3fb9e92c0548af34d256b1397ec57b6d
SHA256:9cfd6b9003b254130229958097af006a91232afae599a92b1b17341cfa40a4df
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js
MD5: d63014a3c86764ee1b91414dc09a976d
SHA1: 68011b67bac764030bf1e9f01fa8eb1882b9f0a0
SHA256:a97133c7d659fabce434a0aa63e54d1ff0ce6e06893dc2811f490a47655d1900
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: translate.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js
MD5: b8a0528dad77053405c013f8d3093688
SHA1: f7efb58c31f4446a20da7228aa33290b0a731f6f
SHA256:39ca4976fe9345f0ca61017824798e5b0cfe45df53a2f0dcf0bf31bf453c58da
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: unitFixNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js

MD5: 2c99db1a894118323d3dc106a41d4c81

SHA1: 1ad8472f6ac831b0c078cca7051d527e41497537

SHA256:d449ce86b07059187db42b8d1b92cfd6bf8b53177904899d18e301f3eb720437

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js

MD5: 71eee99887bff0e562cec97048d525a5

SHA1: a531c1cd9664d2b737ffe3d78ebf9c5cc6685171

SHA256:9edba0f7a5d1a5225b8176ca66b5b84ae36ea796cfc19a131692c934ec9ca22c

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: userservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js

MD5: b09cf354242cd5b17a8ce778e3fbd501

SHA1: 85a90e23b642cf7f29de0f04300eb457a86a5e4d

SHA256: 36b2cfed2c45ba114b0aad3cf7939f1e47f351aa5703cf6b7b455b5b07e821ef

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usersorgroupsselection.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js

MD5: 13f9a487123cfd870a91a7a998a1e30

SHA1: b68f41d14f0de67fdd9780255f668f883f1fd4f5

SHA256: 43336640593a1eefe8a24a46e212eeb89a2335f78f0595a7504e97bd7867229d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: usestrict.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js
MD5: d41d8cd98f00b204e9800998ecf8427e
SHA1: da39a3ee5e6b4b0d3255bfef95601890afd80709
SHA256: e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websitedownload.renderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js
MD5: d84df8cb02320562184713facc448e3
SHA1: 463b4cef63842cb3677086c49abe33efcdd20937
SHA256: f09a47bc77779cc93eb0554f787159f93a4b5c2eef4b94278ad064a6d579d11d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketdataservice.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js
MD5: 101da5e339b24430548efd6f841426f2

SHA1: b7c011efd1c5432d3764e5809dd2a3b322e5090f

SHA256: 70b0e4b07efcc2894c4d80b8a02f082d3284f9b693e95072a75054c6e825150c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js

MD5: 23dd8025d25c06b00bbb9d2f690e8c24

SHA1: 1f8530d396532bf8a0d474fca70f42785edc5872

SHA256: 765e139c05a131aae143639b5906986915d9031f47b0dee52e4b9b54e75b54b8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: windowdatastore.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js

MD5: 8509ee4c50d6ba4530a9d3c3975ef21f

SHA1: 26c0406862209b38c67b931c13787a3c3c547710

SHA256: 908719da1d0ac1d416ccd359fd6a8ff1bb5854b0f8ad0e4613392d0ca5d56e41

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ar.js

MD5: 0f886efdc70323a44979e1cefce05038

SHA1: 9d6816b96f0b595631ec3f0a8ef095b79d2aad2

SHA256: 7f3e6c66626d88d970c57d3883e155c93d97cf378b6e8b27c3e0294eaf1c3cd2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: bg_BG.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/bg_BG.js

MD5: 4e9304054a5dba87c44a97301ad66b18

SHA1: b4c2faa214f8b1439ad6fcbf25064557a609cdf

SHA256:b1430ba8c8ffca397dcc798611def8cec0ebd83965fff5fb0799090aa2c8f12

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ca.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ca.js
MD5: 089ce05c476ac2670a3e7191e27cac9a
SHA1: 1e076c780755f0ca6dc33f275f615cd3bf4480ca
SHA256:41d6c5ca9f26f3d51b65ec32dfc001eb5b31dba3b7ebe634fe722115ff449c94
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cs.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cs.js
MD5: d10d9585dcd93ae57323c6a655aa2c3d
SHA1: 9349c258353e88585b5400726f66d9d49b329f26
SHA256:f876fc46225f5d756b7c93868a122d13ee141f32b4083c7f7ef6592b9004a059
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: cy.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/cy.js
MD5: 2a0728ef1086a55e02eb37af4eb5b0b1
SHA1: d35bd8d1c3c3397fdec0db042d0c0c17ea7fdaf9
SHA256:df7b1c6f8cedac1f23dd1ab8c9f180665d66c7325eba121dca192c18a06f58a9
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: da.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/da.js
MD5: 481aa7c5d1ceb5a94c54bd71af91b607
SHA1: fa4a7ecb526f6b215f8da7853dd2326a99838c06
SHA256:440828eeb73162291e2f8eeee67763d7e34039e5b9fe4d4ad506a521e48fbd438
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: de.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/de.js
MD5: 42f1476160d0c1c8da694470a77af56a

SHA1: 4862a9cb5f4ed83a312bcc769d520440f1f95a0a
SHA256:bd997ca871108f0124849619dc28981047f7e7a1ade9360e2d258a3a86ad02af
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: el.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/el.js
MD5: 5416576d60c441187a77aae0846865ba
SHA1: 0f11a7714c7e4da72cd55dd70f5dbc2f0829f8fe
SHA256:970b4322bdfe3fedb6e4544b65a9684099e82d208a6c2ad86e6550fe2d79543a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: eo.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eo.js
MD5: c1f238debe6f92e597d18890a9b9cf39
SHA1: f10c044ef2e30b353442bc536c3c6302f83b42f4
SHA256:c316804de553f2aaa5c7724f0e1a8e2f1aaf2b7342f236358a7e12365e212384
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es.js

MD5: 833bb31f5d452f0b036f558304f7bd43

SHA1: 0c34ae192edba65fa21b762ddfa7226b129c8da

SHA256: f020e09f41ca04101127c4236b44d0d5b4938587f7449421b38f666ba9159ed1

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es_ES.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_ES.js

MD5: f2bf4385f9ac938c22d699caa13805fd

SHA1: 08cd53fb716153b4a47d34b2181e53d49ea45a36

SHA256: b2356afb30584c7359dd65ceffb42296b0e420650033e73422be09da30511cd0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: es_MX.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/es_MX.js

MD5: 0d9bd141cec3e0a3c3b32d6dcf0a1739

SHA1: 976438b6d6a826cb437a4a7be47a6ba4c107be73

SHA256: 8be7384d5888618e3ef7ea227c3f10cb0533db5f01fd8ecd75309cf0652008ec

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: eu.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/eu.js

MD5: c674049d2a4b1c0c2bbedb9f5e519858

SHA1: d8458d8d1c93154c51a0d724785d972506cdf2a1

SHA256: 3942f6abba9679f58ccc36ba38a1f3fd6ec5a5824fb2910a3b3a922c740d1df7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa.js
MD5: f4242d89d4890093b57c6435a0feef5d
SHA1: f84cbc6d12884492dcae0bb2fb25de3bd8a54fcf
SHA256: 1465f18074f43b691afb310e5dfdbb8f4f1d70f5817e5e26a1ddd23753ce962b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fa_IR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fa_IR.js
MD5: e2e4ffe84b41b1763eec91c0d41c879
SHA1: df983f084fa4b2acbbaf8c2f42e2e9cb981645f8
SHA256: 019a970f6414584cd6e87515d3fe7dff153c9fc49dbc7a7bbc25b33803f19b32
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fi.js
MD5: b5688fed7ee5c373ebb60f499959b374

SHA1: 07eced4202e01f9fe821ff7a917b65917cd814f7

SHA256: 1f1e100752101230f1b10717f8ea615f816388a79dd5ad1c47605c553f9ad935

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: fr_FR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/fr_FR.js

MD5: 39a6068252db59fd4692c3ddb15a5707

SHA1: 8b7cfcf0ed4fccaf10ec9ead72c39ea6f566a4c9

SHA256: 0eef8817097810e7cbfe4ca46e9347b2e14ba0d2c91bc02d0f217ac6a2bf6bdb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: gl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/gl.js

MD5: 4c87b5345d76e5fb9fa24d89824cbfda

SHA1: 46bae6aaf29f1d534c0312c9e8c5f8934e9196bd

SHA256: ae5a04893fc2f1900a2358fa8b43134f8f69bf72a4e7b2be58344296a788be38

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: he_IL.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/he_IL.js
MD5: ab3335919ec5e713be56b82a8df6252f
SHA1: 4b9a0a979384da17166919e5f584a59226244a97
SHA256: c411d772751ae83c939e62ee23459abf33465b9f364b89fff5d1402591eee2a5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hr.js
MD5: ab6217dad69a25ec43e59f1a76b0c060
SHA1: 9e7f2bd0909ead0e63258d24b18cbe5c1d79c44a
SHA256: 02002bcccf9d9a73114794022ac7d48d0a4b9acb0ae1094b98a001cda06d9543
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: hu_HU.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/hu_HU.js

MD5: 2afccb31e0cdea6f08c23750f5531a3e

SHA1: 47b7ffbe8714c92446e18065bb622ffdabfca060

SHA256: 795f98a9f97ea2a3a0edf1056ab6dd697d9138a8cc7d6c0416a24b293c79751d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: id.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/id.js

MD5: 804ca5c83b16e8aa31011340aa43cfde

SHA1: d85239b65123d712897c0b9705b1d75140320b6a

SHA256: ee0a95c92105fea050a683bc2b617332366e3f5ffda2f5b4a4df6b558ccf210e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it.js
MD5: 2307d7e18f4d82323f8460b954366d6c
SHA1: 2dd5945ec46a5fc412a03dfe3e706096169cb50a
SHA256: 853effa3129e6856e7c555788753721d89c48efa7f35536ef08fd9d5e2860b68
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: it_IT.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/it_IT.js
MD5: f5f75ba5738d186bea305abd351699d4
SHA1: 80449c059f59ab177abe08deb15d2a0fd55b25f3
SHA256: 5bd51b8d9f3bb9fa4c44b54df600ba4468c16511f8272c5c30f816dea88cebd1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ja.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ja.js
MD5: 7199e3d236184cf0a06a219442b578c9

SHA1: 16add7d88b9628d906e62a8b7d88e52057b93e29

SHA256: f250108ef667f96cf5b0e8fd061e15306267a23d9f0d6d06ac3443e268a542d9

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: kk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/kk.js

MD5: adf69e41309e0553b26d71ad07cfbb92

SHA1: 6dad67ba7364db9096844dedf946a13d8e796109

SHA256: 97e466a88551bac32d4ac08dd86dee6d8db34d763ec9c9c2db42044299f79280

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ko_KR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ko_KR.js

MD5: c60c7a4d77abf22380711ea8c1982bb1

SHA1: 631fe4673b89932fc6855b13284f22febb9a1d41

SHA256: 66fb29bdfd16163298e024e448a6774d5ddc1b4fff7e6683173ad2e6f20f2dbd

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: lt.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/lt.js

MD5: 2219c653129ccc476847f054786ec676

SHA1: d6ef2ce6c2d82e07fe9e59cc2d22f3767ac94625

SHA256: 22195ef38c08fdbee31662434b50c6928b10e0adde3d0d86cd10a72230304e9b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nb_NO.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nb_NO.js

MD5: 0a7352214f0ce32fcd9c1e6522df1bbe

SHA1: ee23293fd4b9972547400cf4a3249a2059b6b165

SHA256: 944131baab48a0af7fa0aed2c8bd2ebb3e9064b3772712f22e976909914971f0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: nl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/nl.js
MD5: 6f571210666a2f5e6337080e579baba6
SHA1: 836f979abe265e75b745b723288058a708392756
SHA256: 7f5b894c53f3e6cdaac59ea898930837fd21369800ab6d16136427c7a773916e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pl.js
MD5: e250adf7e075ad1f30905b07ad627631
SHA1: 3c4f16669f023e06b0c6a3527b7465c67b57c90d
SHA256: a22b468acd116dea2dea78bd49ea798fae8e5ca8c09af7afded580fb77a19171
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_BR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_BR.js
MD5: cc070dfc893595619ae7c8e5349376ce
SHA1: 147966d1e0e89574988c516b1debb37add6df970
SHA256: dd8b585165d8ba7f896a08bf038278f0ca7bd9e4ecc80b9c1c7a8bcc2881df
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: pt_PT.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/pt_PT.js
MD5: 4dd1d7b30c2fd8e55f9880b7581977c5
SHA1: 11642b53c34e4ca6a5062cd3077ed4f4bad123b7
SHA256: de802efbfdcb321426edb9cde7e6422597bdf15c173b116afc097298e96bdfc4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro.js
MD5: e23437166aef4c09b1b704399f8aba35

SHA1: e9bdcf37aee82113f51cbe365ed71cf0b28b7b8b
SHA256: f9337551af759ed5b346f36393b77800d9cff670e830decdb3908027f49852c
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ro_RO.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ro_RO.js
MD5: 3f2950ecf56ad7a4afda95cac7e2bb65
SHA1: fa5af1a474a2b0e73af2dcf25d7b2446ccdacfb
SHA256: 2d4ed665899adbe9e64a5aff8a5d686a320935e0fcac8ad5d41e1061abb0343c
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ru.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ru.js
MD5: 511a44e58e8fc2713a4544de603ab7bd
SHA1: 06132cf2444c50c1b3910bbb82902444128f8ed
SHA256: 3fc08c1c46f210eeca7a90d384b4ba7ebf4d9655beb3b7b87e597f1e9608043d
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sk.js

MD5: 1b3c7faef9a1e74b2b8f0543732da813

SHA1: e9b96981febbd3d364add8502420c656621bebad

SHA256: bcf6c8f5e62ee6dd60ebbd78fcb002ab1f93ba553d8e0fcd980c5559da6dc787

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl.js

MD5: e70856ec865c4becf6af5ee48190ed91

SHA1: a0271f39bc7d4a46c9b5b5377ee4d1eae45c6518

SHA256: 0917a76a02bd84a46cd31d22a4486fc15fc5217b0da405faa980d3b4513c12cf

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sl_SI.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sl_SI.js

MD5: 3de18771671f7e28f3df9b68e53552ce

SHA1: 1dd6b41b237df4033169ea3293fd15a36135fcef

SHA256: 1e9ac60048fe7e452b59441876289e7a7a42a90820d7a8ef67ac1339e1b9dcee

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: sv_SE.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/sv_SE.js

MD5: ed26794df73aa50316d1ffbbf86e51b

SHA1: ba4720adf16d253917e5718508b9d261ff317d85

SHA256: 9ddd42e6af9c413ef5e26c9b69b2f5620bf442c1cd7005bc56c1380e4b6ac7b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta.js
MD5: 28baeda3ba8aad2c457984c138420160
SHA1: 8ecfbcc9693bef79e05fbde679c6576327bc1f55
SHA256: ecb0d22d12a6262265057d41923a35430e18fe42f4b7f1d12e3fe3ec52cb7cfb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: ta_IN.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/ta_IN.js
MD5: c245824dc4a046048a23355d513b545b
SHA1: 064cb44b3e558377efaaa14af781563e18d184e6
SHA256: b601b126c40b5c19c89a4e7724ddad003a7db0f41357c12cbdb0be440ca6f8e5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: th_TH.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/th_TH.js
MD5: 5f149677f7303a92c615738a19bd43cf

SHA1: 3f4882111c0163aa3f1189ae12b9cbab25b9ff3c
SHA256:6d1838ea80df11333cb5844f5ca276ac6222481e4e9c4bf1d5c5484d8e05a67c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr.js
MD5: 1d942271407e5a9e69b3ec4ccb11ac50
SHA1: 6eac1370cf372727316c7fb02d92cc6e5dd75b1d
SHA256:7e7130921470f315dd16d4cc12dc0ee7c1590671129d22fe5d663bd8b65b35b8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: tr_TR.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/tr_TR.js
MD5: 21a6afe57b91f50fdc2a04d40330ae97
SHA1: 2aa3e1a82924df177c986869e3eb2dbe9e5b33fc
SHA256:ba178265ac4f4d1f4c4caba3d9b04f3c4a4254773dbde4228a68484715b300dc
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: uk.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/uk.js

MD5: acb23eed47495327f505e52144615a23

SHA1: 67d20eda3fa76c5327e39093ffc9de28b28e5a6a

SHA256: a057713c5ba1ace10f76f58e4dd6dee88a84d2e78ca957480f5459b21cf5d94f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: vi.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/vi.js

MD5: 5dacd7e85f49ada603617302ff7571b0

SHA1: a1bb8e49ba273ec276154fe04cce93edec4d64e8

SHA256: 86da5c88594ba0b5377f5a7e20b04dae1251be817879a47645d60e25cf8e42d5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh_CN.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_CN.js

MD5: c3ceccb2b20bc1c32a74b8ee394c399e

SHA1: 970871e70fa9c310de345b1c590335c9a75adb52

SHA256: bbf4bc7f799bd37f6a52eb032b1708583ca401e778a85c0e58cbeed4c71ef3c7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce-languages.jar: zh_TW.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar/META-INF/resources/webjars/tinymce/5.10.9/langs/zh_TW.js

MD5: 8b3673b738b3b96f90997fdf09121fff

SHA1: 392e2f7e6a83c9c5f4c187f371f4d0fdafd239a6

SHA256: 7868b9dbbae773b768f477746f7d72383603963069426a6281c4d24298160ef1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar

Description:

WebJar for tinymce

License:

LGPL-2.1

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar

MD5: fd9f87ce352ee6c8d270db931c0e6026

SHA1: 9174bcf85629c63f7cc55439ff890bb7893fe451

SHA256: 26c357c95e53e0d99f3e2b840194cc7d170a31c85de15c6017de976f60919cd7

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	tinymce	High
Vendor	pom	artifactid	tinymce	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.bower	Highest
Vendor	pom	name	tinymce	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	tinymce	High
Product	pom	artifactid	tinymce	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.bower	Highest
Product	pom	name	tinymce	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	5.10.9	Highest

Related Dependencies

- remotegui.zip: tinymce-languages.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce-languages.jar
 - MD5: 47bff91bb6cd602682ddc705ba5872fb
 - SHA1: 06c508488e5d6f2ce5c92aa8b3fa165ca871d597
 - SHA256: fa2ecf575248fc802677c26f54fd5f23a636d496223e1a654f5d6540f6c36200
 - [pkg:maven/org.webjars.bower/tinymce-languages@5.10.9](https://www.webjars.org/webjars/bower/tinymce-languages@5.10.9)

Identifiers

- [pkg:maven/org.webjars.bower/tinymce@5.10.9](#) (Confidence:High)
- [cpe:2.3:a:tinymce:tinymce:5.10.9:*:*:*:*:*](#) (Confidence:High) suppress

remotegui.zip: tinymce.jar: emojiimages.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.js

MD5: b7c1a7f3d27f00745fb752c8bcad1476

SHA1: 96af86fa69e17db88d8c1ddb8dd5af8f01aede1

SHA256: 498c4614b7363884c469599aed4290a30c8eb2eebbbf07d5bb16886d8090aa43

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: tinymce.jar: emojiimages.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojiimages.min.js

MD5: cd8d1bac37c0a70d1d4d2005bf7c4e8e

SHA1: 29651e17ac1dd07e21f81edfaf56cdded37e8600

SHA256: 39ede17a1386121cbd7a543ab27a27f2b4dd79c7873377bea577fc0c9e942a8b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.js

MD5: a64de2c5911dd74a7c8ce92819084843

SHA1: d9b37d490e6cf339e85f0bb008e673c823cc6cda

SHA256: 2f086a646d26f121f214f9de1df8c2ac45020e40dba0cbe4d8fd31b1df3381d7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: emojis.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/js/emojis.min.js

MD5: 1f434c25c9c5ee365c94af299372298f

SHA1: 16d23948cbb0716178f14b58e7b50f3869d76307

SHA256: 57bb9d32b2a696c30269a8af59d2d13ca7724e501bd054986c9702069acb9b0b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: icons.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.js

MD5: 9034bf9d33164db799056592af8f8041

SHA1: f48380a7f8ea48f94f20df7526a6dbc33aa802ee

SHA256: cddbc569467f55c984f4236d0e6b7a54b35006c47eb18813ad7ca367b14c45bb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: icons.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/icons.min.js

MD5: 18db240f0cf5635332dbadd948cc500

SHA1: 4421813e10fd371e67d15dbf74bf748a0a5c1794

SHA256: 6c5a69c090aa1418082e7ad5e707bbe6c531269607e080821a7089a16e0f2b61

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/icons/default/index.js

MD5: 9c5b7a740ca30e13e64b6a4de5b17c77

SHA1: cf4e63fb059346d52364a6e7592dfdd9b00eb0a8

SHA256: 772e5e2b50c2288b47f812cd3219901d992020c71940628b4cdd0ee23f3c8cc2

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/index.js

MD5: 344ca56d8dedfae33380a44b89dfdd1d

SHA1: 2ce6aeb71809802341499202ed673788fc04149

SHA256: 0e88dc5e755ed26a62535b443dc90fed27844b58677a97fb1ffa3cccdc6d410c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/index.js

MD5: dd697e3891ed83de226860a7aa436b10

SHA1: 775e112dbcdb929e3c3ac944f65b91ad9b41dc35

SHA256: 199df9a5149e52b35f0fad38f46eca0ccfc98e3c7b09de4a6e3562ed97f8190d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/index.js

MD5: fa84bd3bd42aeb01da94b784344d4d84

SHA1: 2f2169188eaa6ee85da0c015f878de6ee9bd34b4

SHA256: cf9dbb0d6d43ecab9faa41baf38db169f11d668573349d2d7f879be5868e8d43

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/index.js

MD5: 00116480a9865b9b84937b8c6ec471ed

SHA1: 9d33c32c4cc484f5c7c011b16157b63f32004e7e

SHA256: f218e9db68e5e70965a405e2c2204ce9711067ae0c277f014844a40f7c7fee66

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/index.js
MD5: 8d9bb78be9ddbce43bfd7964b71678ae
SHA1: e3695d2b623495a93594f23e4132f6226b309012
SHA256: 3b68f2f8049499f537ba66c2fa27aa9648aa93a43e81b977dac7ae20eeb803fe
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/index.js
MD5: bed89377ddde78f2d27067c6b3dcc633
SHA1: e4d0c191e90df0249d2f50c12f9979902581ab1a
SHA256: 98fe74eb6872c6e65d9a400d9da7b9b77d6fc4cfbfd7acc0fb9bbe697e43c73c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/index.js
MD5: 18775f459a8bd073ba47b3ad3e2f6bdf

SHA1: f991e9bd8cd4912b0cd28d806beb7c1a4ec6c8c0

SHA256: 1701e8a9ccea8f198bf323636b8ceeb6dd8972625d07b466f92c65b16fc635bb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/index.js

MD5: d2db687200588ab654afd39728df329f

SHA1: 55bfce05960107cf42e7d3687e330a3f42164c23

SHA256: defd6476de2e2c8f411eed38d53a774d52c7408565280806bcba0bc32e98192f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/index.js

MD5: 23fdb57b1d401abe9ff929ab26ec394e

SHA1: c3f3fc7e21c7627247fcd2069ebb3a36bc755c0c

SHA256: 60856a5c13ac87dcb4e3ecea3ce3eefd47e348c4b696b5b74f0be9766cbd1f08

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/index.js

MD5: f1771fdd14cab627310b813da43fa5ba

SHA1: 30f7ba13c981711ac0f84662dbf6c50e2af6c27c

SHA256: 15de4cb9a7437d15f6631509fd379df2fdf4cc6c6c35dfcaad47c87e899e96b0

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/index.js

MD5: 92e19a31db91abb704ccaa13cc28b766

SHA1: 8fe36efc411a29d7579d3754f039ff35786c2e64

SHA256:f24829122684173e779bcdf89afb1736b6cad304d08b002698753504db32b80e

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/index.js

MD5: cd2c90f18e8c7d1215bc4ede4a2ed3ff

SHA1: f16e46d6103a081937651c9824bda91c37906e86

SHA256: 75a8d057b97663fdb36db445ac97baedc0d4ca3948f4ee6ee5a45ca56c6fc5f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/index.js

MD5: 57e489f4ab69ca17dc7c95aef7052d88

SHA1: b665f4f4f94b9a2aab91235965d594b8932e75be

SHA256: 5b3937add68158ae4add69fa47d2c47ae49ce17165a08dc7ce26f376979126a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/index.js
MD5: f5837caffaa3ead2f0b68daa0463cac0
SHA1: 6acc21854086d6155a19b3c1060ab5dbd98251b7
SHA256: b1d2d7667f4be6d981f9fd5f58219a414d83c4068cd77c3b0c9d2fbac6ec90f1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/index.js
MD5: 2a071ce05b6865fc1a874f298b920e9e
SHA1: 898dd0ec802d60ee716f9ab55401720dc05840d0
SHA256: ecfc6baf3a081373dfc60f97efc1f14f7a6840f398ee8dee57502ed547370190
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/index.js
MD5: b7c64e9d5f9003aacb929b6944987c2e

SHA1: 92f87e4057b89c4faf476fc34898d688fea0b52a

SHA256: 90ef3eb5f05933c63e52ac470156c1eee495583b1184ae9a6abc8702e9685b36

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/index.js

MD5: 95e49e5a2cd979c3e7345c78d2d15779

SHA1: 48a187d6a5e4539029a140c36b3b1010d3473975

SHA256: 1dbf6d7a4b2d4cea2135823eea377fd6052a510cca33935d23f4f58e3d49af98

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/index.js

MD5: 27415d3d43098d4bdb48c6c45c15e08c

SHA1: 5a081de74c9d2bf97decb82753cbdaad6366db76

SHA256: ba0e02cc9a0a8ab32790d825b0711c27452e297c4c72c8479cfd00c00a228c36

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/index.js

MD5: 1fcd4ed72eff27ef54bdd585e306d29

SHA1: 00c9be7d060282e6d5ec5d0779b977275c28b8b5

SHA256: 3a075c96ab9819e53918f2fdf308f1390e339cee21755ea4112c71a9d012b53f

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/index.js

MD5: 2409fda93c2625fad2c9dffe31b1473

SHA1: 39d57c8b02129997bf23302916dd7166c3726a43

SHA256: da3a35bf760696421d5dee9795c287730c310cc56f2f955ef8d7418f243ea5ef

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/index.js
MD5: 4ece334f6233df3aa3e5becbfe1f9a8e
SHA1: 6734731b620634cbfa9a06a57d3ce35f3c24296c
SHA256: 6a58d89cb41c85fe3ec472376fcdad55bb875b6397a054bf4a3d53e7734fd440
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/index.js
MD5: cddb9783bca4eebefc56e308b5fd8169
SHA1: b1f84b1fa17eae3d22bb380a22eff3efea2e7fa3
SHA256: a6ad834a6a462e968bdb77190a1d8660d3bcc4e5b55b905420d6c6a1707cbeb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/index.js
MD5: 5837f9d0ed7b2cc610dbffa6a7d7dafa
SHA1: d3d6b6d764556d547dfe70694b8e26bbeabd4b8a
SHA256:393a397a9577a880392172405182506aeabc1a368da461853f6fd98c19b96292
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/index.js
MD5: 959bf9c345e983ce032814178b94cb09
SHA1: adc80fe2030cfe121d120440dcf49498f526c7af
SHA256:8ca0f39fb279b30498948068be734b8a2a2178e32b094b98931622ee4c649ae5
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/index.js
MD5: 22710d182e71e1bef50ee3838ac15b07

SHA1: d8f008c3f8abebcf2efdce06032350e2a1b80fc7

SHA256:2cf1f01a424a6e9981e16a7c162bd51ecdf2785cd5d7e36d78edba78aa91b0c0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/index.js

MD5: 851e4039437062e49d5729f1fe30cb40

SHA1: a1acce39f47b74cb33d2e0c0070d8af323ca0018

SHA256:ec23845a38bfd445146565839769274deb1c0d83adb74c8e464c2714f6509b87

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/index.js

MD5: 6f84addf13157d5abd4c1f2e9f1189f5

SHA1: 974a855b957d74c47f1fca8b3582b6db5f562f51

SHA256:73b8c1e02264f43e6acd2d72b9882d87550b913c71b87a6ccd1caa2d88c0ee24

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/index.js
MD5: b2ec3630c22897879bc089749ca3466e
SHA1: eeef9066bc1642e349bbaf234f20bd363f89ef19
SHA256: 3239c47c5ea169f05c26f2cb0726e85aa4a365a4e3cff8d16f79bec35d393ee4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/index.js
MD5: cd72ad7d99e1849620ff535b4f64daed
SHA1: 2e48dacc929d42922ccb634392e26310531f1d83
SHA256: ce91452b503e136d45e552ab157ab3f8b123530950cc02e7b778d04bcb6a0de0
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/index.js
MD5: ac924715206330e49ae83f0ce0a41a7c
SHA1: b9fb134e272eaaad188c9da26d8c6aa22621e6cdf
SHA256: da5b43a242cf576435e63e27522182fe61afb1ea0d28aee116193c24d60c18f3
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/index.js
MD5: 7f3c93e1e7cf55fb60d83431fbe0af2c
SHA1: 77a64982ff692d12b1086a70ed0796bcf45c35c3
SHA256: c54ff5c05b484d6eac7bb601ddd4bcf916faf8dbdbef65a707fa6f7510a99c52
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/index.js
MD5: 24942b053967586fefe96a215c44ae07
SHA1: 4a72eaaeb0dbddb84dbb4268e618b4451a482670
SHA256: a61d6bc69e64f107292c929d2ac70819a3970890e79c9895bc0fe0999803ce2d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/index.js
MD5: d2a87bcc64b326fc6dfa962fcbc662e8
SHA1: dd1516808ce28ded9008890e2dac0b24d5a7dae0
SHA256: bcda64c02c52e23430e42fd33907ffe16b02d163174a5896f6e9f96cc1b08411
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/index.js
MD5: 027916795b63233ba94d3938bc15cc28

SHA1: 61bdc3b8ffb05818fa9b91a399abeafb2a4fd8d8
SHA256: 7f93e70dba14735765044f7199ff8b24fcd517b285f806d34cefb0d2e55a098c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/index.js
MD5: e22949d41a8208123a8694f0c8e6dec4
SHA1: 9d66cbf780b982f778e561ce35786b7589b8fa85
SHA256: bcb0b4911bd0fef17ee195fc758585e7717500248fafdc58f32c94f6a12f08bd
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/index.js
MD5: c8dd5b7b07c3808712c5000e3b1d252a
SHA1: c9e127134794c715139acb1bba1fc9a90541e7b5
SHA256: 779f4c8d8f7804301d0d3d63c6f4d7d12e5a4f3fc409b6433aa465ce51309bad
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/index.js

MD5: dc0a57cf52e5c96e8886974820620f30

SHA1: 63b104aa10ee6b0e09f6beeb420028164214037a

SHA256: d571c3bcfa2fb750545e52334325e494d60916f8db2504a8e64fbd421e901929

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/index.js

MD5: 4629fcd244d51c5f71a77cca7a6f0b36

SHA1: d33e8183488bfd00554ccc12b63efdcc46acbf12

SHA256: 07acf1abcbf6231d2ca53a091fa7cc1fb6206e4b268301750ef9020d6881425c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/index.js
MD5: ceb47c7e6b71b1089ec10b30a6aac374
SHA1: 21d607e821838299375c0ed523bca0a33c0acc05
SHA256: 4c54b2959afce4d61251463bbbd0d2e32dad074d3634192bce2bc937ee59633
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/index.js
MD5: 4ca571ec216214e68d950539134d2e66
SHA1: 9ed373e0e6e173e7b1663344b83acd313d37cefd
SHA256: 955780d950579ce70deeb8e7ba2ca04eff56e53fe983ce81e9bf932c69d7652c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/index.js
MD5: 4fb0e875239aec497c229dcaf18d7bb5
SHA1: 1c9880a27fd0487d99bcbe666d90fde1c4fa41fa
SHA256: 2f3e63d7b8e0f9597a78fa84e92790bc91099fb7382037e870f06afc8e23d95f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/index.js
MD5: 1f348278fc3fa3ae9d560a2c6074537d
SHA1: d55ebc12b7d22b21a6f06a7b1e8a4d869ddba0af
SHA256: ac58944fdb4136e5d63fd08b6070d40a9c964ba2739ea46970f1c27464f0059f
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/index.js
MD5: 01e4394764848c643482a4e060c3c16c

SHA1: fa3c991ab8a4b06d3022a1a9050d12f97eca084a
SHA256:4cc095ed74a300b53b61907f46468821a3fd16e9abfd9b96157e72c5a6a4f901
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/index.js
MD5: 8702637f4301b2c60b0d036a74a57952
SHA1: 10150542a5551da1d75408d86ba07b45d78a24cf
SHA256:ea19d7ceae4197532bdfdb08d97f4b64ff025cfd3016ec12428b81517f2e92fb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/index.js
MD5: a136bd2faba801a12080888b27e65afb
SHA1: 58533b052ba5b2cbee9fe44e6a3cebd042efb7d1
SHA256:e20188436d5d6ad6bd97a590c274fdb955fc83715e800509e4a61b25bda4e0e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/index.js
MD5: 7281b0268319c90508a1a300a7c06d97
SHA1: 0e3a4056988e7a06c5f4ded3f30006f1be55d445
SHA256: 3bc724f73bd41f1c6af41d5c08cd472a1da8ccf6db49c6fad853998a130231d6
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: jquery.tinymce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.js
MD5: abc669a993b54748fbd9e3f1b04ab3bf
SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- remotegui.zip: tinymce.jar: jquery.tinymce.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/jquery.tinymce.min.js
 - MD5: abc669a993b54748fbd9e3f1b04ab3bf
 - SHA1: edddd7e07aa9ace3afd2f3bc1579f7901708ce69
 - SHA256: 20e802d69c0fd9912eb39bfdaad9f85f089e383d415ef193ac6aaa2e108a8949

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.js

MD5: 9a469d4c30ceeb89187f85215a5e5161

SHA1: be1f2023c91a4fef2828a452272319447f80b786

SHA256: d9457557927bd306e2cd90b622494db6d36d346ffd04aa825e71d061c243f7d6

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.js

MD5: e204923e44d53e7610828846fdb23722

SHA1: 550446f55b597c4c376992addf459bf00fc2e0dc

SHA256: 8bf2878b95bfbe4ddef911cfebb70a07815060a6c52d85227695267900a45085

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.js

MD5: f62ca8be62d1d9e910069c09b20b53a1

SHA1: 9bc811f23db52d4081a089f9774fafd7e3f21f67

SHA256: 2b218bd0095199604914b22b67b4b1a68fbc0fab309a734f2fae54496f734b9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.js

MD5: 3130530b80820d2fe333f0a434987ebc

SHA1: 0c8b231c3d55b9724a4564ba02ad4be38c197293

SHA256: 4c7802957b5f7ddc47a97d1cab371e7c0b39592f17fbb86103626762e593c872

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.js

MD5: 78ae76cf436707ded3a0ae8cb1f8f4be

SHA1: 2db5d96907012d7ad0c4c50abd11994a63637507

SHA256: 8739940eef76bbc0ad0ea5e4b6f7ded4e1ceda9aba15a52543fd00c180373756

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.js

MD5: 5baedc3309a92d6d3b3fe7944984845f

SHA1: c3bc65277f12b71bffab0ac04fe737deb6634b8c

SHA256: 960eb4c3c3d150b615d4ee81042b4a5f0616d876af4ca66d7841597192313ac1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.js
MD5: 132a6594d2c2580c00fe3fc881f64a3e
SHA1: d4a2ccf9d64dd6eeebbdbf4cbf9d4c2e2834737f
SHA256:07beee90d71107fff1ffd218d552ede08c0393118345c052ef1540d2070221de
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.js
MD5: 6a3b1fa39f64d704ab9c8d8ffa3b85d5
SHA1: 2acb5fbaec43ab35346e8a564fb3104f197086bd
SHA256:bb6ada6875a1d6432000990c110825e5c12cc9d13a33dc1fc215c199f96c27e4
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.js
MD5: 2f0097d95781f1a4d2711d9f8fc5c334
SHA1: e181f02bd7bfcf5816508dde0b0ad1c99d9c40c9
SHA256:8a19cde548a1dd6b0970a24eead3e04e85e69a3117642891a42d7b7b5361495d
Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.js

MD5: fb7f0cac79b75d40a9ec81581acf75e7

SHA1: 0ed6610a578326d03411345bf8027c443cd7d105

SHA256: b7ff65effc877a633ad79dfc82ef0b3cd6c6c16107cd03580479b1239006091b

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.js

MD5: 63f32e24fb0dd17b1fe982314c29b55a

SHA1: 42b09e6b0cc5674ec3497c9c4d4c4d3de6a39047

SHA256: e7070041c1a1edfa77a48438ef4294f8da38caeb50411c25207e16316cd0c889

Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.js

MD5: b73632a4533311d6dfca1b3841534ebc

SHA1: 0c6aef806245b102e3332080c811d3375337a662

SHA256: 2e201c96ce771956becaf72e4f2d4abf67d4941e5735f5d0dce965d5150a5ed5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.js

MD5: ff191fd241bd1933c67f5fea4a52107b

SHA1: 7a9cbb74716ce1e0e86d90690f7de79162c60db3

SHA256: 374fb04498849e7e18bc5a698387055dbe1de48ff78f7fc8bd5668c73b73d54

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.js

MD5: 3c14f849d19f550aaf23f9e4bc2b647b

SHA1: 5e95acd51eb15d13129fab8bca354ca5aa440c52

SHA256: b6a5c94a76cf5fb719b6455c239d39e678e3fbb7c053e049103d2d02bbd2ea04

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.js

MD5: 2227d3ff362f92145a0d66ba1bf68f1e

SHA1: 37fbe66ad5aa755498bc8ceb5e421b56df27539f

SHA256: 197cc4190c8782e40dfca6b28225cb4766c1ab0b1bf60cc445fe024265d18db2

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources

/webjars/tinymce/5.10.9/plugins/help/plugin.js

MD5: 667d246d02a71436f2f4a4fb80f720ab

SHA1: 0691382a7959a2ce6fe97b92bc08d737d8fb385b

SHA256: 35d0d9f12208794695c9e3594e309feb53af67897d9a31ce0eb85d06f17e9953

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.js

MD5: 70b7ff4273d8b9374b7d35a570e60eff

SHA1: ec2f770c33132f6aa30982fc444d56da76ffe337

SHA256: e11ffde0e9f4d65d0ce9214df8176401176b795d5fa15e95d00458e39328ffef

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.js

MD5: 25e0f52ab1477d0d8d7eb7500760cb50

SHA1: 75de5182c87d9ea18ef952ee17fa0d7131128973

SHA256: 47fa10a331f5515c0d838a0f33d6b5447a55e32342351fd20c95b00c4265e6bc

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.js

MD5: a0523d774ffc8fc8cd0049100a2336e2

SHA1: ce5fe228f3eaecace4cff2459dac6d430311903b

SHA256: cd6286fa790dcb7351a562f856620986a8a2d68f7095c1a3aad5a4f2d96887ff

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.js

MD5: 6142b879008bd87224ca38716e663f4e

SHA1: a9296ae9c5141bfbeffe856412663f7aaf1ec9a1

SHA256: e7d53d5e29ff44e1505671f160bf2c300864e7b8de6ef937661af0e77fd15067

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.js

MD5: 8d40733352776d516145934e3afc7bff

SHA1: 9bf39632e2eb45d37130f66081589ec5ada617fd

SHA256:6d5492320474868f5ec67e14057819a762c46f8962726b307eb3d26d011c49f9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.js

MD5: acac6af2d9e273f2b23a63a08dd3c558

SHA1: c07692391443114f0d7e0b4a6aa521007e3bd8df

SHA256:5ba6ccaa7469904d908818b1dd6c5331c643b586f9489987411faecaccae6de6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.js

MD5: 584389affa07184e25c194a8fdabb9d5

SHA1: 10746d4434b26d0ae62fd1e3b3d538b6aaf67e94

SHA256: 34de8ceb8abf707ad68cdcde8a7d0aa174f0814891be74edf444fee067a2b855

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.js

MD5: 37f5953ed2ff9078029c1a7259991b9f

SHA1: ecd87c0474db0e683895008b64b0813603e32e96

SHA256: c9b0aa3c06581904734ac6b8b3fb4aea155e39d1e91f1f039bb338a5b9e72b01

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.js

MD5: 9099b48009886ed8e16a4c118f5238d3

SHA1: c3ea8c6ca9bd1d99f11b849f809548139473a928

SHA256: c7e3539ab59b62e06199f97fa9f24b57810a1089419ae10b4120be59d1ef1e73

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.js

MD5: 749eb6330381762948b2f20a202bdbbc8

SHA1: 734c7fc31992486d576ddf4cf2be102364eb269d

SHA256: db5d0af653b72f4eed01361aadbdb8d6156166764a6560f26094bb8af4b1dd0

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.js

MD5: 0cd8420a08e51a6933403f015aaa3411

SHA1: f134de62fb37750ba86539b494fb2d1a4a8c3375

SHA256: b744c8b53bfd3743261cdf34c97adcc906ee0e8bb4d6e5f678ec17aa94ace620

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.js

MD5: 7c4ccd64b6155d8214b5b1a3f73f3b7b

SHA1: 0a4109c7fd5c0e8c3fc0ed4c5a0327d89127eb33

SHA256: 428ed1c11ed3db50d423675174945be116a37f9f0272962ee963c5761e46ee53

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.js

MD5: cfdc8703816a9737a79ae9ed7beabf8d

SHA1: efd58468ce97492f8ea66bed478b128ba718c6f6

SHA256: 3707fd09dec450191849481685e06a0f772fdb864ecc65ea7d44408bb5eda060

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.js

MD5: 155059d4164fa84a11a8fcf832c167ef

SHA1: 4e9f13defe9e7105e46f8c5abd3dcd90f72884de

SHA256: bea49d22120d6084722e0622159923503c64ef38381627ba59453315c79899fe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.js

MD5: 512f5958e5be1292e0b40b81acb3961b

SHA1: a593a69a04d2ee2d87500e43b22887a79d1cc0ab

SHA256: c2ed0f9eb835dbe6dbc07720f357d305d6d92f5f3b3f6c93582a08913f071a38

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.js
MD5: 2a2749604c1d1c01d6449640386921a4
SHA1: 700d9a8bdb922519681b7066110d8fffb6d35af
SHA256: edc7cac600a5a192dd9631e1ce4486a9b2a4cf57130a854f95ed14407957a7ed
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.js
MD5: 1c596c6695f6fb677724104a5cb6ef09
SHA1: 1ab96f1ecc15c8464f4a21e6d87a8abfc5b6301f
SHA256: b1ceb34483e8524a67f86f0afe3a4912b9cdbc459edd836d7d68782278929aa
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.js
MD5: d3638fa2fe4ff0254d106f74919fd5ba

SHA1: 7a97e21f55ddb50bebe88e7d1eb87961592238

SHA256: 352556506ab24dcc232614318170876cbfb89cdf3d4365b6b8b7768c9d10048b

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.js

MD5: 5c3a67b4eabdcd17750b9515bf92835

SHA1: c3de092a25b1f541d896740a2d63ba1198376712

SHA256: a4a22a608a50d5674a7e92f3c9049eb69932b9641f8356f4ce200b38c38f29d3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.js

MD5: 548f7a6c2fbfb65617f46ab7fe2bfd2e

SHA1: 74d5dfb9f0338becd85ce7c5333ff8cdca2e1160

SHA256: f5b1882e884a14b216bc1d7edd8a61e1b50161cf5010dca09566d35aa53a6c0e

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.js

MD5: e1ea98e3eca4999c14dc0951b666d993

SHA1: 6a09bb055bdaa37a0b45ce400f928b80b675c26d

SHA256: 858bd022fa57b3d57340a2c87a58f8ef7e653e866f1cc22b0123391a0fb11977

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.js

MD5: 47caf788dd51be3ebcf03d4eaa0d50f1

SHA1: e271f8d918420b03bb2a07510fb96eb51363ee

SHA256: 339a4e659e0647090aee2bc5fc343479303dea8e928cac3c5ede9f1584ea61d0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.js
MD5: aa12124c60995407172b2ae1fa8206cd
SHA1: 09b8f038908b04a597a16cbcb1ab7fc50b77e2ad
SHA256: 09c4059de65cd8ce14bb8fc927787e77ec90d4daaa0160fd0e21002b8078171
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.js
MD5: 215e9c4d9865b6321a969f773e0a7193
SHA1: 8ffc9ff16531e40c2bd3cf614c8019a3a52caff6
SHA256: 8dd84aec717ae70a619ad5f4d3f3fbe4119ff590884537d47d4225aa7b5ab460
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.js
MD5: 78afdfe32c32fcd51a56fe5ce479238f
SHA1: 874e7bd351c0928cd7346816f3cf18a323d5436f
SHA256: 4d27f86380b38c414e7b626863811d39bc6a3a1e7ab47e253259dadaca3a2830
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.js
MD5: 89774b121e225bb29c44c53f47e2a183
SHA1: 6069c8d84a6dcf9c2f92864d6d1758510ef8b4d9
SHA256: 33e5237bfeffe2ed9eb14a2418ebe6be1baf4395465661f66c3f9ca00bdc72cb
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.js
MD5: b85145891b077f3216852bc21e7677c1

SHA1: f3ceee80fa4bbc6d0205e610ed39688d4fa65d66
SHA256: 5be2c7c5ad1025ad62c0e89d39bf6b8ee44c97e21d2f30e21ca13794e1cd7bdc
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.js
MD5: d1c1769efd1232e07105603c1032e43d
SHA1: a2d9f7f149ad34bedecdb6bb5cad1ae4a4b5c0d8
SHA256: d3c70ee49b0f099523d93bcf93f9e37d6a248c35c960f49a76085b17e5fb0958
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/advlist/plugin.min.js
MD5: 202d95b04d93c98fa6faea3b20ee2ac4
SHA1: 0107c4ede81a2681847699b607b0f5d4a8e9dcfa
SHA256: d30b35f56c2366c7e0a291f1be18171851d412d926ea4b91784d212101e36cde
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/anchor/plugin.min.js
MD5: 3112de0d66e518fc6e87e5b4bc54ff4b
SHA1: 022a805c78fe6f3c5c5b8a91125d98fb54b1d15e
SHA256: cf1e93f7be5e348ee4776f6e65f54298aef6b6fca5d44aa24997b9d4b9d7212e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autolink/plugin.min.js
MD5: edc2ccc56661043eb8418dfd9703b5e
SHA1: ee1a580f7c7f1281e770e7d9c34123b59e59178b
SHA256: 309c10e01eb2a9d35f84ed872ccbacbef6d5c4d2f5f2d8355bc9ec2bf44eb346
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autoresize/plugin.min.js

MD5: ae63cbe86bfd1dcffa4b04660f28aaa0

SHA1: f9a63a98a97eab4d781ca01f71cc1addc3c5c56e

SHA256: 8ac4ad0984018281d653b8ba59747a797d7d8cf9ad2c6d4097f626686d75f7ed

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/autosave/plugin.min.js

MD5: e2a4aacd72790b6845b73b65a11c6b3b

SHA1: 2733e8839d95a76fb62e9cf2ef3cb299c2842fa9

SHA256: 6e409f97910c72655fd039e18989d8014b12e78bdb05857e8d6c7bbe54aac446

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/bbcode/plugin.min.js
MD5: d1562b4cfafdf0f1ba200fea776bd78a
SHA1: eacba8561e2fdec7c46448aa157a67b382731363
SHA256: 74a9c60d78820683b8ce5aab6ca007bf4272c79365cc3e38c76c15b32707c7f3
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/charmap/plugin.min.js
MD5: 329bc956fdd115d17a570e1c012aa29b
SHA1: d8c16a0341fb4bf0a68bdda349854578ac7930c9
SHA256: f02db784fa9fbff1ad2c355d51b7f5ac1eb88f66323d88d6ab7a9de24ca40941
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/code/plugin.min.js
MD5: 16a00a8a00e7bedfb8eca0b51cf91582

SHA1: ffe9b8ffe7ce4697a1dc933df3df85babceea49d

SHA256: 2bd8c63c4d6361b92ce0babc4926c162dc03af995d9e4d16f3ee7a04719840f0

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/codesample/plugin.min.js

MD5: 1b42aad83df23ddcdb3eb08051adad4

SHA1: 6e51ce3687f2c008d37e1697107d4e3512fbc54e

SHA256: 2259133ad05e1690cb479fd270193fa560462ac382ddddd37059f5fa9260802

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/colorpicker/plugin.min.js

MD5: f2f33bb1a07f8fde712895df570c6dfa

SHA1: c3e7bc5ba0f4b176c86d0f71edbe598584ec10e4

SHA256: 5a00b7584123d24eebedd3b90ba83e82eb3d92e6b25b308138e85b2b1ca9dcf3

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/contextmenu/plugin.min.js

MD5: 742eaeecaa0020e9bdf8d3e1727f4dfd

SHA1: 4a58d3d2bc2d4b0497c3bc849841ee6071dd9d92

SHA256: a5ac1a81055ca6448c15958011faeba3c194fc1b9028336a13d50dd121abf4e7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/directionality/plugin.min.js

MD5: 88407de4bae634b4b861f1784d6765ee

SHA1: d6cb3dd73846f0ebc118ee4e191261416b65f8ec

SHA256: f6c7d021ff2c3298dd324d3de5d468a37aedd3919fdfa04738c38878ad43f64f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/emoticons/plugin.min.js

MD5: 8e3a6564df728a54bbfc2007d35dd2fc

SHA1: 2bc65bce44cebef706234bddaa3fef61fddc2791

SHA256:4ee4a74d6b13afa099bc6dd48f7a240219b87a24626d25a80fcdf06f3535b840

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullpage/plugin.min.js

MD5: 12f9d416422e0984dfb0ad3c124a30e8

SHA1: 4c0cfd1305cd1b0b8373bbf11342e7c494cac4f8

SHA256:3563499ed8b42c6d986ed4f805de9066a7a04f99d3343e2123369491fb6daa6c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/fullscreen/plugin.min.js
MD5: 28c6f465baeeeba5f7711483c4a0e426
SHA1: 09ad73eeb65c59def15937ea120b3ed6682b6513
SHA256: 72033751454cb26f52d9981653f49b2eb2b727e500b8a6ac941cebe0c6287c10
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/help/plugin.min.js
MD5: c1cf37a849f126f10d8ac2b826aa39ce
SHA1: b7ddc1cfab6f87604bb7aa4577eb2b3812297340
SHA256: 611e336e89f80588550f49e8c15ba06bafba2902af4f81dbd63193548f18cfb1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/hr/plugin.min.js
MD5: 25ffeedf184858ee3d71823eaf4990e0

SHA1: ade2fbb0b51b6d889b2a768e556cf96815bac0e1

SHA256: ee59ded600aa421083e0787156220364a82df074ef9b325c3238440404fb2c81

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/image/plugin.min.js

MD5: a1410f44dc4dae7dde1ad1b37cfcf5c2

SHA1: 794592d3040282761a5a3c186558f5edc87c40ea

SHA256: b0b7035786562496f47ccc7f69e2917966d1227a9f405f67e5e61d75deb619a3

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/imagetools/plugin.min.js

MD5: bf4eeab4ff114a3ca465e2e00e0ed817

SHA1: 7c4796ab1f08d4a30fa1ea15734af2c89d33b673

SHA256: d6993e4195cf8098114f3024c8c556a9aaee2ad2249150ac84d9b5230f076dbb

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/importcss/plugin.min.js
MD5: 4dfbf3010085640e499ffa4ed53f3e9f
SHA1: 806b76dbeef2d9c4fd1aa243d1af03bba35b555e
SHA256:3c92a77bb7032d571c3c6c0a18123891e06bb40ae4498f137743d25ee6414ea8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/insertdatetime/plugin.min.js
MD5: 5a27df4fa9592be99446da8e6d67a2cf
SHA1: a031aff6bf079251c757636841a29b2e9d6a8b1c
SHA256:321c0a514308e5c84257d8cdd3969e350486a6db0978e0e5ad143c0bc6a4ce0c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/legacyoutput/plugin.min.js

MD5: 5516e774422ea64df103c3c2234a4ec6

SHA1: 657da397fb739dd03cb8aafa7177716b40f9d45b

SHA256: 57c72a86b59964c2b67e744ae14557c3eeb3839eed6bca42883e3190dc2620eb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/link/plugin.min.js

MD5: d7059f353e02e66f01aa09b0fb193b61

SHA1: 5d94fa0eed6547f0bbd61c15bb0b9fd66ee095fc

SHA256: d539e25d6b9b7c1d912d731846be75285fd7813e9d23e6868a0fd602ed4d9bfe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/lists/plugin.min.js
MD5: 153f9440390dfd0852bc13b37e4a99cf
SHA1: 098629a46a42755f921a2a6a8d2eee46dbbd6254
SHA256: 2e7d9385c8fd8248220ff2c5f34b30ad92a6bf34e65f05b611f24c9fd820a2a2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/media/plugin.min.js
MD5: bff1f8494661523d9d921dd568dea68f
SHA1: 47b1e97c66ac4532a1cc0cdc213e84b2e1e5cb3d
SHA256: c4ddc7ef78871c0e384b32eede7953b391f1ebfab367fd6e38cd24aacb74808b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/nonbreaking/plugin.min.js
MD5: 22cec5d1cd67de1710ac237a51b1eff2

SHA1: b78369ddc84f703ff894b59a951eb8713fbb0eaf

SHA256: 9bb250342be2c9a4b71b46f553e5700b958b90356796f9d136c2d30cf51613af

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/noneditable/plugin.min.js

MD5: b559bf0c485035ccc5adc2cc5d27edc2

SHA1: d9535a360c55123550f45d2a13112e5c54613b09

SHA256: a3dcfa365c12b7cdc0102e3a3ba5f139cffbcb58c93de5cfd1cfd6758787e3f8

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/pagebreak/plugin.min.js

MD5: 2e7175073fbd4c9d0d41a620b87f47c8

SHA1: c3808c1045cf485075c41586755b610a5e56f2c3

SHA256: e8796cc7df647c286d04bca204e397e9f77e274aa31a982196424842284dc11f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/paste/plugin.min.js
MD5: e6ceced2c0b57ae7a093c250025d4b93
SHA1: 83000fb948b32522f4c391a21deca3c6ab3a41cd
SHA256: 02f6cf2f00a0470edc2ce45521fe9e7ef083f1c0315558ee42c0f8c90d5059b8
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/preview/plugin.min.js
MD5: 3662f07953f093e774ef09cd282aa456
SHA1: 995e14b009b09f1eb9f8a6694f2a63d3f03b28cc
SHA256: c56fdc4fc82a79bdcfaffa7173b9d73eb4ece00386a1cd6a3cf08441eaeca800
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/print/plugin.min.js

MD5: 779799d120a0e0ad3822f9e54640cf19

SHA1: d5848caf54e8617ad251491c9251d8f339a216e3

SHA256: b4dd176e085a39bddd30362cc503b757e8648fa763374927cc1f771032f2c432

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/quickbars/plugin.min.js

MD5: cf09c9aca413bc4fbb19c1b8db79bd2a

SHA1: f540a233d19ab3f34123e7dd97d09a12c0946139

SHA256: 4f0a83cc96e7e818d2ee734b8dabcb31e2de69516c2f6a3338cc412d53795ab5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/save/plugin.min.js
MD5: 1d255a40141338ace9a468f382ebc116
SHA1: 0f0dcf709e333cdd51f50dbffaa8249cb46ab218
SHA256: 887deb37b92ba8b6aff6e65565fd22e338d267622e308d30c768cc5b1d11527e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/searchreplace/plugin.min.js
MD5: ac0e1a41a7ac38053f65df3d3e899d50
SHA1: 2e7f1c6e0210b98b18cd48cc7a79ebd5ff9bf7bc
SHA256: 2c00411b358e2836734b729c7dd85155c7398086f52be27124b314536d1ced65
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/spellchecker/plugin.min.js
MD5: ba970e24a9000a62537e9a61dc67af21

SHA1: 975d4817120905cdba5d2f3c41c8d40548c79b15

SHA256: 4e7e4741970c39f8c2e10f4b9375e2841ef82520e2f092daabfdec68bcd72c50

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/tabfocus/plugin.min.js

MD5: b3ed291355f244a08de7c6cdd28bdc24

SHA1: be298bad6688fb4979fe9acb1949ea89c4afa36b

SHA256: 13c873fca170d4949c38b556f8d76c09abfedb4c4a01b4e056a2d1ddaeaf915f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/table/plugin.min.js

MD5: e49127ac5d6d510bcfee6d834109d7d9

SHA1: 3e845f3a31bc77ff139f6c738afc05eddae9573

SHA256: 9130f4972ccd49565986d6e624d3a70109de6b5dfd56a9e0ff23954f17877e6d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/template/plugin.min.js
MD5: f5d5437a7c23a78a945a8db00bae1dc5
SHA1: ec33f38e54858e4f4282fc27f8e635fa8d054701
SHA256:9bb402bbdba8a4d4b5a73a9f91d8150ef2805dda6ed96fd393c11e369c92a8ac
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textcolor/plugin.min.js
MD5: c423242c5a16c97be3b9a24d6b4f1062
SHA1: d50ad5bd7ea69a614899837e4cd3ecace1df2621
SHA256:1a882eb097c9d69037a035c897a63cbbad1bd3b59cf5d22bacb4784d8994a3c1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/textpattern/plugin.min.js

MD5: 4d23619babf8fc972428cfe3dd010411

SHA1: f57a6cebae882fb8d9c3a507de83d9b1fdb3a1a8

SHA256: 166cbcd9d86dce2a0890c62f6757500d3d4212a26c39757d9921f9e2615ba948

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/toc/plugin.min.js

MD5: 13707deaf5f0430745e57d913ea31257

SHA1: 2d23b19db8821b9910ba04c34d8bc1d4800e90b0

SHA256: 3a2df41858244f3207c16189f0eb78079e3da18d1151fe2a99c1adab3f117331

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualblocks/plugin.min.js
MD5: 9c96006cef6c3ac93b762398112b4855
SHA1: f9ec40c80b863f409947844e841cc0037b379657
SHA256: 0f1e3d314633726deea43eff70a76e1308fcc6d85570aa4cf6392abaa7d81e78
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/visualchars/plugin.min.js
MD5: 9869c6e0ff649172df808ed22c7b9a08
SHA1: 592dc0de3aa1d7e3a7f572a8d51e67fe3b2c7a43
SHA256: 469be54f8ba9ddb9c8020d65aae0521d43f05a9197b8412e0247501f8da4490
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: plugin.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/plugins/wordcount/plugin.min.js
MD5: ca6ae0cddf594fd58d16eedfbf25e5a2

SHA1: da6fa1c97cb33defad55c1767e08f40b4955aa66
SHA256: 7b59f6d1fd0047cf530d9358dccb7af7cc8982ab52642d230e10b0534ef1480e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.js
MD5: bf71e3c8a676f9f33cae81ef702d5077
SHA1: cd57219abb6d0a23e19a100979d353f2ef5d98c1
SHA256: a0ca0d72dd1b77c66cbcd1eab25daa174ed8048507027218477bacf04e4cef11
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.js
MD5: b99cdf5dcb718bb3d31d6c8667ae2462
SHA1: 26d8486e0ec39d27e79b0b37965b28e2b45afb6d
SHA256: 0147750f4214d0acd55cadda52809ac73766443333bb65947c7fe1e0684d85c7
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/mobile/theme.min.js

MD5: 16cae3454aa3d42affaa77affd250d0f

SHA1: d1aabbd81b26a0cea4f2463fc3834e19b96577db

SHA256: 41c734ae3943763aa08ab0b42b85aa755621e26124f15a7a0708ccb8b3ae3c63

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: theme.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/themes/silver/theme.min.js

MD5: 9f7fbf793a00485e1943e7270b1194b2

SHA1: 2dbf1744e59360da304128ddd7cc25476e376af5

SHA256: 05f5cf013cd5b6c793f9d5f745350088d3c5686ba001197b7ce2e1cb8c961f99

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: tinymce.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.js

MD5: f7a8350f10f92d58a952e1feb0d28f2c

SHA1: d3ecc2861e41722d51e1ede38da5ead47a530c14

SHA256: a78ee6bd10002d050a314768a523533144228f654d80571a8ed28ff3011208a1

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: tinymce.jar: tinymce.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/tinymce.jar/META-INF/resources/webjars/tinymce/5.10.9/tinymce.min.js

MD5: 10df005254d5668ccedbdba2614354acd

SHA1: fbcd5a3f14b7c3dd8a9d203b9b30acfba49a38f4

SHA256: 3c3041cb95a1c979ee2205901cf1c670a36c192ef089e6f63b94beabef386c30

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: twemoji.jar

License:

MIT

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/twemoji.jar

MD5: af9b535ef495075dfb0a7d5bec95eee6

SHA1: 0a559adee289b6b855ad1294b17dd71d9f3d21eb

SHA256:9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfceebb2d7e386f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest
Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

Identifiers

- [pkg:maven/lib/twemoji-null@1.0](#) (Confidence:High)

remotepainting.zip: remotepainting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotepainting.zip/remotepainting.jar

MD5: dd0501eb51a96ee1db34a2c823e78649

SHA1: d12a224ee19686efd1b86d8dab4ea5a5a61d6906

SHA256:99e46aa16b863b95d95faf6a83c9cc10a9d3d8ab88a4c5b2b7c0ac1b84730faf

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

MD5: e816754fa2c6fe3a7219b8709a5ea1d0

SHA1: d7974370a06688facfd8b3ae8af91f6f74af6f67

SHA256:c33206af9597625b934ac4a08e75e5ab1852a2be264ec927ca21dc71dc00af84
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js
MD5: 57295bca2e13bd1a79d1718fe67a96ff
SHA1: 053da27ad7db4c7dde7c8e0fd9a3cfa74e86b35e
SHA256:cdebd14b5fd5ff72fac4bf8b53fa84c5dfc068a4067772ec4b0b951d51079c24
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/controller.js
MD5: 541fb6f9f6b51a420b172be6cb423216
SHA1: 3305007f9c8cfc11c7884916c190cf5b9cf36b2
SHA256:ddfe7f71d02cb49bce6414e681b884b06796a2e09b161a70fdd429c0f2bab166
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: htmlviewer.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js

MD5: b027c5a0ee22b089fca911b6412331bc

SHA1: e38015853d88524ff68602af30810b59aa94dc73

SHA256: e50823025f36b0f105c39bdafe1d016b0a66ad11af1d2a92466db0493219d394

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: ReportViewer.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/ReportViewer.jar

MD5: 7c0f06d3f98f71da2a0454dbc7ad1b6e

SHA1: 7331023d5271f5d5b4eea191376a3c4a75ea0f4f

SHA256: 34711945dc14f7e4b837731d72abe699a085f4fa20e17ccadb9a747b449353ad

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2024-01-16 12:58	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2024-01-16 12:58	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- [cpe:2.3:a:inetsoftware:clear_reports:23.10.295:*:*:*:*:*](#) (*Confidence:Medium*)
- [cpe:2.3:a:inetsoftware:i-net_clear_reports:23.10.295:*:*:*:*:*](#) (*Confidence:Medium*)

reporting.zip: jcommon.jar

Description:

JCommon is a free general purpose Java class library that is used in several projects at www.jfree.org, including JFreeChart and JFreeReport.

License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jcommon.jar

MD5: 3872e82627df950d40a949144a93e491

SHA1: d5016f7703896c38f9e511f8a9edda2585cbac8b

SHA256: 13e2596044935f76694c65a22d1df908907ddcba0da2b49ff030930262d417

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest

Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (*Confidence:High*)

reporting.zip: jfreechartCC.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jfreechartCC.jar

MD5: 1dcdad81f5cbae855a1b7009b8b65a22

SHA1: 68e6fb87411c8ada3f0bd5a2d8971b002e047bc1

SHA256: 9102048136f0be772c95e2201f64a604b235b2153613f60ebacbb28e3cd080af

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-01-16 13:01	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-01-16 13:01	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar

MD5: 7d822f5aa7b8680b78113bb8e1cce73c

SHA1: c42ded754d8a3278b1846e18bc99279a85bf9dd1

SHA256: eddedba8ca45ec1bc6e9ad1319b807ff4b5d192e4ca0d46df6be6928ba15a67

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

Identifiers

- None

reporting.zip: reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

MD5: 30a9cf503a4949346a901e4a51be3f74

SHA1: 5b904a78919d8f48aae17cd9306ff4ff3f8a3f45

SHA256: 9b383ccfded23fe51fb5e3f22c6c423f51ee2f65348a475ce3ea5226f7e6d0e4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

MD5: 55d68b4ca5fc1194a22fac42f0ab1515

SHA1: 174f34872eb28c3de8a466b0407feba751ffa430

SHA256:b85f924952a8f98dea1044753ba658b4bb3b2abec22922988964164619629203

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

MD5: 690da4d588cc21de6a063b5dc7187a0c

SHA1: 14f5a8b665be1d31b9df864e70118cdace2a75f5

SHA256: b01eaa663c3564ab3129dba08029a4dce2543379bbfe56d4d4af6db0f41ae875

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar

MD5: e236fb84506570a70dbd1e5610af5f86

SHA1: 2cf1aa425052d985853d40e9f5cbd34d434594ef

SHA256: 14c5bc42043a2528230c2ff8af0b38ed50b4a95e408b7385c02fa1e0d492c1b7

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 13:04	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 13:04	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

reporting.zip: reporting.jar: events.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

MD5: 3fc9838e053b31f8807cae4d3ec8af0e

SHA1: 2c49faf9585fe00cd134370a8f36129390838fcc

SHA256:562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: export.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

MD5: 746424b1fba005660a7543737f5703d7

SHA1: 5c1c20fbf6ee1d2bbbaeb1a71199142b9584da86

SHA256:f01740cc1eb338fba1ddab973b535fb3295517e8717471370fcd9a28f438e28

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: functions.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report-renderer/html/viewer/helper/functions.js

MD5: bc0b98170ddeab63163390ac30171f37

SHA1: d07e00f2fa8d27dc2417b4f8f096502cc401770b

SHA256: 86f3aa1e4ec41f66f04a934cc94d47c349b9b624340987692ab97cf500a847fd

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: generator.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report-renderer/html/viewer/helper/generator.js

MD5: 4b134ea03a3730886b25c48a69e12d12

SHA1: ac0f5d2f129c403643ed02fc01dec4cf198b2a55

SHA256: df33bce63b706a9da4db4c1705413d121ee535fcb574a36f2516e1ea1e83e04

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: grouptree.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report-renderer/html/viewer/modules/grouptree.js

MD5: 220a680be8faf46586781c412b65b9a6
SHA1: c4ecb65ac1ab381f778cd2a293cce63a9c0e0c90
SHA256: 096242fb4345f978995204b6234ba24819cf323dfa523a984ddecba988dbc091
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: jstorage.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

MD5: e3cf61a603c85bf3f8487da7e9548f71
SHA1: 62f878b97e407836ac78c7f53e0dcc6dc253326c
SHA256: 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: keylistener.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

MD5: c5d832994dccb5bebcaf8bc39cf5daad
SHA1: c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170
SHA256: 9f415b33cfcb34f2156906e04601dfbd845bb992003f660737c0269c6e9ac9e
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: menubar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js

MD5: 2c6ea25938c72790ebb0631bdc84d113

SHA1: 5b70f3c3ac234a363f681fae06088341b6a510f2

SHA256:01611410dd1ec106e96ef869e10dafd01465810bc3056841eb8ac139c5e0580a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: page.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

MD5: 462d52c659dc09d5014cf48338eabd95

SHA1: 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e

SHA256:555c503389751372bc5d54cdbda777902740ce4b4fea22718cda901b66eb035c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: pagecount.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

MD5: 675fd7aa9be5223a5c5af8917f6cd50f

SHA1: 45c607a4eebe8bb37675dc71a3fb4c7f58db7a6e

SHA256:691cb887bd76697134f7d215549565424e771dc73082d052798cfcb464d5d08e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: popup.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

MD5: 068236dc2cb787ebe964c5b4d9faf7b6

SHA1: 8d1da626ac6fda6c5eef912a6b37e1d1dcc7e938

SHA256:d7ae4b09613a422bc12bc1f65416856133b1b777520043242ddd89337918d03f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: print.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

MD5: 7b8d31c1093a5780e3456b1a89e5691d

SHA1: 92e65e0247c6a554b240fbd6ec9f765536971b4f

SHA256: 1bff0ec49ffd73d721476a42c7fdd790c11de9247708d0359634c5b1108a7454

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prompts.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

MD5: 85a496ebe2cba4bc70869321d184d7f7

SHA1: 2b57162a46aaac6509d82d643a2b3cd2c0cff35d

SHA256: d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.array.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

MD5: e7397419b474ed77e1919362d648e76e

SHA1: d51d04cd807648ebb8147fb35a372b1be405a0c

SHA256:32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.element.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js
MD5: 22a460c748d56bbf5abe35fd13fef26f
SHA1: 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836
SHA256:f29e8a4e3940edaf6a6dd88dfdd1dd683cf67289bfe5b078a0f54a98c0717d2b
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: prototype.string.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js
MD5: df4a28167933f1a8e7c46a2764aa042e
SHA1: 34da7d4649052f159e8ce3cdb620575cc06851a5
SHA256:1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: reorder.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js

MD5: f69e929be3921597233d5f40cdb42d96

SHA1: 34dbc14d130c63bf8bc084fd2e0738072ad7531c

SHA256: bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafcfb5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: script.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

MD5: 141437c926ea1663b26c3dbf3f20620b

SHA1: 963e735aaca8a996e486badf0b29b5c4e4bd71f9

SHA256: 69c2f847bc7b0b441bdd17caddc3e82a8a341aaa0dc64a7fe265c164cf1fc784

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: search.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

MD5: e6afcebcebc59c6dad547735f83145b

SHA1: 2244322683be03a5fcd548bd3db96675c7d6f9bf

SHA256: 0437a851a37d1d6758bc54cd91a974ab63e0af1585e88ba09374276c7a9a1296

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: serverping.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

MD5: 1861b0348efe4c1f33ee73248cbdfec8

SHA1: 1cae1e6d0f52a1c7d702b34dec4fc70b9ccf88cd

SHA256: 6b7d72003153656657c5ecb6267c6b5ac8a6c0fcf772c33ca5ca6dba9e310b78

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: stacktrace.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report-renderer/html/viewer/stacktrace.js
MD5: 15af09e55c4ba39e41953f1a3e5a14c9
SHA1: 3c92835b1e605bca8aac7bd82d094c98ccbfb79b
SHA256: 1133134ddfdd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar: tapbar.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report-renderer/html/viewer/modules/tapbar.js
MD5: a167d613560fa294a20aa263312119e7
SHA1: 229107e4fb0ae374d84c5875d2b198cd7103dace
SHA256: 0e9a2af3b11c0908aec38eb1d22ddacab57eb992cd2691dec1a52ca3310f31ac
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

repository.zip: milton-api.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/milton-api.jar
MD5: 35d4685b67d7ba1b0271f8289e0c330b
SHA1: 1a76399457cf546d6b57bd329c2fc081edaafb11
SHA256: e2801623bbb552404a132abcddf5ee13fc49b095ae4d00cb305d363b0240d2dc
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	milton-api	High
Vendor	jar	package name	bradmcevoy	Low
Vendor	jar	package name	http	Low
Vendor	pom	artifactid	milton-api	Low
Vendor	pom	groupid	com.ettrema	Highest
Vendor	pom	name	Milton WebDav API	High
Vendor	pom	parent-artifactid	milton	Low
Product	file	name	milton-api	High
Product	jar	package name	http	Low
Product	pom	artifactid	milton-api	Highest
Product	pom	groupid	com.ettrema	Highest
Product	pom	name	Milton WebDav API	High
Product	pom	parent-artifactid	milton	Medium
Version	pom	version	1.4.2	Highest

Related Dependencies +

- repository.zip: milton-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/milton-servlet.jar
 - MD5: 0de5d080590235652ca37493e4f08b52
 - SHA1: a447a063aa421b9dedce980ce4492d248e169fd4
 - SHA256: 105f80df12b6810b65454ea29d0d4261d3939a42d7f46ac63ac5da4c275fbdcf
 - [pkg:maven/com.ettrema/milton-servlet@1.4.2](#)

Identifiers

- [pkg:maven/com.ettrema/milton-api@1.4.2](#) (Confidence:High)
- cpe:2.3:a:milton:webdav:1.4.2:*:*:*:*:* (Confidence:Low) suppress
- cpe:2.3:a:web_project:web:1.4.2:*:*:*:*:* (Confidence:Low) suppress

repository.zip: mime-util.jar

Description:

mime-util is a simple to use, small, light weight and fast open source java utility library that can detect MIME types from files, input streams, URL's and byte arrays.
 Due to the use of regular expressions and the java.nio packages it requires at least Java 1.4.

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/mime-util.jar

MD5: 3d4f3e1a96eb79683197f1c8b182f4a6

SHA1: 0c9cfae15c74f62491d4f28def0dff1dabe52a47

SHA256: 7512022ecd4228458a0ab456f9cddac21f0759f1b07100c3528174eb63bdcaf

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mime-util	High
Vendor	jar	package name	eu	Highest
Vendor	jar	package name	medsea	Highest
Vendor	jar	package name	mimeutil	Highest
Vendor	jar	package name	util	Highest
Vendor	Manifest	bundle-docurl	http://www.medsea.eu	Low
Vendor	Manifest	bundle-symbolicname	eu.medsea.mimeutil.mime-util	Medium
Vendor	Manifest	mode	development	Low
Vendor	Manifest	url	http://www.medsea.eu/mime-util/	Low
Vendor	pom	artifactid	mime-util	Low
Vendor	pom	developer email	nlmarco@users.sourceforge.net	Low
Vendor	pom	developer email	smcardle@medsea.eu	Low
Vendor	pom	developer id	nlmarco	Medium
Vendor	pom	developer id	smcardle	Medium
Vendor	pom	developer name	Marco Schulze	Medium
Vendor	pom	developer name	Steven McArdle	Medium
Vendor	pom	developer org	Medsea Business Solutions S.L.	Medium
Vendor	pom	developer org	NightLabs GMBH	Medium
Vendor	pom	developer org URL	http://www.nightlabs.de/nightlabs/html/	Medium
Vendor	pom	groupid	eu.medsea.mimeutil	Highest
Vendor	pom	name	Mime Detection Utility	High
Vendor	pom	organization name	Medsea Business Solutions S.L.	High

Vendor	pom	organization url	http://www.medsea.eu	Medium
Vendor	pom	url	http://www.medsea.eu/mime-util/	Highest
Product	file	name	mime-util	High
Product	jar	package name	eu	Highest
Product	jar	package name	medsea	Highest
Product	jar	package name	mimeutil	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	http://www.medsea.eu	Low
Product	Manifest	Bundle-Name	Mime Detection Utility	Medium
Product	Manifest	bundle-symbolicname	eu.medsea.mimeutil.mime-util	Medium
Product	Manifest	mode	development	Low
Product	Manifest	url	http://www.medsea.eu/mime-util/	Low
Product	pom	artifactid	mime-util	Highest
Product	pom	developer email	nlmarco@users.sourceforge.net	Low
Product	pom	developer email	smcardle@medsea.eu	Low
Product	pom	developer id	nlmarco	Low
Product	pom	developer id	smcardle	Low
Product	pom	developer name	Marco Schulze	Low
Product	pom	developer name	Steven McArdle	Low
Product	pom	developer org	Medsea Business Solutions S.L.	Low
Product	pom	developer org	NightLabs GMBH	Low
Product	pom	developer org URL	http://www.nightlabs.de/nightlabs/html/	Low
Product	pom	groupid	eu.medsea.mimeutil	Highest
Product	pom	name	Mime Detection Utility	High
Product	pom	organization name	Medsea Business Solutions S.L.	Low
Product	pom	organization url	http://www.medsea.eu	Low
Product	pom	url	http://www.medsea.eu/mime-util/	Medium
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	version	2.1.3	Highest

Identifiers

- [pkg:maven/eu.medsea.mimeutil/mime-util@2.1.3](https://maven.org/artifact/eu.medsea.mimeutil/mime-util/2.1.3) (*Confidence:High*)

repository.zip: repository-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar

MD5: 34264f407aacf38909496f0d40c533dc

SHA1: 1b6a6d796d6f0ecd8fdd30b9e705115ce941afc9

SHA256:afb8b7ebc50fdc18439b42bd80737334f0d93ff03aad5ef0fcb60b2aed3efbe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	repository-javadoc	High
Product	file	name	repository-javadoc	High

Identifiers

- None

repository.zip: repository-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/member-search-index.js

MD5: 6aaef95060102ecddb226ccecd06d08e

SHA1: ed8af41ad3455eeb556751539738620653c05685

SHA256:3aeca9fd7d99c301497d3741c9539e92ccdc91fd713da4401d6223888b1d2e7

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

repository.zip: repository-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/package-search-index.js

MD5: 675df56d399f03d7cd28845fbc636aef

SHA1: 54a260435d435f353de6989201a104114c3d870d

SHA256: 3d839db536f25805cd9a3fc96c3406c6b44457409abae4e0d6070c299d1e993e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

repository.zip: repository-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/type-search-index.js

MD5: 2bf55f6f9cc3465fa22ee7ef4d313f1b

SHA1: 961f91511f0f3a4d428f8f5876f5f2def0e7668b

SHA256: 6bc280a4113c67c97fee9e61400e7ba9ded75d1bb7100f1b599e5ccd6f1b5451

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

repository.zip: repository.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository.jar

MD5: f90dc527600d2f1f17a96b01e648a5d9

SHA1: 478003e410ad6502528e8a9ec376372e7ec911e9

SHA256: 21eac19e0d845a3afcb7374c8c9f8162f1a6eaae2489e918f262b2f534178df7

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	repository	High
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-01-16 12:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	repository	High
Product	jar	package name	repository	Highest
Product	Manifest	built-date	2024-01-16 12:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	repository	High
Product	Manifest	specification-title	repository	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

repository.zip: repository.jar: repositorybrowsermodule.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository.jar/com/inet/remote/gui/modules/repositorybrowser/repositorybrowsermodule.js

MD5: b55a0f8df0bf25c57edd5fc3a8c8da83

SHA1: 25414ac1c9e95f17fd177535b969bfb468f24a96

SHA256: 48b82d7403d070a4ef074f50cfdc5be74f33be92819c4401edf8b11af16b5506

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampleapplication.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

MD5: a0b6ce01eb88d27464c409bd56d4fa65

SHA1: c23569535b8a3fb31880228a5e8c3efd42555175

SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies +

- application.currenttime.zip: sampleapplication.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.zip/src/com/inet/application/currenttime/sampleapplication.js
 - MD5: a0b6ce01eb88d27464c409bd56d4fa65
 - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
 - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

Identifiers

- None

sampledatabase.zip: sampledatabase.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/sampledatabase.jar

MD5: 0bb0b5155fc8aa2e16e038087b1838fa

SHA1: f7973c487a25d49b30bc65e2a7e112a92f06695e

SHA256:617132da1b8152446db641212e5dc64f41ea7981ba3900cf7a700ca7de22b59e

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampledatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampledatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-01-16 13:18	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampledatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampledatabase	Highest
Product	jar	package name	sampledatabase	Low
Product	jar	package name	sampledatabaseserverplugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-01-16 13:18	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low

Product	Manifest	Implementation-Title	sampledatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampledatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

sampledatabase.zip: smallsql.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/smallsql.jar

MD5: a85e63aac9630d46b06baaf8e405085a

SHA1: bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

SHA256: fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

- None

samplereports.zip: samplereports.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/samplereports.zip/samplereports.jar
MD5: cd85d2cea8c2bdf8534cb626fff535df
SHA1: 55dd77e3350b569bdacb77255913583318702abf
SHA256: bad72702ac68b9564bdc36e68448defa8a053d6126e15b00e89c93ede48a0dee
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samplereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-01-16 13:18	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samplereports	High
Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-01-16 13:18	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samplereports	High
Product	Manifest	specification-title	samplereports	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

search-worker.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.js

MD5: 5e2f2f2ecf39ab1197fa1f33bb73dce9

SHA1: fdf200a9954128e900e26e11749fc5c9250ba4eb

SHA256: 422e115f5fd7829299546902847141ff52b972eca6c6b040bc7dbb81dcc79b89

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sessiondatasource.zip: sessiondatasource.sample.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sessiondatasource.zip/sessiondatasource.sample.sample.jar

MD5: b19074cfc331411949299e8d13d4c648

SHA1: 3864aed276f6b52a24d9c900174ff48d8704612b

SHA256: e9e9cf4f30672eb08d269186574e1bed56d8d42113573f93a6dcbbf27da27b58

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	sessiondatasource.sample.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2024-01-16 13:03	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2024-01-16 13:03	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource	High
Product	Manifest	specification-title	sessiondatasource	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Related Dependencies +

- sessiondatasource.zip: sessiondatasource.sample.sample.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/SessionDatasource/sessiondatasource.zip/sessiondatasource.sample.sample.jar
 - MD5: b19074cfc331411949299e8d13d4c648
 - SHA1: 3864aed276f6b52a24d9c900174ff48d8704612b
 - SHA256: e9e9cf4f30672eb08d269186574e1bed56d8d42113573f93a6dcbbf27da27b58

Identifiers

- None

setuplauncher.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/core/setuplauncher.jar

MD5: 71578f56c03a5fdb8172eb03c7d4710e

SHA1: abbf176be366b3b7990a504f24c6fde3123d08a1

SHA256: 66e421c063aece6fd1d3d4875c5c26511d5dcb2867c3b2df88831f76e80433c4

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2024-01-16 12:10	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2024-01-16 12:10	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	setuplauncher	High
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

slf4j-api-2.0.9.jar

Description:

The slf4j API

License:

<http://www.opensource.org/licenses/mit-license.php>

File Path: /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.9/7cf2726fdcfbc8610f9a71fb3ed639871f315340/slf4j-api-2.0.9.jar

MD5: 45630e54b0f0ac2b3c80462515ad8fda

SHA1: 7cf2726fdcfbc8610f9a71fb3ed639871f315340

SHA256: 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c

Referenced In Projects/Scopes:

- server
- server:inetPlugin

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	20	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0)))",osgi.serviceloader;filter:="(osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider)";osgi.serviceloader=org.slf4j.spi.SLF4JServiceProvider",osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	jar	package name	slf4jserviceprovider	Highest
Product	jar	package name	spi	Highest
Product	Manifest	build-jdk-spec	20	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	Manifest	require-	osgi.extender;filter:="(&(osgi.extender=osgi.	Low

capability serviceloader.processor)(version>=1.0.0)!(
 (version>=2.0.0)))",osgi.serviceloader;filter:="
 (osgi.serviceloader=org.slf4j.spi.
 SLF4JServiceProvider)";osgi.serviceloader="
 org.slf4j.spi.SLF4JServiceProvider",osgi.ee;
 filter:="(&(osgi.ee=JavaSE)(version=1.8))"

Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.9	High
Version	gradle	version	2.0.9	Highest
Version	Manifest	Bundle-Version	2.0.9	High
Version	Manifest	Implementation-Version	2.0.9	High
Version	pom	version	2.0.9	Highest

Related Dependencies +

- designer.zip: slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/slf4j-api.jar
 - MD5: 45630e54b0f0ac2b3c80462515ad8fda
 - SHA1: 7cf2726fdcfbc8610f9a71fb3ed639871f315340
 - SHA256: 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c
 - pkg:maven/org.slf4j/slf4j-api@2.0.9
- facturx.zip: slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/slf4j-api.jar
 - MD5: 45630e54b0f0ac2b3c80462515ad8fda
 - SHA1: 7cf2726fdcfbc8610f9a71fb3ed639871f315340
 - SHA256: 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c
 - pkg:maven/org.slf4j/slf4j-api@2.0.9
- slf4j-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/slf4j-api.jar
 - MD5: 45630e54b0f0ac2b3c80462515ad8fda
 - SHA1: 7cf2726fdcfbc8610f9a71fb3ed639871f315340
 - SHA256: 0818930dc8d7debb403204611691da58e49d42c50b6ffcfcdce02dadb7c3c2b6c

Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.9 (*Confidence:High*)

statistics.reporting.zip: statistics.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.reporting.zip/statistics.reporting.jar

MD5: ad1dc7de74c00c5ba8769d2ab3fef993

SHA1: 1670f0309a3745b6a82c5d45dcd6cb5be7aea898

SHA256: b087d068fc752519d754b127a987b1f31d2c17e10e8f4d5422a330d7e7f67466

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-01-16 13:19	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-01-16 13:19	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

statistics.zip: statistics.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar

MD5: 5f3329042724763d907f603eede78d3a

SHA1: 0f602b94680d05a88d74239a6b98b183e4012b0c

SHA256: b5e55c0da04761079456d73c8c8c9e59c1601f83a307edeee47538f48f32d725

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	statistics	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-01-16 12:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics	High
Product	jar	package name	server	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-01-16 12:17	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	statistics	High

Product	Manifest	specification-title	statistics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

statistics.zip: statistics.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/controller.js

MD5: 98fb7419a8031b82fa731e8f55196e02

SHA1: 0fd3e03d9b8ac854d25ce17522407d29e4b22fe1

SHA256: bb40b1d567f42c10d6058749ebdb9b22d85939e4268241d9f0e954ef0fe9b522

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

statistics.zip: statistics.jar: embeddedstatisticsapp.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/server/embeddingapi/embeddedstatisticsapp.js

MD5: a317954d1fc60077ba63ec50877082e2

SHA1: 5dccd32bb9a34848bea70097f33b8c260440f467

SHA256: d2c09de924744c24918a7f4a1de18d568ac6afcd72a0b8563d876ab459ad21d

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence

Identifiers

- None

statistics.zip: statistics.jar: flotr2.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/flotr2.min.js

MD5: c55df5101903c061ab8d0d65a61cb89e

SHA1: 08f86a4f4c443157e3428d2c0f1167d9ecc074b4

SHA256:3811dd70eb5d41c7b58c6f6493bbe5e236e53ee69e3e93f2a547f014e74f1698

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

statistics.zip: statistics.jar: rendererstatistics.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/rendererstatistics.js

MD5: 4ae7e486f0cd2fea3a501e6bd9bac6bf

SHA1: f196af418dcd398c82309c78c92a2c8a53956471

SHA256:c8ceabb524e7cf8afb1b83f44b51f00b20e826345225229b1bab882771efe315

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

statistics.zip: statistics.jar: statisticsFactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/statisticsFactory.js

MD5: 632ac2b5e834bc42c3bb08c5b10c18ae

SHA1: db9bb8768d4cbac92a9b41a9b5dfd4b4c3bec9dc

SHA256:463bc3b7f7c9f9a73856c4b4cdedd4621bffe21d62e5d111f476f5c0beb59ac

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

svgSalamander.jar

Description:

A tool for displaying and playing SVG content using the Java2D.

License:

BSD License: <https://opensource.org/licenses/BSD-2-Clause>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/svgSalamander.jar

MD5: ec89e47e9c1e331577b9f37132643030

SHA1: 2834461bf9d561fbf8b8531503e5718c582ae800

SHA256:ad12ea694ebec5b50b10322e72b7e2cfb6d1689f5ba0bcd58b08f02c1f50c765

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	svgSalamander	High
Vendor	jar	package name	a	Highest
Vendor	jar	package name	kitfox	Highest
Vendor	jar	package name	kitfox	Low
Vendor	jar	package name	svg	Highest
Vendor	jar	package name	svg	Low

Vendor	pom	artifactid	svgSalamander	Low
Vendor	pom	developer email	mark@kitfox.com	Low
Vendor	pom	developer name	Mark McKay	Medium
Vendor	pom	developer org	kitfox.com	Medium
Vendor	pom	developer org URL	http://www.kitfox.com	Medium
Vendor	pom	groupid	guru.nidi.com.kitfox	Highest
Vendor	pom	name	com.kitfox:svgSalamander	High
Vendor	pom	url	blackears/svgSalamander	Highest
Product	file	name	svgSalamander	High
Product	jar	package name	a	Highest
Product	jar	package name	kitfox	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	pom	artifactid	svgSalamander	Highest
Product	pom	developer email	mark@kitfox.com	Low
Product	pom	developer name	Mark McKay	Low
Product	pom	developer org	kitfox.com	Low
Product	pom	developer org URL	http://www.kitfox.com	Low
Product	pom	groupid	guru.nidi.com.kitfox	Highest
Product	pom	name	com.kitfox:svgSalamander	High
Product	pom	url	blackears/svgSalamander	High
Version	pom	version	1.1.3	Highest

Identifiers

- [pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3](#) (*Confidence:High*)
- [cpe:2.3:a:kitfox:svg_salamander:1.1.3:*:*:*:*:*](#) (*Confidence:Low*)

taskplanner.logaction.zip: taskplanner.logaction.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/LogActionPlugin/taskplanner.logaction.zip/taskplanner.logaction.sample.jar
MD5: c918c30a788f0a0af2ab708360d59dfc
SHA1: ad900a66270864744981bdb3097be82841a626c

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction	High
Product	Manifest	specification-title	taskplanner.logaction	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.zip/taskplanner.openweathermap.sample.jar
MD5: 80229d8d6b26620db4250bc2d4220774
SHA1: 41bef06b9398fe0edb622e0abab0866fdc4b4f57
SHA256: 005bcce9ba8b0312c2858ca0273433155981c65c1d2df06bcbb2a97c29013822
Referenced In Project/Scope: server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap	High
Product	Manifest	specification-title	taskplanner.openweathermap	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

MD5: 44ebc01450f1e6186f5e4b67a4178958

SHA1: 5b324f6f1f86d67396ddef15d561cb69dddb67c4

SHA256: 51ca412924a7e9184a3788d1145c134657c8051f80cf755aca29977d54dd6559

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

MD5: 712cfdcac6cc05b7a56296e457cc27db

SHA1: bbf4b7d021053dbf7422a2db1f319bf8544d5c56

SHA256: f0e532301f0eec26c37104dbbede204cd1f716101a0c7cef325248e7b3ad958c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

MD5: 8ae4198fc37838f7292dd4d4bdb11a99

SHA1: a6afdf7d91142fdb06937bec474270ac2730d3ab

SHA256: 7dedf15aa9298f80c689a4bfbb1fc2361b5ae1eb1637162ea67c57d8b9d4f967

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

MD5: 33cc3d4e9b0caf92110d542e99e6383b

SHA1: 98e2991bd235ce516e6e9b732f952638fb528d7f

SHA256: e808d548e342dfa5265580d459243612a8b2a4702f382e23a5779568ee02bb58

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

jar

MD5: 6193a19538aef03b8368a4d19e8dd55c

SHA1: aff0c1fddcefbf5f31c3fa0939110783ab51019a

SHA256:2299169a45c7395e4c8dff20c22640051a996b0243617e79d40c5dd930231fdd

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 13:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 13:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

taskplanner.reporting.zip: taskplanner.reporting.jar: crtaskplanner.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crtaskplanner.js

MD5: 1f0e38ba7343b8b0a01acf291ed30105

SHA1: 3bef41ee534bd4a13b470ff5f8f36d78ed3cada2

SHA256:643f9ed86d65b3c22f157d05d6c39b9cf050198fcab9b39940551e5315073c80

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: commons-cli.jar

Description:

Apache Commons CLI provides a simple API for presenting, processing and validating a Command Line Interface.

License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/commons-cli.jar

MD5: 6c3b2052160144196118b1f019504388

SHA1: dc98be5d5390230684a092589d70ea76a147925c

SHA256:bc8bb01fc0fad250385706e20f927ddcff6173f6339b387dc879237752567ac6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low

Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	implementation-build	UNKNOWN@re81a871025cd2dd5bc1d3b4730	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium

Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-cli/	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-cli/	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	implementation-build	UNKNOWN@re81a871025cd2dd5bc1d3b47302021-10-23 21:47:04+0000	Low
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.7))"	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest
Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low

Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.5.0	High
Version	Manifest	Implementation-Version	1.5.0	High
Version	pom	parent-version	1.5.0	Low
Version	pom	version	1.5.0	Highest

Identifiers

- [pkg:maven/commons-cli/commons-cli@1.5.0](#) (*Confidence:High*)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eccc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

Referenced In Project/Scope:server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High

Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Identifiers

- [pkg:maven/com.cronutils/cron-utils@9.2.1](#) (*Confidence:High*)
- [cpe:2.3:a:cron-utils_project:cron-utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*)
- [cpe:2.3:a:utils_project:utils:9.2.1:*:*:*:*:*](#) (*Confidence:Highest*)

taskplanner.zip: guava.jar

Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/guava.jar

MD5: 6951895e804b36322214c95917e598d4

SHA1: 6e5d51a72d142f2d40a57dfb897188b36a95b489

SHA256:bd7fa227591fb8509677d0d1122cf95158f3b8a9f45653f58281d879f6dc48c5

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	common	Highest
Vendor	jar	package name	google	Highest
Vendor	Manifest	automatic-module-name	com.google.common	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	google/guava	Highest
Product	file	name	guava	High
Product	jar	package name	common	Highest
Product	jar	package name	google	Highest
Product	Manifest	automatic-module-name	com.google.common	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://github.com/google/guava/	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	google/guava	High

Version pom version 32.0.1-jre Highest

Identifiers

- [pkg:maven/com.google.guava/guava@32.0.1-jre](#) (Confidence:High)
- [cpe:2.3:a:google:guava:32.0.1:*:*:*:*:*](#) (Confidence:Highest)

taskplanner.zip: taskplanner-javadoc.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar

MD5: 7f89490591aed5e1132928a0e6db3459

SHA1: e0e3dd7f161f326b9011664e80478280fd521a2b

SHA256: 0b106490cf38eef7a7572f0c124bcda68a2dc275698864ecf83b676c931dbe85

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js

MD5: 737392ccd3025bd1f485b07cc22495ee

SHA1: 099b5c6ba9ef24432e3f0783befbee822e1fdd3f

SHA256: 3670a9ea20ba2eb0865c7f296867626b95cfa5aee0b692ce109ff5d1ad5df98b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

MD5: 7fe7bab52452529a6047c49f5bb9bf67

SHA1: 891ca055488d9ffe7d623e66c4d9141d5b526ebc

SHA256: 5ac1ccc95fcd6216c51b3c584fa4272c7bcac3389606aeca25bcb38b3dd13f7d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js

MD5: db0ab9bfb7d24682c43ec70c84e8da39

SHA1: 99f2409cb4298ea4ca8c8724c3aab8b2d1dda236

SHA256: 6474172e030a0e56e2ce881aeb976b1bc094c1de2ca31b1f871e749e42dcbe95

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar

MD5: 6a85e03a63654f093e0a68cd19334923

SHA1: c234424d0cc7e5b340e2f4766c69b19a1c3ba409

SHA256: 5dc4bea20636ce3b8f511f0edf74d6fd4d858ed54c4f4d944935d689afa1df6d

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-01-16 12:01	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High
Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-01-16 12:01	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

taskplanner.zip: taskplanner.jar: app.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

MD5: e7b627af28a93866105b9b57aafc0679

SHA1: 402728104da80b566caf6f4674001072e563d911

SHA256: da6db86c4194737b7fdb2711a94e4d8cd69e9f1274d26faec3bbb615a12488da

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: boolean.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js

MD5: fa4eae14f6ade1aa0220dcfc1b059056

SHA1: 6e7ddc21b779c017753b6f000a21dc9fc16680f0

SHA256: 5738eb54a621fc38a85dbf60c479c272a7bc85f3d77fb707832b2c0cc5756b5c

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: colorField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js

MD5: b5da6d7c728f3f5308311693ad7bf79

SHA1: 9a706740764283a49b2ebe8179ab7c399bf2b8b2

SHA256: 81de63033979d47a1cf4332821f31902a503640395534a366acd569999770c14

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: controller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js

MD5: fe7f7b33a95cbe05a50162ece53e6728

SHA1: d08a003106fe47da83d2e62aa42e146a7f142d5f

SHA256: a55134fc81a5190766f18c536945ce34ae5f9a1782f4aa3d2f9568bf4dc0c656

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

MD5: 0dc2651090f757e675e2b5d76f0b9b56
SHA1: cc05ec55ba81c3351b7f44b94ba95c8105895c99
SHA256:31211ba7ff692d1d259ed5ba8dc5fa0572ec581f6a9bffc36d8e0c8a7802dc38
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

MD5: 1c8b7fb6996c41283044c69f51a444e2
SHA1: aaad5f58cd2161ae2dacf1e11af0c6bca4c33732
SHA256:37ce155c7c1e707a6db9be13b40aabf5cf246cb3b974d0d688b4907e202a9cef
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: model.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

MD5: 7cb9fd5f60ece19e895ff38256c2ece8
SHA1: 5f32abb3bc8b163d5387bd3b67f0033edaa25560
SHA256:218afde4c2c6d96b1c207f1cea27898b756512c758f500b372722e524beea7d1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberRange.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js
MD5: cb75296ed007746a29e5beeae1680307
SHA1: 9c64aa51d424760f5c5a0152cb245518ff3ba4f2
SHA256: eb920acf02ea30a8e0c58ff358ac403f90e4166fabcca78edf7480028499834a
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js
MD5: 01558be43abbecea6a8a4dc5465564da
SHA1: 76425827ef255a6691dfc76e09bec9c14741adef
SHA256: cb32cf68353ba376be9b063109a9e4c6fb9ae669402001688528edf1235a93d1
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

MD5: 27d77b18f41b95941478ea6b72c0a47c

SHA1: 63b78bacbd073ba1abcafdcb55006c90ae9053b4

SHA256: 0a842ca033aa23d848437fb8012011200322b8a470e061250e7b25d6df2061c5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: renderer.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js

MD5: 4d85fab0e91d922fb8d6debb8da4f6ab

SHA1: 57b001c5f51c12997abe68b3630c37605ceb8e55

SHA256: dd0ce24609413ae5604b4806105f3a62c53cac45b30cc8d41fe7e42e56b7eb44

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js

MD5: 88a2c86d2e061b9c7d47b89f6e8b535d

SHA1: 30745c25260019bdc210fee5b07ce167925e814e

SHA256: f6e3f124c1b8c9373e65f410d67bac538eb610d9b5730736321572210c6aac8f

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

MD5: 98d37202645339ba9c94f5d67037c9e7

SHA1: 768853ad7073bcea3ac9f6daacfceddbb7a27d67

SHA256: 52880a039d6ec1b165e1b995a47ec1eb4e71ffa5e62a5da58dfa1d7cd48cfdbc

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

MD5: 3b651cad87fb717564e40c13608b28cc

SHA1: 4a43a9443d46bdb0e9fe8be6c1d562556c73dfc8

SHA256:5273fe8d5e750006128f6d067ccd6772cb490d74b169e5766451cef6a53f05be
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js
MD5: 934085b9f1927025727e20a65b0da7ac
SHA1: dc6af1d6b73e847f27e5f301116471919ce9250e
SHA256:5cccf9194a95667a5f0477985bee2891bdb39353d24b3de8922b82f78b1c3671
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleLink.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js
MD5: d2f42e34c49242b8fcddfe458c0d8bda
SHA1: 107e373f81ffe09c1a06b75f944f9f6c35ba130f
SHA256:4edd416f3a489303938aa8b528394e4902198f65f620b06473e86767604d8783
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js

MD5: 488e4b33723844b5910d23f5f9770e9e

SHA1: 6e4c546f209bc14a78c45cb7a55b5101facb1d75

SHA256: ccae6e479fbaad9bd77c262f72e0177f2cf572a03b0de3f31facc33fdb29121

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

MD5: 48d92cb780021dd4822c6e8740d26ce6

SHA1: 654d1a8049b64f41362c0bbe3644e7206b151311

SHA256: c4cc8ca624af917fef0c261d6aa82c806c29eb4fd796670b724c69a686c5b211

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: stringTable.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js
MD5: 37a1f354d71a7d60288652c206db7271
SHA1: b37c87c654e8c12307c5b3126667142cf5d80a22
SHA256:f6450635963e62bb85b83ea201b352c624dcc90a7cd452899aa0dc239d4bcd6d
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner_maintenance.js
MD5: afc2f2d0f478dd8de15088c2f827b4bb
SHA1: a8ea3e051d73d5020989a542b9b823fbf5fd8732
SHA256:c79ce5ac313ca41e93a1ceb54386169abfada275af9286db86f07179540c0097
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar: textAreaField.directive.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js
MD5: 5a75eb0d834b4b4f41702dbf6f1ce2ea
SHA1: f438ca050ee2e69a73ada30726205d295f6546b1
SHA256: 5e2ae08f0a40ba0da474e8dcc53d9dfcaf53b2727bace92d266f13aa9eda9b0c
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js
MD5: 894d79839facf38d9fd672bdbe57443d
SHA1: 11277f4e04cf070a350e566b053ef2215993720c
SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies +

- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
 - MD5: 894d79839facf38d9fd672bdbe57443d
 - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
 - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2
 - [pkg:javascript/bootstrap@3.4.1](https://www.jsdelivr.com/package/npm/bootstrap@3.4.1)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:High*)

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1

SHA1: b16fd8226bd6bf08e568f1b1d0a21d60247cefb

SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bf57afe

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies +

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
 - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
 - SHA1: b16fd8226bd6bf08e568f1b1d0a21d60247cefb
 - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bf57afe
 - [pkg:javascript/bootstrap@3.4.1](#)

Identifiers

- [pkg:javascript/bootstrap@3.4.1](#) (*Confidence:High*)

theme.zip: theme.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/theme.jar

MD5: 0df9c7cf85468b5f28efe3bd6f03510d

SHA1: 2cd395cfde76cffd2a212d243810dc96ef03e2d7

SHA256:4255c327eb8cd3a18aa5311cec20dcf6bbb0f115cd1be5342365947db449333f

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2024-01-16 11:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	plugins	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2024-01-16 11:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

urlcookie.zip: urlcookie.sample.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UrlCookiePlugin/urlcookie.zip/urlcookie.sample.jar

MD5: 848d8eebd2aca03f3fb9b936875bdd01

SHA1: d45efc17b87d124673a8e605ec7d598ffde99622

SHA256: 709d239d5ce4c045421b707d948e70a8faf3fec0166a42ace29c2e20746de2b6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2024-01-16 12:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2024-01-16 12:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie	High
Product	Manifest	specification-title	urlcookie	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar

MD5: ceae4ead27c3c1ee7d01337bcfaba0f7

SHA1: e2ee5aa28008cbe1c69277578c8289386b15df38

SHA256: 128936acc4eb930e4d5441ce4ae33ee0ae5dba1769db3fb9c00882830a960fe7

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2024-01-16 12:15	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2024-01-16 12:15	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium

Version	Manifest	Implementation-Version	23.10.295	High
---------	----------	------------------------	-----------	------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagercontroller.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.js

MD5: 1cba557ce4b4b0e045db0fff2a34b1f6

SHA1: a2e77c032388041a88d2aedb6e150f5a6abb6708

SHA256: d7ebefa8a6997c2b0e5a69a5c099f153ef0cf6e4b8fa546492349e6ee687a525

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerdetailscontroller.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js

MD5: 94ccda4021c5f1db31e40d07fc073168

SHA1: 1be87180f0a6ced2484a9e45a9d8b161b506be5f

SHA256: b4c191d8d84027dd4159986565bda5fd83a9732235156f9fd19cdb52118a219

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js

MD5: ca1c44bf43acb9b7e18b9de98885ea77

SHA1: 95fd9f334a8d22c807f609d2ad896fddcbf9ea7e

SHA256: 89e42e9499612cd8c02d02139b71b1543ece21ae147fca2dfe6a9f05809ce03a

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdirectives.js

MD5: 252a7901714abc98ac99b1c692a4115d

SHA1: b4621d55219e7fa62079f498dc728a285db2630d

SHA256: ff9e68af9410d0224407c0b82552614efd5d0641780382152b30a6df5a4c0803

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagereffectivepermissionscontroller.js

MD5: 7b338f56899718ee4c730c7c30f8404d

SHA1: 23d1599cd58231c6a42264202db54da541dbbc7f

SHA256: faa1d67150e8577b35addb9f3807a4d76c3c7495475f2cbb65e550aaa3715d6

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js

MD5: dc86ea7fc3b4579c614e5ce9557a2456

SHA1: d49390dbd903aae52de98406ed8b2604abb714b0

SHA256: eb7f2d4a9b329354bf41b6805db98b4a8e1879cf318a8614a615af9fd7e91933

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagermodel.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js

MD5: f095a4c40f17b36318e13dd8534407e9

SHA1: 4e289c1de0ccc482455b2da27234bf0f462c1a1d

SHA256: c3beefef00e5dce1e9c97b5a354ffcd157896e50798c42c80f5685a028f8f7ee

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerrenderer.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.js

MD5: eab4e7288629f54663b742d0bf6523fb

SHA1: c803a4ad5e14e7890604df58b33ed93a0f7b0299

SHA256: 5085cf4e58168e88e77851683d37133f58627112a485c72e271b20e714102e30

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagerstatisticscontroller.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagerstatisticscontroller.js

MD5: 4b0ce9da268d3f965ddf8ddce6676daf

SHA1: d0ad859cb96083de8fabce54e8fd7fd5efe04b1a

SHA256: a2b6f180be1602c888c0505c88d03753332c48e57c9a524ed4b71f1eb401d28b

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:
usersandgroupsmanagertakeoutcontroller.js**

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js
/usersandgroupsmanagertakeoutcontroller.js

MD5: 9be90b79aa685d1d62933945b0e00860

SHA1: 29a9da8d0ee54fe21b4379ec1a36c192983108ce

SHA256: 28ee9f9f2805e95af8c39b2bbbe5e94de14e8a1709ba6fd58e1e5a7dbab5555f

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar

MD5: dacf86c4ea91638a813864e2830389fd

SHA1: d28d1cc567b244df01937b83ab4f33a2942d4840

SHA256:602384c22197d01c92180435f1b002f93badfb654d39ca44fd03c0daf975f429

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2024-01-16 11:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2024-01-16 11:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

webapi.core.zip: webapi.core.jar: shared.factory.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

MD5: 98dbfacd3d92ee8a82f37dc52e2e9ed2

SHA1: 79fc85b57bd34a34c3b3731b0675d978134d57d0

SHA256: 3109f49903cef95ddc213135a052165227410ca7f3a62101bf2ed7c8e7a880ce

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.codemirror.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

MD5: bb06c770ed20e0ea4f5b798dab4898bc

SHA1: 1fef3fa28aaa195dd178d26ee2223fa247689261

SHA256: c26a44389f5479e0f66ed560b6e4287c964d1266c3951c4dd039a653b4b863e9

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.editor.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin

/webapi/client/webapi.core.editor.js

MD5: d376d09bc6e1743680130afc3d32b351

SHA1: f76293956d6170059405b907e455352f6995aac0

SHA256: 28ab83ec598b777a432bae13025a8534cfc72f82f729bdcfee666f8fa671e1c5

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webapi.core.zip: webapi.core.jar: webapi.core.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js

MD5: 6c23da7a0133e2e08f10fdcd2b641dc5

SHA1: b4a43d55453d13d117ac7d81692b9d464544f2a8

SHA256: 71f9c116fb5b76cac17df53c048470ab223d1a7923c290c20574629948bdbe83

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

webserver.defender.zip: webserver.defender.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.defender.zip/webserver.defender.jar

MD5: aff599331d80aaa58b189bbe6c0b9ce5

SHA1: 8e02ac0e5ec0cf81c16d8b29a13c6babf4ec39b7

SHA256: 5ef4e96e4011ae3e2f64061dd8f117e07c2f122fdc4709742ac398e71f6cc433

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2024-01-16 12:22	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2024-01-16 12:22	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

webserver.zip: acme4j-client.jar

Description:

ACME client for Java

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/acme4j-client.jar

MD5: 6a777e9a2790f92e3ca84ab3f670372a

SHA1: 2fc4db562eb89dd97d01efbd66498af44f010fc5

SHA256: 3fc818cdf24695c427dd85aa62c6510fb488602618272935c61a7525e47fdd8a

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	2.16	Highest

Identifiers

- [pkg:maven/org.shredzone.acme4j/acme4j-client@2.16](https://maven.org/shredzone/acme4j/acme4j-client@2.16) (*Confidence:High*)

webserver.zip: http2-common.jar

Description:

Jetty module for Jetty :: HTTP2 :: Common

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/http2-common.jar

MD5: dbaa0a4fca6a54cb1b2a6797d08276fd

SHA1: cec33f2a1c5ffea2a3a213d9e92886320ee5d282

SHA256: fda0f379bc8d259bcd4c6f9175b8d61ce142768dd6deced070de1e3bf725d717

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	http2-common	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	http2	Highest
Vendor	jar	package name	jetty	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.common	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	http2-common	Low
Vendor	pom	groupid	org.eclipse.jetty.http2	Highest
Vendor	pom	name	Jetty :: HTTP2 :: Common	High
Vendor	pom	parent-artifactid	http2-parent	Low
Product	file	name	http2-common	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	http2	Highest
Product	jar	package name	jetty	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: HTTP2 :: Common	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.common	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	http2-common	Highest
Product	pom	groupid	org.eclipse.jetty.http2	Highest

Product	pom	name	Jetty :: HTTP2 :: Common	High
Product	pom	parent-artifactid	http2-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Identifiers

- [pkg:maven/org.eclipse.jetty.http2/http2-common@10.0.17](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:*](#) (*Confidence:Highest*)
- [cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*:*](#) (*Confidence:Highest*)
- [cpe:2.3:a:mortbay_jetty:jetty:10.0.17:*:*:*:*:*](#) (*Confidence:Highest*)

webserver.zip: http2-hpack.jar

Description:

Http2 Hpack

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/http2-hpack.jar

MD5: 8ae663bec5a07e2dd0af99c8a2d9fb57

SHA1: ca97ff8cde1f89533f14b5032dbd24678a9423b8

SHA256: 83b8aa230d0b372b658fc63a2766211621d003f91d0f4ae3eb195f13cf6132bb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	http2-hpack	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	hpack	Highest
Vendor	jar	package name	http2	Highest
Vendor	jar	package name	jetty	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low

Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.hpack	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="org.eclipse.jetty.http.HttpFieldPreEncoder"	Low
Vendor	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)";resolution:=optional	Low
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	http2-hpack	Low
Vendor	pom	groupid	org.eclipse.jetty.http2	Highest
Vendor	pom	name	Jetty :: HTTP2 :: HPACK	High
Vendor	pom	parent-artifactid	http2-parent	Low
Product	file	name	http2-hpack	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	hpack	Highest
Product	jar	package name	http2	Highest
Product	jar	package name	jetty	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: HTTP2 :: HPACK	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.hpack	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="org.eclipse.jetty.http.HttpFieldPreEncoder"	Low
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.registrar)";resolution:=optional	Low
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	http2-hpack	Highest
Product	pom	groupid	org.eclipse.jetty.http2	Highest
Product	pom	name	Jetty :: HTTP2 :: HPACK	High
Product	pom	parent-artifactid	http2-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High

Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Identifiers

- [pkg:maven/org.eclipse.jetty.http2/http2-hpack@10.0.17](#) (Confidence:High)
- [cpe:2.3:a:mortbay_jetty:jetty:10.0.17:*:*:*:*:*](#) (Confidence:Highest)

webserver.zip: http2-server.jar

Description:

Jetty module for Jetty :: HTTP2 :: Server

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/http2-server.jar

MD5: c50252572dbfcc726dafa45ef36e7cad

SHA1: 998535c492d462119246d141b19fdb511d832151

SHA256: 08cf740087f3a72ad1d98e8b036a4790675b8bfac37ddf76c8866de5614c41bb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	http2-server	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	http2	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	server	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High

Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	http2-server	Low
Vendor	pom	groupid	org.eclipse.jetty.http2	Highest
Vendor	pom	name	Jetty :: HTTP2 :: Server	High
Vendor	pom	parent-artifactid	http2-parent	Low
Product	file	name	http2-server	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	http2	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	server	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: HTTP2 :: Server	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.http2.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	http2-server	Highest
Product	pom	groupid	org.eclipse.jetty.http2	Highest
Product	pom	name	Jetty :: HTTP2 :: Server	High
Product	pom	parent-artifactid	http2-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Identifiers

- [pkg:maven/org.eclipse.jetty.http2/http2-server@10.0.17](#) (Confidence:High)
- [cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:*](#) (Confidence:Highest)
- [cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*:*](#) (Confidence:Highest)
- [cpe:2.3:a:jetty:jetty_http_server:10.0.17:*:*:*:*:*](#) (Confidence:Highest)
- [cpe:2.3:a:mortbay_jetty:jetty:10.0.17:*:*:*:*:*](#) (Confidence:Highest)

webserver.zip: jetty-io.jar

Description:

Jetty module for Jetty :: IO Utility

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-io.jar

MD5: da3a663629df1d45ff84784254516aac

SHA1: a57b2fb256166eda798edeffbe4a17c4dd7f7022

SHA256: 5a4a44ef584e26b824b175b939755556c67decdd84ea0c33a796775e46b769a9

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-io	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jetty	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.io	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-io	Low
Vendor	pom	groupid	org.eclipse.jetty	Highest
Vendor	pom	name	Jetty :: IO Utility	High
Vendor	pom	parent-artifactid	jetty-project	Low
Product	file	name	jetty-io	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jetty	Highest

Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: IO Utility	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.io	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-io	Highest
Product	pom	groupid	org.eclipse.jetty	Highest
Product	pom	name	Jetty :: IO Utility	High
Product	pom	parent-artifactid	jetty-project	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Related Dependencies



- webserver.zip: jetty-client.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-client.jar
 - MD5: 7bc1089e0855e2054aef681f5707230d
 - SHA1: dc3857133910dbf42e45311b6f9e6a338bd59e89
 - SHA256: a17781ab84944f151807e721d90585e2b5af0bb906840afa86c3f3e4aaf0311b
 - [pkg:maven/org.eclipse.jetty/jetty-client@10.0.17](https://maven.org/eclipse/jetty/jetty-client@10.0.17)
- webserver.zip: jetty-http.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http.jar
 - MD5: 0ca297251b627e63f0f227d54317ff97
 - SHA1: b684e63e9cc0f2b7bcc7917c83cc9e1a952b76ac
 - SHA256: bfbf72e74e44cc65300c70b20c3bce12491454c2dbb064b0a90ed1953471d86e
 - [pkg:maven/org.eclipse.jetty/jetty-http@10.0.17](https://maven.org/eclipse/jetty/jetty-http@10.0.17)
- webserver.zip: jetty-security.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-security.jar
 - MD5: df377a95707cf1c7d9e09bbde94af241
 - SHA1: e802a2ad37f38bd0ea44f878079f891a57902ea
 - SHA256: c7a50242d0f89f453a56cc29a1c131c8f79bed3c704f11cb5395942941ba6a9c
 - [pkg:maven/org.eclipse.jetty/jetty-security@10.0.17](https://maven.org/eclipse/jetty/jetty-security@10.0.17)
- webserver.zip: jetty-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-servlet.jar
 - MD5: 64a7f3d2188d7a8ce6e69296c8d613f9
 - SHA1: 168984188c99004702cd9705728e54e1b441f8cd

- SHA256: b304ff1d83e2168c894238350f1326f8858cfb69a665b67f7a8ab245d8727314
- pkg:maven/org.eclipse.jetty/jetty-servlet@10.0.17
- webserver.zip: jetty-servlets.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-servlets.jar
 - MD5: 89ceefd438b854dc32441861a4b0cbf3
 - SHA1: bfe572f5f0ad314e2dbfddbc44abe8e619034997
 - SHA256: 41554535d227bcd3405e24f14ca3cb4d88fc8011b75af481e8c76bc4a51676af
 - pkg:maven/org.eclipse.jetty/jetty-servlets@10.0.17
- webserver.zip: jetty-util.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-util.jar
 - MD5: 3d5763acf59b02a5ac4c207ef6d91c92
 - SHA1: 2d8f2579b230660cca19410e61ea22635564f362
 - SHA256: 0718586e6cf6f4f02073c94934d24542db47461d58557e817956d07dcf75b836
 - pkg:maven/org.eclipse.jetty/jetty-util@10.0.17

Identifiers

- pkg:maven/org.eclipse.jetty/jetty-io@10.0.17 (Confidence:High)
- cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:* (Confidence:Highest)
- cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*:* (Confidence:Highest)
- cpe:2.3:a:mortbay:jetty:jetty:10.0.17:*:*:*:*:* (Confidence:Highest)

webserver.zip: jetty-server.jar

Description:

The core jetty server artifact.

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-server.jar

MD5: d7ac6fd1105ea9da5f33d523a7936a3e

SHA1: 8cce6c62ef95e5f8cbd0775f708b0423a7166da6

SHA256: ea2cd43daeffb54c3f73d9bd8c795e69c20e1831e80327d10341b306425b9e6e

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-server	High
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest

Vendor	jar	package name	server	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	jetty-server	Low
Vendor	pom	groupid	org.eclipse.jetty	Highest
Vendor	pom	name	Jetty :: Server Core	High
Vendor	pom	parent-artifactid	jetty-project	Low
Product	file	name	jetty-server	High
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	server	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: Server Core	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	jetty-server	Highest
Product	pom	groupid	org.eclipse.jetty	Highest
Product	pom	name	Jetty :: Server Core	High
Product	pom	parent-artifactid	jetty-project	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-java-server.jar
 - MD5: 4e3bfdbcbce84beb484c3612c2a9f199
 - SHA1: ab96075253b83f217b525984972b7446e6071e88
 - SHA256: 3a2661bedab019609a442de6934d6ba4cba0cdea6e5b7e3e1b70ecca3cff8954
 - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@10.0.17
- webserver.zip: jetty-alpn-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-server.jar
 - MD5: c54bb6711e5dc0cb9d77689dafac7021
 - SHA1: e9472cc4aff9e4e5f6db1ac14a7a4f7682f92075
 - SHA256: ab555fb4621b3a47574623c873fc30c477c303d9d733e50286d43ee0644d2890
 - pkg:maven/org.eclipse.jetty/jetty-alpn-server@10.0.17

Identifiers

- pkg:maven/org.eclipse.jetty/jetty-server@10.0.17 (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*](https://cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:*) (*Confidence:Highest*)
- [cpe:2.3:a:jetty:jetty:10.0.17:*:*:*](https://cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*) (*Confidence:Highest*)
- [cpe:2.3:a:jetty:jetty_http_server:10.0.17:*:*:*](https://cpe:2.3:a:jetty:jetty_http_server:10.0.17:*:*:*:*) (*Confidence:Low*)
- [cpe:2.3:a:mortbay:jetty:jetty:10.0.17:*:*:*](https://cpe:2.3:a:mortbay:jetty:jetty:10.0.17:*:*:*:*) (*Confidence:Highest*)

webserver.zip: jose4j.jar

Description:

The jose.4.j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see https://bitbucket.org/b_c/jose4j/wiki/Home for more info, examples, etc..

License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jose4j.jar

MD5: 583d1968840e8e5f83840c2b20f7eacc

SHA1: 9670e11587194cb6b1b2edcaa688a3fab85b4148

SHA256: 6265ad3e28a8b02ac3a9f98b9efced79671df8e0a556e9851ad65ffbea51a12a

Referenced In Project/Scope:server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	https://bitbucket.org/b_c/jose4j/	Highest
Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest

Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.3	High
Version	pom	version	0.9.3	Highest

Identifiers

- [pkg:maven/org.bitbucket.b_c/jose4j@0.9.3](#) (*Confidence:High*)
- [cpe:2.3:a:jose4j_project:jose4j:0.9.3:*:*:*:*:*](#) (*Confidence:Highest*)

webserver.zip: webserver.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/webserver.jar

MD5: cc74e6bdc949762daa3a26e78370df55

SHA1: 744fa054776b419eea0bcc8d3f1168ba6ba33da

SHA256: d29d11cbb167c627aa754959abfa0851b281267ea7ff821400110ff7ef933d65

Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2024-01-16 12:06	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2024-01-16 12:06	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	23.10.295	High

Identifiers

- None

webserver.zip: websocket-core-client.jar

Description:

Jetty module for Jetty :: Websocket :: Core :: Client

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-core-client.jar

MD5: d3e4ce38d09b73fb5d82ec957cbf162b

SHA1: 695f9d8dce0253d79d8b6c299dc4a6c824e35ce5

SHA256: db7644ee2c69852e95620fcda092083a2d4a5a585ba466b08e599e2b4a69a3bb

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-	org.eclipse.jetty.websocket.core.client	Medium

symbolicname

Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Jetty :: WebSocket :: Core :: Client	High
Vendor	pom	parent-artifactid	websocket-parent	Low
Product	file	name	websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: WebSocket :: Core :: Client	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Jetty :: WebSocket :: Core :: Client	High
Product	pom	parent-artifactid	websocket-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Related Dependencies



- webserver.zip: websocket-core-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-core-common.jar
 - MD5: 4d89958687d7441da26e9f26146ff9cf
 - SHA1: daf228c723b565f6b9cb19ab6d1c6f7302213ff4
 - SHA256: 761b43edcc51494c3fd91312e276ae060e8f491f6d8475891576af753d9a1ced

- pkg:maven/org.eclipse.jetty.websocket/websocket-core-common@10.0.17
- webserver.zip: websocket-javax-client.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-javax-client.jar
 - MD5: 30d059f0dcb6c64521a065f01a8fc1e3
 - SHA1: b82a92fa49107ef06daf8cd41b278ce618239e3d
 - SHA256: 3351a1090e65b48d3a0f0bbda5a79f308fe65e86687fb6ab311332a124312efa
 - pkg:maven/org.eclipse.jetty.websocket/websocket-javax-client@10.0.17
- webserver.zip: websocket-javax-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-javax-common.jar
 - MD5: 83a89419f0a2a169a9a1390ccf02e3e6
 - SHA1: 2e8fa2013d6941b74fd080b92f4ca68cd8769eb3
 - SHA256: 41d2377100f0a45b16a687979c25107a5d1ff770b2fe81be67dbcb901e646448
 - pkg:maven/org.eclipse.jetty.websocket/websocket-javax-common@10.0.17
- webserver.zip: websocket-javax-server.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-javax-server.jar
 - MD5: 59973451a9e8220cec091b497f5f0c7b
 - SHA1: 14d996ee9798f5f48614d622c23fb1842f640c55
 - SHA256: 0461f62e72ab953c7063edd02b3724b03a2aed950f99806076172dc70263e11
 - pkg:maven/org.eclipse.jetty.websocket/websocket-javax-server@10.0.17
- webserver.zip: websocket-jetty-api.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-jetty-api.jar
 - MD5: bbb3da33e358a183282caad6081d7cfe
 - SHA1: d3b320f9e28bb9aa208c1ef8baf7162242ba47a9
 - SHA256: b01b553d0b1e9bb19227ab0c861ca614be3c90464c356c2945b162fc4de4159a
 - pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-api@10.0.17
- webserver.zip: websocket-jetty-common.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-jetty-common.jar
 - MD5: 52e179a09d11d1528a8f48a922da632c
 - SHA1: ca0df9b51443b028b4f04e995dcbf7834f68dec
 - SHA256: 4b34d7cd52a3e67efa567065655854cc333260b8670e7ae3bbf178d3e40093cb
 - pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-common@10.0.17
- webserver.zip: websocket-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-servlet.jar
 - MD5: 46d084793fe3bac4fdd3f715f7145ad1
 - SHA1: 2addc07051bcc1962aec5c123cb7ec38ab9c97da
 - SHA256: 5b55cf0c0ec418c1d97f32ec5cc122293bbbebb28f4e2a91373091621d41810a9
 - pkg:maven/org.eclipse.jetty.websocket/websocket-servlet@10.0.17

Identifiers

- pkg:maven/org.eclipse.jetty.websocket/websocket-core-client@10.0.17 (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*](https://cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*:*) (*Confidence: Highest*)
- [cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*](https://cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*:*) (*Confidence: Highest*)
- [cpe:2.3:a:mortbay:jetty:jetty:10.0.17:*:*:*:*](https://cpe:2.3:a:mortbay:jetty:jetty:10.0.17:*:*:*:*:*) (*Confidence: Highest*)

webserver.zip: websocket-core-server.jar

Description:

Jetty module for Jetty :: Websocket :: Core :: Server

License:

<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-core-server.jar

MD5: 368dea46419bce00a65af1d67c368da2

SHA1: 3f9218e4766b724b924634a4ea19f5173b39b668

SHA256: cb9cb974c45f58bccf9eef92030984ef2f2b84193bff6837f7786cb114784859

Referenced In Project/Scope:server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Vendor	Manifest	bundle-requiredexecution	JavaSE-11	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://eclipse.dev/jetty/	Low
Vendor	pom	artifactid	websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Jetty :: Websocket :: Core :: Server	High
Vendor	pom	parent-artifactid	websocket-parent	Low
Product	file	name	websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest

Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-copyright	Copyright (c) 2008-2022 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://eclipse.dev/jetty/	Low
Product	Manifest	Bundle-Name	Jetty :: Websocket :: Core :: Server	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-11	Low
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://eclipse.dev/jetty/	Low
Product	pom	artifactid	websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Jetty :: Websocket :: Core :: Server	High
Product	pom	parent-artifactid	websocket-parent	Medium
Version	Manifest	Bundle-Version	10.0.17	High
Version	Manifest	Implementation-Version	10.0.17	High
Version	pom	version	10.0.17	Highest

Related Dependencies +

- [webserver.zip: websocket-jetty-server.jar](#)
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/websocket-jetty-server.jar
 - MD5: d91e0ed1e912ca79f51176861a3625e4
 - SHA1: 60ffa3bc9f4bbef9a42df296ebdb57cf63f4f63
 - SHA256: e204b62ddff629dcec050c5a285ff68088f57c4000ce55b87ddd47e6c67699ad
 - [pkg:maven/org.eclipse.jetty.websocket/websocket-jetty-server@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-jetty-server@10.0.17)

Identifiers

- [pkg:maven/org.eclipse.jetty.websocket/websocket-core-server@10.0.17](https://pkg.maven.org/eclipse.jetty.websocket/websocket-core-server@10.0.17) (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:10.0.17:*:*:*:*](https://cpe23a.eclipse.jetty:10.0.17:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:10.0.17:*:*:*:*](https://cpe23a.jetty.jetty:10.0.17:*:*:*:*:*) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty_http_server:10.0.17:*:*:*:*](https://cpe23a.jetty.jetty_http_server:10.0.17:*:*:*:*:*) (*Confidence: Low*) suppress
- [cpe:2.3:a:mortbay:jetty:10.0.17:*:*:*:*](https://cpe23a.mortbay.jetty:10.0.17:*:*:*:*:*) (*Confidence: Highest*) suppress

Suppressed Vulnerabilities



authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jquery-ui.js

MD5: 3e34f50eab2e13d720c93e44ac5cb7ca

SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16

SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
- reporting.zip: reporting-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
- repository.zip: repository-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca
 - SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
 - SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdf333ea6de5247
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.js
 - MD5: 3e34f50eab2e13d720c93e44ac5cb7ca

- SHA1: c432ac324c727a86a9a54eff1b90d79e115e3f16
- SHA256: 712e2e2efe1717a1e10aee0e02163e1deadf88760ade58b5cdfc333ea6de5247

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIJJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86

- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:17.7:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.9:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.10:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.11:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pg6f-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>

- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCF5ZIJJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVL4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera_gateway:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_gateway:18.8.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:19.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:20.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:21.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*

- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2022-31160 suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:drupal:*:
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:drupal:*:
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:drupal:*:
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:drupal:*:
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:jquery:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*:*:*:*:*

authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jquery-ui.min.js

MD5: 28d157e58272e91b054c254eab737df0

SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9

SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.12.1	High

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- repository.zip: repository-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jquery-ui.min.js
 - MD5: 28d157e58272e91b054c254eab737df0
 - SHA1: 4165e40107b31b0ce5f022f579635fccb887bef9
 - SHA256: 76e849220d7fe7778affeaaf0806e48bbb69a5ec5b8c8b8f5f3cd89439a6dedc

Suppressed Identifiers

- None

Suppressed Vulnerabilities

[CVE-2021-41182](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `altField` option of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `altField` option is now treated as a CSS selector. A workaround is to not accept the value of the `altField` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/pull/1954/commits/6809ce843e5ac4128108ea4c15cbc100653c2b63>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSZIJJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41182>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1

- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25
- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:17.7:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.9:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.10:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.11:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:17.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

CVE-2021-41183 suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of various `*Text` options of the Datepicker widget from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. The values passed to various `*Text` options are now always treated as pure text, not HTML. A workaround is to not accept the value of the `*Text` options from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-j7qv-pgf6-hvh4>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.drupal.org/sa-core-2022-002>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://bugs.jqueryui.com/ticket/15284>
- MISC - <https://github.com/jquery/jquery-ui/pull/1953>

- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFSTZJE3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXYY7RGXREQDQDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.drupal.org/sa-contrib-2022-004>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- MLIST - [\[debian-lts-announce\] 20220119 \[SECURITY\] \[DLA-2889-1\] drupal7 security update](#)
- N/A - [N/A](#)
- info - <https://bugs.jqueryui.com/ticket/15284>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41183>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 11.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:mysql_enterprise_monitor:*:*:*:*:* versions up to (including) 8.0.29
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.5
- cpe:2.3:a:oracle:primavera_gateway:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_gateway:18.8.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:19.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:20.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_gateway:21.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

[CVE-2021-41184](#) suppressed

jQuery-UI is the official jQuery user interface library. Prior to version 1.13.0, accepting the value of the `of` option of the `.position()` util from untrusted sources may execute untrusted code. The issue is fixed in jQuery UI 1.13.0. Any string value passed to the `of` option is now treated as a CSS selector. A workaround is to not accept the value of the `of` option from untrusted sources.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20211118-0004/>
- CONFIRM - <https://www.drupal.org/sa-core-2022-001>
- CONFIRM - <https://www.tenable.com/security/tns-2022-09>
- MISC - <https://blog.jqueryui.com/2021/10/jquery-ui-1-13-0-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/effa323f1505f2ce7a324e4f429fa9032c72f280>
- MISC - <https://lists.debian.org/debian-lts-announce/2023/08/msg00040.html>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/HVKIOWSXL2RF2ULNAP7PHESYCFJSZIJ3/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/NXIUUBRVLA4E7G7MMIKCEN75YN7UFERW/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/O74SXY7RGXREQDQUDQD4BPJ4QQTD2XQ/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SGSY236PYSFYIEBRGDERLA7OSY6D7XL4/>
- MISC - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/SNXA7XRKGINWSUIPIZ6ZBCTV6N3KSHES/>
- MISC - <https://www.oracle.com/security-alerts/cpuapr2022.html>
- N/A - N/A
- info - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-41184>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 7.0; versions up to (excluding) 7.86
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.2.0; versions up to (excluding) 9.2.11
- cpe:2.3:a:drupal:drupal:*:*:*:*:* versions from (including) 9.3.0; versions up to (excluding) 9.3.3
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:* versions up to (excluding) 1.13.0
- cpe:2.3:a:oracle:agile_plm:9.3.6:*:*:*:*:*
- cpe:2.3:a:oracle:application_express:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:banking_platform:2.9.0:*:*:*:*:*
- cpe:2.3:a:oracle:banking_platform:2.12.0:*:*:*:*:*
- cpe:2.3:a:oracle:big_data_spatial_and_graph:*:*:*:*:* versions up to (excluding) 23.1
- cpe:2.3:a:oracle:big_data_spatial_and_graph:23.1:*:*:*:*:*
- cpe:2.3:a:oracle:communications_interactive_session_recorder:6.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.3:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:4.4:*:*:*:*:*
- cpe:2.3:a:oracle:communications_operations_monitor:5.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_inventory_management:9.1.0:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_materials_control:18.1:*:*:*:*:*
- cpe:2.3:a:oracle:hospitality_suite8:*:*:*:*:* versions from (including) 8.11.0; versions up to (including) 8.14.0
- cpe:2.3:a:oracle:hospitality_suite8:8.10.2:*:*:*:*:*
- cpe:2.3:a:oracle:jd_edwards_enterpriseone_tools:*:*:*:*:* versions up to (including) 9.2.6.3
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.58:*:*:*:*:*
- cpe:2.3:a:oracle:peoplesoft_enterprise_peopletools:8.59:*:*:*:*:*
- cpe:2.3:a:oracle:policy_automation:*:*:*:*:* versions from (including) 12.2.0; versions up to (including) 12.2.25

- cpe:2.3:a:oracle:primavera_unifier:*:*:*:*:* versions from (including) 17.7; versions up to (including) 17.12
- cpe:2.3:a:oracle:primavera_unifier:18.8:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:19.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:20.12:*:*:*:*:*
- cpe:2.3:a:oracle:primavera_unifier:21.12:*:*:*:*:*
- cpe:2.3:a:oracle:rest_data_services:*:*:*:*:* versions up to (excluding) 22.1.1
- cpe:2.3:a:oracle:rest_data_services:22.1.1:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.3.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:12.2.1.4.0:*:*:*:*:*
- cpe:2.3:a:oracle:weblogic_server:14.1.1.0.0:*:*:*:*:*
- cpe:2.3:a:tenable:tenable.sc:*:*:*:*:* versions up to (excluding) 5.21.0

[CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.0:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.1:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.2:*:*:*:*:drupal:*:*
- cpe:2.3:a:drupal:jquery_ui_checkboxradio:8.x-1.3:*:*:*:*:drupal:*:*
- cpe:2.3:a:jqueryui:jquery_ui:*:*:*:*:jquery:*:* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand_insight:*:*:*:*:*

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip/dist/jszip.js

MD5: 445655f2b60614c242f0c073c319ebd3

SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87

SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

Related Dependencies

- maintenance.zip: maintenance-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- reporting.zip: reporting-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- repository.zip: repository-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938
- taskplanner.zip: taskplanner-javadoc.jar: jszip.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.js
 - MD5: 445655f2b60614c242f0c073c319ebd3
 - SHA1: 2f46d4b06054852cdde51cee3764f71b8658da87
 - SHA256: 6c18a4b2cee69dd705e8a9ac911e2284f4a5c68c86031b86e067ffaf3a253938

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.8.0

[CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g __proto__, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxg>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.7.0

authentication.oauth.zip: authentication.oauth-javadoc.jar: jszip.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/jquery/jszip/dist/jszip.min.js

MD5: dc5d2aac976b1ad09faa452b4ce37519

SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892

SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jszip	High
Product	file	name	jszip	High
Version	file	version	3.2.1	High

Related Dependencies +

- maintenance.zip: maintenance-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
- reporting.zip: reporting-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
- repository.zip: repository-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/repository-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381
- taskplanner.zip: taskplanner-javadoc.jar: jszip.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/jquery/jszip/dist/jszip.min.js
 - MD5: dc5d2aac976b1ad09faa452b4ce37519
 - SHA1: 3437dfa4dce6aa98c78ff6768de5694a70768892
 - SHA256: 832e56e7fad75a5b965c546f31614531586871fa417bb4dfe125b658c7e3b381

Suppressed Identifiers

- None

Suppressed Vulnerabilities



[CVE-2022-48285](#) suppressed

loadAsync in JSZip before 3.8.0 allows Directory Traversal via a crafted ZIP archive.

CWE-22 Improper Limitation of a Pathname to a Restricted Directory ('Path Traversal')

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv3:

- HIGH (7.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

References:

- MISC - <https://exchange.xforce.ibmcloud.com/vulnerabilities/244499>
- MISC - <https://github.com/Stuk/jszip/commit/2edab366119c9ee948357c02f1206c28566cdf15>
- MISC - <https://github.com/Stuk/jszip/compare/v3.7.1...v3.8.0>
- MISC - <https://www.mend.io/vulnerability-database/WS-2023-0004>
- info - <https://stuk.github.io/jszip/CHANGES.html>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.8.0

[CVE-2021-23413](#) suppressed

This affects the package jszip before 3.7.0. Crafting a new zip file with filenames set to Object prototype values (e.g __proto__, toString, etc) results in a returned object with a modified prototype instance.

NVD-CWE-noinfo

Notes: JavaDoc embedded library. file name: reporting-22.10.zip: reporting-javadoc.jar: jszip.js

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

References:

- CONFIRM - [N/A](#)
- info - <https://github.com/advisories/GHSA-jg8v-48h5-wgxx>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2021-23413>
- info - <https://security.snyk.io/vuln/SNYK-JS-JSZIP-1251497>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:jszip_project:jszip:*:*:*:*:node.js:*:* versions up to (excluding) 3.7.0

datasource.cassandra.zip: native-protocol.jar

Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar

MD5: 3c4bf24fd592b01cff5234428080230d

SHA1: 97e812373a5fe7667384e7ad67819d2c71878bf8

SHA256: 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest

Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	Manifest	require-capability	osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.1	High
Version	pom	version	1.5.1	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities ☐

[CVE-2020-13946](#) suppressed

In Apache Cassandra, all versions prior to 2.1.22, 2.2.18, 3.0.22, 3.11.8 and 4.0-beta2, it is possible for a local attacker without access to the Apache Cassandra process or configuration files to manipulate the RMI registry to perform a man-in-the-middle attack and capture user names and passwords used to access the JMX interface. The attacker can then use these credentials to access the JMX interface and perform unauthorised operations. Users should also be aware of CVE-2019-2684, a JRE vulnerability that enables this issue to be exploited remotely.

CWE-668 Exposure of Resource to Wrong Sphere

Notes: Possible false positive, since the CVE is a year old and it does not match this package and version file name: datasource.cassandra.zip: native-protocol.jar

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:P/I:N/A:N

CVSSv3:

- MEDIUM (5.9)
- CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:N/A:N

References:

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

facturx.zip: jakarta.activation-api.jar

Description:

`\${project.name}` `\${spec.version}` Specification

License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.activation-api.jar

MD5: 1af11450fafc7ee26c633d940286bc16

SHA1: 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

SHA256: f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	0750e49	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	require-capability	osgi.extender;filter:="(&(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)!(version>=2.0.0))";resolution:=optional,osgi.serviceloader;filter:="osgi.serviceloader=jakarta.activation.spi.	Low

			MailcapRegistryProvider");osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider";cardinality:=multiple;resolution:=optional,osgi.serviceloader;filter:="(osgi.serviceloader=jakarta.activation.spi.MimeTypeRegistryProvider");osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider";cardinality:=multiple;resolution:=optional,osgi. ee;filter:="(osgi. ee=JavaSE)(version=1.8))"	
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	mailcapregistryprovider	Highest
Product	jar	package name	mimetyperegistryprovider	Highest
Product	jar	package name	spi	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	0750e49	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	require-capability	osgi.extender;filter:="(osgi.extender=osgi.serviceloader.processor)(version>=1.0.0)(!(version>=2.0.0))";resolution:=optional,osgi.serviceloader;filter:="(osgi.	Low

```

serviceloader=jakarta.activation.spi.
MailcapRegistryProvider");osgi.
serviceloader="jakarta.activation.spi.
MailcapRegistryProvider";cardinality:
=multiple;resolution:=optional,osgi.
serviceloader;filter="(osgi.
serviceloader=jakarta.activation.spi.
MimeTypeRegistryProvider");osgi.
serviceloader="jakarta.activation.spi.
MimeTypeRegistryProvider";cardinality:
=multiple;resolution:=optional,osgi.
ee;filter="(
(&(osgi.ee=JavaSE)(version=1.8))"

```

Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.2	High
Version	pom	parent-version	2.1.2	Low
Version	pom	version	2.1.2	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2023-4218](#) suppressed

In Eclipse IDE versions < 2023-09 (4.29) some files with xml content are parsed vulnerable against all sorts of XXE attacks. The user just needs to open any evil project or update an open project with a vulnerable file (for example for review a foreign repository or patch).

CWE-611 Improper Restriction of XML External Entity Reference ('XXE')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredssmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample python project. CVE-2022-45688 - This is for

hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

CVSSv3:

- MEDIUM (5.0)
- CVSS:3.1/AV:L/AC:L/PR:L/UI:R/S:U/C:H/I:N/A:N

References:

- - <https://github.com/eclipse-cdt/cdt/commit/c7169b3186d2fef20f97467c3e2ad78e2943ed1b>
- - <https://github.com/eclipse-efmf/org.eclipse.emf/issues/10>
- - <https://github.com/eclipse-jdt/eclipse.jdt.core/commit/38dd2a878f45cdb3d8d52090f1d6d1b532fd4c4d>
- - <https://github.com/eclipse-jdt/eclipse.jdt.ui/commit/13675b1f8a74f47de4da89ed0ded6af7c21dfbec>
- - <https://github.com/eclipse-pde/eclipse.pde/pull/632/>
- - <https://github.com/eclipse-pde/eclipse.pde/pull/667/>
- - <https://github.com/eclipse-platform/eclipse.platform.releng.buildtools/pull/45>
- - <https://github.com/eclipse-platform/eclipse.platform.swt/commit/bf71db5ddcb967c0863dad4745367b54f49e06ba>
- - <https://github.com/eclipse-platform/eclipse.platform.ui/commit/f243cf0a28785b89b7c50bf4e1cce48a917d89bd>
- - <https://github.com/eclipse-platform/eclipse.platform/pull/761>
- - <https://gitlab.eclipse.org/security/vulnerability-reports/-/issues/8>

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:eclipse:eclipse_ide:*:*:*:*:* versions up to \(excluding\) 4.29](#)
- ...
- [cpe:2.3:a:eclipse:eclipse_ide:*:*:*:*:* versions up to \(excluding\) 4.29](#)
- [cpe:2.3:a:eclipse:org.eclipse.core.runtime:*:*:*:*:* versions up to \(excluding\) 3.29.0](#)
- [cpe:2.3:a:eclipse:pde:*:*:*:*:* versions up to \(excluding\) 3.13.2400](#)

CVE-2008-7271 suppressed

Multiple cross-site scripting (XSS) vulnerabilities in the Help Contents web application (aka the Help Server) in Eclipse IDE, possibly 3.3.2, allow remote attackers to inject arbitrary web script or HTML via (1) the searchWord parameter to help/advanced/searchView.jsp or (2) the workingSet parameter in an add action to help/advanced/workingSetManager.jsp, a different issue than CVE-2010-4647.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample python project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

References:

- MISC - <http://r00tin.blogspot.com/2008/04/eclipse-local-web-server-exploitation.html>
- MISC - https://bugs.eclipse.org/bugs/show_bug.cgi?id=223539

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:eclipse:eclipse_ide:*:*:*:*:*](#)

- ...
- [cpe:2.3:a:eclipse:eclipse_ide:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.3.2:~*~*~*~*~*~*](#)

CVE-2010-4647 suppressed

Multiple cross-site scripting (XSS) vulnerabilities in the Help Contents web application (aka the Help Server) in Eclipse IDE before 3.6.2 allow remote attackers to inject arbitrary web script or HTML via the query string to (1) help/index.jsp or (2) help/advanced/content.jsp.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample phyton project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

CVSSv2:

- Base Score: MEDIUM (4.3)
- Vector: /AV:N/AC:M/Au:N/C:N/I:P/A:N

References:

- FEDORA - [FEDORA-2010-18990](#)
- FEDORA - [FEDORA-2010-19006](#)
- MANDRIVA - [MDVSA-2011:032](#)
- MISC - http://yehg.net/lab/pr0js/advisories/eclipse/%5Beclipse_help_server%5D_cross_site_scripting
- MISC - https://bugs.eclipse.org/bugs/show_bug.cgi?id=329582
- MLIST - [\[oss-security\] 20110106 CVE Request: Eclipse IDE Version: 3.6.1 | Help Server Local Cross Site Scripting \(XSS\)](#)
- MLIST - [\[oss-security\] 20110106 Re: CVE Request: Eclipse IDE Version: 3.6.1 | Help Server Local Cross Site Scripting \(XSS\)](#)
- REDHAT - [RHSA-2011:0568](#)
- XF - [eclipseide-querystring-xss\(64833\)](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:eclipse:eclipse_ide:*.~*~*~*~*~*~*](#) versions up to (including) 3.6.1
- ...
- [cpe:2.3:a:eclipse:eclipse_ide:*.~*~*~*~*~*~*](#) versions up to (including) 3.6.1
- [cpe:2.3:a:eclipse:eclipse_ide:1.0:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.0:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.0.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.0.2:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.1.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.1.2:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:2.1.3:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.0:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.0.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.0.2:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.1.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.1.2:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.2:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.2.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.2.2:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.3:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.3.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.3.1.1:~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.3.2:~*~*~*~*~*~*](#)

- [cpe:2.3:a:eclipse:eclipse_ide:3.4:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.4.1:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.4.2:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.5:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.5.1:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.5.2:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m1:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m2:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m3:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m4:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m5:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m6:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:m7:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:rc1:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:rc2:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:rc3:*.~*~*~*~*~*~*](#)
- [cpe:2.3:a:eclipse:eclipse_ide:3.6:rc4:*.~*~*~*~*~*~*](#)

remotegui.zip: bootstrap.jar

Description:

WebJar for Bootstrap

License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/bootstrap.jar

MD5: ba2f9fda2c1fece5ff121e8abc385475

SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac

SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Vendor	pom	artifactid	bootstrap	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Bootstrap	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	bootstrap	High
Product	pom	artifactid	bootstrap	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low

Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Bootstrap	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	3.4.1	Highest

Related Dependencies +

- theme.zip: bootstrap.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar
 - MD5: ba2f9fda2c1fece5ff121e8abc385475
 - SHA1: 2c6a8508a4f1484abcaf334cf2fe3df97cf93eac
 - SHA256: 90fdaa23fb3a9cbce04f4c51699312ab1f1fae2d70c0d1a84541b7e9a76e6e54

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

CVE-2018-14040 (OSSINDEX) suppressed

In Bootstrap before 4.1.2, XSS is possible in the collapse data-parent attribute.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.zip: bootstrap.jar We are in the process of migrating required functions into a custom framework.

CVSSv3:

- MEDIUM (6.1)
- CVSS:/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2018-14040\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2018-14040>
- OSSIndex - https://bugzilla.redhat.com/show_bug.cgi?id=CVE-2018-14040
- OSSIndex - <https://github.com/twbs/bootstrap/issues/26423>
- OSSIndex - <https://github.com/twbs/bootstrap/issues/26625>
- OSSIndex - <https://github.com/twbs/bootstrap/pull/26630>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:bootstrap:3.4.1:*:*:*:*:*

remotegui.zip: echo2extras-app.jar

Description:

Echo2 Extras

License:

MPL 1.1: <http://www.mozilla.org/MPL/MPL-1.1.html>

LGPL 2.1: <http://www.gnu.org/licenses/lgpl-2.1.html>

GPL 2.0: <http://www.gnu.org/licenses/gpl-2.0.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-app.jar

MD5: e1ba37ba20c3021c38e362cac081d986

SHA1: 64e7748149ca2af54ee693c8e232343d64c1b966

SHA256: ad4489475b3c77aeeb62ec1c1bc211c8659b84649fdb1e72f4ee6e005b21e37b

Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	echo2extras-app	Highest
Vendor	central	groupid	com.nextapp	Highest
Vendor	file	name	echo2extras-app	High
Vendor	jar	package name	echo2	Low
Vendor	jar	package name	extras	Low
Vendor	jar	package name	nextapp	Low
Vendor	pom	artifactid	echo2extras-app	Low
Vendor	pom	developer id	tliebeck	Medium
Vendor	pom	developer name	Tod Liebeck	Medium
Vendor	pom	developer org	NextApp	Medium
Vendor	pom	groupid	com.nextapp	Highest
Vendor	pom	name	Echo2 Extras	High
Vendor	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Highest
Product	central	artifactid	echo2extras-app	Highest
Product	file	name	echo2extras-app	High
Product	jar	package name	app	Low
Product	jar	package name	echo2	Low
Product	jar	package name	extras	Low
Product	pom	artifactid	echo2extras-app	Highest
Product	pom	developer id	tliebeck	Low
Product	pom	developer name	Tod Liebeck	Low

Product	pom	developer org	NextApp	Low
Product	pom	groupid	com.nextapp	Highest
Product	pom	name	Echo2 Extras	High
Product	pom	url	http://echo.nextapp.com/site/echo2/addons/extras	Medium
Version	central	version	2.1.0	Highest
Version	pom	version	2.1.0	Highest

Related Dependencies +

- remotegui.zip: echo2extras-webcontainer.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echo2extras-webcontainer.jar
 - MD5: df488c27f775875afc2efa1ba1a14778
 - SHA1: 8b9c1d082e3baac3daea4821cd6fb56116c44c7a
 - SHA256: 50dabd57f50caf8df7d1fced59f7285d7b6179c47bf9b22aae7e7ee1d62e62c0

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2009-5135](#) suppressed

The Java XML parser in Echo before 2.1.1 and 3.x before 3.0.b6 allows remote attackers to read arbitrary files via a request containing an external entity declaration in conjunction with an entity reference, related to an XML External Entity (XXE) issue.

CWE-20 Improper Input Validation

Notes: Ignore echo2 apps, because we are using v2.1.1 which is the latest applicable. But the official libs do not have version number.

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:P/I:N/A:N

References:

- BUGTRAQ - [20090310 SEC Consult SA-20090305-0 :: NextApp Echo XML Injection Vulnerability](#)
- CONFIRM - <http://echo.nextapp.com/site/node/5742>
- EXPLOIT-DB - [8191](#)
- MISC - https://www.sec-consult.com/fxdata/seccons/prod/temedia/advisories_txt/20090305-0_echo_nextapp_xml_injection.txt
- SECUNIA - [34218](#)
- VUPEN - [ADV-2009-0653](#)
- XF - [echo2-xml-information-disclosure\(49167\)](#)

Vulnerable Software & Versions: ([show all](#))

- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:*.~*~*~*~*](#)
- ...
- [cpe:2.3:a:nextapp:echo:*.rc5:*.~*~*~*~* versions up to \(including\) 2.1.0](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha10:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha11:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha12:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha13:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha14:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha15:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha16:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha4:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha5:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha6:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha7:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha8:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:alpha9:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:beta4:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc4:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc5:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc6:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0:rc7:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.0.1:test3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta4:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:beta5:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:2.1.0:rc4:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta1:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta2:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta3:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta4:*.~*~*~*~*](#)
- [cpe:2.3:a:nextapp:echo:3.0:beta5:*.~*~*~*~*](#)

remotegui.zip: jquery.jar

Description:

WebJar for jQuery

License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

MD5: 4af65e569248d8a2411f66498d720280

SHA1: c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

SHA256: de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	http://webjars.org	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.2.4	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities −

CVE-2019-11358 (OSSINDEX) suppressed

jQuery before 3.4.0, as used in Drupal, Backdrop CMS, and other products, mishandles jQuery.extend(true, {}, ...) because of Object.prototype pollution. If an unsanitized source object contained an enumerable __proto__ property, it could extend the native Object.prototype.

Sonatype's research suggests that this CVE's details differ from those defined at NVD. See <https://ossindex.sonatype.org/vulnerability/CVE-2019-11358> for details

CWE-1321

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv2:

- Base Score: MEDIUM (6.1)
- Vector: /AV:N/AC:L/Au:C/L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2019-11358\] CWE-1321](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2019-11358>
- OSSIndex - <https://blog.jquery.com/2019/04/10/jquery-3-4-0-released/>
- OSSIndex - <https://github.com/cbeust/testng/issues/2150>
- OSSIndex - <https://github.com/jquery/jquery/pull/4333>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

CVE-2020-11023 (OSSINDEX) suppressed

In jQuery versions greater than or equal to 1.0.3 and before 3.5.0, passing HTML containing <option> elements from untrusted sources - even after sanitizing it - to one of jQuery's DOM manipulation methods (i.e. .html(), .append(), and others) may execute untrusted code. This problem is patched in jQuery 3.5.0.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: file name: remotegui.jar: jquery.min.js - We can not yet upgrade to a newer version due to dependencies. We do, however, not directly use the functionality that is being CVEd

CVSSv2:

- Base Score: MEDIUM (6.1)
- Vector: /AV:N/AC:L/Au:C/L/I:L/A:N

References:

- OSSINDEX - [\[CVE-2020-11023\] CWE-79: Improper Neutralization of Input During Web Page Generation \('Cross-site Scripting'\)](#)
- OSSIndex - <http://web.nvd.nist.gov/view/vuln/detail?vulnId=CVE-2020-11023>
- OSSIndex - <https://github.com/advisories/GHSA-jpcq-cgw6-v4j6>
- OSSIndex - <https://jquery.com/upgrade-guide/3.5/>

Vulnerable Software & Versions (OSSINDEX):

- cpe:2.3:a:org.webjars:jquery:2.2.4:*:*:*:*:*

repository.zip: milton-api.jar

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/milton-api.jar

MD5: 35d4685b67d7ba1b0271f8289e0c330b

SHA1: 1a76399457cf546d6b57bd329c2fc081edaafb11

SHA256: e2801623bbb552404a132abccdf5ee13fc49b095ae4d00cb305d363b0240d2dc

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	milton-api	High

Vendor	jar	package name	bradmcevoy	Low
Vendor	jar	package name	http	Low
Vendor	pom	artifactid	milton-api	Low
Vendor	pom	groupid	com.ettrema	Highest
Vendor	pom	name	Milton WebDav API	High
Vendor	pom	parent-artifactid	milton	Low
Product	file	name	milton-api	High
Product	jar	package name	http	Low
Product	pom	artifactid	milton-api	Highest
Product	pom	groupid	com.ettrema	Highest
Product	pom	name	Milton WebDav API	High
Product	pom	parent-artifactid	milton	Medium
Version	pom	version	1.4.2	Highest

Related Dependencies +

- repository.zip: milton-servlet.jar
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/repository.zip/milton-servlet.jar
 - MD5: 0de5d080590235652ca37493e4f08b52
 - SHA1: a447a063aa421b9dedce980ce4492d248e169fd4
 - SHA256: 105f80df12b6810b65454ea29d0d4261d3939a42d7f46ac63ac5da4c275fbdcf

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2015-7326](#) suppressed

XML External Entity (XXE) vulnerability in Milton Webdav before 2.7.0.3.

CWE-611 Improper Restriction of XML External Entity Reference ('XXE')

Notes: The Milton library is being used for WebDav from the Repository Browser. It is way older than the one with the issue, but should be removed timely.

CVSSv2:

- Base Score: HIGH (7.5)
- Vector: /AV:N/AC:L/Au:N/C:P/I:P/A:P

CVSSv3:

- CRITICAL (9.8)
- CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

References:

- BID - [77392](#)
- BUGTRAQ - [20151102 CVE-2015-7326 \(XXE vulnerability in Milton Webdav\)](#)
- CONFIRM - <https://github.com/miltonio/milton2/commit/5f81b0c48a817d4337d8b0e99ea0b4744ecd720b>
- CONFIRM - <https://github.com/miltonio/milton2/commit/b41072b>
- CONFIRM - <https://github.com/miltonio/milton2/commit/b5851c1>
- MISC - <http://packetstormsecurity.com/files/134178/Milton-Webdav-2.7.0.1-XXE-Injection.html>

Vulnerable Software & Versions:

- [cpe:2.3:a:milton:webdav:*:*:*:*:* versions up to \(including\) 2.7.0.1](#)

[CVE-2021-4236](#) suppressed

Web Sockets do not execute any AuthenticateMethod methods which may be set, leading to a nil pointer dereference if the returned UserData pointer is assumed to be non-nil, or authentication bypass. This issue only affects WebSockets with an AuthenticateMethod hook. Request handlers that do not explicitly use WebSockets are not vulnerable.

CWE-476 NULL Pointer Dereference

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample phyton project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

CVSSv3:

- CRITICAL (9.8)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

References:

- MISC - <https://github.com/ecnepsnai/web/commit/5a78f8d5c41ce60dcf9f61aaf47a7a8dc3e0002f>
- MISC - <https://pkg.go.dev/vuln/GO-2021-0107>

Vulnerable Software & Versions:

- [cpe:2.3:a:web_project:web:*:*:*:*:*go:* versions from \(including\) 1.4.0; versions up to \(excluding\) 1.5.2](#)

taskplanner.zip: cron-utils.jar

Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

MD5: 4c27537eccc6fa37ed5740b5383643c8

SHA1: 5d3738bc7a2eaa45a94a76c6e87af54a95414637

SHA256: 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Vendor	pom	artifactid	cron-utils	Low
Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	Manifest	require-capability	osgi.ee;filter:="(&(osgi.ee=JavaSE)(version=1.8))"	Low
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High

Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2021-4277](#) suppressed

A vulnerability, which was classified as problematic, has been found in fredsmith utils. This issue affects some unknown processing of the file screenshot_sync of the component Filename Handler. The manipulation leads to predictable from observable state. The name of the patch is dbab1b66955eeb3d76b34612b358307f5c4e3944. It is recommended to apply a patch to fix this issue. The identifier VDB-216749 was assigned to this vulnerability.

CWE-330 Use of Insufficiently Random Values

Notes: false positives, no end date CVE-2008-7271 - This is for the eclipse ide and not for any library from eclipse. CVE-2010-4647 - This is for the eclipse ide and not for any library from eclipse. CVE-2019-10799 - This is for the project compile-sass and not the used sass-compiler. CVE-2021-4236 - This is for a go project, match on every lib with 'web' in the name CVE-2021-4277 - This is for a utils project from fredsmith, match on every lib with 'utils' in the name CVE-2022-31548 - This is stupid CVE for a sample phyton project. CVE-2022-45688 - This is for hutool-json, matched on every component with 'json' in the name CVE-2023-4218 - This is for the eclipse ide and not for any library from eclipse. CVE-2023-5072 - This is for JSON-java, matched on every component with 'json' in the name CVE-2023-35116 - DISPUTED CVE-2023-36052 - This is for Azure CLI and not for com.azure:azure-core.

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:N/A:N

References:

- MISC - <https://github.com/fredsmith/utils/commit/dbab1b66955eeb3d76b34612b358307f5c4e3944>
- MISC - <https://vuldb.com/?id.216749>

Vulnerable Software & Versions:

- [cpe:2.3:a:utils_project:utils:*:*:*:*:* versions up to \(excluding\) 2021-05-14](#)

theme.zip: bootstrap.jar: bootstrap.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js

MD5: 894d79839facf38d9fd672bdbe57443d

SHA1: 11277f4e04cf070a350e566b053ef2215993720c

SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies



- theme.zip: bootstrap.jar: bootstrap.js.gz: bootstrap.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.js.gz/bootstrap.js
 - MD5: 894d79839facf38d9fd672bdbe57443d
 - SHA1: 11277f4e04cf070a350e566b053ef2215993720c
 - SHA256: dbd2a35e72edc7d6bde483481a912f1c38aa57fab2747d9b071d317339ee03a2

Suppressed Identifiers

- None

Suppressed Vulnerabilities



Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

theme.zip: bootstrap.jar: bootstrap.min.js

File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js

MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1

SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb

SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bootstrap	High
Product	file	name	bootstrap	High
Version	file	version	3.4.1	High

Related Dependencies +

- theme.zip: bootstrap.jar: bootstrap.min.js.gz: bootstrap.min.js
 - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/bootstrap.jar/META-INF/resources/webjars/bootstrap/3.4.1/js/bootstrap.min.js.gz/bootstrap.min.js
 - MD5: 2f34b630ffe30ba2ff2b91e3f3c322a1
 - SHA1: b16fd8226bd6bfb08e568f1b1d0a21d60247cefb
 - SHA256: 9ee2fcff6709e4d0d24b09ca0fc56aade12b4961ed9c43fd13b03248bfb57afe

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

Bootstrap before 4.0.0 is end-of-life and no longer maintained. (RETIREJS) suppressed

Bootstrap before 4.0.0 is end-of-life and no longer maintained.

Notes: file name: remotegui.zip: bootstrap.jar

Unscored:

- Severity: low

References:

- info - <https://github.com/twbs/bootstrap/issues/20631>
- retid - 72

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [NPM Public Advisories](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).