



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

## Project: project ':designer-installer'

clear-reports:designer-installer:24.4

Scan Information ([show all](#)):

- *dependency-check version:* 8.4.0
- *Report Generated On:* Tue, 21 May 2024 18:52:44 +0200
- *Dependencies Scanned:* 218 (201 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 1 ([show](#))
- ...
- *NVD CVE Checked:* 2024-05-21T18:51:11
- *NVD CVE Modified:* 2024-05-21T02:00:02

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Count	Confider
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>		0	
<a href="#">ReportViewer.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:clear_reports:24.4.239:*****</a> <a href="#">cpe:2.3:a:inetsoftware:i-net_clear_reports:24.4.239:*****</a>			0	Medium
<a href="#">adhoc.zip: adhoc.jar</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhocmodule.js</a>				0	
<a href="#">adhoc.zip: adhocClient.jar</a>				0	
<a href="#">collation.zip: collation.sample.jar</a>				0	
<a href="#">crsetupwizard.zip: crsetupwizard.jar</a>				0	

<a href="#">customformulas.zip: customformulas.sample.jar</a>				0	
<a href="#">datasource.cassandra.zip: config.jar</a>		<a href="#">pkg:maven/com.typesafe/config@1.4.3</a>		0	
<a href="#">datasource.cassandra.zip: datasource.cassandra.jar</a>				0	
<a href="#">datasource.cassandra.zip: java-driver-core.jar</a>	<a href="#">cpe:2.3:a:apache:cassandra:4.17.0:*:*:*:*:*:*</a>	<a href="#">pkg:maven/com.datastax.oss/java-driver-core@4.17.0</a>		0	Low
<a href="#">datasource.cassandra.zip: java-driver-shaded-guava.jar</a>	<a href="#">cpe:2.3:a:apache:cassandra:25.1:*:*:*:*:*</a>	<a href="#">pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1</a>		0	Low
<a href="#">datasource.cassandra.zip: native-protocol.jar</a>		<a href="#">pkg:maven/com.datastax.oss/native-protocol@1.5.1</a>		0	
<a href="#">datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:3.1.0)</a>		<a href="#">pkg:maven/org.jctools/jctools-core@3.1.0</a>		0	
<a href="#">datasource.cassandra.zip: netty-transport.jar</a>	<a href="#">cpe:2.3:a:netty:netty:4.1.108:*:*:*:*:*</a>	<a href="#">pkg:maven/io.netty/netty-transport@4.1.108.Final</a>		0	Highest
<a href="#">datasource.mongodb.zip: datasource.mongodb.jar</a>				0	
<a href="#">datasource.mongodb.zip: mongo-java-driver.jar</a>	<a href="#">cpe:2.3:a:mongodb:java_driver:3.12.14:*:*:*:*</a>	<a href="#">pkg:maven/org.mongodb/mongo-java-driver@3.12.14</a>		0	Highest
<a href="#">datasource.zip: datasource.jar</a>				0	
<a href="#">datasource.zip: datasource.jar: datasources-edit-controller.js</a>				0	
<a href="#">datasource.zip: datasource.jar: datasources-main-controller.js</a>				0	
<a href="#">datasource.zip: datasource.jar: factory.js</a>				0	
<a href="#">datasource.zip: datasource.jar: model.js</a>				0	
<a href="#">datasource.zip: datasource.jar: renderer-</a>				0	

[permissions.js](#)

[datasource.zip:](#)  
[datasource.jar: renderer.](#)  
[js](#)

0

[decoder.docx.zip:](#)  
[DocxParser.jar](#)

0

[decoder.docx.zip:](#)  
[EmfParser.jar](#)

0

[decoder.docx.zip:](#)  
[SparseBitSet.jar](#)

[cpe:2.3:a:bit\\_project:](#)  
[bit:1.3:\\*\\*\\*\\*\\*](#)

[pkg:maven/com.](#)  
[zaxxer](#)  
[/SparseBitSet@1.](#)  
[3](#)

0

Low

[decoder.docx.zip:](#)  
[commons-codec.jar](#)

[pkg:maven](#)  
[/commons-codec](#)  
[/commons-](#)  
[codec@1.16.0](#)

0

[decoder.docx.zip:](#)  
[commons-collections4.jar](#)

[cpe:2.3:a:apache:](#)  
[commons\\_collections:](#)  
[4.4:\\*\\*\\*\\*\\*](#)

[pkg:maven/org.](#)  
[apache.commons](#)  
[/commons-](#)  
[collections4@4.4](#)

0

Highest

[decoder.docx.zip:](#)  
[commons-compress.jar](#)

[cpe:2.3:a:apache:](#)  
[commons\\_compress:](#)  
[1.26.0:\\*\\*\\*\\*\\*](#)

[pkg:maven/org.](#)  
[apache.commons](#)  
[/commons-](#)  
[compress@1.](#)  
[26.0](#)

0

Highest

[decoder.docx.zip:](#)  
[commons-io.jar](#)

[cpe:2.3:a:apache:](#)  
[commons\\_io:2.11.0:\\*.:](#)  
[\\*\\*\\*\\*\\*](#)

[pkg:maven](#)  
[/commons-io](#)  
[/commons-io@2.](#)  
[11.0](#)

0

Highest

[decoder.docx.zip:](#)  
[commons-math3.jar](#)

[pkg:maven/org.](#)  
[apache.commons](#)  
[/commons-](#)  
[math3@3.6.1](#)

0

[decoder.docx.zip:](#)  
[curvesapi.jar](#)

[pkg:maven/com.](#)  
[github.virtuald](#)  
[/curvesapi@1.08](#)

0

[decoder.docx.zip:](#)  
[decoder.docx.jar](#)

0

[decoder.docx.zip: log4j-](#)  
[api.jar](#)

[cpe:2.3:a:apache:log4j:](#)  
[2.22.1:\\*\\*\\*\\*\\*](#)

[pkg:maven/org.](#)  
[apache.logging.](#)  
[log4j/log4j-](#)  
[api@2.22.1](#)

0

Highest

[decoder.docx.zip: poi.jar](#)

[cpe:2.3:a:apache:poi:](#)  
[5.2.3:\\*\\*\\*\\*\\*](#)

[pkg:maven/org.](#)  
[apache.poi](#)  
[/poi@5.2.3](#)

0

Highest

[decoder.docx.zip:](#)  
[xmlbeans.jar](#)

[cpe:2.3:a:apache:](#)  
[xmlbeans:5.2.0:\\*\\*\\*\\*\\*:](#)  
[\\*\\*](#)  
[..](#)

[pkg:maven/org.](#)  
[apache.xmlbeans](#)  
[/xmlbeans@5.2.0](#)

0

Highest

[decoder.pdf.zip:](#)  
[PDFParser.jar](#)

0

[decoder.pdf.zip: decoder.](#)  
[pdf.jar](#)

0

<a href="#">decoder.pdf.zip: jbig2.jar</a>	cpe:2.3:a:homepage_project:homepage:5.5.1:*.***.*	<a href="#">pkg:maven/de.intarsysopensource/jbig2@5.5.1</a>		0	Low
<a href="#">decoder.svg.zip: batik-anim-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-awt-util-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-bridge-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-codec-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-constants-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-css-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-dom-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-ext-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-extension-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-gui-util-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-gvt-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-i18n-inet_patched.jar</a>	<a href="#">cpe:2.3:a:inet:inet:18:*.***.*</a>			0	High
<a href="#">decoder.svg.zip: batik-parser-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-script-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-slideshow-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-svg-dom-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-svggen-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-svgpp-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-swing-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-transcoder-inet_patched.jar</a>				0	

<a href="#">decoder.svg.zip: batik-ttf2svg-inet_patched.jar</a>	<a href="#">cpe:2.3:a:inet:inet:2:*:*:*.*.*.*.*</a>			0	High
<a href="#">decoder.svg.zip: batik-util-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-xml-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: decoder.svg.jar</a>				0	
<a href="#">decoder.svg.zip: jsvg.jar</a>		<a href="#">pkg:maven/com.github.weisj/jsvg@1.3.0</a>		0	
<a href="#">decoder.svg.zip: xml-apis-ext.jar</a>		<a href="#">pkg:maven/xml-apis/xml-apis-ext@1.3.04</a>		0	
<a href="#">decoder.svg.zip: xmlgraphics-commons.jar</a>	<a href="#">cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*.*</a>	<a href="#">pkg:maven/org.apache.xmlgraphics/xmlgraphics-commons@2.7</a>		0	Highest
<a href="#">designer.zip: JnlpDesigner.jar</a>				0	
<a href="#">designer.zip: SBSTutorial.jar</a>				0	
<a href="#">designer.zip: TableLayout.jar</a>				0	
<a href="#">designer.zip: adhoc.jar</a>				0	
<a href="#">designer.zip: designer.jar</a>				0	
<a href="#">designer.zip: designer.jar: app.js</a>				0	
<a href="#">designer.zip: designer.jar: opendesignerextension.js</a>				0	
<a href="#">designer.zip: designer.jar: remotedesigner.js</a>				0	
<a href="#">designer.zip: inetswingcore.jar</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>				0	

<a href="#">reporting.jar: server-datasource.js</a>					
<a href="#">enginefactory.zip: enginefactory.sample.jar</a>				0	
<a href="#">facturx.zip: Saxon-HE.jar</a>	<a href="#">cpe:2.3:a:kay_framework_project:kay_framework:12.4:*:*:*:*:*</a>	<a href="#">pkg:maven/net.sf.saxon/Saxon-HE@12.4</a>		0	Low
<a href="#">facturx.zip: facturx.jar</a>				0	
<a href="#">facturx.zip: istack-commons-runtime.jar</a>		<a href="#">pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0</a>		0	
<a href="#">facturx.zip: jakarta.activation-api.jar</a>		<a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2</a>		0	
<a href="#">facturx.zip: jakarta.xml.bind-api.jar</a>		<a href="#">pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.1</a>		0	
<a href="#">facturx.zip: jaxb-core.jar</a>	<a href="#">cpe:2.3:a:eclipse:glassfish:4.0.4:*:*:*:*:*</a>	<a href="#">pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.4</a>		0	Highest
<a href="#">facturx.zip: ph-collection.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-collection@11.1.3</a>		0	
<a href="#">facturx.zip: ph-commons.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-commons@11.1.3</a>		0	
<a href="#">facturx.zip: ph-jaxb.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-jaxb@11.1.3</a>		0	
<a href="#">facturx.zip: ph-schematron-api.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-api@7.1.3</a>		0	
<a href="#">facturx.zip: ph-schematron-pure.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-pure@7.1.3</a>		0	
<a href="#">facturx.zip: ph-schematron-schxslt.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-schxslt@7.1.3</a>		0	
<a href="#">facturx.zip: ph-schematron-validator.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-</a>		0	

		<a href="#">schematron-validator@7.1.3</a>			
<a href="#">facturx.zip: ph-schematron-xslt.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-xslt@7.1.3</a>		0	
<a href="#">facturx.zip: ph-xml.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-xml@11.1.3</a>		0	
<a href="#">facturx.zip: ph-xsds-xml.jar</a>		<a href="#">pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0</a>		0	
<a href="#">facturx.zip: txw2.jar</a>	<a href="#">cpe:2.3:a:eclipse:glassfish:4.0.4:*:*:*:*:*:*</a>	<a href="#">pkg:maven/org.glassfish.jaxb/txw2@4.0.4</a>		0	Highest
<a href="#">facturx.zip: xmlresolver.jar</a>		<a href="#">pkg:maven/org.xmlresolver/xmlresolver@5.2.2</a>		0	
<a href="#">hamcrest-2.2.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@2.2</a>		0	
<a href="#">htmlviewer.printpdf.zip: extension.js</a>				0	
<a href="#">htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar</a>				0	
<a href="#">htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js</a>				0	
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar</a>				0	
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js</a>				0	
<a href="#">htmlviewerextension.zip: extension.js</a>				0	
<a href="#">htmlviewerextension.zip: htmlviewerextension.sample.jar</a>				0	
<a href="#">htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js</a>				0	
<a href="#">inetcore-24.4-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@24.4</a>		0	
<a href="#">inetcore-24.4.jar (shaded: com.inet.shared/inetcore:null)</a>				0	
<a href="#">inetcore-24.4.jar</a>		<a href="#">pkg:maven/shared</a>		0	

[/inetcore@24.4](#)

<a href="#">java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse:platform:21.0.3:*:*:*:*:*.*.*</a>			0	Medium
<a href="#">jlessc-1.12.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.12</a>		0	
<a href="#">junit-4.13.2.jar</a>	<a href="#">cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*.*</a>	<a href="#">pkg:maven/junit/junit@4.13.2</a>		0	Low
<a href="#">junit-jupiter-5.10.1.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1</a>		0	
<a href="#">junit-jupiter-api-5.10.1.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.1</a>		0	
<a href="#">junit-jupiter-engine-5.10.1.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.1</a>		0	
<a href="#">junit-jupiter-params-5.10.1.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.1</a>		0	
<a href="#">junit-platform-commons-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.10.1</a>		0	Low
<a href="#">junit-platform-engine-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.10.1</a>		0	Low
<a href="#">junit-platform-launcher-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.10.1</a>		0	Low
<a href="#">junit-platform-suite-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.10.1</a>		0	Low
<a href="#">junit-platform-suite-api-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.1</a>		0	Low
<a href="#">junit-platform-suite-commons-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.1</a>		0	Low
<a href="#">junit-platform-suite-engine-1.10.1.jar</a>	<a href="#">cpe:2.3:a:fan_platform_project:fan_platform:1.10.1:*:*:*:*.*</a>	<a href="#">pkg:maven/org.junit.platform/junit.platform</a>		0	Low



[/junit-platform-suite-engine@1.10.1](#)

<a href="#">junit-vintage-engine-5.10.1.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:5.10.1:*:*:*.*.*.*.*	<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.1</a>		0	Low
<a href="#">maintenance.reporting.zip: maintenance.reporting.jar</a>				0	
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>		0	
<a href="#">pdfviewer.zip: pdfjs-dist.jar</a>		<a href="#">pkg:maven/org.webjars.npm/pdfjs-dist@4.2.67</a>		0	
<a href="#">pdfviewer.zip: pdfjs-dist.jar: package.json</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.jar</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js</a>				0	
<a href="#">processbridge.reporting.zip: processbridge.reporting.jar</a>				0	
<a href="#">promptdialog.zip: promptdialog.jar</a>				0	
<a href="#">promptdialog.zip: promptdialog.jar: promptcontroller.js</a>				0	
<a href="#">promptdialog.zip: promptdialog.jar: promptcustomrenderer.js</a>				0	
<a href="#">promptdialog.zip: promptdialog.jar: promptfactory.js</a>				0	
<a href="#">promptdialog.zip: promptdialog.jar: promptpanel.js</a>				0	
<a href="#">promptdialog.zip: promptdialog.jar: promptrenderer.js</a>				0	
<a href="#">propertieschecker.zip:</a>				0	

[propertieschecker.  
sample.jar](#)

[remoteprinting.zip:  
remoteprinting.jar](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
RemotePrintingRenderer.  
js](#)

0

[remoteprinting.zip:  
remoteprinting.jar: app.js](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
htmlviewer.js](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
pdfviewer.angular.js](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
remoteprinting.factory.js](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
remoteprinting.js](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
remoteprinting.model.js](#)

0

[remoteprinting.zip:  
remoteprinting.jar:  
remoteprinting.renderer.  
js](#)

0

[reporting.zip: jcommon.  
jar](#)

[pkg:maven/org.  
jfree  
/jcommon@1.  
0.24](#)

0

[reporting.zip:  
jfreechartCC.jar](#)

0

[reporting.zip: reporting-  
javadoc.jar](#)

0

[reporting.zip: reporting-  
javadoc.jar: jquery-3.6.1.  
min.js](#)

0

[reporting.zip: reporting-  
javadoc.jar: jquery-ui.  
min.js](#)

[pkg:javascript  
/jquery-ui@1.13.1](#)

0

[reporting.zip: reporting-  
javadoc.jar: member-  
search-index.js](#)

0

[reporting.zip: reporting-  
javadoc.jar: module-  
search-index.js](#)

0

[reporting.zip: reporting-  
javadoc.jar: package-  
search-index.js](#)

0

<a href="#">reporting.zip: reporting-javadoc.jar: script.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: search.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: tag-search-index.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>				0	
<a href="#">reporting.zip: reporting.jar</a>				0	
<a href="#">reporting.zip: reporting.jar: events.js</a>				0	
<a href="#">reporting.zip: reporting.jar: export.js</a>				0	
<a href="#">reporting.zip: reporting.jar: functions.js</a>				0	
<a href="#">reporting.zip: reporting.jar: generator.js</a>				0	
<a href="#">reporting.zip: reporting.jar: grouptree.js</a>				0	
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>				0	
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>				0	
<a href="#">reporting.zip: reporting.jar: menubar.js</a>				0	
<a href="#">reporting.zip: reporting.jar: page.js</a>				0	
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>				0	
<a href="#">reporting.zip: reporting.jar: popup.js</a>				0	
<a href="#">reporting.zip: reporting.jar: print.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prompts.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>				0	
<a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>				0	

<a href="#">reporting.zip: reporting.jar: reorder.js</a>				0	
<a href="#">reporting.zip: reporting.jar: script.js</a>				0	
<a href="#">reporting.zip: reporting.jar: search.js</a>				0	
<a href="#">reporting.zip: reporting.jar: serverping.js</a>				0	
<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>				0	
<a href="#">reporting.zip: reporting.jar: tabbar.js</a>				0	
<a href="#">sampledatabase.zip: sampledatabase.jar</a>				0	
<a href="#">sampledatabase.zip: smallsql.jar</a>				0	
<a href="#">samplereports.zip: samplereports.jar</a>				0	
<a href="#">sessiondatasource.zip: sessiondatasource.sample.jar</a>				0	
<a href="#">slf4j-api-2.0.11.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.11</a>		0	
<a href="#">statistics.reporting.zip: statistics.reporting.jar</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar:</a>				0	

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0

/a6d457a3b6469de885ef03655d1216936ef43f1b/Merlia-0.jar

**MD5:** 0cd5423a663f69dd7875b0c82304cc3b

**SHA1:** a6d457a3b6469de885ef03655d1216936ef43f1b

**SHA256:** 08cbc9ffcc7c98eb772c900ec406f6be93f48ccc819c22ef8522bbc45b326057

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13	Medium

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

### ReportViewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/ReportViewer.jar

**MD5:** 1bff2bf948573caf754702fc2523f842

**SHA1:** a266e75e76e9948b30a1e2572cf01f9a2ab2297e  
**SHA256:**06a671c1b41a1cfa8c37653e32345a2c488c0353c47204f445f753e8461c7a92  
**Referenced In Project/Scope:** designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2024-05-21 18:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2024-05-21 18:10	Low
Product	Manifest	codebase	*	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

### Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:24.4.239:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Medium*)
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:24.4.239:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Medium*)

### adhoc.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar  
**MD5:** ec6fafe9021cae3d8a0094725041a5a5  
**SHA1:** c31dc65124623954fc51d692fa8233e125b8c0e6  
**SHA256:** 3ffc216498ef9e310b9a5d5135e4c828fe61b2bc7ba6717aaec9e280e96a033a  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-05-21 18:34	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-05-21 18:34	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.4.239	High

### Identifiers

- None

### adhoc.zip: adhoc.jar: adhocmodule.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js

**MD5:** e3ba97da1119b592c496af42ffcf21f5

**SHA1:** 5ea07dccea534e3fb002c2a73a56348dfb0c7865

**SHA256:**9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- designer.zip: adhoc.jar: adhocmodule.js



- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/adhoc.jar/com/inet/remote/gui/modules/adhoc/adhocmodule.js
- MD5: e3ba97da1119b592c496af42ffcf21f5
- SHA1: 5ea07dccea534e3fb002c2a73a56348dfb0c7865
- SHA256: 9d9098877dca876c869511dcee7afdf7693d67b0af234d0a3938da6a15884764

Identifiers

- None

adhoc.zip: adhocClient.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhocClient.jar  
**MD5:** f99f4588a34a6cdfdc3fca53dd17595b  
**SHA1:** 4738e324bf6afd34c6496243462ae5249ddd3a43  
**SHA256:** 3f92b2829f4e383439379634e6e8e91a8f6ebe6ac1bf72a1b7abaa12372b5065  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhocClient	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low

Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhocClient	High
Product	jar	package name	adhoc	Low
Product	jar	package name	client	Low
Product	jar	package name	page	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhocClient	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	adhocClient	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

#### Related Dependencies



- designer.zip: adhocClient.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/adhocClient.jar
  - MD5: f99f4588a34a6cdfdc3fca53dd17595b
  - SHA1: 4738e324bf6afd34c6496243462ae5249ddd3a43
  - SHA256: 3f92b2829f4e383439379634e6e8e91a8f6ebe6ac1bf72a1b7abaa12372b5065

#### Identifiers

- None

collation.zip: collation.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/collation.zip/collation.sample.jar  
**MD5:** c6f0b4b593c519e9f66a07613cd9219f  
**SHA1:** 7381080b03073ba03c8c5ec4703d373d413771f7  
**SHA256:**e53d4f4ffded342278ad0f1d8183faed6207e6c91b285f12ef3049f90dd61f67  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation	High
Product	Manifest	specification-title	collation	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

**crsetupwizard.zip: crsetupwizard.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/crsetupwizard.zip/crsetupwizard.jar  
**MD5:** 1899160aeed708eca58b2ff8c9ed7a89  
**SHA1:** a53a0df4d56961b297cb57abcb6c0a354f08d3ad  
**SHA256:** 2751d85936f1734d0fcb8fc9f4fbff810238c0f822acf1983686bca48d47715b  
**Referenced In Project/Scope:** designer-installer

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2024-05-21 18:41	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2024-05-21 18:41	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

customformulas.zip: customformulas.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/customformulas.zip/customformulas.sample.jar  
**MD5:** ece718e11fb5e88b5a50cc244f09e741  
**SHA1:** db08f43b789d4f59cd166fdd6cfb92b3d411bfab  
**SHA256:** caa0109a8ec158c3d93b8e58488f53c6549970c627187d156047e4096ebac3ce  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas	High
Product	Manifest	specification-title	customformulas	Medium
Version	Manifest	Implementation-Version	24.4.239	High

## Identifiers

- None

## datasource.cassandra.zip: config.jar

### Description:

configuration library for JVM languages using HOCON files

### License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/config.jar

**MD5:** 1c5702a33999ed337c9b256a4d68eee7

**SHA1:** b57e0fbdc7270d8ea59c1ba367457a5cc7ba0e98

**SHA256:** 8ada4c185ce72416712d63e0b5afdc5f009c0cdf405e5f26efecdf156aa5dfb6

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	config	Highest
Vendor	central	groupid	com.typesafe	Highest
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	<a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a>	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium

Vendor	Manifest	specification-vendor	com.typesafe	Low
Vendor	pom	artifactid	config	Low
Vendor	pom	developer email	@havocp	Low
Vendor	pom	developer id	havocp	Medium
Vendor	pom	developer name	Havoc Pennington	Medium
Vendor	pom	groupid	com.typesafe	Highest
Vendor	pom	name	config	High
Vendor	pom	organization name	com.typesafe	High
Vendor	pom	organization url	lightbend/config	Medium
Vendor	pom	url	lightbend/config	Highest
Product	central	artifactid	config	Highest
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	<a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a>	Low
Product	Manifest	specification-title	config	Medium
Product	pom	artifactid	config	Highest
Product	pom	developer email	@havocp	Low
Product	pom	developer id	havocp	Low
Product	pom	developer name	Havoc Pennington	Low
Product	pom	groupid	com.typesafe	Highest
Product	pom	name	config	High
Product	pom	organization name	com.typesafe	Low
Product	pom	url	lightbend/config	High
Version	central	version	1.4.3	Highest
Version	Manifest	Bundle-Version	1.4.3	High

Version	Manifest	Implementation-Version	1.4.3	High
Version	pom	version	1.4.3	Highest

#### Identifiers

- <pkg:maven/com.typesafe/config@1.4.3> (*Confidence*:High)

### datasource.cassandra.zip: datasource.cassandra.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/datasource.cassandra.jar

**MD5:** 90b8ac205d88dfd86ecbc85dcadba659

**SHA1:** c4f43cbb12f115811522d1f82daac2d3615a4d01

**SHA256:** 1addba36a379a9ba61e3bc105955a373874223c0ed60e7ed9c298e49ed34c509

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:36	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:36	Low



Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### datasource.cassandra.zip: java-driver-core.jar

#### Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

#### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-core.jar

**MD5:** 22ea44c19ec6538456500a991e61ecfb

**SHA1:** 3d619c4ecb214ac091006ff06ab32198a260f977

**SHA256:** 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High

Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

#### Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:cassandra:4.17.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## datasource.cassandra.zip: java-driver-shaded-guava.jar

### Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

**MD5:** b7b9ffdbca6117c0aaa13787da02f96d

**SHA1:** 522771d14d6b7dba67056a39db33f205ffbed6a4

**SHA256:** 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

## Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) ( *Confidence:High* )
- [cpe:2.3:a:apache:cassandra:25.1:\\*:\\*:\\*:\\*:\\*](#) ( *Confidence:Low* ) suppress

## datasource.cassandra.zip: native-protocol.jar

### Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/native-protocol.jar

**MD5:** 3c4bf24fd592b01cff5234428080230d

**SHA1:** 97e812373a5fe7667384e7ad67819d2c71878bf8

**SHA256:** 955120805ddadd0771b36124679e337a20959c5639bc5de82bb8bce96b10441e

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest

Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.1	High
Version	pom	version	1.5.1	Highest

#### Identifiers

- [pkg:maven/com.datastax.oss/native-protocol@1.5.1](https://pkg:maven/com.datastax.oss/native-protocol@1.5.1) (*Confidence:High*)

### datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:3.1.0)

#### Description:

Java Concurrency Tools Core Library

#### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

**MD5:** 08e7326c64d7fd6ae4ea32e7eb4e5b79

**SHA1:** 9deceaba814dea198202b04fe0eec0d2dbf69ea9

**SHA256:** acaf1b4c366f6794a734288a2c003f16af90a9c479cf4d7daade689764e4fb47

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	3.1.0	Highest

#### Identifiers

- [pkg:maven/org.jctools/jctools-core@3.1.0](https://maven.org/jctools/jctools-core@3.1.0) (Confidence:High)

## datasource.cassandra.zip: netty-transport.jar

#### Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-transport.jar

**MD5:** 2652cb32f2ea1ca005263f208c313049

**SHA1:** 1fd80f714c85ca685a80f32e0a4e8fd3b866e310

**SHA256:** fef2ec66fe01aa89734db40f292676719da3985786512fc31a9efe1ca4d2e0ff

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	automatic-module-name	io.netty.transport	Medium

Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	automatic-module-name	io.netty.transport	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.1.108.Final	High
Version	Manifest	Implementation-Version	4.1.108.Final	High
Version	pom	version	4.1.108.Final	Highest

## Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-buffer.jar
  - MD5: 355652dfc11e1f6a48a8337159d278a6
  - SHA1: 2a9d06026ed251705e6ab52fa6ebe5f4f15aab7a
  - SHA256: 348e3ff64c7129ca661bc09d4bdda09c824474cfd1f5918368bdc56f5ee17f79
  - [pkg:maven/io.netty/netty-buffer@4.1.108.Final](#)
- datasource.cassandra.zip: netty-codec.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec.jar
  - MD5: 4ad00387b70092ed8c0a205e09daf5e9
  - SHA1: c2ef6018eecde345fcddb96e31f651df16dca4c2
  - SHA256: 32c220dea93756fba28f9302481bc657738cc40d07440daa985a2ba21df226f1
  - [pkg:maven/io.netty/netty-codec@4.1.108.Final](#)
- datasource.cassandra.zip: netty-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar
  - MD5: 50fb16ab1857af783d10d1467f2bb9f2
  - SHA1: 30617b39cc6f850ca3807459fe726fbc63989f2
  - SHA256: 8e3649fc6bab84a88ad47af82e38f9c36ab3725de478632c8a59e4bd74d16e08
  - [pkg:maven/io.netty/netty-common@4.1.108.Final](#)
- datasource.cassandra.zip: netty-handler.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-handler.jar
  - MD5: 780fc1969abc323037049a5a7fd58c78
  - SHA1: d186a0be320e6a139c42d9b018596ef9d4a0b4ca
  - SHA256: 55b2458011527d94abc868086afd039cd00cc3a547e7322569e0fb4f906d9d80
  - [pkg:maven/io.netty/netty-handler@4.1.108.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-resolver.jar
  - MD5: 988d8f9f9f6590bf22098fda11165367
  - SHA1: f3085568e45c2ca74118118f792d0d55968aeb13
  - SHA256: 55279fdcf6c0e1819b6561cc70b0eb2de1b1cf1ef5635fc46334d7e06faa9dd9
  - [pkg:maven/io.netty/netty-resolver@4.1.108.Final](#)

## Identifiers

- [pkg:maven/io.netty/netty-transport@4.1.108.Final](#) (Confidence:High)
- [cpe:2.3:a:netty:netty:4.1.108:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress

## datasource.mongodb.zip: datasource.mongodb.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip  
/datasource.mongodb.jar

**MD5:** 6856ff379d1e21e7c0fd80d5f06b7dd9



**SHA1:** 0fbe6a9690f528b8719ddc5b9c3f43f1541ced32  
**SHA256:**8ea1ac40c771067965dadae820c6ac614db5e4bb7a183d9fc4f9c0db9b1f9a7b  
**Referenced In Project/Scope:** designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:36	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:36	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

## Description:

This artifact is no longer maintained / updated by MongoDB.

For the most up-to-date version of the Java Driver, please refer to the mongodb-driver-sync artifact.

To use the legacy API, please refer to the mongodb-driver-legacy artifact.

## License:

The Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/mongo-java-driver.jar

**MD5:** b507109fd6a0b6ead4972e9554f09fc4

**SHA1:** 850383a126cdc5b363fa9ffc780037f6ebee704

**SHA256:** 7e6b2b9bbf24859db4bc00dd647090e21fe02e1fee9e8566918649d8356dfa3f

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	mongo-java-driver	Highest
Vendor	central	groupid	org.mongodb	Highest
Vendor	file	name	mongo-java-driver	High
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Vendor	pom	artifactid	mongo-java-driver	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	MongoDB	Medium
Vendor	pom	groupid	org.mongodb	Highest
Vendor	pom	name	MongoDB Java Driver (unmaintained)	High
Vendor	pom	url	<a href="http://www.mongodb.org">http://www.mongodb.org</a>	Highest
Product	central	artifactid	mongo-java-driver	Highest
Product	file	name	mongo-java-driver	High
Product	jar	package name	mongo	Highest
Product	jar	package name	mongodb	Highest
Product	Manifest	Bundle-Name	mongo-java-driver	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.mongo-java-driver	Medium
Product	pom	artifactid	mongo-java-driver	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	MongoDB	Low

Product	pom	groupid	org.mongodb	Highest
Product	pom	name	MongoDB Java Driver (unmaintained)	High
Product	pom	url	http://www.mongodb.org	Medium
Version	central	version	3.12.14	Highest
Version	Manifest	build-version	3.12.14	Medium
Version	Manifest	Bundle-Version	3.12.14	High
Version	pom	version	3.12.14	Highest

### Identifiers

- [pkg:maven/org.mongodb/mongo-java-driver@3.12.14](#) (Confidence:High)
- [cpe:2.3:a:mongodb:java\\_driver:3.12.14:\\*.~\\*~\\*~\\*~\\*~\\*~\\*~\\*~\\*~\\*](#) (Confidence:Highest)

suppress

### datasource.zip: datasource.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar

**MD5:** d3580e8dd33d805ec186b2ad1e869a1a

**SHA1:** 0097dd63ee7617f979f65a7bd1d1792ddb7e5af3

**SHA256:**d54f9d7fabf5c6f6ca956e2c4003058f16545a7726ccc68638e27025f007346b

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-edit-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

**MD5:** 460e29948d2793d2dc39dfd89c0058be

**SHA1:** 581ea6bb157bef0d160e6ded782dac3dd2b729b1

**SHA256:** e7606a5c8a1935575ce3fee61fbeac51bbf2890c9c6bfb5bda5517af762ac151

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-main-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js  
**MD5:** 00abdd799b2069f1cbc5520a8c4afea3  
**SHA1:** 094097eb0c0067a1e7b7b47a6da82693e3dd90b5  
**SHA256:** 40528ddb0dbc7ed3622e9e8eeb60c46de32b46d7ae5d65c87b59972fab74880f  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js  
**MD5:** ff59c4c2beaeda2e97fce9fd37845d2d  
**SHA1:** d2cd9e3e2ea2b5c88f649c79651e1f08cd98780b  
**SHA256:** b290f73f3577c1369549707c127f041cd42a969c21eaea023106ed013a3e3f8a  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js  
**MD5:** 2e4e31cce671768a6582e295151db12c  
**SHA1:** 335bfd88e6e12b315385f8566c3fb00107a2a461  
**SHA256:** 3fb0c8696d30bdc390428647a939582455ab5b83a2f8a01e09013e7521f883ce  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## datasource.zip: datasource.jar: renderer-permissions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

**MD5:** 9d1d72d60966148d1bec25c3a0a4621f

**SHA1:** 2cc1ebb4288911395560cc038d18e2b0bbd335c4

**SHA256:** 6c7bfa9944c8c9ac0c40fe220836a3e7c7454f8d4516a17e985085015ec88080

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## datasource.zip: datasource.jar: renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

**MD5:** f32d6382e368fcbc52848e8239bb4615

**SHA1:** 4ffd69eabd14bef8a792515fd927e96e46c57aa7

**SHA256:** ad806dd66480f7929ba9c31b1cd29252fd3f74a658d6fec9c7deec41ac82a232

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

decoder.docx.zip: DocxParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/DocxParser.jar  
**MD5:** b6ac7be41e731465286fd5f4f37e08f8  
**SHA1:** 350591831e425b5cfce18c9c50dbb82a79987226  
**SHA256:**2ea739ba1c2dad5cfd26b90ee4f336624147b83522acdea827b40697d4732e50  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	DocxParser	High
Vendor	jar	package name	docx	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-05-21 17:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	DocxParser	High
Product	jar	package name	docx	Low
Product	Manifest	application-library-	*	Low

		allowable-codebase		
Product	Manifest	built-date	2024-05-21 17:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	DocxParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	DocxParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### decoder.docx.zip: EmfParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/EmfParser.jar  
**MD5:** 0c9fd17e1b65ce2bc11a76735a73515d  
**SHA1:** 3c53a98bf338fefe0761836f58a54d66295f8748  
**SHA256:**c28e663f1a7a757368890ac97bed53a11caa500d3a165619239d77f5754119de  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	EmfParser	High
Vendor	jar	package name	emf	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	records	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-05-21 17:13	Low
Vendor	Manifest	codebase	*	Low



Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	EmfParser	High
Product	jar	package name	emf	Low
Product	jar	package name	records	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 17:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	EmfParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	EmfParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

**decoder.docx.zip: SparseBitSet.jar**

**Description:**

## An efficient sparse bitset implementation for Java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/SparseBitSet.jar

**MD5:** fbe27bb4c05e8719b7fff5aa71a57364

**SHA1:** 533eac055afe3d5f614ea95e333afd6c2bde8f26

**SHA256:** f76b85adb0c00721ae267b7cfde4da7f71d3121cc2160c9fc00c0c89f8c53c8a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SparseBitSet	High
Vendor	jar	package name	sparsebitset	Highest
Vendor	jar	package name	zaxxer	Highest
Vendor	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	pom	artifactid	SparseBitSet	Low
Vendor	pom	developer email	brett.wooldridge@gmail.com	Low
Vendor	pom	developer name	Brett Wooldridge	Medium
Vendor	pom	groupid	com.zaxxer	Highest
Vendor	pom	name	SparseBitSet	High
Vendor	pom	organization name	Zaxxer.com	High
Vendor	pom	organization url	brettwooldridge/SparseBitSet	Medium
Vendor	pom	url	brettwooldridge/SparseBitSet	Highest
Product	file	name	SparseBitSet	High
Product	jar	package name	sparsebitset	Highest
Product	jar	package name	zaxxer	Highest
Product	Manifest	automatic-module-name	com.zaxxer.sparsebitset	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	pom	artifactid	SparseBitSet	Highest
Product	pom	developer email	brett.wooldridge@gmail.com	Low
Product	pom	developer name	Brett Wooldridge	Low
Product	pom	groupid	com.zaxxer	Highest
Product	pom	name	SparseBitSet	High
Product	pom	organization	Zaxxer.com	Low

		name		
Product	pom	url	brettwooldridge/SparseBitSet	High
Version	pom	version	1.3	Highest

#### Identifiers

- [pkg:maven/com.zaxxer/SparseBitSet@1.3](#) (*Confidence:High*)
- [cpe:2.3:a:bit\\_project:bit:1.3:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*) suppress

## decoder.docx.zip: commons-codec.jar

### Description:

The Apache Commons Codec package contains simple encoder and decoders for various formats such as Base64 and Hexadecimal. In addition to these widely used encoders and decoders, the codec package also maintains a collection of phonetic encoding utilities.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/commons-codec.jar

**MD5:** 6e26920fa7228891980890cce06b718c

**SHA1:** 4e3eb3d79888d76b54e28b350915b5dc3919c9de

**SHA256:** 56595fb20b0b85bc91d0d503dad50bb7f1b9afc0eed5dffa6cbb25929000484d

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-codec	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	codec	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	encoder	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-codec/">https://commons.apache.org/proper/commons-codec/</a>	Low
Vendor	Manifest	bundle-	org.apache.commons.commons-codec	Medium

		symbolicname		
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-codec	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	dgraham@apache.org	Low
Vendor	pom	developer email	dlr@finemaltcoding.com	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jon@collab.net	Low
Vendor	pom	developer email	julius@apache.org	Low
Vendor	pom	developer email	mattsicker@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	dgraham	Medium
Vendor	pom	developer id	dlr	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jon	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	mattsicker	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Daniel Rall	Medium
Vendor	pom	developer name	David Graham	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jon S. Stevens	Medium
Vendor	pom	developer name	Julius Davies	Medium

Vendor	pom	developer name	Matt Sicker	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	http://juliusdavies.ca/	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-codec	Highest
Vendor	pom	name	Apache Commons Codec	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-codec/	Highest
Product	file	name	commons-codec	High
Product	jar	package name	apache	Highest
Product	jar	package name	codec	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	encoder	Highest
Product	Manifest	automatic-module-name	org.apache.commons.codec	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-codec/	Low
Product	Manifest	Bundle-Name	Apache Commons Codec	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-codec	Medium
Product	Manifest	Implementation-Title	Apache Commons Codec	High
Product	Manifest	specification-title	Apache Commons Codec	Medium
Product	pom	artifactid	commons-codec	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	dgraham@apache.org	Low
Product	pom	developer email	dlr@finemaltcoding.com	Low
Product	pom	developer email	ggregory at apache.org	Low

Product	pom	developer email	jon@collab.net	Low
Product	pom	developer email	julius@apache.org	Low
Product	pom	developer email	mattsicker@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	dgraham	Low
Product	pom	developer id	dlr	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jon	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	mattsicker	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Daniel Rall	Low
Product	pom	developer name	David Graham	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jon S. Stevens	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Matt Sicker	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="http://juliUSDavies.ca/">http://juliUSDavies.ca/</a>	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low

Product	pom	groupid	commons-codec	Highest
Product	pom	name	Apache Commons Codec	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-codec/	Medium
Version	Manifest	Bundle-Version	1.16.0	High
Version	Manifest	Implementation-Version	1.16.0	High
Version	pom	parent-version	1.16.0	Low
Version	pom	version	1.16.0	Highest

#### Identifiers

- [pkg:maven/commons-codec/commons-codec@1.16.0](https://maven.apache.org/commons-codec/commons-codec@1.16.0) (*Confidence:High*)

## decoder.docx.zip: commons-collections4.jar

### Description:

The Apache Commons Collections package contains types that extend and augment the Java Collections Framework.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/commons-collections4.jar

**MD5:** 4a37023740719b391f10030362c86be6

**SHA1:** 62ebe7544cb7164d87e0637a2a6a2bdc981395e8

**SHA256:** 1df8b9430b5c8ed143d7815e403e33ef5371b2400aadbe9bda0883762e0846d1

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-collections4	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	collections4	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.collections4	Medium

Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Vendor	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache.commons	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-collections4	Low
Vendor	pom	developer id	adriannistor	Medium
Vendor	pom	developer id	amamment	Medium
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dlaha	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Adrian Nistor	Medium
Vendor	pom	developer name	Arun M. Thomas	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dipanjan Laha	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	James Carman	Medium



Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Morgan Delagrang	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Collections	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Highest
Product	file	name	commons-collections4	High
Product	jar	package name	apache	Highest
Product	jar	package name	collections4	Highest
Product	jar	package name	commons	Highest
Product	Manifest	automatic-module-name	org.apache.commons.collections4	Medium
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Collections	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-collections4	Medium
Product	Manifest	Implementation-Title	Apache Commons Collections	High
Product	Manifest	implementation-url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Low
Product	Manifest	specification-title	Apache Commons Collections	Medium
Product	pom	artifactid	commons-collections4	Highest
Product	pom	developer id	adriannistor	Low
Product	pom	developer id	amamment	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dlaha	Low
Product	pom	developer id	geirm	Low

Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Adrian Nistor	Low
Product	pom	developer name	Arun M. Thomas	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dipanjan Laha	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Morgan Delagrange	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Collections	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-collections/">https://commons.apache.org/proper/commons-collections/</a>	Medium
Version	Manifest	Implementation-Version	4.4	High
Version	pom	parent-version	4.4	Low
Version	pom	version	4.4	Highest

## Identifiers

- [pkg:maven/org.apache.commons/commons-collections4@4.4](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_collections:4.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## decoder.docx.zip: commons-compress.jar

### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/commons-compress.jar

**MD5:** cbc0bb8eca12b747ca21bf998d736e60

**SHA1:** 659feffdd12280201c8aacb8f7be94f9a883c824

**SHA256:** 051aceb8bbcc62d0f5b2b8ac72c53767f9c59bfd050151e65bef6f51c8ed9c9

**Referenced In Project/Scope:** designer-installer

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-	org.apache	Medium

		Vendor-Id		
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low
Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium

Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Highest
Product	file	name	commons-compress	High
Product	jar	package name	9	Highest
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low

Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Medium
Version	Manifest	Bundle-Version	1.26.0	High
Version	Manifest	Implementation-Version	1.26.0	High
Version	pom	parent-version	1.26.0	Low
Version	pom	version	1.26.0	Highest

## Identifiers

- [pkg:maven/org.apache.commons/commons-compress@1.26.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_compress:1.26.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

## decoder.docx.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/commons-io.jar

**MD5:** 3b4b7ccfaecceac240b804839ee1a1ca

**SHA1:** a2503f302b11ebde7ebc3df41daebe0e4eea3689

**SHA256:** 961b2f6d87dbacc5d54abf45ab7a6e2495f89b75598962d8c723cea9bc210908

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low

Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium
Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium



Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest
Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low

Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	gggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium

Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.11.0	High
Version	Manifest	Implementation-Version	2.11.0	High
Version	pom	parent-version	2.11.0	Low
Version	pom	version	2.11.0	Highest

#### Identifiers

- [pkg:maven/commons-io/commons-io@2.11.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.11.0:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## decoder.docx.zip: commons-math3.jar

### Description:

The Apache Commons Math project is a library of lightweight, self-contained mathematics and statistics components addressing the most common practical problems not immediately available in the Java programming language or commons-lang.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/commons-math3.jar

**MD5:** 5b730d97e4e6368069de1983937c508e

**SHA1:** e4ba98f1d4b3c80ec46392f25e094a6a2e58fcfb

**SHA256:** 1e56d7b058d28b65abd256b8458e3885b674c1d588fa43cd7d1cbb9c7ef2b308

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	commons-math3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	math3	Highest
Vendor	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium

Vendor	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b15692016-03-17 13:30:43-0400	Low
Vendor	Manifest	implementation-url	http://commons.apache.org/proper/commons-math/	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-math3	Low
Vendor	pom	developer email	achou at apache dot org	Low
Vendor	pom	developer email	billbarker at apache dot org	Low
Vendor	pom	developer email	brentworden at apache dot org	Low
Vendor	pom	developer email	celestin at apache dot org	Low
Vendor	pom	developer email	dimpbx at apache dot org	Low
Vendor	pom	developer email	erans at apache dot org	Low
Vendor	pom	developer email	evanward at apache dot org	Low
Vendor	pom	developer email	gregs at apache dot org	Low
Vendor	pom	developer email	j3322ptm at yahoo dot de	Low
Vendor	pom	developer email	luc at apache dot org	Low
Vendor	pom	developer email	mdiggory at apache dot org	Low
Vendor	pom	developer email	mikl at apache dot org	Low
Vendor	pom	developer email	oertl at apache dot org	Low
Vendor	pom	developer email	rdonkin at apache dot org	Low
Vendor	pom	developer email	tn at apache dot org	Low
Vendor	pom	developer email	tobrien at apache dot org	Low
Vendor	pom	developer id	achou	Medium
Vendor	pom	developer id	billbarker	Medium
Vendor	pom	developer id	brentworden	Medium
Vendor	pom	developer id	celestin	Medium
Vendor	pom	developer id	dimpbx	Medium
Vendor	pom	developer id	erans	Medium
Vendor	pom	developer id	evanward	Medium
Vendor	pom	developer id	gregs	Medium
Vendor	pom	developer id	luc	Medium
Vendor	pom	developer id	mdiggory	Medium
Vendor	pom	developer id	mikl	Medium

Vendor	pom	developer id	oertl	Medium
Vendor	pom	developer id	pietsch	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Albert Davidson Chou	Medium
Vendor	pom	developer name	Bill Barker	Medium
Vendor	pom	developer name	Brent Worden	Medium
Vendor	pom	developer name	Dimitri Pourbaix	Medium
Vendor	pom	developer name	Evan Ward	Medium
Vendor	pom	developer name	Gilles Sadowski	Medium
Vendor	pom	developer name	Greg Sterijevski	Medium
Vendor	pom	developer name	J. Pietschmann	Medium
Vendor	pom	developer name	Luc Maisonobe	Medium
Vendor	pom	developer name	Mark Diggory	Medium
Vendor	pom	developer name	Mikkel Meyer Andersen	Medium
Vendor	pom	developer name	Otmar Ertl	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	S&#233;bastien Brisard	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Math	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/proper/commons-math/	Highest
Product	file	name	commons-math3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	math3	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/proper/commons-math/	Low
Product	Manifest	Bundle-Name	Apache Commons Math	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.math3	Medium
Product	Manifest	implementation-build	16abfe5de688cc52fb0396e0609cb33044b156f2016-03-17 13:30:43-0400	Low

Product	Manifest	Implementation-Title	Apache Commons Math	High
Product	Manifest	implementation-url	<a href="http://commons.apache.org/proper/commons-math/">http://commons.apache.org/proper/commons-math/</a>	Low
Product	Manifest	specification-title	Apache Commons Math	Medium
Product	pom	artifactid	commons-math3	Highest
Product	pom	developer email	achou at apache dot org	Low
Product	pom	developer email	billbarker at apache dot org	Low
Product	pom	developer email	brentworden at apache dot org	Low
Product	pom	developer email	celestine at apache dot org	Low
Product	pom	developer email	dimpbx at apache dot org	Low
Product	pom	developer email	erans at apache dot org	Low
Product	pom	developer email	evanward at apache dot org	Low
Product	pom	developer email	gregs at apache dot org	Low
Product	pom	developer email	j3322ptm at yahoo dot de	Low
Product	pom	developer email	luc at apache dot org	Low
Product	pom	developer email	mdiggory at apache dot org	Low
Product	pom	developer email	mikl at apache dot org	Low
Product	pom	developer email	oertl at apache dot org	Low
Product	pom	developer email	rdonkin at apache dot org	Low
Product	pom	developer email	tn at apache dot org	Low
Product	pom	developer email	tobrien at apache dot org	Low
Product	pom	developer id	achou	Low
Product	pom	developer id	billbarker	Low
Product	pom	developer id	brentworden	Low
Product	pom	developer id	celestine	Low
Product	pom	developer id	dimpbx	Low
Product	pom	developer id	erans	Low
Product	pom	developer id	evanward	Low
Product	pom	developer id	gregs	Low
Product	pom	developer id	luc	Low
Product	pom	developer id	mdiggory	Low
Product	pom	developer id	mikl	Low
Product	pom	developer id	oertl	Low
Product	pom	developer id	pietsch	Low
Product	pom	developer id	rdonkin	Low

Product	pom	developer id	tn	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Albert Davidson Chou	Low
Product	pom	developer name	Bill Barker	Low
Product	pom	developer name	Brent Worden	Low
Product	pom	developer name	Dimitri Pourbaix	Low
Product	pom	developer name	Evan Ward	Low
Product	pom	developer name	Gilles Sadowski	Low
Product	pom	developer name	Greg Sterijevski	Low
Product	pom	developer name	J. Pietschmann	Low
Product	pom	developer name	Luc Maisonobe	Low
Product	pom	developer name	Mark Diggory	Low
Product	pom	developer name	Mikkel Meyer Andersen	Low
Product	pom	developer name	Otmar Ertl	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	S&#233;bastien Brisard	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Math	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/proper/commons-math/	Medium
Version	Manifest	Bundle-Version	3.6.1	High
Version	Manifest	Implementation-Version	3.6.1	High
Version	pom	parent-version	3.6.1	Low
Version	pom	version	3.6.1	Highest

#### Identifiers

- [pkg:maven/org.apache.commons/commons-math3@3.6.1](https://mvnrepository.com/artifact/org.apache.commons/commons-math3/3.6.1) (*Confidence*:High)

## Description:

Implementation of various mathematical curves that define themselves over a set of control points. The API is written in Java. The curves supported are: Bezier, B-Spline, Cardinal Spline, Catmull-Rom Spline, Lagrange, Natural Cubic Spline, and NURBS.

## License:

BSD License: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/curvesapi.jar

**MD5:** fc3aed90346691e7c79da06bb6606beb

**SHA1:** 3d3d36568154059825089b289dcfca481fe44e2c

**SHA256:** ad95b08b8bbf9d7d17e5e00814898fa23324f32bc5b62f1a37801e6a56ce0079

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	curvesapi	High
Vendor	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Vendor	pom	artifactid	curvesapi	Low
Vendor	pom	developer id	stormdollar	Medium
Vendor	pom	developer id	virtuald	Medium
Vendor	pom	developer name	Dustin Spicuzza	Medium
Vendor	pom	developer name	stormdollar	Medium
Vendor	pom	groupid	com.github.virtuald	Highest
Vendor	pom	name	curvesapi	High
Vendor	pom	url	virtuald/curvesapi	Highest
Product	file	name	curvesapi	High
Product	Manifest	automatic-module-name	com.github.virtuald.curvesapi	Medium
Product	pom	artifactid	curvesapi	Highest
Product	pom	developer id	stormdollar	Low
Product	pom	developer id	virtuald	Low
Product	pom	developer name	Dustin Spicuzza	Low
Product	pom	developer name	stormdollar	Low
Product	pom	groupid	com.github.virtuald	Highest
Product	pom	name	curvesapi	High
Product	pom	url	virtuald/curvesapi	High
Version	pom	version	1.08	Highest



Identifiers

- pkg:maven/com.github.virtuald/curvesapi@1.08 (Confidence:High)

decoder.docx.zip: decoder.docx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/decoder.docx.jar  
**MD5:** d620ff09c33f8c2b9e7175622f49385a  
**SHA1:** 2eec3b7aa933a9a0564ee3de7d826df6a94d3252  
**SHA256:**48ab3241d9e087595fa1bc9c71d9fa17a5b25a33b23068051648ffeb9381e90f  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.docx	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.docx	High
Product	jar	package name	docx	Highest
Product	jar	package name	docx	Low

Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.docx	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	decoder.docx	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

decoder.docx.zip: log4j-api.jar

Description:

The Apache Log4j API

License:

Apache-2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/log4j-api.jar

**MD5:** 27db0eb89ae965179480df00d8d1cf03

**SHA1:** bea6fede6328fabafd7e68363161a7ea6605abd1

**SHA256:** 5d7beae7ff15d8516d6517121d7f12a79a6ac180df64b5fcec55d5be21056e53

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	log4j-api	High

Vendor	jar	package name	apache	Highest
Vendor	jar	package name	log4j	Highest
Vendor	jar	package name	logging	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	log4j-api	Low
Vendor	pom	groupid	org.apache.logging.log4j	Highest
Vendor	pom	name	Apache Log4j API	High
Vendor	pom	parent-artifactid	log4j	Low
Product	file	name	log4j-api	High
Product	jar	package name	apache	Highest
Product	jar	package name	log4j	Highest
Product	jar	package name	logging	Highest
Product	jar	package name	org	Highest
Product	jar	package name	util	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	Bundle-Name	Apache Log4j API	Medium
Product	Manifest	bundle-symbolicname	org.apache.logging.log4j.api	Medium
Product	Manifest	Implementation-Title	Apache Log4j API	High
Product	Manifest	multi-release	true	Low

Product	Manifest	provide-capability	osgi.service;objectClass:List="org.apache.logging.log4j.util.PropertySource";effective:=active,osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register:="org.apache.logging.log4j.util.EnvironmentPropertySource",osgi.serviceloader;osgi.serviceloader="org.apache.logging.log4j.util.PropertySource";register:="org.apache.logging.log4j.util.SystemPropertiesPropertySource"	Low
Product	Manifest	specification-title	Apache Log4j API	Medium
Product	pom	artifactid	log4j-api	Highest
Product	pom	groupid	org.apache.logging.log4j	Highest
Product	pom	name	Apache Log4j API	High
Product	pom	parent-artifactid	log4j	Medium
Version	Manifest	Bundle-Version	2.22.1	High
Version	Manifest	Implementation-Version	2.22.1	High
Version	pom	version	2.22.1	Highest

#### Identifiers

- [pkg:maven/org.apache.logging.log4j/log4j-api@2.22.1](#) (*Confidence:High*)
- [cpe:2.3:a:apache:log4j:2.22.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## decoder.docx.zip: poi.jar

### Description:

Apache POI - Java API To Access Microsoft Format Files

### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/poi.jar

**MD5:** d4b21c2109d83abb8e93ba4bcfbdeb3a

**SHA1:** 2fb22ae74ad5aea6af1a9c64b9542f2ccf348604

**SHA256:** 1d4c81a283e127693db89e85df45119d9d312d5686d2439b5be9445c2c649155

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence

Vendor	central	artifactid	poi	Highest
Vendor	central	groupid	org.apache.poi	Highest
Vendor	file	name	poi	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	poi	Highest
Vendor	jar	package name	poi	Low
Vendor	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Vendor	Manifest	Implementation-Vendor	org.apache.poi	High
Vendor	Manifest	Implementation-Vendor-Id	The Apache Software Foundation	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	poi	Low
Vendor	pom	groupid	org.apache.poi	Highest
Vendor	pom	name	Apache POI - Common	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	http://www.apache.org/	Medium
Vendor	pom	url	https://poi.apache.org/	Highest
Product	central	artifactid	poi	Highest
Product	file	name	poi	High
Product	jar	package name	apache	Highest
Product	jar	package name	poi	Highest
Product	jar	package name	poi	Low
Product	Manifest	automatic-module-name	org.apache.poi.poi	Medium
Product	Manifest	Implementation-Title	Apache POI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache POI	Medium
Product	pom	artifactid	poi	Highest
Product	pom	groupid	org.apache.poi	Highest
Product	pom	name	Apache POI - Common	High
Product	pom	organization name	Apache Software Foundation	Low

Product	pom	organization url	http://www.apache.org/	Low
Product	pom	url	https://poi.apache.org/	Medium
Version	central	version	5.2.3	Highest
Version	Manifest	Implementation-Version	5.2.3	High
Version	pom	version	5.2.3	Highest

## Related Dependencies



- decoder.docx.zip: poi-ooxml-full.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/poi-ooxml-full.jar
  - MD5: 12cee970c8c7143c8d5ff643e1599bd8
  - SHA1: 339a05530a7076e8a86b88253a48a44e0144ce25
  - SHA256: 0484b712eb63a8872723cafb88004be60f47187baccacddaee12712a1ad2e7b5
  - [pkg:maven/org.apache.poi/poi-ooxml-full@5.2.3](https://maven.apache.org/poi-ooxml-full@5.2.3)
- decoder.docx.zip: poi-ooxml.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/poi-ooxml.jar
  - MD5: 4874ead60c5e3aa7fcf29d3ad351eefa
  - SHA1: 02efd11c940adb18c03eb9ce7ad88fc40ee6a196
  - SHA256: 9b8ff6ecf562836299ce15997796e3d47fe063a5956c1c7d3f6e2a4bf6e60b79
  - [pkg:maven/org.apache.poi/poi-ooxml@5.2.3](https://maven.apache.org/poi-ooxml@5.2.3)
- decoder.docx.zip: poi-scratchpad.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/poi-scratchpad.jar
  - MD5: 760ac0bcd0f4877fb57b134fc7e79fb4
  - SHA1: 2a7fce47e22b7fedb1b277347ff4fe36d6eda50d
  - SHA256: f0a98ad2a2a8c2863135357224fe8ffb2b4e7bb121d75aff59750eb671451aed
  - [pkg:maven/org.apache.poi/poi-scratchpad@5.2.3](https://maven.apache.org/poi-scratchpad@5.2.3)

## Identifiers

- [pkg:maven/org.apache.poi/poi@5.2.3](https://maven.apache.org/poi@5.2.3) (Confidence:High)
- [cpe:2.3:a:apache:poi:5.2.3:\\*:\\*:\\*:\\*](https://cpe.apache.org/cpe:2.3:a:apache:poi:5.2.3:*:*:*:*:*) (Confidence:Highest) suppress

## decoder.docx.zip: xmlbeans.jar

### Description:

XmlBeans main jar

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.docx.zip/xmlbeans.jar  
**MD5:** 723ab70862ae085e3c4018b0dd8c19f9  
**SHA1:** 6198ac997b3f234f2b5393fa415f78fac2e06510  
**SHA256:** 5a344f323c049b7024edd39bbd58a38e77eb44218aad2794879e7f4ac3ca1de1  
**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlbeans	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	xmlbeans	Highest
Vendor	Manifest	multi-release	true	Low
Vendor	manifest-org /apache /xmlbear	Implementation-Vendor	org.apache.xmlbeans	Medium
Vendor	pom	artifactid	xmlbeans	Low
Vendor	pom	developer email	user@poi.apache.org	Low
Vendor	pom	developer id	poi	Medium
Vendor	pom	developer name	POI Team	Medium
Vendor	pom	developer org	Apache POI	Medium
Vendor	pom	groupid	org.apache.xmlbeans	Highest
Vendor	pom	name	XmlBeans	High
Vendor	pom	organization name	XmlBeans	High
Vendor	pom	organization url	https://xmlbeans.apache.org/	Medium
Vendor	pom	url	https://xmlbeans.apache.org/	Highest
Product	file	name	xmlbeans	High
Product	jar	package name	apache	Highest
Product	jar	package name	org	Highest
Product	jar	package name	xmlbeans	Highest
Product	Manifest	multi-release	true	Low
Product	manifest-org /apache /xmlbear	Implementation-Title	Apache XmlBeans	Medium
Product	manifest-org /apache /xmlbear	Specification-Title	Apache XmlBeans	Medium

Product	pom	artifactid	xmlbeans	Highest
Product	pom	developer email	user@poi.apache.org	Low
Product	pom	developer id	poi	Low
Product	pom	developer name	POI Team	Low
Product	pom	developer org	Apache POI	Low
Product	pom	groupid	org.apache.xmlbeans	Highest
Product	pom	name	XmlBeans	High
Product	pom	organization name	XmlBeans	Low
Product	pom	organization url	https://xmlbeans.apache.org/	Low
Product	pom	url	https://xmlbeans.apache.org/	Medium
Version	manifest org /apache /xmlbear	Implementation-Version	5.2.0	Medium
Version	pom	version	5.2.0	Highest

#### Identifiers

- [pkg:maven/org.apache.xmlbeans/xmlbeans@5.2.0](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlbeans:5.2.0:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## decoder.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.pdf.zip/PDFParser.jar

**MD5:** ad86239335dc777d6e70e92ffb54bd03

**SHA1:** bb00436b8010c3df333c66338d6f46691ac2b25e

**SHA256:** 08ecab7b55452cc7b641a89eb7cea0d9484e2807e674b862bef01eaab014dbc1

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low



Vendor	Manifest	built-date	2024-05-21 17:13	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 17:13	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

## Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.pdf.zip/decoder.pdf.jar  
**MD5:** 3af95b41e30da2db35c943444151c6f8  
**SHA1:** b99333038e41300bc723c5a106c776adf29969ac  
**SHA256:** 7eae3a8697400d4728db3dc0f44db113c880abc008f2453aad2b55d5162d65d4  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.pdf	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.pdf	High
Product	jar	package name	encode	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.pdf	High
Product	Manifest	specification-title	decoder.pdf	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

## decoder.pdf.zip: jbig2.jar

### Description:

This implementation uses the JBIG2 decoder provider by IDR solutions (jPedal).

### License:

BSD: <http://www.opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761ccef1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jbig2	Highest
Vendor	central	groupid	de.intarsys.opensource	Highest
Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpedal	Low
Vendor	pom	artifactid	jbig2	Low
Vendor	pom	developer email	support@intarsys.de	Low
Vendor	pom	developer id	intarsys	Medium
Vendor	pom	developer name	intarsys support	Medium
Vendor	pom	groupid	de.intarsys.opensource	Highest
Vendor	pom	name	jbig2	High
Vendor	pom	organization name	intarsys consulting GmbH	High
Vendor	pom	organization url	<a href="http://www.intarsys.de">http://www.intarsys.de</a>	Medium
Vendor	pom	url	<a href="http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage">http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage</a>	Highest
Product	central	artifactid	jbig2	Highest
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Product	pom	artifactid	jbig2	Highest

Product	pom	developer email	support@intarsys.de	Low
Product	pom	developer id	intarsys	Low
Product	pom	developer name	intarsys support	Low
Product	pom	groupid	de.intarsys.opensource	Highest
Product	pom	name	jbig2	High
Product	pom	organization name	intarsys consulting GmbH	Low
Product	pom	organization url	http://www.intarsys.de	Low
Product	pom	url	http://opensource.intarsys.de/home/en/index.php?n=JPodRenderer.HomePage	Medium
Version	central	version	5.5.1	Highest
Version	pom	version	5.5.1	Highest

### Identifiers

- [pkg:maven/de.intarsys.opensource/jbig2@5.5.1](https://maven.de.intarsys.opensource/jbig2@5.5.1) (*Confidence:High*)
- cpe:2.3:a:homepage\_project:homepage:5.5.1:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## decoder.svg.zip: batik-anim-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-anim-inet\_patched.jar

**MD5:** ca9b7e3470ec4fae98f63e1176598fd8

**SHA1:** df67336085c962bf3974ae7c8e0684ede311b1c6

**SHA256:** 76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-anim-inet_patched	High
Vendor	jar	package name	anim	Low
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-anim-inet_patched	High
Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

### Identifiers

- None

## decoder.svg.zip: batik-awt-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-awt-util-inet\_patched.jar

**MD5:** 78d0f951cf21d193bb3019ced508670f

**SHA1:** 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

**SHA256:** c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeacfc218824b

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

### Identifiers

- None

## decoder.svg.zip: batik-bridge-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-bridge-inet\_patched.jar

**MD5:** cd9b26662448c977f32a01ae076153ec

**SHA1:** 69eb5e16d985e4b3e145ad2020346d9371c4112d

**SHA256:**3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

#### Identifiers

- None

### decoder.svg.zip: batik-codec-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-codec-inet\_patched.jar

**MD5:** 5e9f873b4c078f8e4129966c1db692bc

**SHA1:** 009427d5c286ce0ea63eaea73f678e6e1316d114

**SHA256:**b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-codec-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

### Identifiers

- None

## decoder.svg.zip: batik-constants-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-constants-inet\_patched.jar

**MD5:** 7ab5c8bdd3bffd8080327304340f808f

**SHA1:** 3d7521c16503666312e5ab3dda04e42040813ae8

**SHA256:** 400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low
Product	jar	package name	xmlconstants	Low

### Identifiers

- None

## decoder.svg.zip: batik-css-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-css-inet\_patched.jar

**MD5:** efe6d51256dfe90595905b466f50cb1d

**SHA1:** 59720f3521ef86920b1bee7ecad8f774b0291a00

**SHA256:**f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

#### Identifiers

- None

### decoder.svg.zip: batik-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-dom-inet\_patched.jar

**MD5:** 20ea7779e512f8c4bfa6531e062efd48

**SHA1:** 836eabda80a9a6b924aea09b9493c44e3bb413b6

**SHA256:**dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low



### Identifiers

- None

## decoder.svg.zip: batik-ext-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ext-inet\_patched.jar

**MD5:** 91711138884f8af1a08990da41b61af5

**SHA1:** 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

**SHA256:** cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

### Identifiers

- None

## decoder.svg.zip: batik-extension-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-extension-inet\_patched.jar

**MD5:** 04d7a025623894e24609572a4a95c827

**SHA1:** 254337ea5358ce3660ce8063bf576ddfcafd828c  
**SHA256:**a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

#### Identifiers

- None

### decoder.svg.zip: batik-gui-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gui-util-inet\_patched.jar

**MD5:** d4f5c11c2ef0e885edf427ba341bb43a

**SHA1:** e3d52600773e327e718226ba885ba4240d1f5708

**SHA256:**de10ba6c89374b3bbc0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low

Product	jar	package name	util	Low
---------	-----	--------------	------	-----

#### Identifiers

- None

### decoder.svg.zip: batik-gvt-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gvt-inet\_patched.jar

**MD5:** 531c7350c3df1c016703d2f26d4656f5

**SHA1:** bbbfd0825b068e7a5636505c9d3ed2c1803c1f44

**SHA256:** d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

#### Identifiers

- None

### decoder.svg.zip: batik-i18n-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-i18n-inet\_patched.jar

**MD5:** 1650351fc520b589f64f25bbb10014eb

**SHA1:** e20373bfbefb8e38c877ba55da0fd6f88b1a898c

**SHA256:** 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

#### Identifiers

- [cpe:2.3:a:inet:inet:18:\\*\\*\\*\\*.\\*.\\*.\\*](#) (Confidence:High) suppress

### decoder.svg.zip: batik-parser-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-parser-inet\_patched.jar

**MD5:** ec8662e2761223a07c1c5cd352760762

**SHA1:** c93a4fa23c50b6fc598c196bf818ae990b33c8f9

**SHA256:** ad5e96d9367b6a100f42dfef99b9e81f23bbd74d881f098eb6d448fdcf62d331

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High

Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

#### Identifiers

- None

### decoder.svg.zip: batik-script-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-script-inet\_patched.jar

**MD5:** ed9d79818286c08b981f7e735f2ebbf2

**SHA1:** fe5fbc17f4d45b81fa8c888458e48538f46dfb90

**SHA256:** defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

#### Identifiers

- None

### decoder.svg.zip: batik-slideshow-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-slideshow-inet\_patched.jar

**MD5:** 4d7ff121bc7e6740a613f240cc0777de

**SHA1:** 20d91541127828edfc0b6ee7dd0252002f87c4ea

**SHA256:** aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svg-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svg-dom-inet\_patched.jar

**MD5:** b20d5f86935e8dd59d3fb3f5708cac47

**SHA1:** 2e031b04335b7e61b0de6fedd5533037123ce81d

**SHA256:** 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low
Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

Product	jar	package name	svg	Low
---------	-----	--------------	-----	-----

#### Identifiers

- None

### decoder.svg.zip: batik-svggen-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svggen-inet\_patched.jar

**MD5:** 6d9a3465bc61d02429b4eb0c65c770e7

**SHA1:** f8c3849db028b84c4e82d0adbc54bf24b8eb67

**SHA256:** bb6afbba9cf1ac7d72abaef461aec401251cfb80690ebeb47f3371840866

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svgpp-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svgpp-inet\_patched.jar

**MD5:** 2ce45f43360285cf6e6f2f3061af1bab

**SHA1:** 521eac762ffb626752a4f606b23f9d5c934c4ec0

**SHA256:** 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

#### Identifiers

- None

### decoder.svg.zip: batik-swing-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-swing-inet\_patched.jar

**MD5:** 17abc0c5ca14b602d7ed885527fc829c

**SHA1:** 6d37ed715d5842e3754dada7a67325b654fd42bd

**SHA256:** d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low
Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low



Product	jar	package name	swing	Low
---------	-----	--------------	-------	-----

#### Identifiers

- None

### decoder.svg.zip: batik-transcoder-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-transcoder-inet\_patched.jar

**MD5:** 0cdad6039646ea411d4510d8a20507fa

**SHA1:** e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

**SHA256:**bbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

#### Identifiers

- None

### decoder.svg.zip: batik-ttf2svg-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ttf2svg-inet\_patched.jar

**MD5:** 6f0b1bf368468dc8a8227b3f401afa52

**SHA1:** ba2b2e3d95123857e71c60d49a9a221b4fc36db3

**SHA256:** 1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

#### Identifiers

- [cpe:2.3:a:inet:inet:2:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (Confidence:High) suppress

### decoder.svg.zip: batik-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-util-inet\_patched.jar

**MD5:** 183dac6411b205b38957a11d234906ca

**SHA1:** 86236e20930356d458ddd067c8c4308dc5932e56

**SHA256:** 2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low

Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

#### Identifiers

- None

### decoder.svg.zip: batik-xml-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-xml-inet\_patched.jar

**MD5:** 2ee7b66eaa72669fdbbdc1ccf5a532cf

**SHA1:** c81c9b2f41a01688c55ea47d7add3789bdc9f71d

**SHA256:** fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

#### Identifiers

- None

### decoder.svg.zip: decoder.svg.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/decoder.svg.jar

**MD5:** d6c5f33a1f45be6e87891ef88160e515

**SHA1:** d406f769cad0b550e23b1ef0240f326adb99b550  
**SHA256:**f2fca4321de9ba4943bcfe095d9456a120788d97f31829f4d3c3d9ef5385e92f  
**Referenced In Project/Scope:** designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2024-05-21 18:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

## decoder.svg.zip: jsvg.jar

### Description:

A lightweight Java2D SVG renderer

### License:

MIT: <https://github.com/jsvg/jsvg/blob/master/LICENSE>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/jsvg.jar

**MD5:** be6ca7686f4ca1320fec8b22762805a3

**SHA1:** cff25678c920dbd657bce96e9245e4fb54f852e6

**SHA256:** a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jsvg	Highest
Vendor	central	groupid	com.github.weisj	Highest
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Vendor	pom	artifactid	jsvg	Low
Vendor	pom	developer name	Jannis Weis	Medium
Vendor	pom	groupid	com.github.weisj	Highest
Vendor	pom	name	Jsvg	High
Vendor	pom	organization name	com.github.weisj	High
Vendor	pom	organization url	weisj	Medium
Vendor	pom	url	weisJ/jsvg	Highest
Product	central	artifactid	jsvg	Highest
Product	file	name	jsvg	High

Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Low
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Product	pom	artifactid	jsvg	Highest
Product	pom	developer name	Jannis Weis	Low
Product	pom	groupid	com.github.weisj	Highest
Product	pom	name	Jsvg	High
Product	pom	organization name	com.github.weisj	Low
Product	pom	url	weisj	High
Product	pom	url	weisJ/jsvg	High
Version	central	version	1.3.0	Highest
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

#### Identifiers

- [pkg:maven/com.github.weisj/jsvg@1.3.0](https://pkg:maven/com.github.weisj/jsvg@1.3.0) (*Confidence:High*)

## decoder.svg.zip: xml-apis-ext.jar

### Description:

xml-commons provides an Apache-hosted set of DOM, SAX, and JAXP interfaces for use in other xml-based projects. Our hope is that we can standardize on both a common version and packaging scheme for these critical XML standards interfaces to make the lives of both our developers and users easier. The External Components portion of xml-commons contains interfaces that are defined by external standards organizations. For DOM, that's the W3C; for SAX it's David Megginson and sax.sourceforge.net; for JAXP it's Sun.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xml-apis-ext.jar

**MD5:** bcb07d3b8d2397db7a3013b6465d347b

**SHA1:** 41a8b86b358e87f3f13cf46069721719105aff66

**SHA256:** d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	xml-apis-ext	Highest
Vendor	central	groupid	xml-apis	Highest
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest-org/w3c/css/sac/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	manifest-org/w3c/dom/smil/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	manifest-org/w3c/dom/svg/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	pom	artifactid	xml-apis-ext	Low
Vendor	pom	groupid	xml-apis	Highest
Vendor	pom	name	XML Commons External Components XML APIs Extensions	High
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Vendor	pom	url	http://xml.apache.org/commons/components/external/	Highest
Product	central	artifactid	xml-apis-ext	Highest
Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest	Implementation-	org.w3c.css.sac	Medium

	org /w3c /css /sac/	Title		
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium
Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Product	pom	artifactid	xml-apis-ext	Highest
Product	pom	groupid	xml-apis	Highest
Product	pom	name	XML Commons External Components XML APIs Extensions	High
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Product	pom	url	http://xml.apache.org/commons/components /external/	Medium
Version	central	version	1.3.04	Highest
Version	pom	parent-version	1.3.04	Low
Version	pom	version	1.3.04	Highest

#### Identifiers

- <pkg:maven/xml-apis/xml-apis-ext@1.3.04> (*Confidence:High*)



## Description:

Apache XML Graphics Commons is a library that consists of several reusable components used by Apache Batik and Apache FOP. Many of these components can easily be used separately outside the domains of SVG and XSL-FO.

## License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar

**MD5:** ec712218e2391e64672fd8ed1e9e1d71

**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

**SHA256:** 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1

**Referenced In Project/Scope:** designer-installer

## Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	xmlgraphics-commons	Highest
Vendor	central	groupid	org.apache.xmlgraphics	Highest
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation ( <a href="http://xmlgraphics.apache.org/">http://xmlgraphics.apache.org/</a> )	High
Vendor	pom	artifactid	xmlgraphics-commons	Low
Vendor	pom	groupid	org.apache.xmlgraphics	Highest
Vendor	pom	name	Apache XML Graphics Commons	High
Vendor	pom	organization name	Apache Software Foundation	High
Vendor	pom	organization url	<a href="http://www.apache.org/">http://www.apache.org/</a>	Medium
Vendor	pom	parent-artifactid	apache	Low
Vendor	pom	parent-groupid	org.apache	Medium
Vendor	pom	url	<a href="http://xmlgraphics.apache.org/commons/">http://xmlgraphics.apache.org/commons/</a>	Highest
Product	central	artifactid	xmlgraphics-commons	Highest
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-	Apache XML Graphics Commons	High

		Title		
Product	pom	artifactid	xmlgraphics-commons	Highest
Product	pom	groupid	org.apache.xmlgraphics	Highest
Product	pom	name	Apache XML Graphics Commons	High
Product	pom	organization name	Apache Software Foundation	Low
Product	pom	organization url	http://www.apache.org/	Low
Product	pom	parent-artifactid	apache	Medium
Product	pom	parent-groupid	org.apache	Medium
Product	pom	url	http://xmlgraphics.apache.org/commons/	Medium
Version	central	version	2.7	Highest
Version	Manifest	Implementation-Version	2.7	High
Version	pom	parent-version	2.7	Low
Version	pom	version	2.7	Highest

#### Identifiers

- [pkg:maven/org.apache.xmlgraphics/xmlgraphics-commons@2.7](#) (*Confidence:High*)
- [cpe:2.3:a:apache:xmlgraphics\\_commons:2.7:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

### designer.zip: JnlpDesigner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/JnlpDesigner.jar

**MD5:** 0bb091ca9ee4e1aa75b90028e1ab5ffc

**SHA1:** c17ceef221e38367e9db61b13c24d5d1471e297b

**SHA256:** a4552624bd8ca0e52c4c641da192447a76d5759e6e892c39826e3d8d19e1f9f5

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2024-05-21 18:35	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2024-05-21 18:35	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

### Identifiers

- None

## designer.zip: SBSTutorial.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/SBSTutorial.jar

**MD5:** 5e2a9290c88fe830cd909e96f5c799d9

**SHA1:** 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9

**SHA256:** b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

### Identifiers

- None

## designer.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

## Identifiers

- None

## designer.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/adhoc.jar

**MD5:** f79e2dc3d1f2eaae7a74ef097818586b

**SHA1:** ccb37a6012e7896e8eae35dd2f9c3c65822bfb3e

**SHA256:** c653274c005028c3c2b1b563036f0e8db28ee212e36439e673d7f8a872101914

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2024-05-17 12:28	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	gui	Low
Product	jar	package name	modules	Low
Product	jar	package name	remote	Low
Product	Manifest	built-date	2024-05-17 12:28	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	24.4.235	High

#### Identifiers

- None

### designer.zip: designer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar

**MD5:** cbd2c7c3d29b5c05e80cb72ba419c55b

**SHA1:** 1939d0dfcbc8295a983051a28d3a1f4321867225

**SHA256:**bfe55b21eea78e4b56877c3402eb519ed1b71df99a98f4784b62a9e7cc3b800f

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-05-21 18:34	Low
Vendor	Manifest	implementation-group	reporting	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2024-05-21 18:34	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

• None

### designer.zip: designer.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

**MD5:** bef1414c98319cd01072c0250d024d82

**SHA1:** c0d7139fe534898ee3b5ffe2cae0f9a58a59c7e5

**SHA256:**41cba0c410b230a5bbcafd6a434b03f24750ab9008a3601c2fd01dd57eb27be7

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

• None

### designer.zip: designer.jar: opendesignerextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

**MD5:** 4fdc8b5b6663572e9ecc988b9f1a5413

**SHA1:** a313ad410e16cc402c2f642c119641e40c40b2a8

**SHA256:** 26eb6a271aeea74be552f810811307cba7135f28a44fc6090b9f8781cd4a4231

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### designer.zip: designer.jar: remotedesigner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

**MD5:** f0878203858ebc63a1c907df9cf5c2e7

**SHA1:** 9e082aa6a3e0cd9ad97b0927a4c07783d16a2368

**SHA256:** b04f7fdf26e617b2c8b7762e8b08d90d3321ac3864826806d26b9b317df468da

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### designer.zip: inetswingcore.jar



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/inetswingcore.jar  
**MD5:** bb8e30cdcac19d6c2bc68e93e46928bb  
**SHA1:** 52abba3c761d9ea8f461dbf6d00f81a995e429d7  
**SHA256:** 1e50ce9241bac572f7dbf8a45f0893c96fa2bb0d8674f426191a415e3f622b22  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2024-05-21 17:13	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2024-05-21 17:13	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip  
/diagnostics.reporting.jar  
**MD5:** 9673f8d3d7f88394e6bfd35decff30d6  
**SHA1:** e240644988732470e6d7005b52fb68c0dc359a9b  
**SHA256:**b740dea2df8b150c8402e024f4a0367a0dc53d0686a240eea0329a25b803222c  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:34	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2024-05-21 18:34	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

**MD5:** a48897a6490dbe771ba000155378b29f

**SHA1:** 582d83e9cd186c3f7142961da1fb138408b096fd

**SHA256:** 3981947aa782377e2ba4287b0fb7c52ca60b303fe947f9163cfc60d0a0a80d74

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

**MD5:** a220b1b3b99ae8519bd3c7752c67c6ec

**SHA1:** 699a09bce4e56195f5301aa5b1c9289025bf15f1

**SHA256:** 2e7a8506fb5b87252937452190cc5bf5cb9a30f96d1d47e1b3a2932b0f7d8fa9

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip  
/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js  
**MD5:** dcc7cb153b98c98a9284b8355fe059f3  
**SHA1:** a2b9c989ecd08ecf852b254abb88ce4994b28e94  
**SHA256:**53d10a9c4356d0339a94952cb656230a9e2c73dbdb2501dfa68f2fa761436d71  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

enginefactory.zip: enginefactory.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/enginefactory.zip/enginefactory.sample.jar  
**MD5:** 7b925d1a3ff252616b590088122af2d0  
**SHA1:** c89e78889ea2ceb92d3a14ed713e7cf8bf26179e  
**SHA256:**fe448958590bd75893da3befe36768a5231310eea6fb799d6d5bc4209917a16d  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory	High
Product	Manifest	specification-title	enginefactory	Medium
Version	Manifest	Implementation-Version	24.4.239	High

### Identifiers

- None

## facturx.zip: Saxon-HE.jar

### Description:

The XSLT and XQuery Processor

### License:

Mozilla Public License Version 2.0: <http://www.mozilla.org/MPL/2.0/>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/Saxon-HE.jar

**MD5:** b6319126413fa812ab937cdfac1e162c

**SHA1:** b532e44a8bf4007bbce69467801778a955599c52

**SHA256:**575f8b696e3b6f9aa7a3bf01611b8bf1b84576b55ce29bc16656a53a147ef441

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	Saxon-HE	Highest
Vendor	central	groupid	net.sf.saxon	Highest
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Highest
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low

Vendor	Manifest	project-name	Saxon-HE	Medium
Vendor	pom	artifactid	Saxon-HE	Low
Vendor	pom	developer email	debbie@saxonica.com	Low
Vendor	pom	developer email	john@saxonica.com	Low
Vendor	pom	developer email	mike@saxonica.com	Low
Vendor	pom	developer email	norm@saxonica.com	Low
Vendor	pom	developer email	oneil@saxonica.com	Low
Vendor	pom	developer id	debbie	Medium
Vendor	pom	developer id	john	Medium
Vendor	pom	developer id	mike	Medium
Vendor	pom	developer id	norm	Medium
Vendor	pom	developer id	ond1	Medium
Vendor	pom	developer name	Debbie Lockett	Medium
Vendor	pom	developer name	John Lumley	Medium
Vendor	pom	developer name	Michael Kay	Medium
Vendor	pom	developer name	Norman Walsh	Medium
Vendor	pom	developer name	O'Neil Delpratt	Medium
Vendor	pom	groupid	net.sf.saxon	Highest
Vendor	pom	name	Saxon-HE	High
Vendor	pom	organization name	Saxonica	High
Vendor	pom	organization url	https://www.saxonica.com/	Medium
Vendor	pom	url	http://www.saxonica.com/	Highest
Product	central	artifactid	Saxon-HE	Highest
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Highest
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low
Product	Manifest	project-name	Saxon-HE	Medium
Product	pom	artifactid	Saxon-HE	Highest
Product	pom	developer email	debbie@saxonica.com	Low
Product	pom	developer email	john@saxonica.com	Low
Product	pom	developer email	mike@saxonica.com	Low
Product	pom	developer email	norm@saxonica.com	Low
Product	pom	developer email	oneil@saxonica.com	Low
Product	pom	developer id	debbie	Low

Product	pom	developer id	john	Low
Product	pom	developer id	mike	Low
Product	pom	developer id	norm	Low
Product	pom	developer id	ond1	Low
Product	pom	developer name	Debbie Lockett	Low
Product	pom	developer name	John Lumley	Low
Product	pom	developer name	Michael Kay	Low
Product	pom	developer name	Norman Walsh	Low
Product	pom	developer name	O'Neil Delpratt	Low
Product	pom	groupid	net.sf.saxon	Highest
Product	pom	name	Saxon-HE	High
Product	pom	organization name	Saxonica	Low
Product	pom	organization url	https://www.saxonica.com/	Low
Product	pom	url	http://www.saxonica.com/	Medium
Version	central	version	12.4	Highest
Version	pom	version	12.4	Highest

#### Identifiers

- [pkg:maven/net.sf.saxon/Saxon-HE@12.4](#) (*Confidence:High*)
- [cpe:2.3:a:kay\\_framework\\_project:kay\\_framework:12.4:\\*.\\*\\*\\*.\\*.\\*.\\*](#) (*Confidence:Low*)

suppress

### facturx.zip: facturx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/facturx.jar

**MD5:** e0c4c5ea9a02afc23a4cdff8ab1eb2b2

**SHA1:** 2e3090e0572884518007234e6bb66fac13995337

**SHA256:** bfb2194a66b36963e6b5580e206633803c8a186f6cd3a819978cd6bebbc7e4a5

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2024-05-21 18:35	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2024-05-21 18:35	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

## facturx.zip: istack-commons-runtime.jar

### Description:

istack common utility code

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/istack-commons-runtime.jar

**MD5:** 669f50fb835d86fcb3a9523a729f4d5e



**SHA1:** 131351109ff27c4aa0958a988bb273e879687232

**SHA256:**21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.common.runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.common.runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low

Version	pom	version	4.2.0	Highest
---------	-----	---------	-------	---------

## Identifiers

- <pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0> (*Confidence:High*)

## facturx.zip: jakarta.activation-api.jar

### Description:

Specification

### License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.activation-api.jar

**MD5:** 1af11450fafc7ee26c633d940286bc16

**SHA1:** 640c0d5aff45dbff1e1a1bc09673ff3a02b1ba12

**SHA256:**f53f578dd0eb4170c195a4e215c59a38abfb4123dcb95dd902fef92876499fbb

**Referenced In Project/Scope:** designer-installer

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	0750e49	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium

Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	0750e49	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.2	High
Version	pom	parent-version	2.1.2	Low
Version	pom	version	2.1.2	Highest

## Identifiers

- [pkg:maven/jakarta.activation/jakarta.activation-api@2.1.2](#) (Confidence:High)

## facturx.zip: jakarta.xml.bind-api.jar

### Description:

Jakarta XML Binding API 4.0 Design Specification

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.xml.bind-api.jar

**MD5:** e62084f1afb23eccde6645bf3a9eb06f

**SHA1:** ca2330866cbc624c7e5ce982e121db1125d23e15

**SHA256:** 287f3b6d0600082e0b60265d7de32be403ee7d7269369c9718d9424305b89d95

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	2ab55f8	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low

Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	2ab55f8	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High
Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.1	High
Version	Manifest	Implementation-Version	4.0.1	High
Version	pom	version	4.0.1	Highest

#### Identifiers

- <pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.1> (Confidence:High)

## facturx.zip: jaxb-core.jar

### Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-core.jar

**MD5:** 244f2bbf8fca5549421d9199fab22f53

**SHA1:** 2d5aadd02af86f1e9d8c6f7e8501673f915d4e25

**SHA256:** 0112a26623460fb4df5a0a29b663f2adfe7e9584eb138ae047b5a21c9457f0d7

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest

Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	75b0b97	Low
Vendor	Manifest	implementation-build-id	4.0.4 - 75b0b97	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	75b0b97	Low
Product	Manifest	implementation-build-id	4.0.4 - 75b0b97	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Medium

Version	Manifest	build-version	4.0.4	Medium
Version	Manifest	Bundle-Version	4.0.4	High
Version	Manifest	implementation-build-id	4.0.4	Low
Version	pom	version	4.0.4	Highest

#### Related Dependencies

- facturx.zip: jaxb-runtime.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-runtime.jar
  - MD5: 84368e1b5fbd1e99ce5c4f05c57c210e
  - SHA1: 7180c50ef8bd127bb1dd645458b906cffcf6c2b5
  - SHA256: e15d383952b4dc889eaa33adfce905c1792bcd941828d9e05e5c43728a3791f2
  - [pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.4](#)

#### Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:glassfish:4.0.4:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## facturx.zip: ph-collection.jar

### Description:

Special Java 1.8+ Library with extended collection related functionality

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-collection.jar

**MD5:** 91698489f281c0b685c26e82de993fd8

**SHA1:** 057bca4bb626b5a337c5dd2581794687492ffc6e

**SHA256:** f8b23257db0d1dfb3510d9feecbfa5d06ed3c6510a9654aaec8507ddfd2e2e00

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest

Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.common.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.common	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.common	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low



Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.1.3	High
Version	Manifest	Implementation-Version	11.1.3	High
Version	pom	version	11.1.3	Highest

#### Identifiers

- <pkg:maven/com.helger.commons/ph-collection@11.1.3> (*Confidence:High*)

## facturx.zip: ph-commons.jar

### Description:

Java 1.8+ Library with tons of utility classes required in all projects

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-commons.jar

**MD5:** cfdc03dacaf9b987f639d706678f499d

**SHA1:** 51f0d700979550f771c0a39b7b1e8c44328248d1

**SHA256:** 609cb062384443d8330448025089c3981c66bc928ab3143798459b26e97a3467

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High

Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashcode	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	http	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	11	Low

Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals. IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode. IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert. ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty. IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert. ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.1.3	High
Version	Manifest	Implementation-Version	11.1.3	High
Version	pom	version	11.1.3	Highest

### Identifiers

- [pkg:maven/com.helger.commons/ph-commons@11.1.3](https://maven.com.helger.commons/ph-commons@11.1.3) (*Confidence:High*)

**Description:**

Special Java 1.8+ Library with extended JAXB support

**License:**

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-jaxb.jar

**MD5:** c4d696540076c6ae3b3c0edd66d58d93

**SHA1:** d8516c0aad831c8848d1f3e661ee1f4ae3b98b91

**SHA256:** 319251e2744b87c8bb084ac1cf506fb33ed64645c58633868d99bbb2d9fd2d69

**Referenced In Project/Scope:** designer-installer

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="http://www.helger.com">http://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="http://www.helger.com">http://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.1.3	High
Version	Manifest	Implementation-Version	11.1.3	High
Version	pom	version	11.1.3	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-jaxb@11.1.3](https://maven.apache.org/reports/dependencies/i-net%20Clear%20Reports%20Designer/plugins/facturx.zip/ph-schematron-api.jar) (*Confidence:High*)

## facturx.zip: ph-schematron-api.jar

### Description:

Base API for the library for validating XML documents with Schematron

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-api.jar

**MD5:** 9570c83d28e5ddddd06a664dde3a758d8

**SHA1:** 86d4307f3d83fe818da33c535d703cb4756da8a0

**SHA256:** 7b2579ed97aa6641e4394b02e01756baedac63bb373c87c8e67df241354a5a64

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	17	Low

Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	7.1.3	High
Version	Manifest	Implementation-Version	7.1.3	High
Version	pom	version	7.1.3	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-api@7.1.3](https://maven.com.helger.schematron/ph-schematron-api@7.1.3) (*Confidence:High*)

### facturx.zip: ph-schematron-pure.jar

#### Description:

This package contains the 'Pure' Schematron implementation

#### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-pure.jar  
**MD5:** 50a3274d0e67a1ed87626afec4abdd6e

**SHA1:** b8bf7664afd053988d39f91df7487418689f70fc

**SHA256:** c05ce883f5c78792e7808b687b4a1e259d0c33e48ec618b40be12a78238925f9

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-	com.helger.schematron.ph-schematron-pure	Medium



## symbolicname

Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	7.1.3	High
Version	Manifest	Implementation-Version	7.1.3	High
Version	pom	version	7.1.3	Highest

## Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-pure@7.1.3](#) (*Confidence:High*)

## facturx.zip: ph-schematron-schxslt.jar

### Description:

Library for validating XML documents using the SchXslt implementation

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-schxslt.jar

**MD5:** 73af0ad71bb869bf79a531c99ccb4f83

**SHA1:** f6d00b2e1f05fee71d60ef5d7269dc84200f47f7

**SHA256:** 293ac1b86cf3dd2175596e2b73560bae46c9e11fdc16f2caed57f49d1535f0a4

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High

Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	7.1.3	High
Version	Manifest	Implementation-Version	7.1.3	High
Version	pom	version	7.1.3	Highest

#### Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-schxslt@7.1.3> (*Confidence:High*)

## facturx.zip: ph-schematron-validator.jar

### Description:

Base POM to build the ph-schematron projects

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-validator.jar

**MD5:** 27a2e9ede733c9b04512ffef163df4f

**SHA1:** 9f2ba09c56fe33e743726a84c4cad28aa2d7c82d

**SHA256:** bbd2deebf53e5dee26ca5557690b6e59fbc1cac6436d01b1b7985044a5d53390

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest

Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	7.1.3	High
Version	Manifest	Implementation-Version	7.1.3	High
Version	pom	version	7.1.3	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@7.1.3](https://pkg:maven/com.helger.schematron/ph-schematron-validator@7.1.3) (*Confidence:High*)

## facturx.zip: ph-schematron-xslt.jar

### Description:

Library for validating XML documents using the original Schematron implementation

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-xslt.jar

**MD5:** e68e7b0e64e346594fb164f7bb4ef780

**SHA1:** c1bc3c25a6daec4c36e0b813ab94a1adef66b340

**SHA256:** 27ea87f9b81bcd0c6f6928a890b68b9d2468751384d99842cc4d2b852bf9e1e

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest

Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest

Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	7.1.3	High
Version	Manifest	Implementation-Version	7.1.3	High
Version	pom	version	7.1.3	Highest

#### Identifiers

- <pkg:maven/com.helger.schematron/ph-schematron-xslt@7.1.3> (*Confidence:High*)

## facturx.zip: ph-xml.jar

### Description:

Java 1.8+ Library with XML handling routines

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xml.jar

**MD5:** 551b713aafc987df6504e56eb77ba5c7

**SHA1:** 6ee64e3bfba56a534f5dfb8f67c16a7c984bab9d

**SHA256:** 537ea3a6e7a6f46bea234f3c632d220e0e96c5d8b4ab0005192f413bc5af2d60

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-	com.helger.commons.ph-xml	Medium

		symbolicname		
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.common	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.common	Highest
Product	pom	name	ph-xml	High



Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.1.3	High
Version	Manifest	Implementation-Version	11.1.3	High
Version	pom	version	11.1.3	Highest

#### Identifiers

- <pkg:maven/com.helger.commons/ph-xml@11.1.3> (*Confidence:High*)

## facturx.zip: ph-xsds-xml.jar

### Description:

XML.xsd wrapped in JAXB

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xsds-xml.jar

**MD5:** f5d0d9170cce23fc050a0cb8e2fc8b94

**SHA1:** e1f471db4b77cb7c5804129746fcbad2dd57a28a

**SHA256:** de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low

Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Product	Manifest	Implementation-Title	ph-xsds-xml	High
Product	pom	artifactid	ph-xsds-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds-xml	High

Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

#### Identifiers

- <pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0> (*Confidence:High*)

## facturx.zip: txw2.jar

### Description:

TXW is a library that allows you to write XML documents.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/txw2.jar

**MD5:** 8d3e81725d90d0c42dcdd04b471f5dfa

**SHA1:** cfd2bcf08782673ac370694fdf2cf76dbaa607ef

**SHA256:** 32e7bd5178e29f2294d03d2793c41e54e52358b6ab95cd1343f26c1c2b274227

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	75b0b97	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest

Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-twx-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	75b0b97	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-twx-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.4	Medium
Version	pom	version	4.0.4	Highest

### Identifiers

- [pkg:maven/org.glassfish.jaxb/txw2@4.0.4](#) (*Confidence:High*)
- [cpe:2.3:a:eclipse:glassfish:4.0.4:\\*\\*\\*\\*\\*](#) (*Confidence:Highest*) suppress

## facturx.zip: xmlresolver.jar

### Description:

An XML entity/uri resolver

### License:

Apache License version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/xmlresolver.jar

**MD5:** 0de20e8f7acfa5942d78c239d3034deb

**SHA1:** 152378e04ba01898847bf38fad5023c7d52f0c9d

**SHA256:**efc92bd7ed32b3e57095e0b3e872051ccfbbdcc980831ef33e89e38161a85222

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	xmlresolver	Highest
Vendor	central	groupid	org.xmlresolver	Highest
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Vendor	pom	artifactid	xmlresolver	Low
Vendor	pom	developer id	ndw	Medium
Vendor	pom	developer name	Norman Walsh	Medium
Vendor	pom	groupid	org.xmlresolver	Highest
Vendor	pom	name	XML Resolver	High
Vendor	pom	url	xmlresolver/xmlresolver	Highest
Product	central	artifactid	xmlresolver	Highest
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Product	pom	artifactid	xmlresolver	Highest
Product	pom	developer id	ndw	Low
Product	pom	developer name	Norman Walsh	Low
Product	pom	groupid	org.xmlresolver	Highest
Product	pom	name	XML Resolver	High
Product	pom	url	xmlresolver/xmlresolver	High
Version	central	version	5.2.2	Highest
Version	Manifest	Implementation-Version	5.2.2	High

Version	pom	version	5.2.2	Highest
---------	-----	---------	-------	---------

#### Identifiers

- <pkg:maven/org.xmlresolver/xmlresolver@5.2.2> (*Confidence:High*)

## hamcrest-2.2.jar

#### Description:

Core API and libraries of hamcrest matcher framework.

#### License:

BSD License 3: <http://opensource.org/licenses/BSD-3-Clause>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/2.2/1820c0968dba3a11a1b30669bb1f01978a91dedc/hamcrest-2.2.jar

**MD5:** 10b47e837f271d0662f28780e60388e8

**SHA1:** 1820c0968dba3a11a1b30669bb1f01978a91dedc

**SHA256:** 5e62846a89f05cd78cd9c1a553f340d002458380c320455dd1f8fc5497a8a1c1

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	hamcrest	Highest
Vendor	central	groupid	org.hamcrest	Highest
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium

Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	central	artifactid	hamcrest	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest
Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	central	version	2.2	Highest
Version	file	version	2.2	High
Version	gradle	version	2.2	Highest
Version	Manifest	Bundle-Version	2.2	High
Version	Manifest	Implementation-Version	2.2	High
Version	pom	version	2.2	Highest

## Identifiers

- [pkg:maven/org.hamcrest/hamcrest@2.2](https://maven.org/hamcrest/hamcrest@2.2) (Confidence:High)

htmlviewer.printpdf.zip: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.zip/src/com/inet/htmlviewer/printpdf/extension.js  
**MD5:** 7d8be1ef58947852666766c1db348644  
**SHA1:** 26c37af43002d8764dbd80914476c548ce2354a5  
**SHA256:**c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar  
**MD5:** d914e7a0fb25073a526f324ebd07a884  
**SHA1:** 0858f56b6a96ad1b2e8f8436624b08602fea826c  
**SHA256:**aac0568ee4734e9e7cb3a37090feaf462ac22259d4cac6e8cddfd2236dab6bc9  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low



Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf	High
Product	Manifest	specification-title	htmlviewer.printpdf	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

htmlviewer.printpdf.zip: htmlviewer.printpdf.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js  
**MD5:** 6acd647a1c8e76ce288ea5bc648fe7ff  
**SHA1:** ca08f75aa6267e5a5a020439e93569bde8f89b90  
**SHA256:**abb13c8bbc2cdefabce3cc24b80bee4393f9e28a452389e7abfdae9592568934  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

**MD5:** b5bd35bc75012f07d5266c4de15b73c5

**SHA1:** b39c6e4953a701aa5d00be018f69bb470d7a5092

**SHA256:**078a93e39ae253728308786fb9b8cb2672985aa0e73d18f2d21e0b22ee5a5ef4

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2024-05-21 18:36	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2024-05-21 18:36	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	24.4.239	High

### Identifiers

- None

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

**MD5:** 91217e8c67fba6941bf2d0ab48ba2395

**SHA1:** fa39a89c256a3c0fb4898e0c22bea108b86f46d0

**SHA256:** e3aa6737380008451dcacf400959fe23fc34901d74aa11a90d51121800306797

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## htmlviewerextension.zip: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.zip/src/com/inet/samples/htmlviewer/extension.js

**MD5:** bdd6fdaab122479103c1bcba3692f01e

**SHA1:** 72aa61085dce74ce094f905354878ce744caede8

**SHA256:** 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

htmlviewerextension.zip: htmlviewerextension.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar  
**MD5:** 35ea1dfa14942cd1d2a0577bc6ab2c9c  
**SHA1:** c0447d3cdbc9a3f393b3f4c221e1470b0956a886  
**SHA256:**aa40fe0340dd76557f897f71f80f9f6181c9195d6ddb74e2263ac8118be0c02a  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension	High
Product	Manifest	specification-title	htmlviewerextension	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

### htmlviewerextension.zip: htmlviewerextension.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.zip/htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js

**MD5:** d5cfbcaea8c127118769cd47eac8f79d

**SHA1:** a270f777e85e4e3c6aef999a28772502961e05b1

**SHA256:** e17df4a8a810c44520630741e780dc1abf9ede140dc6d66438cb1741bb5edb1c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inetcore-24.4-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.4/9a86643a83bfe3beddb7a44fcfa06279563ce024/inetcore-24.4-tools.jar

**MD5:** 3b915a97aeee92e7c5fa71c22bf23956

**SHA1:** 9a86643a83bfe3beddb7a44fcfa06279563ce024

**SHA256:** e78c2d2aede92361fb8656079d7eff9c13f5f5d35e4dfac5d83e8040fd30f115

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest

Version	file	name	inetcore	Medium
Version	file	version	24.4	High
Version	gradle	version	24.4	Highest

## Identifiers

- [pkg:maven/shared/inetcore@24.4](#) (*Confidence*:Highest)

## inetcore-24.4.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.4/38723b92741fb37ea8c96fc1a048d5ddc7ab182b/inetcore-24.4.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** b7bc59004e73f85cce4369bc5e034e6b

**SHA1:** 9caff88589bdd8fdc3c3f320340b76830f3818de

**SHA256:** aab973b164e2d64808cd34c47b78399c4f016ec308900f5393733d3bc5c706bc

**Referenced In Project/Scope:** designer-installer:inetPlugin

## Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest

Vendor	pom	name	BlendComposite and ColorUtils	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtils	High

#### Identifiers

- None

## inetcore-24.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/24.4

/38723b92741fb37ea8c96fc1a048d5ddc7ab182b/inetcore-24.4.jar

**MD5:** fc9697fa54d67e0971e9c3082bf9ca21

**SHA1:** 38723b92741fb37ea8c96fc1a048d5ddc7ab182b

**SHA256:** 3d29a8f2143b16243c1165bbfc8b2cfcfa4477893397e0f4f22a72ccf9c8287a

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest

Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-05-21 16:44	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 16:44	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	24.4	High



Version	gradle	version	24.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	24.4.239	High

## Identifiers

- [pkg:maven/shared/inetcore@24.4](#) (*Confidence: Highest*)

## java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** f04d1ba62928b585e87cd55c93fd1350  
**SHA1:** 993a9cab7dd990e1f10a565d31d024d236859b4e  
**SHA256:** e697f3c1872ec3bd995b0f0e3ef24156b2cb94634fbf6a080ce8c783cf8fb68d  
**Referenced In Project/Scope:** designer-installer

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.3	High

## Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.3:.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Medium) suppress

## jlessc-1.12.jar

### Description:

A Less CSS compiler written completely in Java (pure Java).

### License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.12/8ea5dba973ee8e969a243e08e47a27ca48121b5c/jlessc-1.12.jar

**MD5:** 8e0d57ed6e6809be8002db58024c370e

**SHA1:** 8ea5dba973ee8e969a243e08e47a27ca48121b5c

**SHA256:** 0969bc655eba47f824791ef12ed90c96baac2238a775b0ceaa0921deeb6681f8

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	jlessc	Highest
Vendor	central	groupid	de.inetsoftware	Highest
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium

Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	https://www.inetsoftware.de/	Medium
Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	central	artifactid	jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	central	version	1.12	Highest
Version	file	version	1.12	High
Version	gradle	version	1.12	Highest
Version	Manifest	Bundle-Version	1.12	High
Version	Manifest	Implementation-Version	1.12	High
Version	pom	version	1.12	Highest

## Identifiers

- <pkg:maven/de.inetsoftware/jlessc@1.12> (Confidence:High)

## junit-4.13.2.jar

### Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

### License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0ff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit	Highest
Vendor	central	groupid	junit	Highest
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	<a href="http://junit.org">http://junit.org</a>	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium

Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	central	artifactid	junit	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low
Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest

Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	central	version	4.13.2	Highest
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (*Confidence:High*)
- cpe:2.3:a:junit:junit4:4.13.2:\*:\*:\*:\*:\* (*Confidence:Low*) suppress

## junit-jupiter-5.10.1.jar

### Description:

Module "junit-jupiter" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.10.1/6e5c7dd668d6349cb99e52ab8321e73479a309bc/junit-jupiter-5.10.1.jar

**MD5:** 32fd55a03f648868767c1bebedd198df

**SHA1:** 6e5c7dd668d6349cb99e52ab8321e73479a309bc

**SHA256:** c1a386e901fae28e493185a47c8cea988fb1a37422b353a0f8b4df2e6c5d6037

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/clear-reports/designer-installer@24.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter	High

Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	https://junit.org/junit5/	Highest

Product	central	artifactid	junit-jupiter	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High



Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1> (*Confidence:High*)

## junit-jupiter-api-5.10.1.jar

#### Description:

Module "junit-jupiter-api" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.10.1/eb90c7d8bfaae8fdc97b225733fcb595ddd72843/junit-jupiter-api-5.10.1.jar

**MD5:** c6b8b04f2910f6cef6ac10846f43a92d

**SHA1:** eb90c7d8bfaae8fdc97b225733fcb595ddd72843

**SHA256:** 60d5c398c32dc7039b99282514ad6064061d8417cf959a1f6bd2038cc907c913

**Referenced In Project/Scope:** designer-installer:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-api	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low

Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High

Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-api	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low

Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.10.1](https://maven.org/junit.jupiter/junit-jupiter-api@5.10.1) (*Confidence:High*)

## junit-jupiter-engine-5.10.1.jar

#### Description:

Module "junit-jupiter-engine" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.10.1/6c9ff773f9aa842b91d1f2fe4658973252ce2428/junit-jupiter-engine-5.10.1.jar

**MD5:** 71d86cd027062c4da0796c2493ae94fe

**SHA1:** 6c9ff773f9aa842b91d1f2fe4658973252ce2428

**SHA256:** 02930dfe495f93fe70b26550ace3a28f7e1b900c84426c2e4626ce020c7282d6

**Referenced In Project/Scope:** designer-installer:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-engine	Highest

Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.1"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium

Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-engine	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.10.1"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.10.1](https://maven.org.junit.jupiter/junit-jupiter-engine@5.10.1) (*Confidence:High*)

## junit-jupiter-params-5.10.1.jar

#### Description:

Module "junit-jupiter-params" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.10.1/c8f15d4e99940c4564098af78c10809c00fdca06/junit-jupiter-params-5.10.1.jar  
**MD5:** 5e8e17f6f2a5dedb42d9846a3352dd31  
**SHA1:** c8f15d4e99940c4564098af78c10809c00fdca06  
**SHA256:** c8cf62debcb354deefe1ffd0671eff785514907567d22a615ff8a8de4522b21  
**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-jupiter-params	Highest
Vendor	central	groupid	org.junit.jupiter	Highest
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low



Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-jupiter-params	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest

Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

## Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-params@5.10.1](https://maven.org.junit.jupiter/junit-jupiter-params@5.10.1) (*Confidence:High*)

## junit-platform-commons-1.10.1.jar

### Description:

Module "junit-platform-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.10.1/2bfcd4a4e38b10c671b6916d7e543c20afe25579/junit-platform-commons-1.10.1.jar

**MD5:** cd430f3f7345c0888f8408ce8795c751

**SHA1:** 2bfcd4a4e38b10c671b6916d7e543c20afe25579

**SHA256:** 7d9855ee3f3f71f015eb1479559bf923783243c24fbfd8b29bed8e8099b5672

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low

Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-commons	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	util	Low

Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest

Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-commons@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-engine-1.10.1.jar

### Description:

Module "junit-platform-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.10.1/f32ae4af74fde68414b8a3d2b7cf1fb43824a83a/junit-platform-engine-1.10.1.jar

**MD5:** 4d571057589cd109f3f4bedf7bbf5e7a

**SHA1:** f32ae4af74fde68414b8a3d2b7cf1fb43824a83a

**SHA256:** baa48e470d6dee7369a0a8820c51da89c1463279eda6e13a304d11f45922c760

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest

Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High

Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-engine	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low



Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-engine@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-launcher-1.10.1.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.10.1/ce85bf5e38bee0989ded9bd468dd4ff78dc0cfa8/junit-platform-launcher-1.10.1.jar

**MD5:** 48761921601bb4bec86cff7ecfd0fef2

**SHA1:** ce85bf5e38bee0989ded9bd468dd4ff78dc0cfa8

**SHA256:** ded414c504e88d02270331071969084e1b2fd9bcf8443f35d44da2c6e3301bc2

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-launcher	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.1"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium

Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-launcher	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.10.1"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low

Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

**Description:**

Module "junit-platform-suite" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.10.1/a219dbd79ec2b1fc61b806554fcf4eb5c17a6d1d/junit-platform-suite-1.10.1.jar

**MD5:** 7518d41236d70227fe32774b5e92492c

**SHA1:** a219dbd79ec2b1fc61b806554fcf4eb5c17a6d1d

**SHA256:** af4aec132be75c72359eb97414f33fbf05856a85e8173b5a625cad65505bb402

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/clear-reports/designer-installer@24.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low

Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low

Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

## Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.1](https://maven.org/junit-platform-suite@1.10.1) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

## junit-platform-suite-api-1.10.1.jar

**Description:**

Module "junit-platform-suite-api" of JUnit 5.

**License:**

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.10.1/24e5e67dcbeea2b21d2386818588b2609ea230a2/junit-platform-suite-api-1.10.1.jar

**MD5:** e13a99d143ace36468659c32b3a02f4e

**SHA1:** 24e5e67dcbeea2b21d2386818588b2609ea230a2

**SHA256:** b025bac64da625da2c494fa7678cfbaf8259cbad492904c0a03f968b96f84402

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-api	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low



Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite-api	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium

Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.10.1](#) (Confidence:High)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Low)

junit-platform-suite-commons-1.10.1.jar

Description:

Module "junit-platform-suite-commons" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.10.1/6eef860e05e64915457d39416e98236508a74ea3/junit-platform-suite-commons-1.10.1.jar

**MD5:** 4730e83c3b19c58238a9ae5b98b6dd4c

**SHA1:** 6eef860e05e64915457d39416e98236508a74ea3

**SHA256:**c6931dea135b204388c1f8b925d2d6494a34d010630481f1d4ed9430419db6c0

**Referenced In Project/Scope:** designer-installer:inetPlugin

Included by:

- [pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1](#)
- [pkg:maven/org.junit.platform/junit-platform-suite@1.10.1](#)

Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-commons	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-11-05	Low

Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/junit5/	Highest
Product	central	artifactid	junit-platform-suite-commons	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest

Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low

Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.10.1](#) (*Confidence:High*)
- [cpe:2.3:a:fan\\_platform\\_project:fan\\_platform:1.10.1:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Low*)

suppress

## junit-platform-suite-engine-1.10.1.jar

### Description:

Module "junit-platform-suite-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.10.1/1f4d7f56100b7d067325ed02c6b6268c31d90a7d/junit-platform-suite-engine-1.10.1.jar

**MD5:** 76bc669e27baa0d41e9c8e6412d2dfe9

**SHA1:** 1f4d7f56100b7d067325ed02c6b6268c31d90a7d

**SHA256:** 7df94b49291cba2f4095b990eab35963bc4ce391fabff96a985828f333db5768

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-platform-suite-engine	Highest
Vendor	central	groupid	org.junit.platform	Highest
Vendor	file	name	junit-platform-suite-engine	High

Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium

Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-platform-suite-engine	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low



Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/junit5/	Medium
Version	central	version	1.10.1	Highest
Version	file	version	1.10.1	High
Version	gradle	version	1.10.1	Highest
Version	Manifest	Bundle-Version	1.10.1	High
Version	Manifest	Implementation-Version	1.10.1	High
Version	pom	version	1.10.1	Highest

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-engine@1.10.1](https://maven.org.junit.platform/junit-platform-suite-engine@1.10.1) (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.10.1:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-vintage-engine-5.10.1.jar

#### Description:

Module "junit-vintage-engine" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.10.1/25cf537c2c253e83ea23eb605310947661c6f763/junit-vintage-engine-5.10.1.jar

**MD5:** 41ca5da6c302cadb487c4a6e0b9e12b8

**SHA1:** 25cf537c2c253e83ea23eb605310947661c6f763

**SHA256:** 96385222c8a415ffe8a2362e73eb2516a7e262f85b10387c6e990a56765604d5

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/clear-reports/designer-installer@24.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	junit-vintage-engine	Highest
Vendor	central	groupid	org.junit.vintage	Highest
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2023-11-05	Low
Vendor	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Vendor	Manifest	build-time	17:49:13.996+0100	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.10.1"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low

Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Highest
Product	central	artifactid	junit-vintage-engine	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2023-11-05	Low
Product	Manifest	build-revision	e5f50d8720741623915979ac154b65bcbcd6a5	Low
Product	Manifest	build-time	17:49:13.996+0100	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-	org.junit.platform.engine;org.junit.platform.	Low

capability

engine=junit-vintage;version:Version="5.10.1"

Product	Manifest	specification-title	junit-vintage-engine	Medium
Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	<a href="https://junit.org/junit5/">https://junit.org/junit5/</a>	Medium
Version	central	version	5.10.1	Highest
Version	file	version	5.10.1	High
Version	gradle	version	5.10.1	Highest
Version	Manifest	Bundle-Version	5.10.1	High
Version	Manifest	Implementation-Version	5.10.1	High
Version	pom	version	5.10.1	Highest

Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.10.1 (Confidence:High)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:5.10.1:\*:\*:\*:\*:\* (Confidence:Low)

suppress

maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/maintenance.reporting.zip  
/maintenance.reporting.jar  
**MD5:** 74a53db44ce8706e3acfc996dd9fc2aa  
**SHA1:** 566ea7563f4662a078fb6fdd604c34b6811d056a  
**SHA256:** 938a60c828c2650d7da9eefce9a81863d517ec576c5372a002312b0804e7d9d3  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	implementation-group	reporting	Low

Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

## opentest4j-1.3.0.jar

### Description:

Open Test Alliance for the JVM

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter@5.10.1
- pkg:maven/org.junit.platform/junit-platform-suite@1.10.1

### Evidence



Type	Source	Name	Value	Confidence
Vendor	central	artifactid	opentest4j	Highest
Vendor	central	groupid	org.opentest4j	Highest
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-	org.opentest4j	Medium

		symbolicname		
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	central	artifactid	opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium

Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High
Product	pom	url	ota4j-team/opentest4j	High
Version	central	version	1.3.0	Highest
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

#### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://maven.org.opentest4j/opentest4j@1.3.0) (Confidence:High)

## pdfviewer.zip: pdfjs-dist.jar

### Description:

WebJar for pdfjs-dist



## License:

Apache-2.0

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar

**MD5:** 0a71d632d515e933988dc7221db5df82

**SHA1:** c7fc8ed939451cac010000e1e122ad8047bce6ff

**SHA256:** 9041828a7fbcc6653f61e781f491e37c38e71471d8436b3218c4de1049c78c27

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.67	High
Version	pom	version	4.2.67	Highest

## Identifiers

- [pkg:maven/org.webjars.npm/pdfjs-dist@4.2.67](https://mvnrepository.com/artifact/org.webjars.npm/pdfjs-dist/4.2.67) (*Confidence:High*)

pdfviewer.zip: pdfjs-dist.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.2.67/package.json  
**MD5:** 18db9dfe3fe99ba378135da1ea7edd1e  
**SHA1:** be20aafd206d2f611980eb1a85d008350eadf253  
**SHA256:**c855edfdffabb10042c2ffeb8bbe8f17c8eb68e8e464d1b2b0bd1bb03eaa8312  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar  
**MD5:** 2d0962a814ea176d7a9d96c95c72eca9  
**SHA1:** 80d1017b1abd904e89a4b2d32a36ee04a1c4db92  
**SHA256:**4512c5619e036936d6147c2436708529206b37ba9d97123fce0d52ba295a14e2  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2024-05-21 18:36	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2024-05-21 18:36	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

**MD5:** 9ad1651555b57ac03c7a009b3fd38540

**SHA1:** 8f58551aa025d1b1181dd2a7527dd9f3a36f66f0

**SHA256:** 97e060283a09beab6cea631be820797bea830d4d23e99c9b27f3195efe05af32

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js  
**MD5:** fba0b3e669ee635c556456ff0d91af45  
**SHA1:** 561e99da559c31dc4008bd70d390b47353b33f5c  
**SHA256:** 7b75094df31cc0cf8de6b700250589d206e52f76b000653c795fc18f9a9e5964  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js  
**MD5:** fc7cfd493de5b4778ac8e7ffd6203f4b  
**SHA1:** a3a380a9963c8cb14f27b862ab1debbfc306f09f  
**SHA256:** 8be668b5e8ef54dab505074ddaaf7057c86063a334b694a0d932d13d8db18daf  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js  
**MD5:** cbf5721f7ed527720a73603df318ba56  
**SHA1:** 60ddb27ea1cc85d3f4c48a88241d14ef0b7fef93  
**SHA256:** ade085fb435e660926138cd5e1ade902b4a51a33709ad1d54fdc22fc097487fe  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

processbridge.reporting.zip: processbridge.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/processbridge.reporting.zip/processbridge.reporting.jar

**MD5:** adf2598b99808650cfb1140e2fd6e3e7

**SHA1:** 19540269505bdaa106702cd98712743b8af0e1c7

**SHA256:** 70cb976bb82b34657e84fa9b7bcdce9ac354ad6356dfdb99d5d5003498a3507a

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:35	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low

Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:35	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar  
**MD5:** ee373fa60b18baf459693a6831d7140c  
**SHA1:** b393a684c47af58884f8904a5a1a1d7e4307c627  
**SHA256:** d94dc0173254b5d0c3403e0b1f2b9a6e02a37a86af2e1179bb68e8ed2760af45  
**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:36	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High

Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2024-05-21 18:36	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar  
/com/inet/report/promptdialog/client/js/promptcontroller.js

**MD5:** 346d17a50af0c06df6ba0de6b150cf88

**SHA1:** 8066ab29b7eb73a7e41ac6eb4b4cbd11be48665f

**SHA256:** dd12baf52fe0bdb46c44a615c0742d4f5fba1089f1e748f5dab4ade4b0f69ed9

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js  
**MD5:** 903f55fd1cf6d194702b6c44da232fe7  
**SHA1:** a9a51b7d73abff23bde49251e5d665ffd53616ec  
**SHA256:** d9e704c473ef407691db2c72cb7724901a9bcb981dbb69df4eed1f3037cbc1c3  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js  
**MD5:** d1ad03b4146d9531ad016232cfdb53f7  
**SHA1:** a6e10201c62f2da9c3e8050818466091f8ecac4b  
**SHA256:** 16bea0fa17b79ef9fcb5ac3acc0719b71ef2e6607a4b18e12ebd6dfcc600b13  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js  
**MD5:** f9a2de239e8ef965a691f174f070b58e  
**SHA1:** c56971b402f4d3d74aa2cb61cd94e911f936c63a  
**SHA256:** 933f511bf8aa53c1ee9201730a12f4ac8f00245481f9cbc498a399b3631387b0  
**Referenced In Project/Scope:** designer-installer



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js

**MD5:** 4cae959715306b53c9c3bdbab13ae5b6

**SHA1:** 939efedb917cc7f65f48599194db8b949c506e28

**SHA256:** a1e386842ee09abf460ce97cb21598376fea0ed45449ce936db041d48cce5ce7

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## propertieschecker.zip: propertieschecker.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/propertieschecker.zip/propertieschecker.sample.jar

**MD5:** 8301f085d8e429d099dc0e9275201aa3

**SHA1:** 2f2f76dbbeaf12395b106ed89601f0d050ad077a

**SHA256:** 3574106331ad317017e98d713697253dd8a61de07f446df2fa61b9c0c524eefb

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	propertieschecker.sample	High
--------	------	------	--------------------------	------

Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker	High
Product	Manifest	specification-title	propertieschecker	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar  
**MD5:** 226fd250205a0fcb85b9d017aa025962  
**SHA1:** c7b88c12bfbce92c810171597dd81b8a3d609377  
**SHA256:** 67e41b0219a412275b70454057d5516e878017e271a7f55a983b6f8b388bfe0c  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2024-05-21 18:34	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2024-05-21 18:34	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js  
**MD5:** e816754fa2c6fe3a7219b8709a5ea1d0  
**SHA1:** d7974370a06688facfd8b3ae8af91f6f74af6f67

**SHA256:**c33206af9597625b934ac4a08e75e5ab1852a2be264ec927ca21dc71dc00af84  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js  
**MD5:** 57295bca2e13bd1a79d1718fe67a96ff  
**SHA1:** 053da27ad7db4c7dde7c8e0fd9a3cfa74e86b35e  
**SHA256:**cdebd14b5fd5ff72fac4bf8b53fa84c5dfc068a4067772ec4b0b951d51079c24  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: htmlviewer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js  
**MD5:** 5ef047cff0a2ae8bba3c464b8ca0b554  
**SHA1:** 3e735022b663115f93ef7705f1af52228ae9e119  
**SHA256:**2925f857630e93865d906bd8cf920ed5db302330a91a91f683efaed18201c7b6  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

**MD5:** 266420c959596225b3fc0014b41d631d

**SHA1:** 27a3bd4ed2937ae598b3afb2c290ae643f55acaa

**SHA256:** 68f4900e0a0ec0b3a55611021e24aa42b4e5fc9ad869a4b40125c09047f5eaa7

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

**MD5:** 53ce6060610cf62c5dae497924b78975

**SHA1:** dce234794ce082eeabe44262dfbcce6934218775

**SHA256:** fd8d006c6470977ea4d7249d4289d67337cbbd758b79a38bc74ea163f9f2f68b

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

**MD5:** dc493fa664eb4fc9321f6ec47fa7a284

**SHA1:** 57c13fece9b7751ab9a0029b846cb09883881824

**SHA256:** 89db65297d0837de281111bc402b5ff23a4e5686b041ded271609d0eb8f2d6f2

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

**MD5:** 0a7dc6be63811d015478b5936a6f36aa

**SHA1:** 62d29ec026a0f8238ee6e5cceda29daea0aa844b

**SHA256:** e15879e47240e283be4de1e49c528267267fdeadec57c3379d8de1d98d5c9b8c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js  
**MD5:** 16ba297bf877fe2b9b782308dc58073c  
**SHA1:** c2b542114f99002ec13269c85c3c5c7efb744933  
**SHA256:** 5d4a0b279ccecbbaec215361d763dddc119aaf12d02d1cf3870d300d569d1db4  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: jcommon.jar

#### Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

#### License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jcommon.jar  
**MD5:** 3872e82627df950d40a949144a93e491  
**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b  
**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low

Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	http://www.object-refinery.com	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

#### Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](http://pkg:maven/org.jfree/jcommon@1.0.24) (*Confidence:High*)



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jfreechartCC.jar  
**MD5:** 37b3dd19534649044b7439270bdfc9f7  
**SHA1:** 7bd71c76eaf4cdbfd661bb8692e164ad9eeb4201  
**SHA256:**9e29317c9705e5754e2f5fcb1a9ed6679276b0d22a541ca6831982903df93277  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2024-05-21 18:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2024-05-21 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

## reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar  
**MD5:** ef31ba27c180bd2ddd299f953fbb107f  
**SHA1:** ed5266e329137d809d23e18d2c1d598355e2fba7  
**SHA256:** 68b7d4118d2cd318a6782dd73deaea07dcbde1ebba2a74346d19b0b1f9d1418a  
**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js  
**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632  
**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2  
**SHA256:** a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74  
**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.6.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js
  - MD5: 00727d1d5d9c90f7de826f1a4a9cc632
  - SHA1: ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2
  - SHA256: a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

## Identifiers

- None

## reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** designer-installer

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

## Related Dependencies

- taskplaner.reporting.zip: taskplaner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplaner.reporting.zip/taskplaner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbfcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424
  - [pkg:javascript/jquery-ui@1.13.1](#)

## Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

## reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

**MD5:** 8211fe442c685eb2d96556189e4ff68c

**SHA1:** cf5bea90aec87121664aac476aae60869a3ad9ec  
**SHA256:**467722ec979390dd2281d7a90977f919edc2397d55026b4e6b96934e93eafd0c  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:**814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c

**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444

**SHA256:** 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script.js

**MD5:** baf9d9e16237acbdce975a33c54ee8ae

**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- taskplaner.reporting.zip: taskplaner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplaner.reporting.zip/taskplaner.reporting-javadoc.jar/script.js
  - MD5: baf9d9e16237acbdce975a33c54ee8ae
  - SHA1: cc6a3c8d72f17eff0d613ddfcf7c1095535573f7
  - SHA256: 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

#### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js

**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2

**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979

**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** 8008687a1ad6ed821adc84cca8826520

**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d

**SHA256:** a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar

**MD5:** 9d685d1d6fb41436906bec852a0c4686

**SHA1:** 17cf77335eb4c27e90deadee546642d80f6c72d0

**SHA256:** a92d00288ee04b4441098d63b709f2941d3013fdee16a8707b000438747e5e46

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	reporting	High
--------	------	------	-----------	------

Vendor	jar	package name	i	Highest
--------	-----	--------------	---	---------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	report	Low
--------	-----	--------------	--------	-----

Vendor	Manifest	application-library-	*	Low
--------	----------	----------------------	---	-----

		allowable-codebase		
Vendor	Manifest	built-date	2024-05-21 18:19	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 18:19	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	24.4.239	High

## Identifiers



- None

### reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

**MD5:** 3fc9838e053b31f8807cae4d3ec8af0e

**SHA1:** 2c49faf9585fe00cd134370a8f36129390838fcc

**SHA256:** 562e707e5a6fc06e50bdbd6526050ce0b5a71c62839d1a6fce3b6b262904a1fa

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

**MD5:** 746424b1fba005660a7543737f5703d7

**SHA1:** 5c1c20fbf6ee1d2bbbaeb1a71199142b9584da86

**SHA256:** f01740cc1eb338fba1ddab973b535fb3295517e8717471370fcd9a28f438e28

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

**MD5:** 1405217473611fac122bcae613e2b766

**SHA1:** c4c7164910dad5ec309a6c089bc26dfe0885b59e

**SHA256:** 956518342fd083c0bfb8cd33c584b8c5e8ab9ff72f9d0d677a104fb709ce964c

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

**MD5:** 1e299743754f9f1d759bdd0159f8c4c8

**SHA1:** bf9ccac664dd094ccf0cd9ce4708709a6b84a198

**SHA256:** fb466011f0d2e7e592ddbdb1edf4bf6656b3c39abedcf17e5974983ead5bcc0a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

**MD5:** 6a2aa37dcc827ae76a73fbb380bb9841

**SHA1:** 3491c58a0f544f3d322528aef0cf315170cb64d7

**SHA256:** 535046b4e6210984327183beea7f2a22eda39fa2d9aa71f385095cbf60f154f8

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

**MD5:** e3cf61a603c85bf3f8487da7e9548f71

**SHA1:** 62f878b97e407836ac78c7f53e0dcc6dc253326c

**SHA256:** 6d1e04ec7c76349ee41b892f465b8c0e110a6f5438da5cce419589a73d370cbc

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

**MD5:** c5d832994dcc5bebc8f8bc39cf5daad

**SHA1:** c5f6f54e81c1d0d3386bbd47bbdc0f9ca0c33170

**SHA256:** 9f415b33cfcb34f2156906e04601dfbd845bb992003f660737c0269c6e9ac9e

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js  
**MD5:** 84eac9769fcf64aac757adae2ae20b6b  
**SHA1:** c44fd0b0e9ffbc652c5a87c07422d8d2f9294d01  
**SHA256:**35b71bf5c90a9c40f6080dd0721edfba6796582e66ddd86d6a620d6ffd5a7099  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js  
**MD5:** 462d52c659dc09d5014cf48338eabd95  
**SHA1:** 7aab284e6c75d5b2f47b57fff793a0d7c2ee754e  
**SHA256:**555c503389751372bc5d54cdbda777902740ce4b4fea22718cda901b66eb035c  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

**MD5:** 24cfe9e8f48f278f1602d02864d58624

**SHA1:** 2eddd3a44c190d4bdfe4be0c9326fcb2910760ea

**SHA256:** c9ab8247c75b8a064609e6215bc095afaa2195537592e1dd33edfb1a1071ad90

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

**MD5:** f3f883333f0bd365b876eb3239027ccc

**SHA1:** 472c339e9c2fcc57ea152f0a7fd292cfaf8d5d94

**SHA256:** b529ecd0c9c789d9927cc186a070f59185749ec3bec95485953ac5fad8ed4b1b

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js  
**MD5:** 7b8d31c1093a5780e3456b1a89e5691d  
**SHA1:** 92e65e0247c6a554b240fbd6ec9f765536971b4f  
**SHA256:** 1bff0ec49ffd73d721476a42c7fdd790c11de9247708d0359634c5b1108a7454  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js  
**MD5:** 85a496ebe2cba4bc70869321d184d7f7  
**SHA1:** 2b57162a46aaac6509d82d643a2b3cd2c0cff35d  
**SHA256:** d881fb2545a4d0bd5deee4a5201d22ecfd71bfa516d8005b227882ae920753b1  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js  
**MD5:** e7397419b474ed77e1919362d648e76e

**SHA1:** d51d04cd807648ebbf8147fb35a372b1be405a0c  
**SHA256:**32757f40fca37f8e5fa83f29618e3d6193dbe2a87df85bdf4b01f804e5ee10fa  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js  
**MD5:** 22a460c748d56bbf5abe35fd13fef26f  
**SHA1:** 5d0d84fb2fb8fc2e19b11b1ff02a40c78a496836  
**SHA256:**f29e8a4e3940edaf6a6dd88dffd1dd683cf67289bfe5b078a0f54a98c0717d2b  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js  
**MD5:** df4a28167933f1a8e7c46a2764aa042e  
**SHA1:** 34da7d4649052f159e8ce3cdb620575cc06851a5  
**SHA256:**1b72a0129d32dd94172c575ab52a27f78f5083dded4a68a2a840c16a674d8376  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js  
**MD5:** 27fe735016731efab2e1a952a7e08364  
**SHA1:** cf0f878f1cf2337b448bdce5e93e0265ac177db2  
**SHA256:**5e0da6d809a1d121b7190db09d9841c706421e05d180bb84bf2f0c9d003eb4ae  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js  
**MD5:** f69e929be3921597233d5f40cdb42d96  
**SHA1:** 34dbc14d130c63bf8bc084fd2e0738072ad7531c  
**SHA256:**bedbbe31cdf43b2581eb22c908587b90a090c8d3dec4f1f9473381f595cafcb5  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

**MD5:** e587df16aef59326cd23dcf903f4f0a0

**SHA1:** d6f93bbe5f92a93bcf505cdcc33265537c9ac1b4

**SHA256:** af8ce5bb839284bf28ef6b7a534490e2f3e6679b6e381cef66332dd86ab6d776

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

**MD5:** fc23b96b436d7e9cd6f6eaa37a8b4889

**SHA1:** c3ebabfdf678fa695918802942aa1a31e35e12d5

**SHA256:** e7c4c4ec44df06542deb241ce66375e83e38511cc3beb60eb9cdb712493aa3a8

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js  
**MD5:** cf0aa28426a5f0c3072bebe454ac51db  
**SHA1:** d470b75dd064d62d773fcffa20de301811048660  
**SHA256:** d78350702ac53e3094357533c45e45d6b0de57dfa8ce4a14045fbabc3c1e2496  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js  
**MD5:** 15af09e55c4ba39e41953f1a3e5a14c9  
**SHA1:** 3c92835b1e605bca8aac7bd82d094c98ccbf79b  
**SHA256:** 1133134ddfd7d0cab8d43b06e47825631b50d02cd54299c7dd80ff5a0d19457  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js  
**MD5:** 491f95aea1cf85555dd3f39b6eeb667f

**SHA1:** ce3c162c5224fa0224928c77ef243a60e7b00aed  
**SHA256:**ff58c9a193a7e9c38f46b120943ad919d22242b1b08710900db2028eb5d22f48  
**Referenced In Project/Scope:** designer-installer

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampledatabase.zip: sampledatabase.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampledatabase.zip/sampledatabase.jar  
**MD5:** a83c31482c04f3a6b01171d379bea078  
**SHA1:** 089279b667ba1a388a37ef3f9d9dd7380713f955  
**SHA256:**e1831d6c57b5be9eff787048d5c36468497ec3b951684ee2acbddb4d65697913  
**Referenced In Project/Scope:** designer-installer

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	sampledatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampledatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampldatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampldatabase	Highest
Product	jar	package name	sampldatabase	Low
Product	jar	package name	sampldatabaseserverplugin	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampldatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampldatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	24.4.239	High

Identifiers

- None

sampldatabase.zip: smallsql.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampldatabase.zip/smallsql.jar  
**MD5:** a85e63aac9630d46b06baaf8e405085a  
**SHA1:** bc3097212ad32b21b2fd14ec0fa68e369a6e17f0  
**SHA256:**fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

Identifiers

- None

samlereports.zip: samlereports.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/samlereports.zip/samlereports.jar  
**MD5:** 5fd15d720cfaa89f6064c5a7ad617147  
**SHA1:** 4a280a2cb40cf220d5fe0806da9174bb3c36d971  
**SHA256:**8a501fc24d4e22586f6ecbd040ccea117537e0f4743e0fb85353601a2b4fb58c  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High

Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	24.4.239	High

### Identifiers

- None

## sessiondatasource.zip: sessiondatasource.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sessiondatasource.zip/sessiondatasource.sample.jar

**MD5:** 24b018585eb0a0660c0e1b409eb0d068

**SHA1:** cc83cade029731ee3045c14c778171963423799a

**SHA256:** baa06d3db89b2d8df32c5065b2bba838fa2393187f5f2785dad5a50d1ee0e614

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2024-05-21 18:15	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2024-05-21 18:15	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource	High
Product	Manifest	specification-title	sessiondatasource	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

## slf4j-api-2.0.11.jar

#### Description:

The slf4j API

#### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.11/ad96c3f8cf895e696dd35c2bc8e8ebe710be9e6d/slf4j-api-2.0.11.jar

**MD5:** 90c46a2d4613049843c804867321e6a7

**SHA1:** ad96c3f8cf895e696dd35c2bc8e8ebe710be9e6d

**SHA256:** ce0e71d673acb9036bb55d0244b261cf033f8e4c1245f14f931dfb1937dd4c95

#### Referenced In Projects/Scopes:

- designer-installer
- designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@24.4

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest

Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.11	High
Version	gradle	version	2.0.11	Highest
Version	Manifest	Bundle-Version	2.0.11	High
Version	Manifest	Implementation-Version	2.0.11	High
Version	pom	version	2.0.11	Highest

#### Related Dependencies





- facturx.zip: slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/slf4j-api.jar
  - MD5: 90c46a2d4613049843c804867321e6a7
  - SHA1: ad96c3f8cf895e696dd35c2bc8e8ebe710be9e6d
  - SHA256: ce0e71d673acb9036bb55d0244b261cf033f8e4c1245f14f931dfb1937dd4c95
  - [pkg:maven/org.slf4j/slf4j-api@2.0.11](https://pkg:maven/org.slf4j/slf4j-api@2.0.11)

#### Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.11](https://pkg:maven/org.slf4j/slf4j-api@2.0.11) (Confidence:High)

### statistics.reporting.zip: statistics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/statistics.reporting.zip/statistics.reporting.jar

**MD5:** e9a42d716582dc9427f1953c35372402

**SHA1:** 7693bc18e56704322344f4013cf8ffef3992bcf1

**SHA256:** 27f1f877343adaec2ac410d60f24332d9c28d5c51bfd1b5f38e355644338591e

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2024-05-21 18:33	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low

Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2024-05-21 18:33	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

**MD5:** 44538b2dc8596280670b927e0b422beb

**SHA1:** edd11d4a8fb796bde77061a35766174f62560f5c

**SHA256:** 2ec3ef4318607579c5d9ca3db5d142c3065a7390e3c2ab77d0ca25d8477b90f6

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js  
**MD5:** 129109d2f67ec6f406b60107b610d11a  
**SHA1:** dc505388484f1177b6849c5ff60038a174b27cfb  
**SHA256:** ef24a0fcdafa687ed57452909bd0f7af891ca00d1214008edc2366815de0545  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js  
**MD5:** 53fb7ab8ab8de6b33f33254e2c32fbc9  
**SHA1:** f9bac0ca4dca6228416bed44f903f85acc19d969  
**SHA256:** 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js  
**MD5:** 3236248138000d701400e0346999c1a8  
**SHA1:** 565146643a30712208f9299bd94a37566eab76b8  
**SHA256:** 72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febd8f8d1  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js

**MD5:** b0dcdeedc2201c62287cfb168bca35f5

**SHA1:** aabb00fe2be134923fb716b9b6d1909e247d0dfa

**SHA256:** c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

**MD5:** c78d5e57adc00c1c4465ca902adf0f7a

**SHA1:** 79faef8e78bffaf4a5be8ad128ecfa848bec2543

**SHA256:** e42b1941167e2100cc6fdff8c8e924eec3deddc78b288cb98fed2f869af8e3c7

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	taskplanner.reporting	High
--------	------	------	-----------------------	------

Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2024-05-21 18:35	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2024-05-21 18:35	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	24.4.239	High

#### Identifiers

- None

**taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip  
/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

**MD5:** 195a34cea815e3cc1ded3d994cee6a15

**SHA1:** f2050d0e60bff7b8f1c2b02256c4f6657ecd5391

**SHA256:** d09e2796c2d6e25dd9ae9e2b2781b005cd74025f995356b82f3332e4b914eec5

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

Suppressed Vulnerabilities



reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js  
**MD5:** 32059df39c14a910ccc2325f6a3cd62f  
**SHA1:** d3289f1b527a3f054d303ec769402e037fbcf4b  
**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: 32059df39c14a910ccc2325f6a3cd62f
  - SHA1: d3289f1b527a3f054d303ec769402e037fbcf4b
  - SHA256: 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

Suppressed Identifiers

- None

**CVE-2022-31160** suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio("refresh")` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the `label` in a `span`.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

References:

- - [FEDORA-2022-1a01ed37e2](#)
- - [FEDORA-2022-22d8ba36d0](#)
- - [FEDORA-2022-7291b78111](#)
- CONFIRM - <https://github.com/jquery/jquery-ui/security/advisories/GHSA-h6gj-6jjq-h8g9>
- CONFIRM - <https://security.netapp.com/advisory/ntap-20220909-0007/>
- MISC - <https://blog.jqueryui.com/2022/07/jquery-ui-1-13-2-released/>
- MISC - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- MISC - <https://www.drupal.org/sa-contrib-2022-052>
- MLIST - [\[debian-lts-announce\] 20221207 \[SECURITY\] \[DLA 3230-1\] jqueryui security update](#)
- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fcf96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*:

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).