



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

 [Sponsor](#)

## Project: project ':designer-installer'

clear-reports:designer-installer:25.10

Scan Information ([show all](#)):

- *dependency-check version:* 10.0.3
- *Report Generated On:* Sun, 25 Jan 2026 10:43:25 +0100
- *Dependencies Scanned:* 255 (240 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 2 ([show](#))
- ...
- *NVD API Last Checked:* 2026-01-25T09:41:22Z
- *NVD API Last Modified:* 2024-09-18T11:15:10Z
- *NVD Cache Last Checked:* 2026-01-25T09:41:22Z
- *NVD Cache Last Modified:* 2024-09-18T11:15:10Z

## Summary

Display: [Showing Vulnerable Dependencies \(click to show all\)](#)

Dependency	Vulnerability IDs	Package	Highest Severity	CVE Count	Confiden
<a href="#">Merlia-0.jar</a>		<a href="#">pkg:maven/lib/Merlia@0</a>		0	
<a href="#">ReportViewer.jar</a>	<a href="#">cpe:2.3:a:inetsoftware:clear_reports:25.10.314:*:*:*:*:*</a> <a href="#">cpe:2.3:a:inetsoftware:i-net_clear_reports:25.10.314:*:*:*:*:*</a>			0	Medium
<a href="#">adhoc.zip: adhoc-javadoc.jar</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: member-search-index.js</a>				0	

<a href="#">adhoc.zip: adhoc-javadoc.jar: module-search-index.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: package-search-index.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: script.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: search.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: tag-search-index.js</a>				0	
<a href="#">adhoc.zip: adhoc-javadoc.jar: type-search-index.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.ai.panel.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar:</a>				0	

<a href="#">adhoc.reportproperty. renderer.colorscheme.js</a>					
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.columns.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.filter.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.image.select.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.logo.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.select.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.slider.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.source.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.templatesource. js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty. renderer.text.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportview.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoc.toolbar.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhoccontroller.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhocfactory.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: adhocmodel.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc. templates.edit.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc. templates.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc. themes.edit.js</a>				0	
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc.</a>				0	

<a href="#">themes.js</a>					
<a href="#">adhoc.zip: echarts.jar</a>		<a href="#">pkg:maven/org.webjars.npm/echarts@6.0.0</a>		0	
<a href="#">adhoc.zip: echarts.jar: echarts.min.js</a>				0	
<a href="#">annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)</a>		<a href="#">pkg:maven/com.google.code.findbugs/jsr305@3.0.1</a>		0	
<a href="#">annotations-3.0.1.jar</a>		<a href="#">pkg:maven/com.google.code.findbugs/annotations@3.0.1</a>		0	
<a href="#">collation.sample.zip: collation.sample.jar</a>				0	
<a href="#">crsetupwizard.zip: crsetupwizard.jar</a>				0	
<a href="#">customformulas.sample.zip: customformulas.sample.jar</a>				0	
<a href="#">datasource.cassandra.zip: config.jar</a>				0	
<a href="#">datasource.cassandra.zip: datasource.cassandra.jar</a>				0	
<a href="#">datasource.cassandra.zip: java-driver-core.jar</a>	<a href="#">cpe:2.3:a:apache:cassandra:4.17.0:*.***:***.*</a>	<a href="#">pkg:maven/com.datastax.oss/java-driver-core@4.17.0</a>		0	Low
<a href="#">datasource.cassandra.zip: java-driver-shaded-guava.jar</a>	<a href="#">cpe:2.3:a:apache:cassandra:25.1:*.***:***.*</a>	<a href="#">pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1</a>		0	Low
<a href="#">datasource.cassandra.zip: native-protocol.jar</a>		<a href="#">pkg:maven/com.datastax.oss/native-protocol@1.5.2</a>		0	
<a href="#">datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)</a>		<a href="#">pkg:maven/org.jctools/jctools-core@4.0.5</a>		0	
<a href="#">datasource.cassandra.zip: netty-transport.jar</a>	<a href="#">cpe:2.3:a:netty:netty:4.2.9:*.***:***.*</a>	<a href="#">pkg:maven/io.netty/netty-transport@4.2.9.Final</a>		0	Highest
<a href="#">datasource.mongodb.zip: bson.jar</a>	<a href="#">cpe:2.3:a:mongodb:bson:5.5.1:*.***:***.*</a>			0	Medium
<a href="#">datasource.mongodb.zip: datasource.mongodb.jar</a>				0	

<a href="#">datasource.mongodb.zip: mongodb-driver-core.jar</a>				0	
<a href="#">datasource.mongodb.zip: mongodb-driver-sync.jar</a>				0	
<a href="#">datasource.zip: datasource.jar</a>				0	
<a href="#">datasource.zip: datasource.jar: datasources-edit- controller.js</a>				0	
<a href="#">datasource.zip: datasource.jar: datasources-main- controller.js</a>				0	
<a href="#">datasource.zip: datasource.jar: factory.js</a>				0	
<a href="#">datasource.zip: datasource.jar: model.js</a>				0	
<a href="#">datasource.zip: datasource.jar: renderer- permissions.js</a>				0	
<a href="#">datasource.zip: datasource.jar: renderer- urlauth.js</a>				0	
<a href="#">datasource.zip: datasource.jar: renderer.js</a>				0	
<a href="#">decoder.svg.zip: batik- anim-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- awt-util-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- bridge-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- codec-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- constants-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- css-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- dom-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-ext- inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik- extension-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-gui- util-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-gvt- inet_patched.jar</a>				0	

<a href="#">decoder.svg.zip: batik-i18n-inet_patched.jar</a>	<a href="#">cpe:2.3:a:inet:inet:18:*:*:*:*:*</a>			0	High
<a href="#">decoder.svg.zip: batik-parser-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-script-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-slideshow-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-svg-dom-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-svggen-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-svgpp-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-swing-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-transcoder-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-ttf2svg-inet_patched.jar</a>	<a href="#">cpe:2.3:a:inet:inet:2:*:*:*:*</a>			0	High
<a href="#">decoder.svg.zip: batik-util-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: batik-xml-inet_patched.jar</a>				0	
<a href="#">decoder.svg.zip: decoder.svg.jar</a>				0	
<a href="#">decoder.svg.zip: jsvg.jar</a>				0	
<a href="#">decoder.svg.zip: xml-apis-ext.jar</a>				0	
<a href="#">decoder.svg.zip: xmlgraphics-commons.jar</a>	<a href="#">cpe:2.3:a:apache:xmlgraphics_commons:2.7:*:*:*:*</a>			0	Low
<a href="#">designer.zip: CCGuiLib.jar</a>				0	
<a href="#">designer.zip: JnlpDesigner.jar</a>				0	
<a href="#">designer.zip: SBSTutorial.jar</a>				0	
<a href="#">designer.zip: TableLayout.jar</a>				0	
<a href="#">designer.zip: designer.jar</a>				0	
<a href="#">designer.zip: designer.jar: app.js</a>				0	
<a href="#">designer.zip: designer.jar: opendesignerextension.js</a>				0	

<a href="#">designer.zip: designer.jar: remotedesigner.js</a>				0	
<a href="#">designer.zip: inetswingcore.jar</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>				0	
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js</a>				0	
<a href="#">enginefactory.sample.zip: enginefactory.sample.jar</a>				0	
<a href="#">facturx.zip: Saxon-HE.jar</a>				0	
<a href="#">facturx.zip: facturx.jar</a>				0	
<a href="#">facturx.zip: istack-commons-runtime.jar</a>		<a href="#">pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0</a>		0	
<a href="#">facturx.zip: jakarta.activation-api.jar</a>		<a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3</a>		0	
<a href="#">facturx.zip: jakarta.xml.bind-api.jar</a>		<a href="#">pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2</a>		0	
<a href="#">facturx.zip: jaxb-core.jar</a>		<a href="#">pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5</a>		0	
<a href="#">facturx.zip: jaxb-runtime.jar</a>		<a href="#">pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5</a>		0	
<a href="#">facturx.zip: ph-collection.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-collection@11.2.6</a>		0	
<a href="#">facturx.zip: ph-commons.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-commons@11.2.6</a>		0	
<a href="#">facturx.zip: ph-jaxb.jar</a>		<a href="#">pkg:maven</a>		0	

		<a href="#">/com.helger.commons/ph-jaxb@11.2.6</a>			
<a href="#">facturx.zip: ph-schematron-api.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-api@8.0.6</a>		0	
<a href="#">facturx.zip: ph-schematron-pure.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.6</a>		0	
<a href="#">facturx.zip: ph-schematron-schxslt.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.6</a>		0	
<a href="#">facturx.zip: ph-schematron-validator.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.6</a>		0	
<a href="#">facturx.zip: ph-schematron-xslt.jar</a>		<a href="#">pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.6</a>		0	
<a href="#">facturx.zip: ph-xml.jar</a>		<a href="#">pkg:maven/com.helger.commons/ph-xml@11.2.6</a>		0	
<a href="#">facturx.zip: ph-xsds-xml.jar</a>		<a href="#">pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0</a>		0	
<a href="#">facturx.zip: txw2.jar</a>		<a href="#">pkg:maven/org.glassfish.jaxb/txw2@4.0.5</a>		0	
<a href="#">facturx.zip: xmlresolver.jar</a>				0	
<a href="#">hamcrest-3.0.jar</a>		<a href="#">pkg:maven/org.hamcrest/hamcrest@3.0</a>		0	
<a href="#">htmlviewer.printpdf.sample.zip: extension.js</a>				0	
<a href="#">htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar</a>				0	
<a href="#">htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js</a>				0	
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar</a>				0	

<a href="#">htmlviewer.toolbar.zip:</a> <a href="#">htmlviewer.toolbar.jar:</a> <a href="#">htmlviewer.angular.js</a>				0	
<a href="#">htmlviewerextension.sample.zip:</a> <a href="#">extension.js</a>				0	
<a href="#">htmlviewerextension.sample.zip:</a> <a href="#">htmlviewerextension.sample.jar</a>				0	
<a href="#">htmlviewerextension.sample.zip:</a> <a href="#">htmlviewerextension.sample.jar:</a> <a href="#">extension.js</a>				0	
<a href="#">inetcore-25.10-tools.jar</a>		<a href="#">pkg:maven/shared/inetcore@25.10</a>		0	
<a href="#">inetcore-25.10.jar</a> (shaded: com.inet.shared:inetcore:null)				0	
<a href="#">inetcore-25.10.jar</a>		<a href="#">pkg:maven/shared/inetcore@25.10</a>		0	
<a href="#">java-21-jre-x64-linux.tar.gz:</a> <a href="#">java-21-jre-x64-linux.tar:</a> <a href="#">jrt-fs.jar</a>	<a href="#">cpe:2.3:a:eclipse:platform:21.0.9:***.*.*.*.*</a>			0	Medium
<a href="#">jcip-annotations-1.0.jar</a>		<a href="#">pkg:maven/net.jcip/jcip-annotations@1.0</a>		0	
<a href="#">jlessc-1.14.jar</a>		<a href="#">pkg:maven/de.inetsoftware/jlessc@1.14</a>		0	
<a href="#">jsr305-3.0.2.jar</a>		<a href="#">pkg:maven/com.google.code.findbugs/jsr305@3.0.2</a>		0	
<a href="#">junit-4.13.2.jar</a>	<a href="#">cpe:2.3:a:junit:junit4:4.13.2:***.*.*.*.*</a>	<a href="#">pkg:maven/junit/junit@4.13.2</a>		0	Highest
<a href="#">junit-jupiter-5.13.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4</a>		0	
<a href="#">junit-jupiter-api-5.13.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4</a>		0	
<a href="#">junit-jupiter-engine-5.13.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4</a>		0	
<a href="#">junit-jupiter-params-5.13.4.jar</a>		<a href="#">pkg:maven/org.junit.jupiter/junit-jupiter-</a>		0	

[params@5.13.4](#)

<a href="#">junit-platform-commons-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-commons@1.13.4</a>		0	
<a href="#">junit-platform-engine-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-engine@1.13.4</a>		0	
<a href="#">junit-platform-launcher-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4</a>		0	
<a href="#">junit-platform-suite-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite@1.13.4</a>		0	
<a href="#">junit-platform-suite-api-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4</a>		0	
<a href="#">junit-platform-suite-commons-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4</a>		0	
<a href="#">junit-platform-suite-engine-1.13.4.jar</a>		<a href="#">pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4</a>		0	
<a href="#">junit-vintage-engine-5.13.4.jar</a>		<a href="#">pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4</a>		0	
<a href="#">maintenance.reporting.zip: maintenance.reporting.jar</a>				0	
<a href="#">opentest4j-1.3.0.jar</a>		<a href="#">pkg:maven/org.opentest4j/opentest4j@1.3.0</a>		0	
<a href="#">pdfviewer.zip: pdfjs-dist.jar</a>		<a href="#">pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155</a>		0	
<a href="#">pdfviewer.zip: pdfjs-dist.jar: package.json</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.jar</a>				0	
<a href="#">pdfviewer.zip: pdfviewer.</a>				0	

[jar: drive.js](#)

[pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js](#)

0

[pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js](#)

0

[pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js](#)

0

[pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js](#)

0

[pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js](#)

0

[pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js](#)

0

[processbridge.reporting.zip: processbridge.reporting.jar](#)

0

[promptdialog.zip: promptdialog.jar](#)

0

[promptdialog.zip: promptdialog.jar: promptcontroller.js](#)

0

[promptdialog.zip: promptdialog.jar: promptcustomrenderer.js](#)

0

[promptdialog.zip: promptdialog.jar: promptfactory.js](#)

0

[promptdialog.zip: promptdialog.jar: promptpanel.js](#)

0

[promptdialog.zip: promptdialog.jar: promptrenderer.js](#)

0

[propertieschecker.sample.zip: propertieschecker.sample.jar](#)

0

[remoteprinting.zip: remoteprinting.jar](#)

0

[remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js](#)

0

[remoteprinting.zip: remoteprinting.jar: app.js](#)

0

[remoteprinting.zip: remoteprinting.jar: htmlviewer.js](#)

0

[remoteprinting.zip: remoteprinting.jar:](#)

0

<a href="#">pdfviewer.angular.js</a>					
<a href="#">remoteprinting.zip:</a> <a href="#">remoteprinting.jar:</a> <a href="#">remoteprinting.factory.js</a>				0	
<a href="#">remoteprinting.zip:</a> <a href="#">remoteprinting.jar:</a> <a href="#">remoteprinting.js</a>				0	
<a href="#">remoteprinting.zip:</a> <a href="#">remoteprinting.jar:</a> <a href="#">remoteprinting.model.js</a>				0	
<a href="#">remoteprinting.zip:</a> <a href="#">remoteprinting.jar:</a> <a href="#">remoteprinting.renderer.js</a>				0	
<a href="#">reporting.zip: jcommon.jar</a>		<a href="#">pkg:maven/org.jfree/jcommon@1.0.24</a>		0	
<a href="#">reporting.zip: jfreechartCC.jar</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: jquery-ui.min.js</a>		<a href="#">pkg:javascript/jquery-ui@1.13.1</a>		0	
<a href="#">reporting.zip: reporting-javadoc.jar: member-search-index.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: script.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: tag-search-index.js</a>				0	
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>				0	
<a href="#">reporting.zip: reporting.jar</a>				0	
<a href="#">reporting.zip: reporting.jar: events.js</a>				0	
<a href="#">reporting.zip: reporting.jar: export.js</a>				0	
<a href="#">reporting.zip: reporting.jar: functions.js</a>				0	
<a href="#">reporting.zip: reporting.jar: generator.js</a>				0	

<a href="#">reporting.zip: reporting.jar: grouptree.js</a>				0	
<a href="#">reporting.zip: reporting.jar: htmlreportextension.js</a>				0	
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>				0	
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>				0	
<a href="#">reporting.zip: reporting.jar: menubar.js</a>				0	
<a href="#">reporting.zip: reporting.jar: page.js</a>				0	
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>				0	
<a href="#">reporting.zip: reporting.jar: popup.js</a>				0	
<a href="#">reporting.zip: reporting.jar: print.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prompts.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>				0	
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>				0	
<a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>				0	
<a href="#">reporting.zip: reporting.jar: reorder.js</a>				0	
<a href="#">reporting.zip: reporting.jar: report.export.js</a>				0	
<a href="#">reporting.zip: reporting.jar: report.exportdialog.controller.js</a>				0	
<a href="#">reporting.zip: reporting.jar: report.exportdialog.service.js</a>				0	
<a href="#">reporting.zip: reporting.jar: report.exportframe.js</a>				0	
<a href="#">reporting.zip: reporting.jar: script.js</a>				0	
<a href="#">reporting.zip: reporting.jar: search.js</a>				0	
<a href="#">reporting.zip: reporting.jar: serverping.js</a>				0	

<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>				0	
<a href="#">reporting.zip: reporting.jar: tabbar.js</a>				0	
<a href="#">sampledatabase.zip: sampledatabase.jar</a>				0	
<a href="#">sampledatabase.zip: smallsql.jar</a>				0	
<a href="#">samplereports.zip: samplereports.jar</a>				0	
<a href="#">sessiondatasource.sample.zip: sessiondatasource.sample.jar</a>				0	
<a href="#">slf4j-api-2.0.16.jar</a>		<a href="#">pkg:maven/org.slf4j/slf4j-api@2.0.16</a>		0	
<a href="#">statistics.reporting.zip: statistics.reporting.jar</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar</a>				0	
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js</a>				0	

## Dependencies (vulnerable)

### Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/21956e2c178030eb6943181dca7fd4849333d65e/Merlia-0.jar  
**MD5:** a2aa4399359074b15b51eb53e2ca2d3f

**SHA1:** 21956e2c178030eb6943181dca7fd4849333d65e

**SHA256:** 88c1bbb391688baf082de76bf4f73e36d122969dcb0d9cdef22217c88628debf

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High
Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.13.02	Medium

#### Identifiers

- [pkg:maven/lib/Merlia@0](#) (*Confidence:*Highest)

## ReportViewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/ReportViewer.jar

**MD5:** b6cc60ccf2b6b99015e56a98cd49b40e

**SHA1:** 1ee64f39a996e09a9dd8d87ee3009e2c3a58c417

**SHA256:** b20e6c49e3d3229cf143eff480270c3c23191d1e58c288dac4b45c815ee7446b

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low

Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2026-01-25 09:56	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2026-01-25 09:56	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-	25.10.314	High

Version

#### Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:25.10.314.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Medium)
- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:25.10.314.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Medium)

### adhoc.zip: adhoc-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar  
**MD5:** 60228cfb3df510dd9f9288fe350ce870  
**SHA1:** 9218b96bb6e233c7aa201d8097c6bd112cb56b75  
**SHA256:** 4f09db5bf846cf59253a079533ff82702ea923c4a8ff38f6cdbfb5e5d5f30a61  
**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-3.7.1.min.js  
**MD5:** 2c872dbe60f4ba70fb85356113d8b35e  
**SHA1:** ee48592d1fff952fcf06ce0b666ed4785493afdc  
**SHA256:** fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a  
**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** a443ef25e4d347d30d3222a401f9ae54

**SHA1:** 47c18aeb0d1116f19b279134e50c9f0d381405

**SHA256:**a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-dir/jquery-ui.min.js
  - MD5: a443ef25e4d347d30d3222a401f9ae54
  - SHA1: 47c18aeb0d1116f19b279134e50c9f0d381405
  - SHA256: a6c0904499f1efeef05641bd28fd7c73785e60f69ce9c699daf65af8b3720703

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

**MD5:** a11a003432f42524d56629b19a1483b3

**SHA1:** 8cfaec74a440180929e2b2de7d62f57243aabf7

**SHA256:** b57d8acb20e1bbe3c9de51666f29072c04cf9ad2a2146f3e2c4408f9e2a80367

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: module-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:** 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplaner.reporting.zip: taskplaner.reporting-javadoc.jar: module-search-index.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
- MD5: a33da0f469acbd03f77bf407bac505f5
- SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
- SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js

**MD5:** 443c6de8c51f57bb46f9edf936be4831

**SHA1:** 8ab16f7861b9adc0d4e5e4534a0b9944ddba22a0

**SHA256:** 1b37c4985983a5e016aa6710ac4705e886ea68722beaaf977f638efa5ab3b704

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/script.js

**MD5:** 33752b38a1be87b6104cf5bdd7ffc6a9

**SHA1:** e3aa5200cbabd88c6e041e081e31c037127197b6

**SHA256:** cbcc9c6530d4b8243436efb89516537f3d6b3a4ecea0e6256c57bdb8ddb544d

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script.js
  - MD5: 33752b38a1be87b6104cf5bdd7ffc6a9
  - SHA1: e3aa5200cbabd88c6e041e081e31c037127197b6
  - SHA256: cbcc9c6530d4b8243436efb89516537f3d6b3a4ecea0e6256c57bdb8ddb544d

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/search.js

**MD5:** cb277f670590ffec20a12745260518dc

**SHA1:** 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca

**SHA256:** 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/search.js
  - MD5: cb277f670590ffec20a12745260518dc
  - SHA1: 4b222ef8d1c52e1ce5ceb40a3b5c1fb9cad01eca
  - SHA256: 47c74de257f7e407a21e5d22519b664cfa1c83d04c362bff466c8424b702d31f

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js

**MD5:** acda0a4d961a2dbb052cf81694d1c50b

**SHA1:** 4853e0d2a022b5098359e59d740952ee1e187c04

**SHA256:** 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js

**MD5:** 35601b6ef3d0d29583b9fd84fa024e11

**SHA1:** d6778f941634eea1e7531383aa3d61199a5169b5

**SHA256:** e41d5f216525aa5f8dd4034163d890d31e4aac6e5e7f4d5847b596e5e27ebe77

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar

**MD5:** 3ddacb61423f073e2f36908103f91ae6

**SHA1:** 600dc283fa38b039b9de7f3a8a521211149ce263

**SHA256:** 6ebadb937d90ca6fec6779faac3e55962a5b0140c4a4a66ab2c0d3068675b78f

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	adhoc	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-01-25 10:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	25.10.314	High

### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.ai.panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js

**MD5:** c9621818e2fa2105a73d09882414f2b2

**SHA1:** 592226c5494aa756bfb304dbbc8d933fc2ceb7f

**SHA256:** a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js

**MD5:** 2353f6ab5c7683c4f071cb593ea217b6

**SHA1:** 08d6eba3020002ca0a114ffbe02c6c3b015e77a4

**SHA256:** 909ec3c7da69961a59c995c8e9d648ed211c434ad884054eac946c44e3e0cac9

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js

**MD5:** e456cb79474b1658f85e888026638cc9

**SHA1:** 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88

**SHA256:** 9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529bec7

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js

**MD5:** 8e84aa7ab7e98c0dec8019701658d2b4

**SHA1:** bdad0809b3e268ae1b0c610b95b1156104550a6d

**SHA256:** 67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js

**MD5:** 3db0f95df6f62025ca4806507d4f0f43

**SHA1:** fbe797943666cf95d624757a2fd20061ad8a46ec  
**SHA256:** 52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js  
**MD5:** 1183a925e74bcd44507fdb81ac32726  
**SHA1:** 3283ed287bfc7d8130e7b40e27e59f256c47feca  
**SHA256:** e79219570e282ad7f72c1691fe5a6f6be0b6cd679991113a3dd82ef5534101ca  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js  
**MD5:** 66e39cbb1c1a68f71d5d8644b757ce94  
**SHA1:** 267aed374d6ed69510ce8dfa22e53514c0b37ba7  
**SHA256:** 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js  
**MD5:** b983a3cfd912512fbc60090e89711a79  
**SHA1:** 5ee3a9659326fa2c537a989847992beeba94a732  
**SHA256:**a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js  
**MD5:** 0156e3fbc45f0b07b8a5804b7e13afc7  
**SHA1:** a5b87c150ed5c97c87ad474b8658b8cbaec3d1c7  
**SHA256:**03b11b97d110dfc75c6ea6f3a3a9daa057ae468452b0de8abd957e2335ce1e5f  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js  
**MD5:** 3c3cc1f827d6dbcf0ac4c5a51c4ab89f  
**SHA1:** 67d3370998c83d720424474dfd3fcc1fa772148c  
**SHA256:** 0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd  
**Referenced In Project/Scope:** designer-installer

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js  
**MD5:** 8dc62791382904705c86dd5b30dd6057  
**SHA1:** 0dd574f611b4a9e778e2eb5d35f6eb053b2ff9b6  
**SHA256:** 92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63  
**Referenced In Project/Scope:** designer-installer

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js  
**MD5:** 57bb880e05f35d1266a05d8cd42ab23b  
**SHA1:** 3865d3959ace7c0e8df9939bd2491f2caaf7eeae  
**SHA256:** 054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js  
**MD5:** bf076d6942b679343e59e02dfbca5c78  
**SHA1:** 44cff0512ae4f820e2b94c42f7bb426714a6dfc9  
**SHA256:** b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js  
**MD5:** 7ffacc002e6cdae40f70dfaea37e518d

**SHA1:** d13751863b1fefb6e60af34d5bfaaf4705e6527b

**SHA256:** 7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js

**MD5:** c8237bd10054b17297f16dc23ce7a899

**SHA1:** 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d

**SHA256:** 895d41a74d20c5a948d83f682478a3d1b24e3dfefc60693c2c38c74077327e55

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js

**MD5:** 4e4c9d65d59a92adf877a61a71756393

**SHA1:** 8e676f076cc14ef4622a8ed65a410e61fd992c1e

**SHA256:** 584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js  
**MD5:** ecaff58fb7d486379c09558c67b6adb4  
**SHA1:** 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3  
**SHA256:**8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js  
**MD5:** e12653dce1fcfdebe5f0a28fe0774de8  
**SHA1:** 5406aa37b19e568b6d06193e2cb542d6519e642f  
**SHA256:**9dcfcd925a87edf3a76fdfb79763d868dbbfdac56db00f2bfdb834cb6bede1f7  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js  
**MD5:** 4b5d05e2c310201701297eadad19abca  
**SHA1:** c30e2757675ca8316173a36d3c39765226175de2  
**SHA256:** abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d  
**Referenced In Project/Scope:** designer-installer

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js  
**MD5:** 37e9c9f9a348ccae2f8df7af5d3725bd  
**SHA1:** 6764850e9d7eb9171bff7d89446b04eb266ca1e8  
**SHA256:** 5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f  
**Referenced In Project/Scope:** designer-installer

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js  
**MD5:** 3528a62f71a82a0be2b78f8a64de3497  
**SHA1:** 4029d60d787120027ca739895ee0bb362fc671f6  
**SHA256:** 358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js  
**MD5:** 63f0e10a167f83195cb68fd0e882fb88  
**SHA1:** cf7819683de9726f187028f9f5a632f264796467  
**SHA256:** 2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js  
**MD5:** 4cec8eccc919777d50efe977de091d0f

**SHA1:** a5994488ccaa84f20f789ba5cbb22f9a9ae64cad  
**SHA256:** 34259fd56daa2c9d20578f0378bcb5c415935568827f3d02831d3f21e0f1c83b  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.toolbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js  
**MD5:** 2f5139e8bb9230a5c2389e256e6d93ba  
**SHA1:** adb1e443a91992bf905d820bf5b2417dcfb41f59  
**SHA256:** f82cf1c1bb706977a407a487c7180d2771dcc68f571653d6649872ec49ba8f9f  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoccontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js  
**MD5:** d2eaf43d02534b5ea7d88e14058e1775  
**SHA1:** 857732821d93db487a110221ee71b56e37535b46  
**SHA256:** 4cb72e884445cf953f4ec79a5013cdf02dc2d86b5cc1c47c2bd8f42bbf77fd57  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhocfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js  
**MD5:** 0e71269ca93b2ab765041523a51cdc0b  
**SHA1:** 0402abcf93b128f26b7485ef3d3624c62381a32d  
**SHA256:**7b3b28dc0bab13d0c4147ced5188d594c4ca4f5d5a7c4756dbcd4ecd380d2320  
**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhocmodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js  
**MD5:** 008d5ecd29740c8300f9159489739151  
**SHA1:** 6b48d6f72417311904460d3f4a4f279d4d129849  
**SHA256:**80d035ab11fd1a9b182e8197d2a2ff0df2b1dbc94104f20d16b88e49e8cf76fe  
**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js

**MD5:** 5fde177e1fe760a873bc1eec6790c747

**SHA1:** ea09c1b8b425b11dabdadfa340733cead4fb391f

**SHA256:** 005ffffac2bdb1e7afbf2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2

**Referenced In Project/Scope:** designer-installer

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js

**MD5:** 7003e616506cf628e25ee3debe27264a

**SHA1:** 60eb9aae8ed4419008acd4bb4cfe03baa87ea843

**SHA256:** f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c

**Referenced In Project/Scope:** designer-installer

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js

**MD5:** 5bcdbe57c2457045ede2e7e59a72a12e

**SHA1:** e72b708ddd576b5731ab3bc5a5098ea604c98fb5

**SHA256:** 796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js

**MD5:** b1ad812c14dcd1fe5e2b7062268f571c

**SHA1:** a708eae13369c42e13a88f6eccd2a803b68414b5

**SHA256:** 90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: echarts.jar

#### Description:

WebJar for echarts

#### License:

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/echarts.jar

**MD5:** f1b0daa0d7a67341f1803381e1d4185a

**SHA1:** 1600ea69559037bf4fc553e97e72c6aa4c1b1822

**SHA256:** 99333b79cba4fde148702ae3bbf26d30752a44944f1015e8ce7e7d2da692e515

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echarts	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Vendor	pom	artifactid	echarts	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	echarts	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	echarts	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	echarts	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Product	pom	artifactid	echarts	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	echarts	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	6.0.0	High
Version	pom	version	6.0.0	Highest

## Identifiers

- [pkg:maven/org.webjars.npm/echarts@6.0.0](https://www.webjars.org/npm/echarts@6.0.0) (Confidence:High)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/adhoc.zip/echarts.jar/META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js  
**MD5:** 13a384552589b88e84f7bf0c757a66ac  
**SHA1:** d8c844c3d7c681edb8c6b7f72464373cff593c98  
**SHA256:** baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

#### Description:

JSR305 Annotations for Findbugs

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

**MD5:** d08567d16867a0b79bc8149683918452

**SHA1:** d04690f71f3393e23f30998d9534365274fa5f9f

**SHA256:** 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

**Referenced In Project/Scope:** designer-installer:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	pom	artifactid	jsr305	Low
--------	-----	------------	--------	-----

Vendor	pom	groupid	com.google.code.findbugs	Highest
--------	-----	---------	--------------------------	---------

Vendor	pom	name	FindBugs-jsr305	High
--------	-----	------	-----------------	------

Vendor	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Highest
--------	-----	-----	---	---------

Product	pom	artifactid	jsr305	Highest
---------	-----	------------	--------	---------

Product	pom	groupid	com.google.code.findbugs	Highest
---------	-----	---------	--------------------------	---------

Product	pom	name	FindBugs-jsr305	High
---------	-----	------	-----------------	------

Product	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Medium
---------	-----	-----	---	--------

Version	pom	version	3.0.1	Highest
---------	-----	---------	-------	---------

## Identifiers

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.1> (*Confidence:High*)

## annotations-3.0.1.jar

### Description:

Annotation the FindBugs tool supports

### License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

**MD5:** fc4f102f22ba4f1df3f1d7cc6b202152

**SHA1:** fc019a2216218990d64dfe756e7aa20f0069dea2

**SHA256:** 6b47ff0a6de0ce17cbcdc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest
Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Vendor	pom	artifactid	annotations	Low
Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low
Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium

Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest
Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

## Identifiers

- <pkg:maven/com.google.code.findbugs/annotations@3.0.1> (*Confidence:High*)

## collation.sample.zip: collation.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/collation.sample.zip/collation.sample.jar

**MD5:** 54e4056cb389b9f6551185d178ad027e

**SHA1:** 8df7452e499cf2573fddf5adad5e665caae34cb5

**SHA256:** 6ac1956d35f1b80e362a18674ff30ab141c2e6233e3e817f3084ad7f564b37bf

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation.sample	High
Product	Manifest	specification-title	collation.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

## Identifiers

- None

### crsetupwizard.zip: crsetupwizard.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/crsetupwizard.zip/crsetupwizard.jar

**MD5:** fde1a6b66d21b2adefefa55ba35e796f

**SHA1:** 662fb166d0613c657de1ec16010624fe3945aa6d

**SHA256:** 0b797837ad1381754cb853e0c8e6c2b62ba621c06d2c93aec409824141a71165

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2026-01-25 10:32	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2026-01-25 10:32	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-	25.10.314	High

Version

#### Identifiers

- None

### customformulas.sample.zip: customformulas.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/customformulas.sample.zip/customformulas.sample.jar

**MD5:** 521db5a95db780d7e7266a237304aa94

**SHA1:** f603f43317cebfbc8f78feebe7e052135651d5c

**SHA256:** 03eddc5cc95dba3af7b7a58850a9c4876dbdbca943072935ee53292882b7b03b

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas.sample	High

Product	Manifest	specification-title	customformulas.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

## datasource.cassandra.zip: config.jar

### Description:

configuration library for JVM languages using HOCON files

### License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/config.jar

**MD5:** 47850cb01b8ffebd12c5e21b25f77da

**SHA1:** f19816be89ef80f9106535828ba32fd4cd8e6b77

**SHA256:** ab16decc45cc678b0cf17fb9668f380a73bdf11b75af1fa1ddec5da82805aea

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low
Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	https://github.com/lightbend/config	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium

Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	https://github.com/lightbend/config	Low
Product	Manifest	specification-title	config	Medium
Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.4	High
Version	Manifest	Implementation-Version	1.4.4	High

#### Identifiers

- None

### datasource.cassandra.zip: datasource.cassandra.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/datasource.cassandra.jar

**MD5:** 8138d2185faff12cb9a341221ce6b270

**SHA1:** 507c092b3936576eedcd867530a1117e01609bc6

**SHA256:** 3d196af9a19b05500876f4a8f68d488f6c612e0582691c8b38aa36b17fc9454f

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-01-25 10:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### datasource.cassandra.zip: java-driver-core.jar

#### Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

#### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-

driver-core.jar

**MD5:** 22ea44c19ec6538456500a991e61ecfb

**SHA1:** 3d619c4ecb214ac091006ff06ab32198a260f977

**SHA256:** 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

## Identifiers

- [pkg:maven/com.datastax.oss/java-driver-core@4.17.0](https://mvnrepository.com/artifact/com.datastax.oss/java-driver-core/4.17.0) (Confidence:High)

• cpe:2.3:a:apache:cassandra:4.17.0:\*:\*:\*:\*:\* (Confidence:Low) suppress

## datasource.cassandra.zip: java-driver-shaded-guava.jar

### Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

**MD5:** b7b9ffdbca6117c0aaa13787da02f96d

**SHA1:** 522771d14d6b7dba67056a39db33f205ffbed6a4

**SHA256:** 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest

Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

### Identifiers

- [pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1](#) ( *Confidence:High* )
- cpe:2.3:a:apache:cassandra:25.1:\*:\*:\*:\*:\* ( *Confidence:Low* )

## datasource.cassandra.zip: native-protocol.jar

### Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/native-protocol.jar

**MD5:** 2a2dd96d7b887bbaa1f9d7ecaeeeb6f6

**SHA1:** b4b083024837ad9e581b82397b4cabfb8f2daa8e

**SHA256:** 190dc40f3c63d6d803c48f90d457e06c65e6c5d955e47d4735dc9954a6743655

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.2	High
Version	pom	version	1.5.2	Highest

## Identifiers

- <pkg:maven/com.datastax.oss.native-protocol@1.5.2> (Confidence:High)

## datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.5)

### Description:

Java Concurrency Tools Core Library

### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

**MD5:** 5d5135397b920a7dcbca5c1fb0576cf2

**SHA1:** eaa05d6ad937464312a2681a3236c0e06602bbb7

**SHA256:** a69897b8ff0c2198b4b8cd7d4f93fde6d42b8e9dbfc95553585e27587b24e211

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	4.0.5	Highest

### Identifiers

- <pkg:maven/org.jctools/jctools-core@4.0.5> (Confidence:High)

## datasource.cassandra.zip: netty-transport.jar

### Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

**License:**

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-transport.jar

**MD5:** a79f296f0a1b0ab036c37fa043db59e1

**SHA1:** b864fc8ec3d72b6e22af88f5408b6ad7e41980ec

**SHA256:** 0ae2c16b00262ebb5d672fc9f6aa7be92bb063ebcb0826c3c06e06a19bdd1c3e

**Referenced In Project/Scope:** designer-installer

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://netty.io/	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest
Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	11	Highest
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium

Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.2.9.Final	High
Version	Manifest	Implementation-Version	4.2.9.Final	High
Version	pom	version	4.2.9.Final	Highest

## Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-buffer.jar
  - MD5: 1048e4d5be8f76011fa6ef35246beade
  - SHA1: d419abb1b035e1ab4dae22766c3ebf37343cc82b
  - SHA256: d013a96acea4889bc01ee03738d53c2e4a05e3faec14c25a92b4224c77d7a408
  - [pkg:maven/io.netty/netty-buffer@4.2.9.Final](#)
- datasource.cassandra.zip: netty-codec-base.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec-base.jar
  - MD5: 60ae9ed4a5d55aacfc162d928313eb80
  - SHA1: 1ecb17e188008c62aef9d03491f2fde6b06414bb
  - SHA256: 284a28b84f54bace36a9e602e3d9694696d22c56f27197af046e1a6547f2b093
  - [pkg:maven/io.netty/netty-codec-base@4.2.9.Final](#)
- datasource.cassandra.zip: netty-codec-compression.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec-compression.jar
  - MD5: 19140f92d7a99b9058888fe2e3b8b0db
  - SHA1: d3d3c3c16110278d1dbf8a423e20a839523724cd
  - SHA256: 4523a65fe95bf474afdcfaf7e2c214b088d2376dacc43737be2acf968520be7e
  - [pkg:maven/io.netty/netty-codec-compression@4.2.9.Final](#)
- datasource.cassandra.zip: netty-codec.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-codec.jar
  - MD5: f00215153ed3c2807478d039c72d1941
  - SHA1: 92aec707de696277b7548560d24631ff494c78a
  - SHA256: e2917d864734ace395ef8c6763917b7e6019ad53b8a7cf8f40a3bd52268de744
  - [pkg:maven/io.netty/netty-codec@4.2.9.Final](#)

- datasource.cassandra.zip: netty-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-common.jar
  - MD5: c38923d9b1471cc4bbcf06405a33853
  - SHA1: 04429addd1a59cb52dde76102f61b3f696fd3b9c
  - SHA256: 99d965d507b09599ab2d215e940c690d4f7ce8cd97ff13776aa17eb4e0d90b8a
  - [pkg:maven/io.netty/netty-common@4.2.9.Final](#)
- datasource.cassandra.zip: netty-handler.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-handler.jar
  - MD5: 87a8935405ec6a65ba3ddd753f8540bf
  - SHA1: f79da6a81f4390ed067301235e29705a7f774c5b
  - SHA256: e16126c711c1c8217342882cc0d9086007852cb0f99a351cfebe7725e8c7e100
  - [pkg:maven/io.netty/netty-handler@4.2.9.Final](#)
- datasource.cassandra.zip: netty-resolver.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.cassandra.zip/netty-resolver.jar
  - MD5: cf0879fd263bdd711ce4ee651e5c25d2
  - SHA1: faccff808e9166f1d689e054059b172cffc738ab
  - SHA256: f4c3742aa434700e0a263eb8ae9e0b1ae82686743e21d0fc6ba348da59636053
  - [pkg:maven/io.netty/netty-resolver@4.2.9.Final](#)

#### Identifiers

- [pkg:maven/io.netty/netty-transport@4.2.9.Final](#) (*Confidence:High*)
- [cpe:2.3:a:netty:netty:4.2.9:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*) suppress

## datasource.mongodb.zip: bson.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/bson.jar

**MD5:** 762e85d4cc6da6619fdb4803342b5e25

**SHA1:** 58d899dce48b970ee25995802f78d828bae4a1b6

**SHA256:** 99fd39f8b313ca5f39cb1a2e62454283a592dc4227c9010909e3652ef578a274

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	bson	High
Vendor	jar	package name	bson	Highest
Vendor	jar	package name	bson	Low
Vendor	Manifest	automatic-module-name	org.mongodb.bson	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.bson	Medium

Product	file	name	bson	High
Product	jar	package name	bson	Highest
Product	Manifest	automatic-module-name	org.mongodb.bson	Medium
Product	Manifest	Bundle-Name	bson	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

#### Identifiers

- [cpe:2.3:a:mongodb:bson:5.5.1:\\*.~\\*~\\*~\\*~\\*](#) (Confidence:Medium) suppress

### datasource.mongodb.zip: datasource.mongodb.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip  
/datasource.mongodb.jar

**MD5:** ca04e425fa01495a70c25a04203d5578

**SHA1:** b4c1174d71e838bd5f44e5c4badad21950eaf719

**SHA256:** d43bc4a4bfd5f6ac70e475eb65780f4ee3ebf5af8e890379044b618532c0218a

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:27	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-01-25 10:27	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### datasource.mongodb.zip: mongodb-driver-core.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/mongodb-driver-core.jar

**MD5:** eda912af57291d623e2402c4124a3aed

**SHA1:** 8e4056228072c05edec24f325cca34194983ad84

**SHA256:**9bd21650f6c0688461a5de30000efb67ec1d5d81a1e80c5c4928bb50bbca3f16

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-core	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Product	file	name	mongodb-driver-core	High

Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Product	Manifest	Bundle-Name	mongodb-driver-core	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

#### Identifiers

- None

### datasource.mongodb.zip: mongodb-driver-sync.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.mongodb.zip/mongodb-driver-sync.jar

**MD5:** 84bff743029ebe7b223a7ebe8f2409e8

**SHA1:** 7e8d22f9567868a73eede1bcb281e4f87537626c

**SHA256:** 10fbba300aca76d6996ea8a842226e78bcaaf108c908687940c991885be5e875

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-sync	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	client	Low
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Product	file	name	mongodb-driver-sync	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low

Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Product	Manifest	Bundle-Name	mongodb-driver-sync	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Version	Manifest	build-version	5.5.1	Medium
Version	Manifest	Bundle-Version	5.5.1	High

#### Identifiers

- None

### datasource.zip: datasource.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar  
**MD5:** a3c89572bc5334b8e490c1c33112aa24  
**SHA1:** 076125c7f52109a0e619a4bbd3301dcf0a102769  
**SHA256:** 1fca7b40e53e3d0d3f7656ccd89c65d4601920bff203968c80e7af1604d9ea20  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-01-25 10:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-edit-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

**MD5:** d3aff1bc5dbed650a47549c6b4b2d71c

**SHA1:** 352026dbf86cae5e886f46a566fa6b0c44f45fa3

**SHA256:** ed7edb89ba9e0274ca35afc162057de9dcfafdc635dabdc5c24e757ea3014e48

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-main-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js  
**MD5:** eba454f1868f794c9fc60b246f466f3a  
**SHA1:** 74d2a3a3f9f46c9ec9cbfe7a1538913440063f22  
**SHA256:** a0631ec130bfb7bb4824532d3c989d56db03ef8b0176fbcac0c1dba94c922052  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js  
**MD5:** 5cd410b5a8e33d67ccb3d324a3471059  
**SHA1:** a49a0928fee80e0fca7878cc0137171376da3204  
**SHA256:** 03295f6bac34a5ae47c6d53b8dd02835787143132184017143a37171b332cd29  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js  
**MD5:** 04165d3227639dfb6ce29a8399f878b7  
**SHA1:** 42b89aea0509b5b672f1a1228e7144ff615bbb99  
**SHA256:** b322d19691f4bcec36a37e1c473cca376a780fa40292f7e664a83dff8695b4cc  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## datasource.zip: datasource.jar: renderer-permissions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

**MD5:** 564716c3303396ed66ee273c97d5f73a

**SHA1:** ea2464e98a9d3d9ec6b44032ca1969721759348a

**SHA256:** d8534ea47db8738b7efb497bcbfdb341a4c9e361df28a3ecda043cc33771c620

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## datasource.zip: datasource.jar: renderer-urlauth.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-urlauth.js

**MD5:** 7df8d0472e16ec50a02b78c7f807a027

**SHA1:** 8371ea18c1ebbd030f4c50768f09a151254cca58

**SHA256:** 6702c065e1dda17c555b4c43c98201d2a7ac43b0e44f8981b8e03ce2b5e5296a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## datasource.zip: datasource.jar: renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js

**MD5:** 0afd2459886777254bf1ec76840f3dfd

**SHA1:** 2c5395e8a49e432b5a30e1ee6515e73b2601de48

**SHA256:** 069ab5b85efecc0d59a768da0f00f45faee95102bc5bb78c795875a9e63bc7cf

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## decoder.svg.zip: batik-anim-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-anim-inet\_patched.jar

**MD5:** ca9b7e3470ec4fae98f63e1176598fd8

**SHA1:** df67336085c962bf3974ae7c8e0684ede311b1c6

**SHA256:** 76906fb573f46895285d778672f5cc6bf866f75697ffe58eee83b01d1e09d871

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	batik-anim-inet_patched	High
--------	------	------	-------------------------	------

Vendor	jar	package name	anim	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	apache	Low
--------	-----	--------------	--------	-----

Vendor	jar	package name	batik	Low
--------	-----	--------------	-------	-----

Product	file	name	batik-anim-inet_patched	High
---------	------	------	-------------------------	------

Product	jar	package name	anim	Low
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

#### Identifiers

- None

### decoder.svg.zip: batik-awt-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-awt-util-inet\_patched.jar

**MD5:** 78d0f951cf21d193bb3019ced508670f

**SHA1:** 9a5dc6cea00c6f1dfe375fd0b6a6f5fd68f03920

**SHA256:** c235d7d09615f88df71d682442247725cdd17dac6be7bfe679ffeaafc218824b

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-awt-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-awt-util-inet_patched	High
Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

#### Identifiers

- None

### decoder.svg.zip: batik-bridge-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-bridge-inet\_patched.jar  
**MD5:** cd9b26662448c977f32a01ae076153ec  
**SHA1:** 69eb5e16d985e4b3e145ad2020346d9371c4112d  
**SHA256:** 3529283783068bd71b6932333dc30d45fb7f7de665731cab47d5a148e7f0ed04  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-bridge-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	bridge	Low
Product	file	name	batik-bridge-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	bridge	Low

#### Identifiers

- None

### decoder.svg.zip: batik-codec-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-codec-inet\_patched.jar  
**MD5:** 5e9f873b4c078f8e4129966c1db692bc  
**SHA1:** 009427d5c286ce0ea63eaea73f678e6e1316d114  
**SHA256:** b1359159577318d3793f46d9661b680edec76a936f6143bda670dc4c4b106542  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-codec-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	ext	Low
Product	file	name	batik-codec-inet_patched	High

Product	jar	package name	awt	Low
Product	jar	package name	batik	Low
Product	jar	package name	ext	Low

#### Identifiers

- None

### decoder.svg.zip: batik-constants-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-constants-inet\_patched.jar

**MD5:** 7ab5c8bdd3bffd8080327304340f808f

**SHA1:** 3d7521c16503666312e5ab3dda04e42040813ae8

**SHA256:** 400ad29a7300f5d71b765e9248bce8ce7e18ee77d02a07957ce977ff03e71284

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-constants-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	constants	Low
Product	file	name	batik-constants-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	constants	Low
Product	jar	package name	xmlconstants	Low

#### Identifiers

- None

### decoder.svg.zip: batik-css-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-css-inet\_patched.jar  
**MD5:** efe6d51256dfe90595905b466f50cb1d  
**SHA1:** 59720f3521ef86920b1bee7ecad8f774b0291a00  
**SHA256:** f9eeb49d41a69114371bbc4ce585e54e4b4de2b529bcb406f44e14e4a01d8dc8  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-css-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	css	Low
Product	file	name	batik-css-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	css	Low
Product	jar	package name	engine	Low

#### Identifiers

- None

### decoder.svg.zip: batik-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-dom-inet\_patched.jar  
**MD5:** 20ea7779e512f8c4bfa6531e062efd48  
**SHA1:** 836eabda80a9a6b924aea09b9493c44e3bb413b6  
**SHA256:** dcf5a79d65a595a73d17b6fb0339f9ac0248da957d311960fcedd33ae4cefe1d  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low

Product	file	name	batik-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low

#### Identifiers

- None

### decoder.svg.zip: batik-ext-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ext-inet\_patched.jar

**MD5:** 91711138884f8af1a08990da41b61af5

**SHA1:** 8195fd069a560ad76239f1d9fd803a4d39f7f1f3

**SHA256:** cd7a2cc67f833586efd1026651f2a66b608d32e6d0a2a9875fce05b998a35afe

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ext-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	w3c	Low
Product	file	name	batik-ext-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	w3c	Low

#### Identifiers

- None

### decoder.svg.zip: batik-extension-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-extension-inet\_patched.jar  
**MD5:** 04d7a025623894e24609572a4a95c827  
**SHA1:** 254337ea5358ce3660ce8063bf576ddfcafd828c  
**SHA256:**a67c190c69325fdd4f0afd147fac54734540659ec2b70061609d779a8b434c07  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-extension-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	extension	Low
Product	file	name	batik-extension-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	extension	Low
Product	jar	package name	svg	Low

Identifiers

- None

decoder.svg.zip: batik-gui-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gui-util-inet\_patched.jar  
**MD5:** d4f5c11c2ef0e885edf427ba341bb43a  
**SHA1:** e3d52600773e327e718226ba885ba4240d1f5708  
**SHA256:**de10ba6c89374b3bbc0391808c9a52343ed1f9341a979d9c5d29acb6a2a4ae35  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gui-util-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low

Product	file	name	batik-gui-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gui	Low
Product	jar	package name	util	Low

#### Identifiers

- None

### decoder.svg.zip: batik-gvt-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-gvt-inet\_patched.jar

**MD5:** 531c7350c3df1c016703d2f26d4656f5

**SHA1:** bbbfd0825b068e7a5636505c9d3ed2c1803c1f44

**SHA256:** d933774b59c569e30989072a6df247d28e639a1d206a530bc24f89b9162d133a

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-gvt-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	gvt	Low
Product	file	name	batik-gvt-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	gvt	Low

#### Identifiers

- None

### decoder.svg.zip: batik-i18n-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-i18n-inet\_patched.jar  
**MD5:** 1650351fc520b589f64f25bbb10014eb  
**SHA1:** e20373bfbefb8e38c877ba55da0fd6f88b1a898c  
**SHA256:** 87af44a58672b07600aea66ac280ac68d60d7a8edbc9bd855bd5d06242af357b  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-i18n-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	i18n	Low
Product	file	name	batik-i18n-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	i18n	Low
Version	file	name	batik-i18n-inet_patched	Medium
Version	file	version	18	Medium

#### Identifiers

- [cpe:2.3:a:inet:inet:18:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

### decoder.svg.zip: batik-parser-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-parser-inet\_patched.jar  
**MD5:** ec8662e2761223a07c1c5cd352760762  
**SHA1:** c93a4fa23c50b6fc598c196bf818ae990b33c8f9  
**SHA256:** ad5e96d9367b6a100f42dfef99b9e81f23bbd74d881f098eb6d448fdcf62d331  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-parser-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low

Vendor	jar	package name	parser	Low
Product	file	name	batik-parser-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	parser	Low

#### Identifiers

- None

### decoder.svg.zip: batik-script-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-script-inet\_patched.jar

**MD5:** ed9d79818286c08b981f7e735f2ebbf2

**SHA1:** fe5fbc17f4d45b81fa8c888458e48538f46dfb90

**SHA256:** defa2b26e8f7ffd05b58e544b4f66d34a79a3b8b0d92970742db0015cdb9d074

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-script-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	script	Low
Product	file	name	batik-script-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	script	Low

#### Identifiers

- None

### decoder.svg.zip: batik-slideshow-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-slideshow-inet\_patched.jar  
**MD5:** 4d7ff121bc7e6740a613f240cc0777de  
**SHA1:** 20d91541127828edfc0b6ee7dd0252002f87c4ea  
**SHA256:** aeacbbf5eacd1ba408cd72a363204c5430161a1d3a687b7c6b117845d3f99c79  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-slideshow-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-slideshow-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	slideshow	Low

Identifiers

- None

decoder.svg.zip: batik-svg-dom-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svg-dom-inet\_patched.jar  
**MD5:** b20d5f86935e8dd59d3fb3f5708cac47  
**SHA1:** 2e031b04335b7e61b0de6fedd5533037123ce81d  
**SHA256:** 680d15d7d60f06bcfa0b04ef41b3141114bf5f7915f2160db2c80ad3cb067da9  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svg-dom-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	dom	Low

Product	file	name	batik-svg-dom-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	dom	Low
Product	jar	package name	svg	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svggen-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svggen-inet\_patched.jar

**MD5:** 6d9a3465bc61d02429b4eb0c65c770e7

**SHA1:** f8c3849db028b84c4e82d0adbc54bf24b8eb67

**SHA256:** bb6afbda9cf1ac7d72abaef461aec401251cfb80690ebebdb47f3371840866

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svggen-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	svggen	Low
Product	file	name	batik-svggen-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svggen	Low

#### Identifiers

- None

### decoder.svg.zip: batik-svgpp-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-svgpp-inet\_patched.jar  
**MD5:** 2ce45f43360285cfee6f2f3061af1bab  
**SHA1:** 521eac762ffb626752a4f606b23f9d5c934c4ec0  
**SHA256:** 1c5bddd5d34b87ddb29bf314963b6d73b50ce177071907ec9fc27ebffda235cb  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-svgpp-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-svgpp-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	svgpp	Low

Identifiers

- None

decoder.svg.zip: batik-swing-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-swing-inet\_patched.jar  
**MD5:** 17abc0c5ca14b602d7ed885527fc829c  
**SHA1:** 6d37ed715d5842e3754dada7a67325b654fd42bd  
**SHA256:** d160b143743345ce02e9d62e45ff883f0677af8e702eefce4e8105411e52482c  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	batik-swing-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	swing	Low

Product	file	name	batik-swing-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	svg	Low
Product	jar	package name	swing	Low

#### Identifiers

- None

### decoder.svg.zip: batik-transcoder-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-transcoder-inet\_patched.jar

**MD5:** 0cdad6039646ea411d4510d8a20507fa

**SHA1:** e0546ab18ed8343e039e4ccf1b88c34dfe6c1b7d

**SHA256:**bbcb22884bf981fe96b6653951a882cd1e7ba073193242aaf58d1d31c2c1d27c

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-transcoder-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	transcoder	Low
Product	file	name	batik-transcoder-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	transcoder	Low

#### Identifiers

- None

### decoder.svg.zip: batik-ttf2svg-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-ttf2svg-inet\_patched.jar  
**MD5:** 6f0b1bf368468dc8a8227b3f401afa52  
**SHA1:** ba2b2e3d95123857e71c60d49a9a221b4fc36db3  
**SHA256:**1de125604d22826d9e5d3868d95e57ee4c8fa010ee528200cd18c52cf5a5e54e  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-ttf2svg-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	apps	Low
Vendor	jar	package name	batik	Low
Product	file	name	batik-ttf2svg-inet_patched	High
Product	jar	package name	apps	Low
Product	jar	package name	batik	Low
Product	jar	package name	ttf2svg	Low
Version	file	name	batik-ttf2svg-inet_patched	Medium
Version	file	version	2	Medium

Identifiers

- [cpe:2.3:a:inet:inet:2:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High) suppress

decoder.svg.zip: batik-util-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-util-inet\_patched.jar  
**MD5:** 183dac6411b205b38957a11d234906ca  
**SHA1:** 86236e20930356d458ddd067c8c4308dc5932e56  
**SHA256:**2268de559d12e0cbaad3019318d86d8e312fbf48508aa4c6dfb5f3dadc20b442  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-util-inet_patched	High
Vendor	jar	package name	apache	Low

Vendor	jar	package name	batik	Low
Vendor	jar	package name	util	Low
Product	file	name	batik-util-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	util	Low

#### Identifiers

- None

### decoder.svg.zip: batik-xml-inet\_patched.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/batik-xml-inet\_patched.jar

**MD5:** 2ee7b66eaa72669fdbbdc1ccf5a532cf

**SHA1:** c81c9b2f41a01688c55ea47d7add3789bdc9f71d

**SHA256:** fa08baff608e74d3a721fcf42e334c53a864b027def7a1307837b790a8f65783

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	batik-xml-inet_patched	High
Vendor	jar	package name	apache	Low
Vendor	jar	package name	batik	Low
Vendor	jar	package name	xml	Low
Product	file	name	batik-xml-inet_patched	High
Product	jar	package name	batik	Low
Product	jar	package name	xml	Low

#### Identifiers

- None

### decoder.svg.zip: decoder.svg.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/decoder.svg.jar  
**MD5:** bf934d7766f08a0775bdd40cf3e5e80e  
**SHA1:** 579819eb432ad36c005ec4a5588e1640126031ab  
**SHA256:**b8c996ae7f9625b84ac8684a12bd18dc7f52ed6fc5f054d2f5037aa75f69938c  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2026-01-25 10:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- None

decoder.svg.zip: jsvg.jar

License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/jsvg.jar

**MD5:** be6ca7686f4ca1320fec8b22762805a3

**SHA1:** cff25678c920dbd657bce96e9245e4fb54f852e6

**SHA256:**a215cf2a11dca182da9bc578ca6ab7c3e1728282df3a56f39ec8302f2c7895ef

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High
Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Low
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Implementation-Version	1.3.0	High

Identifiers

- None

## decoder.svg.zip: xml-apis-ext.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xml-apis-ext.jar

**MD5:** bcb07d3b8d2397db7a3013b6465d347b

**SHA1:** 41a8b86b358e87f3f13cf46069721719105aff66

**SHA256:** d0b4887dc34d57de49074a58affad439a013d0baffa1a8034f8ef2a5ea191646

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xml-apis-ext	High
Vendor	jar	package name	dom	Low
Vendor	jar	package name	svg	Low
Vendor	jar	package name	w3c	Low
Vendor	manifest-org/w3c/css/sac/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	manifest-org/w3c/dom/smil/	Implementation-Vendor	World Wide Web Consortium	Medium
Vendor	manifest-org/w3c/dom/svg/	Implementation-Vendor	World Wide Web Consortium	Medium
Product	file	name	xml-apis-ext	High
Product	jar	package name	css	Highest
Product	jar	package name	dom	Highest
Product	jar	package name	dom	Low
Product	jar	package name	sac	Highest
Product	jar	package name	smil	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	jar	package name	w3c	Highest
Product	manifest	Implementation-	org.w3c.css.sac	Medium

	org /w3c /css /sac/	Title		
Product	manifest org /w3c /css /sac/	Specification- Title	Simple API for CSS	Medium
Product	manifest org /w3c /dom /smil/	Implementation- Title	org.w3c.dom.smil	Medium
Product	manifest org /w3c /dom /smil/	Specification- Title	Document Object Model (DOM) for Synchronized Multimedia Integration Language (SMIL)	Medium
Product	manifest org /w3c /dom /svg/	Implementation- Title	org.w3c.dom.svg	Medium
Product	manifest org /w3c /dom /svg/	Specification- Title	Document Object Model (DOM) for Scalable Vector Graphics (SVG)	Medium
Version	manifest org /w3c /css /sac/	Implementation- Version	1.3	Medium
Version	manifest org /w3c /dom /svg/	Implementation- Version	1.1	Medium

#### Identifiers

- None

### decoder.svg.zip: xmlgraphics-commons.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar

**MD5:** ec712218e2391e64672fd8ed1e9e1d71

**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db

**SHA256:**1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

Identifiers

- cpe:2.3:a:apache:xmlgraphics\_commons:2.7:\*:\*:\*:\*:\* (Confidence:Low)

suppress

designer.zip: CCGuiLib.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/CCGuiLib.jar  
**MD5:** ff903c3c5517db35d8826f0ea2defecf  
**SHA1:** 1c17734688dd93d808b109ed3fc40d5fa8743a7e  
**SHA256:**138a4fbcfb2899b46cf90f1468af77905a0f3b91798c1e661fc5901d71a57486  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	CCGuiLib	High
Vendor	jar	package name	guilib	Low

Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-01-25 10:01	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	CCGuiLib	High
Product	jar	package name	guilib	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-01-25 10:01	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	CCGuiLib	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	CCGuiLib	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.314	High

## Identifiers

- None

## designer.zip: JnlpDesigner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/JnlpDesigner.jar

**MD5:** a2e04b07e30dc77a9b5d898f928ff86f

**SHA1:** f33710b3f52b4695d843970de3fec418d2ea06e6

**SHA256:** a0a253e3b55af9077355a6f6a0e13af8500135a910f86d67d1b697e4276e5165

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2026-01-25 10:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest
Product	jar	package name	jnlpdesigner	Highest

Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2026-01-25 10:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### designer.zip: SBSTutorial.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/SBSTutorial.jar

**MD5:** 5e2a9290c88fe830cd909e96f5c799d9

**SHA1:** 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9

**SHA256:**b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low
Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low

Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

#### Identifiers

- None

### designer.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

#### Identifiers

- None

### designer.zip: designer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar  
**MD5:** d258a9642866643c206489f8502335c7  
**SHA1:** 4cae49578ed4497f6e94b289a214f1dd91e74a99  
**SHA256:**b1be5768abcf36caf5bf27cf7b9067305bef0141801ff3422aa46338b2ee4f4f  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-01-25 10:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2026-01-25 10:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- None

### designer.zip: designer.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

**MD5:** 166cf806b8a80aeb525c6227997dbb67

**SHA1:** ad98fea47d6520742c5d53b264f35617f9e93205

**SHA256:** 1723232334ea1520fcbb4e388a48386444bb0dd6a650a7f253ab91c1f2a17f9c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### designer.zip: designer.jar: opendesignerextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

**MD5:** 4ffa073261ffba0499b501bfe0c011e8

**SHA1:** 49d507d0039f67d9402a17be9a3bd188e39d5778

**SHA256:** a6393af45de96155785e5d8fa03a5e8c25e82f7e01f2f09855dd04a66a318f4b

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### designer.zip: designer.jar: remotedesigner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js

**MD5:** 636aa57b17582002507695eb51151b40

**SHA1:** 0c4c63514279a159369d7f3d04b748cb3077f4a5  
**SHA256:**187e4aedb6834259a1b86981c479cf670040d20b0700347f52261d32bdbdbdaf  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/designer.zip/inetswingcore.jar  
**MD5:** 0077bd45d82624a9bf0b9567a4bdd8ba  
**SHA1:** 14af49f0a0ee2e276d6271b8b8aca5a69288ff4b  
**SHA256:**730cadbfbd58438f03ddd54f9fe8c36ed4fd0828b601ab76bc7646b1163ae41  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2026-01-25 08:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low
Product	Manifest	built-date	2026-01-25 08:56	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip  
/diagnostics.reporting.jar

**MD5:** 85bf326800cf834fbcfe2c1cd4591b1f

**SHA1:** 188a9167c3d5e8631fba1ebce4ca280ec71406de

**SHA256:** 23eecdebe828ac781057e0a9593d7de2bd1414501e45ea38def9d4031c7c5339

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High
Product	jar	package name	diagnostics	Highest

Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2026-01-25 10:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip  
/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

**MD5:** f53d87419cca81933623ab8325b500e4

**SHA1:** 5d4d1ae1f0f86f84711e9090df767880dacd62f0

**SHA256:** 0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip  
/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js

**MD5:** 69cf1345e403fa8c11c27e3fa01fb71b  
**SHA1:** e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384  
**SHA256:** b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js  
**MD5:** 7ff5a1d205b088435a55eebe6b299af9  
**SHA1:** f34ca1847e716ee3d759eef5ea0c1dd0a409ac6c  
**SHA256:** 8f5ea4bc5b949a0626b8e5f715b8c7c2a55e9a6e043d110dc5e583e18bb6595c  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### enginefactory.sample.zip: enginefactory.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/enginefactory.sample.zip/enginefactory.sample.jar  
**MD5:** 26405b1e4641e6c7457cf73ad0b9b377  
**SHA1:** d8ec214574d7ebed628fd4caf2a887b50bf40280  
**SHA256:** 7d41075510ecf7b887b2a257271cfa8bfd63b3ee9fdbcc49ce599a05829cdfca  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory.sample	High
Product	Manifest	specification-title	enginefactory.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### facturx.zip: Saxon-HE.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/Saxon-HE.jar

**MD5:** 0b0a3b9339752d6fba2ea1e8a837880f

**SHA1:** 40c34c6bee61f74b9583e3c4a0fee8c98852a8b4

**SHA256:** 58220adcb289dbebe0053e7a73ee70c97545c88f4886943d64241bf24701b72a

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low

## Identifiers

- None

## facturx.zip: facturx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/facturx.jar

**MD5:** 046b4efac31232a995c9674ebb746a0f

**SHA1:** 03bd7d11ff989de023750677e3ebacf00e40acb3

**SHA256:** c5bdb16d7cb83b5f1bfc32acec0947caba33be51677d4cebf7c63c0508eaf30c

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2026-01-25 10:24	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2026-01-25 10:24	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

## facturx.zip: istack-commons-runtime.jar

### Description:

istack common utility code

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/istack-commons-runtime.jar

**MD5:** 669f50fb835d86fcb3a9523a729f4d5e

**SHA1:** 131351109ff27c4aa0958a988bb273e879687232

**SHA256:** 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest

Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High
Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

#### Identifiers

- [pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0](#) (*Confidence:High*)

**Description:**

Specification

**License:**

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.activation-api.jar

**MD5:** 76e7b680375ea9f40f3ddb702efcd25

**SHA1:** fa165bd70cda600368eee31555222776a46b881f

**SHA256:** 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

**Referenced In Project/Scope:** designer-installer

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="#">jakartaee/jaf-api</a>	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High

Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

#### Identifiers

- <pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3> (*Confidence:High*)

**facturx.zip: jakarta.xml.bind-api.jar**

#### Description:

Jakarta XML Binding API 4.0 Design Specification

#### License:

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jakarta.xml.bind-api.jar  
**MD5:** 0c8f9991081def819435c3ff36e4d93f  
**SHA1:** 6cd5a999b834b63238005b7144136379dc36cad2  
**SHA256:** 0d6bcfe47763e85047acf7c398336dc84ff85ebcad0a7cb6f3b9d3e981245406  
**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	ca43d8b	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	ca43d8b	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High

Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.2	High
Version	Manifest	Implementation-Version	4.0.2	High
Version	pom	version	4.0.2	Highest

#### Identifiers

- <pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.2> (Confidence:High)

## facturx.zip: jaxb-core.jar

### Description:

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-core.jar

**MD5:** ab09aef6bebd4438b0a02707881801e4

**SHA1:** 007b4b11ea5542eea4ad55e1080b23be436795b3

**SHA256:** ad3fd9bf00de3eda9859f70b6cfb011e2fe9904804e16a2665092888ece0fdca

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

## Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.5](https://maven.org.glassfish.jaxb/jaxb-core@4.0.5) (*Confidence:High*)

## facturx.zip: jaxb-runtime.jar

### Description:

JAXB (JSR 222) Reference Implementation

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/jaxb-runtime.jar

**MD5:** c7384f1f95b8a8e15291485ff9dbe4f3

**SHA1:** ca84c2a7169b5293e232b9d00d1e4e36d4c3914a

**SHA256:** 485d8940e76373a7f300815ea5504bf5b726c234425ad30971019d133124cca4

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-runtime	High
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	jar	package name	runtime	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-runtime	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Runtime	High
Vendor	pom	parent-artifactid	jaxb-runtime-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Highest

Product	file	name	jaxb-runtime	High
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Runtime	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	implementation-build-id	4.0.5 - cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-runtime	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Runtime	High
Product	pom	parent-artifactid	jaxb-runtime-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	Manifest	Bundle-Version	4.0.5	High
Version	Manifest	implementation-build-id	4.0.5	Low
Version	pom	version	4.0.5	Highest

#### Identifiers

- [pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.5](https://maven.org.glassfish.jaxb/jaxb-runtime@4.0.5) (*Confidence:High*)

## facturx.zip: ph-collection.jar

### Description:

Special Java 1.8+ Library with extended collection related functionality

**License:**

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-collection.jar

**MD5:** 6f8f4284f8465d91cae2e26ad6039148

**SHA1:** fc137aef9a414747c416b86aaa462cfb36afec45

**SHA256:** 8e48518fff99621c1664ca540be4aceb897877a4c9c19d93004b975114d9f154

**Referenced In Project/Scope:** designer-installer

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low

Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-collection@11.2.6](https://maven.com.helger.commons/ph-collection@11.2.6) (*Confidence:High*)

## facturx.zip: ph-commons.jar

### Description:

Java 1.8+ Library with tons of utility classes required in all projects

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-commons.jar

**MD5:** 1608abe7e963d88e9535788c812e7516

**SHA1:** 5fd4f53ef252567f418219fa4e81bf51c87133aa

**SHA256:** bafc2ec5d7bc4b0087c071456438246cea6e8d674a55805fd96e865519be8f0d

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	equals	Highest
Product	jar	package name	hashCode	Highest

Product	jar	package name	helger	Highest
Product	jar	package name	iequalsimplementationregistrarspi	Highest
Product	jar	package name	ihashcodeimplementationregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	itypeconverterregistrarspi	Highest
Product	jar	package name	serialize	Highest
Product	jar	package name	thirdparty	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	11.2.6	High

Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-commons@11.2.6](https://maven.com.helger.commons/ph-commons@11.2.6) (*Confidence*:High)

## facturx.zip: ph-jaxb.jar

### Description:

Special Java 1.8+ Library with extended JAXB support

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-jaxb.jar

**MD5:** 77772cf3996abb2f48f5ba7d014f384d

**SHA1:** 9b9ddd5903f82246d74e7ec774e3d5fb0397ec37

**SHA256:** 4be8e625a74fdc36c7a6d638eda7bd9a04c158a83449fcc39a9a99c2dc712b5

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium

Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

## Identifiers

- [pkg:maven/com.helger.commons/ph-jaxb@11.2.6](https://maven.com.helger.commons/ph-jaxb@11.2.6) (Confidence:High)

## facturx.zip: ph-schematron-api.jar

### Description:

Base API for the library for validating XML documents with Schematron

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-api.jar

**MD5:** 61f285bcc5594b46c4ed17a8c10f952a

**SHA1:** 20a33cd7e30fb670ab3e932bbe6801f0b2beb738

**SHA256:** dee9d2b0e863fb0e3204dc6f4bc73bfb25dcb6834c51e27f9bc14a6a5dff5ff

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High

Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

## Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-api@8.0.6](https://maven.com.helger.schematron/ph-schematron-api@8.0.6) (*Confidence:High*)

## facturx.zip: ph-schematron-pure.jar

### Description:

This package contains the 'Pure' Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-pure.jar

**MD5:** cbbd08a503aa8cb93dda892f855b0632

**SHA1:** fd748971e2419c5323f6235451872168fa5ac137

**SHA256:** ffeb689ba500ee80b1b9442b4625dbf79937fbbd82fef631f7b1e699d994a712

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest

Product	file	name	ph-schematron-pure	High
Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-pure@8.0.6](https://maven.com.helger.schematron/ph-schematron-pure@8.0.6) (*Confidence:High*)

**facturx.zip: ph-schematron-schxslt.jar**

**Description:**

**License:**Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-schxslt.jar**MD5:** 007d2d5e3c31cfb44064b03a5c7165cc**SHA1:** 774654cf39bea29a23e20dbb32d02fff5ffcdf2**SHA256:** 9d2339d69f21011877bff9a7b79b4a091717a808e32f975e113e141aa509eea1**Referenced In Project/Scope:** designer-installer**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest

Product	jar	package name	schematron	Highest
Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-schxslt@8.0.6](https://maven.com.helger.schematron/ph-schematron-schxslt@8.0.6) (*Confidence:High*)

**facturx.zip: ph-schematron-validator.jar**

**Description:**

Base POM to build the ph-schematron projects

**License:**

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-validator.jar

**MD5:** b6587849a94f8c1fb697e86a4bb082ee

**SHA1:** bc566065aa6c93d7dd8c817a3bc87eaa2f078478

**SHA256:** 478bdef4db33386ae6ccbcf23b66fb8c447a76ed35b879a89ecaf90235524b4b

**Referenced In Project/Scope:** designer-installer

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest

Product	jar	package name	validator	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-validator@8.0.6](https://maven.com.helger.schematron/ph-schematron-validator@8.0.6) (*Confidence:High*)

## facturx.zip: ph-schematron-xsdt.jar

### Description:

Library for validating XML documents using the original Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-schematron-xslt.jar  
**MD5:** 56f6ea1431c16d881e760882d931c9f7  
**SHA1:** 754ef0e56ad3818cdb235561deb128079a5be90a  
**SHA256:** eac96bfab38187cfc22bb98b227f4e515beffb8ebf24a8bbcb38b392c41d169b  
**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low

Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	8.0.6	High
Version	Manifest	Implementation-Version	8.0.6	High
Version	pom	version	8.0.6	Highest

#### Identifiers

- [pkg:maven/com.helger.schematron/ph-schematron-xslt@8.0.6](https://maven.com.helger.schematron/ph-schematron-xslt@8.0.6) (*Confidence:High*)

## facturx.zip: ph-xml.jar

### Description:

Java 1.8+ Library with XML handling routines

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xml.jar

**MD5:** b699e92d4cc57c6109c6777a1ae0cf88

**SHA1:** db0c367d1807de26aefc95ccb526c5783f03a493

**SHA256:** 7924fb44aed6c8f619737fd8cbe737cea8edc9d3852e05e169138ae68e005c58

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium

Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	11.2.6	High
Version	Manifest	Implementation-Version	11.2.6	High
Version	pom	version	11.2.6	Highest

#### Identifiers

- [pkg:maven/com.helger.commons/ph-xml@11.2.6](#) (*Confidence:High*)

## facturx.zip: ph-xsds-xml.jar

### Description:

XML.xsd wrapped in JAXB

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/ph-xsds-xml.jar

**MD5:** f5d0d9170cce23fc050a0cb8e2fc8b94

**SHA1:** e1f471db4b77cb7c5804129746fcbad2dd57a28a

**SHA256:** de03d6b1d320e851d0f8a664346799447a5ec2163395a324c13a059d664e0c73

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Product	Manifest	Implementation-Title	ph-xsds-xml	High
Product	pom	artifactid	ph-xsds-xml	Highest

Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds-xml	High
Version	Manifest	Bundle-Version	3.0.0	High
Version	Manifest	Implementation-Version	3.0.0	High
Version	pom	version	3.0.0	Highest

#### Identifiers

- [pkg:maven/com.helger.xsd/ph-xsds-xml@3.0.0](#) (*Confidence:High*)

## facturx.zip: txw2.jar

### Description:

TXW is a library that allows you to write XML documents.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/txw2.jar

**MD5:** 2f5aa7dbd5e326562cff6ce720a1485a

**SHA1:** f36a4ef12120a9bb06d766d6a0e54b144fd7ed98

**SHA256:** 917355bc451481f30d043b24d123110517966af34383901773882810dca480e5

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest

Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	git-revision	cb19596	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	cb19596	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-txw-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.5	Medium
Version	pom	version	4.0.5	Highest

## Identifiers

- [pkg:maven/org.glassfish.jaxb/txw2@4.0.5](#) (*Confidence:High*)

## facturx.zip: xmlresolver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/xmlresolver.jar

**MD5:** ca44ebf8abcf16222ba638df806f961c

**SHA1:** 98ea0f8cb61bf69857581e083416d632da0d0759

**SHA256:** cfd1c4ee70cd2f0421de7e6a30c5198a3949dab4c3280c74729dc8679d5b7719

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Version	Manifest	Implementation-Version	6.0.11	High

### Identifiers

- None

## hamcrest-3.0.jar

### License:

BSD-3-Clause

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

**MD5:** 781023c38b054e9cf1c818c77895e1eb

**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

**SHA256:** 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-module-name	org.hamcrest	Medium
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Version	file	version	3.0	High
Version	Manifest	Implementation-Version	3.0	High

## Identifiers

- <pkg:maven/org.hamcrest/hamcrest@3.0> (Confidence: Highest)

htmlviewer.printpdf.sample.zip: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.sample.zip/src/com/inet/htmlviewer/printpdf/extension.js  
**MD5:** 7d8be1ef58947852666766c1db348644  
**SHA1:** 26c37af43002d8764dbd80914476c548ce2354a5  
**SHA256:**c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar  
**MD5:** 6dcd6a0b52544a01f88d55a78bf92dd7  
**SHA1:** ba7ef025bcc708c50c57f3ca8b7407c0f6fdff19  
**SHA256:**ce2f91763be8b54ff986e0375809a4fdf892870ac8d2296e6077787275df444e  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.printpdf.sample	High
Product	Manifest	specification-title	htmlviewer.printpdf.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js  
**MD5:** 3022fd9f69e0cf051844a2fea5b69ce2  
**SHA1:** 529ef29a67d8f97b139ea763ee1a050cfbfe821a  
**SHA256:** e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d  
**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar  
**MD5:** 195748efa548e3fb1bd800b5833d38b4  
**SHA1:** 80df9833c8f963afb489ea233375fe9e2ec42dda  
**SHA256:**d06aa8cc7118a7d3dce5746b0b77cf2c79ff9b3b226e6beffe6eee2b1ca98dc9  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-01-25 10:25	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2026-01-25 10:25	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- None

### htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

**MD5:** 3d4ffd97b4b2889874ab2c25fd81dfd0

**SHA1:** ea87dcc7a044e2517277934bea09c98994d3134f

**SHA256:** 74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### htmlviewerextension.sample.zip: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js

**MD5:** bdd6fdaab122479103c1bcba3692f01e

**SHA1:** 72aa61085dce74ce094f905354878ce744caede8

**SHA256:** 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### htmlviewerextension.sample.zip: htmlviewerextension.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.sample.zip/htmlviewerextension.sample.jar

**MD5:** 77d89604cc182b4a7aa86c213d5ed90a

**SHA1:** 67552b9289638ce849f241478f00f74b0eff75c6  
**SHA256:**db54acf3861673aaf82eac33fa5dd8d194c766390966cae9d7c58d20f572374e  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension.sample	High
Product	Manifest	specification-title	htmlviewerextension.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/htmlviewerextension.sample.zip  
/htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js

**MD5:** 858b53692be0235091614a2af9a32edb

**SHA1:** 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c

**SHA256:** 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### inetcore-25.10-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10

/6ff98cd4031c897d1e401e7582c1980e9d7f0f0d/inetcore-25.10-tools.jar

**MD5:** 5e6ceec1df3987b5b49efdb4ce5e0c6c

**SHA1:** 6ff98cd4031c897d1e401e7582c1980e9d7f0f0d

**SHA256:** 44027b55321915ce58c17316b83807f9e64ac8ca0775611440575a40a93f4a12

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest

#### Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (*Confidence: Highest*)

## inetcore-25.10.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (known as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/779db27c2248cfe0ea602c5120b2f0fd6f6d8cfa/inetcore-25.10.jar/META-INF/com/inet/shared/Utils/BlendComposite/pom.xml

**MD5:** 15e3963148212192804e2b1a2b73ad1c

**SHA1:** 1095ba4522949a04590ab9c98b7f684e92579ef9

**SHA256:** e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

**Referenced In Project/Scope:** designer-installer:inetPlugin

### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium
Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium

Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

#### Identifiers

- None

## inetcore-25.10.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/25.10/779db27c2248cfe0ea602c5120b2f0fd6f6d8cfa/inetcore-25.10.jar

**MD5:** bf30dc039e5d97c938f1c4ca26e06346

**SHA1:** 779db27c2248cfe0ea602c5120b2f0fd6f6d8cfa

**SHA256:** 9447dee735706c912ef3ccc337ac2cd5919195070e464e1e647e64c7c0898cc2

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2026-01-25 08:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-01-25 08:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	25.10	High
Version	gradle	version	25.10	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- [pkg:maven/shared/inetcore@25.10](#) (Confidence: Highest)

java-21-jre-x64-linux.tar.gz: java-21-jre-x64-linux.tar: jrt-fs.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/java-21-jre-x64-linux.tar.gz/java-21-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** 276de9c23c2c16d354492597c6b9832f  
**SHA1:** 266df3de8a88656fe28e132bc6dbdbe2cc724b20  
**SHA256:** 494c3d85ab7e8758d5fff4f168ad11817ded6c48409c8056803bb72f589b4abb  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	21.0.9	High

Identifiers

- [cpe:2.3:a:eclipse:platform:21.0.9:\\*\\*\\*:\\*\\*\\*:\\*\\*\\*](#) (Confidence: Medium)

suppress

## jcip-annotations-1.0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar

**MD5:** 9d5272954896c5a5d234f66b7372b17a

**SHA1:** afba4942caaeaf46aab0b976afd57cc7c181467e

**SHA256:** be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High
Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low
Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low
Product	jar	package name	jcip	Low
Version	file	name	jcip-annotations	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest

### Identifiers

- [pkg:maven/net.jcip/jcip-annotations@1.0](#) (*Confidence: Highest*)

## jlessc-1.14.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.14/5b2789630acdc41bab5c86da8937ffef3811a3c3/jlessc-1.14.jar

**MD5:** 73ef6dc09f0efda918ffcf67677ad2b0

**SHA1:** 5b2789630acdc41bab5c86da8937ffef3811a3c3

**SHA256:** 5445ebb2231d943301b977e2b30451fc704835ea9b5f96fa64618c608938cb52

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Version	file	version	1.14	High
Version	Manifest	Implementation-Version	1.14	High

## Identifiers

- [pkg:maven/de.inetsoftware/jlessc@1.14](https://maven.inetsoftware.de/jlessc/1.14) (*Confidence: Highest*)

**jsr305-3.0.2.jar**

**Description:**

**License:**

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

**MD5:** dd83accb899363c32b07d7a1b2e4ce40

**SHA1:** 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

**SHA256:** 766ad2a0783f2687962c8ad74cecc38a28b9f72a2d085ee438b7813e928d0c7

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.14

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-symbolicname	org.jsr-305	Medium
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-symbolicname	org.jsr-305	Medium
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Medium
Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

**Identifiers**

- <pkg:maven/com.google.code.findbugs/jsr305@3.0.2> (*Confidence:High*)

## junit-4.13.2.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2

/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	http://junit.org	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Version	file	version	4.13.2	High
Version	Manifest	Implementation-Version	4.13.2	High

### Identifiers

- [pkg:maven/junit/junit@4.13.2](#) (Confidence: Highest)
- [cpe:2.3:a:junit:junit4:4.13.2:\\*:\\*:\\*:\\*:\\*](#) (Confidence: Highest) suppress

## junit-jupiter-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.13.4/93547b3eca48a61f65f735c1898d3ec196e34149/junit-jupiter-5.13.4.jar

**MD5:** 3f4e38bdbea73c98a50f08b7c6e33426

**SHA1:** 93547b3eca48a61f65f735c1898d3ec196e34149

**SHA256:** b960f79217dd01c863031b678f07df4730bbf1eac650c74ad6b0c61faad78379

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium

Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4> (*Confidence: Highest*)

### junit-jupiter-api-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.13.4/2817f736551fe4949b79924715ef6f594ee072f4/junit-jupiter-api-5.13.4.jar

**MD5:** d9981621212d598a4ba380342094c92f

**SHA1:** 2817f736551fe4949b79924715ef6f594ee072f4

**SHA256:** d1bb81abfd9e03418306b4e6a3390c8db52c58372e749c2980ac29f0c08278f1

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low

Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

#### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-api@5.13.4](https://maven.org/junit/jupiter/junit-jupiter-api@5.13.4) (*Confidence: Highest*)

### junit-jupiter-engine-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.13.4/d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8/junit-jupiter-engine-5.13.4.jar

**MD5:** 3416ff6cff3dd4ea789b92338a49b9b2

**SHA1:** d29fc8b6a28d21b8741f299ae4deb3e3aa68b2e8

**SHA256:** 027404a92fe618b72465792a257951495c503a7d5751e0f51c87f67f5bc

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4

- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium

Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

### Identifiers

- [pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4](#) (*Confidence*:Highest)

## junit-jupiter-params-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.13.4/c8930eb7fcfbcd0b191703ab53f48475a75bd17/junit-jupiter-params-5.13.4.jar

**MD5:** a1db21cc54b627a085918626a3908c9e

**SHA1:** 0c8930eb7fcfbcd0b191703ab53f48475a75bd17

**SHA256:** 3a8c6365716dbb698c0d49a05456c1e1ad05c406613c550f9dd50037872efc41

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low

Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

#### Identifiers

- <pkg:maven/org.junit.jupiter/junit-jupiter-params@5.13.4> (*Confidence:High*est)

### junit-platform-commons-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.13.4/8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5/junit-platform-commons-1.13.4.jar

**MD5:** 7c39b85780e5bec0a23408959ac83fa9

**SHA1:** 8f63c7ed05b473d95cc63d1082054d7bfcf9c0e5

**SHA256:** 1c25ca641ebaae44ff3ad21ca1b2ef68d0dd84bfeb07c4805ba7840899b77408

**Referenced In Project/Scope:** designer-installer:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low

Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-commons@1.13.4> (*Confidence: Highest*)

## junit-platform-engine-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.13.4/cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb/junit-platform-engine-1.13.4.jar

**MD5:** 736aa9e83f7ba2b54adb5f86821fd4dd

**SHA1:** cdd49063ae6e25494d1a9a08f4a9ab5de2b73bcb

**SHA256:** 390c5f77b84283a64b644f88251b397e0b0debb80bdcc50f899881aecff43a5a

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low

Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-engine	High
Product	Manifest	specification-title	junit-platform-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-engine@1.13.4> (*Confidence*:Highest)

**junit-platform-launcher-1.13.4.jar**

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.13.4/e72a4d00af6177569fd57df4c8c4bb241c6aa4b6/junit-platform-launcher-1.13.4.jar

**MD5:** bdfea9c8c038752c70631934b2067073

**SHA1:** e72a4d00af6177569fd57df4c8c4bb241c6aa4b6

**SHA256:**0b0beaeb6880a31149641d2d848b863712885469670c12099586d7f798522564

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low

Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.13.4"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-launcher@1.13.4](https://maven.org/junit.platform/junit-platform-launcher@1.13.4) (*Confidence: Highest*)

### junit-platform-suite-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.13.4/7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7/junit-platform-suite-1.13.4.jar

**MD5:** 378c01f6aba4143235fcd78ee5e1490f

**SHA1:** 7af47cc4d0fbbd9a940644799a69f1f4c3ec4ee7

**SHA256:** 8088a80b47f5a7e73fa107f466dfa6a86776ca496fc2e7724aba65202d467913

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low

Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite@1.13.4](https://pkg:maven/org.junit.platform/junit-platform-suite@1.13.4) (*Confidence:High*)

### junit-platform-suite-api-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.13.4/7e29167859b8b66ae9bc60f63f33202b1c8b77e3/junit-platform-suite-api-1.13.4.jar

**MD5:** 53ff3dfddb5bc864217e7442ca0a8243

**SHA1:** 7e29167859b8b66ae9bc60f63f33202b1c8b77e3

**SHA256:** 9a05bf77e128371f5b3e25ffc89f7af467a9f68dd365fdced469ebcf533abc9

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-	junit-platform-suite-api	High

		Title		
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-api@1.13.4](https://maven.org/junit.platform/junit-platform-suite-api@1.13.4) (*Confidence: Highest*)

## junit-platform-suite-commons-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.13.4/65f946a08a21ddec266dd3010977111bbc84043/junit-platform-suite-commons-1.13.4.jar

**MD5:** ecab6fa371485191490729865ca59fba

**SHA1:** 65f946a08a21ddec266dd3010977111bbc84043

**SHA256:** e7dacfcfa3bc692c0a7a413cefd5f51ae420415a14d39091bdf88aebfdbba70b6

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low

Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

#### Identifiers

- [pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4](https://pkg:maven/org.junit.platform/junit-platform-suite-commons@1.13.4) (*Confidence*:Highest)

### junit-platform-suite-engine-1.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.13.4/b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca/junit-platform-suite-engine-1.13.4.jar

**MD5:** 69e03866f05f55ea65268adc36fa3fc0

**SHA1:** b888a7a9e00b25cc19b4d45dbd4dcfe0b3a4f6ca

**SHA256:** 3b34fd8172d70d0d7c59155e487bd8e77d43bdbfdcf1d78c2b4eea55e9acb92

**Referenced In Project/Scope:** designer-installer:inetPlugin  
**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low

Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Version	file	version	1.13.4	High
Version	Manifest	Implementation-Version	1.13.4	High

#### Identifiers

- <pkg:maven/org.junit.platform/junit-platform-suite-engine@1.13.4> (*Confidence*:Highest)

### junit-vintage-engine-5.13.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.13.4/9fa3f512a7b8de3013eb63e51623c9e73f8d0e34/junit-vintage-engine-5.13.4.jar

**MD5:** 77270af1c5e9ea55a3705683f261eddd

**SHA1:** 9fa3f512a7b8de3013eb63e51623c9e73f8d0e34

**SHA256:** 066b702d850ebcde36f2a8181b46a2f0f1416129d1dc63c3a1e1531006e74739

**Referenced In Project/Scope:** designer-installer:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/clear-reports/designer-installer@25.10
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low

Vendor	Manifest	build-date	2025-07-21	Low
Vendor	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Vendor	Manifest	build-time	08:57:57.538+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-07-21	Low
Product	Manifest	build-revision	8a21048605e61dc388c1c83cbecf9dd5097a59	Low
Product	Manifest	build-time	08:57:57.538+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.13.4"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium
Version	file	version	5.13.4	High
Version	Manifest	Implementation-Version	5.13.4	High

## Identifiers

- [pkg:maven/org.junit.vintage/junit-vintage-engine@5.13.4](https://maven.org/junit.vintage/junit-vintage-engine@5.13.4) (*Confidence:High*est)

## maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/maintenance.reporting.zip/maintenance.reporting.jar

**MD5:** e4422f06a57fd2ad84a4e6f20848d96a

**SHA1:** 15253375b342afb2e39320665ac3bf0214bde89d

**SHA256:** 5369b287d3084e6e8eeaed5efb6398a30d87b28315818d60d58f672878b55540

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-01-25 10:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- None

opentest4j-1.3.0.jar

License:

The Apache License, Version 2.0

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:**48e2df636cab6563ced64dcdff8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** designer-installer:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.13.4
- pkg:maven/org.junit.platform/junit-platform-suite@1.13.4
- pkg:maven/org.junit.jupiter/junit-jupiter@5.13.4

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low

Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Version	file	version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High

#### Identifiers

- [pkg:maven/org.opentest4j/opentest4j@1.3.0](https://pkg:maven/org.opentest4j/opentest4j@1.3.0) (Confidence: Highest)

## pdfviewer.zip: pdfjs-dist.jar

### Description:

WebJar for pdfjs-dist

### License:

Apache-2.0

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar

**MD5:** 57149d661792caab7b262b841f199ca0

**SHA1:** 1dd919385c724d3caf7294f870cbfa3fc2185530

**SHA256:** 55641dec5fc0d26127af3ec412c80234bc8c76e45639188034793c2205e8718a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	pdfjs-dist	High

Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.9.155	High
Version	pom	version	4.9.155	Highest

#### Identifiers

- <pkg:maven/org.webjars.npm/pdfjs-dist@4.9.155> (*Confidence:High*)

### pdfviewer.zip: pdfjs-dist.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/4.9.155/package.json

**MD5:** f65798a4fb5f72545ae76304dcf58ed6

**SHA1:** 9a8fec5d3dbad5400bbbed30a0be7cb07c854f0f4

**SHA256:** 5a3c6c424b00e9d9cc490b0e357197f1b099a2f91cf6aeb4dd5002f77e1155ce

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar  
**MD5:** 75c57787574375aa329d97df1c41d364  
**SHA1:** fe8ad177ae4e64c54ae2b09534127d6d7afb9006  
**SHA256:**efc9a3f0d798fa50d5d90549b5e7df09a17a01f0b9ffcd50ac1b5c363523f70e  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfviewer	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	built-date	2026-01-25 10:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2026-01-25 10:26	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	25.10.314	High

Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: drive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive/js/drive.js

**MD5:** a61df90ad012e9d4c83859788ec19151

**SHA1:** 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a

**SHA256:** b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js

**MD5:** 1e0d22af5c77627a6485695f2bdd10d6

**SHA1:** 8b670f76b503826911b1a439f602be0cbfa95133

**SHA256:** 26990964368293ee401c9bec49dc5de654e654ef42b667aa62f12273e9546e3b

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js

**MD5:** 83c45e0d7293b9373aa727b5b46fad6f  
**SHA1:** 501bddea7565a6ddfbcc28dbd28548db4c5e75a2  
**SHA256:**ecb5a921e11426c887e8dfbaff8454aa16e4a7c5f73d59463e951f9ac89d3c9e  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js

**MD5:** 70c61569c527fd7737957b471de5dd07  
**SHA1:** 947a14d0e216a84e51575e6cc582df68c443ad1c  
**SHA256:**06b6d8369b50776cdb25f6a92a488a63b7abe3f529d8a0e4529070fa4a2f5404  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

**MD5:** 65061f85ec23077b6c98875be7b46164  
**SHA1:** 1bebe940057d69c75870d43e93b52806a127a040  
**SHA256:**bac57cd12d9ba31c7e012c761b10c4764df23e8b132bd102cc640f8995ec1695  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

**MD5:** d34b04e30b4d0d71a176ac708274aae7

**SHA1:** 485cbf2519f98dd3bec1159904ff4bc771dd7360

**SHA256:** ab00a5aa599e0c984409db9756b2bf415c6df469f0ccf92e0a59d1123237d62f

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js

**MD5:** da48dd4655e68609c373107cb5448021

**SHA1:** 85f7795753fd05c86b7f28417219a72258418869

**SHA256:** 58a1fd3c9e8fbb4803b10157f30292e58b9f418dc35409a616971280a3840552

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## processbridge.reporting.zip: processbridge.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/processbridge.reporting.zip/processbridge.reporting.jar

**MD5:** 6e3725a6da6f3b1bb6e17531015fd2e6

**SHA1:** 04a20da67199d484f96e55e397cfd4b84d4c845a

**SHA256:** 3f6aeda1f3e16fe050356dc01f89c7e109b350f2ed9ce8743ef6c2f57b6ebf13

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:24	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-01-25 10:24	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium

Version Manifest Implementation-Version 25.10.314

High

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar

**MD5:** fbdf8db5dee046176bc6cb3f484442f1

**SHA1:** 8b2a93e57ba349b25f8f5e0891022e0b24fc46df

**SHA256:** e0d7ae964491fd53710acdd8ea90f2f612d2fc1fb915a8638e728c6c83947229

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:26	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-01-25 10:26	Low
Product	Manifest	implementation-	reporting	Low

		group		
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar  
/com/inet/report/promptdialog/client/js/promptcontroller.js

**MD5:** 9a1030e31357faa7ff332e07f31b2013

**SHA1:** 719be987ccd3264d5d3d086f00c1aefb24e080

**SHA256:**5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar  
/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

**MD5:** 4a2ab3e2f8b066e6c2faad02c1bf6c16

**SHA1:** e78d0c78e0a4222aa77bb5bab99d5686ceef8786

**SHA256:**249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js  
**MD5:** 8fdaefff173cebe93a61e37d38b411f5  
**SHA1:** df01371336e4d20ec91101bd4183bda94b5fb6ea  
**SHA256:**2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8  
**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js  
**MD5:** 99d16b2383290d43cd354674196e40b0  
**SHA1:** 03c6c2111b242719e26e7ebb64a1c5e89e6e540c  
**SHA256:**7863b068cfa31af1c989f23a8f888f7858759728968e0d0335b6d5ac7411eea4  
**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js  
**MD5:** 61c61ff08c770911316a7fef2450d6ba  
**SHA1:** 9ab51332b7278bd9f50630cebbf0064101971b4b  
**SHA256:** 6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715  
**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### propertieschecker.sample.zip: propertieschecker.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/propertieschecker.sample.zip/propertieschecker.sample.jar  
**MD5:** 27dffdad76b8ac037b8aaffc852b5826  
**SHA1:** a36590461fae4dd852b15e44b27086c5024cdf2  
**SHA256:** 284b2eb3a173578f0ebf96bb96a7be9ef0a0d97577b9d07f84baba358e2939d9  
**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	propertieschecker.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	propertieschecker	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-	i-net software	High

		Vendor		
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	propertieschecker.sample	High
Product	jar	package name	propertieschecker	Highest
Product	jar	package name	propertieschecker	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker.sample	High
Product	Manifest	specification-title	propertieschecker.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar

**MD5:** 09003b4b70947f134a33dcf3e7ef0f68

**SHA1:** e0067eed57c5e43cab535b0a951245789fd8e2f0

**SHA256:** 188d01604cdbf983b8a669b9c99880e679380c3ee107e0a4f2b99823a4eb38a8

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-01-25 10:22	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest
Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-01-25 10:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

**MD5:** 311da5e94edd3b1633ef74f41d8535c4

**SHA1:** 82d52fb3ffbc3f7d740a5577b2e008ef5b14e9cf

**SHA256:** 8e874308aebd3107ccbaa1e31261df485993743305fcde33f26eb70b4396353c

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

**MD5:** e9d58ab93114f2f8c4846419ad3cb610

**SHA1:** be2fba1f2b2bb90a425e152468d58c4c3dad1fa4

**SHA256:** b5093c6a851aea8903fba75bc7017fbf41db5a2af493c54ab990f3e43b7455c

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: htmlviewer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js

**MD5:** 2a3040ebe6be31144a6c18dd266493b8

**SHA1:** 830bfecfc5bb6ccaa82b258089d7c805385446b6

**SHA256:** c355fe9bda5e2d30ed2828f4699935c5f185224260e91f108a17f3bfb8ec5f51

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js

**MD5:** d60d18a2dca3c15d611f1456193c3c11

**SHA1:** 0b6623f3d7e631aa00b4d8a2e21b60fd2fcf8869

**SHA256:** 7cf145f10067d00f2f10e9d630f406c786b8e0982ca83926afbb60dae89b65a8

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

**MD5:** c2d54900f0269c6d6014cfddd17b2eb4

**SHA1:** c7e01abe54655b7e94276834bcdf211425bf5b71

**SHA256:** 70edbefc77a2eabbbdbe35cd95ec2a666b9a3eab65345a262be3674f34d91971

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

**MD5:** 16a56a1a971953b07d0095d52081f748  
**SHA1:** 24aea6fb2289f6031482fe451ff7edb2c33272ab  
**SHA256:** a837a1b694adb622c3a74c148ebfee89e1e502a2544f57f4b56a076a8c1ca4a4  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

**MD5:** 434c0bfe160b59fa89c7c39e0352b205  
**SHA1:** 7ecff74133eab2fa44190e6d93ff8f44b92a66e7  
**SHA256:** 52159b25c45bbcb73ce401e498ad886b7a4376531bf845598420fbaf573d4d66  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

**MD5:** 4cdf7ac9afdd2a1c7265643e2919560f  
**SHA1:** 259f22c23b948bd7290d4044a26f69afdc6de13b  
**SHA256:** 2b4ed3f2ff1ac406e3b87818b80b6dad3fcb8a191432cbef5bf556fadb057d8e  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: jcommon.jar

### Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

### License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jcommon.jar

**MD5:** 3872e82627df950d40a949144a93e491

**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b

**SHA256:**13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

**Referenced In Project/Scope:** designer-installer

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	<a href="http://www.object-refinery.com">http://www.object-refinery.com</a>	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High

Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	http://www.jfree.org/	Medium
Vendor	pom	url	http://www.jfree.org/jcommon/	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest
Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

#### Identifiers

- [pkg:maven/org.jfree/jcommon@1.0.24](https://maven.org/jfree/jcommon@1.0.24) (*Confidence:High*)

### reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/jfreechartCC.jar  
**MD5:** 6b266606390ef03660757b87ba0acb65  
**SHA1:** 1b416b5ac94e528d9b7406995bba3bb483f2bd20  
**SHA256:** d3737f66f7e475fb3f21843b66181ae05fd3e965a2b766ee28f084cbe3ae8acd  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2026-01-25 10:01	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2026-01-25 10:01	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar  
**MD5:** 86f1d0fe7823440077d580df48775e91  
**SHA1:** a466a8923a0aac6e3173ec607c7cd673d7cacbcd  
**SHA256:** d67b47a37a82346aa868b6a32ae227336bb21736229923f9bf0e01974610aadc  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: jquery-3.6.1.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-3.6.1.min.js

**MD5:** 00727d1d5d9c90f7de826f1a4a9cc632

**SHA1:** ea61688671d0c3044f2c5b2f2c4af0a6620ac6c2

**SHA256:** a3cf00c109d907e543bc4f6dbc85eb31068f94515251347e9e57509b52ee3d74

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High
Version	file	version	1.13.1	High

#### Identifiers

- [pkg:javascript/jquery-ui@1.13.1](#) (*Confidence: Highest*)

### reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

**MD5:** 4e156314aab662d8bd20e04d1e7051b4

**SHA1:** 513dc09a501c027f8a199108eca2742b6b0137cf

**SHA256:** 80a6415178fb8e4ed93b07032a47eb453a3e350e3257497ba928c5c6fbfecbd3

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

**MD5:** 2c0f8742f3f9b12b580ebbb1d05b246c

**SHA1:** 4ab261d1781d9f77c131e641ec031d38e39a0444

**SHA256:** 40e580f6c42f5eaad108580601b9279ee0d06eb1b35574573d0d2a3798580d82

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script.js

**MD5:** baf9d9e16237acbdce975a33c54ee8ae

**SHA1:** cc6a3c8d72f17eff0d613ddfcf7c1095535573f7

**SHA256:** 9a027b197c6b3b44c4952797b2eb0477318a03093a5bbad089e12959e562b975

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/tag-search-index.js

**MD5:** 95810a7878ddd3f49d938eb6b5c0f1b2

**SHA1:** 4d0358e131242bfb1a29d1db368e9e24381ad979

**SHA256:** e31bd7c6847cd8b49a884fe01244f740ad184cdb7aa6449830be21985158f0d9

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** 8008687a1ad6ed821adc84cca8826520

**SHA1:** a21713c3a63548a6651afc41259760ad85b6226d

**SHA256:**a9e4cb81069076017cfaf4566173432128024441225b5c4d9bc20a04637f5416

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar

**MD5:** f792eb13e0e00cd44c0afce298a1fdae

**SHA1:** 3b2b8c0eb23f2d3251d45f7e83d6bc4196577cc7

**SHA256:**1d6881f4fdcdb5f6fa4baec1e7b626c5ec636e4b98e55ff37195c2fdaf5763e

**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	reporting	High
--------	------	------	-----------	------

Vendor	jar	package name	i	Highest
--------	-----	--------------	---	---------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	report	Low
--------	-----	--------------	--------	-----

Vendor	Manifest	application-library-allowable-codebase	*	Low
--------	----------	--	---	-----

Vendor	Manifest	built-date	2026-01-25 10:05	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	codebase	*	Low
--------	----------	----------	---	-----

Vendor	Manifest	implementation-group	reporting	Low
--------	----------	----------------------	-----------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-01-25 10:05	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js  
**MD5:** 867af7b9527093452195d3057166a9ca  
**SHA1:** e4856efc3e95a20f25beff5da4ce9b907c3a1575  
**SHA256:** c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js  
**MD5:** 25d677f9db7379990f234c6e0e8a3eca  
**SHA1:** 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e  
**SHA256:** 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js  
**MD5:** 4cd489d3699e18018f4ee1c88710a066  
**SHA1:** 1fea1856f278aa8a929db3b5dca00fc44bc6de0d  
**SHA256:** 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

**MD5:** d98c2ca06a72837183dc17a3eeec0039

**SHA1:** cfa6d7f381d3cb43b6702884df53b0fa08149fc8

**SHA256:** b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

**MD5:** 03effe09b42d19447ffc8cb035ef827f

**SHA1:** 3c8c2af60ab10e237af37bbf3a0a2d6106870cde

**SHA256:** 9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

**MD5:** 4a91827e853ef0bf19cf06f343e18e98

**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09

**SHA256:** 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: jstorage.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js

**MD5:** 8078b278235f9eb8cf63b1474a1362db

**SHA1:** feb74af17fb5ba7b01c4ad997759ec21ac685ad5

**SHA256:** 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js

**MD5:** 54d50496c4b43d4c78c30facfd01809d

**SHA1:** 9e29b6d13b0478339596ac131e214c605e10fa0d

**SHA256:** 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js

**MD5:** e26148c5b4c16d3da8a96dea494c4593

**SHA1:** 51cfaf2c4e1813b5512e500513da3d32e7ad7b61

**SHA256:** 28ec27cd322d861cb53ad7eb536618f64a33ba0e16b16392d22bf9609c35042a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js  
**MD5:** 214a1cd3653bb9aa3cec9078e6ee3316  
**SHA1:** edb8d66493699591d0202d1a14b8f34af49daa75  
**SHA256:** c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js  
**MD5:** c6823ab782e12fa9e9c0325321ab0011  
**SHA1:** facbdd75d7176e5809cebd5d5702cfbb0bf677ac  
**SHA256:** 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js  
**MD5:** c3941efe0d33e1e9b046fccd239033cb  
**SHA1:** 53951b79a3c0e93768dd4043b3d16d884fc2c7ca  
**SHA256:** 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

**MD5:** f8fec5b39e4c5055f35e01c926e8b959

**SHA1:** b4f6666f078b60a130ec12b993d2884b2d3f81e7

**SHA256:** 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

**MD5:** 2f5c5a5ef5cb256a9821ea4d1d6419c0

**SHA1:** 06cbaf426406533188f8071ebb9bb7d393c7b0fe

**SHA256:** cbe5282d8ec16c52ca33a3ab53f17eca55024fb744c06f489d61d7579f124fea

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

**MD5:** c69ba575e53ba415b800f18386ce2d65

**SHA1:** 968d437fa28bd784a3dac6a58d090027bf8e0563

**SHA256:** 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js

**MD5:** b51b2dd46fafbff64c30ff2e731c814d

**SHA1:** ea525bae8dd23860d1b8202869a316626af91c26

**SHA256:** bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js

**MD5:** f0bb166a036ca364a6c047d345fc9a0e

**SHA1:** d491f3851e9aa5d8fd70d4139669635eb5cdd1b0

**SHA256:** fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js

**MD5:** e4f2d17c10a193f2e46e30c80de52d09

**SHA1:** d37d5dc99e12ada04ae0737c180ced7fef7450c7

**SHA256:** ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js  
**MD5:** c2f6f517d3d3f572c54fe096339ff49d  
**SHA1:** a429dd95146869f4ab9b00c3611947ddf6b91d1a  
**SHA256:** d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: report.export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js  
**MD5:** 11b5592b08b3a2f21b98843222cb5c99  
**SHA1:** d2b4b4fd948c46fbb8d18d5f26ddbdfc243b676d  
**SHA256:** 95bfb6ccb730c142642ebafe6267fb4f2d94703b26c26084ac9073d75f14ebed  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: report.exportdialog.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js  
**MD5:** 33165ad89f5e1337a51632847b2d0e27  
**SHA1:** 5d2c08233db36cafec84fdf42311ea706c186980  
**SHA256:** 2e5f124cbc095e6af716907a4f7a2222563c5f198f7b80c115807d3dd20293a5  
**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: report.exportdialog.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js

**MD5:** e0c64da7a618e8b61743ab3f796e480f

**SHA1:** b3f3b1820ac805200784c2a04a8e9e0c5c6a773d

**SHA256:** e57c19851718e326461b09834966d70d0de3d3ce09f1656d16afe7f88f2807e7

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: report.exportframe.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js

**MD5:** 2c9f57a3ef5d760bc9f1fe6d344384da

**SHA1:** a2562e63bc825ea8eeaaea75a98e09c2a6be7186

**SHA256:** f4417bf8d9d1430364d95d6e8eebffa28cc97c6cb34346e78d0612d5842d02a

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

**MD5:** 9237075ecd44006d5ab48177001c5314

**SHA1:** fe08bb48bf207cdcf0ff4e2d776b59672f965518

**SHA256:** bf5ee8cda7861d90ae35343c6233ccb210da8860285def9b47d20057685f97ba

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js

**MD5:** faa3f4fb9604ed70bec53256b055ffa6

**SHA1:** 892688617be684946fa39098413d0c55d9e769cc

**SHA256:** ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js

**MD5:** 6124f0f67286f7e3fbf239bdc4988d95

**SHA1:** aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d

**SHA256:** f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js

**MD5:** e9687f11beba8f607c0c98af4eb0cc94

**SHA1:** f92f65d1f27fad2febcc8ad23824f10f51cc722b

**SHA256:** 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js  
**MD5:** fdb707b4dc212e365bff1fa637bbfa32  
**SHA1:** 14e364be23b61f3f94427a79ce8c0f87bb186c04  
**SHA256:**f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

sampldatabase.zip: sampldatabase.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampldatabase.zip/sampldatabase.jar  
**MD5:** 45f4a4b7ecf5f0c5b08c4876abcda318  
**SHA1:** d873c1be416b87e1138dd0351f022c1ad0516437  
**SHA256:**0cb28c44fff9bcc69d979139083e31f46974c9982dbab3fa39e24492d3fb1939  
**Referenced In Project/Scope:** designer-installer

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampldatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampldatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-01-25 10:21	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampldatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampldatabase	Highest
Product	jar	package name	sampldatabase	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-01-25 10:21	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampldatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampldatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### sampledatabase.zip: smallsql.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sampledatabase.zip/smallsql.jar  
**MD5:** a85e63aac9630d46b06baaf8e405085a

**SHA1:** bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

**SHA256:** fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

#### Identifiers

- None

### samlereports.zip: samlereports.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/samlereports.zip/samlereports.jar

**MD5:** d004c1fa94beb696e9df3f73580ffc50

**SHA1:** ffb230179dffe47ce60bc2054fe1e14b69857020

**SHA256:** 3bd8e7818550a94ec8c0c1e921f2f60f40d341320f19a27d95359695000e3510

**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-01-25 10:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High
Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-01-25 10:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### sessiondatasource.sample.zip: sessiondatasource.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/sessiondatasource.sample.zip  
/sessiondatasource.sample.jar

**MD5:** 1d86d5be05018d4d86d70b09379cf9cd

**SHA1:** 3e6dd328e3de4cafd5739ca5f8bb787eb81e067e

**SHA256:**45642424cf8ec21b488048268925fa099f93c071c47aca015e669ad65a9bc459

**Referenced In Project/Scope:** designer-installer

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2026-01-25 10:04	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2026-01-25 10:04	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource.sample	High
Product	Manifest	specification-title	sessiondatasource.sample	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

## slf4j-api-2.0.16.jar

### Description:

The slf4j API

### License:

<http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.16/172931663a09a1fa515567af5fbef00897d3c04/slf4j-api-2.0.16.jar

**MD5:** c8de8f5d740584cb24b5652cfba8b3c4

**SHA1:** 0172931663a09a1fa515567af5fbef00897d3c04

**SHA256:** a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a

### Referenced In Projects/Scopes:

- designer-installer
- designer-installer:inetPlugin

**Included by:** pkg:maven/clear-reports/designer-installer@25.10

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.16	High
Version	gradle	version	2.0.16	Highest
Version	Manifest	Bundle-Version	2.0.16	High
Version	Manifest	Implementation-Version	2.0.16	High
Version	pom	version	2.0.16	Highest

## Related Dependencies



- facturx.zip: slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/facturx.zip/slf4j-api.jar
  - MD5: c8de8f5d740584cb24b5652cfba8b3c4
  - SHA1: 0172931663a09a1fa515567af5fbef00897d3c04
  - SHA256: a12578dde1ba00bd9b816d388a0b879928d00bab3c83c240f7013bf4196c579a
  - [pkg:maven/org.slf4j/slf4j-api@2.0.16](https://pkg:maven/org.slf4j/slf4j-api@2.0.16)

## Identifiers

- [pkg:maven/org.slf4j/slf4j-api@2.0.16](https://pkg:maven/org.slf4j/slf4j-api@2.0.16) (Confidence:High)

## statistics.reporting.zip: statistics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/statistics.reporting.zip/statistics.reporting.jar

**MD5:** 18b40193563ed2316810e98f9792f46c

**SHA1:** 2577831bece2ea40d6f43df87caf708f863695f5

**SHA256:** 85d3d1ac0b5a2da6c1eab1f134f89765a6b828dbe74330b9fb8206911e27c1be

**Referenced In Project/Scope:** designer-installer

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2026-01-25 10:21	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2026-01-25 10:21	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

**MD5:** cd3d51170da2d55d8bf586e2f193eae5

**SHA1:** a6de2cfb00d30410da6d3890e8fbec502b1faa4d

**SHA256:** d62246a5408d080390c19561d32640dce6ec963abc081c3a6ca625a5bc378ad0

**Referenced In Project/Scope:** designer-installer

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

#### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

**MD5:** de0f18bbc2da1ad408139283b4db3733

**SHA1:** f68de53642127720d1963b4ab6c535d15ed552d7

**SHA256:** 0d1f6e53fd3c81e1f4fb21e5950525b18aac5b2d0d386897590336f6def7a528

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js

**MD5:** 53fb7ab8ab8de6b33f33254e2c32fbc9

**SHA1:** f9bac0ca4dca6228416bed44f903f85acc19d969

**SHA256:** 4dc686e5e4b0138073c3ffc1106bea2df96559da6d6e7d7ec2273bb12978c8ed

**Referenced In Project/Scope:** designer-installer

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js

**MD5:** 3236248138000d701400e0346999c1a8

**SHA1:** 565146643a30712208f9299bd94a37566eab76b8  
**SHA256:**72960c457566fe509fb1610d2612152b3f78b15485c891197f1053febdf8f8d1  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js  
**MD5:** b0dcdeedc2201c62287cfb168bca35f5  
**SHA1:** aabb00fe2be134923fb716b9b6d1909e247d0dfa  
**SHA256:**c655265fb2ffb91913da0407621313cf8139ee6bf04a9374cde419395878e64e  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.jar  
**MD5:** 711857da00796aa1a631defa089c91be  
**SHA1:** da275b2b2b59afd6c6825aedddd58d8acc409eca  
**SHA256:**524087f87a07d43773664266a6b7a769a776e62eb9f9e3af3e1021b35b3e046a  
**Referenced In Project/Scope:** designer-installer

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-01-25 10:22	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-01-25 10:22	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	taskplanner.reporting	High
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	25.10.314	High

#### Identifiers

- None

**taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/taskplanner.reporting.zip  
/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

**MD5:** ea3fd5ef6a70616ed664aaeb73227b89

**SHA1:** 38cee119cd4daac08a3949a972643854a1b2acc5  
**SHA256:**83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

Suppressed Vulnerabilities

decoder.svg.zip: xmlgraphics-commons.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/decoder.svg.zip/xmlgraphics-commons.jar  
**MD5:** ec712218e2391e64672fd8ed1e9e1d71  
**SHA1:** 336ddd6d0a244cdebf26a298fb7c3a5fd45449db  
**SHA256:** 1fe37a1927bdd699730f0ad39f50a699c9ab4dff0ad047dff1e846cb120ae2b1  
**Referenced In Project/Scope:** designer-installer

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	xmlgraphics-commons	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	apache	Low
Vendor	jar	package name	xmlgraphics	Highest
Vendor	jar	package name	xmlgraphics	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation (http://xmlgraphics.apache.org/)	High
Product	file	name	xmlgraphics-commons	High
Product	jar	package name	apache	Highest
Product	jar	package name	xmlgraphics	Low
Product	Manifest	Implementation-Title	Apache XML Graphics Commons	High
Version	Manifest	build-id	20220112-112401-GMT	Medium
Version	Manifest	Implementation-Version	2.7	High

### Suppressed Identifiers

- cpe:2.3:a:apache:commons\_net:2.7:\*:\*:\*:\*:\* **suppressed** (*Confidence:Low*)
  - Notes: XML Graphics Common has a false positive match on Apache Commons Net

## Suppressed Vulnerabilities

**CVE-2021-37533** suppressed

Prior to Apache Commons Net 3.9.0, Net's FTP client trusts the host from PASV response by default. A malicious server can redirect the Commons Net code to use a different host, but the user has to connect to the malicious server in the first place. This may lead to leakage of information about services running on the private network of the client. The default in version 3.9.0 is now false to ignore such hosts, as cURL does. See <https://issues.apache.org/jira/browse/NET-711>.

## CWE-20 Improper Input Validation

CVSSv3:

- MEDIUM (6.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:N/A:N/E:2.8/RC:R/MAV:A

References:

- security@apache.org - [ISSUE\\_TRACKING,MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security@apache.org - [ISSUE\\_TRACKING,MAILING\\_LIST,VENDOR\\_ADVISORY](#)
- security@apache.org - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security@apache.org - [THIRD PARTY ADVISORY](#)

### Vulnerable Software & Versions:

- `cpe:2.3:a:apache:commons_net:*:*:*:*:*` versions up to (excluding) 3.9.0

reporting.zip: reporting-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/designer/build/tmp/dependencies/i-net Clear Reports Designer/plugins/reporting.zip/reporting-javadoc.jar/script-dir/jquery-ui.min.js

**MD5:** 32059df39c14a910ccc2325f6a3cd62f

**SHA1:** d3289f1b527a3f054d303ec769402e037fbfcf4b

**SHA256:** 672f278182cdf04f3c62a5b8d93f406791854a28791f27aecdb9981573c61424

**Referenced In Project/Scope:** designer-installer

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Product	file	name	jquery-ui	High

Version	file	version	1.13.1	High
---------	------	---------	--------	------

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2022-31160](#) suppressed

jQuery UI is a curated set of user interface interactions, effects, widgets, and themes built on top of jQuery. Versions prior to 1.13.2 are potentially vulnerable to cross-site scripting. Initializing a checkboxradio widget on an input enclosed within a label makes that parent label contents considered as the input label. Calling `.checkboxradio( "refresh" )` on such a widget and the initial HTML contained encoded HTML entities will make them erroneously get decoded. This can lead to potentially executing JavaScript code. The bug has been patched in jQuery UI 1.13.2. To remediate the issue, someone who can change the initial HTML can wrap all the non-input contents of the ``label`` in a ``span``.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: JavaDoc embedded JQuery UI - requires updated Java Version with newer javadoc

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:2.8/RC:R/MAV:A

References:

- info - <https://github.com/advisories/GHSA-h6gj-6jjq-h8g9>
- info - <https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9>
- info - <https://github.com/jquery/jquery-ui/issues/2101>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2022-31160>
- security-advisories@github.com - [EXPLOIT,MITIGATION,RELEASE\\_NOTES,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [PATCH,THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [RELEASE\\_NOTES,VENDOR\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)
- security-advisories@github.com - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.0:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.1:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.2:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:drupal:jquery\_ui\_checkboxradio:8.x-1.3:\*:\*:\*:\*:drupal:\*:\*
- cpe:2.3:a:jqueryui:jquery\_ui:\*:\*:\*:\*:jquery:\*:\* versions up to (excluding) 1.13.2
- cpe:2.3:a:netapp:oncommand\_insight:\*:\*:\*:\*:\*:\*

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).

