



Dependency-Check is an open source tool performing a best effort analysis of 3rd party dependencies; false positives and false negatives may exist in the analysis performed by the tool. Use of the tool and the reporting provided constitutes acceptance for use in an AS IS condition, and there are NO warranties, implied or otherwise, with regard to the analysis or its use. Any use of the tool and the reporting provided is at the user's risk. In no event shall the copyright holder or OWASP be held liable for any damages whatsoever arising out of or in connection with the use of this tool, the analysis performed, or the resulting report.

[How to read the report](#) | [Suppressing false positives](#) | [Getting Help: github issues](#)

## Project: project ':server'

clear-reports:server:26.4

Scan Information ([show all](#)):

- *dependency-check version:* 12.2.1
- *Report Generated On:* Tue, 16 Jun 2026 18:40:20 +0200
- *Dependencies Scanned:* 1604 (1498 unique)
- *Vulnerable Dependencies:* 0
- *Vulnerabilities Found:* 0
- *Vulnerabilities Suppressed:* 114 ([show](#))
- ...
- *NVD API Last Checked:* 2026-06-16T16:37:24Z
- *NVD API Last Modified:* 2026-06-15T22:16:18Z
- *NVD Cache Last Checked:* 2026-06-16T16:37:24Z
- *NVD Cache Last Modified:* 2026-06-15T22:16:18Z

## Summary

Summary of Vulnerable Dependencies ([click to show all](#))

Dependency	Vulnerability IDs	Package	Highest Severity
<a href="#">BarcodePDF417Bean.jar</a>			
<a href="#">Fositex.jar</a>			
<a href="#">ICSharpCode.SharpZipLib.dll</a>	cpe:2.3:a:sharpziplib_project:sharpziplib:1.4.2:*:*:*:*:*:*	pkg:generic/ICSharpCode.SharpZipLib@1.4.2	
<a href="#">JBarcodeBean.jar</a>			
<a href="#">JGaugeBean.jar</a>			
<a href="#">Merlia-0.jar</a>		pkg:maven/lib/Merlia@0	
<a href="#">Oranxo.jar</a>			
<a href="#">ReportViewer.jar</a>	cpe:2.3:a:inetsoftware:clear_reports:26.4.269:***** cpe:2.3:a:inetsoftware:inet_clear_reports:26.4.269:*****		

[ReportViewerWinForms.csproj](#)

[ReportViewerWinFormsTests.csproj](#)

[Syto.jar](#)

[ZxingBarCodes.jar](#)

[adhoc.zip: adhoc-javadoc.jar](#)

[adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js](#)

[adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js](#)

[adhoc.zip: adhoc-javadoc.jar: member-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: module-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: package-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: script.js](#)

[adhoc.zip: adhoc-javadoc.jar: search-page.js](#)

[adhoc.zip: adhoc-javadoc.jar: search.js](#)

[adhoc.zip: adhoc-javadoc.jar: tag-search-index.js](#)

[adhoc.zip: adhoc-javadoc.jar: type-search-index.js](#)

[adhoc.zip: adhoc.jar](#)

[adhoc.zip: adhoc.jar: adhoc.ai.panel.js](#)

[adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js](#)

[adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js](#)

[adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js](#)

[adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js](#)

[adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js](#)

<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. image.select.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. logo.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. select.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. slider.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. source.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. templatesource.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer. text.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.reportview.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoc.toolbar.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhoccontroller.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhocfactory.js</a>			
<a href="#">adhoc.zip: adhoc.jar: adhocmodel.js</a>			
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc.templates. edit.js</a>			
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc.templates.js</a>			
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit. js</a>			
<a href="#">adhoc.zip: adhoc.jar: configuration.adhoc.themes.js</a>			
<a href="#">adhoc.zip: adhoc.jar: dashboard-widget-adhoc.js</a>			
<a href="#">adhoc.zip: adhoc.jar: openadhocextension.js</a>			
<a href="#">adhoc.zip: adhoc.jar: renderadhocextension.js</a>			
<a href="#">adhoc.zip: adhoc.jar: ui-dashboard- adhocomponentselection.js</a>			
<a href="#">ai.zip: ai.jar</a>			
<a href="#">ai.zip: ai.jar: aiprovider_config.js</a>			
<a href="#">ai.zip: ai.jar: aiworkingpanel.js</a>			
<a href="#">annotations-3.0.1.jar (shaded: com.google.code. findbugs/jsr305:3.0.1)</a>		pkg:maven/com. google.code. findbugs/jsr305@3. 0.1	
<a href="#">annotations-3.0.1.jar</a>		pkg:maven/com. google.code. findbugs /annotations@3.0.1	
<a href="#">application.currenttime.sample.zip: application. currenttime.sample.jar</a>			
<a href="#">application.currenttime.sample.zip: application.</a>			

<a href="#">currenttime.sample.jar: sampleapplication.js</a>			
<a href="#">application.embedded.sample.zip: application.embedded.sample.jar</a>			
<a href="#">application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js</a>			
<a href="#">application.googleanalytics.sample.zip: application.googleanalytics.sample.jar</a>			
<a href="#">application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js</a>			
<a href="#">application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: jquery.cookiebar.js</a>			
<a href="#">application.helloworld.sample.zip: application.helloworld.sample.jar</a>			
<a href="#">authentication.ldap.zip: authentication.ldap.jar</a>			
<a href="#">authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js</a>			
<a href="#">authentication.oauth.zip: authentication.oauth.jar</a>			
<a href="#">authentication.oauth.zip: jjwt-api.jar</a>		pkg:maven/io.jsonwebtoken/jjwt-api@0.13.0	
<a href="#">authentication.oauth.zip: jjwt-impl.jar</a>		pkg:maven/io.jsonwebtoken/jjwt-impl@0.13.0	
<a href="#">authentication.pam.zip: authentication.pam.jar</a>			
<a href="#">authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar</a>			
<a href="#">authentication.product.zip: authentication.product.jar</a>			
<a href="#">authentication.token.zip: authentication.token.jar</a>			
<a href="#">authentication.token.zip: authentication.token.jar: tokenauthentication.js</a>			
<a href="#">authentication.windows.zip: authentication.windows.jar</a>			
<a href="#">authentication.windows.zip: caffeine.jar</a>			
<a href="#">authentication.windows.zip: jna-platform.jar</a>			
<a href="#">authentication.windows.zip: waffle-jna-jakarta.jar</a>	cpe:2.3:a:4d:4d:3.5.1:*:	pkg:maven/com.	

\*\*\*\*\*

github.waffle/waffle-jna-jakarta@3.5.1

<a href="#">collation.sample.zip: collation.sample.jar</a>			
<a href="#">commons-logging.jar</a>		pkg:maven/commons-logging/commons-logging@1.3.4	
<a href="#">configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar</a>			
<a href="#">configuration.zip: configuration.jar</a>			
<a href="#">configuration.zip: configuration.jar: authenticationItemRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: authenticationRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: boolean.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: booleanButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: colorInput.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: controller.js</a>			
<a href="#">configuration.zip: configuration.jar: datafactory.js</a>			
<a href="#">configuration.zip: configuration.jar: fileUploadRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputButton.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputDirectory.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: filesystemInputFile.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: iconDropRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: inlinerenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: keyLabelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelLink.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: labelText.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: licenseKeyRenderer.directive.js</a>			
<a href="#">configuration.zip: configuration.jar: listItemRenderer.</a>			

[directive.js](#)

[configuration.zip: configuration.jar: logopreview.directive.js](#)

[configuration.zip: configuration.jar: multiLineCode.directive.js](#)

[configuration.zip: configuration.jar: multiLineText.directive.js](#)

[configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js](#)

[configuration.zip: configuration.jar: passwordText.directive.js](#)

[configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js](#)

[configuration.zip: configuration.jar: renderer.directive.js](#)

[configuration.zip: configuration.jar: repoDbRenderer.directive.js](#)

[configuration.zip: configuration.jar: repoFsRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryItemRenderer.directive.js](#)

[configuration.zip: configuration.jar: repositoryRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectEditText.directive.js](#)

[configuration.zip: configuration.jar: selectFilteredText.directive.js](#)

[configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js](#)

[configuration.zip: configuration.jar: selectSimpleText.directive.js](#)

[configuration.zip: configuration.jar: simpleDate.directive.js](#)

[configuration.zip: configuration.jar: simpleSlider.directive.js](#)

[configuration.zip: configuration.jar: simpleText.directive.js](#)

[configuration.zip: configuration.jar: tableRenderer.directive.js](#)

[configuration.zip: configuration.jar: treeRenderer.directive.js](#)

[configuration.zip: configuration.jar: usersandgroupselect.directive.js](#)

[core.jar](#)

pkg:maven/com.google.zxing/core@3.5.4

[crsetupwizard.zip: crsetupwizard.jar](#)

[customformulas.sample.zip: customformulas.sample.jar](#)

[dashboard-widget-openweathermap.js](#)

[dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar](#)

[dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar: dashboard-widget-openweathermap.js](#)

[dashboard.zip: dashboard.jar](#)

[dashboard.zip: dashboard.jar: abstract-dashboard-widget.js](#)

[dashboard.zip: dashboard.jar: dashboard-panel.js](#)

[dashboard.zip: dashboard.jar: dashboard-settings.js](#)

[dashboard.zip: dashboard.jar: dashboard-toolbar.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-chart.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-edit.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-error.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-image.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-memo.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-progress.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-rating.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-table.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-trafficlight.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget-value.js](#)

[dashboard.zip: dashboard.jar: dashboard-widget.js](#)

[dashboard.zip: dashboard.jar: dashboard.js](#)

[dashboard.zip: dashboard.jar: dashboardcontroller.js](#)

[dashboard.zip: dashboard.jar: dashboardfactory.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-bgimage.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-colorpalettechooser.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-integrations.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-](#)

[permissions.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-trafficlightcolorrange.js](#)

[dashboard.zip: dashboard.jar: ui-dashboard-valuehighlights.js](#)

[dashboard.zip: dashboard.jar: user-selection.js](#)

[dashboard.zip: dashboard.jar: widget-chooser.js](#)

[dashboard.zip: dashboard.jar: widget-paste-area.js](#)

[dashboard.zip: dashboard.jar: widget-placeholder.js](#)

[dashboard.zip: dashboard.jar: widget-settings.js](#)

[datasource.cassandra.zip: config.jar](#)

[datasource.cassandra.zip: datasource.cassandra.jar](#)

[datasource.cassandra.zip: java-driver-core.jar](#)

cpe:2.3:a:apache:  
cassandra:4.17.0:\*:\*:\*:\*  
\*.\*.\*

pkg:maven/com.  
datastax.oss/java-  
driver-core@4.17.0

[datasource.cassandra.zip: java-driver-shaded-guava.jar](#)

cpe:2.3:a:apache:  
cassandra:25.1:\*:\*:\*:\*  
\*.\*

pkg:maven/com.  
datastax.oss/java-  
driver-shaded-  
guava@25.1-jre-  
graal-sub-1

[datasource.cassandra.zip: native-protocol.jar](#)

pkg:maven/com.  
datastax.oss/native-  
protocol@1.5.2

[datasource.cassandra.zip: netty-common.jar \(shaded: org.jctools:jctools-core:4.0.6\)](#)

pkg:maven/org.  
jctools/jctools-  
core@4.0.6

[datasource.cassandra.zip: netty-transport.jar](#)

cpe:2.3:a:netty:netty:  
4.2.15:\*:\*:\*:\*  
4.2.15.\*

pkg:maven/io.netty  
/netty-transport@4.  
2.15.Final

[datasource.mongodb.zip: bson.jar](#)

cpe:2.3:a:mongodb:  
bson:5.6.2:\*:\*:\*:\*  
5.6.2.\*

[datasource.mongodb.zip: datasource.mongodb.jar](#)

[datasource.mongodb.zip: mongodb-driver-core.jar](#)

[datasource.mongodb.zip: mongodb-driver-sync.jar](#)

[datasource.zip: datasource.jar](#)

[datasource.zip: datasource.jar: datasources-edit-controller.js](#)

[datasource.zip: datasource.jar: datasources-main-controller.js](#)

[datasource.zip: datasource.jar: factory.js](#)

[datasource.zip: datasource.jar: model.js](#)

[datasource.zip: datasource.jar: renderer-permissions.js](#)

[datasource.zip: datasource.jar: renderer-urlauth.js](#)

[datasource.zip: datasource.jar: renderer.js](#)



<a href="#">decoder.svg.zip: decoder.svg.jar</a>			
<a href="#">decoder.svg.zip: jsvg.jar</a>			
<a href="#">designer.zip: CCGuiLib.jar</a>			
<a href="#">designer.zip: JnlpDesigner.jar</a>			
<a href="#">designer.zip: SBSTutorial.jar</a>			
<a href="#">designer.zip: TableLayout.jar</a>			
<a href="#">designer.zip: designer.jar</a>			
<a href="#">designer.zip: designer.jar: app.js</a>			
<a href="#">designer.zip: designer.jar: opendesignerextension.js</a>			
<a href="#">designer.zip: designer.jar: remotedesigner.js</a>			
<a href="#">designer.zip: inetswingcore.jar</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js</a>			
<a href="#">diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryPieChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: MemoryUsageChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: WebServerErrorChart.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: benchmarkCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: client-server.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-files.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-loader.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-panel.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support-selection.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contact-support.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: contactCtrl.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: controller.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpu.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: cpuspeed.js</a>			
<a href="#">diagnostics.zip: diagnostics.jar: directives.js</a>			

[diagnostics.zip: diagnostics.jar: errorHistoryChart.js](#)

[diagnostics.zip: diagnostics.jar: global.js](#)

[diagnostics.zip: diagnostics.jar: haddisk.js](#)

[diagnostics.zip: diagnostics.jar: heapdumpCtrl.js](#)

[diagnostics.zip: diagnostics.jar: informationCtrl.js](#)

[diagnostics.zip: diagnostics.jar: intArrayUtils.js](#)

[diagnostics.zip: diagnostics.jar: iospeed.js](#)

[diagnostics.zip: diagnostics.jar: jobs.js](#)

[diagnostics.zip: diagnostics.jar: logging.js](#)

[diagnostics.zip: diagnostics.jar: memory.js](#)

[diagnostics.zip: diagnostics.jar: overviewCtrl.js](#)

[diagnostics.zip: diagnostics.jar: pde.diagnostics.js](#)

[diagnostics.zip: diagnostics.jar: timeformat.js](#)

[diagnostics.zip: diagnostics.jar: usermenu.js](#)

[docfx.js](#)

[docfx.vendor.min.js](#)

[drive.zip: commons-compress.jar](#)

[cpe:2.3:a:apache:commons\\_compress:1.28.0:\\*\\*\\*\\*\\*](#)

pkg:maven/org.apache.commons/commons-compress@1.28.0

[drive.zip: commons-io.jar](#)

[cpe:2.3:a:apache:commons\\_io:2.21.0:\\*\\*\\*\\*\\*](#)

pkg:maven/commons-io/commons-io@2.21.0

[drive.zip: drive.jar](#)

[drive.zip: drive.jar: actions.js](#)

[drive.zip: drive.jar: actions.service.js](#)

[drive.zip: drive.jar: contentextension.js](#)

[drive.zip: drive.jar: controller.js](#)

[drive.zip: drive.jar: drivecleanup.js](#)

[drive.zip: drive.jar: drivecontroller.js](#)

[drive.zip: drive.jar: drivefactory.js](#)

[drive.zip: drive.jar: drivemodel.js](#)

[drive.zip: drive.jar: dropzone.directive.js](#)

[drive.zip: drive.jar: entryactions.directive.js](#)

[drive.zip: drive.jar: fileconfig.directive.js](#)

[drive.zip: drive.jar: folderlist.directive.js](#)

[drive.zip: drive.jar: linkdialog.js](#)

<a href="#">drive.zip: drive.jar: locationchooser.js</a>			
<a href="#">drive.zip: drive.jar: mountdialog.js</a>			
<a href="#">drive.zip: drive.jar: myshareextension.js</a>			
<a href="#">drive.zip: drive.jar: permissionsextension.js</a>			
<a href="#">drive.zip: drive.jar: progress.service.js</a>			
<a href="#">drive.zip: drive.jar: progresspanel.directive.js</a>			
<a href="#">drive.zip: drive.jar: resolve.service.js</a>			
<a href="#">drive.zip: drive.jar: responsivetoolbar.directive.js</a>			
<a href="#">drive.zip: drive.jar: selectedextension.js</a>			
<a href="#">drive.zip: drive.jar: shareextension.js</a>			
<a href="#">drive.zip: drive.jar: shareextension.js</a>			
<a href="#">drive.zip: drive.jar: thumbnailextension.js</a>			
<a href="#">drive.zip: drive.jar: toolbaraction.directive.js</a>			
<a href="#">drive.zip: drive.jar: unzipextension.js</a>			
<a href="#">drive.zip: drive.jar: zipextension.js</a>			
<a href="#">embeddedMode.js</a>			
<a href="#">enginefactory.sample.zip: enginefactory.sample.jar</a>			
<a href="#">errorhandler.zip: errorhandler.jar</a>			
<a href="#">exceljconnect.jar</a>			
<a href="#">extension.js</a>			
<a href="#">extension.js</a>			
<a href="#">facturx.zip: Saxon-HE.jar</a>			
<a href="#">facturx.zip: facturx.jar</a>			
<a href="#">facturx.zip: istack-commons-runtime.jar</a>		pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0	
<a href="#">facturx.zip: jakarta.activation-api.jar</a>		pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3	
<a href="#">facturx.zip: jakarta.xml.bind-api.jar</a>		pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.4	
<a href="#">facturx.zip: jaxb-core.jar</a>		pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.6	
<a href="#">facturx.zip: jaxb-runtime.jar</a>		pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.6	
<a href="#">facturx.zip: ph-base.jar</a>		pkg:maven/com.helger.commons	

/ph-base@12.1.1

[facturx.zip: ph-cache.jar](#)

pkg:maven/com.  
helger.commons  
/ph-cache@12.1.1

[facturx.zip: ph-collection.jar](#)

pkg:maven/com.  
helger.commons  
/ph-collection@12.  
1.1

[facturx.zip: ph-commons.jar](#)

pkg:maven/com.  
helger.commons  
/ph-commons@12.  
1.1

[facturx.zip: ph-datetime.jar](#)

pkg:maven/com.  
helger.commons  
/ph-datetime@12.  
1.1

[facturx.zip: ph-diagnostics.jar](#)

pkg:maven/com.  
helger.commons  
/ph-  
diagnostics@12.1.1

[facturx.zip: ph-io.jar](#)

pkg:maven/com.  
helger.commons  
/ph-io@12.1.1

[facturx.zip: ph-jaxb-adapter.jar](#)

pkg:maven/com.  
helger.commons  
/ph-jaxb-  
adapter@12.1.1

[facturx.zip: ph-jaxb.jar](#)

pkg:maven/com.  
helger.commons  
/ph-jaxb@12.1.1

[facturx.zip: ph-mime.jar](#)

pkg:maven/com.  
helger.commons  
/ph-mime@12.1.1

[facturx.zip: ph-schematron-api.jar](#)

pkg:maven/com.  
helger.schematron  
/ph-schematron-  
api@9.1.1

[facturx.zip: ph-schematron-pure.jar](#)

pkg:maven/com.  
helger.schematron  
/ph-schematron-  
pure@9.1.1

[facturx.zip: ph-schematron-schxslt.jar](#)

pkg:maven/com.  
helger.schematron  
/ph-schematron-  
schxslt@9.1.1

[facturx.zip: ph-schematron-validator.jar](#)

pkg:maven/com.  
helger.schematron  
/ph-schematron-  
validator@9.1.1

[facturx.zip: ph-schematron-xslt.jar](#)

pkg:maven/com.  
helger.schematron  
/ph-schematron-  
xslt@9.1.1

[facturx.zip: ph-statistics.jar](#)

pkg:maven/com.

		helger.commons /ph-statistics@12.1.1	
<a href="#">facturx.zip: ph-text.jar</a>		pkg:maven/com.helger.commons /ph-text@12.1.1	
<a href="#">facturx.zip: ph-xml.jar</a>		pkg:maven/com.helger.commons /ph-xml@12.1.1	
<a href="#">facturx.zip: ph-xsds-xml.jar</a>		pkg:maven/com.helger.xsd/ph-xsds-xml@4.1.0	
<a href="#">facturx.zip: txw2.jar</a>		pkg:maven/org.glassfish.jaxb /txw2@4.0.6	
<a href="#">facturx.zip: xmlresolver.jar</a>			
<a href="#">googleanalytics.js</a>			
<a href="#">hamcrest-3.0.jar</a>		pkg:maven/org.hamcrest /hamcrest@3.0	
<a href="#">help.zip: commons-beanutils.jar</a>	<a href="#">cpe:2.3:a:apache:commons_beanutils:1.11.0:*****</a>	pkg:maven/commons-beanutils /commons-beanutils@1.11.0	
<a href="#">help.zip: commons-digester3.jar</a>		pkg:maven/org.apache.commons /commons-digester3@3.2	
<a href="#">help.zip: help.jar</a>			
<a href="#">help.zip: help.jar: ai-search.js</a>			
<a href="#">help.zip: help.jar: app.js</a>			
<a href="#">help.zip: help.jar: controller.js</a>			
<a href="#">help.zip: help.jar: shared.factory.js</a>			
<a href="#">help.zip: help.jar: shared.highlighter.js</a>			
<a href="#">help.zip: jsoup.jar</a>	<a href="#">cpe:2.3:a:jsoup:jsoup:1.22.1:*****</a>	pkg:maven/org.jsoup/jsoup@1.22.1	
<a href="#">hsqldb.jar</a>			
<a href="#">htmlengine.zip: JWebEngine.jar</a>			
<a href="#">htmlengine.zip: htmlengine.jar</a>			
<a href="#">htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar</a>			
<a href="#">htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js</a>			
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar</a>			
<a href="#">htmlviewer.toolbar.zip: htmlviewer.toolbar.jar:</a>			

<a href="#">htmlviewer.angular.js</a>			
<a href="#">htmlviewerextension.sample.zip: htmlviewerextension.sample.jar</a>			
<a href="#">htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js</a>			
<a href="#">inetcore-26.4-tools.jar</a>		pkg:maven/shared/inetcore@26.4	
<a href="#">inetcore-26.4.jar (shaded: com.inet.shared:inetcore:null)</a>			
<a href="#">inetcore-26.4.jar</a>		pkg:maven/shared/inetcore@26.4	
<a href="#">inetloggeradapter.jar</a>			
<a href="#">inetsoftware.Reporting.dll</a>		pkg:generic/inetsoftware.Reporting@26.4.269.0	
<a href="#">inetsoftware.Reporting.dll</a>			
<a href="#">jackcess.jar</a>		pkg:maven/io.github.spannm/jackcess@5.1.2	
<a href="#">jakarta.servlet-api.jar</a>	cpe:2.3:a:oracle:projects:6.1.0:****.*.*.*.*.*.*	pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0	
<a href="#">jakarta.websocket-api.jar</a>		pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0	
<a href="#">jakarta.websocket-client-api.jar</a>		pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0	
<a href="#">java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar:jrt-fs.jar</a>	cpe:2.3:a:eclipse:platform:25.0.3:****.*.*.*.*.*.*		
<a href="#">javase.jar</a>		pkg:maven/com.google.zxing/javase@3.5.4	
<a href="#">jcip-annotations-1.0.jar</a>		pkg:maven/net.jcip/jcip-annotations@1.0	
<a href="#">jeuclid-core.jar</a>		pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3	
<a href="#">jlessc-1.15.jar</a>		pkg:maven/de.inetsoftware/jlessc@1.15	
<a href="#">jna.jar</a>	cpe:2.3:a:oracle:java_se:5.18.1:****.*.*.*.*.*.*		
<a href="#">jna.jar: jnidispatch.dll</a>			

<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">jna.jar: jnidispatch.dll</a>			
<a href="#">jpeg2000.zip: asm.jar</a>			
<a href="#">jpeg2000.zip: con crt140.dll</a>			
<a href="#">jpeg2000.zip: imageio-openjpeg.jar</a>		pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8	
<a href="#">jpeg2000.zip: jffi-native.jar</a>			
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>			
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>			
<a href="#">jpeg2000.zip: jffi-native.jar: jffi-1.2.dll</a>			
<a href="#">jpeg2000.zip: jffi.jar</a>		pkg:maven/com.github.jnr/jffi@1.3.14	
<a href="#">jpeg2000.zip: jnr-ffi.jar</a>		pkg:maven/com.github.jnr/jnr-ffi@2.2.18	
<a href="#">jpeg2000.zip: jpeg2000.jar</a>			
<a href="#">jpeg2000.zip: msvcp140.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_1.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_2.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_atomic_wait.dll</a>			
<a href="#">jpeg2000.zip: msvcp140_codecvt_ids.dll</a>			
<a href="#">jpeg2000.zip: openjp2.dll</a>			
<a href="#">jpeg2000.zip: vcruntime140.dll</a>			
<a href="#">jpeg2000.zip: vcruntime140_1.dll</a>			
<a href="#">jquery.cookiebar.js</a>			
<a href="#">jquery.twbsPagination.js</a>			
<a href="#">jquery.twbsPagination.min.js</a>			
<a href="#">jsr305-3.0.2.jar</a>		pkg:maven/com.google.code.findbugs/jsr305@3.0.2	
<a href="#">junit-4.13.2.jar</a>	cpe:2.3:a:junit:junit4:4.13.2:*:*:*:*:*	pkg:maven/junit/junit@4.13.2	
<a href="#">junit-jupiter-5.14.0.jar</a>		pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0	
<a href="#">junit-jupiter-api-5.14.0.jar</a>		pkg:maven/org.junit.jupiter/junit-jupiter-api@5.14.0	

<a href="#">junit-jupiter-engine-5.14.0.jar</a>		pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0	
<a href="#">junit-jupiter-params-5.14.0.jar</a>		pkg:maven/org.junit.jupiter/junit-jupiter-params@5.14.0	
<a href="#">junit-platform-commons-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-commons@1.14.0	
<a href="#">junit-platform-engine-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-engine@1.14.0	
<a href="#">junit-platform-launcher-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-launcher@1.14.0	
<a href="#">junit-platform-suite-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite@1.14.0	
<a href="#">junit-platform-suite-api-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite-api@1.14.0	
<a href="#">junit-platform-suite-commons-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite-commons@1.14.0	
<a href="#">junit-platform-suite-engine-1.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:1.14.0:*:*:*:*	pkg:maven/org.junit.platform/junit-platform-suite-engine@1.14.0	
<a href="#">junit-vintage-engine-5.14.0.jar</a>	cpe:2.3:a:fan_platform_project:fan_platform:5.14.0:*:*:*:*	pkg:maven/org.junit.vintage/junit-vintage-engine@5.14.0	
<a href="#">lang-css.js</a>			
<a href="#">linenumber.js</a>			
<a href="#">mail.zip: angus-activation.jar</a>		pkg:maven/org.eclipse.angus/angus-activation@2.0.3	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.5)</a>	cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*	pkg:maven/org.eclipse.angus/angus-core@2.0.5	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.5)</a>	cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*	pkg:maven/org.eclipse.angus/imap@2.0.5	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.5)</a>	<a href="#">cpe:2.3:a:eclipse:angus_mail:2.0.5:*:*:*:*</a>	pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.5	



<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.5)</a>	<a href="#">cpe:2.3:a:eclipse:angus_mail:2.0.5:*.***:***</a>	<a href="#">pkg:maven/org.eclipse.angus/pop3@2.0.5</a>	
<a href="#">mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.5)</a>	<a href="#">cpe:2.3:a:eclipse:angus_mail:2.0.5:*.***:***</a>	<a href="#">pkg:maven/org.eclipse.angus/smtp@2.0.5</a>	
<a href="#">mail.zip: angus-mail.jar</a>	<a href="#">cpe:2.3:a:eclipse:angus_mail:2.0.5:*.***:***</a>	<a href="#">pkg:maven/org.eclipse.angus/angus-mail@2.0.5</a>	
<a href="#">mail.zip: bc-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.2:*.***:***</a>		
<a href="#">mail.zip: bcjmail-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.6:*.***:***</a>		
<a href="#">mail.zip: bcpkg-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.11:*.***:***</a> <a href="#">cpe:2.3:a:openpgp:openpgp:2.1.11:*.***:***</a>		
<a href="#">mail.zip: bcpkix-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.10:*.***:***</a>		
<a href="#">mail.zip: bcutil-fips.jar</a>	<a href="#">cpe:2.3:a:bouncycastle:bouncy_castle_for_java:2.1.5:*.***:***</a>		
<a href="#">mail.zip: jakarta.activation-api.jar</a>		<a href="#">pkg:maven/jakarta.activation/jakarta.activation-api@2.1.4</a>	
<a href="#">mail.zip: jakarta.mail-api.jar</a>	<a href="#">cpe:2.3:a:eclipse:jakarta_mail:2.1.5:*.***:***</a>	<a href="#">pkg:maven/jakarta.mail/jakarta.mail-api@2.1.5</a>	
<a href="#">mail.zip: mail.jar</a>			
<a href="#">mail.zip: mail.jar: smimeconfig.js</a>			
<a href="#">main.js</a>			
<a href="#">maintenance.reporting.zip: maintenance.reporting.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: member-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: package-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: tag-search-index.js</a>			
<a href="#">maintenance.zip: maintenance-javadoc.jar: type-search-index.js</a>			
<a href="#">maintenance.zip: maintenance.jar</a>			

<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: controller.js</a>			
<a href="#">maintenance.zip: maintenance.jar: filechooser.js</a>			
<a href="#">maintenance.zip: maintenance.jar: multieditusers.js</a>			
<a href="#">mariadb-java-client.jar</a>		pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.7	
<a href="#">mysql-connector-j.jar</a>	<a href="#">cpe:2.3:a:mysql:mysql:9.5.0:*****</a> <a href="#">cpe:2.3:a:oracle:connectorVj:9.5.0:*****</a> <a href="#">cpe:2.3:a:oracle:jdbc:9.5.0:*****</a> <a href="#">cpe:2.3:a:oracle:mysql_connectorVj:9.5.0:*****</a> <a href="#">cpe:2.3:a:oracle:mysql_connectors:9.5.0:*****</a>		
<a href="#">notification.zip: notification.jar</a>			
<a href="#">notification.zip: notification.jar: notification.js</a>			
<a href="#">notification.zip: notification.jar: notification_config.js</a>			
<a href="#">notification.zip: notification.jar: notification_taskplanner.js</a>			
<a href="#">notification.zip: notification.jar: targetrenderer.js</a>			
<a href="#">odbc.jar</a>			
<a href="#">opentest4j-1.3.0.jar</a>		pkg:maven/org.opentest4j/opentest4j@1.3.0	
<a href="#">parser.pdf.zip: PDFParser.jar</a>			
<a href="#">parser.pdf.zip: jbig2.jar</a>			
<a href="#">parser.pdf.zip: parser.pdf.jar</a>			
<a href="#">pdfviewer.zip: pdfjs-dist.jar</a>		pkg:maven/org.webjars.npm/pdfjs-dist@5.4.530	
<a href="#">pdfviewer.zip: pdfjs-dist.jar: openjpeg_nowasm_fallback.js</a>			
<a href="#">pdfviewer.zip: pdfjs-dist.jar: package.json</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: drive.js</a>			

<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js</a>			
<a href="#">pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js</a>			
<a href="#">persistence.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: controller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storecontroller.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storedirectives.js</a>			
<a href="#">pluginstore.client.zip: pluginstore.client.jar: storemodel.js</a>			
<a href="#">postgresql.jar</a>	cpe:2.3:a:postgresql:postgresql:42.7.11:*:*:*:*:* cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.11:*:*:*:*:*		
<a href="#">prettify.js</a>			
<a href="#">processbridge.reporting.zip: processbridge.reporting.jar</a>			
<a href="#">processbridge.zip: processbridge.jar</a>			
<a href="#">promptdialog.zip: promptdialog.jar</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptcontroller.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptcustomrenderer.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptfactory.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptpanel.js</a>			
<a href="#">promptdialog.zip: promptdialog.jar: promptrenderer.js</a>			
<a href="#">propertieschecker.sample.zip: propertieschecker.sample.jar</a>			
<a href="#">remotegui.zip: angular-animate.jar</a>		pkg:maven/org.webjars/npm/angular-animate@1.8.3	
<a href="#">remotegui.zip: angular-animate.jar: angular-animate.js</a>		pkg:javascript/angularjs@1.8.3	

<a href="#">remotegui.zip: angular-animate.jar: angular-animate.min.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular-animate.jar: index.js</a>			
<a href="#">remotegui.zip: angular-animate.jar: package.json</a>			
<a href="#">remotegui.zip: angular-cookies.jar</a>		pkg:maven/org. webjars/npm /angular- cookies@1.8.3	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular-cookies.jar: angular-cookies.min.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular-cookies.jar: index.js</a>			
<a href="#">remotegui.zip: angular-cookies.jar: package.json</a>			
<a href="#">remotegui.zip: angular-sanitize.jar</a>		pkg:maven/org. webjars/npm /angular- sanitize@1.8.3	
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular-sanitize.jar: index.js</a>			
<a href="#">remotegui.zip: angular-sanitize.jar: package.json</a>			
<a href="#">remotegui.zip: angular.jar</a>		pkg:maven/org. webjars/npm /angular@1.8.3	
<a href="#">remotegui.zip: angular.jar: angular.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular.jar: angular.min.js</a>		pkg:javascript /angularjs@1.8.3	
<a href="#">remotegui.zip: angular.jar: index.js</a>			
<a href="#">remotegui.zip: angular.jar: package.json</a>			
<a href="#">remotegui.zip: codemirror.jar</a>	<a href="#">cpe:2.3:a:codemirror: codemirror:6.65.7:*:*:* *****</a>	pkg:maven/org. webjars/npm /codemirror@6. 65.7	
<a href="#">remotegui.zip: codemirror.jar: CodeMirror.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ContentEditableInput.js</a>			
<a href="#">remotegui.zip: codemirror.jar: Display.js</a>			
<a href="#">remotegui.zip: codemirror.jar: Doc.js</a>			
<a href="#">remotegui.zip: codemirror.jar: StringStream.js</a>			
<a href="#">remotegui.zip: codemirror.jar: TextareaInput.js</a>			
<a href="#">remotegui.zip: codemirror.jar: active-line.js</a>			

[remotegui.zip: codemirror.jar: annotatescrollbar.js](#)

[remotegui.zip: codemirror.jar: anyword-hint.js](#)

[remotegui.zip: codemirror.jar: apl.js](#)

[remotegui.zip: codemirror.jar: asciiarmor.js](#)

[remotegui.zip: codemirror.jar: asn.1.js](#)

[remotegui.zip: codemirror.jar: asterisk.js](#)

[remotegui.zip: codemirror.jar: autorefresh.js](#)

[remotegui.zip: codemirror.jar: bidi.js](#)

[remotegui.zip: codemirror.jar: brace-fold.js](#)

[remotegui.zip: codemirror.jar: brainfuck.js](#)

[remotegui.zip: codemirror.jar: browser.js](#)

[remotegui.zip: codemirror.jar: change\\_measurement.js](#)

[remotegui.zip: codemirror.jar: changes.js](#)

[remotegui.zip: codemirror.jar: chunk.js](#)

[remotegui.zip: codemirror.jar: clike.js](#)

[remotegui.zip: codemirror.jar: clojure.js](#)

[remotegui.zip: codemirror.jar: closebrackets.js](#)

[remotegui.zip: codemirror.jar: closetag.js](#)

[remotegui.zip: codemirror.jar: cmake.js](#)

[remotegui.zip: codemirror.jar: cobol.js](#)

[remotegui.zip: codemirror.jar: codemirror-standalone.js](#)

[remotegui.zip: codemirror.jar: codemirror.js](#)

[remotegui.zip: codemirror.jar: codemirror.js](#)

[remotegui.zip: codemirror.jar: codemirror.node.js](#)

[remotegui.zip: codemirror.jar: coffeescript-lint.js](#)

[remotegui.zip: codemirror.jar: coffeescript.js](#)

[remotegui.zip: codemirror.jar: colorize.js](#)

[remotegui.zip: codemirror.jar: commands.js](#)

[remotegui.zip: codemirror.jar: comment-fold.js](#)

[remotegui.zip: codemirror.jar: comment.js](#)

[remotegui.zip: codemirror.jar: commonlisp.js](#)

[remotegui.zip: codemirror.jar: continuecomment.js](#)

[remotegui.zip: codemirror.jar: continuelist.js](#)

[remotegui.zip: codemirror.jar: crystal.js](#)

[remotegui.zip: codemirror.jar: css-hint.js](#)

<a href="#">remotegui.zip: codemirror.jar: css-lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: css.js</a>			
<a href="#">remotegui.zip: codemirror.jar: cypher.js</a>			
<a href="#">remotegui.zip: codemirror.jar: d.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dart.js</a>			
<a href="#">remotegui.zip: codemirror.jar: deleteNearSelection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dialog.js</a>			
<a href="#">remotegui.zip: codemirror.jar: diff.js</a>			
<a href="#">remotegui.zip: codemirror.jar: django.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dockerfile.js</a>			
<a href="#">remotegui.zip: codemirror.jar: document_data.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dom.js</a>			
<a href="#">remotegui.zip: codemirror.jar: drop_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dtd.js</a>			
<a href="#">remotegui.zip: codemirror.jar: dylan.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ebnf.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ecl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: eiffel.js</a>			
<a href="#">remotegui.zip: codemirror.jar: elm.js</a>			
<a href="#">remotegui.zip: codemirror.jar: emacs.js</a>			
<a href="#">remotegui.zip: codemirror.jar: erlang.js</a>			
<a href="#">remotegui.zip: codemirror.jar: event.js</a>			
<a href="#">remotegui.zip: codemirror.jar: factor.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fcl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: feature_detection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: focus.js</a>			
<a href="#">remotegui.zip: codemirror.jar: foldcode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: foldgutter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: forth.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fortran.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fromTextArea.js</a>			
<a href="#">remotegui.zip: codemirror.jar: fullscreen.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gfm.js</a>			
<a href="#">remotegui.zip: codemirror.jar: gherkin.js</a>			

[remotegui.zip: codemirror.jar: global\\_events.js](#)

[remotegui.zip: codemirror.jar: go.js](#)

[remotegui.zip: codemirror.jar: groovy.js](#)

[remotegui.zip: codemirror.jar: gutters.js](#)

[remotegui.zip: codemirror.jar: haml.js](#)

[remotegui.zip: codemirror.jar: handlebars.js](#)

[remotegui.zip: codemirror.jar: hardwrap.js](#)

[remotegui.zip: codemirror.jar: haskell-literate.js](#)

[remotegui.zip: codemirror.jar: haskell.js](#)

[remotegui.zip: codemirror.jar: haxe.js](#)

[remotegui.zip: codemirror.jar: highlight.js](#)

[remotegui.zip: codemirror.jar: highlight\\_worker.js](#)

[remotegui.zip: codemirror.jar: history.js](#)

[remotegui.zip: codemirror.jar: html-hint.js](#)

[remotegui.zip: codemirror.jar: html-lint.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: htmlmixed.js](#)

[remotegui.zip: codemirror.jar: http.js](#)

[remotegui.zip: codemirror.jar: idl.js](#)

[remotegui.zip: codemirror.jar: indent-fold.js](#)

[remotegui.zip: codemirror.jar: indent.js](#)

[remotegui.zip: codemirror.jar: input.js](#)

[remotegui.zip: codemirror.jar: javascript-hint.js](#)

[remotegui.zip: codemirror.jar: javascript-lint.js](#)

[remotegui.zip: codemirror.jar: javascript.js](#)

[remotegui.zip: codemirror.jar: jinja2.js](#)

[remotegui.zip: codemirror.jar: json-lint.js](#)

[remotegui.zip: codemirror.jar: jsx.js](#)

[remotegui.zip: codemirror.jar: julia.js](#)

[remotegui.zip: codemirror.jar: jump-to-line.js](#)

[remotegui.zip: codemirror.jar: key\\_events.js](#)

[remotegui.zip: codemirror.jar: keymap.js](#)

[remotegui.zip: codemirror.jar: keynames.js](#)

[remotegui.zip: codemirror.jar: legacy.js](#)

[remotegui.zip: codemirror.jar: line\\_data.js](#)

<a href="#">remotegui.zip: codemirror.jar: line_numbers.js</a>			
<a href="#">remotegui.zip: codemirror.jar: line_widget.js</a>			
<a href="#">remotegui.zip: codemirror.jar: lint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: livescript.js</a>			
<a href="#">remotegui.zip: codemirror.jar: loadmode.js</a>			
<a href="#">remotegui.zip: codemirror.jar: lua.js</a>			
<a href="#">remotegui.zip: codemirror.jar: main.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mark-selection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mark_text.js</a>			
<a href="#">remotegui.zip: codemirror.jar: markdown-fold.js</a>			
<a href="#">remotegui.zip: codemirror.jar: markdown.js</a>			
<a href="#">remotegui.zip: codemirror.jar: match-highlighter.js</a>			
<a href="#">remotegui.zip: codemirror.jar: matchbrackets.js</a>			
<a href="#">remotegui.zip: codemirror.jar: matchesonscrollbar.js</a>			
<a href="#">remotegui.zip: codemirror.jar: matchtags.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mathematica.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mbox.js</a>			
<a href="#">remotegui.zip: codemirror.jar: merge.js</a>			
<a href="#">remotegui.zip: codemirror.jar: meta.js</a>			
<a href="#">remotegui.zip: codemirror.jar: methods.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mirc.js</a>			
<a href="#">remotegui.zip: codemirror.jar: misc.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mllike.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mode_state.js</a>			
<a href="#">remotegui.zip: codemirror.jar: modelica.js</a>			
<a href="#">remotegui.zip: codemirror.jar: modes.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mouse_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: movement.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mscgen.js</a>			
<a href="#">remotegui.zip: codemirror.jar: multiplex.js</a>			
<a href="#">remotegui.zip: codemirror.jar: multiplex_test.js</a>			
<a href="#">remotegui.zip: codemirror.jar: mumps.js</a>			
<a href="#">remotegui.zip: codemirror.jar: nginx.js</a>			
<a href="#">remotegui.zip: codemirror.jar: nsis.js</a>			
<a href="#">remotegui.zip: codemirror.jar: ntriples.js</a>			



[remotegui.zip: codemirror.jar: octave.js](#)

[remotegui.zip: codemirror.jar: operation\\_group.js](#)

[remotegui.zip: codemirror.jar: operations.js](#)

[remotegui.zip: codemirror.jar: options.js](#)

[remotegui.zip: codemirror.jar: overlay.js](#)

[remotegui.zip: codemirror.jar: oz.js](#)

[remotegui.zip: codemirror.jar: package.json](#)

[remotegui.zip: codemirror.jar: panel.js](#)

[remotegui.zip: codemirror.jar: pascal.js](#)

[remotegui.zip: codemirror.jar: pegjs.js](#)

[remotegui.zip: codemirror.jar: perl.js](#)

[remotegui.zip: codemirror.jar: php.js](#)

[remotegui.zip: codemirror.jar: pig.js](#)

[remotegui.zip: codemirror.jar: placeholder.js](#)

[remotegui.zip: codemirror.jar: pos.js](#)

[remotegui.zip: codemirror.jar: position\\_measurement.js](#)

[remotegui.zip: codemirror.jar: powershell.js](#)

[remotegui.zip: codemirror.jar: properties.js](#)

[remotegui.zip: codemirror.jar: protobuf.js](#)

[remotegui.zip: codemirror.jar: pug.js](#)

[remotegui.zip: codemirror.jar: puppet.js](#)

[remotegui.zip: codemirror.jar: python.js](#)

[remotegui.zip: codemirror.jar: q.js](#)

[remotegui.zip: codemirror.jar: r.js](#)

[remotegui.zip: codemirror.jar: rollup.config.js](#)

[remotegui.zip: codemirror.jar: rpm.js](#)

[remotegui.zip: codemirror.jar: rst.js](#)

[remotegui.zip: codemirror.jar: ruby.js](#)

[remotegui.zip: codemirror.jar: rulers.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode-standalone.js](#)

[remotegui.zip: codemirror.jar: runmode.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: runmode.node.js](#)

[remotegui.zip: codemirror.jar: rust.js](#)

<a href="#">remotegui.zip: codemirror.jar: sas.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sass.js</a>			
<a href="#">remotegui.zip: codemirror.jar: saw_special_spans.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scheme.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scroll_events.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrollbars.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrolling.js</a>			
<a href="#">remotegui.zip: codemirror.jar: scrollpastend.js</a>			
<a href="#">remotegui.zip: codemirror.jar: search.js</a>			
<a href="#">remotegui.zip: codemirror.jar: searchcursor.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection-pointer.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection.js</a>			
<a href="#">remotegui.zip: codemirror.jar: selection_updates.js</a>			
<a href="#">remotegui.zip: codemirror.jar: shell.js</a>			
<a href="#">remotegui.zip: codemirror.jar: show-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sieve.js</a>			
<a href="#">remotegui.zip: codemirror.jar: simple.js</a>			
<a href="#">remotegui.zip: codemirror.jar: simplescrollbars.js</a>			
<a href="#">remotegui.zip: codemirror.jar: slim.js</a>			
<a href="#">remotegui.zip: codemirror.jar: smalltalk.js</a>			
<a href="#">remotegui.zip: codemirror.jar: smarty.js</a>			
<a href="#">remotegui.zip: codemirror.jar: solr.js</a>			
<a href="#">remotegui.zip: codemirror.jar: soy.js</a>			
<a href="#">remotegui.zip: codemirror.jar: spans.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sparql.js</a>			
<a href="#">remotegui.zip: codemirror.jar: spreadsheet.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sql-hint.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sql.js</a>			
<a href="#">remotegui.zip: codemirror.jar: stex.js</a>			
<a href="#">remotegui.zip: codemirror.jar: stylus.js</a>			
<a href="#">remotegui.zip: codemirror.jar: sublime.js</a>			
<a href="#">remotegui.zip: codemirror.jar: swift.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tcl.js</a>			
<a href="#">remotegui.zip: codemirror.jar: tern.js</a>			

[remotegui.zip: codemirror.jar: textile.js](#)

[remotegui.zip: codemirror.jar: tiddlywiki.js](#)

[remotegui.zip: codemirror.jar: tiki.js](#)

[remotegui.zip: codemirror.jar: toml.js](#)

[remotegui.zip: codemirror.jar: tornado.js](#)

[remotegui.zip: codemirror.jar: trailingspace.js](#)

[remotegui.zip: codemirror.jar: troff.js](#)

[remotegui.zip: codemirror.jar: ttcn-cfg.js](#)

[remotegui.zip: codemirror.jar: ttcn.js](#)

[remotegui.zip: codemirror.jar: turtle.js](#)

[remotegui.zip: codemirror.jar: twig.js](#)

[remotegui.zip: codemirror.jar: update\\_display.js](#)

[remotegui.zip: codemirror.jar: update\\_line.js](#)

[remotegui.zip: codemirror.jar: update\\_lines.js](#)

[remotegui.zip: codemirror.jar: utils.js](#)

[remotegui.zip: codemirror.jar: utils\\_line.js](#)

[remotegui.zip: codemirror.jar: vb.js](#)

[remotegui.zip: codemirror.jar: vbscript.js](#)

[remotegui.zip: codemirror.jar: velocity.js](#)

[remotegui.zip: codemirror.jar: verilog.js](#)

[remotegui.zip: codemirror.jar: vhdl.js](#)

[remotegui.zip: codemirror.jar: view\\_tracking.js](#)

[remotegui.zip: codemirror.jar: vim.js](#)

[remotegui.zip: codemirror.jar: vue.js](#)

[remotegui.zip: codemirror.jar: wast.js](#)

[remotegui.zip: codemirror.jar: webidl.js](#)

[remotegui.zip: codemirror.jar: widgets.js](#)

[remotegui.zip: codemirror.jar: worker.js](#)

[remotegui.zip: codemirror.jar: xml-fold.js](#)

[remotegui.zip: codemirror.jar: xml-hint.js](#)

[remotegui.zip: codemirror.jar: xml.js](#)

[remotegui.zip: codemirror.jar: xquery.js](#)

[remotegui.zip: codemirror.jar: yacas.js](#)

[remotegui.zip: codemirror.jar: yaml-frontmatter.js](#)

[remotegui.zip: codemirror.jar: yaml-lint.js](#)

<a href="#">remotegui.zip: codemirror.jar: yaml.js</a>			
<a href="#">remotegui.zip: codemirror.jar: z80.js</a>			
<a href="#">remotegui.zip: crypto-js.jar</a>		pkg:maven/org.webjars.npm/crypto-js@4.2.0	
<a href="#">remotegui.zip: crypto-js.jar: aes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: blowfish.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: cipher-core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: core.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: crypto-js.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-base64url.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-latin1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf16.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: enc-utf8.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: evpkdf.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-hex.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: format-openssl.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac-sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: hmac.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: index.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: lib-typedarrays.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: md5.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-cfb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr-gladman.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ctr.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ecb.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: mode-ofb.js</a>			

<a href="#">remotegui.zip: crypto-js.jar: package.json</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-ansix923.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso10126.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-iso97971.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-nopadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-pkcs7.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pad-zeropadding.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: pbkdf2.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit-legacy.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rabbit.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: rc4.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: ripemd160.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha1.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha224.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha256.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha3.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha384.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: sha512.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: tripledes.js</a>			
<a href="#">remotegui.zip: crypto-js.jar: x64-core.js</a>			
<a href="#">remotegui.zip: echarts.jar</a>		pkg:maven/org.webjars/npm/echarts@6.0.0	
<a href="#">remotegui.zip: echarts.jar: echarts.min.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar</a>		pkg:maven/org.webjars/npm/hugerte-languages@1.0.10	
<a href="#">remotegui.zip: hugerte-languages.jar: ar.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: ar_SA.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: az.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: be.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: bg_BG.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: bn_BD.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: ca.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: cs.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: cy.js</a>			
<a href="#">remotegui.zip: hugerte-languages.jar: da.js</a>			

[remotegui.zip: hugerte-languages.jar: de.js](#)

[remotegui.zip: hugerte-languages.jar: el.js](#)

[remotegui.zip: hugerte-languages.jar: eo.js](#)

[remotegui.zip: hugerte-languages.jar: es.js](#)

[remotegui.zip: hugerte-languages.jar: es\\_MX.js](#)

[remotegui.zip: hugerte-languages.jar: et.js](#)

[remotegui.zip: hugerte-languages.jar: eu.js](#)

[remotegui.zip: hugerte-languages.jar: fa.js](#)

[remotegui.zip: hugerte-languages.jar: fi.js](#)

[remotegui.zip: hugerte-languages.jar: fr\\_FR.js](#)

[remotegui.zip: hugerte-languages.jar: ga.js](#)

[remotegui.zip: hugerte-languages.jar: gl.js](#)

[remotegui.zip: hugerte-languages.jar: he\\_IL.js](#)

[remotegui.zip: hugerte-languages.jar: hr.js](#)

[remotegui.zip: hugerte-languages.jar: hu\\_HU.js](#)

[remotegui.zip: hugerte-languages.jar: hy.js](#)

[remotegui.zip: hugerte-languages.jar: id.js](#)

[remotegui.zip: hugerte-languages.jar: is\\_IS.js](#)

[remotegui.zip: hugerte-languages.jar: it.js](#)

[remotegui.zip: hugerte-languages.jar: ja.js](#)

[remotegui.zip: hugerte-languages.jar: ka\\_GE.js](#)

[remotegui.zip: hugerte-languages.jar: kab.js](#)

[remotegui.zip: hugerte-languages.jar: kk.js](#)

[remotegui.zip: hugerte-languages.jar: ko\\_KR.js](#)

[remotegui.zip: hugerte-languages.jar: ku.js](#)

[remotegui.zip: hugerte-languages.jar: lt.js](#)

[remotegui.zip: hugerte-languages.jar: lv.js](#)

[remotegui.zip: hugerte-languages.jar: nb\\_NO.js](#)

[remotegui.zip: hugerte-languages.jar: ne.js](#)

[remotegui.zip: hugerte-languages.jar: nl.js](#)

[remotegui.zip: hugerte-languages.jar: nl\\_BE.js](#)

[remotegui.zip: hugerte-languages.jar: oc.js](#)

[remotegui.zip: hugerte-languages.jar: pl.js](#)

[remotegui.zip: hugerte-languages.jar: pt\\_BR.js](#)

[remotegui.zip: hugerte-languages.jar: pt\\_PT.js](#)

[illegible]

[illegible]



[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: index.js](#)

[remotegui.zip: hugerte.jar: it.js](#)

[remotegui.zip: hugerte.jar: ja.js](#)

[remotegui.zip: hugerte.jar: kk.js](#)

[remotegui.zip: hugerte.jar: ko\\_KR.js](#)

[remotegui.zip: hugerte.jar: model.js](#)

[remotegui.zip: hugerte.jar: model.min.js](#)

[remotegui.zip: hugerte.jar: ms.js](#)

[remotegui.zip: hugerte.jar: nb\\_NO.js](#)

[remotegui.zip: hugerte.jar: nl.js](#)

[remotegui.zip: hugerte.jar: package.json](#)

remotegui.zip: hugerte.jar: pl.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			
remotegui.zip: hugerte.jar: plugin.min.js			

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: plugin.min.js](#)

[remotegui.zip: hugerte.jar: pt\\_BR.js](#)

[remotegui.zip: hugerte.jar: pt\\_PT.js](#)

[remotegui.zip: hugerte.jar: ro.js](#)

[remotegui.zip: hugerte.jar: ru.js](#)

[remotegui.zip: hugerte.jar: sk.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

[remotegui.zip: hugerte.jar: skin.js](#)

<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: skin.shadowdom.js</a>			
<a href="#">remotegui.zip: hugerte.jar: sl_SI.js</a>			
<a href="#">remotegui.zip: hugerte.jar: sv_SE.js</a>			
<a href="#">remotegui.zip: hugerte.jar: th_TH.js</a>			
<a href="#">remotegui.zip: hugerte.jar: theme.js</a>		pkg:javascript /DOMPurify@3.2.4	
<a href="#">remotegui.zip: hugerte.jar: theme.min.js</a>			
<a href="#">remotegui.zip: hugerte.jar: tr.js</a>			
<a href="#">remotegui.zip: hugerte.jar: uk.js</a>			
<a href="#">remotegui.zip: hugerte.jar: vi.js</a>			
<a href="#">remotegui.zip: hugerte.jar: zh_CN.js</a>			
<a href="#">remotegui.zip: hugerte.jar: zh_TW.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar</a>		pkg:maven/org. webjars/jquery- ui@1.14.1	
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: jquery-ui.min.js</a>			
<a href="#">remotegui.zip: jquery-ui.jar: package.json</a>			
<a href="#">remotegui.zip: jquery-ui.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: jquery.jar</a>		pkg:javascript /jquery@2.2.4 pkg:maven/org. webjars/jquery@2. 2.4	
<a href="#">remotegui.zip: jquery.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar</a>		pkg:maven/org. webjars.npm /moment- timezone@0.6.0	
<a href="#">remotegui.zip: moment-timezone.jar: index.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-utils.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-10-year-range.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-10-year-range.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-1970-2030.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment- timezone-with-data-1970-2030.min.js</a>			

<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: moment-timezone.min.js</a>			
<a href="#">remotegui.zip: moment-timezone.jar: package.json</a>			
<a href="#">remotegui.zip: momentjs.jar</a>		pkg:maven/org.webjars/momentjs@2.29.4	
<a href="#">remotegui.zip: momentjs.jar: af.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-dz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-kw.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-ly.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-ma.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-sa.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar-tn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ar.js</a>			
<a href="#">remotegui.zip: momentjs.jar: az.js</a>			
<a href="#">remotegui.zip: momentjs.jar: be.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bg.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bn-bd.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: br.js</a>			
<a href="#">remotegui.zip: momentjs.jar: bs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ca.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: cy.js</a>			
<a href="#">remotegui.zip: momentjs.jar: da.js</a>			
<a href="#">remotegui.zip: momentjs.jar: de-at.js</a>			

[remotegui.zip: momentjs.jar: de-ch.js](#)

[remotegui.zip: momentjs.jar: de.js](#)

[remotegui.zip: momentjs.jar: dv.js](#)

[remotegui.zip: momentjs.jar: el.js](#)

[remotegui.zip: momentjs.jar: en-au.js](#)

[remotegui.zip: momentjs.jar: en-ca.js](#)

[remotegui.zip: momentjs.jar: en-gb.js](#)

[remotegui.zip: momentjs.jar: en-ie.js](#)

[remotegui.zip: momentjs.jar: en-il.js](#)

[remotegui.zip: momentjs.jar: en-in.js](#)

[remotegui.zip: momentjs.jar: en-nz.js](#)

[remotegui.zip: momentjs.jar: en-sg.js](#)

[remotegui.zip: momentjs.jar: eo.js](#)

[remotegui.zip: momentjs.jar: es-do.js](#)

[remotegui.zip: momentjs.jar: es-mx.js](#)

[remotegui.zip: momentjs.jar: es-us.js](#)

[remotegui.zip: momentjs.jar: es.js](#)

[remotegui.zip: momentjs.jar: et.js](#)

[remotegui.zip: momentjs.jar: eu.js](#)

[remotegui.zip: momentjs.jar: fa.js](#)

[remotegui.zip: momentjs.jar: fi.js](#)

[remotegui.zip: momentjs.jar: fil.js](#)

[remotegui.zip: momentjs.jar: fo.js](#)

[remotegui.zip: momentjs.jar: fr-ca.js](#)

[remotegui.zip: momentjs.jar: fr-ch.js](#)

[remotegui.zip: momentjs.jar: fr.js](#)

[remotegui.zip: momentjs.jar: fy.js](#)

[remotegui.zip: momentjs.jar: ga.js](#)

[remotegui.zip: momentjs.jar: gd.js](#)

[remotegui.zip: momentjs.jar: gl.js](#)

[remotegui.zip: momentjs.jar: gom-deva.js](#)

[remotegui.zip: momentjs.jar: gom-latn.js](#)

[remotegui.zip: momentjs.jar: gu.js](#)

[remotegui.zip: momentjs.jar: he.js](#)

[remotegui.zip: momentjs.jar: hi.js](#)

<a href="#">remotegui.zip: momentjs.jar: hr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hu.js</a>			
<a href="#">remotegui.zip: momentjs.jar: hy-am.js</a>			
<a href="#">remotegui.zip: momentjs.jar: id.js</a>			
<a href="#">remotegui.zip: momentjs.jar: is.js</a>			
<a href="#">remotegui.zip: momentjs.jar: it-ch.js</a>			
<a href="#">remotegui.zip: momentjs.jar: it.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ja.js</a>			
<a href="#">remotegui.zip: momentjs.jar: jv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ka.js</a>			
<a href="#">remotegui.zip: momentjs.jar: kk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: km.js</a>			
<a href="#">remotegui.zip: momentjs.jar: kn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ko.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ku.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ky.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lb.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: locales.js</a>			
<a href="#">remotegui.zip: momentjs.jar: locales.min.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lt.js</a>			
<a href="#">remotegui.zip: momentjs.jar: lv.js</a>			
<a href="#">remotegui.zip: momentjs.jar: me.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ml.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment-with-locales.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment-with-locales.min.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment.js</a>			
<a href="#">remotegui.zip: momentjs.jar: moment.min.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ms-my.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ms.js</a>			
<a href="#">remotegui.zip: momentjs.jar: mt.js</a>			

[remotegui.zip: momentjs.jar: my.js](#)

[remotegui.zip: momentjs.jar: nb.js](#)

[remotegui.zip: momentjs.jar: ne.js](#)

[remotegui.zip: momentjs.jar: nl-be.js](#)

[remotegui.zip: momentjs.jar: nl.js](#)

[remotegui.zip: momentjs.jar: nn.js](#)

[remotegui.zip: momentjs.jar: oc-lnc.js](#)

[remotegui.zip: momentjs.jar: pa-in.js](#)

[remotegui.zip: momentjs.jar: package.js](#)

[remotegui.zip: momentjs.jar: package.json](#)

[remotegui.zip: momentjs.jar: pl.js](#)

[remotegui.zip: momentjs.jar: pt-br.js](#)

[remotegui.zip: momentjs.jar: pt.js](#)

[remotegui.zip: momentjs.jar: ro.js](#)

[remotegui.zip: momentjs.jar: ru.js](#)

[remotegui.zip: momentjs.jar: sd.js](#)

[remotegui.zip: momentjs.jar: se.js](#)

[remotegui.zip: momentjs.jar: si.js](#)

[remotegui.zip: momentjs.jar: sk.js](#)

[remotegui.zip: momentjs.jar: sl.js](#)

[remotegui.zip: momentjs.jar: sq.js](#)

[remotegui.zip: momentjs.jar: sr-cyrl.js](#)

[remotegui.zip: momentjs.jar: sr.js](#)

[remotegui.zip: momentjs.jar: ss.js](#)

[remotegui.zip: momentjs.jar: sv.js](#)

[remotegui.zip: momentjs.jar: sw.js](#)

[remotegui.zip: momentjs.jar: ta.js](#)

[remotegui.zip: momentjs.jar: te.js](#)

[remotegui.zip: momentjs.jar: tests.js](#)

[remotegui.zip: momentjs.jar: tet.js](#)

[remotegui.zip: momentjs.jar: tg.js](#)

[remotegui.zip: momentjs.jar: th.js](#)

[remotegui.zip: momentjs.jar: tk.js](#)

[remotegui.zip: momentjs.jar: tl-ph.js](#)

[remotegui.zip: momentjs.jar: tlh.js](#)



<a href="#">remotegui.zip: momentjs.jar: tr.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzl.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: tzm.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ug-cn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: ur.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uz-latn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: uz.js</a>			
<a href="#">remotegui.zip: momentjs.jar: vi.js</a>			
<a href="#">remotegui.zip: momentjs.jar: webjars-requirejs.js</a>			
<a href="#">remotegui.zip: momentjs.jar: x-pseudo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: yo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-cn.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-hk.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-mo.js</a>			
<a href="#">remotegui.zip: momentjs.jar: zh-tw.js</a>			
<a href="#">remotegui.zip: remotegui.jar</a>			
<a href="#">remotegui.zip: remotegui.jar: angular-websocket.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: app.js</a>			
<a href="#">remotegui.zip: remotegui.jar: appbadge.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: authInterceptor.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarcard.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatardetails.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarimage.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: avatarimagedetails.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: basic.js</a>			
<a href="#">remotegui.zip: remotegui.jar: bootstrap-colorpicker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: browsercheck.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatar.js</a>			

<a href="#">remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: changeavatar.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: clearreports.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: clipboard.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: collapse.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: colorPicker.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: colorservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: connectionstate.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerAbout.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerShortcuts.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllerUserTheme.controller.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: controllers.js</a>			
<a href="#">remotegui.zip: remotegui.jar: currencyNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: currencyValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: customemojiupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dataservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dataservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: datepicker-de.js</a>			
<a href="#">remotegui.zip: remotegui.jar: debug.directive.js</a>			

<a href="#">remotegui.zip: remotegui.jar: dialogservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: directives.js</a>			
<a href="#">remotegui.zip: remotegui.jar: dropdown.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: emojiModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: emojiselector.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: env.js</a>			
<a href="#">remotegui.zip: remotegui.jar: errorservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: errorservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: eventemitter.js</a>			
<a href="#">remotegui.zip: remotegui.jar: filechooser.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: filechooserservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: fixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: fixNumberValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: floatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: floatNumberValidator.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: globalactionservice.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: guid.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdField.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdMandatory.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdNeedchange.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdValidate.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdattachment.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hdfileupload.js</a>			
<a href="#">remotegui.zip: remotegui.jar: helpservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hsimp.min.js</a>			
<a href="#">remotegui.zip: remotegui.jar: hsimp.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: html5modeurls.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditor.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditorFactory.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: htmleditorModel.service.js</a>			
<a href="#">remotegui.zip: remotegui.jar: icons.js</a>			
<a href="#">remotegui.zip: remotegui.jar: indexed-db.js</a>			
<a href="#">remotegui.zip: remotegui.jar: initUsernameField.</a>			

[directive.js](#)

[remotegui.zip: remotegui.jar: introduction.js](#)

[remotegui.zip: remotegui.jar: jquery.fileupload.js](#)

[remotegui.zip: remotegui.jar: keyservice.service.js](#)

[remotegui.zip: remotegui.jar: kytos-attribute.js](#)

[remotegui.zip: remotegui.jar: kytos-data.js](#)

[remotegui.zip: remotegui.jar: kytos-draggable-listitem.js](#)

[remotegui.zip: remotegui.jar: kytos-dropdown.js](#)

[remotegui.zip: remotegui.jar: kytos-element.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n-title.js](#)

[remotegui.zip: remotegui.jar: kytos-i18n.js](#)

[remotegui.zip: remotegui.jar: kytos-on.js](#)

[remotegui.zip: remotegui.jar: kytos-repeat.js](#)

[remotegui.zip: remotegui.jar: kytos-src.js](#)

[remotegui.zip: remotegui.jar: kytos.js](#)

[remotegui.zip: remotegui.jar: localfilesystem.service.js](#)

[remotegui.zip: remotegui.jar: locationservice.service.js](#)

[remotegui.zip: remotegui.jar: modal.directive.js](#)

[remotegui.zip: remotegui.jar: modalservice.js](#)

[remotegui.zip: remotegui.jar: modalservice.service.js](#)

[remotegui.zip: remotegui.jar: moduledragdrop.js](#)

[remotegui.zip: remotegui.jar: navtabsoverflow.directive.js](#)

[remotegui.zip: remotegui.jar: ng-hugerte.js](#)

[remotegui.zip: remotegui.jar: ng-i18n.js](#)

[remotegui.zip: remotegui.jar: number-util.js](#)

[remotegui.zip: remotegui.jar: numberUtil.js](#)

[remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js](#)

[remotegui.zip: remotegui.jar: ocLazyLoad.min.js](#)

[remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js](#)

[remotegui.zip: remotegui.jar: paged.filter.js](#)

[remotegui.zip: remotegui.jar: pagination.directive.js](#)

[remotegui.zip: remotegui.jar: piechart.directive.js](#)

[remotegui.zip: remotegui.jar: popover.js](#)

[remotegui.zip: remotegui.jar: pwa-service-worker.js](#)

[remotegui.zip: remotegui.jar: pwa.js](#)

[remotegui.zip: remotegui.jar: qrcode.min.js](#)

[remotegui.zip: remotegui.jar: rangeSlider.directive.js](#)

[remotegui.zip: remotegui.jar: resizableDivider.js](#)

[remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js](#)

[remotegui.zip: remotegui.jar: search-input.js](#)

[remotegui.zip: remotegui.jar: search-panel.js](#)

[remotegui.zip: remotegui.jar: selectInput.directive.js](#)

[remotegui.zip: remotegui.jar: settings-ui.js](#)

[remotegui.zip: remotegui.jar: shadowLogger.factory.js](#)

[remotegui.zip: remotegui.jar: sidenavigation.js](#)

[remotegui.zip: remotegui.jar: takeoutDataController.controller.js](#)

[remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js](#)

[remotegui.zip: remotegui.jar: takeoutDataModel.service.js](#)

[remotegui.zip: remotegui.jar: timeInput.directive.js](#)

[remotegui.zip: remotegui.jar: timeInputContainer.directive.js](#)

[remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js](#)

[remotegui.zip: remotegui.jar: toastservice.js](#)

[remotegui.zip: remotegui.jar: translate.js](#)

[remotegui.zip: remotegui.jar: ui-checkbox.js](#)

[remotegui.zip: remotegui.jar: ui-chooser-color.js](#)

[remotegui.zip: remotegui.jar: ui-chooser-file.js](#)

[remotegui.zip: remotegui.jar: ui-group.js](#)

[remotegui.zip: remotegui.jar: ui-input-multiline.js](#)

[remotegui.zip: remotegui.jar: ui-input-number-fixed.js](#)

[remotegui.zip: remotegui.jar: ui-input-number-float.js](#)

[remotegui.zip: remotegui.jar: ui-input-password.js](#)

[remotegui.zip: remotegui.jar: ui-input-search.js](#)

[remotegui.zip: remotegui.jar: ui-input-text.js](#)

[remotegui.zip: remotegui.jar: ui-input-unit.js](#)

<a href="#">remotegui.zip: remotegui.jar: ui-label.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-link.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-radio-button.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-select-edit.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-select-filtered.js</a>			
<a href="#">remotegui.zip: remotegui.jar: ui-select-options.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFixNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: unitFloatNumber.directive.js</a>			
<a href="#">remotegui.zip: remotegui.jar: userservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: usersorgroupsselection.js</a>			
<a href="#">remotegui.zip: remotegui.jar: usestrict.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websitedownload.renderer.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketdataservice.js</a>			
<a href="#">remotegui.zip: remotegui.jar: websocketkeepaliveworker.js</a>			
<a href="#">remotegui.zip: remotegui.jar: windowdatastore.js</a>			
<a href="#">remotegui.zip: twemoji.jar</a>		pkg:maven/lib/twemoji-null@1.0	
<a href="#">remoteprinting.zip: remoteprinting.jar</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: app.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: htmlviewer.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js</a>			
<a href="#">remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js</a>			
<a href="#">reporting.zip: jcommon.jar</a>		pkg:maven/org.jfree/jcommon@1.0.24	
<a href="#">reporting.zip: jfreechartCC.jar</a>	cpe:2.3:a:jfree:jfreechart:26.4.269:*.*** *.***		
<a href="#">reporting.zip: reporting-javadoc.jar</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: member-search-index.js</a>			

<a href="#">reporting.zip: reporting-javadoc.jar: package-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: tag-search-index.js</a>			
<a href="#">reporting.zip: reporting-javadoc.jar: type-search-index.js</a>			
<a href="#">reporting.zip: reporting.jar</a>			
<a href="#">reporting.zip: reporting.jar: events.js</a>			
<a href="#">reporting.zip: reporting.jar: export.js</a>			
<a href="#">reporting.zip: reporting.jar: functions.js</a>			
<a href="#">reporting.zip: reporting.jar: generator.js</a>			
<a href="#">reporting.zip: reporting.jar: grouptree.js</a>			
<a href="#">reporting.zip: reporting.jar: htmlreportextension.js</a>			
<a href="#">reporting.zip: reporting.jar: jstorage.js</a>			
<a href="#">reporting.zip: reporting.jar: keylistener.js</a>			
<a href="#">reporting.zip: reporting.jar: menubar.js</a>			
<a href="#">reporting.zip: reporting.jar: page.js</a>			
<a href="#">reporting.zip: reporting.jar: pagecount.js</a>			
<a href="#">reporting.zip: reporting.jar: popup.js</a>			
<a href="#">reporting.zip: reporting.jar: print.js</a>			
<a href="#">reporting.zip: reporting.jar: prompts.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.array.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.element.js</a>			
<a href="#">reporting.zip: reporting.jar: prototype.string.js</a>			
<a href="#">reporting.zip: reporting.jar: renderreportextension.js</a>			
<a href="#">reporting.zip: reporting.jar: reorder.js</a>			
<a href="#">reporting.zip: reporting.jar: report.export.js</a>			
<a href="#">reporting.zip: reporting.jar: report.exportdialog.controller.js</a>			
<a href="#">reporting.zip: reporting.jar: report.exportdialog.service.js</a>			
<a href="#">reporting.zip: reporting.jar: report.exportframe.js</a>			
<a href="#">reporting.zip: reporting.jar: script.js</a>			
<a href="#">reporting.zip: reporting.jar: search.js</a>			
<a href="#">reporting.zip: reporting.jar: serverping.js</a>			
<a href="#">reporting.zip: reporting.jar: stacktrace.js</a>			
<a href="#">reporting.zip: reporting.jar: tabbar.js</a>			
<a href="#">sampleapplication.js</a>			

<a href="#">sampledatabase.zip: sampledatabase.jar</a>			
<a href="#">sampledatabase.zip: smallsql.jar</a>			
<a href="#">samplereports.zip: samplereports.jar</a>			
<a href="#">search-worker.min.js</a>			
<a href="#">security.zip: security.jar</a>			
<a href="#">sessiondatasource.sample.zip: sessiondatasource.sample.jar</a>			
<a href="#">setuplauncher.jar</a>			
<a href="#">singulink.js</a>			
<a href="#">slf4j-api-2.0.17.jar</a>		pkg:maven/org.slf4j/slf4j-api@2.0.17	
<a href="#">statistics.reporting.zip: statistics.reporting.jar</a>			
<a href="#">statistics.zip: statistics.jar</a>			
<a href="#">statistics.zip: statistics.jar: controller.js</a>			
<a href="#">statistics.zip: statistics.jar: embeddedstatisticsapp.js</a>			
<a href="#">statistics.zip: statistics.jar: rendererststatistics.js</a>			
<a href="#">statistics.zip: statistics.jar: statisticsFactory.js</a>			
<a href="#">svgSalamander.jar</a>	cpe:2.3:a:kitfox:svg_salamanca:1.1.3:*****	pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3	
<a href="#">taskplanner.databaseaction.sample.zip: taskplanner.databaseaction.sample.jar</a>			
<a href="#">taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar</a>			
<a href="#">taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar</a>			
<a href="#">taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js</a>			
<a href="#">taskplanner.zip: commons-cli.jar</a>		pkg:maven/commons-cli/commons-cli@1.11.0	
<a href="#">taskplanner.zip: cron-utils.jar</a>	cpe:2.3:a:cron-	pkg:maven/com.	



	<a href="#">utils_project:cron-utils:9.2.1:*****</a> <a href="#">cpe:2.3:a:utils_project:utils:9.2.1:*****</a>	cronutils/cron-utils@9.2.1	
<a href="#">taskplanner.zip: guava.jar</a>	<a href="#">cpe:2.3:a:google:guava:33.5.0:*****</a>	pkg:maven/com.google.guava/guava@33.5.0-jre	
<a href="#">taskplanner.zip: taskplanner-javadoc.jar</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar</a>			
<a href="#">taskplanner.zip: taskplanner.jar: app.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: boolean.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: colorField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: controller.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: factory.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: model.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: numberRange.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: numberWrapper.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: passwordTextField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: renderer.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleGroup.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleLabel.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleLink.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleSelect.directive.js</a>			

<a href="#">js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: simpleTextField.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: stringTable.directive.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: taskplanner_maintenance.js</a>			
<a href="#">taskplanner.zip: taskplanner.jar: textAreaField.directive.js</a>			
<a href="#">theme.zip: theme.jar</a>			
<a href="#">ucanaccess.jar</a>	cpe:2.3:a:www-sql_project:www-sql:5.1.5:*****	pkg:maven/io.github.spannm/ucanaccess@5.1.5	
<a href="#">url.min.js</a>			
<a href="#">urlcookie.sample.zip: urlcookie.sample.jar</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeAccountSettingsRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeBooleanRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCommaSeparatedRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeCurrencyRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeMembersRenderer.directive.js</a>			

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeMultilineRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypePermissionRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#) [fieldtypeSelectRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeStayLoggedInSessionsRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeStringListRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#) [fieldtypeStringRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#) [fieldtypeTimeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[fieldtypeTimerangeRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#) [membershipentry.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#) [membershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#) [nonmembershiplist.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[permissionCheckboxRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[permissionRadiobuttonRenderer.directive.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagercontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdetailscontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdialogcontroller.js](#)

[usersandgroupsmanager.zip:](#)  
[usersandgroupsmanager.jar:](#)  
[usersandgroupsmanagerdirectives.js](#)

[usersandgroupsmanager.zip:](#)

<a href="#">usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller. js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerfactory.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagermodel.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerpredeletionwarning.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js</a>			
<a href="#">usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js</a>			
<a href="#">webapi.core.zip: swagger-models.jar</a>	<a href="#">cpe:2.3:a:http-swagger_project:http-swagger:2.2.41:*:*:*:*:*</a>	<a href="#">pkg:maven/io.swagger.core.v3/swagger-models@2.2.41</a>	
<a href="#">webapi.core.zip: webapi.core.jar</a>			
<a href="#">webapi.core.zip: webapi.core.jar: shared.factory.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar: webapi.codemirror.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.editor.js</a>			
<a href="#">webapi.core.zip: webapi.core.jar: webapi.core.js</a>			
<a href="#">webserver.defender.zip: webserver.defender.jar</a>			
<a href="#">webserver.zip: acme4j-client.jar</a>		<a href="#">pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1</a>	
<a href="#">webserver.zip: jetty-websocket-core-client.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.1.9:*:*:*:*:*</a> <a href="#">cpe:2.3:a:jetty:jetty:12.1.9:*:*:*:*:*</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.1.9:*:*:*:*:*</a>	<a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.9</a>	
<a href="#">webserver.zip: jetty-websocket-core-server.jar</a>	<a href="#">cpe:2.3:a:eclipse:jetty:12.1.9:*:*:*:*:*</a> <a href="#">cpe:2.3:a:jetty:jetty:12.1.9:*:*:*:*:*</a> <a href="#">cpe:2.3:a:jetty:jetty_http_server:12.1.9:*:*:*:*:*</a> <a href="#">cpe:2.3:a:mortbay_jetty:jetty:12.1.9:*:*:*:*:*</a>	<a href="#">pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.9</a>	
<a href="#">webserver.zip: jose4j.jar</a>	<a href="#">cpe:2.3:a:jose4j_project:jose4j:</a>	<a href="#">pkg:maven/org.bitbucket.b_c</a>	

[webserver.zip: webserver.jar](#)

## Dependencies (vulnerable)

### BarcodePDF417Bean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/BarcodePDF417Bean.jar

**MD5:** 07655981c39fea7a353c00e330100b52

**SHA1:** 42e67c2f3c1b3088ba39258e549835ae59b7d4b1

**SHA256:** d7e0be7ef50c1844a2aa1452544d6137ffb6e24245af427507a061d05f7e9189

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	BarcodePDF417Bean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf417	Low
Vendor	Manifest	built-date	2026-06-16 18:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	BarcodePDF417Bean	High
Product	jar	package name	beans	Low
Product	jar	package name	pdf417	Low
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	BarcodePDF417Bean	High
Product	Manifest	specification-title	BarcodePDF417Bean	Medium
Version	file	name	BarcodePDF417Bean	Medium
Version	file	version	417	Medium

Version Manifest Implementation-Version 26.4.269

High

#### Identifiers

- None

### Fositex.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Fositex.jar

**MD5:** e5bf2cbb470365b512dac891b5ccb197

**SHA1:** dfac509b508c61e71d8691850c1c731b35d0a87e

**SHA256:** 904e90056e83854788de56832aa73a3744832852d25e189d748ff91996871577

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Fositex	High
Vendor	jar	package name	csv	Low
Vendor	jar	package name	inet	Low
Product	file	name	Fositex	High
Product	jar	package name	csv	Low

#### Identifiers

- None

### ICSharpCode.SharpZipLib.dll

#### Description:

ICSharpCode.SharpZipLib

SharpZipLib (#ziplib, formerly NZipLib) is a compression library for Zip, GZip, BZip2, and Tar written entirely in C# for .NET. It is implemented as an assembly (installable in the GAC), and thus can easily be incorporated into other projects (in any .NET language)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer\_.net/WindowsForms

/ReportViewer/lib/ICSharpCode.SharpZipLib.dll

**MD5:** 9e9e0a210297968aaf2e00d13958c0b4

**SHA1:** a32d2dbeac852718f285e26e3d9436a97879e55c

**SHA256:** cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	dll	namespace	ICSharpCode.SharpZipLib	Highest
Vendor	file	name	ICSharpCode.SharpZipLib	High
Vendor	grokasse	CompanyName	ICSharpCode	Highest
Vendor	grokasse	FileDescription	ICSharpCode.SharpZipLib	Low
Vendor	grokasse	InternalName	ICSharpCode.SharpZipLib.dll	Low
Vendor	grokasse	OriginalFilename	ICSharpCode.SharpZipLib.dll	Low
Vendor	grokasse	ProductName	ICSharpCode.SharpZipLib	Medium
Product	dll	namespace	ICSharpCode.SharpZipLib	Highest
Product	file	name	ICSharpCode.SharpZipLib	High
Product	grokasse	CompanyName	ICSharpCode	Low
Product	grokasse	FileDescription	ICSharpCode.SharpZipLib	High
Product	grokasse	InternalName	ICSharpCode.SharpZipLib.dll	Medium
Product	grokasse	OriginalFilename	ICSharpCode.SharpZipLib.dll	Medium
Product	grokasse	ProductName	ICSharpCode.SharpZipLib	Highest
Version	Assembl	FilteredVersion	1.4.2	Highest
Version	grokasse	FileVersion	1.4.2.13	High
Version	grokasse	ProductVersion	1.4.2 +33f64eb0f28cdd2b084cb822fcc224c7c5aba5	Highest

## Related Dependencies

- ICSharpCode.SharpZipLib.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /ReportViewer - WindowsForms .NET/lib/ICSharpCode.SharpZipLib.dll
  - MD5: 9e9e0a210297968aaf2e00d13958c0b4
  - SHA1: a32d2dbeac852718f285e26e3d9436a97879e55c
  - SHA256: cb9c05b5a1e1db26ff43490ee26f2e02abae3f321d2dd5ddd43a68da48eab83d
  - pkg:generic/ICSharpCode.SharpZipLib@1.4.2

## Identifiers

- pkg:generic/ICSharpCode.SharpZipLib@1.4.2 (Confidence:Medium)

JBarcodeBean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JBarcodeBean.jar  
**MD5:** c650fda9e7f38dd5059e775f67e4c738  
**SHA1:** fd113b0c0b4f4e5a90c59b95504b6255a466c566  
**SHA256:**6a876a81e622477c2dfc059f95411bd02109c418a471a497917b89e4ff7bf551  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JBarcodeBean	High
Vendor	jar	package name	jbarcodebean	Low
Product	file	name	JBarcodeBean	High

- Identifiers
- None

JGaugeBean.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/JGaugeBean.jar  
**MD5:** 802d8c3ab78fdae36324bad68935cd  
**SHA1:** 5167ec673ca918f405cd58787c6d78cb9b6d4e69  
**SHA256:**7d250ee51c8dbeea82cbb858a99cba295420e2e3e8fd1da29f43dc348b053541  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	JGaugeBean	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	gauge	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 18:12	Low



Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JGaugeBean	High
Product	jar	package name	beans	Low
Product	jar	package name	gauge	Low
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JGaugeBean	High
Product	Manifest	specification-title	JGaugeBean	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

## Merlia-0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/lib/Merlia/0/ec818ab987afcd2d905984971f76a053ca107217/Merlia-0.jar

**MD5:** b151d3363029f809f49618ce97b8fc11

**SHA1:** ec818ab987afcd2d905984971f76a053ca107217

**SHA256:** cfe766dc3f0467f181c389a0a21323a408a674a54360fc6e3d46fdbb542ca453

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@26.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Merlia-0	High

Vendor	gradle	artifactid	Merlia	Highest
Vendor	gradle	groupid	lib	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	tds	Low
Product	file	name	Merlia-0	High
Product	gradle	artifactid	Merlia	Highest
Product	jar	package name	tds	Low
Version	file	name	Merlia-0	Medium
Version	file	version	0	Medium
Version	gradle	version	0	Highest
Version	Manifest	driver-version	8.14	Medium

#### Related Dependencies

- Merlia.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Merlia.jar
  - MD5: b151d3363029f809f49618ce97b8fc11
  - SHA1: ec818ab987afcd2d905984971f76a053ca107217
  - SHA256: cfe766dc3f0467f181c389a0a21323a408a674a54360fc6e3d46fdbb542ca453

#### Identifiers

- pkg:maven/lib/Merlia@0 (*Confidence*:Highest)

## Oranxo.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Oranxo.jar

**MD5:** d462e3549a2c46921fb9259da637eda9

**SHA1:** c6a354693dc13b7f5d4ece9bf2b410ed23053d94

**SHA256:**99498f7da97573b35198467d132e89481d0f84dc3ab10ca969e3b334758f3a18

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Oranxo	High
Vendor	jar	package name	inet	Low

Vendor	jar	package name	ora	Low
Product	file	name	Oranxo	High
Product	jar	package name	ora	Low
Version	Manifest	driver-version	4.07	Medium

#### Identifiers

- None

## ReportViewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/ReportViewer.jar

**MD5:** 0baa1d0876dc6a2c3b426406d5bba040

**SHA1:** 2c305c9400fa55cf3dd4da68491b20840afe6492

**SHA256:** 8009fffb71c737b59dfe2f297ce1bbabbc5627acc2df36893551ee777eb02a40

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewer	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	viewer	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Clear Reports	Medium
Vendor	Manifest	built-date	2026-06-16 17:43	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ReportViewer	High
Product	jar	package name	i	Highest
Product	jar	package name	reportviewer	Highest
Product	jar	package name	viewer	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Clear Reports	Medium
Product	Manifest	built-date	2026-06-16 17:43	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ReportViewer	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	ReportViewer	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

### Related Dependencies



- ReportViewer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ReportViewer.jar
  - MD5: 0baa1d0876dc6a2c3b426406d5bba040
  - SHA1: 2c305c9400fa55cf3dd4da68491b20840afe6492
  - SHA256: 8009fffb71c737b59dfe2f297ce1bbabbc5627acc2df36893551ee777eb02a40

### Identifiers

- [cpe:2.3:a:inetsoftware:clear\\_reports:26.4.269:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium)

suppress

- [cpe:2.3:a:inetsoftware:i-net\\_clear\\_reports:26.4.269:\\*\\*\\*\\*:\\*](#) (Confidence:Medium)

suppress

## ReportViewerWinForms.csproj

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinForms.csproj

**MD5:** 6461eb9c75fbd531e3a8571dc4da4ce

**SHA1:** 18b8709f159bbddca04bfd2043f7718bfd364168

**SHA256:** d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinForms	High
Product	file	name	ReportViewerWinForms	High

### Related Dependencies

- ReportViewerWinForms.csproj
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Java - Samples/viewer\_.net/WindowsForms/ReportViewer/ReportViewerWinForms.csproj
  - MD5: 6461eb9c75fbd531e3a8571dc4da4ce
  - SHA1: 18b8709f159bbddca04bfd2043f7718bfd364168
  - SHA256: d89d6f94d27dc30be63126f4e4e75d900168377e99b413a26ae6b9be49a20e25

### Identifiers

- None

## ReportViewerWinFormsTests.csproj

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - WindowsForms .NET/ReportViewerWinFormsTests.csproj

**MD5:** 668406baec4c761e2302676f4a7b88d7

**SHA1:** 23bbbed2cfc57c661aaefc24bb0ab360b402f45b

**SHA256:** 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ReportViewerWinFormsTests	High
Product	file	name	ReportViewerWinFormsTests	High

### Related Dependencies



- ReportViewerWinFormsTests.csproj
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Java - Samples/viewer\_.net/WindowsForms/ReportViewer /ReportViewerWinFormsTests.csproj
  - MD5: 668406baec4c761e2302676f4a7b88d7
  - SHA1: 23bbbed2cfc57c661aaeafc24bb0ab360b402f45b
  - SHA256: 30a3bcf624662bfd75afc4302f034cfa5640a457b35bf0de05f52b531d73f2b5

### Identifiers

- None

## Syto.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/lib/driver/Syto.jar

**MD5:** 62a8cd327489a2594a5d5cae627d5742

**SHA1:** 2b28e808d0b71585e4bc154fc7bd495595b895ef

**SHA256:** d0924747503b5ce3f77e3bf047118df29602192998bb34624fe5870f60e4b037

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	Syto	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pool	Low
Product	file	name	Syto	High
Product	jar	package name	pool	Low

### Identifiers

- None

## ZxingBarCodes.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/ZxingBarCodes.jar

**MD5:** 3b958ba3c1e1dfd961095effbd77732c

**SHA1:** 07c118488f0177ae3b86c69f54393475a534592b

**SHA256:** 09297ad977ac25574b9177a13027237a720f73e5fa5a274c5b880935798d4ffc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ZxingBarCodes	High
Vendor	jar	package name	beans	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	zxing	Low
Vendor	Manifest	built-date	2026-06-16 18:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ZxingBarCodes	High
Product	jar	package name	beans	Low
Product	jar	package name	zxing	Low
Product	jar	package name	zxingbarcodes	Highest
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	ZxingBarCodes	High
Product	Manifest	specification-title	ZxingBarCodes	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar

**MD5:** da4d27c5fa4a88d8bdf9c36284a8f988

**SHA1:** b01ca0593a4c4a02eaa5e9dc35594254d47d0840

**SHA256:** 3212427d30bc9e6775a26d0f2bb37287214f6d856098c95852c4548edee2b880

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc-javadoc	High
Product	file	name	adhoc-javadoc	High

### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: jquery-3.7.1.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/jquery-3.7.1.min.js

**MD5:** 2c872dbe60f4ba70fb85356113d8b35e

**SHA1:** ee48592d1fff952fcf06ce0b666ed4785493afdc

**SHA256:** fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- maintenance.zip: maintenance-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- reporting.zip: reporting-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a
- taskplanner.zip: taskplanner-javadoc.jar: jquery-3.7.1.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/jquery-3.7.1.min.js
  - MD5: 2c872dbe60f4ba70fb85356113d8b35e
  - SHA1: ee48592d1fff952fcf06ce0b666ed4785493afdc
  - SHA256: fc9a93dd241f6b045cbff0481cf4e1901becd0e12fb45166a8f17f95823f0b1a

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/jquery-ui.min.js

**MD5:** ab481ee8cd3ebac4edfcbd2cae5b0dde

**SHA1:** a3df331b23b1dc7d01d219cf426ff3148da3ac33

**SHA256:** 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- authentication.oauth.zip: authentication.oauth-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- maintenance.zip: maintenance-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- reporting.zip: reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567
- taskplanner.zip: taskplanner-javadoc.jar: jquery-ui.min.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/jquery-ui.min.js
  - MD5: ab481ee8cd3ebac4edfcbd2cae5b0dde
  - SHA1: a3df331b23b1dc7d01d219cf426ff3148da3ac33
  - SHA256: 4c0b2b6513452adf188402da32faea446b326e0a3362eda6fa8603e73594a567

#### Identifiers

- None

#### adhoc.zip: adhoc-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/member-search-index.js

**MD5:** 096adf08ed424d329209142af3ce02a9

**SHA1:** aaa5693f1ef125d849504b6b8fcad066c2042106

**SHA256:**bd5b5688ec09a8d355df0413e1b79e4a3c9c006e37e2395b15ec438ae98b320c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**adhoc.zip: adhoc-javadoc.jar: module-search-index.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/module-search-index.js

**MD5:** a33da0f469acbd03f77bf407bac505f5

**SHA1:** 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8

**SHA256:**814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- maintenance.zip: maintenance-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- reporting.zip: reporting-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplaner.reporting.zip: taskplaner.reporting-javadoc.jar: module-search-index.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/module-search-index.js
- MD5: a33da0f469acbd03f77bf407bac505f5
- SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
- SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18
- taskplanner.zip: taskplanner-javadoc.jar: module-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/module-search-index.js
  - MD5: a33da0f469acbd03f77bf407bac505f5
  - SHA1: 1e996ce630c6e1ada3ea86d7b71dabca0180f8e8
  - SHA256: 814a05983e3267d591c7e62b314eb8eb0504eee844c8a70d494f6edbaa0f4f18

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/package-search-index.js

**MD5:** a187609bcb77d41ff7c8bf06b16248c3

**SHA1:** 7f3aab227d25479e56047299a080c63f5f8dc4e3

**SHA256:** b546435be2e05d25ef8c7cd2223ee7664af5cb70eb25850b415216663483c5f2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/script.js

**MD5:** 14f041a73b41a06e14ae5119bf58a412

**SHA1:** 3bde180527bb365eea5f582d8fa6c08270c9b745

**SHA256:** 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- maintenance.zip: maintenance-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- reporting.zip: reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d
- taskplanner.zip: taskplanner-javadoc.jar: script.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/script.js
  - MD5: 14f041a73b41a06e14ae5119bf58a412
  - SHA1: 3bde180527bb365eea5f582d8fa6c08270c9b745
  - SHA256: 795ddba417f4a106bbfae3c84cb2c61363e0ce9b29163eaefdc9c334db1f9b2d

## Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: search-page.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/search-page.js

**MD5:** 91487edb9c0528bb329ed378cd74987f

**SHA1:** 001ab7444e3ba1252d4daf7f870d51bb287cd4e7

**SHA256:**3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- authentication.oauth.zip: authentication.oauth-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- maintenance.zip: maintenance-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- reporting.zip: reporting-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7
- taskplanner.zip: taskplanner-javadoc.jar: search-page.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/search-page.js
  - MD5: 91487edb9c0528bb329ed378cd74987f
  - SHA1: 001ab7444e3ba1252d4daf7f870d51bb287cd4e7
  - SHA256: 3bd59d168258fa81f6ffe473feec32bae0e0a5d571ecc89a1eb4fc04defed1b7

#### Identifiers

- None

## adhoc.zip: adhoc-javadoc.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/script-files/search.js

**MD5:** e1bbc8e050e9e3033a72b1e719fc3957

**SHA1:** 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c

**SHA256:** fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies

- authentication.oauth.zip: authentication.oauth-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- maintenance.zip: maintenance-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- reporting.zip: reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c
- taskplanner.zip: taskplanner-javadoc.jar: search.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/script-files/search.js
  - MD5: e1bbc8e050e9e3033a72b1e719fc3957
  - SHA1: 01e8b1cc5816ddc972f7e6e4dc28bf14a1dcc21c
  - SHA256: fb8492aa12ea5e8c74045f0f909c7f9afc12cb44ce165e1b18a4d0cd1c49908c

### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/tag-search-index.js  
**MD5:** acda0a4d961a2dbb052cf81694d1c50b  
**SHA1:** 4853e0d2a022b5098359e59d740952ee1e187c04  
**SHA256:** 4394bc27c97d0c9018c2fb763bfc045db14433b160e3c1fec16795d1d1967aaf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc-javadoc.jar/type-search-index.js  
**MD5:** 6bd7617f58fc52119136bc623f55569d  
**SHA1:** 9d5240695e8c348f2f8db5f426b237cc1c4b112a  
**SHA256:** c52bb25a5361dd48ff0a9d2f5fb643e3b37cf08ec08ac176a37a74e122023fae  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar  
**MD5:** e9cd86e77c3e100079ced792da0bcd1  
**SHA1:** a166e44a67b2765a80e4f95a0793994454fde299  
**SHA256:** 82fbd4cccd8bac813a299b465e358017053f35bb85410c61b6a6cd46e3a67b2a  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	adhoc	High
Vendor	jar	package name	adhoc	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:08	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	adhoc	High
Product	jar	package name	adhoc	Highest
Product	jar	package name	adhoc	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 18:08	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	adhoc	High
Product	Manifest	specification-title	adhoc	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.ai.panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.ai.panel.js

**MD5:** c9621818e2fa2105a73d09882414f2b2

**SHA1:** 592226c5494aa756bfb304dbbc8d933fc2ceb7f

**SHA256:** a271f3f74b7245c3ab110554a37a613e0ef9c0ef31c90ef8e5983655da33e41c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.chartresizeobserver.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.chartresizeobserver.js

**MD5:** 582409982705eb98eeb298e2ea730531

**SHA1:** e7ab0d2b8227f091c7c6e5fe45ab307e5f072bde

**SHA256:** 6c4aa57be8b0916b0170b3296d57e16ac326e941149b6f6347ed108d6de80d7d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.componentresizeobserver.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.componentresizeobserver.js  
**MD5:** e456cb79474b1658f85e888026638cc9  
**SHA1:** 8a3dbb6395ed6bfd0daabd706cc3eff68b69db88  
**SHA256:** 9dd8d55582f0fcc3da01c52225fdf9feb0a013053e7fe284a05e02a529bec7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.openfiledropzone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.openfiledropzone.js  
**MD5:** 8e84aa7ab7e98c0dec8019701658d2b4  
**SHA1:** bdad0809b3e268ae1b0c610b95b1156104550a6d  
**SHA256:** 67d5e615c4b54f10c8dde13f257d1a700522bf15d9d5629758d10a58b8292b7b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.pageheadertoolbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.pageheadertoolbar.js  
**MD5:** 3db0f95df6f62025ca4806507d4f0f43  
**SHA1:** fbe797943666cf95d624757a2fd20061ad8a46ec  
**SHA256:** 52b002248c5ee906fffd1d9dcbde2fbd9879ae541cb6ecbec575fa6d0c20213b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportcomponentview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportcomponentview.js

**MD5:** bfaf9f9676e94cd2d707b794a7ac1dda

**SHA1:** 083136788171afb5c33a536f1e73aad68c840e6d

**SHA256:** 8f5ba35966a9233fda80e21f2aa589d7e9f719b2ce5c31b0a18e0d8aeb41498e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportpropertiesarea.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportpropertiesarea.js

**MD5:** 66e39cbb1c1a68f71d5d8644b757ce94

**SHA1:** 267aed374d6ed69510ce8dfa22e53514c0b37ba7

**SHA256:** 9fd5b15728af631f2004b4ddd85943bcaa2978c9c2601626b8daba6a02731534

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.js

**MD5:** b983a3cfd912512fbc60090e89711a79

**SHA1:** 5ee3a9659326fa2c537a989847992beeba94a732

**SHA256:** a990433c893aab0121361a967244ca651adabdd7fcc466c6fe7aa0b929241fff

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.printconverter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.printconverter.js

**MD5:** 8ea7230b240166815d45402a09b362cd

**SHA1:** cbe542a5f04f0a4e60f1260820c06b63aae15325

**SHA256:** c09b884b0280bb398f9e8c220643f0bc349ccf171631703b06216ddc6e6e75b2

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.access.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.access.js

**MD5:** 3c3cc1f827d6dbcf0ac4c5a51c4ab89f

**SHA1:** 67d3370998c83d720424474dfd3fcc1fa772148c

**SHA256:** 0482946023e643fb686feffd6a17471305f135f4c37bc5dc4b425b5c16e237cd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.boolean.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.boolean.js

**MD5:** 8dc62791382904705c86dd5b30dd6057

**SHA1:** Odd574f611b4a9e778e2eb5d35f6eb053b2ff9b6

**SHA256:** 92f8f5f2b8ea2dc1144577404450c4a027a3ad58acffe5bc40d148ec60dd1b63

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.color.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.color.js  
**MD5:** 57bb880e05f35d1266a05d8cd42ab23b  
**SHA1:** 3865d3959ace7c0e8df9939bd2491f2caaf7eeae  
**SHA256:** 054ab0edc0c5e1778c1770fee484d0dc431fb605b808b2f7fd3a363ea1349a4b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.colorscheme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.colorscheme.js  
**MD5:** bf076d6942b679343e59e02dfbca5c78  
**SHA1:** 44cff0512ae4f820e2b94c42f7bb426714a6dfc9  
**SHA256:** b5db1a6088d0bd4b13feb52ef897b8e1ba664cc81b0394eaf879838a912f0f61  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.columns.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.columns.js  
**MD5:** 7ffacc002e6cdae40f70dfaea37e518d  
**SHA1:** d13751863b1fe6b6e60af34d5bfaaf4705e6527b  
**SHA256:** 7e8c7575a4cacbbb7934f75c0ec9ac9e1285bfa1d7806c8aa5cd057eab42f67a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.filter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.filter.js

**MD5:** c8237bd10054b17297f16dc23ce7a899

**SHA1:** 2c719ce1417e8cabd7b6cb6f57799bcadb2cb96d

**SHA256:** 895d41a74d20c5a948d83f682478a3d1b24e3dfefc60693c2c38c74077327e55

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.image.select.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.image.select.js

**MD5:** 4e4c9d65d59a92adf877a61a71756393

**SHA1:** 8e676f076cc14ef4622a8ed65a410e61fd992c1e

**SHA256:** 584cb6b59493fd20bb1eb9b59c90c84ee9dc61bc078fc61cd2ab2d012e2902c1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.logo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.logo.js

**MD5:** ecaff58fb7d486379c09558c67b6adb4

**SHA1:** 3e5d9e14b525ca20c60d1ec4ffccfd73fc3dbbf3

**SHA256:** 8d8650c4d2ddab25549397f8f300bd9323e6676a51ed34b393c801a749f7ca43

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.select.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.select.js

**MD5:** e12653dce1fcfdebe5f0a28fe0774de8

**SHA1:** 5406aa37b19e568b6d06193e2cb542d6519e642f

**SHA256:** 9dcfcd925a87edf3a76fdb79763d868dbbfdac56db00f2bfdb834cb6bede1f7

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.slider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.slider.js

**MD5:** 4b5d05e2c310201701297eadad19abca

**SHA1:** c30e2757675ca8316173a36d3c39765226175de2

**SHA256:** abccfa14c95c8403913d4a9729fd9881a1adc29ca4da9860268a26fd5459550d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.source.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.source.js

**MD5:** 37e9c9f9a348ccae2f8df7af5d3725bd

**SHA1:** 6764850e9d7eb9171bff7d89446b04eb266ca1e8

**SHA256:** 5cb78eed4c3a7a38da62d8f6c08673a671e46c904a3c013c64c08cb768df225f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.templatesource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.templatesource.js  
**MD5:** 3528a62f71a82a0be2b78f8a64de3497  
**SHA1:** 4029d60d787120027ca739895ee0bb362fc671f6  
**SHA256:** 358a1d431f2ab4433d121b476af854e744d7b1121ed25afe405b59238b041563  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportproperty.renderer.text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportproperty.renderer.text.js  
**MD5:** 63f0e10a167f83195cb68fd0e882fb88  
**SHA1:** cf7819683de9726f187028f9f5a632f264796467  
**SHA256:** 2b9e194cb44834c7f9a47202dd485f5be9eff7103a8f28fc52bde01c7eb685c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: adhoc.reportview.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.reportview.js  
**MD5:** c7ca5741abb6dda5ccc00ba224bef269  
**SHA1:** 5df0ab067ca3c319bd9b7396c943910a14a0b719  
**SHA256:** a5f88d51f3ef1ad11cb0cf4c456ea629733baab2dbff6ffabbb05c7de1410819  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoc.toolbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoc.toolbar.js

**MD5:** 29139f2f160d35c85cd5fc9007a745f0

**SHA1:** 43fcabadb23730c9b08d8592cf1335bba81f0af9

**SHA256:**6644a258a75b8c2921ce399ddf9880aa498eb274308e3354d2fcdf24e3013283

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhoccontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhoccontroller.js

**MD5:** 2d18c6f7916c755ee808bf628d8b55ba

**SHA1:** 72571a106c802b39b1953731998421c176d14d79

**SHA256:**f7302879b0365e32e486117571993b795531f0b11153eb908fd9f1fcafc198ca

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhocfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocfactory.js

**MD5:** 69896a8383411eab05adb52368c86d80

**SHA1:** 0d97e82ece1d0dd16e4dc1bd927e250735e57856

**SHA256:**603145eb2ecfaa14af7fe095cbdf296b2b4d9c81d9598c3e8ec0034b849cf11c

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: adhocmodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/js/adhocmodel.js

**MD5:** d93e2b50c666f2445d9d3d65b04b91e4

**SHA1:** ed00c32fa48421015e3ae45d3530818214372e11

**SHA256:**acc303e155f294e4dac89677e01ad7de7c6ea369535fc9d02280ca2020e40e14

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: configuration.adhoc.templates.edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.edit.js

**MD5:** 5fde177e1fe760a873bc1eec6790c747

**SHA1:** ea09c1b8b425b11dabdadfa340733cead4fb391f

**SHA256:** 005ffffac2bdb1e7afb2f4a96d05ce6bd9e50e7aa90dfa59b67d07c3092a6a2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: configuration.adhoc.templates.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/templates/configuration.adhoc.templates.js

**MD5:** 7003e616506cf628e25ee3debe27264a

**SHA1:** 60eb9aae8ed4419008acd4bb4cfe03baa87ea843

**SHA256:** f13a5f0c5d6f68e16eb54a6904ccb00f6df6ff19e0605369558c6afe25ac2e6c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: configuration.adhoc.themes.edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.edit.js  
**MD5:** 5bcdbe57c2457045ede2e7e59a72a12e  
**SHA1:** e72b708ddd576b5731ab3bc5a5098ea604c98fb5  
**SHA256:** 796e44d380350305a4be59f45a11a0aedbf691866cae7ba8217f1bee118beb0a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: configuration.adhoc.themes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/webgui/configuration/themes/configuration.adhoc.themes.js  
**MD5:** b1ad812c14dcd1fe5e2b7062268f571c  
**SHA1:** a708eae13369c42e13a88f6eccd2a803b68414b5  
**SHA256:** 90f2459efc98b028e092fe336c9db4c2169abac3a9a3df01afdda00011340c09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### adhoc.zip: adhoc.jar: dashboard-widget-adhoc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/server/dashboard/dashboard-widget-adhoc.js  
**MD5:** f84ca8afd6a3f9720e06a42941edd89a  
**SHA1:** 0ebfdb5e78fe2547823fc15837ff8c719fc50d83  
**SHA256:** 2f3f7e829279a71d6308496c077c40965414b4506818943a1841a2c44cb1f359  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: openadhocextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc  
/server/drive/client/js/openadhocextension.js

**MD5:** 3202933e637c019035e1d096c53ccf8a

**SHA1:** 341cc80ddccc825f79edb28e127d960317e9cedc

**SHA256:** 41b7dbbaf945b6615d31e9be2a345e97d306135128ecdbb67970e4179018680a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## adhoc.zip: adhoc.jar: renderadhocextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc  
/server/drive/client/js/renderadhocextension.js

**MD5:** 604498a036b85f4b973e63068769e8eb

**SHA1:** 0ed6747c8f239e14d31bedca2285c5c22f0e9537

**SHA256:** c31aca06e6447e72dd5e287963bb6d02211477774b8b711cf29e207d5e96ceee

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## adhoc.zip: adhoc.jar: ui-dashboard-adhoccomponentselection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/adhoc.zip/adhoc.jar/com/inet/report/adhoc/server/dashboard/ui-dashboard-adhoccomponentselection.js

**MD5:** 1a0abc4793bdd325534b4bd8d9e29220

**SHA1:** a512c837ec5df484fb9c666e2040f09ca4a53547

**SHA256:** a02475593bcba801afd6e6835c14c8d450bef252a30f412e981fb2f71b733a6b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## ai.zip: ai.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar

**MD5:** 250f5b07f2e9b7c28738af72bbcd6a6bc

**SHA1:** d8cb7ddb46dd6f27668712bb662fceaa45442bb6

**SHA256:** dea9b9dcdb472a042be4da4916268296e99df80570b2614ddb04c994673a6906

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ai	High
Vendor	jar	package name	ai	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	ai	High
Product	jar	package name	ai	Highest
Product	jar	package name	ai	Low
Product	jar	package name	plugin	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	ai	High
Product	Manifest	specification-title	ai	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

ai.zip: ai.jar: aiprovider\_config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar/com/inet/plugin/ai/structure/js/aiprovider\_config.js

**MD5:** df918069a587bc74502c9fd267e1e309

**SHA1:** 66c05387e8725ac3eb08fb1b74a30c43ef85d5c1

**SHA256:** 7e896f0bf9e3db8487dd1a426a86f7b12030ed127b14da0b93a56ea6e0ed6b98

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### ai.zip: ai.jar: aiworkingpanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/ai.zip/ai.jar/com/inet/plugin/ai/client/aiworkingpanel.js

**MD5:** 8b53a02567f9600fbdd8a3b9964434d7

**SHA1:** ba228e15518daba68bba59bd7e65e8a7bb2dcaef

**SHA256:** f9b3f83f731a8117347d5833c589a5b3e2037c01a60e8b403dc074726bb7b26d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### annotations-3.0.1.jar (shaded: com.google.code.findbugs:jsr305:3.0.1)

#### Description:

JSR305 Annotations for Findbugs

#### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar/META-INF/maven/com.google.code.findbugs/jsr305/pom.xml

**MD5:** d08567d16867a0b79bc8149683918452

**SHA1:** d04690f71f3393e23f30998d9534365274fa5f9f

**SHA256:** 4170a761dc5bfd3981a8e6f7aab9e2acdce82d34fd5aa9bb11e3c090d25314ce

**Referenced In Project/Scope:** server:inetPlugin

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	pom	artifactid	jsr305	Low
--------	-----	------------	--------	-----

Vendor	pom	groupid	com.google.code.findbugs	Highest
--------	-----	---------	--------------------------	---------

Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	pom	version	3.0.1	Highest

### Identifiers

- pkg:maven/com.google.code.findbugs/jsr305@3.0.1 (Confidence:High)

## annotations-3.0.1.jar

### Description:

Annotation the FindBugs tool supports

### License:

GNU Lesser Public License: <http://www.gnu.org/licenses/lgpl.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/annotations/3.0.1/fc019a2216218990d64dfe756e7aa20f0069dea2/annotations-3.0.1.jar

**MD5:** fc4f102f22ba4f1df3f1d7cc6b202152

**SHA1:** fc019a2216218990d64dfe756e7aa20f0069dea2

**SHA256:** 6b47ff0a6de0ce17cbedc3abb0828ca5bce3009d53ea47b3723ff023c4742f79

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.15

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	annotations	High
Vendor	gradle	artifactid	annotations	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	jar	package name	annotation	Highest
Vendor	jar	package name	annotations	Highest
Vendor	jar	package name	findbugs	Highest
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	findbugsAnnotations	Medium

Vendor	pom	artifactid	annotations	Low
Vendor	pom	developer email	Loskutov@gmx.de	Low
Vendor	pom	developer email	pugh at cs.umd.edu	Low
Vendor	pom	developer id	al	Medium
Vendor	pom	developer id	bp	Medium
Vendor	pom	developer name	Andrey Loskutov	Medium
Vendor	pom	developer name	Bill Pugh	Medium
Vendor	pom	developer name	Keith Lea	Medium
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-Annotations	High
Vendor	pom	url	http://findbugs.sourceforge.net/	Highest
Product	file	name	annotations	High
Product	gradle	artifactid	annotations	Highest
Product	jar	package name	annotation	Highest
Product	jar	package name	annotations	Highest
Product	jar	package name	findbugs	Highest
Product	Manifest	Bundle-Name	FindBugs-Annotations	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	findbugsAnnotations	Medium
Product	pom	artifactid	annotations	Highest
Product	pom	developer email	Loskutov@gmx.de	Low
Product	pom	developer email	pugh at cs.umd.edu	Low
Product	pom	developer id	al	Low
Product	pom	developer id	bp	Low
Product	pom	developer name	Andrey Loskutov	Low
Product	pom	developer name	Bill Pugh	Low
Product	pom	developer name	Keith Lea	Low
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-Annotations	High
Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.1	High
Version	gradle	version	3.0.1	Highest
Version	Manifest	Bundle-Version	3.0.1	High
Version	pom	version	3.0.1	Highest

Identifiers

- pkg:maven/com.google.code.findbugs/annotations@3.0.1 (Confidence:High)

application.currenttime.sample.zip: application.currenttime.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar  
**MD5:** eb3012e77cc068c6ddb30e55a163e31e  
**SHA1:** b3fcfb444c9ac3864f2d0892596447759787ddb2  
**SHA256:** 11e5abf3bfea7b20b483554134d409ccb2cc35bb05631914ef3b1311604824d7  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.currenttime.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	currenttime	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.currenttime.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	currenttime	Highest
Product	jar	package name	currenttime	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	application.currenttime.sample	High
Product	Manifest	specification-title	application.currenttime.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### application.currenttime.sample.zip: application.currenttime.sample.jar: sampleapplication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/application.currenttime.sample.jar/com/inet/application/currenttime/sampleapplication.js  
**MD5:** a3910ea7b1fdb6e9f0ae2807b1bce25  
**SHA1:** 19e674ef9827646b616d4e421a0ecd41238c90e8  
**SHA256:** 388c312835e10d79f36784aea686e74b6379a3f54c0d3795d69868561dfae038  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### application.embedded.sample.zip: application.embedded.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar  
**MD5:** d4be438f154a5a9cf2cf8713f7980840  
**SHA1:** f9d0c2047493a35828aa0498d80c4b6a4c8f1ebb  
**SHA256:** 08cc45dbdcaee3633669a2e0910d545ad509fdc652e685c8491102c2c5667313  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.embedded.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	embedded	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.embedded.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	embedded	Highest
Product	jar	package name	embedded	Low
Product	jar	package name	embeddedserverplugin	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.embedded.sample	High
Product	Manifest	specification-title	application.embedded.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

**application.embedded.sample.zip: application.embedded.sample.jar: embeddedMode.js**



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/application.embedded.sample.jar/com/inet/application/embedded/webgui/embeddedMode.js  
**MD5:** 629060ea8d8f25c979c25d7070a1e6d5  
**SHA1:** 67b65682b95eb6398d4800b26ebbe112fb4633d6  
**SHA256:**e658130c19572f14c548794df3b72a480190472f328f8bfd06a078b99d908d18  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

application.googleanalytics.sample.zip: application.googleanalytics.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar  
**MD5:** fef89c7b094ae29b18f5b249ed9fda15  
**SHA1:** 31ef1b7b18e9bcb2eeb30a7a63654c52d41470f1  
**SHA256:**0e5b032e84ad6ee6b8ba91b014ba6bf18fbc3ab06896bd1f1ec8bc8f88ebf715  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	application.googleanalytics.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	googleanalytics	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.googleanalytics.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	googleanalytics	Highest
Product	jar	package name	googleanalytics	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.googleanalytics.sample	High
Product	Manifest	specification-title	application.googleanalytics.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### application.googleanalytics.sample.zip: application.googleanalytics.sample.jar: googleanalytics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 2bcad1fb24d551b4fe04b4d73f7bfe35

**SHA1:** fc802523418fc05403a6a5c8e6142dcd469e17e4

**SHA256:** e338ff1f433e6cf428a20f2913fb03eea9ba9c7f9ca6c14f8e187f4f6ab56aec

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

**application.googleanalytics.sample.zip: application.googleanalytics.sample.jar:  
jquery.cookiebar.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics  
/application.googleanalytics.sample.zip/application.googleanalytics.sample.jar/com/inet/application  
/googleanalytics/client/js/jquery.cookiebar.js

**MD5:** f323a266f0d55dd8cdf8e65dcafb4175

**SHA1:** 0fec2371e38e6e6b7045d5bb59dbb6b8d2952d46

**SHA256:**a0b3af2e82f054e2076675d95716d19a1df707c0fc723f5360ef4cce1b0e02e9

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**application.helloworld.sample.zip: application.helloworld.sample.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/HelloWorld  
/application.helloworld.sample.zip/application.helloworld.sample.jar

**MD5:** 947b34df668f211acd682e148b6a6ca6

**SHA1:** 6a234a2beaf43f1ce5506be77aa75a9fa9b972ee

**SHA256:**bc3452777a49312b0dec85cf971f87ba2abd2d6c06a69d3ddc01b4989a1ae191

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	application.helloworld.sample	High
Vendor	jar	package name	application	Low
Vendor	jar	package name	helloworld	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	application.helloworld.sample	High
Product	jar	package name	application	Highest
Product	jar	package name	application	Low
Product	jar	package name	helloworld	Highest
Product	jar	package name	helloworld	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	application.helloworld.sample	High
Product	Manifest	specification-title	application.helloworld.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.ldap.zip: authentication.ldap.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.ldap.zip/authentication.ldap.jar

**MD5:** 39b8b27a4c672dbd19cca0bb544132ce

**SHA1:** 44996b59e63bb52419bab3eae900093021621407

**SHA256:** 23c4295841b2bd1e559b235d7c0ff8478a39a2be83478bf654228b3e20edb6a6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.ldap	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	ldap	Low
Vendor	Manifest	built-date	2026-06-16 16:36	Low
Vendor	Manifest	implementation-	shared	Low

## group

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication ldap	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ldap	Highest
Product	jar	package name	ldap	Low
Product	Manifest	built-date	2026-06-16 16:36	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication ldap	High
Product	Manifest	specification-title	authentication ldap	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## authentication.oauth.ex.sample.zip: authentication.oauth.ex.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/OAuth/authentication.oauth.ex.sample.zip/authentication.oauth.ex.sample.jar

**MD5:** 2e23bbd4095d2e1868a10a071ad88ffa

**SHA1:** e2d633a78a20ddf9fa9ef3253625afd66d39dd59

**SHA256:** 04e843c1fa2e435006c9a9f3025b4756fad3418a5ebd0936c81604da2b470c58

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth.ex.sample	High
Vendor	jar	package name	authentication	Low

Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth.ex.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	ex	Highest
Product	jar	package name	ex	Low
Product	jar	package name	oauth	Highest
Product	jar	package name	oauth	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth.ex.sample	High
Product	Manifest	specification-title	authentication.oauth.ex.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar

**MD5:** edb86d5828d5d26bb547cbfbde1a23a3

**SHA1:** b5b75aed15cba0639d0a098f50160aadaa6cc501

**SHA256:**42206c75d0562c661c2d1fb16712d18e110d5e49472531d46269e506c0f219af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth-javadoc	High
Product	file	name	authentication.oauth-javadoc	High

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/member-search-index.js

**MD5:** 1bccf8d0d69409ae57122ee266643668

**SHA1:** 167a24095df65acddeb88081401e3ff2cbbc70ac

**SHA256:**c17be3eaf255eb99acbfdd42276ede7a8c1a0cc426c6caf2e8fdf742f27fdab7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### authentication.oauth.zip: authentication.oauth-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/package-search-index.js

**MD5:** 9b1decd2cfb95ea3330889572b0fcce9

**SHA1:** 31441c94ae44b3cabde1ec26a41641a828f75f9e

**SHA256:**91f6e4f35392a2ecc088059371446aaa19e641edbbad3a70ce774547891fc097

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## authentication.oauth.zip: authentication.oauth-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/tag-search-index.js

**MD5:** d15c346e935323a56c21555879f3d43f

**SHA1:** a5a163ac6438235738dd8b58195f76425f01b8fd

**SHA256:** 2c68a7d29a049af9aca94ce6d94e50402908947084df988d3e2b783338eaf480

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## authentication.oauth.zip: authentication.oauth-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth-javadoc.jar/type-search-index.js

**MD5:** c0e8289c7f6d797f084e9b577d1b1aeb

**SHA1:** b2f678ec566791ce1d2558db7085cbae612b9c67

**SHA256:** 257e269b1aa1421dea4fc8e6a1dc870b277a7cb3740d9b2b9626ccc17d05aa4b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



## Identifiers

- None

## authentication.oauth.zip: authentication.oauth.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/authentication.oauth.jar

**MD5:** 2590318685b278ce1828a07e31544d3c

**SHA1:** 7783b6603cdf28cb96949ab7abe682c94155db3f

**SHA256:** 52c56428fa7abe7c046c19f877f655014b36621d56a606a0960df8a7cc428b7b

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.oauth	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	oauth2	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.oauth	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	internal	Low
Product	jar	package name	oauth2	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.oauth	High
Product	Manifest	specification-title	authentication.oauth	Medium

Version	Manifest	Implementation-Version	26.4.269	High
---------	----------	------------------------	----------	------

#### Identifiers

- None

### authentication.oauth.zip: jjwt-api.jar

#### Description:

JSON Web Token support for the JVM and Android

#### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-api.jar

**MD5:** a9a60d4e3c640348092beff5b4d88a6a

**SHA1:** ce631a0342b08953355f333b488d2b03445b9f3e

**SHA256:** 5af8a971c7215acb6c3708794a3912c56eb7066ca3b1ee73f87988c9e0d6c067

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-api	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/jwt/jwt">https://github.com/jwt/jwt</a>	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Vendor	Manifest	implementation-url	<a href="https://github.com/jwt/jwt/jjwt-api">https://github.com/jwt/jwt/jjwt-api</a>	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-api	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest

Vendor	pom	name	JJWT :: API	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-api	High
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: API	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-api	Medium
Product	Manifest	Implementation-Title	JJWT :: API	High
Product	Manifest	implementation-url	https://github.com/jwt/jwt/jwt-api	Low
Product	Manifest	specification-title	JJWT :: API	Medium
Product	pom	artifactid	jjwt-api	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: API	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.13.0	High
Version	Manifest	Implementation-Version	0.13.0	High
Version	pom	version	0.13.0	Highest

#### Identifiers

- pkg:maven/io.jsonwebtoken/jjwt-api@0.13.0 (*Confidence:High*)

## authentication.oauth.zip: jjwt-impl.jar

### Description:

JSON Web Token support for the JVM and Android

### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.oauth.zip/jjwt-impl.jar

**MD5:** e3ca3f21f21b8a1c78cd3977adadfd2

**SHA1:** 9e7c70dd7014909556755fb01c465dd184b4b1d9

**SHA256:**b351baaa302889a416e83683f110948017cee671303262522d4ba477688ca89f

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jjwt-impl	High
Vendor	jar	package name	impl	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jsonwebtoken	Highest
Vendor	Manifest	build-jdk-spec	1.7	Low
Vendor	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Vendor	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Vendor	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Vendor	Manifest	implementation-url	https://github.com/jwt/jwt/jjwt-impl	Low
Vendor	Manifest	Implementation-Vendor	jsonwebtoken.io	High
Vendor	Manifest	Implementation-Vendor-Id	io.jsonwebtoken	Medium
Vendor	Manifest	specification-vendor	jsonwebtoken.io	Low
Vendor	pom	artifactid	jjwt-impl	Low
Vendor	pom	groupid	io.jsonwebtoken	Highest
Vendor	pom	name	JJWT :: Impl	High
Vendor	pom	parent-artifactid	jjwt-root	Low
Product	file	name	jjwt-impl	High
Product	jar	package name	impl	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jsonwebtoken	Highest
Product	Manifest	build-jdk-spec	1.7	Low
Product	Manifest	bundle-docurl	https://github.com/jwt/jwt	Low
Product	Manifest	Bundle-Name	JJWT :: Impl	Medium
Product	Manifest	bundle-symbolicname	io.jsonwebtoken.jjwt-impl	Medium
Product	Manifest	fragment-host	io.jsonwebtoken.jjwt-api	Low
Product	Manifest	Implementation-Title	JJWT :: Impl	High

Product	Manifest	implementation-url	https://github.com/jwt/jjwt-impl	Low
Product	Manifest	specification-title	JJWT :: Impl	Medium
Product	pom	artifactid	jjwt-impl	Highest
Product	pom	groupid	io.jsonwebtoken	Highest
Product	pom	name	JJWT :: Impl	High
Product	pom	parent-artifactid	jjwt-root	Medium
Version	Manifest	Bundle-Version	0.13.0	High
Version	Manifest	Implementation-Version	0.13.0	High
Version	pom	version	0.13.0	Highest

#### Identifiers

- pkg:maven/io.jsonwebtoken/jjwt-impl@0.13.0 (Confidence:High)

### authentication.pam.zip: authentication.pam.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/authentication.pam.jar

**MD5:** d74ba711945adc565d3201739efe5f16

**SHA1:** 4ad08edd767803f489eb89c545b3ea261357f8e4

**SHA256:** 9444a6ba563a1b2ec8e23c0934e29f33b556672da84b8c85adbfe222e149ef39

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.pam	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pam	Low
Vendor	Manifest	built-date	2026-06-16 16:37	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.pam	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	libpam	Low
Product	jar	package name	pam	Highest
Product	jar	package name	pam	Low
Product	Manifest	built-date	2026-06-16 16:37	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.pam	High
Product	Manifest	specification-title	authentication.pam	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.passwordfile.sample.zip: authentication.passwordfile.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/PasswordFile/authentication.passwordfile.sample.zip/authentication.passwordfile.sample.jar

**MD5:** 27c373c01148d1d00703d3eda4325d9a

**SHA1:** 72a11031ab02fe0f284e11c2551b5e83a8a367fc

**SHA256:** 7664e8e2b42ba1af5c9c5fc245dfc954422f02c092986bdf87442a49c51c6ce

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.passwordfile.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	passwordfile	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.passwordfile.sample	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	passwordfile	Highest
Product	jar	package name	passwordfile	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.passwordfile.sample	High
Product	Manifest	specification-title	authentication.passwordfile.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.product.zip: authentication.product.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.product.zip/authentication.product.jar

**MD5:** 0de579bc04a2d07481ca14c3f7dec9c8

**SHA1:** ac7998d48e9d29566726935bd314a7c7f3f4761c

**SHA256:** f76134276bb64b4d552542296ca3c8e7463d3d97aae95f2fd48b2e80383fee58

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.product	High

Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	product	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.product	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	product	Highest
Product	jar	package name	product	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.product	High
Product	Manifest	specification-title	authentication.product	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.token.zip: authentication.token.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar  
**MD5:** f60b24139f3f315352dcdea3913ca5ea  
**SHA1:** d57351fcd09f90fcc6c8ddf2b5cc2ef5bcf34406  
**SHA256:** 1620c7fd3ac3e4e8bbf244aefca053e0ba3874d3873db9f305ca3304967263e8  
**Referenced In Project/Scope:** server



## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.token	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	token	Low
Vendor	Manifest	built-date	2026-06-16 16:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	authentication.token	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	server	Low
Product	jar	package name	token	Highest
Product	jar	package name	token	Low
Product	Manifest	built-date	2026-06-16 16:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.token	High
Product	Manifest	specification-title	authentication.token	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

authentication.token.zip: authentication.token.jar: tokenauthentication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.token.zip/authentication.token.jar/com/inet/authentication/token/client/js/tokenauthentication.js  
**MD5:** 7eb13496ad581af8017c580edb992d8d  
**SHA1:** 6acf1a0a3d69dc82adfa1b035666ae8b1e11c509  
**SHA256:** 334664a3832f5b48b843ad082fc6b3523e0b983fe44c235c4f979d2f5749f4c0  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

authentication.windows.zip: authentication.windows.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/authentication.windows.jar  
**MD5:** c074ef0d66c74055a2b96f152384dd43  
**SHA1:** 20b3acae7c3c12229f4377e1e655173f95fdd0f2  
**SHA256:** a33ba0a45a631aa26a3829a38612a294cafd3f038ba880876d43982a092da0d9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	authentication.windows	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	windows	Low
Vendor	Manifest	built-date	2026-06-16 16:37	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	authentication.windows	High
Product	jar	package name	authentication	Highest
Product	jar	package name	authentication	Low
Product	jar	package name	windows	Highest
Product	jar	package name	windows	Low
Product	Manifest	built-date	2026-06-16 16:37	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	authentication.windows	High
Product	Manifest	specification-title	authentication.windows	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### authentication.windows.zip: caffeine.jar

#### Description:

A high performance caching library

#### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/caffeine.jar

**MD5:** 7661b25999918646ec802846cc4c16bc

**SHA1:** 3646a0d1b1abe6a31f72f2237d9004d10a5be91d

**SHA256:** 0311f9d5d9750aa2a1c11cbdba5a5cb7fec91c8870d6f179f324b3f5295b87dd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	caffeine	High
Vendor	jar	package name	benmanes	Highest
Vendor	jar	package name	benmanes	Low
Vendor	jar	package name	caffeine	Highest
Vendor	jar	package name	caffeine	Low

Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	file	name	caffeine	High
Product	jar	package name	benmanes	Highest
Product	jar	package name	benmanes	Low
Product	jar	package name	cache	Low
Product	jar	package name	caffeine	Highest
Product	jar	package name	caffeine	Low
Product	jar	package name	github	Highest
Product	Manifest	automatic-module-name	com.github.benmanes.caffeine	Medium
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	Bundle-Name	com.github.ben-manes.caffeine	Medium
Product	Manifest	bundle-symbolicname	com.github.ben-manes.caffeine	Medium
Product	Manifest	Implementation-Title	A high performance caching library	High
Version	Manifest	build-jdk-spec	11	Low
Version	Manifest	Bundle-Version	3.1.6	High
Version	Manifest	Implementation-Version	3.1.6	High

#### Identifiers

- None

### authentication.windows.zip: jna-platform.jar

#### Description:

JNA Platform Library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna-platform.jar

**MD5:** a7af00779ec98bfe22dfb07b1532830d

**SHA1:** dd817f391efc492041c9ae91127527c13750a789

**SHA256:** ad14c1b1ec4f43d396231219dfa635ebf828f738eac9f890ea1bc07795892d9a

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna-platform	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.4	Low
Vendor	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna-platform	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Low
Product	Manifest	automatic-module-name	com.sun.jna.platform	Medium
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna-platform	Medium
Product	Manifest	bundle-	J2SE-1.4	Low

## requiredexecution

Product	Manifest	bundle-symbolicname	com.sun.jna.platform	Medium
Product	Manifest	Implementation-Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	Manifest	Bundle-Version	5.18.1	High
Version	Manifest	Implementation-Version	5.18.1 (b0)	High

## Identifiers

- None

## authentication.windows.zip: waffle-jna-jakarta.jar

## Description:

WAFFLE JNA Jakarta Pakage implementation

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/waffle-jna-jakarta.jar

**MD5:** 4292b31211ec75d0a54780009f620fd7

**SHA1:** a54b03b4de48b62188b183e04313092119f3e247

**SHA256:** e53d74bd6e09b543b97ccb7b5aff7dbdb1a9058066eafb9c2573c75adf254703

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	waffle-jna-jakarta	High
Vendor	jar	package name	waffle	Highest
Vendor	Manifest	automatic-module-name	waffle.jna.jakarta	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	copyright	2024	Low
Vendor	Manifest	git-revision	725e568c485ae01eddb2777e17e1c3f78955d4	Low
Vendor	Manifest	Implementation-Vendor	com.github.waffle	High
Vendor	Manifest	specification-vendor	com.github.waffle	Low
Vendor	pom	artifactid	waffle-jna-jakarta	Low



Type	Source	Name	Value	Confidence
Vendor	file	name	collation.sample	High
Vendor	jar	package name	collation	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-06-16 17:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	collation.sample	High
Product	jar	package name	collation	Highest
Product	jar	package name	collation	Low
Product	jar	package name	collationserverplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-06-16 17:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	collation.sample	High
Product	Manifest	specification-title	collation.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Related Dependencies



- collation.sample.zip: collation.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/CollationServerPlugin/collation.sample.zip/collation.sample.jar
  - MD5: f5ff6e38f6ea472bccb8b5b904b96f2f
  - SHA1: 108f7c1a2ea666cc1b9b1d2c926fcac15e66523c
  - SHA256: 2d0dce6a94dadb4d0ca33e188f0f7b9ce1ea078d79c1c11c37f9b5e4032385cb

## Identifiers

- None



## commons-logging.jar

### Description:

Apache Commons Logging is a thin adapter allowing configurable bridging to other, well-known logging systems.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/commons-logging.jar

**MD5:** e7a1e7cb6a89241ed9bfec4c25b6c645

**SHA1:** b9fc14968d63a8b8a8a2c1885fe3e90564239708

**SHA256:** bc2dfe32f1ef06509e6a065144c1adf7b420eabf11a87f30bd127f8faa332016

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-logging	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	logging	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-logging/">https://commons.apache.org/proper/commons-logging/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-logging	Low
Vendor	pom	developer email	baliuka@apache.org	Low
Vendor	pom	developer email	costin@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dennisl@apache.org	Low
Vendor	pom	developer email	donaldp@apache.org	Low

Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rsitze@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	baliuka	Medium
Vendor	pom	developer id	bstansberry	Medium
Vendor	pom	developer id	costin	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dennisl	Medium
Vendor	pom	developer id	donaldp	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rsitze	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tn	Medium
Vendor	pom	developer name	Brian Stansberry	Medium
Vendor	pom	developer name	Costin Manolache	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	Dennis Lundberg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Juozas Baliuka	Medium
Vendor	pom	developer name	Morgan Delagrance	Medium
Vendor	pom	developer name	Peter Donald	Medium
Vendor	pom	developer name	Richard Sitze	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium

Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Apache	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	https://www.apache.org/	Medium
Vendor	pom	groupid	commons-logging	Highest
Vendor	pom	name	Apache Commons Logging	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	https://commons.apache.org/proper/commons-logging/	Highest
Product	file	name	commons-logging	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	logging	Highest
Product	Manifest	automatic-module-name	org.apache.commons.logging	Medium
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-logging/	Low
Product	Manifest	Bundle-Name	Apache Commons Logging	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-logging	Medium
Product	Manifest	Implementation-Title	Apache Commons Logging	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons Logging	Medium
Product	pom	artifactid	commons-logging	Highest
Product	pom	developer email	baliuka@apache.org	Low
Product	pom	developer email	costin@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dennisl@apache.org	Low
Product	pom	developer email	donaldp@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rsitze@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low

Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	baliuka	Low
Product	pom	developer id	bstansberry	Low
Product	pom	developer id	costin	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dennisl	Low
Product	pom	developer id	donaldp	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rsitze	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Brian Stansberry	Low
Product	pom	developer name	Costin Manolache	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	Dennis Lundberg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Juozas Baliuka	Low
Product	pom	developer name	Morgan Delagrangue	Low
Product	pom	developer name	Peter Donald	Low
Product	pom	developer name	Richard Sitze	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Apache	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-logging	Highest

Product	pom	name	Apache Commons Logging	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-logging/	Medium
Version	Manifest	Bundle-Version	1.3.4	High
Version	Manifest	Implementation-Version	1.3.4	High
Version	pom	parent-version	1.3.4	Low
Version	pom	version	1.3.4	Highest

#### Identifiers

- pkg:maven/commons-logging/commons-logging@1.3.4 (Confidence:High)

### configuration.automaticconfigrestore.sample.zip: configuration.automaticconfigrestore.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Configuration/AutomaticConfigRestore/configuration.automaticconfigrestore.sample.zip/configuration.automaticconfigrestore.sample.jar

**MD5:** 660d8bae570d5392e130eaea3de26ae9

**SHA1:** 6a168ac74eeaa07ca302d208088b86c27ceef0f2

**SHA256:** 28957b3e1e696f760b0e73e144ccb74332f4f9376bcae125ac238cd064cbe874

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration.automaticconfigrestore.sample	High
Vendor	jar	package name	automaticconfigrestore	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-	i-net software	Low

vendor				
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration.automaticconfigrestore.sample	High
Product	jar	package name	automaticconfigrestore	Highest
Product	jar	package name	automaticconfigrestore	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration.automaticconfigrestore.sample	High
Product	Manifest	specification-title	configuration.automaticconfigrestore.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

configuration.zip: configuration.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar  
**MD5:** f55e9e12a975aa430dc83ab363f562c5  
**SHA1:** 1abc52ca98442b32dbad33d2b7ac1e8173a7d6c1  
**SHA256:** 16895527fc7fa3948c469230fded353ae4460e9a5f436afc5a6c0bd675885bd6  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	configuration	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-	de.inetsoftware	Medium

## Vendor-Id

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	configuration	High
Product	jar	package name	config	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	configuration	High
Product	Manifest	specification-title	configuration	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## configuration.zip: configuration.jar: authenticationItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationItemRenderer.directive.js

**MD5:** aefb1a2a7d97d2df669e0545658c3e24

**SHA1:** 4a2a34c98fb71cf2dfa520bb02dc8baf0d0810f9

**SHA256:** c277d6842312394b3aa4ac0385e1c800c73dc0b2b0cd9696bc5f51293d859b29

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## configuration.zip: configuration.jar: authenticationRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/authenticationRenderer.directive.js

**MD5:** 08d42fd374d37fbb791917830a779fa8

**SHA1:** 3e7daea97fb445ace87c90fd3e9188690660d99d

**SHA256:** 1719515423a8f8edcddfcb5519f22251afbedfd9de10bea76c99e461bd82929

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/boolean.directive.js

**MD5:** e281bd179c94019bdf388759a526f31

**SHA1:** 5f4be414c7db7b9c699a371bc3a84a945e1c13a3

**SHA256:** 3e819332e6b9a66c5041ae377459a6b7d7f10fd94dd71ad85a3f8169fdab4f48

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: booleanButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/booleanButton.directive.js



**MD5:** dc5744f572a36fa29dc813914156944d  
**SHA1:** 40a96829d9f498e1364fac7ec8bf8a626c4ac66c  
**SHA256:** edf806317b3487f3998c758a4e56a0aa8bb08bfe38fd4b38c9ec68abbabf25f6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: colorInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/colorInput.directive.js

**MD5:** db9d1ee17d2b4f79813c66e8a52b8fcd  
**SHA1:** 68e81a259a7bce7f49dbf629230020cdf0b01398  
**SHA256:** 1fff0ddf3d275467e77832ae82c55ffdebfb4cc31aee0bfb31def6574f734ae  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/controller.js

**MD5:** e69357181c946dd07a2b66b77865eb57  
**SHA1:** 937e49dc0424751b10f4b955268de469381c6102  
**SHA256:** 287166afe772ea2a1ae5316cc79ba85e35dd37a01e6339c53b14d3f7b437287c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: datafactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/datafactory.js

**MD5:** 3d2c2f69bfa85dbb5b247b7c37456b3d

**SHA1:** 559046875af9195d3f8f7edabaab0649984a5f26

**SHA256:**f274a56e21fcdc6692c2feda3e758699fc45c8e8cc60662dcb00ae32c4c40a79

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: fileUploadRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/rendererer/fileUploadRenderer.directive.js

**MD5:** 231de69a8b11511aba2b1d554b1c237c

**SHA1:** 07a949eca5cea00f3244c0c327a5055e938c20f1

**SHA256:**09bb8467939975c92a5fed3ed5d48e62b5b4573873aa6ea55cc68f815675f4e3

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### configuration.zip: configuration.jar: filesystemFileInputOrUpload.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemFileInputOrUpload.directive.js

**MD5:** f644a3106bfee156df76d5700377f70d

**SHA1:** c95cf943e2d57132b71a47525b512fbe46f7fed4

**SHA256:** 2ce6c7628582dc79f62161e19e2733b679647ff423e8d8ee83474eef6ce9624d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: filesystemInputButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputButton.directive.js

**MD5:** d4fa34d24a58237edaff0fd1e52a98b

**SHA1:** 61aeecd618d7e15f1db7a65874b6fb9b3cdf9206

**SHA256:** 40e25504ccab4019abc2801de1f33715437dbb95c92d03bf759376bed942d8c3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: filesystemInputDirectory.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputDirectory.directive.js

**MD5:** abe8d738b4230681785b9608df31d0a7

**SHA1:** 3773d4f21f49fea9fd3c19ff9c94396b273e82cf

**SHA256:** 5283b122ef2a3db054632ead2dedd2c62c9616419840ae7e146355e8782fcee6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: filesystemInputFile.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/filesystemInputFile.directive.js

**MD5:** 95eec66eb56684db24cb9d8c5cc387fc

**SHA1:** 33e9abd6b5c84780196226b277217e4d189216c8

**SHA256:** 1eab4ff2b96200a36c283d701e3b2bbdc0b3a527544f1b0eed6f31172a9dd10b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: iconDropRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/iconDropRenderer.directive.js

**MD5:** e01df58e761b7fba83e716c5d665eb22

**SHA1:** b4fd37979b7a3ae4d7252b56bcec8ef0903113ba

**SHA256:**50bae6b105ce7e868d443dcc911cc8170f2e5dd175482ab0d89bb1dec6f7e51d  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: inlinerenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/inlinerenderer.directive.js  
**MD5:** 4531879fc071658f5888a12116e31f0d  
**SHA1:** 374bcc0bbcc65b4d88ff5a224731409c78a4f7b7  
**SHA256:**032c6ac3238780e1eb1767300dae7818ccda70bb17ccb70725ea06d8ee19adf2  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

configuration.zip: configuration.jar: keyLabelText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/keyLabelText.directive.js  
**MD5:** 2f2a25596ec290d0f62e10a37fc973c8  
**SHA1:** a4e327416b73eeda15ba6d1874a3bbc3849ae81e  
**SHA256:**2a481ea7ff3b62f87adb28b57e222ef1352f1cfa73a154d63902cb0df0113b42  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: labelLink.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelLink.directive.js

**MD5:** a90349ac59fc4f16a05deb269d1c3519

**SHA1:** 484e8d038dafee8f547b1259f7e4d2d65ab5ee4a

**SHA256:** be8c4ebe7804af2f0d1f03340173d04745cff39383aa6ba47e144cf4177ffd99

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: labelText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/labelText.directive.js

**MD5:** 1dc9a77a6475334b814a4eb39b6e8aa0

**SHA1:** d0db5c5a08bd2c74dffcafcbe0ffc8438e35357

**SHA256:** 1cb05364e04e307603df6a644178aff10fabfed16bfce4d21c86fb75f44139ba

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyItemRenderer.directive.js

**MD5:** 1b7acb7f77157666bd8163e13cc47fdf

**SHA1:** e623aa9b016fc3d3f9fc16449dd1ac48f3e17fd3

**SHA256:** ac41f0893480d1086562eef9c8269ea35f4605b80fd3f60628e4a9f3d6aa73a4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: licenseKeyRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/licenseKeyRenderer.directive.js

**MD5:** 6d48b1b05a2bd2ef4384bb996789ddca

**SHA1:** d1131bfe50939a01e50982034b1b7574822215bf

**SHA256:** 8c881d970f4c71dc3a5eddb6a2028729ce9efc82dc629880885a4bd043db53ba

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: listItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/listItemRenderer.directive.js  
**MD5:** be04a63c48d156613c5b932c79e55ebb  
**SHA1:** dc125d4dacfe2898e75f194131c0b39ce41096dd  
**SHA256:** b95a73fde9c903ffc1b1e25b7fe7d338e1bb195bdeec298bb160f5fdc00cc83d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: logopreview.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/logopreview.directive.js  
**MD5:** 84cbbf2c3c0b52d6c249e076fe48cb8f  
**SHA1:** c63e504fabdb02f4cbe1dd2dfa110288472a4e0c  
**SHA256:** e1b11195c665b08ffc7c19b22e7d7d77e49ed86877cd65e6bc9a166566aa5d31  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: multiLineCode.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineCode.directive.js  
**MD5:** e2a752736b313cd15c5067b9e2f7abc6  
**SHA1:** 2c22df117b9f45a082498e2696385eca5919534d  
**SHA256:** c1d8916f36bc63228d52ff52432d599f6001077d784d2bf47870569daf2a99c6  
**Referenced In Project/Scope:** server



### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: multiLineText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLineText.directive.js

**MD5:** 9769483af9509271e1ffd9602c681481

**SHA1:** fbb61268f1e63f705fb6d167bdb9f5138d622a18

**SHA256:** 36e44de5802b59df141325897a839a73be22d803df0300985e3eb23ef0f060d4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: multiLingualTextRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/multiLingualTextRenderer.directive.js

**MD5:** c417f8278dcca4343be0b1c60d6c5fe1

**SHA1:** 3eda017cc7075b934736e1daf71b0d59aa412203

**SHA256:** c497b95a7eb0af1ef36a9733a5e9675a5ac62c094a738288ed8c021b7cd9a429

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: passwordText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/passwordText.directive.js

**MD5:** a762f68eb820d383f03214a0c401d090

**SHA1:** 05c793442f5193f2ffa3b952cd62af88309e68f6

**SHA256:** fba766ee79b545a364e9b8d53a5fd0df688657a201bdd25c7c6bcf3a92678337

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## configuration.zip: configuration.jar: reloadSelectInputsTrigger.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/reloadSelectInputsTrigger.directive.js

**MD5:** ee0760c34d35b7ab1f556b36ef72504b

**SHA1:** cfcab22873b681c7d9019378b4c7fa9c6af49b47

**SHA256:** 40e2a2f7b5e647a301971e061dbd5a7d614458f9172510d8f64f1b21b2347e3f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### configuration.zip: configuration.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/renderer.directive.js

**MD5:** e6700ce9f732a1f1b614ffdc2c94933

**SHA1:** 1c5c4b48b29a6b9fd8b9f560207df52cf3ff430d

**SHA256:** 3c26aeb2ecfd733d17ff0facd86c8328a20759a6fe1b4059bbcc8221461d3574

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repoDbRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/repoDbRenderer.directive.js

**MD5:** 5ef1c770c4e5fe42e93f01f633f453d3

**SHA1:** 5da8e6fda8968333e5a0badb6aa45020a83b6b69

**SHA256:** c763e8eefee951c377e2c0c54a8d52618e50224dbb458529d750701c7a1f9e96

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repoFsRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet

/report/plugins/config/client/js/renderer/repoFsRenderer.directive.js

**MD5:** 6bf0ab3a102f1607ad605c4820851ff4

**SHA1:** ec76ee20ea8fc5950c233ebb71a89367fb0b5d48

**SHA256:** 71fb520ea8562e3a06f3eabc3117b85a874092205bc7052a856faaec867e7df6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryItemRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet  
/report/plugins/config/client/js/renderer/repositoryItemRenderer.directive.js

**MD5:** 35b661e3e8a0b9517b5ef113729adebf

**SHA1:** 451b13b299f3189adeb149487bd614b2de8ec78c

**SHA256:** f155af09a82a7d6babc233a77ffa620935e78b1bb8e8636ec2987241a0fec48b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: repositoryRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet  
/report/plugins/config/client/js/renderer/repositoryRenderer.directive.js

**MD5:** cca1b6d749a3ff9bb3ed1e546c1ddd3f

**SHA1:** 295dbe208d68b96973cfde80dc8f657cdaedb7f2

**SHA256:** 597b792888878b76bd3e67b99651b5d52c1332790765d4a6e11a9f9d3d289490

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectEditText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectEditText.directive.js

**MD5:** 3aa24125a54ec0a890cf9c3ecb3579ad

**SHA1:** 5cf9a71def93c493f1781f6729abeeabe36999f4

**SHA256:**8bcd98ff5ca4562ebacaae43968be209fdf058365ea8bfea6ac96342f42de0a2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: selectFilteredText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectFilteredText.directive.js

**MD5:** d707da2d6d8224870b0764efd1029f4f

**SHA1:** 166a79e4ca41ae0021a44c6cb9e87df8c1ef4a22

**SHA256:**0462d8e79795bd82d470d2673078d9a669f35744eab2eaba4ed68b49acdc2b6b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### configuration.zip: configuration.jar: selectLanguageChooserRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectLanguageChooserRenderer.directive.js

**MD5:** b2dfe60265ea9129a4b1abe952ad92ff

**SHA1:** 20176c71d76cb163d19b6add0667a5179bb4e9ec

**SHA256:** 3c3904cb2f26ca946b317091a674646fbdf692bed2a7288097f016bbe7be7af1

**Referenced In Project/Scope:** server

##### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### configuration.zip: configuration.jar: selectSimpleText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/selectSimpleText.directive.js

**MD5:** 133dcb833b683d40c4a902b736bdd1d6

**SHA1:** e8d02811739badfec2c515780b99466e9d5f2dc9

**SHA256:** 9d3df25fc91e91042b12096910ee5628baff6e5ea237e5809a9ea1856531b312

**Referenced In Project/Scope:** server

##### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

### configuration.zip: configuration.jar: simpleDate.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleDate.directive.js

**MD5:** 7859e473016ba4b6c663b2de73e886d0

**SHA1:** 2c6104c939065689031febe53b2c4690eb17af15

**SHA256:** cf6b91be17479f785ea267d269c6a254a9fd14d70df735721d723e556bf07f28

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleSlider.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleSlider.directive.js

**MD5:** 00171fe096529318005c987067f6cae4

**SHA1:** 586d31e6a344760d84d76e12763b6f47e69618d0

**SHA256:** db8ceb31a065dc67a9b7d9bc2144e6906a6f0dadd1e698f77b41cc6232246aec

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: simpleText.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/simpleText.directive.js

**MD5:** 8c4598540efc682f3551a75bde20dfd9

**SHA1:** 42c3a77e9067c8d053e4dac23de2a40a70d67ec4  
**SHA256:** b18a8129f293a7ce070aa7b9bd5edbe9eceebe36b10e82a9e6a3469c1484f3d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: tableRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/tableRenderer.directive.js  
**MD5:** 9c912ea0c0e6a7cd18a45ab3aa2234d2  
**SHA1:** cb8d0ba6ae90abff58f47ae07d63f3e57dfc0723  
**SHA256:** 967fadfacccbc663230a6fc2c0242cba122ea115816585f28e1c43518005c99d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### configuration.zip: configuration.jar: treeRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/treeRenderer.directive.js  
**MD5:** 0a727a5f05e3fd245c2160b5366328f1  
**SHA1:** 678f64bfd07d434e17c8ec082ae6b65c34e80953  
**SHA256:** 926c541bf1a1faa35175ff6d0aec1875cef3da5828a2a7cd24816b3052023d10  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

### configuration.zip: configuration.jar: usersandgroupsselect.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/configuration.zip/configuration.jar/com/inet/report/plugins/config/client/js/renderer/usersandgroupsselect.directive.js  
**MD5:** 27bf7f8502a7aa8612104bf9da20aa9d  
**SHA1:** a75f988f7790d6be413c8f962c051a78880d96d7  
**SHA256:**c7b08fadcb0c0d0907adf944c05e79a20d065d9faebfe4472b570f5f73a976d1  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

### core.jar


#### Description:

Core barcode encoding/decoding library

#### License:

"The Apache Software License, Version 2.0";link="https://www.apache.org/licenses/LICENSE-2.0.txt"

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/core.jar  
**MD5:** 23cc13611f7f2202b9988220fa28a115  
**SHA1:** 955fcd6bcd0723ddfb8ee6ed502d5fdf0e9676a9  
**SHA256:**71de5d89341b5fcf5dd89da7f44e84d825d0e084cdf3ec77c9abe26b0f0ceb13  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Vendor	file	name	core	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Vendor	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Vendor	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Vendor	pom	artifactid	core	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Core	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	core	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-developers	zxing-authors;name="ZXing Authors"	Low
Product	Manifest	bundle-docurl	https://github.com/zxing/zxing/core	Low
Product	Manifest	Bundle-Name	ZXing Core	Medium
Product	Manifest	bundle-symbolicname	com.google.zxing.core	Medium
Product	pom	artifactid	core	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Core	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	Manifest	Bundle-Version	3.5.4	High
Version	pom	version	3.5.4	Highest

### Identifiers

- pkg:maven/com.google.zxing/core@3.5.4 (*Confidence:High*)

## crsetupwizard.zip: crsetupwizard.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/crsetupwizard.zip/crsetupwizard.jar

**MD5:** 452091964e86172e373f02af1be84ba8

**SHA1:** af8337e152fb2a7498e3703aa90a3be58b2b6372

**SHA256:** 121a2c37f7a31335c2c967ee21e30778eb0df5e9440da911230c079f6ccf1952

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crsetupwizard	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	setupwizard	Low
Vendor	Manifest	built-date	2026-06-16 18:16	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	crsetupwizard	High
Product	jar	package name	report	Low
Product	jar	package name	setupwizard	Low
Product	jar	package name	steps	Low
Product	Manifest	built-date	2026-06-16 18:16	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	crsetupwizard	High
Product	Manifest	specification-title	crsetupwizard	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## customformulas.sample.zip: customformulas.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/customformulas.sample.zip/customformulas.sample.jar

**MD5:** 6351d09cea315b9bf1959515d7240877

**SHA1:** 0fce4eccc62260548f184330f0c9ee2fc8eaaedc

**SHA256:** 9a71b6781ef9c34457ea77bcfda269d9d0ceb81593e8bfbe328f3489f3b65005

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	customformulas.sample	High
Vendor	jar	package name	formula	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-06-16 17:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	customformulas.sample	High
Product	jar	package name	formula	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-06-16 17:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	customformulas.sample	High
Product	Manifest	specification-title	customformulas.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Related Dependencies



- customformulas.sample.zip: customformulas.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/UserdefinedFormula/customformulas.sample.zip/customformulas.sample.jar
  - MD5: 6351d09cea315b9bf1959515d7240877
  - SHA1: 0fce4eecc62260548f184330f0c9ee2fc8eaaedc
  - SHA256: 9a71b6781ef9c34457ea77bcfda269d9d0ceb81593e8bfbe328f3489f3b65005

### Identifiers

- None

## dashboard-widget-openweathermap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/src/com/inet/dashboard/openweathermap/dashboard-widget-openweathermap.js

**MD5:** e8b1257cf05dce6de981a0a4b9496d68

**SHA1:** 7f74073e20d978db03b00627ba37c657472f9b5e

**SHA256:** 43bbb49c7a01a91e283847e42a64f2b2ebfd16f6644e791b0adcb88cd008c515

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- dashboard.openweathermap.sample.zip: dashboard-widget-openweathermap.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/dashboard.openweathermap.sample.zip/src/com/inet/dashboard/openweathermap/dashboard-widget-openweathermap.js
  - MD5: e8b1257cf05dce6de981a0a4b9496d68
  - SHA1: 7f74073e20d978db03b00627ba37c657472f9b5e
  - SHA256: 43bbb49c7a01a91e283847e42a64f2b2ebfd16f6644e791b0adcb88cd008c515

### Identifiers

- None

## dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/dashboard.openweathermap.sample.zip/dashboard.openweathermap.sample.jar

**MD5:** ee4f1feb4d9c4a79c6da281cdf4b61d8

**SHA1:** 08065a219b2808d8a33f30f1f3d6f45d1517c79e

**SHA256:** 4c7be880a10f46142ff87524d66204d8389bf4248071bb9d934285aa4d651841

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	dashboard.openweathermap.sample	High
Vendor	jar	package name	dashboard	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dashboard.openweathermap.sample	High
Product	jar	package name	dashboard	Highest
Product	jar	package name	dashboard	Low
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	dashboard.openweathermap.sample	High
Product	Manifest	specification-title	dashboard.openweathermap.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## dashboard.openweathermap.sample.zip: dashboard.openweathermap.sample.jar: dashboard-widget-openweathermap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Dashboard/DashboardOpenWeatherMap/dashboard.openweathermap.sample.zip/dashboard.openweathermap.sample.jar/com/inet/dashboard/openweathermap/dashboard-widget-openweathermap.js

**MD5:** d1dac495dd750c0537b07c7827cd3b00

**SHA1:** af1eddcc36a009faeb49c11a423aba7cf1ccc947

**SHA256:**f493d1651df7e6db55803f8beedddd5a9220957e0673247fbcc85fa8bae7cc6f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar

**MD5:** ef91eaff9d51c078c48e81b4cbfbccd4

**SHA1:** dc521e9aca9e2615bb10c229175386687d4ff10c

**SHA256:**837c0ef923bde325a219306f261858aacea242656dde43927b5c37b61aa9ae0d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	dashboard	High
--------	------	------	-----------	------

Vendor	jar	package name	dashboard	Low
--------	-----	--------------	-----------	-----

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	Manifest	built-date	2026-06-16 16:42	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	dashboard	High
Product	jar	package name	dashboard	Highest
Product	jar	package name	dashboard	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	dashboard	High
Product	Manifest	specification-title	dashboard	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### dashboard.zip: dashboard.jar: abstract-dashboard-widget.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/abstract-dashboard-widget.js

**MD5:** a5455b356d33a49a961baf0ad21040bf

**SHA1:** fa30233dd54ffa2ad1ffd2b99f3176456ec42212

**SHA256:** 4560d3c508237ae0c324929ec55df98a431471e662ae770ab3b7fd719782da6f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

#### dashboard.zip: dashboard.jar: dashboard-panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-panel.js  
**MD5:** 9a9071aed1967cb2ec4f18f0442567c9  
**SHA1:** 71ff27403a9cef0fdd93c3b474c1d4d76b4b8e53  
**SHA256:** b0e9c75589f784533314a52da682969c3fd5d54e4bbd97e7eaec05beed6174de  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: dashboard-settings.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-settings.js  
**MD5:** 6f9d011fda2c5bf127aebc8bf2134d2a  
**SHA1:** deee5ae02714ff47a22e0844fb83e7b7e82a7757  
**SHA256:** 5d1170e1e086ce6dbdefd4872d5c0b876a5321bd06bb480b096e12776bc54ebd  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: dashboard-toolbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-toolbar.js  
**MD5:** f5bb8c39c9b43fcf5500d7b9c021663d  
**SHA1:** 903dc351d47020a47eade5ffb2eef100078ddd5c  
**SHA256:**391a10239aaa40cabde65fb6f18ba7a10e5a87987c8e9f5af76060f9a0c53c47  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-chart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-chart.js  
**MD5:** 015e9c95e2800dcfed498f32fdd8afd5  
**SHA1:** 270da662aaf955f227bdf924085f41392b4c9957  
**SHA256:**84c049fdbf4c6e04678dd29a3d0b56123a30bcf979c87d85a3db75c296079245  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget-edit.js  
**MD5:** 8d7ea2dae1a71673417d7ee802d8cbef

**SHA1:** 6f41c8f6900419322aa655bb10463cce92fd36e5  
**SHA256:** 1ba2ed3c16c6242ffc7e7c8f277cc6ba6403c0662c86e6f369486c7faa05902d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-error.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet  
/dashboard/client/js/dashboard-widget-error.js  
**MD5:** aa9dbb2dbec24746db3161257555e95a  
**SHA1:** b12411ca98ded613abd7e206e21486497ec4d753  
**SHA256:** 3b00f701dbe32e280bfd6ef1fc56bede7f9a39176d8930b125ccf5d0b97eef2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-image.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet  
/dashboard/client/js/widgets/dashboard-widget-image.js  
**MD5:** e7beb2aeae366e7313f28599691517a6  
**SHA1:** 88672268fcd43b8efa17e066100adfb98152704a  
**SHA256:** daf4bf4c510ea97b8994e3ffae82e42863af0912b8ae5c8d9a58af37f8542897  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar: dashboard-widget-memo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-memo.js  
**MD5:** d7f520a3a838ef492f325d179dd11986  
**SHA1:** a5de25e1860d2862bd665dfd530798afa9dc95bf  
**SHA256:**c9f91cfa6d87164342c88fecb5a860f87f32bb229c2c1fd0ab0e90c13c39317a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar: dashboard-widget-progress.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-progress.js  
**MD5:** c9df70cf7a02c13730036a7b07e98888  
**SHA1:** e7fa8af357d9b7b8d32d092ad85dcdffd4458ce0  
**SHA256:**9c8c00959285823f4a26f7f0916d631cd9c7fe5267d25fe94c232928d1f9c4fb  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-rating.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-rating.js

**MD5:** 404cc7c59ab5d0c1f75a6f0e1096314c

**SHA1:** 0f081cd7c92dd14e1a03ff607a230214280bdd74

**SHA256:** 81a7d4bbf35151399431052d333e0fe4b7b7527155d01353e196d919dd8ac7e0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-table.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-table.js

**MD5:** 6a39b42b93dfe3a69dd14ceb754a1563

**SHA1:** 6b37d72e576f79cb63aae6be362176ef5c2550e1

**SHA256:** 848c5452b004c65db2a3ff8731b6b3cfe812283d843ecb3de8bbd0f824b66481

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-trafficlight.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-trafficlight.js  
**MD5:** f4fb09edb4d26ce11ecff50efb21751  
**SHA1:** 5f2577bb694bb08121fea32f7090dc816d968c1c  
**SHA256:** 153e5f162942738809f87f976aad417a53aedc770c8fcb39b35bf207204c8a8e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget-value.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widgets/dashboard-widget-value.js  
**MD5:** d631af047d716c7df9682ae620c869c5  
**SHA1:** 5a7ace82ed4e4fd9b5269a5ad1e532b65b75c3f5  
**SHA256:** 5ae861ee8b035645ae5fa1a725e486b91c32743cfc08c6b5d88050e8927150f5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard-widget.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard-widget.js  
**MD5:** 3c2db0ea8b3bae1e2bf03693704088ac

**SHA1:** 8779acaf9a615f116fff1a07748f471ffc32c0e2

**SHA256:** 18b4606031535334af37a54ebd6f373970ce8ca88d603b90353ca522fb501c7e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboard.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboard.js

**MD5:** f99614f7ef08aeca38926e873d9068ec

**SHA1:** 024f76da4d774d2c65e8febe703ce3f6cdad375c

**SHA256:** 3ca27c817ce8dafca8bf3a046f05cbfe3bb7cadd919f83bbb7bcd66147f16a0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: dashboardcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboardcontroller.js

**MD5:** 38fd4795bf0a11e9e7d90e276a6bb111

**SHA1:** 442a49553dff0719f9daf19c0e995dbec303d32f

**SHA256:** b1ca901846e8238f34b6fa13b64ae4718fb57842b27626030e41fbad650fa434

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar: dashboardfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/dashboardfactory.js  
**MD5:** 25d42ec0f27311b707e2a7288f9e33c3  
**SHA1:** e873961f1bb8ef29dd776b3641d6e55b24b9b20d  
**SHA256:**c8aa0b23ba9b1ead30e87b26537c9afdce1333f0a1bbf3d835c1c677ae15a690  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar: ui-dashboard-bgimage.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uisettings/ui-dashboard-bgimage.js  
**MD5:** a19b80e69646f6920f80eb37c73e72ff  
**SHA1:** d39b20bc2eec1fb0ce36c92557d36454b117399f  
**SHA256:**087332579976d87f751db112dafb62eaeb14dfa1501a28e4871fdc1360aea1ff  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### dashboard.zip: dashboard.jar: ui-dashboard-colorpalettechooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-colorpalettechooser.js

**MD5:** 4d2f89364c505582a3852c41b2b4dabe

**SHA1:** 3844302ae32d3892d232ba7349fa4798d31f40cc

**SHA256:** 089e568e08614eae94233ad542abf02adbbb2811455011db4a1b880e7e69fbe5

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: ui-dashboard-integrations.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-integrations.js

**MD5:** 59f26b9e4532a7600dec49a9dcc194a0

**SHA1:** 7b90c8c9d8daca5a5a87744ba34933fde30cd3b6

**SHA256:** 4062b3dd4aeced8b97ad7b4bf8145cda264b1b32c2b25fee5e9a28937039d230

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### dashboard.zip: dashboard.jar: ui-dashboard-permissions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-permissions.js  
**MD5:** 59772618bf34da602fa0cac23dd284cb  
**SHA1:** f3d594b595e3411bc8feb343f9f6c0e22a06ba8c  
**SHA256:** 96cca5548bd4a7416dccf513eac9be2efbb1bb31612d0958210790bf4c75d6c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: ui-dashboard-trafficlightcolorrange.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-trafficlightcolorrange.js  
**MD5:** b56090aea7234733225e03b10b1e65a4  
**SHA1:** ddecda98d36860e95427dce63060053f87470a84  
**SHA256:** 3697ea57ffa0eea7fb69d8af378262a43623d45e118e7e72fc710824f55489e3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: ui-dashboard-valuehighlights.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/uissettings/ui-dashboard-valuehighlights.js  
**MD5:** 5e3e85842119738147c2256c587721da

**SHA1:** 408bbbecb8fd986ad5abe803d233164142a28fc4  
**SHA256:** 057b722832fbf8c467430569b9f50616f82a59eed1d41b683f71eeeb81c21f9e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: user-selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/user-selection.js  
**MD5:** 042bc37c510c5686f66d36eaa98cd2b1  
**SHA1:** 6ad5c1871ffcc3946848afc8f11cd38b3bb85d23  
**SHA256:** dbfbad8a23c804e7fae75d57d317174acfee4e16093c192037ba4c5030e5262b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### dashboard.zip: dashboard.jar: widget-chooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-chooser.js  
**MD5:** d7fb96501ed3e00773f1475ba89d3a8b  
**SHA1:** 5809d0fd53c08a682811e0bcd716644c538bd641  
**SHA256:** 82d3f5193be768279a58508db22dc9eaf0a75dc02f6eccd51cda1867cc094407  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar: widget-paste-area.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-paste-area.js  
**MD5:** a21bbe80129b1bf9be5431efd4e318c6  
**SHA1:** 811b89c5ebc2b07bcd8e249c4753ff6b0f95ee84  
**SHA256:**663a3e5bd6c77c17be08a1f2c85c5dd7516d09aef3d03c8b8a53eee8fc213a6f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## dashboard.zip: dashboard.jar: widget-placeholder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-placeholder.js  
**MD5:** 9a6fd0a8ea932f8778d73eeddad8b8b1  
**SHA1:** c0e7a2f5a7ed447f39f68912c947f92db532785f  
**SHA256:**ce8f47c0f4fa5150fc7cb71fd71326443967bcec78132da1617776cb75ded35e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### dashboard.zip: dashboard.jar: widget-settings.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/dashboard.zip/dashboard.jar/com/inet/dashboard/client/js/widget-settings.js

**MD5:** e92b613e385b4549bb026573a721f45d

**SHA1:** 6cb7d4303857523fa5236b14221d665283f31fbe

**SHA256:** 373b6e56667c88de53823a55a4bf0e693a7cedf848fd4e174d1a62351eb87b14

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.cassandra.zip: config.jar

#### Description:

configuration library for JVM languages using HOCON files

#### License:

<https://www.apache.org/licenses/LICENSE-2.0;description=Apache-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/config.jar

**MD5:** 08d45cceb0100d1943f6aa0f81e410fa

**SHA1:** 0cc25b497ded7068a861517a815546fb472f9e58

**SHA256:** 4a4b0affb22a9572409d3a6bde99ce3f2045c551cad1ca7fe09690892c526c3

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	config	High
Vendor	jar	package name	config	Highest
Vendor	jar	package name	config	Low
Vendor	jar	package name	impl	Low

Vendor	jar	package name	typesafe	Highest
Vendor	jar	package name	typesafe	Low
Vendor	Manifest	automatic-module-name	typesafe.config	Medium
Vendor	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Vendor	Manifest	implementation-url	<a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a>	Low
Vendor	Manifest	Implementation-Vendor	com.typesafe	High
Vendor	Manifest	Implementation-Vendor-Id	com.typesafe	Medium
Vendor	Manifest	specification-vendor	com.typesafe	Low
Product	file	name	config	High
Product	jar	package name	config	Highest
Product	jar	package name	config	Low
Product	jar	package name	impl	Low
Product	jar	package name	typesafe	Highest
Product	Manifest	automatic-module-name	typesafe.config	Medium
Product	Manifest	Bundle-Name	config	Medium
Product	Manifest	bundle-symbolicname	com.typesafe.config	Medium
Product	Manifest	Implementation-Title	config	High
Product	Manifest	implementation-url	<a href="https://github.com/lightbend/config">https://github.com/lightbend/config</a>	Low
Product	Manifest	specification-title	config	Medium
Version	jar	package name	config	Highest
Version	Manifest	Bundle-Version	1.4.5	High
Version	Manifest	Implementation-Version	1.4.5	High

#### Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/datasource.cassandra.jar  
**MD5:** 452fed43ec390bca2f9833b929185766  
**SHA1:** 660c65c2848f19a3f02b863af700dbc5f8f6b908  
**SHA256:**1bc4bcd7c8a32f382d59ec0082099ff676f217c02c7d790acee672c2c8fbcaf  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.cassandra	High
Vendor	jar	package name	cassandra	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.cassandra	High
Product	jar	package name	cassandra	Highest
Product	jar	package name	cassandra	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.cassandra	High
Product	Manifest	specification-title	datasource.cassandra	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

## datasource.cassandra.zip: java-driver-core.jar

### Description:

A driver for Apache Cassandra(R) 2.1+ that works exclusively with the Cassandra Query Language version 3 (CQL3) and Cassandra's native protocol versions 3 and above.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-core.jar

**MD5:** 22ea44c19ec6538456500a991e61ecfb

**SHA1:** 3d619c4ecb214ac091006ff06ab32198a260f977

**SHA256:** 445e1c91e3f7512c1c0686700ec1e3d77d89131a2711ce66062909a7d88e8cd3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-core	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Vendor	pom	artifactid	java-driver-core	Low
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Vendor	pom	parent-artifactid	java-driver-parent	Low
Product	file	name	java-driver-core	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	DataStax Java driver for Apache Cassandra (R) - core	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.core	Medium
Product	pom	artifactid	java-driver-core	Highest



Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	DataStax Java driver for Apache Cassandra (R) - core	High
Product	pom	parent-artifactid	java-driver-parent	Medium
Version	Manifest	Bundle-Version	4.17.0	High
Version	pom	version	4.17.0	Highest

## Identifiers

- pkg:maven/com.datastax.oss/java-driver-core@4.17.0 (*Confidence:High*)
- cpe:2.3:a:apache:cassandra:4.17.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## datasource.cassandra.zip: java-driver-shaded-guava.jar

### Description:

Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/java-driver-shaded-guava.jar

**MD5:** b7b9ffdbca6117c0aaa13787da02f96d

**SHA1:** 522771d14d6b7dba67056a39db33f205ffbed6a4

**SHA256:** 8d1e57ab48ff4cc09b1a1f033218ad50f96cf92922f732cf333ec386c9e5c9ae

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	java-driver-shaded-guava	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	shaded	Highest
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Vendor	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Vendor	pom	artifactid	java-driver-shaded-guava	Low

Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Vendor	pom	url	datastax/java-driver-shaded-guava	Highest
Product	file	name	java-driver-shaded-guava	High
Product	jar	package name	datastax	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	shaded	Highest
Product	Manifest	Bundle-Name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.driver.shaded.guava	Medium
Product	Manifest	originally-created-by	Apache Maven 3.6.2	Low
Product	pom	artifactid	java-driver-shaded-guava	Highest
Product	pom	developer name	Various	Low
Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	Shaded Guava artifact for use in the DataStax Java driver for Apache Cassandra®	High
Product	pom	url	datastax/java-driver-shaded-guava	High
Version	pom	version	25.1-jre-graal-sub-1	Highest

### Identifiers

- pkg:maven/com.datastax.oss/java-driver-shaded-guava@25.1-jre-graal-sub-1 ( *Confidence:High* )
- cpe:2.3:a:apache:cassandra:25.1:\*:\*:\*:\*:\* ( *Confidence:Low* ) suppress

## datasource.cassandra.zip: native-protocol.jar

### Description:

A set of Java types representing the frames and messages of the Apache Cassandra® native protocol, with the associated serialization and deserialization logic (this is a third-party implementation, not related to the Apache Cassandra project)

**License:**

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/native-protocol.jar

**MD5:** 2a2dd96d7b887bbaa1f9d7ecaeeeb6f6

**SHA1:** b4b083024837ad9e581b82397b4cabfb8f2daa8e

**SHA256:** 190dc40f3c63d6d803c48f90d457e06c65e6c5d955e47d4735dc9954a6743655

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	native-protocol	High
Vendor	jar	package name	datastax	Highest
Vendor	jar	package name	oss	Highest
Vendor	jar	package name	protocol	Highest
Vendor	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Vendor	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Vendor	pom	artifactid	native-protocol	Low
Vendor	pom	developer name	Various	Medium
Vendor	pom	developer org	DataStax	Medium
Vendor	pom	groupid	com.datastax.oss	Highest
Vendor	pom	name	An implementation of the Apache Cassandra® native protocol	High
Vendor	pom	url	datastax/native-protocol	Highest
Product	file	name	native-protocol	High
Product	jar	package name	datastax	Highest
Product	jar	package name	oss	Highest
Product	jar	package name	protocol	Highest
Product	Manifest	automatic-module-name	com.datastax.oss.protocol	Medium
Product	Manifest	Bundle-Name	An implementation of the Apache Cassandra® native protocol	Medium
Product	Manifest	bundle-symbolicname	com.datastax.oss.protocol	Medium
Product	pom	artifactid	native-protocol	Highest
Product	pom	developer name	Various	Low

Product	pom	developer org	DataStax	Low
Product	pom	groupid	com.datastax.oss	Highest
Product	pom	name	An implementation of the Apache Cassandra® native protocol	High
Product	pom	url	datastax/native-protocol	High
Version	Manifest	Bundle-Version	1.5.2	High
Version	pom	version	1.5.2	Highest

#### Identifiers

- pkg:maven/com.datastax.oss/native-protocol@1.5.2 (*Confidence*:High)

### datasource.cassandra.zip: netty-common.jar (shaded: org.jctools:jctools-core:4.0.6)

#### Description:

Java Concurrency Tools Core Library

#### License:

Apache License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar/META-INF/maven/org.jctools/jctools-core/pom.xml

**MD5:** 8341fc089534412b4da254daf73fafc9

**SHA1:** d7ad6a6097946fd431f78598315022370a402631

**SHA256:** 6a7d37edc57b6a2b90a05037013fcc0b5eeac5e3dbf1d7109f7639c71cde41e7

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	jctools-core	Low
Vendor	pom	groupid	org.jctools	Highest
Vendor	pom	name	Java Concurrency Tools Core Library	High
Vendor	pom	url	JCTools	Highest
Product	pom	artifactid	jctools-core	Highest
Product	pom	groupid	org.jctools	Highest
Product	pom	name	Java Concurrency Tools Core Library	High
Product	pom	url	JCTools	High
Version	pom	version	4.0.6	Highest

## Identifiers

- pkg:maven/org.jctools/jctools-core@4.0.6 (Confidence:High)

## datasource.cassandra.zip: netty-transport.jar

### Description:

Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.

### License:

<https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-transport.jar

**MD5:** c7494798baef79eb9fca98c4ab8fbf7

**SHA1:** a000c3a6196ee40207b73ac619dcb339409dd62f

**SHA256:** 9fb671e96651066cf1a28dad3f1382c7c99df5b8326d4a214d9a375b311f8dc1

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	netty-transport	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	netty	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://netty.io/">https://netty.io/</a>	Low
Vendor	Manifest	bundle-symbolicname	io.netty.transport	Medium
Vendor	Manifest	implementation-url	<a href="https://netty.io/netty-transport/">https://netty.io/netty-transport/</a>	Low
Vendor	Manifest	Implementation-Vendor	The Netty Project	High
Vendor	Manifest	Implementation-Vendor-Id	io.netty	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Netty Project	Low
Vendor	pom	artifactid	netty-transport	Low
Vendor	pom	groupid	io.netty	Highest

Vendor	pom	name	Netty/Transport	High
Vendor	pom	parent-artifactid	netty-parent	Low
Product	file	name	netty-transport	High
Product	jar	package name	11	Highest
Product	jar	package name	io	Highest
Product	jar	package name	netty	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://netty.io/	Low
Product	Manifest	Bundle-Name	Netty/Transport	Medium
Product	Manifest	bundle-symbolicname	io.netty.transport	Medium
Product	Manifest	Implementation-Title	Netty/Transport	High
Product	Manifest	implementation-url	https://netty.io/netty-transport/	Low
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Netty/Transport	Medium
Product	pom	artifactid	netty-transport	Highest
Product	pom	groupid	io.netty	Highest
Product	pom	name	Netty/Transport	High
Product	pom	parent-artifactid	netty-parent	Medium
Version	Manifest	Bundle-Version	4.2.15.Final	High
Version	Manifest	Implementation-Version	4.2.15.Final	High
Version	pom	version	4.2.15.Final	Highest

## Related Dependencies



- datasource.cassandra.zip: netty-buffer.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-buffer.jar
  - MD5: 8990ccfc32cdc95a53bc262eb1b12bb4
  - SHA1: 2beb620803bf871cda2dd5d46b8f831e8015dd34
  - SHA256: 1361fd9c9ba85b9831cf54a1b2e45ddc3ce34a768931726c099d3f5ef0efe4a3
  - pkg:maven/io.netty/netty-buffer@4.2.15.Final
- datasource.cassandra.zip: netty-codec-base.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec-base.jar
  - MD5: 49e8598fac2f6433113ed0f76eff0936
  - SHA1: e97149fdd5fb04858efa90e314651c8d700dc68b
  - SHA256: 2c6d39d7270628b8cfc3166fbd7a93d595958e59c461bc32ddb383c8c91bf811
  - pkg:maven/io.netty/netty-codec-base@4.2.15.Final
- datasource.cassandra.zip: netty-codec-compression.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec-compression.jar
- MD5: 9d00d226ccb09206324722a346456c6f
- SHA1: 89fc4a20b7ae6af974304b1695405e62c4f9b16d
- SHA256: 4adaa5cdd4d2e9b50b23e4c3eff42e73de6eb40848718b3aa84cd5b454da6ce8
- pkg:maven/io.netty/netty-codec-compression@4.2.15.Final
- datasource.cassandra.zip: netty-codec.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-codec.jar
  - MD5: a96c7e05db64fb7977bb3a39daf28a74
  - SHA1: bfb2ba7974e83ba3a412fef8818667494a2efe19
  - SHA256: 153b11a166459733af79fb0d4667f30bfa39792896f689b21c93a4a4091387ea
  - pkg:maven/io.netty/netty-codec@4.2.15.Final
- datasource.cassandra.zip: netty-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-common.jar
  - MD5: 92a27d3fb05eafeb4da4088cd2c6455e
  - SHA1: 7222492c1af9c2d4d78d521eea340a619e242fda
  - SHA256: 78206aa7f6d197caa926291408c01889b6b910ca0f74017d3fcbdacccf9562959
  - pkg:maven/io.netty/netty-common@4.2.15.Final
- datasource.cassandra.zip: netty-handler.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-handler.jar
  - MD5: 28d5ec2e1631f2fb8d4f2e19cd859a34
  - SHA1: d5344afd1148e3b9927a74be019605ebb0937a93
  - SHA256: 99b59e4bea72220d2aed52df8baf37d97431b06ade0b135226cdf73168975eab
  - pkg:maven/io.netty/netty-handler@4.2.15.Final
- datasource.cassandra.zip: netty-resolver.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.cassandra.zip/netty-resolver.jar
  - MD5: 66cdbaad85a04936f23eea413d7dd52d
  - SHA1: b961a16d379b508b473e064ba06842bba280f4e3
  - SHA256: 24318497f2a3a645964fed418f48879ba11365cab8e1f8d66c47fa7da15ef19a
  - pkg:maven/io.netty/netty-resolver@4.2.15.Final

#### Identifiers

- pkg:maven/io.netty/netty-transport@4.2.15.Final (*Confidence:High*)
- [cpe:2.3:a:netty:netty:4.2.15:\\*:\\*:\\*:\\*:\\*](#) (*Confidence:Highest*)

suppress

### datasource.mongodb.zip: bson.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/bson.jar

**MD5:** d155f1ab301a142e07d0be09f00bc8d9

**SHA1:** aa07f6bbff6955facba54bb64e9ee270fe1e4198

**SHA256:** f8a7bc456c8d6ffe1584969efa604af14a3896e50ac7214352c432dd1fce6d45

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bson	High
Vendor	jar	package name	bson	Highest
Vendor	jar	package name	bson	Low
Vendor	Manifest	automatic-module-name	org.mongodb.bson	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Product	file	name	bson	High
Product	jar	package name	bson	Highest
Product	Manifest	automatic-module-name	org.mongodb.bson	Medium
Product	Manifest	Bundle-Name	bson	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.bson	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

#### Related Dependencies

- bson.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/bson.jar
  - MD5: d155f1ab301a142e07d0be09f00bc8d9
  - SHA1: aa07f6bbff6955facba54bb64e9ee270fe1e4198
  - SHA256: f8a7bc456c8d6ffe1584969efa604af14a3896e50ac7214352c432dd1fce6d45

#### Identifiers

- [cpe:2.3:a:mongodb:bson:5.6.2:\\*\\*\\*\\*:\\*](#) (Confidence:Medium) suppress

### datasource.mongodb.zip: datasource.mongodb.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/datasource.mongodb.jar  
**MD5:** 7e9a1fa9dc885b0100559c56f3d5a5aa



**SHA1:** a4235aaf1a099ec39c63635656c880a37931c43f

**SHA256:** c1ff00ce4a07b9e105d2cc0363b5acc188425bc021874bab803d4c2f514e13f6

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource.mongodb	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mongodb	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource.mongodb	High
Product	jar	package name	mongodb	Highest
Product	jar	package name	mongodb	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource.mongodb	High
Product	Manifest	specification-title	datasource.mongodb	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

**datasource.mongodb.zip: mongodb-driver-core.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongodb-driver-core.jar

**MD5:** 7d097ed40fac40969c1754690bbe7a61

**SHA1:** 4ef17ac9e1f96d7a5990d3e223e0f03c4e155028

**SHA256:** 2f29ff945667650fd135ddcb4275a930fcb8a2bbd551a7b46624d737f854a77d

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-core	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Product	file	name	mongodb-driver-core	High
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.core	Medium
Product	Manifest	Bundle-Name	mongodb-driver-core	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-core	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

Related Dependencies



- mongodb-driver-core.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongodb-driver-core.jar
  - MD5: 7d097ed40fac40969c1754690bbe7a61
  - SHA1: 4ef17ac9e1f96d7a5990d3e223e0f03c4e155028
  - SHA256: 2f29ff945667650fd135ddcb4275a930fcb8a2bbd551a7b46624d737f854a77d

Identifiers

- None

## datasource.mongodb.zip: mongodb-driver-sync.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.mongodb.zip/mongodb-driver-sync.jar

**MD5:** 39591a8fd0b6858ef2a0dcb26813a1f7

**SHA1:** 0eccbc0b3ce9bae9fcf190a88769f966450aaa7f

**SHA256:**491519ef1e1aff1f91caec8671381c9af448167869c25eed3457abfc00f6e0b4

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mongodb-driver-sync	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	client	Low
Vendor	jar	package name	internal	Low
Vendor	jar	package name	mongodb	Highest
Vendor	jar	package name	mongodb	Low
Vendor	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Vendor	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Product	file	name	mongodb-driver-sync	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	internal	Low
Product	jar	package name	mongodb	Highest
Product	Manifest	automatic-module-name	org.mongodb.driver.sync.client	Medium
Product	Manifest	Bundle-Name	mongodb-driver-sync	Medium
Product	Manifest	bundle-symbolicname	org.mongodb.driver-sync	Medium
Version	Manifest	build-version	5.6.2	Medium
Version	Manifest	Bundle-Version	5.6.2	High

### Related Dependencies

- mongodb-driver-sync.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/mongodb-driver-sync.jar
- MD5: 39591a8fd0b6858ef2a0dcb26813a1f7
- SHA1: 0eccbc0b3ce9bae9cf190a88769f966450aaa7f
- SHA256: 491519ef1e1aff1f91caec8671381c9af448167869c25eed3457abfc00f6e0b4

#### Identifiers

- None

### datasource.zip: datasource.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar

**MD5:** c3288ac8f22cc9b523c337670c994b3e

**SHA1:** e6ccb414954c6c262d5d6ab4628430fc2a02cde3

**SHA256:** fff35457c4a53f97055e8e174d5686bb11b8f3e176d99f028d1142dcbccd9e10

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	datasource	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:08	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	datasource	High
Product	jar	package name	datasources	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 18:08	Low

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	datasource	High
Product	Manifest	specification-title	datasource	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-edit-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-edit-controller.js

**MD5:** d3aff1bc5dbed650a47549c6b4b2d71c

**SHA1:** 352026dbf86cae5e886f46a566fa6b0c44f45fa3

**SHA256:** ed7edb89ba9e0274ca35afc162057de9dcfafdc635dabdc5c24e757ea3014e48

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: datasources-main-controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/datasources-main-controller.js

**MD5:** 3afa88b26909ab1b53b2b6e4cda39630

**SHA1:** 8c67e88f9a55fecb900e2728a79e2b399db5e5cb

**SHA256:** e5b4cee7b945844f9f36ae40384dea3b011aa2796b52cb437619ad422c2a7adc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/factory.js

**MD5:** 5cd410b5a8e33d67ccb3d324a3471059

**SHA1:** a49a0928fee80e0fca7878cc0137171376da3204

**SHA256:**03295f6bac34a5ae47c6d53b8dd02835787143132184017143a37171b332cd29

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### datasource.zip: datasource.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/model.js

**MD5:** 04165d3227639dfb6ce29a8399f878b7

**SHA1:** 42b89aea0509b5b672f1a1228e7144ff615bbb99

**SHA256:**b322d19691f4bcec36a37e1c473cca376a780fa40292f7e664a83dff8695b4cc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

#### datasource.zip: datasource.jar: renderer-permissions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-permissions.js

**MD5:** 564716c3303396ed66ee273c97d5f73a

**SHA1:** ea2464e98a9d3d9ec6b44032ca1969721759348a

**SHA256:** d8534ea47db8738b7efb497bcbfdb341a4c9e361df28a3ecda043cc33771c620

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### datasource.zip: datasource.jar: renderer-urlauth.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer-urlauth.js

**MD5:** 7df8d0472e16ec50a02b78c7f807a027

**SHA1:** 8371ea18c1ebbd030f4c50768f09a151254cca58

**SHA256:** 6702c065e1dda17c555b4c43c98201d2a7ac43b0e44f8981b8e03ce2b5e5296a

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### datasource.zip: datasource.jar: renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/datasource.zip/datasource.jar/com/inet/report/plugins/datasources/client/js/renderer.js  
**MD5:** 0afd2459886777254bf1ec76840f3dfd  
**SHA1:** 2c5395e8a49e432b5a30e1ee6515e73b2601de48  
**SHA256:**069ab5b85efecc0d59a768da0f00f45faee95102bc5bb78c795875a9e63bc7cf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### decoder.svg.zip: decoder.svg.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/decoder.svg.jar  
**MD5:** 06c15f6ed6d87ce8eaaf284e7ec24f7a  
**SHA1:** 18ec1d7f79a40f743928cc4f261c66323d467ee2  
**SHA256:**5b580171598e5e02cf1decafd54993a9d6e8ea8db22b2a841c626ff232591271  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	decoder.svg	High
Vendor	jar	package name	encode	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium



Product	file	name	decoder.svg	High
Product	jar	package name	encode	Low
Product	jar	package name	report	Low
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	Manifest	built-date	2026-06-16 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	decoder.svg	High
Product	Manifest	specification-title	decoder.svg	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### decoder.svg.zip: jsvg.jar

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/decoder.svg.zip/jsvg.jar

**MD5:** c1b7872da145c8691324af456c643349

**SHA1:** c1a403f318de302fa81e4403fe8fb4bd6056a41f

**SHA256:** a538142d27c57c55066da02a535cc8eee3afd0d37b3daff8eba6344bd0ffc1b6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsvg	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	github	Low
Vendor	jar	package name	jsvg	Highest
Vendor	jar	package name	jsvg	Low
Vendor	jar	package name	weisj	Highest
Vendor	jar	package name	weisj	Low

Vendor	Manifest	bundle-symbolicname	com.github.weisj.svg	Medium
Vendor	Manifest	Implementation-Vendor	JSVG	High
Vendor	Manifest	Implementation-Vendor-Id	com.github.weisj	Medium
Vendor	Manifest	specification-vendor	JSVG	Low
Product	file	name	jsvg	High
Product	jar	package name	github	Highest
Product	jar	package name	jsvg	Highest
Product	jar	package name	jsvg	Low
Product	jar	package name	weisj	Highest
Product	jar	package name	weisj	Low
Product	Manifest	Bundle-Name	com.github.weisj.svg	Medium
Product	Manifest	bundle-symbolicname	com.github.weisj.svg	Medium
Product	Manifest	Implementation-Title	jsvg	High
Product	Manifest	specification-title	JSVG	Medium
Version	Manifest	Bundle-Version	2.1.0	High
Version	Manifest	Implementation-Version	2.1.0	High

#### Identifiers

- None

### designer.zip: CCGuiLib.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/CCGuiLib.jar

**MD5:** 99b5d479d273c828fa923b8bca33dc4d

**SHA1:** 9db8c161bb4743fdb2bb6b396f9b36066386e953

**SHA256:** 30f012a36fe88d15f65577a0d8129d356647845420f691ba4a6cd99ab2345196

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

--	--	--	--	--

Vendor	file	name	CCGuiLib	High
Vendor	jar	package name	guilib	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 17:46	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	CCGuiLib	High
Product	jar	package name	guilib	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 17:46	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	CCGuiLib	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	CCGuiLib	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## designer.zip: JnlpDesigner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/JnlpDesigner.jar

**MD5:** b70e2b3811810785d8152e39faac4904

**SHA1:** 38011239f02b33ea3bcb368984b50b4192953b7e

**SHA256:** 69a287f048c00d80a6ac63d84a0877db6d50f922368601bf58e4d70761798ae0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	JnlpDesigner	High
Vendor	jar	package name	designer	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	loader	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	i-net Remote Designer	Medium
Vendor	Manifest	built-date	2026-06-16 18:10	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JnlpDesigner	High
Product	jar	package name	designer	Highest

Product	jar	package name	jnlpdesigner	Highest
Product	jar	package name	loader	Low
Product	jar	package name	shared	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	i-net Remote Designer	Medium
Product	Manifest	built-date	2026-06-16 18:10	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	JnlpDesigner	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JnlpDesigner	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### designer.zip: SBSTutorial.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/SBSTutorial.jar

**MD5:** 5e2a9290c88fe830cd909e96f5c799d9

**SHA1:** 542d34a9c34bbedb395963cdbad5a9bd0efcf9b9

**SHA256:** b995e7ba1765952b44fc3802ca5fe6c9debf4d571c9cc85de8e895420d984307

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	SBSTutorial	High
Vendor	jar	package name	anormalmedia	Low

Vendor	jar	package name	de	Low
Vendor	jar	package name	sbstutorial	Low
Product	file	name	SBSTutorial	High
Product	jar	package name	anormalmedia	Low
Product	jar	package name	gui	Low
Product	jar	package name	sbstutorial	Low

#### Identifiers

- None

### designer.zip: TableLayout.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/TableLayout.jar

**MD5:** 1e432e776e18d71f12dd72b7d235a965

**SHA1:** 62ffa1cca3e71f94d0bdce85ea97ea7083fdb1b

**SHA256:** 13e73cf77a93f0c52184e5a5557d7dbba081bf54904edfdb84645b5daf7dd18

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	TableLayout	High
Vendor	jar	package name	clearthought	Low
Vendor	jar	package name	info	Low
Vendor	jar	package name	layout	Low
Product	file	name	TableLayout	High
Product	jar	package name	clearthought	Low
Product	jar	package name	layout	Low

#### Identifiers

- None

### designer.zip: designer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar  
**MD5:** e99050447ecc73409a6ec484c16d3f4a  
**SHA1:** 175b764785af0a2b98c9e5ec7c7af187c16e0256  
**SHA256:**d8e56d6ac96e1a073a42b62d4312ba6b26cd60ae4da4659c649ddd56cedd4d27  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	designer	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 18:09	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	designer	High
Product	jar	package name	designer	Highest
Product	jar	package name	designer	Low
Product	Manifest	built-date	2026-06-16 18:09	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	designer	High
Product	Manifest	specification-title	designer	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

### designer.zip: designer.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/app.js

**MD5:** 166cf806b8a80aeb525c6227997dbb67

**SHA1:** ad98fea47d6520742c5d53b264f35617f9e93205

**SHA256:** 1723232334ea1520fcbb4e388a48386444bb0dd6a650a7f253ab91c1f2a17f9c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### designer.zip: designer.jar: opendesignerextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/repository/drive/client/js/opendesignerextension.js

**MD5:** 4ffa073261ffba0499b501bfe0c011e8

**SHA1:** 49d507d0039f67d9402a17be9a3bd188e39d5778

**SHA256:** a6393af45de96155785e5d8fa03a5e8c25e82f7e01f2f09855dd04a66a318f4b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### designer.zip: designer.jar: remotedesigner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/designer.jar/com/inet/designer/plugin/module/js/remotedesigner.js



**MD5:** 636aa57b17582002507695eb51151b40  
**SHA1:** 0c4c63514279a159369d7f3d04b748cb3077f4a5  
**SHA256:**187e4aedb6834259a1b86981c479cf670040d20b0700347f52261d32bdbdbdaf  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

designer.zip: inetswingcore.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/designer.zip/inetswingcore.jar  
**MD5:** ae658c312b074351dc7cac5b2bbe460d  
**SHA1:** f885963e73625ccdb823ae233955ed3ca005a9cd  
**SHA256:**d651879e0a0a3883d8bb3d11b704a82b2131e979677c565f39115591adc67e08  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetswingcore	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	swing	Low
Vendor	Manifest	built-date	2026-06-16 16:35	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetswingcore	High
Product	jar	package name	swing	Low

Product	Manifest	built-date	2026-06-16 16:35	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetswingcore	High
Product	Manifest	specification-title	inetswingcore	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

## diagnostics.reporting.zip: diagnostics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar

**MD5:** d915d6b54a40422ab11d67f32425c51b

**SHA1:** e3ef704c206297bb18258166d9c1f5e3f7e731c8

**SHA256:** 51d06736d0f7b46e5cc665cd9a873b57e88bfb94d660cea264c7061c012e5941

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics.reporting	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:08	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics.reporting	High

Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	report	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2026-06-16 18:08	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	diagnostics.reporting	High
Product	Manifest	specification-title	diagnostics.reporting	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: connectionPool.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/connectionpool/resources/connectionPool.js

**MD5:** f53d87419cca81933623ab8325b500e4

**SHA1:** 5d4d1ae1f0f86f84711e9090df767880dacd62f0

**SHA256:** 0276fb918e86662478f9fe2f51a4ea88862d48c2b848059cfbca686f96a9dd87

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: reportcache.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/reportcache/resources/reportcache.js  
**MD5:** 69cf1345e403fa8c11c27e3fa01fb71b  
**SHA1:** e9ae6aca9c42c00ad18a935a7f84a3d2d59d0384  
**SHA256:** b25ec00b6d64bcc7db7b3c3c9ca17ac561f5b7658d986a9d28cbb7ed6cbf3e41  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.reporting.zip: diagnostics.reporting.jar: server-datasource.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.reporting.zip/diagnostics.reporting.jar/com/inet/report/diagnostics/widgets/benchmark/datasource/server-datasource.js  
**MD5:** 469d2ced1d4ee262c0cc20be81e2dba6  
**SHA1:** ffb1022f2b790323c8cf9e5db9712dcaa4ad6e7c  
**SHA256:** 5f8f764f683a5b11f87c9eee045776cd0e941d9872cd9c1a305b43ccba3f5fc4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar  
**MD5:** 9c0875c71920f88887f881f8e51fdbe9  
**SHA1:** aab4f1f52fe5476e6cdf9cc83990e987dfd0749c  
**SHA256:** ec5c1ea9572a932ae1d2f9b18ef863440fb1b48c1e1dbc8f3267f7bcbcb2a8d25  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	diagnostics	High
Vendor	jar	package name	diagnostics	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	Manifest	built-date	2026-06-16 16:54	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	diagnostics	Low
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	widgets	Low
Product	Manifest	built-date	2026-06-16 16:54	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	diagnostics	High
Product	Manifest	specification-title	diagnostics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryPieChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryPieChart.js

**MD5:** 30c425524c8a78004a3fe26b5a4a7383

**SHA1:** 9275a0816480a5aa09699e563277687cdf12817d

**SHA256:** fdf2f20ce7808cfb867c2b4c415f04c338999a58d31b463816c8096870b62e99

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: MemoryUsageChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/MemoryUsageChart.js

**MD5:** 3ff19f37cf579b966edc17fce99b8782

**SHA1:** a0d59a7b8066135ffeef91e8e8b5da5a6be1cbe7

**SHA256:** fb8641bfa995b72d6de205c294a5d54b4537e3710b6b7ff52e83eff21cac617b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: WebServerErrorChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/WebServerErrorChart.js

**MD5:** 862f696da56aba3a26f17749db48a68b

**SHA1:** f6008f6b7c5f9964953a9e83273866521b367a96  
**SHA256:** ef43076f171fca635b94372d15aa89f22c210284cb1dd386e252f9451afc77e8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: benchmarkCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/resources/benchmarkCtrl.js  
**MD5:** 9eaeff897d71b988456b1081f7baa57e  
**SHA1:** 8dc7208ccfa11ba9eb736aaee676e9c7f2f62146  
**SHA256:** 3457f3446ce7a565f734ecd3aa8712884c713b10dd97713ffab9cf196becafc9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: client-server.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/clientserver/client-server.js  
**MD5:** ed99b5c44d3bc1b8ac58f9789deeeaad  
**SHA1:** 395f6826c7341821fad523ebdca6df4ccb4fd1e2  
**SHA256:** 535726b9cd6612bfcd50ff9a50c6b6e4eb5b74fdc4216fbb36ba25178415335  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: contact-support-files.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-files.js  
**MD5:** 777189dbbd25df742097c66357ba470d  
**SHA1:** fa66a0401c715201668e38c9daab05a2d3135336  
**SHA256:**5ebe33742ed60e7b10d5f7ba7c7248a13fadf2b9b71d9794878331b1e4f15095  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: contact-support-loader.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-loader.js  
**MD5:** 1e5ed34eb13d078469a714b2fdbbf48f  
**SHA1:** 1a47fc1d275fbce92e33551aec254fd748805fdb  
**SHA256:**8191eae5d96ede81613001b5b961d16a70beffa87868233945306ce2a0afaab6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### diagnostics.zip: diagnostics.jar: contact-support-panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-panel.js

**MD5:** f9248f93a8b7d4b0a23e36145d33ae67

**SHA1:** 02c8f3bf0b9adc6270c20526bb264d9d12ca8879

**SHA256:** a32c873394aa4e7992f2597b7793d855299ec1cb8c6fc35126c60f6480cd41d5

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: contact-support-selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/support/resources/contact-support-selection.js

**MD5:** d0fd27e1f9b8f2439e51257729987317

**SHA1:** 107f03801c4d219958ba96a9b9dc3fe091651435

**SHA256:** 9cf758b71baec7512e6f6caa4dc06a2ff8dabd34d0c80d4cae4b6056fc786145

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: contact-support.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared /diagnostics/widgets/support/resources/contact-support.js  
**MD5:** 543c5285672a2b717e7c02db8e1e6224  
**SHA1:** 1694ff4d4b45f4fcd0e712dccb2a2ab00f022b98  
**SHA256:**8add5509ad2c23fe2024ebd8f923c01745af5aa379b904bda1b1a63d05114d04  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: contactCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared /diagnostics/widgets/support/resources/contactCtrl.js  
**MD5:** 0cb2d1d2de639171e546068e00924eeb  
**SHA1:** 747554431f73705e0d8e8c38dbe1d391367a02fe  
**SHA256:**03df459a8f109080b3ef6abb334e2c8a986a8e3577f66d6e344a96e0a0ccdba9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

diagnostics.zip: diagnostics.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared /diagnostics/resources/js/controller.js  
**MD5:** c9d9a63b248de3b1ab32753b2652581f

**SHA1:** 9e9f1cf1ddcea2a7ae541d2a67b0f36d68514e77  
**SHA256:**6ab396c52d329bb05ffc977b19f70afae28b05f93ed53e7766369f734126485  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpu/cpu.js  
**MD5:** 249d2c1b94bbcf571319a855cbc1af47  
**SHA1:** 6bdacb59d89d9e103e8a85ccfd9239eb931d4682  
**SHA256:**80e5a5792052c04e314d61e3f8ab581475f303d4770109c42d19d3060941a612  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: cpuspeed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/cpuspeed/cpuspeed.js  
**MD5:** ec93fbb827070fdee2db352c88e7b0a0  
**SHA1:** fbbc1f162333ff280f1a24eb4de079916673b579  
**SHA256:**c491356a04a12726d7c3083cadbed3f147ca67f567de2c2529043d466e63f3e4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: directives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/directives.js  
**MD5:** c7436529172605f449dda5c983dc74dd  
**SHA1:** e7fd8c8ccf06d2fadce799bb442b4b8bc10fcad4  
**SHA256:**993aecee895d9e18dd484cbcfc7b1b908db6dd2fe5a8078bf664faa39070dbe7  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: errorHistoryChart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/errorHistoryChart.js  
**MD5:** 3dc8396c86a2fbaae0eafb0971359e7  
**SHA1:** be11eddc8f2b255ee2a5c5509714db7f1161aa8b  
**SHA256:**d830b7e8dfbdc2c32b7cf377dabba62d41338b7df1de4fd696e3a76093b1a973  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: global.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/global.js

**MD5:** 64802e20bf5a9a5339db077b76120804

**SHA1:** d213b8c04f236ee22ab04da139fb32d33743c618

**SHA256:** 30fbbfb604a6ec9cf8dcf1e20dcebc4abe870ea419122f8c89fd5954b64f16

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: harddisk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/harddisk/harddisk.js

**MD5:** 538fd0fdeb11c4fa3dd2ac88c8711204

**SHA1:** 80957f16c25af55fc467e6c5af84153a595115c8

**SHA256:** a7762d8a143e8ac4eb9931e082988207cd45ab55d088120ff28d5f833fc09c2e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### diagnostics.zip: diagnostics.jar: heapdumpCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/dump/resources/heapdumpCtrl.js  
**MD5:** c5fdaf4ccf9027d4a81c2f62b897e927  
**SHA1:** 667f13f878547fe5bdd76d63151a8bf8113736ac  
**SHA256:** 9694aabb30d8dc4bd9f9a6886f91248fe5a68d51a0f4dfd3a7b7adcd4db0b625  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: informationCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/information/resources/informationCtrl.js  
**MD5:** b1b97633efb6513ee5ee1bf8d1c75e62  
**SHA1:** 5271d00c40c6144e4e03732218ff007097de9dca  
**SHA256:** f487b2331964e1d5942cddb37b03f9bb4bc252a6c49567ef60b10845c784b1c6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: intArrayUtils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/intArrayUtils.js  
**MD5:** 132205ce288f4d0108593ba2adf79e7f

**SHA1:** b1fc530ffd7332db05d9b5431535ec0beb9ff688

**SHA256:**089688ab933277e0148ec91a8bd6d1d3d6e1030ec0216139675a78f8c9fd672e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: iospeed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/iospeed/iospeed.js

**MD5:** 41f51d9c89d83c0c9f2a318f49fe7270

**SHA1:** ccee214fdd13502065ec9b41a199fb1c3941475e

**SHA256:**d25634e9546abdaf6828d95582b58bad9cea248c0cf8d027d318f8641941e75c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: jobs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/jobs/resources/jobs.js

**MD5:** c86f20826acb4cd47c7bd5dbfb75b0d4

**SHA1:** 91bc3730aac03d2108e538843d28f0e47d531bc2

**SHA256:**392dd734b01789eb4d38f999bfa2cc439550d8bb4321024a2047179676315e47

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: logging.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/logging/resources/logging.js  
**MD5:** 0576bea979f25b530bf421fff073f651  
**SHA1:** 4423880a3160fa1cf0ad9353c3ba50abbac476e9  
**SHA256:**44334c09db13b3d757f5c23fd8726fbaf4138939778e1c4f0fec7fb6b93465fd  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## diagnostics.zip: diagnostics.jar: memory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/benchmark/tasks/memory/memory.js  
**MD5:** f18834232e1c1c47fbdca4d03ad4eeb9  
**SHA1:** 74db18f6a0b6cd0dc2e345b47dab39558bced4f8  
**SHA256:**5c0c8e278674ba7e3e5d9f530448f98895b7c72eea9183e889f356492477bea2  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

### diagnostics.zip: diagnostics.jar: overviewCtrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/overview/resources/overviewCtrl.js

**MD5:** 80f5e4358aa6a9ba6d35c364803e6c6a

**SHA1:** 43c0492bb6e31b22174edb46514f0981930d2e39

**SHA256:** cdf4ae1ac491e48bcb17849a4b9ccdfb5eea517798c0dc10fe13fb75b1eca99

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: pde.diagnostics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/widgets/webserver/resources/pde.diagnostics.js

**MD5:** b204072262f58feda2be583defe7fb22

**SHA1:** b7ac04cf8cddb4fe14358b1a593fda422011b643

**SHA256:** ec9425761f80cb65cbbf6cc53d587eea8c1afdd9e4e62a291e4e943f990ea929

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: timeformat.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/timeformat.js  
**MD5:** 31e9928c521c394f829c570f248fab50  
**SHA1:** 97977864881447d98bab1568b64f96115f4a4d4a  
**SHA256:**f96d3c13acc616439828fdc4a368dedb6f8a740eb44cef5980b659ee9c07845  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### diagnostics.zip: diagnostics.jar: usermenu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/diagnostics.zip/diagnostics.jar/com/inet/shared/diagnostics/resources/js/usermenu.js  
**MD5:** 194282c1d922be86f2761862f7ae054d  
**SHA1:** 5eeac60781e651036358d5f6ad74c3f1c55d14e4  
**SHA256:**92833bc86e6566be1649780fc5c58ad2e1e98c578efe967deb9dc2acd1052ac0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### docfx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.js  
**MD5:** ba8e98f7b432835459e28a432cac8a64

**SHA1:** 0d0ea6b806a42c4d74d1540342abc045f7ff9765

**SHA256:** 33f44be0b526fffb4819f69356fc0100fa7f8f858d9b285b4b949b29c5d068a9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### docfx.vendor.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/docfx.vendor.min.js

**MD5:** d42acf2bc5f14cbba7bbbd0b8519c103

**SHA1:** 055d75791f5f651f5568e0ee158281a73e43a92c

**SHA256:** 8c56cd4057e12a8c3c2a2721cbafefc31540e5a42930e4a9d12a69256976c75e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: commons-compress.jar

#### Description:

Apache Commons Compress defines an API for working with compression and archive formats. These include bzip2, gzip, pack200, LZMA, XZ, Snappy, traditional Unix Compress, DEFLATE, DEFLATE64, LZ4, Brotli, Zstandard and ar, cpio, jar, tar, zip, dump, 7z, arj.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/commons-compress.jar  
**MD5:** f33efe616d561f8281ef7bf9f2576ad0  
**SHA1:** e482f2c7a88dac3c497e96aa420b6a769f59c8d7  
**SHA256:** e1522945218456f3649a39bc4afd70ce4bd466221519dba7d378f2141a4642ca  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-compress	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	compress	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Vendor	Manifest	extension-name	org.apache.commons.compress	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 6.0.0	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-compress	Low
Vendor	pom	developer email	bodewig at apache.org	Low
Vendor	pom	developer email	chtompki at apache.org	Low
Vendor	pom	developer email	damjan at apache.org	Low
Vendor	pom	developer email	ebourg at apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	grobmeier at apache.org	Low
Vendor	pom	developer email	julius at apache.org	Low
Vendor	pom	developer email	peterlee at apache.org	Low
Vendor	pom	developer email	sebb at apache.org	Low
Vendor	pom	developer email	tcurdt at apache.org	Low

Vendor	pom	developer id	bodewig	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	damjan	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	grobmeier	Medium
Vendor	pom	developer id	julius	Medium
Vendor	pom	developer id	peterlee	Medium
Vendor	pom	developer id	sebb	Medium
Vendor	pom	developer id	tcurdt	Medium
Vendor	pom	developer name	Christian Grobmeier	Medium
Vendor	pom	developer name	Damjan Jovanovic	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Julius Davies	Medium
Vendor	pom	developer name	Peter Alfred Lee	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Sebastian Bazley	Medium
Vendor	pom	developer name	Stefan Bodewig	Medium
Vendor	pom	developer name	Torsten Curdt	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Compress	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Highest
Product	file	name	commons-compress	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	compress	Highest
Product	Manifest	automatic-module-name	org.apache.commons.compress	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-compress/">https://commons.apache.org/proper/commons-compress/</a>	Low

Product	Manifest	Bundle-Name	Apache Commons Compress	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-compress	Medium
Product	Manifest	extension-name	org.apache.commons.compress	Medium
Product	Manifest	Implementation-Title	Apache Commons Compress	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-created-by	Apache Maven Bundle Plugin 6.0.0	Low
Product	Manifest	specification-title	Apache Commons Compress	Medium
Product	pom	artifactid	commons-compress	Highest
Product	pom	developer email	bodewig at apache.org	Low
Product	pom	developer email	chtompki at apache.org	Low
Product	pom	developer email	damjan at apache.org	Low
Product	pom	developer email	ebourg at apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	grobmeier at apache.org	Low
Product	pom	developer email	julius at apache.org	Low
Product	pom	developer email	peterlee at apache.org	Low
Product	pom	developer email	sebb at apache.org	Low
Product	pom	developer email	tcurdt at apache.org	Low
Product	pom	developer id	bodewig	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	damjan	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	grobmeier	Low
Product	pom	developer id	julius	Low
Product	pom	developer id	peterlee	Low
Product	pom	developer id	sebb	Low
Product	pom	developer id	tcurdt	Low
Product	pom	developer name	Christian Grobmeier	Low
Product	pom	developer name	Damjan Jovanovic	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Julius Davies	Low
Product	pom	developer name	Peter Alfred Lee	Low

Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Sebastian Bazley	Low
Product	pom	developer name	Stefan Bodewig	Low
Product	pom	developer name	Torsten Curdt	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Compress	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	https://commons.apache.org/proper/commons-compress/	Medium
Version	Manifest	Bundle-Version	1.28.0	High
Version	Manifest	Implementation-Version	1.28.0	High
Version	pom	parent-version	1.28.0	Low
Version	pom	version	1.28.0	Highest

#### Identifiers

- pkg:maven/org.apache.commons/commons-compress@1.28.0 (*Confidence*:High)
- [cpe:2.3:a:apache:commons\\_compress:1.28.0:\\*\\*\\*\\*:\\*](#) (*Confidence*:Highest)

suppress

## drive.zip: commons-io.jar

### Description:

The Apache Commons IO library contains utility classes, stream implementations, file filters, file comparators, endian transformation classes, and much more.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/commons-io.jar

**MD5:** bc7e020873f086ede85f97bd9f013215

**SHA1:** 52a6f68fe5afe335cde95461dd5c3412f04996f7

**SHA256:** 7d643a2afea8b058b762aa6fb90e5b256f6c729739f8b3784c3370ddc609e88d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-io	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	file	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	org.apache.commons.io	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Vendor	Manifest	enabledynamicagent	-XX:+EnableDynamicAgentLoading	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-io	Low
Vendor	pom	developer email	bayard@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jeremias@apache.org	Low
Vendor	pom	developer email	jochen.wiedmann@gmail.com	Low
Vendor	pom	developer email	krosenvold@apache.org	Low
Vendor	pom	developer email	martinc@apache.org	Low
Vendor	pom	developer email	matth@apache.org	Low
Vendor	pom	developer email	nicolaken@apache.org	Low
Vendor	pom	developer email	roxspring@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer id	bayard	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jeremias	Medium
Vendor	pom	developer id	jochen	Medium
Vendor	pom	developer id	jukka	Medium



Vendor	pom	developer id	krosenvold	Medium
Vendor	pom	developer id	martinc	Medium
Vendor	pom	developer id	matth	Medium
Vendor	pom	developer id	niallp	Medium
Vendor	pom	developer id	nicolaken	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer name	dlon Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Henri Yandell	Medium
Vendor	pom	developer name	Jeremias Maerki	Medium
Vendor	pom	developer name	Jochen Wiedmann	Medium
Vendor	pom	developer name	Jukka Zitting	Medium
Vendor	pom	developer name	Kristian Rosenvold	Medium
Vendor	pom	developer name	Martin Cooper	Medium
Vendor	pom	developer name	Matthew Hawthorne	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Nicola Ken Barozzi	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-io	Highest
Vendor	pom	name	Apache Commons IO	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-io/">https://commons.apache.org/proper/commons-io/</a>	Highest
Product	file	name	commons-io	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	file	Highest
Product	jar	package name	io	Highest

Product	Manifest	automatic-module-name	org.apache.commons.io	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-io/	Low
Product	Manifest	Bundle-Name	Apache Commons IO	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-io	Medium
Product	Manifest	enabledynamicagent	-XX:+EnableDynamicAgentLoading	Low
Product	Manifest	Implementation-Title	Apache Commons IO	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons IO	Medium
Product	pom	artifactid	commons-io	Highest
Product	pom	developer email	bayard@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jeremias@apache.org	Low
Product	pom	developer email	jochen.wiedmann@gmail.com	Low
Product	pom	developer email	krosenvold@apache.org	Low
Product	pom	developer email	martinc@apache.org	Low
Product	pom	developer email	matth@apache.org	Low
Product	pom	developer email	nicolaken@apache.org	Low
Product	pom	developer email	roxspring@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer id	bayard	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jeremias	Low
Product	pom	developer id	jochen	Low
Product	pom	developer id	jukka	Low
Product	pom	developer id	krosenvold	Low
Product	pom	developer id	martinc	Low
Product	pom	developer id	matth	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	nicolaken	Low
Product	pom	developer id	roxspring	Low

Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer name	dlon Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Henri Yandell	Low
Product	pom	developer name	Jeremias Maerki	Low
Product	pom	developer name	Jochen Wiedmann	Low
Product	pom	developer name	Jukka Zitting	Low
Product	pom	developer name	Kristian Rosenvold	Low
Product	pom	developer name	Martin Cooper	Low
Product	pom	developer name	Matthew Hawthorne	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Nicola Ken Barozzi	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-io	Highest
Product	pom	name	Apache Commons IO	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-io/	Medium
Version	Manifest	Bundle-Version	2.21.0	High
Version	Manifest	Implementation-Version	2.21.0	High
Version	pom	parent-version	2.21.0	Low
Version	pom	version	2.21.0	Highest

## Identifiers

- pkg:maven/commons-io/commons-io@2.21.0 (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_io:2.21.0:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*)

suppress

## drive.zip: drive.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar

**MD5:** ad64969428f3048376d8ad86070c69e4

**SHA1:** 4043f5f9e51a6170ca841f69979a98e407817169

**SHA256:** 26764740351b2e007658c552d2bc54ca4b4e1a516db20bccdd01d02cdeb486daf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	drive	High
Vendor	jar	package name	drive	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	drive	High
Product	jar	package name	drive	Highest
Product	jar	package name	drive	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 16:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	drive	High
Product	Manifest	specification-title	drive	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers

- None

### drive.zip: drive.jar: actions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/actions.js

**MD5:** 5a6ae0c7fc82c58bab37f4285e30512b

**SHA1:** f1eb0409af6e5773374b81f52f389bca0ce2b3f1

**SHA256:** 28381f95ccbb508ef57234b2bb33f0446e2d705a298d38be6dd5dbcdade45963c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: actions.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/actions.service.js

**MD5:** 76c128ee144d982b861703fe6f509ff6

**SHA1:** 66c53f109f83a7b37ca210c97b2dd7b83c658d0f

**SHA256:** 9e54fd5796c8933fab7e6d0250654e5ae273c5db90098ad41afaf37d731668a6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: contentextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/contentextension.js  
**MD5:** e99878ac66d8fee42530ec9cbf14d75f  
**SHA1:** bf4cac0f4d3f8e744876675ab122dc1ccc2cd7d1  
**SHA256:** 0a3b2a0f884a52125aa6e456f74a8ab1b866787cccafa24cc38a174433b81e25  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/setup/controller.js  
**MD5:** 6a09c1de9657a2568448b248854ce706  
**SHA1:** 9a21426a9902e57e5297092257ac4293c38d4e66  
**SHA256:** 8b126647fca0365414ccc650e8abdb03e33a34c1017ad17ee81216c410ce4ab6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: drivecleanup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/maintenance/js/drivecleanup.js  
**MD5:** b169a86e136d29c6086ce2d4ce844940  
**SHA1:** f9e647250896fbe4c6447cf54b8388cce0536699  
**SHA256:** 313ebf97b25e12025391ae0648df534c31991d488f9566cc1aa530aa79ce3178  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivecontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivecontroller.js

**MD5:** 79316912d24539555baa8dc8db6ad5cc

**SHA1:** 1eaadda2ee84d53e49e24fcb4ed7771295a80d1c

**SHA256:** b1e82a7ac200d82e2bab797e80f8262e5c3e3b90a9c1cda15319150caa540839

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivefactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivefactory.js

**MD5:** ec1a645849b15ac87257c67b72db01e5

**SHA1:** fd5919d6e363363288fa4f36598641d2e8d1037b

**SHA256:** 5408f66148315113346fe686fc546487de94f3492a3a8e44a38f54cdfc7969ae

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: drivemodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/drivemodel.js

**MD5:** 15baadf362e4a6bbe9a11156c356379c

**SHA1:** 05a6ac4aa85f9d1b98cac8d1c942db6e00b10395

**SHA256:** 533450f05968f0823eaa8fa4554a274f3495c13109443dde13ad2c4c7227783a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: dropzone.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/dropzone.directive.js

**MD5:** 9333360f3ab2b58025292cfc300d2306

**SHA1:** feb2c2ae6a060ba3b1f51732fa15a8440054ca42

**SHA256:** 2efa8838dffff4758fb089069c6248dc2cde45767d752411bff610fb5ca61bfe

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None



### drive.zip: drive.jar: entryactions.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/entryactions.directive.js

**MD5:** 4e1af222fa8434c45c9967dae33e4ba9

**SHA1:** 067370c7d53fca7b04dc7ebc1bcde2b2a68ba7c3

**SHA256:**a716406bfdebc18c913061f0087bcdcf9c08d7c1379619071da2993ad8a853f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: fileconfig.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/server/mount/file/webgui/fileconfig.directive.js

**MD5:** 50021227a8c1fde7c5e9021fb4c9662e

**SHA1:** 9e1c4f0d2797885ed42bd13c2d5f61c8503ea8a5

**SHA256:**c85bf99b97ddb557902ed0f23d4a3f240b7a30d98a7d14b30770b463cd10535

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: folderlist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/folderlist.directive.js  
**MD5:** 4b24a6e7eed98f96a4aacd30236cf1ff  
**SHA1:** 2fa7cc99c29eff9ed30d996376e090b14c7546dc  
**SHA256:** e2afefbd377b98737e447807786aec7287ad53863379816259cc9e9d069218f9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: linkdialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/linkdialog.js  
**MD5:** f15f4145fae202d6226cd16552f4332e  
**SHA1:** 55d3a3a74a0097f2140679fd038db9e117b91210  
**SHA256:** 00e825cc4311746a4694f6534bb97e2baf9eb0fd8230e28d0a18ad504118b3d2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: locationchooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/locationchooser.js  
**MD5:** 63cc3a56e78e101f8772b6971837cabe  
**SHA1:** 9607b46402152c52677255207bfb1d8a53ddc65d  
**SHA256:** 8a0b7240d62d62efd231eff9b0eef7e552534e05f2e86e58d0898cdab40acbf0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: mountdialog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/mountdialog.js

**MD5:** bae8655b5724d052aa7a9711f4152936

**SHA1:** 56bf6845f5178a95afec6d2038d3f9ab6f73c0c3

**SHA256:** a3fa9b43fda1a23e4ba1bca6d626d4e4f75856ccb567e99c66f5c1bed6cbe54e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: myshareextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/myshareextension.js

**MD5:** 3341e49fd8b74545b74fb5801eea08f7

**SHA1:** 495f3198d67735901fcee27163e685c11dcc548c

**SHA256:** c167e8ab447f2bbff5cd9ca084cfbf20a53ebf7dbafa0e715ca07abdbc75832e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: permissionsextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/permissionsextension.js

**MD5:** 9c5c581b9803ab8041a11b31f21ffc99

**SHA1:** 5707cae0a20fff67b505d52485895bbb60e20f35

**SHA256:** 55dcc82f643b3b8c4a7c464049e7bcece0a5952639742692bdd8db1a20b20b3a

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: progress.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/progress.service.js

**MD5:** b004817959f313b9b60d12ef02c30ed9

**SHA1:** 67a59999e03435474845d8662a6e15158bc1a963

**SHA256:** e971b5c8d0b1dbb020ee0093bce0fd08bbad7b83a8f5f64365f39d96f5cec439

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## drive.zip: drive.jar: progresspanel.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/progresspanel.directive.js

**MD5:** bea9ad91c5e843050f2f26c1224edb8d

**SHA1:** 7b690153a846fd222ce973ce5f83f429d226e2ef

**SHA256:** c8f9e65c8e6e6438ecb4ee3062ec7c66b0145e32d68de0cd2f543bb6e4945b12

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: resolve.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/service/resolve.service.js

**MD5:** 95b31366585c193c85a04bef11668e8f

**SHA1:** 61138ba7e20763911657b0f426b3f1c2c56f1cb6

**SHA256:** de639385d47d388a361976f14e9672ee20b4864fa1c51f4157d8c2055c4d0f6e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: responsivetoolbar.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/responsivetoolbar.directive.js  
**MD5:** 27e0c257622ce7abaa3d79b16f4ca956  
**SHA1:** fdc8792d25cc1f9c717829edcb42bccb96ba815c  
**SHA256:** 678811dd758af1a5a9e1cc6245c15c92dc6cf3ab19048a02e4974ab57851d175  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: selectedextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/selectedextension.js  
**MD5:** bc1586beb3196d958558dec1e3aad8cc  
**SHA1:** 6692fb56799c97f45146219295a634e5b3f8bd3c  
**SHA256:** eb9e87833bf57bcbc808231f58e7fb4efc25bea6865755e41f9c9f21e3045630  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/shareextension.js  
**MD5:** b709a1856dfd4688f3d642ba8512838d  
**SHA1:** f119d948dc1479b33bd304aebd0650c239c8a903  
**SHA256:** 8667bdb30f708796b86f3992836b5d25e63ba5c73c7932014d4d7e8b00df628a  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: shareextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/shareextension.js

**MD5:** 53aeb65f11b5aea7b667be8659e289c

**SHA1:** 9ba72346c5f1e9e6e5a418d599b13f92193a65dc

**SHA256:** 7e293e5d53b937b45c0c310bd5fcf0ecbb8ddd8bee801bae11469653333f34ad

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## drive.zip: drive.jar: thumbnailextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/details/thumbnailextension.js

**MD5:** 16297c9704c91eea2ca65ad4ccef42ab

**SHA1:** d21cb0b96916a7659a493e0f7d2e62c61df3633d

**SHA256:** 34505c2844ba933bdf08fac79eb6a642e7581e6630fd14fc7313fcab99bda312

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: toolbaraction.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/js/directive/toolbaraction.directive.js

**MD5:** 6f4fabe4efc8a816d22cdc075c83e252

**SHA1:** 2499850520381d89890f6b1188c0d78785e8c4b0

**SHA256:** 67ecf4f475e00aa01cbfd00b745b4b7fd982f7355d720238534dcbfc39e94874

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### drive.zip: drive.jar: unzipextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/unzipextension.js

**MD5:** eb1cc3ddc27ca5cebccc29928a73b284b

**SHA1:** d88389fb2ca0c9f222856c4448dffedf192893d0

**SHA256:** 16131306dd92c55b463f0f0ef4c3c4316c2a3d16d4d43c6e26ca17ec547f9f7f

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## drive.zip: drive.jar: zipextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/drive.zip/drive.jar/com/inet/drive/webgui/client/extensions/zipextension.js

**MD5:** 0a73ec5359838800bd35ba9a1f9e5559

**SHA1:** 207e48452de653ffa8c64e97d421c4424f38e84c

**SHA256:** 761ecdcbbebba3f0826296e17c414d975e421c5b571cb4613982020e3f7c17822

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## embeddedMode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/src/com/inet/application/embedded/webgui/embeddedMode.js

**MD5:** ca0f7e01238e5eeb451f33915275efd0

**SHA1:** 7e4c3bc7ec005fb16f637cb3f876d4f1a30ea7fb

**SHA256:** 77af590dc609b870867245beaf6035b4a46aea29174d1e0378aca19dd8608898

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- application.embedded.sample.zip: embeddedMode.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/Embedded/application.embedded.sample.zip/src/com/inet/application/embedded/webgui/embeddedMode.js
  - MD5: ca0f7e01238e5eeb451f33915275efd0
  - SHA1: 7e4c3bc7ec005fb16f637cb3f876d4f1a30ea7fb
  - SHA256: 77af590dc609b870867245beaf6035b4a46aea29174d1e0378aca19dd8608898

Identifiers

- None

enginefactory.sample.zip: enginefactory.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/enginefactory.sample.zip/enginefactory.sample.jar

**MD5:** b2166fafedfd13cb574f413c6bac2c0e

**SHA1:** ac482834db882b78995cc82323c5f6c4a9743000

**SHA256:**3b856ec7ed63497a9bee2396c9660864a46d6e5e55adce033605e5b674824e1b

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	enginefactory.sample	High
Vendor	jar	package name	factory	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-06-16 17:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	enginefactory.sample	High
Product	jar	package name	factory	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-06-16 17:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	enginefactory.sample	High
Product	Manifest	specification-title	enginefactory.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Related Dependencies



- enginefactory.sample.zip: enginefactory.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/EngineFactory/enginefactory.sample.zip/enginefactory.sample.jar
  - MD5: b2166fafedfd13cb574f413c6bac2c0e
  - SHA1: ac482834db882b78995cc82323c5f6c4a9743000
  - SHA256: 3b856ec7ed63497a9bee2396c9660864a46d6e5e55adce033605e5b674824e1b

## Identifiers

- None

## errorhandler.zip: errorhandler.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/errorhandler.zip/errorhandler.jar

**MD5:** 0f1ef6316313eba58611145d5d02c34c

**SHA1:** 07a396e04d28c4a34707e452de7280287e1dc2b1

**SHA256:** 3d8146dd9d6a9443e624c7d643c6d033e70a66b488171c87d8b45f8e8b9af156

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	errorhandler	High
Vendor	jar	package name	error	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 16:50	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	errorhandler	High
Product	jar	package name	error	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 16:50	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	errorhandler	High
Product	Manifest	specification-title	errorhandler	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### exceljconnect.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/exceljconnect.jar

**MD5:** 2950d455b14f09f8e3ca373a0500720a

**SHA1:** 5e5e3258c36f3931bedf919d477889b13af0a025

**SHA256:** 4abd3f7b06c84836384ff6034a56f1dd75dfd8bd22ec38f9cb92a626bcb63538

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	exceljconnect	High
Vendor	jar	package name	excel	Low
Vendor	jar	package name	inet	Low
Product	file	name	exceljconnect	High
Product	jar	package name	excel	Low

#### Identifiers

- None

## extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/src/com/inet/samples/htmlviewer/extension.js

**MD5:** bdd6fdaab122479103c1bcba3692f01e

**SHA1:** 72aa61085dce74ce094f905354878ce744caede8

**SHA256:** 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Related Dependencies



- htmlviewerextension.sample.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js
  - MD5: bdd6fdaab122479103c1bcba3692f01e
  - SHA1: 72aa61085dce74ce094f905354878ce744caede8
  - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a
- htmlviewerextension.sample.zip: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.sample.zip/src/com/inet/samples/htmlviewer/extension.js
  - MD5: bdd6fdaab122479103c1bcba3692f01e
  - SHA1: 72aa61085dce74ce094f905354878ce744caede8
  - SHA256: 3c52759a05de925fb38d7aec3875b55a1a1ed6ce7f3b88044a96e527d9e4204a

### Identifiers

- None

## extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/HtmlViewerPrintViaPDFPlugin/src/com/inet/htmlviewer/printpdf/extension.js

**MD5:** 7d8be1ef58947852666766c1db348644

**SHA1:** 26c37af43002d8764dbd80914476c548ce2354a5

**SHA256:** c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- **htmlviewer.printpdf.sample.zip: extension.js**
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip /src/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 7d8be1ef58947852666766c1db348644
  - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
  - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696
- **htmlviewer.printpdf.sample.zip: extension.js**
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins /htmlviewer.printpdf.sample.zip/src/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 7d8be1ef58947852666766c1db348644
  - SHA1: 26c37af43002d8764dbd80914476c548ce2354a5
  - SHA256: c1500120eb6dca3b71c481ec3f9d66367e13a10c755306f58a449a0f648d2696

#### Identifiers

- None

### facturx.zip: Saxon-HE.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/Saxon-HE.jar  
**MD5:** 0da2a0f62cf07d1ae5f76d65569cd3f2  
**SHA1:** 1397a02bd22c63db3e902b28b23c59009fa3b5c4  
**SHA256:** 8f3a9216a537367132293eacbb9a9df062eace8f8b16a184af59e2e4839d4cd41  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	Saxon-HE	High
Vendor	jar	package name	net	Low
Vendor	jar	package name	saxon	Low
Vendor	jar	package name	sf	Low
Product	file	name	Saxon-HE	High
Product	jar	package name	saxon	Low
Product	jar	package name	sf	Low

## Identifiers

- None

## facturx.zip: facturx.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/facturx.jar

**MD5:** 08a9979d7a4ba5a9e87075a60befa79c

**SHA1:** 5aca285035cb11fbc7f248335674422fe9c23cc9

**SHA256:** d05c80b8da2cbee87066742cb6fa943dad6d096a7edde844be90922f32bff821

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	facturx	High
Vendor	jar	package name	facturx	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	profiles	Low
Vendor	Manifest	built-date	2026-06-16 18:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	facturx	High
Product	jar	package name	facturx	Highest
Product	jar	package name	facturx	Low
Product	jar	package name	profiles	Low
Product	Manifest	built-date	2026-06-16 18:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	facturx	High
Product	Manifest	specification-title	facturx	Medium

Version	Manifest	Implementation-Version	26.4.269	High
---------	----------	------------------------	----------	------

#### Identifiers

- None

## facturx.zip: istack-commons-runtime.jar

### Description:

istack common utility code

### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/istack-commons-runtime.jar

**MD5:** 669f50fb835d86fcb3a9523a729f4d5e

**SHA1:** 131351109ff27c4aa0958a988bb273e879687232

**SHA256:** 21025b7a096ef93f74de659c1be5990fa0c24e59a0f98a706e392e7088725ff6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	istack-commons-runtime	High
Vendor	jar	package name	istack	Highest
Vendor	jar	package name	sun	Highest
Vendor	jar (hint)	package name	oracle	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Vendor	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	com.sun.istack	Medium
Vendor	pom	artifactid	istack-commons-runtime	Low
Vendor	pom	groupid	com.sun.istack	Highest
Vendor	pom	name	istack common utility code runtime	High



Vendor	pom	parent-artifactid	istack-commons	Low
Product	file	name	istack-commons-runtime	High
Product	jar	package name	istack	Highest
Product	jar	package name	sun	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	istack common utility code runtime	Medium
Product	Manifest	bundle-symbolicname	com.sun.istack.commons-runtime	Medium
Product	Manifest	implementation-build-id	4.2.0 - 19e68d9	Low
Product	pom	artifactid	istack-commons-runtime	Highest
Product	pom	groupid	com.sun.istack	Highest
Product	pom	name	istack common utility code runtime	High
Product	pom	parent-artifactid	istack-commons	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	Manifest	implementation-build-id	4.2.0	Low
Version	pom	version	4.2.0	Highest

#### Identifiers

- pkg:maven/com.sun.istack/istack-commons-runtime@4.2.0 (*Confidence*:High)

## facturx.zip: jakarta.activation-api.jar

### Description:

Specification

### License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.activation-api.jar

**MD5:** 76e7b680375ea9f40f3ddbd702efcd25

**SHA1:** fa165bd70cda600368eee31555222776a46b881f

**SHA256:** 01b176d718a169263e78290691fc479977186bcc6b333487325084d6586f4627

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	7f7d358	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	7f7d358	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest

Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.3	High
Version	pom	parent-version	2.1.3	Low
Version	pom	version	2.1.3	Highest

#### Identifiers

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.3 (Confidence:High)

### facturx.zip: jakarta.xml.bind-api.jar

#### Description:

Jakarta XML Binding API 4.0 Design Specification

#### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jakarta.xml.bind-api.jar

**MD5:** 6dd465a232e545193ab8ab77cc4fbdb9

**SHA1:** d6d2327f3817d9a33a3b6b8f2e15a96bc2e7afdc

**SHA256:** c507ca69a8c6dd11bf4afeec9e0d412c4fa3933fffb0a84680ea5727e8472124

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.xml.bind-api	High
Vendor	jar	package name	bind	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	xml	Highest

Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Vendor	Manifest	extension-name	jakarta.xml.bind	Medium
Vendor	Manifest	implementation-build-id	1df980a	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.xml.bind-api	Low
Vendor	pom	groupid	jakarta.xml.bind	Highest
Vendor	pom	name	Jakarta XML Binding API	High
Vendor	pom	parent-artifactid	jakarta.xml.bind-api-parent	Low
Product	file	name	jakarta.xml.bind-api	High
Product	jar	package name	bind	Highest
Product	jar	package name	jakarta	Highest
Product	jar	package name	xml	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta XML Binding API	Medium
Product	Manifest	bundle-symbolicname	jakarta.xml.bind-api	Medium
Product	Manifest	extension-name	jakarta.xml.bind	Medium
Product	Manifest	implementation-build-id	1df980a	Low
Product	pom	artifactid	jakarta.xml.bind-api	Highest
Product	pom	groupid	jakarta.xml.bind	Highest
Product	pom	name	Jakarta XML Binding API	High
Product	pom	parent-artifactid	jakarta.xml.bind-api-parent	Medium
Version	Manifest	Bundle-Version	4.0.4	High
Version	Manifest	Implementation-Version	4.0.4	High
Version	pom	version	4.0.4	Highest

#### Identifiers

- pkg:maven/jakarta.xml.bind/jakarta.xml.bind-api@4.0.4 ( *Confidence:High* )

**Description:**

JAXB Core module. Contains sources required by XJC, JXC and Runtime modules.

**License:**

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-core.jar

**MD5:** e36c915cf47342b4fe31ffba3407b928

**SHA1:** 8e61282303777fc98a00cc3affd0560d68748a75

**SHA256:** ebbd274207b4860d0dc6e2d44d6dbdb5945ccede01222d2e50661d45f5d46c0f7

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-core	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Vendor	Manifest	git-revision	0dcfd5	Low
Vendor	Manifest	implementation-build-id	4.0.6 - 0dcfd5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-core	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Core	High
Vendor	pom	parent-artifactid	jaxb-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	jaxb-core	High
Product	jar	package name	core	Highest
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest

Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	JAXB Core	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.core	Medium
Product	Manifest	git-revision	0dcfdf5	Low
Product	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-core	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Core	High
Product	pom	parent-artifactid	jaxb-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.6	Medium
Version	Manifest	Bundle-Version	4.0.6	High
Version	Manifest	implementation-build-id	4.0.6	Low
Version	pom	version	4.0.6	Highest

#### Identifiers

- pkg:maven/org.glassfish.jaxb/jaxb-core@4.0.6 (*Confidence:High*)

### facturx.zip: jaxb-runtime.jar

#### Description:

JAXB (JSR 222) Reference Implementation

#### License:

<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/jaxb-runtime.jar

**MD5:** 0e600d639f3a09ddd6fa91623a12b634

**SHA1:** fb95ebb62564657b2fedfe165b859789ef3a8711

**SHA256:** 1c0d57f8c25f9605d5a2f7ad0a87581893776ac85b00b101b2651258edaa9118

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jaxb-runtime	High
Vendor	jar	package name	glassfish	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	jar	package name	runtime	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Vendor	Manifest	git-revision	0dcfdf5	Low
Vendor	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.glassfish.jaxb	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jaxb-runtime	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	JAXB Runtime	High
Vendor	pom	parent-artifactid	jaxb-runtime-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	<a href="https://eclipse-ee4j.github.io/jaxb-ri/">https://eclipse-ee4j.github.io/jaxb-ri/</a>	Highest
Product	file	name	jaxb-runtime	High
Product	jar	package name	glassfish	Highest
Product	jar	package name	jaxb	Highest
Product	jar	package name	runtime	Highest
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	JAXB Runtime	Medium
Product	Manifest	bundle-symbolicname	org.glassfish.jaxb.runtime	Medium
Product	Manifest	git-revision	0dcfdf5	Low
Product	Manifest	implementation-build-id	4.0.6 - 0dcfdf5	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High

Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.xml.bind.JAXBContextFactory"	Low
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	jaxb-runtime	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	JAXB Runtime	High
Product	pom	parent-artifactid	jaxb-runtime-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.6	Medium
Version	Manifest	Bundle-Version	4.0.6	High
Version	Manifest	implementation-build-id	4.0.6	Low
Version	pom	version	4.0.6	Highest

#### Identifiers

- pkg:maven/org.glassfish.jaxb/jaxb-runtime@4.0.6 (Confidence:High)

## facturx.zip: ph-base.jar

### Description:

Java 17+ Library with tons of interfaces required in all projects

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-base.jar

**MD5:** 47261c1539e15927c3f80d58c86edd73

**SHA1:** e215b3406c9fb213316b0166e41a262a427842e3

**SHA256:** 8042d71a2425d9a3b31c495eed6534dde74dcda186809ec015b5e1eddc1dfea9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-base	High
Vendor	jar	package name	base	Highest
Vendor	jar	package name	helger	Highest



Vendor	Manifest	automatic-module-name	com.helger.base	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-base	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-base	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-base	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-base	Highest
Product	file	name	ph-base	High
Product	jar	package name	base	Highest
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	icleanupregistrarspi	Highest
Product	jar	package name	ithirdpartymoduleproviderspi	Highest
Product	jar	package name	thirdparty	Highest
Product	Manifest	automatic-module-name	com.helger.base	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-base	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-base	Medium
Product	Manifest	Implementation-Title	ph-base	High
Product	Manifest	provide-	osgi.serviceloader;osgi.serviceloader="com.	Low

		capability	helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com. helger.base.thirdparty. IThirdPartyModuleProviderSPI"	
Product	pom	artifactid	ph-base	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-base	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-base	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation- Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-base@12.1.1 (*Confidence*:High)

## facturx.zip: ph-cache.jar

### Description:

Special Java 17+ Library with caching functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-cache.jar

**MD5:** bda1e720f8c7d779faf448064e9312dd

**SHA1:** 54f17d27febc4f82847a5229669945f3d82e6912

**SHA256:** 77cc33b6246ae8e6b0a2f6434dd5d2aa4c5ba9940d1a8b0644ca7ee80b86553c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	ph-cache	High
Vendor	jar	package name	cache	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.cache	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.common.ph-cache	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Vendor	pom	artifactid	ph-cache	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.common	Highest
Vendor	pom	name	ph-cache	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-cache	Highest
Product	file	name	ph-cache	High
Product	jar	package name	cache	Highest
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.cache	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-cache	Medium
Product	Manifest	bundle-symbolicname	com.helger.common.ph-cache	Medium
Product	Manifest	Implementation-Title	ph-cache	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low

Product	pom	artifactid	ph-cache	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-cache	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-cache	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-cache@12.1.1 (*Confidence:High*)

## facturx.zip: ph-collection.jar

### Description:

Special Java 1.8+ Library with extended collection related functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-collection.jar

**MD5:** 254b4c82a66335b19c31d8a21ed7425f

**SHA1:** a5a965955824f10d0b21bb7959c5c370d90cc3e3

**SHA256:** c59da01432c2124e136c4cd8cacd430a5bbf9417c1b306b5227baf7b0a77c04b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-collection	High
Vendor	jar	package name	collection	Highest

Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.collection	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-collection	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-collection	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-collection	Highest
Product	file	name	ph-collection	High
Product	jar	package name	collection	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.collection	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-collection	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-collection	Medium
Product	Manifest	Implementation-Title	ph-collection	High
Product	pom	artifactid	ph-collection	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest

Product	pom	name	ph-collection	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-collection	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-collection@12.1.1 (*Confidence:High*)

## facturx.zip: ph-commons.jar

### Description:

Java 17+ Library with tons of utility classes required in all projects

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-commons.jar

**MD5:** ad55a00eface5559723983ec471aee3c

**SHA1:** c70dd00c6202bf07cb5cd45179470ed71f2f54b5

**SHA256:** 0d7b883591797e01e61d66326933a8ea9bbafc9d4357e647f8d48ebad5a2f12d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-commons	High
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.commons	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low

Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-commons	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-commons	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-commons	Highest
Product	file	name	ph-commons	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	serialize	Highest
Product	Manifest	automatic-module-name	com.helger.commons	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-commons	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-commons	Medium
Product	Manifest	Implementation-Title	ph-commons	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.commons.serialize.convert.ISerializationConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-commons	Highest
Product	pom	developer email	ph(at)helger.com	Low

Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-commons	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-commons	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-commons@12.1.1 (*Confidence:High*)

## facturx.zip: ph-datetime.jar

### Description:

Java date time library based on joda time

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-datetime.jar

**MD5:** 181e616c8329bee500e3139cf953cb47

**SHA1:** fc3a83219bc5264715a32541c8274601848623d9

**SHA256:** b51d8c3a98fc870df0bb0f1a8dce49774f2aa5b23d3574472f64ed751013f7ea

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-datetime	High
Vendor	jar	package name	datetime	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.datetime	Medium



Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-datetime	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-datetime	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-datetime	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-datetime	Highest
Product	file	name	ph-datetime	High
Product	jar	package name	datetime	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.datetime	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-datetime	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-datetime	Medium
Product	Manifest	Implementation-Title	ph-datetime	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-datetime	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low

Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-datetime	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-datetime	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

### Identifiers

- pkg:maven/com.helger.commons/ph-datetime@12.1.1 (*Confidence:High*)

## facturx.zip: ph-diagnostics.jar

### Description:

Special Java 17+ Library with diagnostics functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-diagnostics.jar

**MD5:** 84c523cdcff4497c8c18538d6289b424

**SHA1:** 09c74c72966df95d2d963af40bb4ed51b500b8ab

**SHA256:** 77781ba08dd165179f6fddd29641ca491cf970562b6c33fb0c29e00bf8a4b1cc

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-diagnostics	High
Vendor	jar	package name	diagnostics	Highest
Vendor	jar	package name	helger	Highest
Vendor	Manifest	automatic-module-name	com.helger.diagnostics	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low

Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-diagnostics	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-diagnostics	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-diagnostics	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-diagnostics	Highest
Product	file	name	ph-diagnostics	High
Product	jar	package name	diagnostics	Highest
Product	jar	package name	helger	Highest
Product	Manifest	automatic-module-name	com.helger.diagnostics	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-diagnostics	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-diagnostics	Medium
Product	Manifest	Implementation-Title	ph-diagnostics	High
Product	pom	artifactid	ph-diagnostics	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-diagnostics	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-diagnostics	High

Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-diagnostics@12.1.1 (*Confidence:High*)

## facturx.zip: ph-io.jar

### Description:

Special Java 17+ Library with IO functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-io.jar

**MD5:** 5ab82df66508c606509fadb19431d5b4

**SHA1:** d55a0f394057efb3977a720576ab00971d64101f

**SHA256:** f3d2d38b8c667619e0f11e3c3ffa9794168f2bf8be0a47babd43e00291df02df

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-io	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	io	Highest
Vendor	Manifest	automatic-module-name	com.helger.io	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-io	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-io	Low

Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-io	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-io	Highest
Product	file	name	ph-io	High
Product	jar	package name	helger	Highest
Product	jar	package name	io	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.io	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-io	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-io	Medium
Product	Manifest	Implementation-Title	ph-io	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Product	pom	artifactid	ph-io	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-io	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-io	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-	12.1.1	High

## Version

Version	pom	version	12.1.1	Highest
---------	-----	---------	--------	---------

## Identifiers

- pkg:maven/com.helger.commons/ph-io@12.1.1 (*Confidence:High*)

## facturx.zip: ph-jaxb-adapter.jar

## Description:

Separate library that only contains classes required by generated code. Goal: minimum dependencies

## License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb-adapter.jar

**MD5:** 1f1d4daa901915be304001af3b8ee76b

**SHA1:** 2268ff2d80afeb29070074aaad102be49681a1df

**SHA256:** f5e6ae0a86264f226dd1aecf98e5855a11f033d34d686372367b8189ec378f40

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb-adapter	High
Vendor	jar	package name	adapter	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb.adapter	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb-adapter	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI"	Low

Vendor	pom	artifactid	ph-jaxb-adapter	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb-adapter	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb-adapter	Highest
Product	file	name	ph-jaxb-adapter	High
Product	jar	package name	adapter	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb.adapter	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb-adapter	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb-adapter	Medium
Product	Manifest	Implementation-Title	ph-jaxb-adapter	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.commons.equals.IEqualsImplementationRegistrarSPI",osgi.serviceloader;osgi.serviceloader="com.helger.commons.hashcode.IHashCodeImplementationRegistrarSPI"	Low
Product	pom	artifactid	ph-jaxb-adapter	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb-adapter	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium

Product	pom	url	phax/ph-commons/ph-jaxb-adapter	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-jaxb-adapter@12.1.1 (*Confidence*:High)

## facturx.zip: ph-jaxb.jar

### Description:

Special Java 1.8+ Library with extended JAXB support

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-jaxb.jar

**MD5:** e935f8bf86995f26189a428d0ac14fcd

**SHA1:** 6f34b094f40897bd73913667446f01ca5d9528d5

**SHA256:** 2ff5f671bc43b96e53e5f4db57db3d8e6d86b9bd93ffe97a7bd6bcef5454a8e4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-jaxb	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	jaxb	Highest
Vendor	Manifest	automatic-module-name	com.helger.jaxb	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-jaxb	Low
Vendor	pom	developer email	ph(at)helger.com	Low



Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-jaxb	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-jaxb	Highest
Product	file	name	ph-jaxb	High
Product	jar	package name	helger	Highest
Product	jar	package name	jaxb	Highest
Product	Manifest	automatic-module-name	com.helger.jaxb	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-jaxb	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-jaxb	Medium
Product	Manifest	Implementation-Title	ph-jaxb	High
Product	pom	artifactid	ph-jaxb	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-jaxb	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-jaxb	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

## Identifiers

• pkg:maven/com.helger.commons/ph-jaxb@12.1.1 (Confidence:High)

## facturx.zip: ph-mime.jar

### Description:

Special Java 17+ Library with MIME functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-mime.jar

**MD5:** a58c5b7579c5b47ec090e8004ca1bd96

**SHA1:** 9c2be0fe33bcd69300ab8fb3f03854815e228497

**SHA256:** 631ed072b14feb7d434ecfe66b444e50afd019387c4eb467796833ba9f8e2018

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-mime	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	mime	Highest
Vendor	Manifest	automatic-module-name	com.helger.mime	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-mime	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Vendor	pom	artifactid	ph-mime	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-mime	High
Vendor	pom	organization name	Philip Helger	High

Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-mime	Highest
Product	file	name	ph-mime	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	mime	Highest
Product	Manifest	automatic-module-name	com.helger.mime	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-mime	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-mime	Medium
Product	Manifest	Implementation-Title	ph-mime	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI"	Low
Product	pom	artifactid	ph-mime	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-mime	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-mime	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

## Identifiers

- pkg:maven/com.helger.commons/ph-mime@12.1.1 (*Confidence:High*)

## facturx.zip: ph-schematron-api.jar

### Description:

Base API for the library for validating XML documents with Schematron

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-api.jar

**MD5:** 281d3f0eaeff2f88a50f130bb818c6ef

**SHA1:** fc7e44ae5aa1033e616f2f912e89498a4bf130d5

**SHA256:** f1dba95dc9da757d10d9cc99134b0ae480e1b4203d5af36be39a52a79a164b40

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-api	High
Vendor	jar	package name	api	Highest
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-api	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-api	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium

Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-api	Highest
Product	file	name	ph-schematron-api	High
Product	jar	package name	api	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-api	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-api	Medium
Product	Manifest	Implementation-Title	ph-schematron-api	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-api	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-api	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-api	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

## Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-api@9.1.1 (*Confidence:High*)

## facturx.zip: ph-schematron-pure.jar

### Description:

This package contains the 'Pure' Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-pure.jar

**MD5:** a914950d3b1c98e7f58f7cbac6f534d4

**SHA1:** 772d1cb972b666789faaa2971bbbb348c6f3d47d

**SHA256:** a56799fba5ae0d131fd05d8989693de268d400bd8536ccd1ea6a26dfc77cd2bd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-pure	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	pure	Highest
Vendor	jar	package name	schematron	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-pure	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-pure	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-pure	Highest
Product	file	name	ph-schematron-pure	High

Product	jar	package name	helger	Highest
Product	jar	package name	pure	Highest
Product	jar	package name	schematron	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.pure	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-pure	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-pure	Medium
Product	Manifest	Implementation-Title	ph-schematron-pure	High
Product	pom	artifactid	ph-schematron-pure	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-pure	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-pure	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-pure@9.1.1 (*Confidence:High*)

## facturx.zip: ph-schematron-schxslt.jar

### Description:

Library for validating XML documents using the SchXslt implementation

**License:**

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-schxslt.jar

**MD5:** 89d0fe978a9e16b81f0bfadfab23914e

**SHA1:** 54322eae59a40f2efcdc388630f737f54eac4d9b

**SHA256:** 9aea001558d8f586ad1ce7d1db9b3dd9cbe97e52a824e5c65055b48a40f02c60

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-schxslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	schxslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Vendor	pom	artifactid	ph-schematron-schxslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-schxslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-schxslt	Highest
Product	file	name	ph-schematron-schxslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest



Product	jar	package name	schxslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.schxslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-schxslt	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-schxslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-schxslt	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.thirdparty.IThirdPartyModuleProviderSPI"	Low
Product	pom	artifactid	ph-schematron-schxslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-schxslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-schxslt	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-schxslt@9.1.1 (*Confidence*:High)

## facturx.zip: ph-schematron-validator.jar

### Description:

Base POM to build the ph-schematron projects

**License:**

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-validator.jar

**MD5:** 4ec05edd1a78d99f29ea3700d5539da4

**SHA1:** 9e8782657855b3c9aa71ed3bf69c1e6716c5edfa

**SHA256:** e71ef829147d1338511e7f9d2cdb228c795bd81080496d6d894b5e717596f0f4

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-validator	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	validator	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.validator	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.helger.com">https://www.helger.com</a>	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-validator	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-validator	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	<a href="https://www.helger.com">https://www.helger.com</a>	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-validator	Highest
Product	file	name	ph-schematron-validator	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	validator	Highest
Product	Manifest	automatic-	com.helger.schematron.validator	Medium

## module-name

Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-validator	Medium
Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-validator	Medium
Product	Manifest	Implementation-Title	ph-schematron-validator	High
Product	pom	artifactid	ph-schematron-validator	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-validator	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-validator	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

### Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-validator@9.1.1 (*Confidence:High*)

## facturx.zip: ph-schematron-xslt.jar

### Description:

Library for validating XML documents using the original Schematron implementation

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-schematron-xslt.jar

**MD5:** a335b03c03edd7081b9e48b29ef4bb27

**SHA1:** a75850ff68acf2b7ec3dfa2466a37d826904e869

**SHA256:** ba73a3726aa564c06b56ad2e93f16212965e87412e58af76dd626a88f3fbad22

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-schematron-xslt	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	schematron	Highest
Vendor	jar	package name	xslt	Highest
Vendor	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-schematron-xslt	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.schematron	Highest
Vendor	pom	name	ph-schematron-xslt	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-schematron-parent-pom	Low
Vendor	pom	url	phax/ph-schematron/ph-schematron-xslt	Highest
Product	file	name	ph-schematron-xslt	High
Product	jar	package name	helger	Highest
Product	jar	package name	schematron	Highest
Product	jar	package name	xslt	Highest
Product	Manifest	automatic-module-name	com.helger.schematron.xslt	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-schematron-xslt	Medium

Product	Manifest	bundle-symbolicname	com.helger.schematron.ph-schematron-xslt	Medium
Product	Manifest	Implementation-Title	ph-schematron-xslt	High
Product	pom	artifactid	ph-schematron-xslt	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.schematron	Highest
Product	pom	name	ph-schematron-xslt	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-schematron-parent-pom	Medium
Product	pom	url	phax/ph-schematron/ph-schematron-xslt	High
Version	Manifest	Bundle-Version	9.1.1	High
Version	Manifest	Implementation-Version	9.1.1	High
Version	pom	version	9.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.schematron/ph-schematron-xslt@9.1.1 (*Confidence:High*)

## facturx.zip: ph-statistics.jar

### Description:

Special Java 17+ Library with statistics functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-statistics.jar

**MD5:** ad16150a368876abfe390e1330993dee

**SHA1:** 0300299714b3cfe31e7be7efbaed4c69cb788054

**SHA256:** 7597663372d9f86ae2cd96fdd9e515d1795f70c88d9c1f6acb28bcbe8ac4c02f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-statistics	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	statistics	Highest
Vendor	Manifest	automatic-module-name	com.helger.statistics	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-statistics	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-statistics	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-statistics	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-statistics	Highest
Product	file	name	ph-statistics	High
Product	jar	package name	helger	Highest
Product	jar	package name	statistics	Highest
Product	Manifest	automatic-module-name	com.helger.statistics	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-statistics	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-statistics	Medium
Product	Manifest	Implementation-Title	ph-statistics	High
Product	pom	artifactid	ph-statistics	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low

Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-statistics	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-statistics	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-statistics@12.1.1 (*Confidence:High*)

## facturx.zip: ph-text.jar

### Description:

Special Java 17+ Library with text and locale functionality

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-text.jar

**MD5:** 20c9eb23ca9291b4f9e6bbaff546c764

**SHA1:** 03375bdf860720b662703f438b523bceb0d8b6f3

**SHA256:** e214cd4c55c86127821421a5703a598b1b4cfb4f4de6c8908d44d39fdbcb90d3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-text	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	locale	Highest
Vendor	jar	package name	text	Highest
Vendor	Manifest	automatic-module-name	com.helger.text	Medium

Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-text	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-text	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-text	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-text	Highest
Product	file	name	ph-text	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	locale	Highest
Product	jar	package name	text	Highest
Product	jar	package name	typeconvert	Highest
Product	Manifest	automatic-module-name	com.helger.text	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-text	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-text	Medium
Product	Manifest	Implementation-Title	ph-text	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.typeconvert.ITypeConverterRegistrarSPI"	Low



Product	pom	artifactid	ph-text	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-text	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-text	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-text@12.1.1 (*Confidence:High*)

## facturx.zip: ph-xml.jar

### Description:

Java 1.8+ Library with XML handling routines

### License:

Apache 2: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xml.jar

**MD5:** eea6f300e2238f19149019b5aa38e181

**SHA1:** 115ee60e18525ab237a43aed9b16f493f3561260

**SHA256:** 02082bf07078ab73f85a8dc58e3da4b118f3d46cb17b190b7fd850db5bffd88a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ph-xml	High
Vendor	jar	package name	helger	Highest

Vendor	jar	package name	xml	Highest
Vendor	Manifest	automatic-module-name	com.helger.xml	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	https://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="com.helger.base.cleanup.ICleanUpRegistrarSPI", osgi.serviceloader;osgi.serviceloader="com.helger.xml.microdom.convert.IMicroTypeConverterRegistrarSPI"	Low
Vendor	pom	artifactid	ph-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.commons	Highest
Vendor	pom	name	ph-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	https://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-commons-parent-pom	Low
Vendor	pom	url	phax/ph-commons/ph-xml	Highest
Product	file	name	ph-xml	High
Product	jar	package name	cleanup	Highest
Product	jar	package name	convert	Highest
Product	jar	package name	helger	Highest
Product	jar	package name	microdom	Highest
Product	jar	package name	xml	Highest
Product	Manifest	automatic-module-name	com.helger.xml	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.commons.ph-xml	Medium
Product	Manifest	Implementation-Title	ph-xml	High
Product	Manifest	provide-	osgi.serviceloader;osgi.serviceloader="com.	Low

capability

helger.base.cleanup.ICleanUpRegistrarSPI",  
osgi.serviceloader;osgi.serviceloader="com.  
helger.xml.microdom.convert.  
IMicroTypeConverterRegistrarSPI"

Product	pom	artifactid	ph-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low
Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.commons	Highest
Product	pom	name	ph-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	https://www.helger.com	Low
Product	pom	parent-artifactid	ph-commons-parent-pom	Medium
Product	pom	url	phax/ph-commons/ph-xml	High
Version	Manifest	Bundle-Version	12.1.1	High
Version	Manifest	Implementation-Version	12.1.1	High
Version	pom	version	12.1.1	Highest

#### Identifiers

- pkg:maven/com.helger.commons/ph-xml@12.1.1 (*Confidence*:High)

## facturx.zip: ph-xsds-xml.jar

### Description:

XML.xsd wrapped in JAXB

### License:

Apache 2: <http://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/ph-xsds-xml.jar

**MD5:** 038565012ab1e95b2ba86cdc9b7942c4

**SHA1:** 709850759b2c7afe31f06252e5eb3b4f1b2c221b

**SHA256:**bb0b294bb1ab29632139eff15aeffc46321338bbab5e3b694c75d376266ec475

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	ph-xsds-xml	High
Vendor	jar	package name	helger	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	xsds	Highest
Vendor	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.helger.com	Low
Vendor	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Vendor	Manifest	Implementation-Vendor	Philip Helger	High
Vendor	pom	artifactid	ph-xsds-xml	Low
Vendor	pom	developer email	ph(at)helger.com	Low
Vendor	pom	developer id	philip	Medium
Vendor	pom	developer name	Philip Helger	Medium
Vendor	pom	groupid	com.helger.xsd	Highest
Vendor	pom	name	ph-xsds-xml	High
Vendor	pom	organization name	Philip Helger	High
Vendor	pom	organization url	http://www.helger.com	Medium
Vendor	pom	parent-artifactid	ph-xsds-parent-pom	Low
Vendor	pom	url	phax/ph-xsds/ph-xsds-xml	Highest
Product	file	name	ph-xsds-xml	High
Product	jar	package name	helger	Highest
Product	jar	package name	xml	Highest
Product	jar	package name	xsds	Highest
Product	Manifest	automatic-module-name	com.helger.xsds.xml	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.helger.com	Low
Product	Manifest	Bundle-Name	ph-xsds-xml	Medium
Product	Manifest	bundle-symbolicname	com.helger.xsd.ph-xsds-xml	Medium
Product	Manifest	Implementation-Title	ph-xsds-xml	High
Product	pom	artifactid	ph-xsds-xml	Highest
Product	pom	developer email	ph(at)helger.com	Low

Product	pom	developer id	philip	Low
Product	pom	developer name	Philip Helger	Low
Product	pom	groupid	com.helger.xsd	Highest
Product	pom	name	ph-xsds-xml	High
Product	pom	organization name	Philip Helger	Low
Product	pom	organization url	http://www.helger.com	Low
Product	pom	parent-artifactid	ph-xsds-parent-pom	Medium
Product	pom	url	phax/ph-xsds/ph-xsds-xml	High
Version	Manifest	Bundle-Version	4.1.0	High
Version	Manifest	Implementation-Version	4.1.0	High
Version	pom	version	4.1.0	Highest

#### Identifiers

- pkg:maven/com.helger.xsd/ph-xsds-xml@4.1.0 (*Confidence*:High)

## facturx.zip: txw2.jar

### Description:

TXW is a library that allows you to write XML documents.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/txw2.jar

**MD5:** 0bf7070aee3bb53640d2ea6441e059fb

**SHA1:** 4f4cd53b5ff9a2c5aa1211f15ed2569c57dfb044

**SHA256:**fcc749785412ef3806fde1ce70f93ef5a0065dcc47fe449bc871db0795cb11af

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	txw2	High
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	txw	Highest
Vendor	jar	package name	txw2	Highest
Vendor	jar	package name	xml	Highest
Vendor	jar	package name	oracle	Highest

(hint)

Vendor	Manifest	git-revision	0dcfd5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	txw2	Low
Vendor	pom	groupid	org.glassfish.jaxb	Highest
Vendor	pom	name	TXW2 Runtime	High
Vendor	pom	parent-artifactid	jaxb-txw-parent	Low
Vendor	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Vendor	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Highest
Product	file	name	txw2	High
Product	jar	package name	sun	Highest
Product	jar	package name	txw	Highest
Product	jar	package name	txw2	Highest
Product	jar	package name	xml	Highest
Product	Manifest	git-revision	0dcfd5	Low
Product	Manifest	Implementation-Title	Eclipse Implementation of JAXB	High
Product	Manifest	specification-title	Jakarta XML Binding	Medium
Product	pom	artifactid	txw2	Highest
Product	pom	groupid	org.glassfish.jaxb	Highest
Product	pom	name	TXW2 Runtime	High
Product	pom	parent-artifactid	jaxb-txw-parent	Medium
Product	pom	parent-groupid	com.sun.xml.bind.mvn	Medium
Product	pom	url	https://eclipse-ee4j.github.io/jaxb-ri/	Medium
Version	Manifest	build-version	4.0.6	Medium
Version	pom	version	4.0.6	Highest

## Identifiers

- pkg:maven/org.glassfish.jaxb/txw2@4.0.6 (*Confidence:High*)

## facturx.zip: xmlresolver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/xmlresolver.jar

**MD5:** 51e6c9e881f1eabe74c80cca02605752

**SHA1:** 9e20c43ab8e0a772b9a403eeb9b550268e71d345

**SHA256:** fcf127825725b4ca128f1c59010783ec090a1d155909dbb3305a86536ed7b94d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	xmlresolver	High
Vendor	jar	package name	xmlresolver	Highest
Vendor	jar	package name	xmlresolver	Low
Vendor	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Vendor	Manifest	Implementation-Vendor	Norman Walsh	High
Product	file	name	xmlresolver	High
Product	jar	package name	resolver	Highest
Product	jar	package name	xmlresolver	Highest
Product	Manifest	automatic-module-name	org.xmlresolver.xmlresolver	Medium
Product	Manifest	Implementation-Title	XML Resolver	High
Version	Manifest	Implementation-Version	6.0.21	High

### Identifiers

- None

## googleanalytics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/googleanalytics.js

**MD5:** 9baed8cfe9d4f693465c4a9174c0413f

**SHA1:** 03818d5c1e5939c41e453f974efc74ae92e26be7

**SHA256:** efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- application.googleanalytics.sample.zip: googleanalytics.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/googleanalytics.js
  - MD5: 9baed8cfe9d4f693465c4a9174c0413f
  - SHA1: 03818d5c1e5939c41e453f974efc74ae92e26be7
  - SHA256: efa405309d646c8a1fbc758eb18a248d7cac07cf390c48d0421d1d006b550ff6

## Identifiers

- None

## hamcrest-3.0.jar

### Description:

Core API and libraries of hamcrest matcher framework.

### License:

BSD-3-Clause: <https://raw.githubusercontent.com/hamcrest/JavaHamcrest/master/LICENSE>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.hamcrest/hamcrest/3.0/8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7/hamcrest-3.0.jar

**MD5:** 781023c38b054e9cf1c818c77895e1eb

**SHA1:** 8fd9b78a8e6a6510a078a9e30e9e86a6035cfaf7

**SHA256:** 5d66b6a4a680755cb6ed7cb104fa7835ef644667586ff0737adeb977c39ecdbc

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@26.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hamcrest	High
Vendor	gradle	artifactid	hamcrest	Highest
Vendor	gradle	groupid	org.hamcrest	Highest
Vendor	jar	package name	hamcrest	Highest
Vendor	jar	package name	hamcrest	Low
Vendor	Manifest	automatic-	org.hamcrest	Medium



module-name				
Vendor	Manifest	bundle-symbolicname	org.hamcrest	Medium
Vendor	Manifest	Implementation-Vendor	hamcrest.org	High
Vendor	pom	artifactid	hamcrest	Low
Vendor	pom	developer id	joewalnes	Medium
Vendor	pom	developer id	npryce	Medium
Vendor	pom	developer id	sf105	Medium
Vendor	pom	developer name	Joe Walnes	Medium
Vendor	pom	developer name	Nat Pryce	Medium
Vendor	pom	developer name	Steve Freeman	Medium
Vendor	pom	groupid	org.hamcrest	Highest
Vendor	pom	name	Hamcrest	High
Vendor	pom	url	http://hamcrest.org/JavaHamcrest/	Highest
Product	file	name	hamcrest	High
Product	gradle	artifactid	hamcrest	Highest
Product	jar	package name	hamcrest	Highest
Product	Manifest	automatic-module-name	org.hamcrest	Medium
Product	Manifest	Bundle-Name	org.hamcrest	Medium
Product	Manifest	bundle-symbolicname	org.hamcrest	Medium
Product	Manifest	Implementation-Title	hamcrest	High
Product	pom	artifactid	hamcrest	Highest
Product	pom	developer id	joewalnes	Low
Product	pom	developer id	npryce	Low
Product	pom	developer id	sf105	Low
Product	pom	developer name	Joe Walnes	Low
Product	pom	developer name	Nat Pryce	Low
Product	pom	developer name	Steve Freeman	Low
Product	pom	groupid	org.hamcrest	Highest
Product	pom	name	Hamcrest	High
Product	pom	url	http://hamcrest.org/JavaHamcrest/	Medium
Version	file	version	3.0	High
Version	gradle	version	3.0	Highest
Version	Manifest	Implementation-	3.0	High

## Version

Version	pom	version	3.0	Highest
---------	-----	---------	-----	---------

## Identifiers

- pkg:maven/org.hamcrest/hamcrest@3.0 (*Confidence:High*)

## help.zip: commons-beanutils.jar

### Description:

Apache Commons BeanUtils provides an easy-to-use but flexible wrapper around reflection and introspection.

### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-beanutils.jar

**MD5:** 32ed51f196dfda19e0dc1ce53eeed29e

**SHA1:** ac03ea606d13de04c2e4508227680faff151f491

**SHA256:** 9e44ba68ec9a3f21286fa2a8bbb003b735c0f69101bb43144b79f4f8aaa74709

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-beanutils	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	beanutils	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-beanutils">https://commons.apache.org/proper/commons-beanutils</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low

Vendor	pom	artifactid	commons-beanutils	Low
Vendor	pom	developer email	britter@apache.org	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	dion@apache.org	Low
Vendor	pom	developer email	epugh@apache.org	Low
Vendor	pom	developer email	geirm@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jcarman@apache.org	Low
Vendor	pom	developer email	jconlon@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer email	mvdb@apache.org	Low
Vendor	pom	developer email	niallp@apache.org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	rwaldhoff@apache.org	Low
Vendor	pom	developer email	sanders@apache.org	Low
Vendor	pom	developer email	scolebourne@apache.org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	stain@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer email	yoavs@apache.org	Low
Vendor	pom	developer id	britter	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	craigmcc	Medium
Vendor	pom	developer id	dion	Medium
Vendor	pom	developer id	epugh	Medium
Vendor	pom	developer id	geirm	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jcarman	Medium
Vendor	pom	developer id	jconlon	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	morgand	Medium
Vendor	pom	developer id	mvdb	Medium
Vendor	pom	developer id	niallp	Medium

Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	rwaldhoff	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	scolebourne	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	stain	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer id	yoavs	Medium
Vendor	pom	developer name	Benedikt Ritter	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	David Eric Pugh	Medium
Vendor	pom	developer name	Dion Gillard	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	Geir Magnusson Jr.	Medium
Vendor	pom	developer name	James Carman	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John E. Conlon	Medium
Vendor	pom	developer name	Martin van den Bemt	Medium
Vendor	pom	developer name	Morgan James Delagrangre	Medium
Vendor	pom	developer name	Niall Pemberton	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Rodney Waldhoff	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Stephen Colebourne	Medium
Vendor	pom	developer name	Stian Soiland-Reyes	Medium
Vendor	pom	developer name	Tim O'Brien	Medium
Vendor	pom	developer name	Yoav Shapira	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-beanutils	Highest
Vendor	pom	name	Apache Commons BeanUtils	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium

Vendor	pom	url	https://commons.apache.org/proper/commons-beanutils	Highest
Product	file	name	commons-beanutils	High
Product	jar	package name	apache	Highest
Product	jar	package name	beanutils	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	https://commons.apache.org/proper/commons-beanutils	Low
Product	Manifest	Bundle-Name	Apache Commons BeanUtils	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.commons-beanutils	Medium
Product	Manifest	Implementation-Title	Apache Commons BeanUtils	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons BeanUtils	Medium
Product	pom	artifactid	commons-beanutils	Highest
Product	pom	developer email	britter@apache.org	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	dion@apache.org	Low
Product	pom	developer email	epugh@apache.org	Low
Product	pom	developer email	geirm@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jcarman@apache.org	Low
Product	pom	developer email	jconlon@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer email	mvdb@apache.org	Low
Product	pom	developer email	niallp@apache.org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	rwaldhoff@apache.org	Low
Product	pom	developer email	sanders@apache.org	Low
Product	pom	developer email	scolebourne@apache.org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	stain@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low

Product	pom	developer email	yoavs@apache.org	Low
Product	pom	developer id	britter	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	dion	Low
Product	pom	developer id	epugh	Low
Product	pom	developer id	geirm	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jcarman	Low
Product	pom	developer id	jconlon	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	morgand	Low
Product	pom	developer id	mvdb	Low
Product	pom	developer id	niallp	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	rwaldhoff	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	scolebourne	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	stain	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer id	yoavs	Low
Product	pom	developer name	Benedikt Ritter	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	David Eric Pugh	Low
Product	pom	developer name	Dion Gillard	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	Geir Magnusson Jr.	Low
Product	pom	developer name	James Carman	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John E. Conlon	Low
Product	pom	developer name	Martin van den Bemt	Low
Product	pom	developer name	Morgan James Delagrange	Low
Product	pom	developer name	Niall Pemberton	Low
Product	pom	developer name	Rob Tompkins	Low

Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Rodney Waldhoff	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low
Product	pom	developer name	Stephen Colebourne	Low
Product	pom	developer name	Stian Soiland-Reyes	Low
Product	pom	developer name	Tim O'Brien	Low
Product	pom	developer name	Yoav Shapira	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org URL	https://www.apache.org/	Low
Product	pom	groupid	commons-beanutils	Highest
Product	pom	name	Apache Commons BeanUtils	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium
Product	pom	url	https://commons.apache.org/proper/commons-beanutils	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

### Identifiers

- pkg:maven/commons-beanutils/commons-beanutils@1.11.0 (*Confidence:High*)
- [cpe:2.3:a:apache:commons\\_beanutils:1.11.0:\\*\\*\\*\\*\\*](#) (*Confidence:Highest*)

suppress

## help.zip: commons-digester3.jar

### Description:

The Apache Commons Digester package lets you configure an XML to Java object mapping module which triggers certain actions called rules whenever a particular pattern of nested XML elements is recognized.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/commons-digester3.jar

**MD5:** 41d2c62c7aedafa7a3627794abc83f71

**SHA1:** c3f68c5ff25ec5204470fd8fdf4cb8feff5e8a79

**SHA256:** 1c150e3d2df4b4237b47e28fea2079fb0da324578d5cca6a5fed2e37a62082ec

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-digester3	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	digester	Highest
Vendor	jar	package name	digester3	Highest
Vendor	jar	package name	rules	Highest
Vendor	Manifest	bundle-docurl	<a href="http://commons.apache.org/digester/">http://commons.apache.org/digester/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Vendor	Manifest	implementation-build	tags/DIGESTER3_3_2_RC2@r1212807; 2011-12-10 15:57:06+0100	Low
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-digester3	Low
Vendor	pom	developer email	craigmcc@apache.org	Low
Vendor	pom	developer email	jfarcan@apache.org	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	jvanzyl@apache.org	Low
Vendor	pom	developer email	mbenson AT apache DOT org	Low
Vendor	pom	developer email	rahul AT apache DOT org	Low
Vendor	pom	developer email	rdonkin@apache.org	Low
Vendor	pom	developer email	sanders@totalsync.com	Low
Vendor	pom	developer email	simonetripodi AT apache DOT org	Low
Vendor	pom	developer email	skitching@apache.org	Low
Vendor	pom	developer email	tobrien@apache.org	Low
Vendor	pom	developer id	craigmcc	Medium



Vendor	pom	developer id	jfarcand	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	jvanzyl	Medium
Vendor	pom	developer id	mbenson	Medium
Vendor	pom	developer id	rahul	Medium
Vendor	pom	developer id	rdonkin	Medium
Vendor	pom	developer id	sanders	Medium
Vendor	pom	developer id	simonetripodi	Medium
Vendor	pom	developer id	skitching	Medium
Vendor	pom	developer id	tobrien	Medium
Vendor	pom	developer name	Craig McClanahan	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	Jason van Zyl	Medium
Vendor	pom	developer name	Jean-Francois Arcand	Medium
Vendor	pom	developer name	Matt Benson	Medium
Vendor	pom	developer name	Rahul Akolkar	Medium
Vendor	pom	developer name	Robert Burrell Donkin	Medium
Vendor	pom	developer name	Scott Sanders	Medium
Vendor	pom	developer name	Simon Kitching	Medium
Vendor	pom	developer name	Simone Tripodi	Medium
Vendor	pom	developer name	Tim OBrien	Medium
Vendor	pom	groupid	org.apache.commons	Highest
Vendor	pom	name	Apache Commons Digester	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	url	http://commons.apache.org/digester/	Highest
Product	file	name	commons-digester3	High
Product	jar	package name	apache	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	digester	Highest
Product	jar	package name	digester3	Highest
Product	jar	package name	rules	Highest
Product	Manifest	bundle-docurl	http://commons.apache.org/digester/	Low
Product	Manifest	Bundle-Name	Apache Commons Digester	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.digester	Medium
Product	Manifest	implementation-	tags/DIGESTER3_3_2_RC2@r1212807;	Low

build

2011-12-10 15:57:06+0100

Product	Manifest	Implementation-Title	Apache Commons Digester	High
Product	Manifest	specification-title	Apache Commons Digester	Medium
Product	pom	artifactid	commons-digester3	Highest
Product	pom	developer email	craigmcc@apache.org	Low
Product	pom	developer email	jfarcand@apache.org	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	jvanzyl@apache.org	Low
Product	pom	developer email	mbenson AT apache DOT org	Low
Product	pom	developer email	rahul AT apache DOT org	Low
Product	pom	developer email	rdonkin@apache.org	Low
Product	pom	developer email	sanders@totalsync.com	Low
Product	pom	developer email	simonetripodi AT apache DOT org	Low
Product	pom	developer email	skitching@apache.org	Low
Product	pom	developer email	tobrien@apache.org	Low
Product	pom	developer id	craigmcc	Low
Product	pom	developer id	jfarcand	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	jvanzyl	Low
Product	pom	developer id	mbenson	Low
Product	pom	developer id	rahul	Low
Product	pom	developer id	rdonkin	Low
Product	pom	developer id	sanders	Low
Product	pom	developer id	simonetripodi	Low
Product	pom	developer id	skitching	Low
Product	pom	developer id	tobrien	Low
Product	pom	developer name	Craig McClanahan	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	Jason van Zyl	Low
Product	pom	developer name	Jean-Francois Arcand	Low
Product	pom	developer name	Matt Benson	Low
Product	pom	developer name	Rahul Akolkar	Low
Product	pom	developer name	Robert Burrell Donkin	Low
Product	pom	developer name	Scott Sanders	Low
Product	pom	developer name	Simon Kitching	Low

Product	pom	developer name	Simone Tripodi	Low
Product	pom	developer name	Tim OBrien	Low
Product	pom	groupid	org.apache.commons	Highest
Product	pom	name	Apache Commons Digester	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	url	http://commons.apache.org/digester/	Medium
Version	Manifest	Implementation-Version	3.2	High
Version	pom	parent-version	3.2	Low
Version	pom	version	3.2	Highest

#### Identifiers

- pkg:maven/org.apache.commons/commons-digester3@3.2 (Confidence:High)

## help.zip: help.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar

**MD5:** c758a2a5271d39911b2146d36372a5bf

**SHA1:** 3f6ed4550560cd6be5200e6a66f6f98ad481b2e6

**SHA256:** 23fbca7ea949e4fca61ca6029f1eb4803dbb3beb1ca4cfc9acb2fb467897a79a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	help	High
Vendor	jar	package name	help	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium

Product	file	name	help	High
Product	jar	package name	help	Highest
Product	jar	package name	help	Low
Product	Manifest	built-date	2026-06-16 16:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	help	High
Product	Manifest	specification-title	help	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### help.zip: help.jar: ai-search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/ai-search.js

**MD5:** 580ab37fe58670f9ed27434792457719

**SHA1:** c3261b4d8b1aebc82495d30102c2c18cb2575e25

**SHA256:**308f0304a41842836e06724f0978686af678f9a91346acac199eab3eb0416728

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/app.js

**MD5:** 3a626c6ba8ee31fb8ebf60eabda6f994  
**SHA1:** c39bfbdd57aadcb966452b9fc2790e555fa12867  
**SHA256:** 1a77be335c5f6949c202f5b8e959c01b7d20c29d70b1fa242805724dc08a5f71  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/controller.js

**MD5:** d8a97347f09fb6127724e1fb9eaff6db  
**SHA1:** e5c022756b372c39a872de0429fe106283dcab6d  
**SHA256:** 87e3ee1681a99819dc61cbff19258371a350cd8d7e1ca570d572a5850968a41b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.factory.js

**MD5:** 0b9f1c69fe745940b59dfcc46b07c9e8  
**SHA1:** d04efd9797d2fdca767d508cf120351bef141846  
**SHA256:** 1b2cc4f4fd954ea4954b04681293f059a417fe38c59c129f87bd22dbc9bdf0cc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: help.jar: shared.highlighter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/help.jar/com/inet/help/resources/js/shared.highlighter.js

**MD5:** af91e703b72f064acb7b0980a1981705

**SHA1:** 53a2a1c5190b1f3a3e3d4e68e645a152732c1893

**SHA256:**12e9a91bfad9c6958f82cc85b396c869363b181054843e472342bad54ebd4ad1

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### help.zip: jsoup.jar

#### Description:

jsoup is a Java library that simplifies working with real-world HTML and XML. It offers an easy-to-use API for URL fetching, data parsing, extraction, and manipulation using DOM API methods, CSS, and xpath selectors. jsoup implements the WHATWG HTML5 specification, and parses HTML to the same DOM as modern browsers.

#### License:

The MIT License: <https://jsoup.org/license>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/help.zip/jsoup.jar

**MD5:** 650c793f2362dd13d13355e558ea56f0

**SHA1:** 9085290f1032d8bdd4ab0a279d176a4bd9e282ca

**SHA256:**cfd3298d8720cddfb0545109ccc6ea0ef39eff7e9c40a10ad95c93a65f01c916

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsoup	High
Vendor	jar	package name	jsoup	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	parser	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	Manifest	bundle-docurl	https://jsoup.org/	Low
Vendor	Manifest	bundle-symbolicname	org.jsoup	Medium
Vendor	Manifest	Implementation-Vendor	Jonathan Hedley	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	originally-created-by	Apache Maven Bundle Plugin 5.1.9	Low
Vendor	pom	artifactid	jsoup	Low
Vendor	pom	developer email	jonathan@hedley.net	Low
Vendor	pom	developer id	jhy	Medium
Vendor	pom	developer name	Jonathan Hedley	Medium
Vendor	pom	groupid	org.jsoup	Highest
Vendor	pom	name	jsoup Java HTML Parser	High
Vendor	pom	organization name	Jonathan Hedley	High
Vendor	pom	organization url	https://jhedley.com/	Medium
Vendor	pom	url	https://jsoup.org/	Highest
Product	file	name	jsoup	High
Product	jar	package name	jsoup	Highest
Product	jar	package name	org	Highest
Product	jar	package name	parser	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	Manifest	bundle-docurl	https://jsoup.org/	Low
Product	Manifest	Bundle-Name	jsoup Java HTML Parser	Medium
Product	Manifest	bundle-symbolicname	org.jsoup	Medium
Product	Manifest	Implementation-Title	jsoup Java HTML Parser	High
Product	Manifest	multi-release	true	Low
Product	Manifest	originally-	Apache Maven Bundle Plugin 5.1.9	Low

created-by

Product	pom	artifactid	jsoup	Highest
Product	pom	developer email	jonathan@hedley.net	Low
Product	pom	developer id	jhy	Low
Product	pom	developer name	Jonathan Hedley	Low
Product	pom	groupid	org.jsoup	Highest
Product	pom	name	jsoup Java HTML Parser	High
Product	pom	organization name	Jonathan Hedley	Low
Product	pom	organization url	https://jhedley.com/	Low
Product	pom	url	https://jsoup.org/	Medium
Version	Manifest	Bundle-Version	1.22.1	High
Version	Manifest	Implementation-Version	1.22.1	High
Version	pom	version	1.22.1	Highest

#### Identifiers

- pkg:maven/org.jsoup/jsoup@1.22.1 (Confidence:High)
- [cpe:2.3:a:jsoup:jsoup:1.22.1:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress

## hsqldb.jar

### Description:

HyperSQL Lightweight 100% Java SQL Database Engine

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/hsqldb.jar

**MD5:** 9e6a620acc9d544aacbfa2f17e78f4eb

**SHA1:** 4aad3c109b5b04927d3bc663bf13535f830401ce

**SHA256:** 5fab2bb4384ac06b762638c8fa2740c944b8d080e4796c0c6c2af8b90dd4e5ad

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hsqldb	High
Vendor	jar	package name	hsqldb	Highest
Vendor	jar	package name	hsqldb	Low



Vendor	Manifest	bundle-symbolicname	org.hsqldb.hsqldb	Medium
Vendor	Manifest	originally-created-by	11.0.21+9 (Eclipse Adoptium)	Low
Vendor	Manifest	specification-vendor	The HSQL Development Group	Low
Product	file	name	hsqldb	High
Product	jar	package name	database	Highest
Product	jar	package name	hsqldb	Highest
Product	jar	package name	java	Highest
Product	Manifest	Bundle-Name	HSQLDB	Medium
Product	Manifest	bundle-symbolicname	org.hsqldb.hsqldb	Medium
Product	Manifest	Implementation-Title	Standard runtime	High
Product	Manifest	originally-created-by	11.0.21+9 (Eclipse Adoptium)	Low
Product	Manifest	specification-title	HSQLDB	Medium
Version	Manifest	Bundle-Version	2.7.4	High
Version	Manifest	Implementation-Version	2.7.4	High

#### Identifiers

- None

## htmlengine.zip: JWebEngine.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/JWebEngine.jar

**MD5:** fa481612f02cb2792c26cfa4a2926f15

**SHA1:** 093e2324f60df44172e29e75bfa5cd186457ee44

**SHA256:** 44c0505aede55a321de7a777afee27ceac3335a01fa2f37ca8cb8c3c9f2228a2

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	JWebEngine	High
Vendor	jar	package name	html	Low
Vendor	jar	package name	inet	Low

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 01:23	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	JWebEngine	High
Product	jar	package name	html	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 01:23	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	JWebEngine	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	JWebEngine	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	1.14.211	High

## Identifiers

- None

## htmlengine.zip: htmlengine.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlengine.zip/htmlengine.jar

**MD5:** 9adaf9a06788f151d211d850445ab76d

**SHA1:** 28bf26108b1888655e573c3bafc4c0e9e5072221

**SHA256:** e2a478cd8915aa8fc48850bdb335be854a95c409f29df90ff21b46a5f74c01dd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlengine	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	htmlengine	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 16:58	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlengine	High
Product	jar	package name	api	Low
Product	jar	package name	htmlengine	Highest
Product	jar	package name	htmlengine	Low
Product	jar	package name	markdown	Low
Product	Manifest	built-date	2026-06-16 16:58	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	htmlengine	High
Product	Manifest	specification-title	htmlengine	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

### htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar

**MD5:** c3901c0f9fcac08fbbf2f9df2c6c5873

**SHA1:** 9c29a1227628b89011a91a1958b0b4d078d3c0b6

**SHA256:** 4c904ccfd06e71246d8f64373448afa3d132790610197cc37ef87ada0b2ed99e

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.printpdf.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	printpdf	Low
Vendor	Manifest	built-date	2026-06-16 17:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.printpdf.sample	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerprintviapdfplugin	Low
Product	jar	package name	printpdf	Highest
Product	jar	package name	printpdf	Low
Product	Manifest	built-date	2026-06-16 17:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-	htmlviewer.printpdf.sample	High

		Title		
Product	Manifest	specification-title	htmlviewer.printpdf.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Related Dependencies

- htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip /htmlviewer.printpdf.sample.jar
  - MD5: c3901c0f9fcac08fbf2f9df2c6c5873
  - SHA1: 9c29a1227628b89011a91a1958b0b4d078d3c0b6
  - SHA256: 4c904ccfd06e71246d8f64373448afa3d132790610197cc37ef87ada0b2ed99e

#### Identifiers

- None

### htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.printpdf.sample.zip/htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js

**MD5:** 3022fd9f69e0cf051844a2fea5b69ce2

**SHA1:** 529ef29a67d8f97b139ea763ee1a050cfbfe821a

**SHA256:** e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- htmlviewer.printpdf.sample.zip: htmlviewer.printpdf.sample.jar: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerPrintViaPDFPlugin/htmlviewer.printpdf.sample.zip /htmlviewer.printpdf.sample.jar/com/inet/htmlviewer/printpdf/extension.js
  - MD5: 3022fd9f69e0cf051844a2fea5b69ce2
  - SHA1: 529ef29a67d8f97b139ea763ee1a050cfbfe821a
  - SHA256: e0df7af37a0640b759ccc1985cfa973e49416121cc4d60656f8aef2f590a8d8d

## Identifiers

- None

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar

**MD5:** 9a0f216b6f89e71c11dbb15dbeeede14

**SHA1:** 3bc4b5e7daf21c44888517c7ab050b9e4bfc7564

**SHA256:** 2d131d3e099e82a9a12fd0f0bbf78185b88e83ed6a7c63a035c36cc2d3754353

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewer.toolbar	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	Manifest	built-date	2026-06-16 18:11	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewer.toolbar	High
Product	jar	package name	htmlviewer	Highest
Product	jar	package name	htmlviewer	Low
Product	Manifest	built-date	2026-06-16 18:11	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewer.toolbar	High
Product	Manifest	specification-title	htmlviewer.toolbar	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## htmlviewer.toolbar.zip: htmlviewer.toolbar.jar: htmlviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewer.toolbar.zip/htmlviewer.toolbar.jar/com/inet/htmlviewer/client/htmlviewer.angular.js

**MD5:** 3d4ffd97b4b2889874ab2c25fd81dfd0

**SHA1:** ea87dcc7a044e2517277934bea09c98994d3134f

**SHA256:** 74009939b76ca622b76ee6abefb1cbe3632398f76f7282f51b90ccd1ca9998d3

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## htmlviewerextension.sample.zip: htmlviewerextension.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.sample.zip/htmlviewerextension.sample.jar

**MD5:** 48d732e85490990750cbd9347f7b448a

**SHA1:** fbaaf34165704f913a02060d78c40d11b86fdd08

**SHA256:** 916c3421d4e9a72ecaa950e679f4022f7b63db6760debee93f27eefbd27743c0

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	htmlviewerextension.sample	High
Vendor	jar	package name	htmlviewer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-06-16 17:50	Low

Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	htmlviewerextension.sample	High
Product	jar	package name	htmlviewer	Low
Product	jar	package name	htmlviewerextensionplugin	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-06-16 17:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	htmlviewerextension.sample	High
Product	Manifest	specification-title	htmlviewerextension.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Related Dependencies



- htmlviewerextension.sample.zip: htmlviewerextension.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar
  - MD5: 48d732e85490990750cbd9347f7b448a
  - SHA1: fbaaf34165704f913a02060d78c40d11b86fdd08
  - SHA256: 916c3421d4e9a72ecaa950e679f4022f7b63db6760debee93f27eefbd27743c0

#### Identifiers

- None

### htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js



**MD5:** 858b53692be0235091614a2af9a32edb  
**SHA1:** 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c  
**SHA256:** 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies

- htmlviewerextension.sample.zip: htmlviewerextension.sample.jar: extension.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/HtmlViewerExtensionPlugin/htmlviewerextension.sample.zip /htmlviewerextension.sample.jar/com/inet/samples/htmlviewer/extension.js
  - MD5: 858b53692be0235091614a2af9a32edb
  - SHA1: 7e1e6b70bcf8364873201f3a776e5ace1ca3c19c
  - SHA256: 0ee681c533fcf2b58de3ccb61aaaa52dd541cf029b856aaf2dd78a7c4c563bbc

#### Identifiers

- None

### inetcore-26.4-tools.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/d682a92d9e71439f4f449a4ebc8ebfdb28affc55/inetcore-26.4-tools.jar  
**MD5:** 64decdd5172a8a01fc09c2eb4ddd8aba  
**SHA1:** d682a92d9e71439f4f449a4ebc8ebfdb28affc55  
**SHA256:** f863d683b02f3e1e472b4d842c3728f8ba9e04441c9df12712bd53f430b45bde  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:** pkg:maven/clear-reports/server@26.4

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	test	Low
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest

Version	file	name	inetcore	Medium
Version	file	version	26.4	High
Version	gradle	version	26.4	Highest

### Identifiers

- pkg:maven/shared/inetcore@26.4 ( *Confidence*:Highest)

## inetcore-26.4.jar (shaded: com.inet.shared:inetcore:null)

### Description:

A blend composite defines the rule according to which a drawing primitive (known as the source) is mixed with existing graphics (know as the destination.)

ColorUtilities contains a set of tools to perform common color operations easily.

### License:

LGPL: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/3e525cfe023a5703af6d1b74026394acef9682c/inetcore-26.4.jar/META-INF/com/inet/shared/utis/BlendComposite/pom.xml

**MD5:** 15e3963148212192804e2b1a2b73ad1c

**SHA1:** 1095ba4522949a04590ab9c98b7f684e92579ef9

**SHA256:** e5556987ad0b1ede84a994741147dadf6de0cb7d80b845f530e2a96505b79151

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	inetcore	Low
Vendor	pom	developer email	contact@inetsoftware.de	Low
Vendor	pom	developer email	morgand@apache.org	Low
Vendor	pom	developer id	inetsoftware	Medium
Vendor	pom	developer id	romainguy	Medium
Vendor	pom	developer id	sun	Medium
Vendor	pom	developer name	i-net /// software	Medium
Vendor	pom	developer name	Romain Guy	Medium
Vendor	pom	developer name	Sun	Medium
Vendor	pom	developer org	Sun	Medium

Vendor	pom	groupid	com.inet.shared	Highest
Vendor	pom	name	BlendComposite and ColorUtilities	High
Vendor	pom (hint)	developer id	oracle	Medium
Vendor	pom (hint)	developer name	oracle	Medium
Vendor	pom (hint)	developer org	oracle	Medium
Product	pom	artifactid	inetcore	Highest
Product	pom	developer email	contact@inetsoftware.de	Low
Product	pom	developer email	morgand@apache.org	Low
Product	pom	developer id	inetsoftware	Low
Product	pom	developer id	romainguy	Low
Product	pom	developer id	sun	Low
Product	pom	developer name	i-net /// software	Low
Product	pom	developer name	Romain Guy	Low
Product	pom	developer name	Sun	Low
Product	pom	developer org	Sun	Low
Product	pom	groupid	com.inet.shared	Highest
Product	pom	name	BlendComposite and ColorUtilities	High

#### Identifiers

- None

## inetcore-26.4.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/shared/inetcore/26.4/3e525cffe023a5703af6d1b74026394acef9682c/inetcore-26.4.jar

**MD5:** 2d475810d520d00143f8ac1a0ff5fe77

**SHA1:** 3e525cffe023a5703af6d1b74026394acef9682c

**SHA256:** ec1f0a320e9841148097a98868c3c47a2b842484afc310b4741efeafd830e5a0

**Referenced In Projects/Scopes:**

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@26.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	inetcore	High
Vendor	gradle	artifactid	inetcore	Highest
Vendor	gradle	groupid	shared	Highest
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 16:03	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetcore	High
Product	gradle	artifactid	inetcore	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	shared	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 16:03	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	inetcore	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetcore	Medium
Product	Manifest	trusted-library	false	Low

Product	Manifest	trusted-only	false	Low
Version	file	name	inetcore	Medium
Version	file	version	26.4	High
Version	gradle	version	26.4	Highest
Version	jar	package name	permissions	Highest
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

### Related Dependencies

- inetcore.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetcore.jar
  - MD5: 2d475810d520d00143f8ac1a0ff5fe77
  - SHA1: 3e525cfe023a5703af6d1b74026394acef9682c
  - SHA256: ec1f0a320e9841148097a98868c3c47a2b842484afc310b4741efeafd830e5a0

### Identifiers

- pkg:maven/shared/inetcore@26.4 (Confidence: Highest)

## inetloggeradapter.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/inetloggeradapter.jar

**MD5:** 8d0132bc417e66b80ceba2046279e737

**SHA1:** b43f5efce2f1c60ddaae4cc4b984be6ae921defc

**SHA256:** b794b38fdbcb166f1379212bcb1af52120233cc013085ec3d784dfae6fa9b154b

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	inetloggeradapter	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	slf4j	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low

Vendor	Manifest	built-date	2026-06-16 16:34	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	inetloggeradapter	High
Product	jar	package name	slf4j	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 16:34	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	i-net Logger Adapter	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	inetloggeradapter	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

**Description:**

Reporting

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/inetsoftware.Reporting.dll

**MD5:** 2c98618c4756f8cd7987b835f2e46be9

**SHA1:** b0bb23a6b340ed5faf8ac9c5e57d0353e0152074

**SHA256:** 12664119642785187cd7f41e72e2a2f5fa0e1e12f65fe8774bdce6a70c862045

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	dll	namespace	inetsoftware.Reporting	Highest
Vendor	file	name	inetsoftware.Reporting	High
Vendor	grokass	FileDescription	Reporting	Low
Vendor	grokass	InternalName	inetsoftware.Reporting.dll	Low
Vendor	grokass	OriginalFilename	inetsoftware.Reporting.dll	Low
Vendor	grokass	ProductName	Reporting	Medium
Product	dll	namespace	inetsoftware.Reporting	Highest
Product	file	name	inetsoftware.Reporting	High
Product	grokass	FileDescription	Reporting	High
Product	grokass	InternalName	inetsoftware.Reporting.dll	Medium
Product	grokass	OriginalFilename	inetsoftware.Reporting.dll	Medium
Product	grokass	ProductName	Reporting	Highest
Version	Assembl	FilteredVersion	26.4.269.0	Highest
Version	grokass	FileVersion	26.4.269.0	High
Version	grokass	ProductVersion	26.4.269.0	Highest

**Identifiers**

- pkg:generic/inetsoftware.Reporting@26.4.269.0 ( *Confidence*:Medium)

**inetsoftware.Reporting.dll****Description:**

Reporting

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports .NET Bridge/strongly named/inetsoftware.Reporting.dll

**MD5:** fbc39cc2e131e5821ba47fe537813625

**SHA1:** 2c8f100acd6c99c2c4a75f9528f95f4fdcf4c868

**SHA256:** f1dbdca2c49f363fe81d5f0d397d596b6f40281f395c9b113f751dda6e07b585

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	dll	namespace	inetsoftware.Reporting	Highest
Vendor	file	name	inetsoftware.Reporting	High
Vendor	grokasse	FileDescription	Reporting	Low
Vendor	grokasse	InternalName	inetsoftware.Reporting.Signed.dll	Low
Vendor	grokasse	OriginalFilename	inetsoftware.Reporting.Signed.dll	Low
Vendor	grokasse	ProductName	Reporting	Medium
Product	dll	namespace	inetsoftware.Reporting	Highest
Product	file	name	inetsoftware.Reporting	High
Product	grokasse	FileDescription	Reporting	High
Product	grokasse	InternalName	inetsoftware.Reporting.Signed.dll	Medium
Product	grokasse	OriginalFilename	inetsoftware.Reporting.Signed.dll	Medium
Product	grokasse	ProductName	Reporting	Highest
Version	Assembl	FilteredVersion	26.4.269.0	Highest
Version	grokasse	FileVersion	26.4.269.0	High
Version	grokasse	ProductVersion	26.4.269.0	Highest

#### Identifiers

- None

## jackcess.jar

#### Description:

A pure Java library for reading from and writing to MS Access databases

#### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jackcess.jar

**MD5:** 0f13ea23966e22cbd1042b85df0f2db3

**SHA1:** 5c1c844105cf28d36a14919b4b4cd66121763210



Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jackcess	High
Vendor	jar	package name	github	Highest
Vendor	jar	package name	io	Highest
Vendor	jar	package name	jackcess	Highest
Vendor	jar	package name	spannm	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	build-os	Linux (6.8.0-60-generic; amd64)	Low
Vendor	Manifest	build-time	2025-12-31T13:42:15Z	Low
Vendor	Manifest	build-tool	Apache Maven 3.9.10 (5f519b97e944483d878815739f519b2eade0a9)	Low
Vendor	Manifest	creation-java-runtime-name	OpenJDK Runtime Environment	Medium
Vendor	Manifest	creation-java-vendor	Eclipse Adoptium	Medium
Vendor	Manifest	creation-os-arch	amd64	Low
Vendor	Manifest	creation-os-name	Linux	Medium
Vendor	Manifest	creation-time	2025-12-31T13:42:15Z	Low
Vendor	Manifest	creation-user	spannm	Low
Vendor	Manifest	Implementation-Vendor	Jackcess	High
Vendor	Manifest	organization-name	Jackcess	Medium
Vendor	Manifest	organization-url	https://github.com/spannm/jackcess	Low
Vendor	Manifest	project-inception-year	2005	Low
Vendor	Manifest	project-url	https://github.com/spannm/jackcess	Low
Vendor	Manifest	x-basepom-build-id	2f12e98b-c2dc-2fb2-8c42-1c649e1a0912	Low
Vendor	Manifest	x-basepom-git-commit-id	62f7b58b2c2f37020d59e836a6871f4b52002c2	Low
Vendor	Manifest	x-basepom-name	Jackcess	Medium
Vendor	pom	artifactid	jackcess	Low
Vendor	pom	developer email	jahlborn@users.sf.net	Low

Vendor	pom	developer email	javajedi@users.sf.net	Low
Vendor	pom	developer email	spannm@outlook.de	Low
Vendor	pom	developer id	\${developerId}	Medium
Vendor	pom	developer name	James Ahlborn	Medium
Vendor	pom	developer name	Markus Spann	Medium
Vendor	pom	developer name	Tim McCune	Medium
Vendor	pom	developer org URL	\${githubBaseUrl}	Medium
Vendor	pom	groupid	io.github.spannm	Highest
Vendor	pom	name	Jackcess	High
Vendor	pom	organization name	Jackcess	High
Vendor	pom	organization url	\${project.url}	Medium
Vendor	pom	parent-artifactid	basepom-oss	Low
Vendor	pom	parent-groupid	org.basepom	Medium
Product	file	name	jackcess	High
Product	jar	package name	github	Highest
Product	jar	package name	io	Highest
Product	jar	package name	jackcess	Highest
Product	jar	package name	spannm	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	build-os	Linux (6.8.0-60-generic; amd64)	Low
Product	Manifest	build-time	2025-12-31T13:42:15Z	Low
Product	Manifest	build-tool	Apache Maven 3.9.10 (5f519b97e944483d878815739f519b2eade0a9)	Low
Product	Manifest	creation-java-runtime-name	OpenJDK Runtime Environment	Medium
Product	Manifest	creation-os-arch	amd64	Low
Product	Manifest	creation-os-name	Linux	Medium
Product	Manifest	creation-time	2025-12-31T13:42:15Z	Low
Product	Manifest	creation-user	spannm	Low
Product	Manifest	Implementation-Title	Jackcess	High
Product	Manifest	organization-name	Jackcess	Medium
Product	Manifest	organization-url	https://github.com/spannm/jackcess	Low
Product	Manifest	project-inception-year	2005	Low

Product	Manifest	project-url	https://github.com/spannm/jackcess	Low
Product	Manifest	x-basepom-build-id	2f12e98b-c2dc-2fb2-8c42-1c649e1a0912	Low
Product	Manifest	x-basepom-git-commit-id	62f7b58b2c2f37020d59e836a6871f4b52002c2	Low
Product	Manifest	x-basepom-name	Jackcess	Medium
Product	pom	artifactid	jackcess	Highest
Product	pom	developer email	jahlborn@users.sf.net	Low
Product	pom	developer email	javajedi@users.sf.net	Low
Product	pom	developer email	spannm@outlook.de	Low
Product	pom	developer id	\${developerId}	Low
Product	pom	developer name	James Ahlborn	Low
Product	pom	developer name	Markus Spann	Low
Product	pom	developer name	Tim McCune	Low
Product	pom	developer org URL	\${githubBaseUrl}	Low
Product	pom	groupid	io.github.spannm	Highest
Product	pom	name	Jackcess	High
Product	pom	organization name	Jackcess	Low
Product	pom	organization url	\${project.url}	Low
Product	pom	parent-artifactid	basepom-oss	Medium
Product	pom	parent-groupid	org.basepom	Medium
Version	Manifest	Implementation-Version	5.1.2	High
Version	pom	parent-version	5.1.2	Low
Version	pom	version	5.1.2	Highest

#### Identifiers

- pkg:maven/io.github.spannm/jackcess@5.1.2 (*Confidence:High*)

## jakarta.servlet-api.jar

### Description:

Jakarta Servlet 6.1

**License:**EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.servlet-api.jar**MD5:** 314c930b3e40ac1abc3529c7c9942f09**SHA1:** 1169a246913fe3823782af7943e7a103634867c5**SHA256:** 8a31f465f3593bf2351531a5c952014eb839da96a605b5825b93dd54714c48c4**Referenced In Project/Scope:** server**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.servlet-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	servlet	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Vendor	Manifest	extension-name	jakarta.servlet	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.eclipse	Medium
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.servlet-api	Low
Vendor	pom	developer id	yaminikb	Medium
Vendor	pom	developer name	Yamini K B	Medium
Vendor	pom	developer org	Oracle Corporation	Medium
Vendor	pom	developer org URL	<a href="http://www.oracle.com/">http://www.oracle.com/</a>	Medium
Vendor	pom	groupid	jakarta.servlet	Highest
Vendor	pom	name	Jakarta Servlet	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.servlet">https://projects.eclipse.org/projects/ee4j.servlet</a>	Highest
Product	file	name	jakarta.servlet-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	servlet	Highest

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Servlet	Medium
Product	Manifest	bundle-symbolicname	jakarta.servlet-api	Medium
Product	Manifest	extension-name	jakarta.servlet	Medium
Product	pom	artifactid	jakarta.servlet-api	Highest
Product	pom	developer id	yaminikb	Low
Product	pom	developer name	Yamini K B	Low
Product	pom	developer org	Oracle Corporation	Low
Product	pom	developer org URL	http://www.oracle.com/	Low
Product	pom	groupid	jakarta.servlet	Highest
Product	pom	name	Jakarta Servlet	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.servlet	Medium
Version	Manifest	Bundle-Version	6.1.0	High
Version	Manifest	Implementation-Version	6.1.0	High
Version	pom	parent-version	6.1.0	Low
Version	pom	version	6.1.0	Highest

### Identifiers

- pkg:maven/jakarta.servlet/jakarta.servlet-api@6.1.0 (*Confidence:High*)
- cpe:2.3:a:oracle:projects:6.1.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## jakarta.websocket-api.jar

### Description:

Jakarta WebSocket - Server API

### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-api.jar  
**MD5:** b1098129a9c74ae03d618fb841990ab0  
**SHA1:** 60e525188fdb42120506debd90ffd4e204fd6f24  
**SHA256:**541d00436cbca0a5e1f6a457c9f70a64f00bd2f83e10ed89c2b372bc34843b7e  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	server	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Server API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	<a href="https://projects.eclipse.org/projects/ee4j.websocket">https://projects.eclipse.org/projects/ee4j.websocket</a>	Highest
Product	file	name	jakarta.websocket-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	server	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Server API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-api	Medium
Product	Manifest	extension-name	jakarta.websocket	Medium
Product	pom	artifactid	jakarta.websocket-api	Highest
Product	pom	groupid	jakarta.websocket	Highest

Product	pom	name	Jakarta WebSocket - Server API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

#### Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-api@2.2.0 (*Confidence*:High)

## jakarta.websocket-client-api.jar

#### Description:

Jakarta WebSocket - Client API

#### License:

<https://www.eclipse.org/org/documents/epl-2.0/EPL-2.0.txt>, <https://www.gnu.org/software/classpath/license.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/jakarta.websocket-client-api.jar

**MD5:** 9c363a8d4ab7b78b6160569e27568c1a

**SHA1:** cf7eafc1b929a80429c77e4450c6720a7de56814

**SHA256:** aa6fa9331a3f470daee0dbfcf084abfbd7a49507297575d5bb8bfbf3d62fe8c0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.websocket-client-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	https://www.eclipse.org	Low
Vendor	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Vendor	Manifest	extension-name	jakarta.websocket-client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.websocket-client-api	Low
Vendor	pom	groupid	jakarta.websocket	Highest
Vendor	pom	name	Jakarta WebSocket - Client API	High
Vendor	pom	parent-artifactid	jakarta.websocket-all	Low
Vendor	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Highest
Product	file	name	jakarta.websocket-client-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta WebSocket - Client API	Medium
Product	Manifest	bundle-symbolicname	jakarta.websocket-client-api	Medium
Product	Manifest	extension-name	jakarta.websocket-client	Medium
Product	pom	artifactid	jakarta.websocket-client-api	Highest
Product	pom	groupid	jakarta.websocket	Highest
Product	pom	name	Jakarta WebSocket - Client API	High
Product	pom	parent-artifactid	jakarta.websocket-all	Medium
Product	pom	url	https://projects.eclipse.org/projects/ee4j.websocket	Medium
Version	Manifest	Bundle-Version	2.2.0	High
Version	Manifest	Implementation-Version	2.2.0	High
Version	pom	version	2.2.0	Highest

#### Identifiers

- pkg:maven/jakarta.websocket/jakarta.websocket-client-api@2.2.0 (*Confidence:High*)

**java-25-jre-x64-linux.tar.gz: java-25-jre-x64-linux.tar: jrt-fs.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/java-25-jre-x64-linux.tar.gz/java-25-jre-x64-linux.tar/jre-11/lib/jrt-fs.jar  
**MD5:** 7c9286f8350fcc9685be294052abe065  
**SHA1:** a65b097270a5d51f163082c0021a0ec56b55eaff



**SHA256:**9296f978b74a24295f6261c692fff0f85b71503ab4cd29c2e0b4b7f4d726e185  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jrt-fs	High
Vendor	jar	package name	internal	Low
Vendor	jar	package name	jdk	Low
Vendor	jar	package name	jimage	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Adoptium	High
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	jrt-fs	High
Product	jar	package name	internal	Low
Product	jar	package name	jimage	Low
Product	Manifest	Implementation-Title	Java Runtime Environment	High
Product	Manifest	specification-title	Java Platform API Specification	Medium
Version	Manifest	Implementation-Version	25.0.3	High

Identifiers

- [cpe:2.3:a:eclipse:platform:25.0.3:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Medium) suppress

javase.jar

Description:

Java SE-specific extensions to core ZXing library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/zxing/javase.jar

**MD5:** 55e7296a0c9a75d4e974e536e1d2e65f

**SHA1:** 5393a868b60694a181a8470a85f89a4bec3dce2e

**SHA256:**1966831f473d72ff7720578419ab113f6417a97234a1710d2bccc650f5ae0c12

**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	javase	High
Vendor	jar	package name	google	Highest
Vendor	jar	package name	zxing	Highest
Vendor	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	javase	Low
Vendor	pom	groupid	com.google.zxing	Highest
Vendor	pom	name	ZXing Java SE extensions	High
Vendor	pom	parent-artifactid	zxing-parent	Low
Product	file	name	javase	High
Product	jar	package name	google	Highest
Product	jar	package name	zxing	Highest
Product	Manifest	automatic-module-name	com.google.zxing.javase	Medium
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	javase	Highest
Product	pom	groupid	com.google.zxing	Highest
Product	pom	name	ZXing Java SE extensions	High
Product	pom	parent-artifactid	zxing-parent	Medium
Version	pom	version	3.5.4	Highest

#### Identifiers

- pkg:maven/com.google.zxing/javase@3.5.4 (*Confidence:High*)

### jcip-annotations-1.0.jar

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/net.jcip/jcip-annotations/1.0/afba4942caaeaf46aab0b976afd57cc7c181467e/jcip-annotations-1.0.jar  
**MD5:** 9d5272954896c5a5d234f66b7372b17a  
**SHA1:** afba4942caaeaf46aab0b976afd57cc7c181467e  
**SHA256:** be5805392060c71474bf6c9a67a099471274d30b83eef84bfc4e0889a4f1dcc0  
**Referenced In Project/Scope:** server:inetPlugin  
**Included by:** pkg:maven/de.inetsoftware/jlessc@1.15

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcip-annotations	High
Vendor	gradle	artifactid	jcip-annotations	Highest
Vendor	gradle	groupid	net.jcip	Highest
Vendor	jar	package name	annotations	Low
Vendor	jar	package name	jcip	Low
Vendor	jar	package name	net	Low
Vendor	pom	artifactid	jcip-annotations	Low
Vendor	pom	groupid	net.jcip	Highest
Vendor	pom	name	"Java Concurrency in Practice" book annotations	High
Vendor	pom	url	http://jcip.net/	Highest
Product	file	name	jcip-annotations	High
Product	gradle	artifactid	jcip-annotations	Highest
Product	jar	package name	annotations	Low
Product	jar	package name	jcip	Low
Product	pom	artifactid	jcip-annotations	Highest
Product	pom	groupid	net.jcip	Highest
Product	pom	name	"Java Concurrency in Practice" book annotations	High
Product	pom	url	http://jcip.net/	Medium
Version	file	version	1.0	High
Version	gradle	version	1.0	Highest
Version	pom	version	1.0	Highest

#### Identifiers

- pkg:maven/net.jcip/jcip-annotations@1.0 (*Confidence:High*)

## jeuclid-core.jar

### Description:

This is the core module containing the basic JEuclid rendering and document handling classes.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/jeuclid-core.jar

**MD5:** 4d3b8aeb80327b2b8ae74c32b7c77432

**SHA1:** df34d11b83e17a5eec1d922e55f8283a1c531fd9

**SHA256:** 3157e56f8fe47b051a5902d52976e7929eadf97f4d5d93cdac8433054ad026ef

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jeuclid-core	High
Vendor	jar	package name	jeuclid	Highest
Vendor	jar	package name	net	Highest
Vendor	jar	package name	sourceforge	Highest
Vendor	Manifest	Implementation-Vendor	The JEuclid project	High
Vendor	Manifest	Implementation-Vendor-Id	net.sourceforge.jeuclid	Medium
Vendor	Manifest	specification-vendor	The JEuclid project	Low
Vendor	pom	artifactid	jeuclid-core	Low
Vendor	pom	groupid	net.sourceforge.jeuclid	Highest
Vendor	pom	name	JEuclid Core Module	High
Vendor	pom	parent-artifactid	jeuclid-parent	Low
Product	file	name	jeuclid-core	High
Product	jar	package name	jeuclid	Highest
Product	jar	package name	net	Highest
Product	jar	package name	sourceforge	Highest
Product	Manifest	Implementation-Title	JEuclid Core Module	High
Product	Manifest	specification-title	JEuclid Core Module	Medium
Product	pom	artifactid	jeuclid-core	Highest
Product	pom	groupid	net.sourceforge.jeuclid	Highest
Product	pom	name	JEuclid Core Module	High
Product	pom	parent-artifactid	jeuclid-parent	Medium
Version	Manifest	Implementation-Version	3.0.3	High
Version	pom	version	3.0.3	Highest

## Identifiers

- pkg:maven/net.sourceforge.jeuclid/jeuclid-core@3.0.3 (Confidence:High)

## jlessc-1.15.jar

### Description:

A Less CSS compiler written completely in Java (pure Java).

### License:

MIT License: <http://www.opensource.org/licenses/mit-license.php>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/de.inetsoftware/jlessc/1.15/2dbc9ed0ff94187412e6376823393b4ce90ccf0b/jlessc-1.15.jar

**MD5:** 3f8f1bb4e60ce8b65f287d36560d1313

**SHA1:** 2dbc9ed0ff94187412e6376823393b4ce90ccf0b

**SHA256:** c745dc12ca4e1252c8a082f8c1b9237e4758c6d7ecb82247c3ecc3fe7cd99bdc

### Referenced In Projects/Scopes:

- server
- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@26.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jlessc	High
Vendor	gradle	artifactid	jlessc	Highest
Vendor	gradle	groupid	de.inetsoftware	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	less	Low
Vendor	jar	package name	lib	Low
Vendor	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Vendor	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Vendor	Manifest	Implementation-Vendor	i-net software GmbH, Berlin, Germany	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	pom	artifactid	jlessc	Low
Vendor	pom	developer email	vberlin@inetsoftware.de	Low
Vendor	pom	developer id	vberlin	Medium
Vendor	pom	developer name	Volker Berlin	Medium
Vendor	pom	developer org	i-net software	Medium
Vendor	pom	developer org URL	<a href="https://www.inetsoftware.de/">https://www.inetsoftware.de/</a>	Medium

Vendor	pom	groupid	de.inetsoftware	Highest
Vendor	pom	name	JLessC	High
Vendor	pom	url	i-net-software/jlessc	Highest
Product	file	name	jlessc	High
Product	gradle	artifactid	jlessc	Highest
Product	jar	package name	less	Low
Product	jar	package name	lib	Low
Product	Manifest	automatic-module-name	de.inetsoftware.jlessc	Medium
Product	Manifest	bundle-symbolicname	de.inetsoftware.jlessc	Medium
Product	Manifest	Implementation-Title	JLessC, a Less CSS compiler	High
Product	pom	artifactid	jlessc	Highest
Product	pom	developer email	vberlin@inetsoftware.de	Low
Product	pom	developer id	vberlin	Low
Product	pom	developer name	Volker Berlin	Low
Product	pom	developer org	i-net software	Low
Product	pom	developer org URL	https://www.inetsoftware.de/	Low
Product	pom	groupid	de.inetsoftware	Highest
Product	pom	name	JLessC	High
Product	pom	url	i-net-software/jlessc	High
Version	file	version	1.15	High
Version	gradle	version	1.15	Highest
Version	Manifest	Bundle-Version	1.15	High
Version	Manifest	Implementation-Version	1.15	High
Version	pom	version	1.15	Highest

## Related Dependencies



- theme.zip: jlessc.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/jlessc.jar
  - MD5: 3f8f1bb4e60ce8b65f287d36560d1313
  - SHA1: 2dbc9ed0ff94187412e6376823393b4ce90ccf0b
  - SHA256: c745dc12ca4e1252c8a082f8c1b9237e4758c6d7ecb82247c3ecc3fe7cd99bdc

## Identifiers

- pkg:maven/de.inetsoftware/jlessc@1.15 (Confidence:High)

## jna.jar

### Description:

JNA Library

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar

**MD5:** 97fcb12698f8c1e4eed897e5c490e098

**SHA1:** 50c5b36af5dfd16cab07a1616046a50ec52d1e32

**SHA256:** 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jna	High
Vendor	jar	package name	jna	Highest
Vendor	jar	package name	jna	Low
Vendor	jar	package name	sun	Highest
Vendor	jar	package name	sun	Low
Vendor	jar (hint)	package name	oracle	Highest
Vendor	jar (hint)	package name	oracle	Low
Vendor	Manifest	automatic-module-name	com.sun.jna	Medium
Vendor	Manifest	bundle-activationpolicy	lazy	Low
Vendor	Manifest	bundle-category	jni	Low
Vendor	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64	Low

		<div><div>/libjnidispatch.so; processor=x86-64; osname=sunos, com/sun/jna/sunos-sparc /libjnidispatch.so; processor=sparc; osname=sunos, com/sun/jna/sunos-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=sunos, com/sun/jna/aix-ppc /libjnidispatch.a; processor=ppc; osname=aix, com/sun/jna/aix-ppc64 /libjnidispatch.a; processor=ppc64; osname=aix, com/sun/jna/linux-ppc /libjnidispatch.so; processor=ppc; osname=linux, com/sun/jna/linux-ppc64 /libjnidispatch.so; processor=ppc64; osname=linux, com/sun/jna/linux-ppc64le /libjnidispatch.so; processor=ppc64le; osname=linux, com/sun/jna/linux-x86 /libjnidispatch.so; processor=x86; osname=linux, com/sun/jna/linux-x86-64 /libjnidispatch.so; processor=x86-64; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64</div></div>		
Vendor	Manifest	bundle-	JavaSE-1.6	Low



## requiredexecution

Vendor	Manifest	bundle-symbolicname	com.sun.jna	Medium
Vendor	Manifest	Implementation-Vendor	JNA Development Team	High
Vendor	Manifest	specification-vendor	JNA Development Team	Low
Product	file	name	jna	High
Product	jar	package name	jna	Highest
Product	jar	package name	jna	Low
Product	jar	package name	library	Highest
Product	jar	package name	native	Highest
Product	jar	package name	sun	Highest
Product	jar	package name	win32	Highest
Product	Manifest	automatic-module-name	com.sun.jna	Medium
Product	Manifest	bundle-activationpolicy	lazy	Low
Product	Manifest	bundle-category	jni	Low
Product	Manifest	Bundle-Name	jna	Medium
Product	Manifest	bundle-nativecode	com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win32, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win32, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win32, com/sun/jna/win32-x86/jnidispatch.dll; processor=x86;osname=win, com/sun/jna/win32-x86-64/jnidispatch.dll; processor=x86-64;osname=win, com/sun/jna/win32-aarch64/jnidispatch.dll; processor=aarch64;osname=win, com/sun/jna/w32ce-arm/jnidispatch.dll; processor=arm;osname=wince, com/sun/jna/sunos-x86/libjnidispatch.so; processor=x86;osname=sunos, com/sun/jna/sunos-x86-64/libjnidispatch.so; processor=x86-64;osname=sunos, com/sun/jna/sunos-sparc/libjnidispatch.so; processor=sparc;osname=sunos, com/sun/jna/sunos-sparcv9/libjnidispatch.so; processor=sparcv9;osname=sunos, com/sun/jna/aix-ppc/libjnidispatch.a; processor=ppc;osname=aix, com/sun/jna/aix-ppc64/libjnidispatch.a; processor=ppc64;osname=aix, com/sun/jna/linux-ppc/libjnidispatch.so; processor=ppc;osname=linux, com/sun/jna/linux-ppc64/libjnidispatch.so; processor=ppc64;osname=linux, com/sun/jna/linux-ppc64le/libjnidispatch.so; processor=ppc64le;osname=linux, com/sun/jna/linux-x86/libjnidispatch.so; processor=x86;osname=linux, com/sun/jna/linux-x86-64/libjnidispatch.so; processor=x86-64;	Low

			osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm; osname=linux, com/sun/jna/linux-arm /libjnidispatch.so; processor=arm_le; osname=linux, com/sun/jna/linux-armel /libjnidispatch.so; processor=armel; osname=linux, com/sun/jna/linux-aarch64 /libjnidispatch.so; processor=aarch64; osname=linux, com/sun/jna/linux-ia64 /libjnidispatch.so; processor=ia64; osname=linux, com/sun/jna/linux-sparcv9 /libjnidispatch.so; processor=sparcv9; osname=linux, com/sun/jna/linux-mips64el /libjnidispatch.so; processor=mips64el; osname=linux, com/sun/jna/linux-s390x /libjnidispatch.so; processor=S390x; osname=linux, com/sun/jna/linux- loongarch64/libjnidispatch.so; processor=loongarch64;osname=linux, com /sun/jna/linux-riscv64/libjnidispatch.so; processor=riscv64;osname=linux, com/sun /jna/dragonflybsd-x86-64/libjnidispatch.so; processor=x86-64;osname=dragonflybsd, com/sun/jna/freebsd-x86/libjnidispatch.so; processor=x86;osname=freebsd, com/sun /jna/freebsd-x86-64/libjnidispatch.so; processor=x86-64;osname=freebsd, com /sun/jna/freebsd-aarch64/libjnidispatch.so; processor=aarch64;osname=freebsd, com /sun/jna/freebsd-ppc64le/libjnidispatch.so; processor=ppc64le;osname=freebsd, com /sun/jna/freebsd-ppc64/libjnidispatch.so; processor=ppc64;osname=freebsd, com/sun /jna/openbsd-x86/libjnidispatch.so; processor=x86;osname=openbsd, com/sun /jna/openbsd-x86-64/libjnidispatch.so; processor=x86-64;osname=openbsd, com /sun/jna/darwin-ppc/libjnidispatch.jnilib; osname=macosx;processor=ppc, com/sun /jna/darwin-ppc64/libjnidispatch.jnilib; osname=macosx;processor=ppc64, com/sun /jna/darwin-x86/libjnidispatch.jnilib; osname=macosx;processor=x86, com/sun /jna/darwin-x86-64/libjnidispatch.jnilib; osname=macosx;processor=x86-64, com /sun/jna/darwin-aarch64/libjnidispatch.jnilib; osname=macosx;processor=aarch64	
Product	Manifest	bundle- requiredexecution	JavaSE-1.6	Low
Product	Manifest	bundle- symbolicname	com.sun.jna	Medium
Product	Manifest	Implementation- Title	com.sun.jna	High
Product	Manifest	specification-title	Java Native Access (JNA)	Medium
Version	jar	package name	jna	Highest
Version	jar	package name	sun	Highest
Version	jar	package name	win32	Highest
Version	Manifest	Bundle-Version	5.18.1	High
Version	Manifest	Implementation-	5.18.1 (b0)	High

Version

#### Related Dependencies



- authentication.pam.zip: jna.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar
  - MD5: 97fcb12698f8c1e4eed897e5c490e098
  - SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32
  - SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2
- authentication.windows.zip: jna.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar
  - MD5: 97fcb12698f8c1e4eed897e5c490e098
  - SHA1: 50c5b36af5dfd16cab07a1616046a50ec52d1e32
  - SHA256: 9e5cdb5ff4ad07bf116cb2b37b2b84987041d79a8991766a08b79b085c6bb6c2

#### Identifiers

- cpe:2.3:a:oracle:java\_se:5.18.1:\*:\*:\*:\*:\* (Confidence:Low) suppress

### jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

**MD5:** 302945a811fd8e21bccd5226c73b6f74

**SHA1:** 6b05e299ff2b3eb3b7b7aeac44263f715693607c

**SHA256:** b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies



- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll

- MD5: 302945a811fd8e21bcdd5226c73b6f74
- SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c
- SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-aarch64/jnidispatch.dll
  - MD5: 302945a811fd8e21bcdd5226c73b6f74
  - SHA1: 6b05e299ff2b3eb3b7b7aeac44263f715693607c
  - SHA256: b8f98be314234cf12b5b46c29652f70c0f6abb93ae19b63d3fe2692062aa699d

#### Identifiers

- None

### jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll

**MD5:** 2d2475f1f026dd54e9f3e787ae4f81da

**SHA1:** 27ff882ac271db547aee520b38e3ba9aa91e136c

**SHA256:** 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

#### Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 2d2475f1f026dd54e9f3e787ae4f81da
  - SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c
  - SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86-64/jnidispatch.dll
  - MD5: 2d2475f1f026dd54e9f3e787ae4f81da
  - SHA1: 27ff882ac271db547aee520b38e3ba9aa91e136c
  - SHA256: 5a7ff949f6d93d86491eb5b26b1cfc60051168a60622650224b89995ac420023

Identifiers

- None

jna.jar: jnidispatch.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll  
**MD5:** 0caa1ef75a807f9dde05084fa2219a5c  
**SHA1:** 2f5e1cd82cde192905c7510ce99037b67d980640  
**SHA256:** 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jnidispatch	High
Product	file	name	jnidispatch	High

Related Dependencies

- authentication.pam.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.pam.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: 0caa1ef75a807f9dde05084fa2219a5c
  - SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640
  - SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44
- authentication.windows.zip: jna.jar: jnidispatch.dll
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/authentication.windows.zip/jna.jar/com/sun/jna/win32-x86/jnidispatch.dll
  - MD5: 0caa1ef75a807f9dde05084fa2219a5c
  - SHA1: 2f5e1cd82cde192905c7510ce99037b67d980640
  - SHA256: 752d597cee7e95cb517327146bf42f124c0d6c0bc48b3ecc3b1b3b0531a52f44

Identifiers

- None

jpeg2000.zip: asm.jar

License:

BSD-3-Clause;link=https://asm.ow2.io/LICENSE.txt

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/asm.jar

**MD5:** 8e5c46557b8bcfc79a3150c42b14e1ff

**SHA1:** 39697ab834353dd5be63cef87d48e13f282a56a8

**SHA256:** 712f4cad4326ad7444ae25f9f2250f60d205a0eaf576cc7fff4c69bdb46694e9

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	asm	High
Vendor	jar	package name	asm	Highest
Vendor	jar	package name	asm	Low
Vendor	jar	package name	objectweb	Highest
Vendor	jar	package name	objectweb	Low
Vendor	Manifest	bundle-docurl	http://asm.ow2.org	Low
Vendor	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Vendor	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	file	name	asm	High
Product	jar	package name	asm	Highest
Product	jar	package name	asm	Low
Product	jar	package name	objectweb	Highest
Product	Manifest	bundle-docurl	http://asm.ow2.org	Low
Product	Manifest	Bundle-Name	org.objectweb.asm	Medium
Product	Manifest	bundle-requiredexecution	J2SE-1.5	Low
Product	Manifest	bundle-symbolicname	org.objectweb.asm	Medium
Product	Manifest	Implementation-Title	ASM, a very small and fast Java bytecode manipulation framework	High
Version	jar	package name	asm	Highest
Version	Manifest	Bundle-Version	9.7.1	High
Version	Manifest	Implementation-Version	9.7.1	High

## Identifiers

- None

## jpeg2000.zip: con crt140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/con crt140.dll

**MD5:** 5fe9a647921ded8a2fad92deb9ec4ab2

**SHA1:** 1ce87fac4c22aae82a81ddb26952c074b744e78d

**SHA256:** 2405355f0a58067b258f8df33c327e3a3d716eaac5a3a5aebb757842d85bd376

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	con crt140	High
Product	file	name	con crt140	High
Version	file	name	con crt140	Medium
Version	file	version	140	Medium

### Identifiers

- None

## jpeg2000.zip: imageio-open jpeg.jar

### Description:

ImageIO plugin for reading and writing JPEG2000 images via OpenJPEG.  
Requires the OpenJPEG shared native library to be installed on the system.

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/imageio-open jpeg.jar

**MD5:** cb85face22305eb55ede1e1dd9f2bc37

**SHA1:** c3e51af167798d8ce7dfdd1d7418ef5c5da3efa8

**SHA256:** 335c7654290b8bad04e21bce3b1f6f62025f78f17c130b9e3fc2991827643cba

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	imageio-open jpeg	High
Vendor	jar	package name	de	Highest

Vendor	jar	package name	de	Low
Vendor	jar	package name	digitalcollections	Highest
Vendor	jar	package name	digitalcollections	Low
Vendor	jar	package name	imageio	Highest
Vendor	jar	package name	openjpeg	Highest
Vendor	jar	package name	openjpeg	Low
Vendor	pom	artifactid	imageio-openjpeg	Low
Vendor	pom	groupid	de.digitalcollections.imageio	Highest
Vendor	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Vendor	pom	parent-artifactid	imageio-jnr	Low
Product	file	name	imageio-openjpeg	High
Product	jar	package name	de	Highest
Product	jar	package name	digitalcollections	Highest
Product	jar	package name	digitalcollections	Low
Product	jar	package name	imageio	Highest
Product	jar	package name	lib	Low
Product	jar	package name	openjpeg	Highest
Product	jar	package name	openjpeg	Low
Product	pom	artifactid	imageio-openjpeg	Highest
Product	pom	groupid	de.digitalcollections.imageio	Highest
Product	pom	name	MDZ/Bayerische Staatsbibliothek :: ImageIO :: OpenJPEG/JPEG2000 plugin	High
Product	pom	parent-artifactid	imageio-jnr	Medium
Version	pom	version	0.6.8	Highest

#### Identifiers

- pkg:maven/de.digitalcollections.imageio/imageio-openjpeg@0.6.8 (*Confidence:High*)

## jpeg2000.zip: jffi-native.jar

#### Description:

Java Foreign Function Interface - Native Libraries

#### License:



<http://www.apache.org/licenses/LICENSE-2.0.txt>, <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar

**MD5:** 6ddaf4fcb74e4f228faacc634077562f

**SHA1:** c89ea9e62900eb0a00565c6bfb46472cc76e70c2

**SHA256:** f60ed4e0329b037dd54b252ba69e7786f7878203146ee4a5fb5f29d0ad805475

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi-native	High
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Product	file	name	jffi-native	High
Product	Manifest	automatic-module-name	org.jnrproject.jffi.nativelibs	Medium
Product	Manifest	Bundle-Name	jffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.jffi.native	Medium
Version	Manifest	Bundle-Version	1.3.14	High

#### Identifiers

- None

### jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/aarch64-Windows/jffi-1.2.dll

**MD5:** 2c0b62583a6446ca74c26dd356a6efc8

**SHA1:** 97d03509897bb23ab808c232fe0fa3240e91d52d

**SHA256:** a4e7cb99d84f2a3b195fabcc4a6c59ab48e9eb25ddf58284b26d068163c9e505

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High

Version	file	name	jffi	Medium
Version	file	version	1.2	High

#### Identifiers

- None

### jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/i386-Windows/jffi-1.2.dll

**MD5:** 841e60814ed6b2971a47b267aef1c58a

**SHA1:** 07d30c6407fefad8df4b6afc4d85f83e547975ca

**SHA256:** d63b0ec9a7cc75c26fa951928bf550c0e9a5e6c195a3de94a9c24995206bbfd2

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

#### Identifiers

- None

### jpeg2000.zip: jffi-native.jar: jffi-1.2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi-native.jar/jni/x86\_64-Windows/jffi-1.2.dll

**MD5:** 5d80b61c1f9e31860c17b3a410948e7e

**SHA1:** 5ca292116336ee4ceed00d10e756afea580e62cf

**SHA256:** 58398ba5cda1b7cb89ad4e03dd4a658006956f81acfe4efb4e7dd934e2733ef

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Product	file	name	jffi	High
Version	file	name	jffi	Medium
Version	file	version	1.2	High

#### Identifiers

- None

## jpeg2000.zip: jffi.jar

### Description:

Java Foreign Function Interface

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>  
 GNU Lesser General Public License version 3: <https://www.gnu.org/licenses/lgpl-3.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
 /server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jffi.jar

**MD5:** 29ec1033448b81cb1b53eaae45b12418

**SHA1:** 28816dd0626b3adbb05ca605e5c89bb1ae80f31d

**SHA256:** 4a2317f1f96114ca451f9750e1ba510d4aace9147c151fc0779abe7cb43151c4

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jffi	High
Vendor	jar	package name	foreign	Highest
Vendor	jar	package name	function	Highest
Vendor	jar	package name	jffi	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	pom	artifactid	jffi	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	wmeissner	Medium

Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jffi	High
Vendor	pom	url	http://github.com/jnr/jffi	Highest
Product	file	name	jffi	High
Product	jar	package name	foreign	Highest
Product	jar	package name	function	Highest
Product	jar	package name	jffi	Highest
Product	Manifest	automatic-module-name	org.jnrproject.jffi	Medium
Product	Manifest	build-jdk-spec	25	Low
Product	pom	artifactid	jffi	Highest
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest
Product	pom	name	jffi	High
Product	pom	url	http://github.com/jnr/jffi	Medium
Version	pom	version	1.3.14	Highest

#### Identifiers

- pkg:maven/com.github.jnr/jffi@1.3.14 (*Confidence:High*)

## jpeg2000.zip: jnr-ffi.jar

### Description:

A library for invoking native functions from java

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jnr-ffi.jar

**MD5:** 60e968e743b5a882d6859bf4d445d72f

**SHA1:** 629ad4491186fdabb2a585f188daf492584384d2

**SHA256:**3424573378ce84db466fc49d2f6016d2ba24a94e066a14ae2b4bbf8bc97e719f

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jnr-ffi	High
Vendor	jar	package name	ffi	Highest
Vendor	jar	package name	jnr	Highest
Vendor	jar	package name	library	Highest
Vendor	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Vendor	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Vendor	pom	artifactid	jnr-ffi	Low
Vendor	pom	developer email	headius@headius.com	Low
Vendor	pom	developer email	wmeissner@gmail.com	Low
Vendor	pom	developer id	headius	Medium
Vendor	pom	developer id	wmeissner	Medium
Vendor	pom	developer name	Charles Oliver Nutter	Medium
Vendor	pom	developer name	Wayne Meissner	Medium
Vendor	pom	groupid	com.github.jnr	Highest
Vendor	pom	name	jnr-ffi	High
Vendor	pom	url	<a href="http://github.com/jnr/jnr-ffi">http://github.com/jnr/jnr-ffi</a>	Highest
Product	file	name	jnr-ffi	High
Product	jar	package name	ffi	Highest
Product	jar	package name	jnr	Highest
Product	jar	package name	library	Highest
Product	Manifest	automatic-module-name	org.jnrproject.ffi	Medium
Product	Manifest	Bundle-Name	jnr-ffi	Medium
Product	Manifest	bundle-symbolicname	com.github.jnr.ffi	Medium
Product	pom	artifactid	jnr-ffi	Highest
Product	pom	developer email	headius@headius.com	Low
Product	pom	developer email	wmeissner@gmail.com	Low
Product	pom	developer id	headius	Low
Product	pom	developer id	wmeissner	Low
Product	pom	developer name	Charles Oliver Nutter	Low
Product	pom	developer name	Wayne Meissner	Low
Product	pom	groupid	com.github.jnr	Highest

Product	pom	name	jnr-ffi	High
Product	pom	url	http://github.com/jnr/jnr-ffi	Medium
Version	Manifest	Bundle-Version	2.2.18	High
Version	pom	version	2.2.18	Highest

#### Identifiers

- pkg:maven/com.github.jnr/jnr-ffi@2.2.18 (*Confidence:High*)

### jpeg2000.zip: jpeg2000.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/jpeg2000.jar

**MD5:** d22d4bf0f4a3a7a428cb7c6869824405

**SHA1:** 185f49281bbae8d8f03fce11e33e401a6fb65000

**SHA256:** 3cdbcb541cbcaf458dd92ebb716cb6efd92b5e515584360a8ff5256b2d2dcc5f

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	jpeg2000	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jpeg2000	Low
Vendor	Manifest	built-date	2026-06-16 16:40	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jpeg2000	High
Product	jar	package name	jpeg2000	Highest
Product	jar	package name	jpeg2000	Low
Product	jar	package name	jpeg2000serverplugin	Low
Product	Manifest	built-date	2026-06-16 16:40	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	jpeg2000	High
Product	Manifest	specification-title	jpeg2000	Medium
Version	file	name	jpeg2000	Medium
Version	file	version	2000	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### jpeg2000.zip: msvcp140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvcp140.dll

**MD5:** bc88b387cafa556068b5c5d6ff3ccc8f

**SHA1:** b370eca8fa727e46cf61d834fcc956698b02e1fd

**SHA256:** 0f885b509a685d2bbfa652fed26b5fb31d88fbdab0a978c641d1c7b8aa460aa9

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	msvcp140	High
Product	file	name	msvcp140	High
Version	file	name	msvcp140	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### jpeg2000.zip: msvcp140\_1.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_1.dll  
**MD5:** 2a214cb2f0f9473e7765ee3b8db8651e  
**SHA1:** 9ce5c3d6c7d94b175f136f552af8771dca6147b3  
**SHA256:** bfad5aef4c63a669e3c140655cdfdf395b6c979b400a447bd5dcb65ed8826c3d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_1	High
Product	file	name	msvc140_1	High

#### Identifiers

- None

### jpeg2000.zip: msvc140\_2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_2.dll  
**MD5:** 3151333808c2c2339d5f5466df70b7dc  
**SHA1:** e48159bb2127ec812ff679f6fab41141009f26a  
**SHA256:** 3ea06f0ee098b4823cb79599df3780e7f23cce52c19aac31d2a0d47efe33a5e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_2	High
Product	file	name	msvc140_2	High

#### Identifiers

- None

### jpeg2000.zip: msvc140\_atomic\_wait.dll



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_atomic\_wait.dll  
**MD5:** 44aec42494531580bca182b0e2fb19c2  
**SHA1:** a85a6a4de6656e5969fa4ab15f2230dfe2839e75  
**SHA256:**640b2aefced484d0368eea5bdd06add0658a3a70a49256e560d6923b404a479  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_atomic_wait	High
Product	file	name	msvc140_atomic_wait	High
Version	file	name	msvc140_atomic_wait	Medium
Version	file	version	140	Medium

#### Identifiers

- None

### jpeg2000.zip: msvc140\_codecvt\_ids.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/msvc140\_codecvt\_ids.dll  
**MD5:** 3ece3fb90bfaea8e9a5fb7139ff9cbdc  
**SHA1:** 91b19dd0db24a5cbd944eca9c67fad3b53f9c154  
**SHA256:**f2069a52880ec885ee7f0511186100eb7fada0411a2b4948fafea7735b878a18  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	msvc140_codecvt_ids	High
Product	file	name	msvc140_codecvt_ids	High
Version	file	name	msvc140_codecvt_ids	Medium
Version	file	version	140	Medium

#### Identifiers

- None

## jpeg2000.zip: openjp2.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/openjp2.dll

**MD5:** 314edfd45bf5903a645f40ba1d7199a6

**SHA1:** 7cdb0e711a199b6cd581e1455be7d5fe3fd46766

**SHA256:** 4e5261df72ca0702b2de0bac29d772e86a316a24373e16aaf6aec84c7081aeb9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	openjp2	High
Product	file	name	openjp2	High
Version	file	name	openjp2	Medium
Version	file	version	2	Medium

### Identifiers

- None

## jpeg2000.zip: vcruntime140.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140.dll

**MD5:** 6ca4edb2b52ec46c7fca3fd372ca6c00

**SHA1:** 3d2998a27d164dd7cc3bc7d3eca08acf89a0ee42

**SHA256:** d5e4d9a3e835fa679450145d6a7d94e36573a509317111904d9b3712c30d9066

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140	High
Product	file	name	vcruntime140	High
Version	file	name	vcruntime140	Medium
Version	file	version	140	Medium

## Identifiers

- None

## jpeg2000.zip: vcruntime140\_1.dll

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/jpeg2000.zip/openjpeg/windows/vcruntime140\_1.dll

**MD5:** cd1b08f4930b276ad78853580b76b5c6

**SHA1:** a0330279d3d0d47f19ed984726e25260b547a228

**SHA256:** 1f2d41c4aa5db0bc33ebf7b66d72943a817d7ce6cbe880502a9403823633093f

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	vcruntime140_1	High
Product	file	name	vcruntime140_1	High

## Identifiers

- None

## jquery.cookiebar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/GoogleAnalytics/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js

**MD5:** 1d80c26eef415bdf8697bac674711242

**SHA1:** de48d8a423f629ee5bd320aa8f6a1a9d8d38e488

**SHA256:** 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies

- application.googleanalytics.sample.zip: jquery.cookiebar.js

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/GoogleAnalytics/application.googleanalytics.sample.zip/src/com/inet/application/googleanalytics/client/js/jquery.cookiebar.js
- MD5: 1d80c26eef415bdf8697bac674711242
- SHA1: de48d8a423f629ee5bd320aa8f6a1a9d8d38e488
- SHA256: 346f57f7300726376004aee29a3e1bc02614355bbf6f60f1153d215105761c8e

#### Identifiers

- None

### jquery.twbsPagination.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/jquery.twbsPagination.js

**MD5:** dcf82ca566b3df1ff0486b5d21b9bab2

**SHA1:** a86775650344fd81e7bb84ad47b72c5d82aad586

**SHA256:** bde200396a08eae2a6ad38628595ba9001a920f5ee294f9ff6811d51b96f6b00

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### jquery.twbsPagination.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/jquery.twbsPagination.min.js

**MD5:** 721f9097a595662c55ddc4d8c4a74834

**SHA1:** 198a7a596f42656fcadd1d2f7f30648781e5a4b0

**SHA256:** aa8fb5d3ada7df8a9a0ee4bfbb61390b303f2c8f29bc810af3bd11a683fa8b53

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## jsr305-3.0.2.jar

### Description:

JSR305 Annotations for Findbugs

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/com.google.code.findbugs/jsr305/3.0.2/25ea2e8b0c338a877313bd4672d3fe056ea78f0d/jsr305-3.0.2.jar

**MD5:** dd83accb899363c32b07d7a1b2e4ce40

**SHA1:** 25ea2e8b0c338a877313bd4672d3fe056ea78f0d

**SHA256:** 766ad2a0783f2687962c8ad74ceecc38a28b9f72a2d085ee438b7813e928d0c7

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/de.inetsoftware/jlessc@1.15

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jsr305	High
Vendor	gradle	artifactid	jsr305	Highest
Vendor	gradle	groupid	com.google.code.findbugs	Highest
Vendor	Manifest	bundle-symbolicname	org.jsr-305	Medium
Vendor	pom	artifactid	jsr305	Low
Vendor	pom	groupid	com.google.code.findbugs	Highest
Vendor	pom	name	FindBugs-jsr305	High
Vendor	pom	url	<a href="http://findbugs.sourceforge.net/">http://findbugs.sourceforge.net/</a>	Highest
Product	file	name	jsr305	High
Product	gradle	artifactid	jsr305	Highest
Product	Manifest	Bundle-Name	FindBugs-jsr305	Medium
Product	Manifest	bundle-symbolicname	org.jsr-305	Medium
Product	pom	artifactid	jsr305	Highest
Product	pom	groupid	com.google.code.findbugs	Highest
Product	pom	name	FindBugs-jsr305	High

Product	pom	url	http://findbugs.sourceforge.net/	Medium
Version	file	version	3.0.2	High
Version	gradle	version	3.0.2	Highest
Version	Manifest	Bundle-Version	3.0.2	High
Version	pom	version	3.0.2	Highest

#### Identifiers

- pkg:maven/com.google.code.findbugs/jsr305@3.0.2 (*Confidence*:High)

## junit-4.13.2.jar

#### Description:

JUnit is a unit testing framework for Java, created by Erich Gamma and Kent Beck.

#### License:

Eclipse Public License 1.0: <http://www.eclipse.org/legal/epl-v10.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/junit/junit/4.13.2/8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12/junit-4.13.2.jar

**MD5:** d98a9a02a99a9acd22d7653cbcc1f31f

**SHA1:** 8ac9e16d933b6fb43bc7f576336b8f4d7eb5ba12

**SHA256:** 8e495b634469d64fb8acfa3495a065cbacc8a0fff55ce1e31007be4c16dc57d3

**Referenced In Project/Scope:** server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@26.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit	High
Vendor	gradle	artifactid	junit	Highest
Vendor	gradle	groupid	junit	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	Manifest	automatic-module-name	junit	Medium
Vendor	Manifest	implementation-url	<a href="http://junit.org">http://junit.org</a>	Low
Vendor	Manifest	Implementation-Vendor	JUnit	High
Vendor	Manifest	Implementation-Vendor-Id	junit	Medium

Vendor	pom	artifactid	junit	Low
Vendor	pom	developer email	david@saff.net	Low
Vendor	pom	developer email	kcooney@google.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	mail@stefan-birkner.de	Low
Vendor	pom	developer id	dsaff	Medium
Vendor	pom	developer id	kcooney	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	stefanbirkner	Medium
Vendor	pom	developer name	David Saff	Medium
Vendor	pom	developer name	Kevin Cooney	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Stefan Birkner	Medium
Vendor	pom	groupid	junit	Highest
Vendor	pom	name	JUnit	High
Vendor	pom	organization name	JUnit	High
Vendor	pom	organization url	http://www.junit.org	Medium
Vendor	pom	url	http://junit.org	Highest
Product	file	name	junit	High
Product	gradle	artifactid	junit	Highest
Product	jar	package name	junit	Highest
Product	Manifest	automatic-module-name	junit	Medium
Product	Manifest	Implementation-Title	JUnit	High
Product	Manifest	implementation-url	http://junit.org	Low
Product	pom	artifactid	junit	Highest
Product	pom	developer email	david@saff.net	Low
Product	pom	developer email	kcooney@google.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	mail@stefan-birkner.de	Low
Product	pom	developer id	dsaff	Low
Product	pom	developer id	kcooney	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	stefanbirkner	Low

Product	pom	developer name	David Saff	Low
Product	pom	developer name	Kevin Cooney	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Stefan Birkner	Low
Product	pom	groupid	junit	Highest
Product	pom	name	JUnit	High
Product	pom	organization name	JUnit	Low
Product	pom	organization url	http://www.junit.org	Low
Product	pom	url	http://junit.org	Medium
Version	file	version	4.13.2	High
Version	gradle	version	4.13.2	Highest
Version	Manifest	Implementation-Version	4.13.2	High
Version	pom	version	4.13.2	Highest

#### Identifiers

- pkg:maven/junit/junit@4.13.2 (*Confidence:High*)
- cpe:2.3:a:junit:junit4:4.13.2:\*:\*:\*:\*:\* (*Confidence:Low*) suppress

## junit-jupiter-5.14.0.jar

#### Description:

Module "junit-jupiter" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter/5.14.0/df30c385c7c8ea0e74e3b63d8c6c0fc2b0ecb55/junit-jupiter-5.14.0.jar

**MD5:** 7ddc03716bc709deb839426691440409

**SHA1:** 0df30c385c7c8ea0e74e3b63d8c6c0fc2b0ecb55

**SHA256:** a89501c76e91abfdc08201acdaaae681d5c8d59b62f375d5929b6681a0118f43

**Referenced In Project/Scope:** server:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

#### Evidence





Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter	High
Vendor	gradle	artifactid	junit-jupiter	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium

Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter (Aggregator)	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter	High
Product	gradle	artifactid	junit-jupiter	Highest
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter	Medium
Product	Manifest	Implementation-Title	junit-jupiter	High
Product	Manifest	specification-title	junit-jupiter	Medium
Product	pom	artifactid	junit-jupiter	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low

Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter (Aggregator)	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

### Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0 (*Confidence:High*)

## junit-jupiter-api-5.14.0.jar

### Description:

Module "junit-jupiter-api" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-api/5.14.0/4cc3acff995a4ce56ebf735a485800ddede31cb0/junit-jupiter-api-5.14.0.jar

**MD5:** ed392a0bd93155f0fd0674022a8ad32c

**SHA1:** 4cc3acff995a4ce56ebf735a485800ddede31cb0

**SHA256:** d3431a004b83823bcd95b6738130087ec32b2fb28a5a5deb4fbc16357bab8f9

**Referenced In Project/Scope:** server:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-api	High
Vendor	gradle	artifactid	junit-jupiter-api	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	api	Low
Vendor	jar	package name	junit	Highest

Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter API	High

Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-api	High
Product	gradle	artifactid	junit-jupiter-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter API	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-api	Medium
Product	Manifest	Implementation-Title	junit-jupiter-api	High
Product	Manifest	specification-title	junit-jupiter-api	Medium
Product	pom	artifactid	junit-jupiter-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low

Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-api@5.14.0 (Confidence:High)

## junit-jupiter-engine-5.14.0.jar

#### Description:

Module "junit-jupiter-engine" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-engine/5.14.0/9da8a108759444556e759f30e663a416a80f402c/junit-jupiter-engine-5.14.0.jar

**MD5:** 5a1f1a143fb48a49ceb29526b3951d5b

**SHA1:** 9da8a108759444556e759f30e663a416a80f402c

**SHA256:** 203b7a240b15716f8b881e2dfab0c580f1da5b274a196ff360f8cada2d1752ea

**Referenced In Project/Scope:** server:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-engine	High
Vendor	gradle	artifactid	junit-jupiter-engine	Highest

Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium

Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-engine	High
Product	gradle	artifactid	junit-jupiter-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Engine	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-engine	Medium
Product	Manifest	Implementation-Title	junit-jupiter-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-jupiter;version:Version="5.14.0"	Low
Product	Manifest	specification-title	junit-jupiter-engine	Medium
Product	pom	artifactid	junit-jupiter-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low



Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0 (*Confidence:High*)

## junit-jupiter-params-5.14.0.jar

#### Description:

Module "junit-jupiter-params" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.jupiter/junit-jupiter-params/5.14.0/3027dc3529237b2285b261640134daa217068c96/junit-jupiter-params-5.14.0.jar

**MD5:** dd4c6213ae046597f04d386cc5038338

**SHA1:** 3027dc3529237b2285b261640134daa217068c96

**SHA256:** 7fbb51837921c329604ba119dc1af0573d36230ea80f786aa3d4fd8c1dbb8a1b

**Referenced In Project/Scope:** server:inetPlugin

#### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-jupiter-params	High
Vendor	gradle	artifactid	junit-jupiter-params	Highest
Vendor	gradle	groupid	org.junit.jupiter	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	jupiter	Highest
Vendor	jar	package name	jupiter	Low
Vendor	jar	package name	params	Highest
Vendor	jar	package name	params	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-jupiter-params	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium

Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.jupiter	Highest
Vendor	pom	name	JUnit Jupiter Params	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-jupiter-params	High
Product	gradle	artifactid	junit-jupiter-params	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	jupiter	Highest
Product	jar	package name	jupiter	Low
Product	jar	package name	params	Highest
Product	jar	package name	params	Low
Product	jar	package name	shadow	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Jupiter Params	Medium
Product	Manifest	bundle-symbolicname	junit-jupiter-params	Medium
Product	Manifest	Implementation-Title	junit-jupiter-params	High
Product	Manifest	specification-title	junit-jupiter-params	Medium
Product	pom	artifactid	junit-jupiter-params	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.jupiter	Highest
Product	pom	name	JUnit Jupiter Params	High
Product	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.jupiter/junit-jupiter-params@5.14.0 (*Confidence*:High)

## junit-platform-commons-1.14.0.jar

#### Description:

Module "junit-platform-commons" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-commons/1.14.0/e7e1bbf2044652efc5a2a21f6b8c21173a9b91a1/junit-platform-commons-1.14.0.jar

**MD5:** 7f72f4b9a2ee123155ac4e9a011e0d8f

**SHA1:** e7e1bbf2044652efc5a2a21f6b8c21173a9b91a1

**SHA256:** e543a3a8422f1dfe6047f535305b70c777e0db431f1ef3f55ef5c86ac0bbcb9b

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-commons	High
Vendor	gradle	artifactid	junit-platform-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	commons	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	org	Highest
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium

Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Commons	High
Vendor	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Highest
Product	file	name	junit-platform-commons	High
Product	gradle	artifactid	junit-platform-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-commons	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	junit-platform-commons	Medium
Product	pom	artifactid	junit-platform-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low

Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Commons	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

## Identifiers

- pkg:maven/org.junit.platform/junit-platform-commons@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-engine-1.14.0.jar

### Description:

Module "junit-platform-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-engine/1.14.0/77386b812c0e3ba96cdd7c018d2a2f61940ccd8f/junit-platform-engine-1.14.0.jar

**MD5:** 80623f8b044fc4fde498e82659a5e9d7

**SHA1:** 77386b812c0e3ba96cdd7c018d2a2f61940ccd8f

**SHA256:** 57cd29de834469aee656e5debda1f09f7c59630fd57b90cc0cbaa31726fc4d4a

**Referenced In Project/Scope:** server:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-engine	High
Vendor	gradle	artifactid	junit-platform-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low



Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Engine API	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-engine	High
Product	gradle	artifactid	junit-platform-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	support	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Engine API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-engine	Medium
Product	Manifest	Implementation-	junit-platform-engine	High

Title				
Product	Manifest	specification-title	junit-platform-engine	Medium
Product	pom	artifactid	junit-platform-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Engine API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

## Identifiers

- pkg:maven/org.junit.platform/junit-platform-engine@1.14.0 (Confidence:High)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## junit-platform-launcher-1.14.0.jar

### Description:

Module "junit-platform-launcher" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-launcher/1.14.0/b61418170bd0b204429b9ae77af681a1ac74579d/junit-platform-launcher-1.14.0.jar

**MD5:** cbd4803d13742dba0ab00bd74d40aa3d

**SHA1:** b61418170bd0b204429b9ae77af681a1ac74579d

**SHA256:** 1000b278797510dcec40d90f77f0d84dcc13e5982da563c18b6b5665aae4b81c

**Referenced In Project/Scope:** server:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-launcher	High
Vendor	gradle	artifactid	junit-platform-launcher	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	launcher	Highest
Vendor	jar	package name	launcher	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High

Vendor	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-launcher	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Launcher	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-launcher	High
Product	gradle	artifactid	junit-platform-launcher	Highest
Product	jar	package name	junit	Highest
Product	jar	package name	launcher	Highest
Product	jar	package name	launcher	Low
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low

Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Launcher	Medium
Product	Manifest	bundle-symbolicname	junit-platform-launcher	Medium
Product	Manifest	Implementation-Title	junit-platform-launcher	High
Product	Manifest	provide-capability	org.junit.platform.launcher;org.junit.platform.launcher=junit-platform-launcher;version:Version="1.14.0"	Low
Product	Manifest	specification-title	junit-platform-launcher	Medium
Product	pom	artifactid	junit-platform-launcher	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Launcher	High
Product	pom	url	https://junit.org/	Medium

Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-launcher@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-suite-1.14.0.jar

### Description:

Module "junit-platform-suite" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite/1.14.0/28f2ccbb1d9707b233879e82f7f660c673ad053d/junit-platform-suite-1.14.0.jar

**MD5:** 5fa9ec3bbe194ae860e5e0a34099bd87

**SHA1:** 28f2ccbb1d9707b233879e82f7f660c673ad053d

**SHA256:** 52472503bdf9168853f6aa7dcb87a6563ebcc7748fdd91d9440df1928da82c13

**Referenced In Project/Scope:** server:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite	High
Vendor	gradle	artifactid	junit-platform-suite	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	module-info	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low

Vendor	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite (Aggregator)	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite	High
Product	gradle	artifactid	junit-platform-suite	Highest
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low

Product	Manifest	Bundle-Name	JUnit Platform Suite (Aggregator)	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite	Medium
Product	Manifest	Implementation-Title	junit-platform-suite	High
Product	Manifest	specification-title	junit-platform-suite	Medium
Product	pom	artifactid	junit-platform-suite	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite (Aggregator)	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest



Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0 (Confidence:High)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (Confidence:Low)

suppress

junit-platform-suite-api-1.14.0.jar

Description:

Module "junit-platform-suite-api" of JUnit 5.

License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-api/1.14.0/32db2f3c4405b2cad90e3756be83815414c80897/junit-platform-suite-api-1.14.0.jar

**MD5:** 286cd58bb6f5564c4e9f8b79dd319cf9

**SHA1:** 32db2f3c4405b2cad90e3756be83815414c80897

**SHA256:** 4399e19ace24e524d5957f7b3a9eaf954124241f3313ea659e01fd149f110c6a

**Referenced In Project/Scope:** server:inetPlugin

Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-api	High
Vendor	gradle	artifactid	junit-platform-suite-api	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	api	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low

Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-api	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite API	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-api	High
Product	gradle	artifactid	junit-platform-suite-api	Highest
Product	jar	package name	api	Highest
Product	jar	package name	api	Low
Product	jar	package name	junit	Highest

Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite API	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-api	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-api	High
Product	Manifest	specification-title	junit-platform-suite-api	Medium
Product	pom	artifactid	junit-platform-suite-api	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest

Product	pom	name	JUnit Platform Suite API	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

### Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-api@1.14.0 (Confidence:High)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## junit-platform-suite-commons-1.14.0.jar

### Description:

Module "junit-platform-suite-commons" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-commons/1.14.0/d351237988ef097514fc7a35bcfa3de73a08a0a/junit-platform-suite-commons-1.14.0.jar

**MD5:** 235c8d26c6a49946d7826e862e0a181d

**SHA1:** 0d351237988ef097514fc7a35bcfa3de73a08a0a

**SHA256:** b868237f8cb2e193775e3f712b9405cb3d4ffaa180579cc83a7fe1f6db9c5cc1

**Referenced In Project/Scope:** server:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-commons	High
Vendor	gradle	artifactid	junit-platform-suite-commons	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	commons	Highest
Vendor	jar	package name	junit	Highest

Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-commons	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest

Vendor	pom	name	JUnit Platform Suite Commons	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-platform-suite-commons	High
Product	gradle	artifactid	junit-platform-suite-commons	Highest
Product	jar	package name	commons	Highest
Product	jar	package name	commons	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Commons	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-commons	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-commons	High
Product	Manifest	specification-title	junit-platform-suite-commons	Medium
Product	pom	artifactid	junit-platform-suite-commons	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low

Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Commons	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-commons@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-platform-suite-engine-1.14.0.jar

### Description:

Module "junit-platform-suite-engine" of JUnit 5.

### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.platform/junit-platform-suite-engine/1.14.0/f87f86ae21fb6bfa7749cca62ec55e302ecd3e88/junit-platform-suite-engine-1.14.0.jar

**MD5:** 9306e0421eb55b833e9f37eecaeabdd4

**SHA1:** f87f86ae21fb6bfa7749cca62ec55e302ecd3e88

**SHA256:** f545be730d41d6a760e8422e687b8223d632026ae2049250c80c797007789ac0

**Referenced In Project/Scope:** server:inetPlugin

### Included by:

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-platform-suite-engine	High
Vendor	gradle	artifactid	junit-platform-suite-engine	Highest
Vendor	gradle	groupid	org.junit.platform	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	platform	Highest
Vendor	jar	package name	platform	Low
Vendor	jar	package name	suite	Highest
Vendor	jar	package name	suite	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-platform-suite-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium



Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.platform	Highest
Vendor	pom	name	JUnit Platform Suite Engine	High
Vendor	pom	url	<a href="https://junit.org/">https://junit.org/</a>	Highest
Product	file	name	junit-platform-suite-engine	High
Product	gradle	artifactid	junit-platform-suite-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	platform	Highest
Product	jar	package name	platform	Low
Product	jar	package name	suite	Highest
Product	jar	package name	suite	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Platform Suite Engine	Medium
Product	Manifest	bundle-symbolicname	junit-platform-suite-engine	Medium
Product	Manifest	Implementation-Title	junit-platform-suite-engine	High
Product	Manifest	specification-title	junit-platform-suite-engine	Medium
Product	pom	artifactid	junit-platform-suite-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low

Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.platform	Highest
Product	pom	name	JUnit Platform Suite Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	1.14.0	High
Version	gradle	version	1.14.0	Highest
Version	Manifest	Bundle-Version	1.14.0	High
Version	Manifest	Implementation-Version	1.14.0	High
Version	pom	version	1.14.0	Highest

#### Identifiers

- pkg:maven/org.junit.platform/junit-platform-suite-engine@1.14.0 (*Confidence:High*)
- cpe:2.3:a:fan\_platform\_project:fan\_platform:1.14.0:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

## junit-vintage-engine-5.14.0.jar

#### Description:

Module "junit-vintage-engine" of JUnit 5.

#### License:

Eclipse Public License v2.0: <https://www.eclipse.org/legal/epl-v20.html>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.junit.vintage/junit-vintage-engine/5.14.0/ac6667e31d2774c9281bbcbe00706d54c47db40e/junit-vintage-engine-5.14.0.jar

**MD5:** 372fe55fae45603c029e6379e728c764

**SHA1:** ac6667e31d2774c9281bbcbe00706d54c47db40e

**SHA256:** 10b9cea16ce573d906719326795bb2b6a5aecbdcc64ab30825f05af9226cb595

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0
- pkg:maven/clear-reports/server@26.4

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	junit-vintage-engine	High
Vendor	gradle	artifactid	junit-vintage-engine	Highest
Vendor	gradle	groupid	org.junit.vintage	Highest
Vendor	jar	package name	engine	Highest
Vendor	jar	package name	engine	Low
Vendor	jar	package name	junit	Highest
Vendor	jar	package name	junit	Low
Vendor	jar	package name	vintage	Highest
Vendor	jar	package name	vintage	Low
Vendor	Manifest	build-date	2025-09-30	Low
Vendor	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Vendor	Manifest	build-time	09:14:43.001+0200	Low
Vendor	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Vendor	Manifest	Implementation-Vendor	junit.org	High
Vendor	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.14.0"	Low
Vendor	Manifest	specification-vendor	junit.org	Low
Vendor	pom	artifactid	junit-vintage-engine	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	derancourt.juliette@gmail.com	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	sormuras@gmail.com	Low

Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	juliette-derancourt	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer id	sormuras	Medium
Vendor	pom	developer name	Christian Stein	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Juliette de Rancourt	Medium
Vendor	pom	developer name	Marc Philipp	Medium
Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.junit.vintage	Highest
Vendor	pom	name	JUnit Vintage Engine	High
Vendor	pom	url	https://junit.org/	Highest
Product	file	name	junit-vintage-engine	High
Product	gradle	artifactid	junit-vintage-engine	Highest
Product	jar	package name	engine	Highest
Product	jar	package name	engine	Low
Product	jar	package name	junit	Highest
Product	jar	package name	vintage	Highest
Product	jar	package name	vintage	Low
Product	Manifest	build-date	2025-09-30	Low
Product	Manifest	build-revision	8545c93a9d86ef7f9c848c0eca4ec792f4e82a3	Low
Product	Manifest	build-time	09:14:43.001+0200	Low
Product	Manifest	Bundle-Name	JUnit Vintage Engine	Medium
Product	Manifest	bundle-symbolicname	junit-vintage-engine	Medium
Product	Manifest	Implementation-Title	junit-vintage-engine	High
Product	Manifest	provide-capability	org.junit.platform.engine;org.junit.platform.engine=junit-vintage;version:Version="5.14.0"	Low
Product	Manifest	specification-title	junit-vintage-engine	Medium

Product	pom	artifactid	junit-vintage-engine	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	derancourt.juliette@gmail.com	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	sormuras@gmail.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	juliette-derancourt	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer id	sormuras	Low
Product	pom	developer name	Christian Stein	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Juliette de Rancourt	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.junit.vintage	Highest
Product	pom	name	JUnit Vintage Engine	High
Product	pom	url	https://junit.org/	Medium
Version	file	version	5.14.0	High
Version	gradle	version	5.14.0	Highest
Version	Manifest	Bundle-Version	5.14.0	High
Version	Manifest	Implementation-Version	5.14.0	High
Version	pom	version	5.14.0	Highest

## Identifiers

- pkg:maven/org.junit.vintage/junit-vintage-engine@5.14.0 (*Confidence:High*)

- cpe:2.3:a:fan\_platform\_project:fan\_platform:5.14.0:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## lang-css.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/lang-css.js

**MD5:** 914365fa44cd3c094afc7c0de229e29e

**SHA1:** 0a6564da73538b95de1d787c36347f63595891b4

**SHA256:** 9b6ac483033b02572714eb4d37ee199185c41008eb2b3f46a00ab0ebce6a20c5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## linenumber.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/linenumber.js

**MD5:** 8520038fe7381ba8119956a342d21580

**SHA1:** ccbf2747b02c5204bf135f3b48fcfb74540c62e8

**SHA256:** bcc1057a550d0865cd8fceb0e7531b76226d25d42ebdfa8cab11f2314c3787

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

**Description:**

Implementation

**License:**<http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
 /server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-activation.jar

**MD5:** ad20392145690b36b4f950fe31a31a2a

**SHA1:** 7f80607ea5014fef0b1779e6c33d63a88a45a563

**SHA256:** a6bd35c538cf90fff941ad6258c40c08fca0b5c9c3f536c657114f27ce0527a7

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	angus-activation	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	angus-activation	Medium
Vendor	Manifest	extension-name	org.eclipse.angus	Medium
Vendor	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	angus-activation	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Activation Registries	High
Vendor	pom	parent-artifactid	angus-activation-project	Low
Product	file	name	angus-activation	High
Product	jar	package name	activation	Highest
Product	jar	package name	angus	Highest

Product	jar	package name	eclipse	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Activation Registries	Medium
Product	Manifest	bundle-symbolicname	angus-activation	Medium
Product	Manifest	extension-name	org.eclipse.angus	Medium
Product	Manifest	implementation-build-id	2.0.3-RELEASE-6eff4c5	Low
Product	Manifest	Implementation-Title	Angus Activation Registries	High
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MailcapRegistryProvider",osgi.serviceloader;osgi.serviceloader="jakarta.activation.spi.MimeTypeRegistryProvider"	Low
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	angus-activation	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Activation Registries	High
Product	pom	parent-artifactid	angus-activation-project	Medium
Version	Manifest	Bundle-Version	2.0.3	High
Version	pom	version	2.0.3	Highest

#### Identifiers

- pkg:maven/org.eclipse.angus/angus-activation@2.0.3 (*Confidence:High*)

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:angus-core:2.0.5)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/angus-core/pom.xml

**MD5:** 102fa937d3897ac6eb838ff3a716bc80

**SHA1:** 11d1302ad859e7dda8e897ffa278a2135d0d3c7e

**SHA256:** 162bec7f0c7a2c3d461a42ca576e139b80628798f97f274b7dd5759226fc47c1

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	angus-core	Low



Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Core	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	angus-core	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Core	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.5	Highest

### Identifiers

- pkg:maven/org.eclipse.angus/angus-core@2.0.5 (Confidence:High)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*:\*:\*:\*:\* (Confidence:Low)

suppress

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:imap:2.0.5)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/imap/pom.xml

**MD5:** c031701146f4f9887af1d7348b68e607

**SHA1:** bd81e3288ab646231bc2d64cedf04fe3c3146bf5

**SHA256:** 251e848e4c2db58e57e7725434e0498043cd3d554fba21d22d5178e5783e21dd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	imap	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail imap provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	imap	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail imap provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

## Identifiers

- pkg:maven/org.eclipse.angus/imap@2.0.5 (*Confidence:High*)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

**mail.zip: angus-mail.jar (shaded: org.eclipse.angus:logging-mailhandler:2.0.5)**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/logging-mailhandler/pom.xml

**MD5:** d4925a2ff344f2fab35fdf31f4813b43

**SHA1:** 53aac2712cc43a3aed66f65536fd91709056aef1

**SHA256:**869577c24e1abb117bd9cf7dc9228c2643839b75087bfc5d6fed0d328ed9d1f7

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	logging-mailhandler	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail logging handler	High
Vendor	pom	parent-artifactid	all	Low
Product	pom	artifactid	logging-mailhandler	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail logging handler	High
Product	pom	parent-artifactid	all	Medium
Version	pom	version	2.0.5	Highest

## Identifiers

- pkg:maven/org.eclipse.angus/logging-mailhandler@2.0.5 (*Confidence:High*)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*:\*:\*:\*:\* (*Confidence:Highest*) suppress

suppress

**mail.zip: angus-mail.jar (shaded: org.eclipse.angus:pop3:2.0.5)**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/pop3/pom.xml

**MD5:** 0d7646a22486f0de9392d7ea120ff618

**SHA1:** 4b674f85989e5cc112b93427ec3852ef90359ba3

**SHA256:** 64b065cc6bec31a1e5fefa9bf47382045cf048d69a9820da4cecc85f34a77a69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	pop3	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail pop3 provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	pop3	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail pop3 provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

#### Identifiers

- pkg:maven/org.eclipse.angus/pop3@2.0.5 (*Confidence:*High)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*\*\*\*\* (*Confidence:*Low)

suppress

### mail.zip: angus-mail.jar (shaded: org.eclipse.angus:smtp:2.0.5)

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar/META-INF/maven/org.eclipse.angus/smtp/pom.xml

**MD5:** b5281897cc205fa3c8f0a93b58d4ba31

**SHA1:** c4b330d66629d75d0df7c09739c7ab37ca834011

**SHA256:** 14923a712a69fb1408452be22fe8e87aa57e45337f0b52ae289d2bbb3d016ec1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	pom	artifactid	smtp	Low
Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail smtp provider	High
Vendor	pom	parent-artifactid	providers	Low
Product	pom	artifactid	smtp	Highest

Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail smtp provider	High
Product	pom	parent-artifactid	providers	Medium
Version	pom	version	2.0.5	Highest

## Identifiers

- pkg:maven/org.eclipse.angus/smtp@2.0.5 (Confidence:High)
- cpe:2.3:a:eclipse:angus\_mail:2.0.5:\*:\*:\*:\*:\* (Confidence:Low)

suppress

## mail.zip: angus-mail.jar

### Description:

Angus Mail Provider

### License:

<http://www.eclipse.org/legal/epl-2.0>, <https://www.gnu.org/software/classpath/license.html>, <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/angus-mail.jar

**MD5:** e965a2653568c0138457b4c6fc9e5d77

**SHA1:** 427f6d52ec0782f7efaca0c0732042e347a6cb4f

**SHA256:** b4d8c30d35f455def6c7a05fe595a1e62ea2b80cac3efec1e9ccf4118b23168a

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angus-mail	High
Vendor	jar	package name	angus	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Vendor	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Vendor	pom	artifactid	angus-mail	Low

Vendor	pom	groupid	org.eclipse.angus	Highest
Vendor	pom	name	Angus Mail Provider	High
Vendor	pom	parent-artifactid	all	Low
Product	file	name	angus-mail	High
Product	jar	package name	angus	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	mail	Highest
Product	jar	package name	util	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Angus Mail Provider	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.angus.mail	Medium
Product	Manifest	provide-capability	osgi.serviceloader;osgi.serviceloader="jakarta.mail.util.StreamProvider",osgi.serviceloader;osgi.serviceloader="jakarta.mail.Provider"	Low
Product	pom	artifactid	angus-mail	Highest
Product	pom	groupid	org.eclipse.angus	Highest
Product	pom	name	Angus Mail Provider	High
Product	pom	parent-artifactid	all	Medium
Version	Manifest	Bundle-Version	2.0.5	High
Version	pom	version	2.0.5	Highest

### Identifiers

- pkg:maven/org.eclipse.angus/angus-mail@2.0.5 (Confidence:High)
- [cpe:2.3:a:eclipse:angus\\_mail:2.0.5:\\*.~\\*~\\*~\\*~\\*~\\*~\\*](#) (Confidence:Highest)

suppress

## mail.zip: bc-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bc-fips.jar

**MD5:** 0e3ce147f5132e096e7c3b22ab23a079

**SHA1:** 061fbe8383f70489dda95a11a2a4739eb818ff2c

**SHA256:**044fcd8a29d236edea8a5b414406cdac63b475f9ad9f05fe2dc904a277941115

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bc-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	fips	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	provider	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Provider	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcfips	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bc-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	fips	Highest
Product	jar	package name	org	Highest
Product	jar	package name	permissions	Highest
Product	jar	package name	provider	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Provider	Medium

Product	Manifest	Bundle-Name	bcfips	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcfips	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	jar	package name	permissions	Highest
Version	Manifest	Bundle-Version	2.1.2	High
Version	Manifest	Implementation-Version	2.1.2	High

#### Related Dependencies



- webserver.zip: bc-fips.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bc-fips.jar
  - MD5: 0e3ce147f5132e096e7c3b22ab23a079
  - SHA1: 061fbe8383f70489dda95a11a2a4739eb818ff2c
  - SHA256: 044fcd8a29d236edea8a5b414406cdae63b475f9ad9f05fe2dc904a277941115

#### Identifiers

- cpe:2.3:a:bouncycastle:bouncy\_castle\_for\_java:2.1.2:\*\*\*\*:\* (Confidence:Low)

suppress

### mail.zip: bcjmail-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcjmail-fips.jar

**MD5:** 3b3a2949caf465737f18eba828c82f8d

**SHA1:** 11d1755a9103ae0359a5d8a0e3397d054bf16b0f

**SHA256:** 134bd06e17e66f13319b5e90781695d9c2bd586f4ed1dc3fc6f833279a750bc9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcjmail-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	mail	Low
Vendor	jar	package name	smime	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.bcjmail	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcjmail	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcjmail-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	mail	Low
Product	jar	package name	smime	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS JAKARTA S/MIME API	Medium
Product	Manifest	automatic-	org.bouncycastle.fips.bcjmail	Medium



## module-name

Product	Manifest	Bundle-Name	bcjmail	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcjmail	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcjmail.mail	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.6	High
Version	Manifest	Implementation-Version	2.1.6	High

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.6:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence: Highest*)

## mail.zip: bcpg-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpg-fips.jar

**MD5:** 22924ccba346b696acaa3c72634ea8b5

**SHA1:** 727e087a843f3a5a8143e4f3a7518c8c3517df18

**SHA256:** ea51efee825bd0d61c3d22cff5a127898edc7ca62ba454fbcf4789801031d850

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcpg-fips	High
Vendor	jar	package name	bcpg	Highest
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	openpgp	Highest

Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcpg	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pg	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpg-fips	High
Product	jar	package name	bcpg	Highest
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	openpgp	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS OpenPGP API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pg	Medium
Product	Manifest	Bundle-Name	bcpg	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpg	Medium
Product	Manifest	caller-allowable-codebase	*	Low

Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfix.pg	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.11	High
Version	Manifest	Implementation-Version	2.1.11	High

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.11:\\*\\*\\*\\*\\*](#) (Confidence: Highest)
- [cpe:2.3:a:openpgp:openpgp:2.1.11:\\*\\*\\*\\*\\*](#) (Confidence: Highest)

## mail.zip: bcpkix-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcpkix-fips.jar

**MD5:** 17235576f301545c841cd96c00cc4815

**SHA1:** 41d15c70437440d63b65225d7c00873a030d25d0

**SHA256:** c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

**Referenced In Project/Scope:** server

## Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	bcpkix-fips	High
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	pkix	Highest
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low

Vendor	Manifest	bundle-symbolicname	bcpkix	Medium
Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcpkix-fips	High
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	pkix	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS PKIX API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.pkix	Medium
Product	Manifest	Bundle-Name	bcpkix	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcpkix	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.pkix	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.10	High
Version	Manifest	Implementation-Version	2.1.10	High

## Related Dependencies



- webserver.zip: bcpkix-fips.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcpkix-fips.jar
  - MD5: 17235576f301545c841cd96c00cc4815
  - SHA1: 41d15c70437440d63b65225d7c00873a030d25d0
  - SHA256: c4370064664d474d8681f55f302cfdade4cae0f3d798b10fd18b0ab8fbd6fed1

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.10:\\*\\*\\*\\*:\\*](#) (Confidence: Highest)

## mail.zip: bcutil-fips.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/bcutil-fips.jar

**MD5:** ca132f36f25d85df12535487bb9a2d33

**SHA1:** 30b41ebc759a4f02e2ff7ab9acb09268923ee41f

**SHA256:** 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	bcutil-fips	High
Vendor	jar	package name	asn1	Low
Vendor	jar	package name	bouncycastle	Highest
Vendor	jar	package name	bouncycastle	Low
Vendor	jar	package name	its	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Vendor	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Vendor	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Vendor	Manifest	bundle-symbolicname	bcutil	Medium

Vendor	Manifest	caller-allowable-codebase	*	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Vendor	Manifest	Implementation-Vendor	BouncyCastle.org	High
Vendor	Manifest	Implementation-Vendor-Id	org.bouncycastle	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	BouncyCastle.org	Low
Vendor	Manifest	trusted-library	true	Low
Product	file	name	bcutil-fips	High
Product	jar	package name	asn1	Low
Product	jar	package name	bouncycastle	Highest
Product	jar	package name	its	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	application-name	Bouncy Castle FIPS Utility API	Medium
Product	Manifest	automatic-module-name	org.bouncycastle.fips.util	Medium
Product	Manifest	Bundle-Name	bcutil	Medium
Product	Manifest	bundle-requiredexecution	JavaSE-1.8	Low
Product	Manifest	bundle-symbolicname	bcutil	Medium
Product	Manifest	caller-allowable-codebase	*	Low
Product	Manifest	codebase	*	Low
Product	Manifest	extension-name	org.bouncycastle.bcfips.util	Medium
Product	Manifest	multi-release	true	Low
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	trusted-library	true	Low
Version	Manifest	Bundle-Version	2.1.5	High
Version	Manifest	Implementation-Version	2.1.5	High

## Related Dependencies



- webserver.zip: bcutil-fips.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/bcutil-fips.jar
  - MD5: ca132f36f25d85df12535487bb9a2d33
  - SHA1: 30b41ebc759a4f02e2ff7ab9acb09268923ee41f
  - SHA256: 503aaf5c2c5b7c729547462efe13699b5f6dacf9be150b7c48bba974b793dc92

## Identifiers

- [cpe:2.3:a:bouncycastle:bouncy\\_castle\\_for\\_java:2.1.5:\\*:\\*:\\*:\\*:\\*](#) (*Confidence*:Highest)

suppress

## mail.zip: jakarta.activation-api.jar

### Description:

Specification

### License:

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.activation-api.jar

**MD5:** bc1602eee7bc61a0b86f14bbb0cc794

**SHA1:** 9e5c2a0d75dde71a0bedc4dbdbe47b78a5dc50f8

**SHA256:** c9db52100ce6c8aac95cc39075f95720d2e561b11f8051b81c121ad4effd7004

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.activation-api	High
Vendor	jar	package name	activation	Highest
Vendor	jar	package name	jakarta	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Vendor	Manifest	extension-name	jakarta.activation	Medium
Vendor	Manifest	implementation-build-id	3dad341	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High

Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.activation-api	Low
Vendor	pom	developer email	bill.shannon@oracle.com	Low
Vendor	pom	developer id	shannon	Medium
Vendor	pom	developer name	Bill Shannon	Medium
Vendor	pom	developer org	Oracle	Medium
Vendor	pom	groupid	jakarta.activation	Highest
Vendor	pom	name	Jakarta Activation API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Vendor	pom	url	jakartaee/jaf-api	Highest
Vendor	pom (hint)	developer org	sun	Medium
Product	file	name	jakarta.activation-api	High
Product	jar	package name	activation	Highest
Product	jar	package name	jakarta	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Activation API	Medium
Product	Manifest	bundle-symbolicname	jakarta.activation-api	Medium
Product	Manifest	extension-name	jakarta.activation	Medium
Product	Manifest	implementation-build-id	3dad341	Low
Product	Manifest	Implementation-Title	Jakarta Activation API	High
Product	Manifest	specification-title	Jakarta Activation Specification	Medium
Product	pom	artifactid	jakarta.activation-api	Highest
Product	pom	developer email	bill.shannon@oracle.com	Low
Product	pom	developer id	shannon	Low
Product	pom	developer name	Bill Shannon	Low
Product	pom	developer org	Oracle	Low
Product	pom	groupid	jakarta.activation	Highest
Product	pom	name	Jakarta Activation API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	pom	url	jakartaee/jaf-api	High
Version	Manifest	Bundle-Version	2.1.4	High



Version	pom	parent-version	2.1.4	Low
Version	pom	version	2.1.4	Highest

#### Identifiers

- pkg:maven/jakarta.activation/jakarta.activation-api@2.1.4 (*Confidence:High*)

## mail.zip: jakarta.mail-api.jar

### Description:

Specification API

### License:

EPL 2.0: <http://www.eclipse.org/legal/epl-2.0>

GPL2 w/ CPE: <https://www.gnu.org/software/classpath/license.html>

EDL 1.0: <http://www.eclipse.org/org/documents/edl-v10.php>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/jakarta.mail-api.jar

**MD5:** a1872951f46b87594806bb01e342a468

**SHA1:** be9b3b677ed6083f575c437ebc442a6a4bd2b931

**SHA256:** aa493753acb7a8c45ba8f4c9cf1230a74e20237056dd5b5c8bc86c583e8cfa0e

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jakarta.mail-api	High
Vendor	jar	package name	jakarta	Highest
Vendor	jar	package name	mail	Highest
Vendor	Manifest	bundle-docurl	<a href="https://www.eclipse.org">https://www.eclipse.org</a>	Low
Vendor	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Vendor	Manifest	extension-name	jakarta.mail	Medium
Vendor	Manifest	implementation-build-id	e187321	Low
Vendor	Manifest	Implementation-Vendor	Eclipse Foundation	High
Vendor	Manifest	specification-vendor	Eclipse Foundation	Low
Vendor	pom	artifactid	jakarta.mail-api	Low
Vendor	pom	groupid	jakarta.mail	Highest

Vendor	pom	name	Jakarta Mail API	High
Vendor	pom	parent-artifactid	project	Low
Vendor	pom	parent-groupid	org.eclipse.ee4j	Medium
Product	file	name	jakarta.mail-api	High
Product	jar	package name	jakarta	Highest
Product	jar	package name	mail	Highest
Product	Manifest	bundle-docurl	https://www.eclipse.org	Low
Product	Manifest	Bundle-Name	Jakarta Mail API	Medium
Product	Manifest	bundle-symbolicname	jakarta.mail-api	Medium
Product	Manifest	extension-name	jakarta.mail	Medium
Product	Manifest	implementation-build-id	e187321	Low
Product	Manifest	Implementation-Title	Jakarta Mail API	High
Product	Manifest	specification-title	Jakarta Mail Specification	Medium
Product	pom	artifactid	jakarta.mail-api	Highest
Product	pom	groupid	jakarta.mail	Highest
Product	pom	name	Jakarta Mail API	High
Product	pom	parent-artifactid	project	Medium
Product	pom	parent-groupid	org.eclipse.ee4j	Medium
Version	Manifest	Bundle-Version	2.1.5	High
Version	pom	parent-version	2.1.5	Low
Version	pom	version	2.1.5	Highest

#### Identifiers

- pkg:maven/jakarta.mail/jakarta.mail-api@2.1.5 (Confidence:High)
- [cpe:2.3:a:eclipse:jakarta\\_mail:2.1.5:\\*:\\*:\\*:\\*:\\*](#) (Confidence:High)

suppress

#### mail.zip: mail.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar

**MD5:** 6e18ffff3b079344298ad69646378b5b

**SHA1:** b4e425960691f07b53dc1678fc34480f5198c593

**SHA256:** 913d33b5e740766da9510b5be0732d26a90415d34be2f0fb2cfc8c0adf9b78

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	mail	High
Vendor	jar	package name	api	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	mail	Low
Vendor	Manifest	built-date	2026-06-16 16:55	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	mail	High
Product	jar	package name	api	Low
Product	jar	package name	mail	Highest
Product	jar	package name	mail	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2026-06-16 16:55	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	mail	High
Product	Manifest	specification-title	mail	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/mail.zip/mail.jar/com/inet/mail/structure/smimeconfig.js

**MD5:** 5bcf984b6f7d3c12903f8e45723c4737

**SHA1:** c0fefbb10badfba57b9dd391e641c1357c10b615

**SHA256:** 0fd57f5869585f955a1274b3e859d7172f1d8c41f26fb647d256207d680c5567

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### main.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/main.js

**MD5:** 2b558dab5ed8c55f9230d761baa9568d

**SHA1:** c4805fdaf812b232eaec0b59218c5ef03d6f0b46

**SHA256:** 197e7c96a3eff851e84bc401bd748367246462dfea148a2488b083f6f837c969

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.reporting.zip: maintenance.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.reporting.zip/maintenance.reporting.jar

**MD5:** 2ad14d360d9830cbab558c5eded35bb5

**SHA1:** 53aeb27d1972a857d1b6ac1b81039587e1265814  
**SHA256:**d3e5ea7d1f76705a4b113474a2301c396291c18de88add950d5098fc55ab06a5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugins	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance.reporting	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	plugins	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	maintenance.reporting	High
Product	Manifest	specification-title	maintenance.reporting	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar

**MD5:** e9908d0a6ec4ef67f6b09315f6ed3d32

**SHA1:** 0846b388429f9b632de05edad81b264421889807

**SHA256:** db8df9ae48898812b979301478da075bb53c62f7c5e9f2dbd1b159c465670eb0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance-javadoc	High
Product	file	name	maintenance-javadoc	High

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/member-search-index.js

**MD5:** d2f21acbf71acf3041122496263b6987

**SHA1:** 84b4c22fabbd5df572518bbccbdb96b3936b6fc

**SHA256:** dd41c917e08c1e6b0b4cac7e70d4284187f4c49eb8e3d6f4c208031b21e5291a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/package-search-index.js  
**MD5:** 855175baa750c5c598744cead48c703b  
**SHA1:** 0c42882b706bfb4b9e6395f33e47c199af9ad99c  
**SHA256:** 2fedad883e306a57bd45bc9d379ebaf73e07a74f40b222a6bd6636a128e02321  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/tag-search-index.js  
**MD5:** a58a1c5776c62196a0f461efeeec112cf  
**SHA1:** 1f0fdbb7c073f10c3554bd94ad9a08e02540e79d  
**SHA256:** c152193c680dff2fca6c2f8feec029f8a15b07527def9ddcd88eb0a078c5e704  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Related Dependencies



- taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: tag-search-index.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/tag-search-index.js
  - MD5: a58a1c5776c62196a0f461efeeec112cf
  - SHA1: 1f0fdbb7c073f10c3554bd94ad9a08e02540e79d
  - SHA256: c152193c680dff2fca6c2f8feec029f8a15b07527def9ddcd88eb0a078c5e704

#### Identifiers

- None

**maintenance.zip: maintenance-javadoc.jar: type-search-index.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance-javadoc.jar/type-search-index.js

**MD5:** 5f0f0ccdd4505d0bec8b945166307218

**SHA1:** 5595ef71303f817751c27596da180e8e8866f2b4

**SHA256:** 25da93efbedae785d430a8c419d14ea9bb9e1eef9d948f36e27ee8ce803392be

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**maintenance.zip: maintenance.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar

**MD5:** a206c00c895e79d9790d39bd3b1a0d05

**SHA1:** f7ae514a0ab0a434fa7e2568f1ffea8495895a7

**SHA256:** 1a6d2d87c94fccb0c2477172b3fddbe6fb6c720dce83c1983079532a488bccc8

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
Vendor	file	name	maintenance	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	maintenance	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-06-16 16:36	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium



Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	maintenance	High
Product	jar	package name	maintenance	Highest
Product	jar	package name	maintenance	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 16:36	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	maintenance	High
Product	Manifest	specification-title	maintenance	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/backup/js/controller.js

**MD5:** eda28b0d3fc75e6df1ec801c4dda1184

**SHA1:** bde7771a725ab5f735940d621e891210d76d746c

**SHA256:** a6b050a5c95270a0c67687822415186d22ee8330dcf39902d53e80d8272effda

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/cache/js/controller.js

**MD5:** 9aed8a6ed9f9e734d77c32d719bec6c3

**SHA1:** f1e50c3fe93c975c1900d7bb2f6e3903805466a8

**SHA256:** 153239e343c82ae0a4a573dfcfd0292c52b77816297b77830d59aea2dd2c5c6a

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/controller.js

**MD5:** 0ff72e191a3f127973fc5a9381f1e3fb

**SHA1:** 2ed064d4500a047ef82b23173f0abf1e9813e1a2

**SHA256:** 6d60b6004b5b228cc1e6fc6ba01afc922d7d6e174f32773dbf32f1993085a0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/programdata/js/controller.js

**MD5:** fa453d5635f82f0078c224f27dd99a7d

**SHA1:** 6288a3c4fbff29ee7cc6a8f69149de44c49ef5c6  
**SHA256:** f7902fb5b8dd900a95b90969872c55787e2d4f65f3736d827fcb13c0ebcef46b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/controller.js  
**MD5:** 8761a32cdcf4e1e4a7685026230292f7  
**SHA1:** c2d0abdc930a08da61c93cf63f310c9a74434f3c  
**SHA256:** 358479a73183963c1626c72ae92d5c4f7c03b83363c80257ac03dc58eb4285bd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### maintenance.zip: maintenance.jar: filechooser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/main/js/filechooser.js  
**MD5:** e68e2ea53d15557b2fb1deaf06d441d3  
**SHA1:** 047d5f2582143536ea470e92aa91fb7b77c7f093  
**SHA256:** c44d53718171530ce586b9932fe7126a09de8e6f7bb9e40aaf949483e432e87d  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

**maintenance.zip: maintenance.jar: multieditusers.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/maintenance.zip/maintenance.jar/com/inet/maintenance/resources/usercleanup/js/multieditusers.js  
**MD5:** 9344849a6f020a58c0f0d718e8c76929  
**SHA1:** 2d636915befebb9bd1db90c54bffe6acfb088d87  
**SHA256:**ab73fb84fe0687eaea50fa310992eb630da346b49387ccee829854f6ecc03329  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

**mariadb-java-client.jar**


**Description:**

JDBC driver for MariaDB and MySQL

**License:**

LGPL-2.1-or-later

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mariadb-java-client.jar  
**MD5:** 51b9c427695b359459c7818f8d02f362  
**SHA1:** 452ea913ff32dcd58e816565ebbb1abf8fae82e  
**SHA256:**07bb1229dc184f3313a5aef4c5a6b3207c8dbaa09db4a26814c936f004b4c526  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Vendor	file	name	mariadb-java-client	High
Vendor	jar	package name	client	Highest
Vendor	jar	package name	driver	Highest
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	mariadb	Highest
Vendor	jar	package name	org	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Vendor	Manifest	bundle-docurl	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Low
Vendor	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	mariadb-java-client	Low
Vendor	pom	developer id	mariadbJdbcDevelopers	Medium
Vendor	pom	developer name	mariadb jdbc developers	Medium
Vendor	pom	groupid	org.mariadb.jdbc	Highest
Vendor	pom	name	mariadb-java-client	High
Vendor	pom	organization name	mariadb.com	High
Vendor	pom	organization url	<a href="https://mariadb.com">https://mariadb.com</a>	Medium
Vendor	pom	url	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Highest
Product	file	name	mariadb-java-client	High
Product	jar	package name	client	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mariadb	Highest
Product	jar	package name	org	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-developers	mariadbJdbcDevelopers;name="mariadb jdbc developers"	Low
Product	Manifest	bundle-docurl	<a href="https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/">https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/</a>	Low
Product	Manifest	Bundle-Name	mariadb-java-client	Medium
Product	Manifest	bundle-symbolicname	mariadb-java-client	Medium
Product	Manifest	multi-release	true	Low

Product	pom	artifactid	mariadb-java-client	Highest
Product	pom	developer id	mariadbJdbcDevelopers	Low
Product	pom	developer name	mariadb jdbc developers	Low
Product	pom	groupid	org.mariadb.jdbc	Highest
Product	pom	name	mariadb-java-client	High
Product	pom	organization name	mariadb.com	Low
Product	pom	organization url	https://mariadb.com	Low
Product	pom	url	https://mariadb.com/kb/en/mariadb/about-mariadb-connector-j/	Medium
Version	Manifest	Bundle-Version	3.5.7	High
Version	pom	version	3.5.7	Highest

#### Identifiers

- pkg:maven/org.mariadb.jdbc/mariadb-java-client@3.5.7 (Confidence:High)

## mysql-connector-j.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/mysql-connector-j.jar

**MD5:** f18b3756c4b8c6c2d82e3819ae085fbe

**SHA1:** 64153d7488bbf25c040f3b0f004177bc05b36b22

**SHA256:** f2ca3dfaf00d4aa311470db7ea3051962944ba0cb60005a2f75467549c39f425

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	mysql-connector-j	High
Vendor	hint analyzer	vendor	oracle	Highest
Vendor	hint analyzer (hint)	vendor	sun	Highest
Vendor	jar	package name	cj	Highest
Vendor	jar	package name	cj	Low
Vendor	jar	package name	mysql	Highest
Vendor	jar	package name	mysql	Low
Vendor	Manifest	bundle-	com.mysql.cj	Medium

symbolicname

Vendor	Manifest	Implementation-Vendor	Oracle	High
Vendor	Manifest	Implementation-Vendor-Id	com.mysql	Medium
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Vendor	Manifest (hint)	Implementation-Vendor	sun	High
Product	file	name	mysql-connector-j	High
Product	hint analyzer	product	mysql_connector/j	Highest
Product	hint analyzer	product	mysql_connector_j	Highest
Product	hint analyzer	product	mysql_connectors	Highest
Product	jar	package name	cj	Highest
Product	jar	package name	cj	Low
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	mysql	Highest
Product	jar	package name	xdevapi	Highest
Product	Manifest	Bundle-Name	Oracle Corporation's JDBC and XDevAPI Driver for MySQL	Medium
Product	Manifest	bundle-symbolicname	com.mysql.cj	Medium
Product	Manifest	Implementation-Title	MySQL Connector/J	High
Product	Manifest	specification-title	JDBC	Medium
Version	Manifest	Bundle-Version	9.5.0	High
Version	Manifest	Implementation-Version	9.5.0	High

## Identifiers

- [cpe:2.3:a:mysql:mysql:9.5.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:connectorVj:9.5.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:jdbc:9.5.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:mysql\\_connectorVj:9.5.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress
- [cpe:2.3:a:oracle:mysql\\_connectors:9.5.0:\\*.~\\*~\\*~\\*~\\*~\\*](#) (*Confidence:High*est) suppress

## notification.zip: notification.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar

**MD5:** 931734080d199dbae5e55cd2b74de06b

**SHA1:** 4092e95a9187e96b4ec142972907a49c5ecda101

**SHA256:** 974989106d1682f097bd50771a8e8755965311e462731c207bd5c838953359d6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	notification	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	notificationui	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-06-16 16:52	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	notification	High
Product	jar	package name	notificationui	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 16:52	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	notification	High
Product	Manifest	specification-title	notification	Medium
Version	Manifest	Implementation-Version	26.4.269	High

### Identifiers



- None

#### notification.zip: notification.jar: notification.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification.js

**MD5:** a7914294220b5e8b3455195997e7a654

**SHA1:** 6aa5184b6872c79a90cb0c7db02e4b383ae1d6f0

**SHA256:** 1adacc2b14565423a88959085345d44027d4ca43cb75b2a1dceb5ffdde9c0637

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### notification.zip: notification.jar: notification\_config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_config.js

**MD5:** 323c074408d9e2dc2145230f2f2bec9e

**SHA1:** e6ca6eb13f3c22aedfbd90b0d7306c35cd7d2b28

**SHA256:** c86eed2c4c6b7df65bdebffc00a3ea2d809997c4b7a97cd22d55f7193ebd4b94

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### notification.zip: notification.jar: notification\_taskplaner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/notification\_taskplanner.js  
**MD5:** 34de69c55375ed77dcc583b60d7682a7  
**SHA1:** 61bc262edf6fc6e902bbbc4bbc16c546a01e4f78  
**SHA256:** ddb2f468d7348ce9388681d450895a6e4b5ba6c22d632f3d53bc1e837be83508  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### notification.zip: notification.jar: targetrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/notification.zip/notification.jar/com/inet/notificationui/client/js/targetrenderer.js  
**MD5:** 9207efb9b92d4108c031b3e7f469ccff  
**SHA1:** fc19cd09c51417a29979d39e3a74a2d99fbf9c03  
**SHA256:** c6c83159f063f74a44c1d68bd67a67c4c96023c3eba9f87ce1090b8f994f49bd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### odbc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/odbc.jar  
**MD5:** 2d72215f8a9897d82ca2437f39cce7cb  
**SHA1:** 86c2daee836e5b5ce1e6edfe42cd25eb762d77c2  
**SHA256:** da6669a3e900be4f91c805eb8f08f8328ce0c02979a642f17b6cbc67bb091570  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	odbc	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	odbc	Low
Vendor	Manifest	built-date	2025-12-16 13:15	Low
Vendor	Manifest	implementation-group	lib	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	odbc	High
Product	jar	package name	odbc	Highest
Product	jar	package name	odbc	Low
Product	Manifest	built-date	2025-12-16 13:15	Low
Product	Manifest	implementation-group	lib	Low
Product	Manifest	Implementation-Title	odbc	High
Product	Manifest	specification-title	odbc	Medium
Version	Manifest	Implementation-Version	26.4.87	High

## Identifiers

- None

## opentest4j-1.3.0.jar

### Description:

Open Test Alliance for the JVM

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.opentest4j/opentest4j/1.3.0/152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e/opentest4j-1.3.0.jar

**MD5:** 03c404f727531f3fd3b4c73997899327

**SHA1:** 152ea56b3a72f655d4fd677fc0ef2596c3dd5e6e

**SHA256:** 48e2df636cab6563ced64dcdf8abb2355627cb236ef0bf37598682ddf742f1b

**Referenced In Project/Scope:** server:inetPlugin

**Included by:**

- pkg:maven/org.junit.jupiter/junit-jupiter-engine@5.14.0
- pkg:maven/org.junit.jupiter/junit-jupiter@5.14.0
- pkg:maven/org.junit.platform/junit-platform-suite@1.14.0

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	opentest4j	High
Vendor	gradle	artifactid	opentest4j	Highest
Vendor	gradle	groupid	org.opentest4j	Highest
Vendor	jar	package name	opentest4j	Highest
Vendor	jar	package name	opentest4j	Low
Vendor	Manifest	build-date	2023-07-06	Low
Vendor	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Vendor	Manifest	build-time	14:25:06.116+0200	Low
Vendor	Manifest	bundle-symbolicname	org.opentest4j	Medium
Vendor	Manifest	Implementation-Vendor	opentest4j.org	High
Vendor	Manifest	specification-vendor	opentest4j.org	Low
Vendor	pom	artifactid	opentest4j	Low
Vendor	pom	developer email	business@johanneslink.net	Low
Vendor	pom	developer email	mail@marcphilipp.de	Low
Vendor	pom	developer email	matthias.merdes@heidelpay.com	Low
Vendor	pom	developer email	sam@sambrannen.com	Low
Vendor	pom	developer email	stefan.bechtold@me.com	Low
Vendor	pom	developer id	bechte	Medium
Vendor	pom	developer id	jlink	Medium
Vendor	pom	developer id	marcphilipp	Medium
Vendor	pom	developer id	mmerdes	Medium
Vendor	pom	developer id	sbrannen	Medium
Vendor	pom	developer name	Johannes Link	Medium
Vendor	pom	developer name	Marc Philipp	Medium

Vendor	pom	developer name	Matthias Merdes	Medium
Vendor	pom	developer name	Sam Brannen	Medium
Vendor	pom	developer name	Stefan Bechtold	Medium
Vendor	pom	groupid	org.opentest4j	Highest
Vendor	pom	name	org.opentest4j:opentest4j	High
Vendor	pom	url	ota4j-team/opentest4j	Highest
Product	file	name	opentest4j	High
Product	gradle	artifactid	opentest4j	Highest
Product	jar	package name	opentest4j	Highest
Product	Manifest	build-date	2023-07-06	Low
Product	Manifest	build-revision	214973bfa4e7e9be7d04e623202cc4147c7036	Low
Product	Manifest	build-time	14:25:06.116+0200	Low
Product	Manifest	Bundle-Name	opentest4j	Medium
Product	Manifest	bundle-symbolicname	org.opentest4j	Medium
Product	Manifest	Implementation-Title	opentest4j	High
Product	Manifest	specification-title	opentest4j	Medium
Product	pom	artifactid	opentest4j	Highest
Product	pom	developer email	business@johanneslink.net	Low
Product	pom	developer email	mail@marcphilipp.de	Low
Product	pom	developer email	matthias.merdes@heidelpay.com	Low
Product	pom	developer email	sam@sambrannen.com	Low
Product	pom	developer email	stefan.bechtold@me.com	Low
Product	pom	developer id	bechte	Low
Product	pom	developer id	jlink	Low
Product	pom	developer id	marcphilipp	Low
Product	pom	developer id	mmerdes	Low
Product	pom	developer id	sbrannen	Low
Product	pom	developer name	Johannes Link	Low
Product	pom	developer name	Marc Philipp	Low
Product	pom	developer name	Matthias Merdes	Low
Product	pom	developer name	Sam Brannen	Low
Product	pom	developer name	Stefan Bechtold	Low
Product	pom	groupid	org.opentest4j	Highest
Product	pom	name	org.opentest4j:opentest4j	High

Product	pom	url	ota4j-team/opentest4j	High
Version	file	version	1.3.0	High
Version	gradle	version	1.3.0	Highest
Version	Manifest	Bundle-Version	1.3.0	High
Version	Manifest	Implementation-Version	1.3.0	High
Version	pom	version	1.3.0	Highest

#### Identifiers

- pkg:maven/org.opentest4j/opentest4j@1.3.0 (*Confidence:High*)

### parser.pdf.zip: PDFParser.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/PDFParser.jar

**MD5:** 4998f01f72741ee287b2642c42339638

**SHA1:** 7fd4f15b102ec47f92380bf3c7657f137f972de0

**SHA256:** 10fb666cd75709e42472403eb3c12bc71e229e9af33c6be96ad7dcfab0c663c3

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	PDFParser	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdfview	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 16:35	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-	i-net software	Low

		vendor		
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	PDFParser	High
Product	jar	package name	pdfparser	Highest
Product	jar	package name	pdfview	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 16:35	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	PDFParser	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	PDFParser	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### parser.pdf.zip: jbig2.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/jbig2.jar

**MD5:** ab5dd1acc5e6c85903e342dac7998ce7

**SHA1:** a3f4214b62615d4456de761cce1136cba65a663

**SHA256:** 93e79e795182b4b6e12991046e489c2c0780e867d3e18e4e7ee20973316930d4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	jbig2	High
Vendor	jar	package name	jbig2	Low
Vendor	jar	package name	jpegal	Low
Product	file	name	jbig2	High
Product	jar	package name	jbig2	Low
Version	file	name	jbig2	Medium
Version	file	version	2	Medium

#### Identifiers

- None

### parser.pdf.zip: parser.pdf.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/parser.pdf.zip/parser.pdf.jar

**MD5:** 7f65b199b804bc53d33989a66f9a954b

**SHA1:** f19371302f834ee6942dc41134ce67b0d58fd5ab

**SHA256:** 85ab38d499c6dd021e0bb996b437a78bed1bfc6571efc832365695812db36058

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	parser.pdf	High
Vendor	jar	package name	encoder	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	pdf	Low
Vendor	Manifest	built-date	2026-06-16 16:56	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	parser.pdf	High



Product	jar	package name	encoder	Low
Product	jar	package name	pdf	Highest
Product	jar	package name	pdf	Low
Product	Manifest	built-date	2026-06-16 16:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	parser.pdf	High
Product	Manifest	specification-title	parser.pdf	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### pdfviewer.zip: pdfjs-dist.jar

#### Description:

WebJar for pdfjs-dist

#### License:

Apache-2.0

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar

**MD5:** 8ae85a4550d711737dec96d8234ccf4f

**SHA1:** b10967d50cc14319a8b3384f573d4f9487551bb1

**SHA256:** 4472e44c3fdb7c0b1145038f9df02ff1288e2c6516804b7e9738b93fa3a502d7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pdfjs-dist	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Vendor	pom	artifactid	pdfjs-dist	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest

Vendor	pom	name	pdfjs-dist	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	pdfjs-dist	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	pdfjs-dist	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.pdfjs-dist	Medium
Product	pom	artifactid	pdfjs-dist	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	pdfjs-dist	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	5.4.530	High
Version	pom	version	5.4.530	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/pdfjs-dist@5.4.530 (*Confidence*:High)

### pdfviewer.zip: pdfjs-dist.jar: openjpeg\_nowasm\_fallback.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/5.4.530/wasm/openjpeg\_nowasm\_fallback.js

**MD5:** 9a4149614e226a97a7075b9cea575e16

**SHA1:** 74b52dec1e3f39c3be6a81807c5120a5787ae5de

**SHA256:** 07c3c3361827308741bc31c561b59e705ebb4d1e8efb84e4d24884e230dbb894

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## pdfviewer.zip: pdfjs-dist.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfjs-dist.jar/META-INF/resources/webjars/pdfjs-dist/5.4.530/package.json

**MD5:** 05d3811dbd68292b7103ffd9a078d292

**SHA1:** 69465756b21d3c8190f030614dae7fad568ad99b

**SHA256:**acdaec8fbb18a68404c4ff3d1d91c447abe7acc878b245161fde774a374517b7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar

**MD5:** 20cbfb1d3da05163cb5dee57db76da69

**SHA1:** 14b127ed9fef11cec91e61675b37efec4c2950af

**SHA256:**74d8501065f5d5f23c66616115c8496b2eb1fe18a2677230afa0c1ac7529dcd2

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	pdfviewer	High
--------	------	------	-----------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	pdf	Low
--------	-----	--------------	-----	-----

Vendor	jar	package name	viewer	Low
--------	-----	--------------	--------	-----

Vendor	Manifest	built-date	2026-06-16 18:12	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	reporting	Low
--------	----------	----------------------	-----------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-vendor	i-net software	Low
--------	----------	----------------------	----------------	-----

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pdfviewer	High
Product	jar	package name	pdf	Low
Product	jar	package name	viewer	Low
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	pdfviewer	High
Product	Manifest	specification-title	pdfviewer	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: drive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/drive.js/drive.js

**MD5:** a61df90ad012e9d4c83859788ec19151

**SHA1:** 9a3461f7171aa71cb5200a7dd1140a5dd4c1d86a

**SHA256:** b16d712ec3e0e24b89a91b1d6002f61ce094fcd6a2624ff9e67ad9722ee90dfb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.angular.js  
**MD5:** 01ed4e4797f1ef4c6011c0e8fb6e072b  
**SHA1:** 3e15cbdb0e1ef838891009cbf08ca0aef1e0968f  
**SHA256:** 7f6308ed4cd60006debc403f2824b113e33767a7c0348cc1782f61681ff81c98  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.embedded.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.embedded.js  
**MD5:** c611495070bd72174745379131c06ce4  
**SHA1:** 6aadd3c37aba37bd9d26d761b3748040d6ea568a  
**SHA256:** dfbce92bc9a4b21312384313acb4305a9b128fb6806e8d3e1e8b7e5672b52ac5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pdfviewer.zip: pdfviewer.jar: pdfviewer.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.factory.js  
**MD5:** c77ea2738aa0512fed8c6c9e6d19a0de  
**SHA1:** 72be7575eb2f43ec5acfc6aabcd1ea4525c21cbc  
**SHA256:** 1e0b404d157bcea8410b33a2e179518491d770632142c433db4532dac5350581  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.model.js

**MD5:** 6e572eab53950f6733246236f0c63040

**SHA1:** 14655c6ae154e273dcba4565faacff1360a31704

**SHA256:** 79828a40b2e2c908309c259d7ce8a583e58483ff8f5843b7cd696c914360e1f8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.renderer.js

**MD5:** 7b717bfe68a94afd00d59f2cba7ec85f

**SHA1:** 424beb129af711f55c1136effebc081f63594c4d

**SHA256:** dfb6fd87a315468dfe5a89e64d77cf2bf605d0cce48486e9daa76b1d3db4a72c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pdfviewer.zip: pdfviewer.jar: pdfviewer.reporting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pdfviewer.zip/pdfviewer.jar/com/inet/viewer/pdf/client/js/pdfviewer.reporting.js

**MD5:** da48dd4655e68609c373107cb5448021

**SHA1:** 85f7795753fd05c86b7f28417219a72258418869

**SHA256:** 58a1fd3c9e8fbb4803b10157f30292e58b9f418dc35409a616971280a3840552

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## persistence.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/persistence/persistence.jar

**MD5:** 00a4c973ab55e1bbc1cf84bf2405fac2

**SHA1:** d6392536bc2bced6785421eab6fa39220cebd91c

**SHA256:** 4507edf96e3c6b2962990164e58d2e820fb4dfdb76e53c49c76dde54c4399b59

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	persistence	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	persistence	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low

Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	persistence	High
Product	jar	package name	persistence	Highest
Product	jar	package name	persistence	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	persistence	High
Product	Manifest	specification-title	persistence	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar

**MD5:** 413a787362ecb7346e5e34a4a771bc63

**SHA1:** 98a68fb6e1ec001b2a206386f86a7299ebf85eb4

**SHA256:** ab00b80dadaed91ba0c1594fdd02f24b8d0d26a7410c98cf43f099e20540dbfe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	pluginstore.client	High
Vendor	jar	package name	client	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	store	Low
Vendor	Manifest	built-date	2026-06-16 16:56	Low



Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	pluginstore.client	High
Product	jar	package name	client	Highest
Product	jar	package name	client	Low
Product	jar	package name	shared	Highest
Product	jar	package name	store	Low
Product	Manifest	built-date	2026-06-16 16:56	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	pluginstore.client	High
Product	Manifest	specification-title	pluginstore.client	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/setup/controller.js

**MD5:** b890353af95e8d67ed666d72e55d5583

**SHA1:** cdc7ae95f6ea08ce7051388a5a6487c8a965eec3

**SHA256:** b2efe42a4dfe713e2a079e24a1044fdc777effb0518d6750fdf9a3974ac78936

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: pluginstorehelpcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/plugin/help/js/pluginstorehelpcontroller.js

**MD5:** 33e0b25623e005ecbba43c00c91b043a

**SHA1:** 6b9855a487458ce85ae48ee1c5a129b26093b289

**SHA256:**a70a95787e2759bf1d43b76947ea5d48e541c6d94c640d25c9efd31ce281e3a7

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## pluginstore.client.zip: pluginstore.client.jar: publicstoreconfig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/publicstoreconfig.js

**MD5:** 640b897e30bb04f24b310e948f963701

**SHA1:** c4f24830c5130eabd110ac29f1e198ca4f88e35b

**SHA256:**45bf77256d46306542a6592243af524e1be940c5bef8746be0fd62ec7209eb84

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storecontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storecontroller.js

**MD5:** 512668a61bc16fe85f6442a56f622a9d

**SHA1:** f9bc6cb342455404802657a7c0d1dd1ed6ec7297

**SHA256:** 7f183982c67d73d4a2bfb963dcc5aa8241b3beb2f2acf5d19aaec20357b715d6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storedirectives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storedirectives.js

**MD5:** ec0e5529e70952af58b9df0ce2bfebb4

**SHA1:** 0b859497e1b59e55936959192636c3fec9bacef5

**SHA256:** 5066f9af1ecc472186f35289ec17fd270e6a0ef404796f1fbe6acdf69c40fe90

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### pluginstore.client.zip: pluginstore.client.jar: storemodel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/pluginstore.client.zip/pluginstore.client.jar/com/inet/store/client/ui/js/storemodel.js  
**MD5:** 79df37a017eb872811c499812d1eb6dc  
**SHA1:** 1765bf02e7673e3559cac97d4e8a8308c3cf7fcb  
**SHA256:**763d9661e237f8406a59f8fbec70549b5f4cf3e70e58b0c038bc233447d29669  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

postgresql.jar

Description:

Java JDBC driver for PostgreSQL database

License:

BSD-2-Clause

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/postgresql.jar  
**MD5:** b969f87f07d6434bd77cdc5e440da49a  
**SHA1:** 4c21cdd1b3938f400703716d37c4e8ca4d332808  
**SHA256:**1981b31d3993c58702783c1cddf10a34e48c1f413d70ff1cb6def0a143484647  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	postgresql	High
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	org	Highest
Vendor	jar	package name	postgresql	Highest
Vendor	jar	package name	postgresql	Low
Vendor	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Vendor	Manifest	bundle-copyright	Copyright (c) 2003-2024, PostgreSQL Global Development Group	Low
Vendor	Manifest	bundle-docurl	https://jdbc.postgresql.org/	Low

Vendor	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Vendor	Manifest	Implementation-Vendor	PostgreSQL Global Development Group	High
Vendor	Manifest	Implementation-Vendor-Id	org.postgresql	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	provide-capability	osgi.service;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver";effective:=active	Low
Vendor	Manifest	specification-vendor	Oracle Corporation	Low
Product	file	name	postgresql	High
Product	hint analyzer	product	pgjdbc	Highest
Product	hint analyzer	product	postgresql_jdbc_driver	Highest
Product	jar	package name	driver	Highest
Product	jar	package name	jdbc	Highest
Product	jar	package name	org	Highest
Product	jar	package name	osgi	Highest
Product	jar	package name	postgresql	Highest
Product	Manifest	automatic-module-name	org.postgresql.jdbc	Medium
Product	Manifest	bundle-copyright	Copyright (c) 2003-2024, PostgreSQL Global Development Group	Low
Product	Manifest	bundle-docurl	<a href="https://jdbc.postgresql.org/">https://jdbc.postgresql.org/</a>	Low
Product	Manifest	Bundle-Name	PostgreSQL JDBC Driver	Medium
Product	Manifest	bundle-symbolicname	org.postgresql.jdbc	Medium
Product	Manifest	Implementation-Title	PostgreSQL JDBC Driver	High
Product	Manifest	multi-release	true	Low
Product	Manifest	provide-capability	osgi.service;objectClass="org.osgi.service.jdbc.DataSourceFactory";osgi.jdbc.driver.class="org.postgresql.Driver";osgi.jdbc.driver.name="PostgreSQL JDBC Driver";effective:=active	Low
Product	Manifest	specification-title	JDBC	Medium
Version	jar	package name	driver	Highest
Version	jar	package name	jdbc	Highest
Version	jar	package name	org	Highest

Version	jar	package name	osgi	Highest
Version	jar	package name	postgresql	Highest
Version	Manifest	Bundle-Version	42.7.11	High
Version	Manifest	Implementation-Version	42.7.11	High

#### Identifiers

- `cpe:2.3:a:postgresql:postgresql:42.7.11:*:*:*:*:*` (*Confidence:Low*) suppress
- `cpe:2.3:a:postgresql:postgresql_jdbc_driver:42.7.11:*:*:*:*:*` (*Confidence:Low*) suppress

### prettify.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/ReportViewer - HTML API Doc/scripts/prettify/prettify.js

**MD5:** 709bfcc456c694bfe8ee86d184a1c360

**SHA1:** a4e5934397f97f79b8066984475c90af8a970a36

**SHA256:** e2e576e3bc607cd179ff511947010f645d3441a35313aec0dbd06c4437f83b77

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### processbridge.reporting.zip: processbridge.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.reporting.zip/processbridge.reporting.jar

**MD5:** 7c1f6f38b004a79018f0c58d6a98bb5f

**SHA1:** b1530c5835cf21767cc77bd04a981e33d07c37d2

**SHA256:** 53855692bea9ebc4678fd0027ca35dbe9adb648b9b4aec06b45b6c94451e8da1

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:10	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge.reporting	High
Product	jar	package name	api	Low
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 18:10	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	processbridge.reporting	High
Product	Manifest	specification-title	processbridge.reporting	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

processbridge.zip: processbridge.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/processbridge.zip/processbridge.jar  
**MD5:** 0331a5a598deb494efb756ce06cdc4dd  
**SHA1:** 6d26bd7d0e8b8d36dff0b27380ea0f11dc8b989e  
**SHA256:**7ffd8a8f87a13f1946f70da11b55d096edc6c3e277baa2a65e34bd09338c7fae  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	processbridge	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	processbridge	Low
Vendor	Manifest	built-date	2026-06-16 16:50	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	processbridge	High
Product	jar	package name	processbridge	Highest
Product	jar	package name	processbridge	Low
Product	Manifest	built-date	2026-06-16 16:50	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	processbridge	High
Product	Manifest	specification-title	processbridge	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar  
**MD5:** 7281109d6ec7449d67dcf6f6a17155cf  
**SHA1:** 880eeeb8f8a065994ebb780b2b1961ab4f566164  
**SHA256:**f7bf2f87b246b32cdb36259ea57df78365cb13423303a7ae4ace4e47a7522b6a  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	promptdialog	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	promptdialog	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:12	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	promptdialog	High
Product	jar	package name	promptdialog	Highest
Product	jar	package name	promptdialog	Low
Product	jar	package name	report	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 18:12	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	promptdialog	High
Product	Manifest	specification-title	promptdialog	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcontroller.js

**MD5:** 9a1030e31357faa7ff332e07f31b2013

**SHA1:** 719be987ccdcc3264d5d3d086f00c1aefb24e080

**SHA256:** 5da72dc8b28b981a4ae5ff12babe1ed24733a8e828f6734da7e32988bc276783

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptcustomrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptcustomrenderer.js

**MD5:** 4a2ab3e2f8b066e6c2faad02c1bf6c16

**SHA1:** e78d0c78e0a4222aa77bb5bab99d5686ceef8786

**SHA256:** 249dece5c3251a2ed48cf1d60b25c93f473b33e22ec83b8980a3907bdf267b47

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptfactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptfactory.js  
**MD5:** 8fdae9ff173cebe93a61e37d38b411f5  
**SHA1:** df01371336e4d20ec91101bd4183bda94b5fb6ea  
**SHA256:** 2c84e71877b13721299f62b69e9daf89c9b20db27cb8e8ade6fd4528949b37b8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptpanel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptpanel.js  
**MD5:** cdb68f64f7b7807d04b7b66a76ff9ee1  
**SHA1:** 94f82d24e696cd6953be6c2bbc6260b0650e9552  
**SHA256:** 3095069a9f1a2a436e87949b1c5f8a1736b3fe12d6452cf506fe7985104653e8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### promptdialog.zip: promptdialog.jar: promptrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/promptdialog.zip/promptdialog.jar/com/inet/report/promptdialog/client/js/promptrenderer.js  
**MD5:** 61c61ff08c770911316a7fef2450d6ba  
**SHA1:** 9ab51332b7278bd9f50630cebbf0064101971b4b  
**SHA256:** 6ee26567dca9cf9d36e34c332500b735c83732876a89fba13607cf332eb3b715  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## propertieschecker.sample.zip: propertieschecker.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/propertieschecker.sample.zip  
/propertieschecker.sample.jar

**MD5:** 5c37eb0a07e370acb2bca24362dc346d

**SHA1:** 47d4aa566c6b0a3394a583280deec353ee27e174

**SHA256:** 610366b80eed91e027799283236d3c938165d06ea32dafb30805ca84a3809b8f

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	file	name	propertieschecker.sample	High
--------	------	------	--------------------------	------

Vendor	jar	package name	inet	Low
--------	-----	--------------	------	-----

Vendor	jar	package name	propertieschecker	Low
--------	-----	--------------	-------------------	-----

Vendor	jar	package name	samples	Low
--------	-----	--------------	---------	-----

Vendor	Manifest	built-date	2026-06-16 17:50	Low
--------	----------	------------	------------------	-----

Vendor	Manifest	implementation-group	reporting	Low
--------	----------	----------------------	-----------	-----

Vendor	Manifest	Implementation-Vendor	i-net software	High
--------	----------	-----------------------	----------------	------

Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
--------	----------	--------------------------	-----------------	--------

Vendor	Manifest	specification-vendor	i-net software	Low
--------	----------	----------------------	----------------	-----

Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
--------	----------	--------	--------------------------------------	--------

Product	file	name	propertieschecker.sample	High
---------	------	------	--------------------------	------

Product	jar	package name	propertieschecker	Highest
---------	-----	--------------	-------------------	---------

Product	jar	package name	propertieschecker	Low
---------	-----	--------------	-------------------	-----

Product	jar	package name	samples	Low
---------	-----	--------------	---------	-----

Product	Manifest	built-date	2026-06-16 17:50	Low
---------	----------	------------	------------------	-----

Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	propertieschecker.sample	High
Product	Manifest	specification-title	propertieschecker.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Related Dependencies



- propertieschecker.sample.zip: propertieschecker.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/PropertiesChecker/propertieschecker.sample.zip /propertieschecker.sample.jar
  - MD5: 5c37eb0a07e370acb2bca24362dc346d
  - SHA1: 47d4aa566c6b0a3394a583280deec353ee27e174
  - SHA256: 610366b80eed91e027799283236d3c938165d06ea32dafb30805ca84a3809b8f

#### Identifiers

- None

### remotegui.zip: angular-animate.jar

#### Description:

WebJar for angular-animate

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar

**MD5:** 1dcc988a8392618e7c5127f57b3453d1

**SHA1:** 7ea94213dad8a46ab088e1a3dd6a5def2ecf8e78

**SHA256:** dbbce06145963ef7bfd197c1646722fedfe76a9b54b01f1b6dc7ccf7e8b51163

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-animate	High
Vendor	pom	artifactid	angular-animate	Low
Vendor	pom	developer id	webjars	Medium

Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-animate	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-animate	High
Product	pom	artifactid	angular-animate	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-animate	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/angular-animate@1.8.3 (*Confidence:High*)

### remotegui.zip: angular-animate.jar: angular-animate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js

**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

**SHA1:** dc9fb55f2c7f922c5ba83449266239ba1353db45

**SHA256:** 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence: Highest*)

## remotegui.zip: angular-animate.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/index.js

**MD5:** eca59ea32960ae595dd18ad9480185b1

**SHA1:** b8fe1c0a06b723a75c7e596fd8a86d91965f681c

**SHA256:** 7f2f9350e5624bf86e8760d1deae03fae4477949284b49471eb67e2b6498cb7d

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: angular-animate.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/package.json  
**MD5:** 13957f0482b591f50a2e9528a5b84330  
**SHA1:** 16ec0d9e9e70f179261a1bd672e610b159876ff5  
**SHA256:** e2fcbc9996d890ec0c6601b2c9176a1ada7806e1dcd6eca8549bba9022235877  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: angular-cookies.jar

Description:

WebJar for angular-cookies

License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar  
**MD5:** 5d743cd15e44b5a942478abaa3a008ae  
**SHA1:** 2ebe196f9032e261a470467b5a14632d81d3d4f9  
**SHA256:** 0809dd125183f03e6682985208de5f1221478221ed41667545133f7e729dd000  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-cookies	High
Vendor	pom	artifactid	angular-cookies	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-cookies	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-cookies	High
Product	pom	artifactid	angular-cookies	Highest



Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-cookies	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/angular-cookies@1.8.3 (*Confidence:High*)

### remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

### remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:*Highest)

### remotegui.zip: angular-cookies.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/index.js

**MD5:** 88188b8869bb0cbae63eb86aa6c1059a

**SHA1:** ce388b565b0d0392802138b2a7d4bf393c3d49f9

**SHA256:** b1b8d54ed8400d4f997da0f2fa672e8728d4771a77028d9f495cf1732fcb1e6f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-cookies.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/package.json

**MD5:** 6785fbb341602e147af808078db0d42b

**SHA1:** a30ac55dae62b1a7c8921c7687a3276dbeeed564

**SHA256:** 81847196d700fe42834ebf82cb0c68267d9c237134566556a466e070659c7222

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-sanitize.jar

#### Description:

WebJar for angular-sanitize

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar

**MD5:** f47ca0f7e843acea25d245b34ce30feb

**SHA1:** 8050e163f66fb899645cc67ffa67d92a25096902

**SHA256:** 4de072c9e746b2bf70aee70cc1c9b61350e017002dd71089e5f66a587f7ed92f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular-sanitize	High
Vendor	pom	artifactid	angular-sanitize	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular-sanitize	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular-sanitize	High
Product	pom	artifactid	angular-sanitize	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular-sanitize	High

Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/angular-sanitize@1.8.3 (*Confidence:High*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:Highest*)

### remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

### remotegui.zip: angular-sanitize.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/index.js

**MD5:** 796078246b8e97f002ea5c97c4c7de54

**SHA1:** 0ce03000a4c04ae0a8b4353715bda54b8a8e8c69

**SHA256:**44cbd8c36c3e2818d011eb0dc7d95293730667fa5a98a23449e9b4add369f65b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: angular-sanitize.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/package.json

**MD5:** 515d23261280a10a4d84ed267c425880

**SHA1:** 84d37bbaefc2117ac59c79b0d87a953a1abd4911

**SHA256:**5e5c191e41b4e9902cfaeb95878d5b92333585e6dad936588fe1adfd1445af86

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: angular.jar

### Description:

WebJar for angular

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar

**MD5:** f339a9a66a64c67eebb21ec3b251dfc6

**SHA1:** cff4aee339a9ca4ae2f095079930edead6a94ee

**SHA256:** a997eb40987ddb5d3bf64adf3d33afc3ac2b1eb2e7255b5203a387f8097cd0

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	angular	High
Vendor	pom	artifactid	angular	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	angular	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	angular	High
Product	pom	artifactid	angular	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	angular	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	1.8.3	Highest

## Identifiers

- pkg:maven/org.webjars.npm/angular@1.8.3 (Confidence:High)

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence:High*)

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98f8e521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

## Identifiers

- pkg:javascript/angularjs@1.8.3 (*Confidence*:Highest)

## remotegui.zip: angular.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/index.js

**MD5:** 0d848853205d22ab8be985876aec948a

**SHA1:** a2bfe847bea879ad2775509c4421291c404d8c21

**SHA256:**d469f8e93a4c345f01d81d162a803116de1bc6afd4bfeba8b45951449956b686

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: angular.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/package.json

**MD5:** c5e0d73dc5121cf479c775248d2ca497

**SHA1:** bc29d1f7c080dfb1f701ad4f1c4ff548916f28e5

**SHA256:**95ad7872af90c37e7a5597581f5bb2362d59c49fc3f2766dd9f2568a041cf10a

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None



## remotegui.zip: codemirror.jar

### Description:

WebJar for codemirror

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar

**MD5:** 669061572ba6292cc848f48535366409

**SHA1:** c1c5b1fda926e89ab3204a2b4d2871078ce6d448

**SHA256:** b5f4ff56ec0eb788f4c150fc67b7a127e189e555e2438318742003e01c78282c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	codemirror	High
Vendor	pom	artifactid	codemirror	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	codemirror	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	codemirror	High
Product	pom	artifactid	codemirror	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	codemirror	High
Product	pom	url	https://www.webjars.org	Medium
Version	pom	version	6.65.7	Highest

### Identifiers

- pkg:maven/org.webjars.npm/codemirror@6.65.7 (Confidence:High)
- [cpe:2.3:a:codemirror:codemirror:6.65.7:\\*:\\*:\\*:\\*](#) (Confidence:High)

suppress

## remotegui.zip: codemirror.jar: CodeMirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/CodeMirror.js  
**MD5:** d154477df9eebe156a1a493731acb01d  
**SHA1:** 69efd74f28f36317a2bb9101dbbaec73f5ca3735  
**SHA256:** 258db73a89eb6d88475013d38f4e0e01cc1476788f931058bf470db1ee26ca53  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ContentEditableInput.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/ContentEditableInput.js  
**MD5:** 40e61dbb4388425c66403ecd7e9a5a10  
**SHA1:** 70cfc8bedef61e8d2f6cbb85ee41d65088d44c53  
**SHA256:** 5c07c3caef1fc6122ef3ce8d681afb87d65f86aaead8db5d1ca3466803b57da8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: Display.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/Display.js  
**MD5:** bb05006cf414f786e21cdb02b443aac  
**SHA1:** 6bcab3100f9fd46d39f5c47d78b6ad9ad863b464  
**SHA256:** 6e26756a9ae829558cf81a83fd9d48dd0f605241c7c7e8028a8bcf94bfa7a9d4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: Doc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/Doc.js

**MD5:** 66f02c635454d1ae55f7472709417566

**SHA1:** 8799d7becd0b3ee9bfd397c157c43ca6ebb264d0

**SHA256:** 32bf377fa99365b49732f69c5e565c61995fefdf8d0bc6f3404d4fc00ed8ac7f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: StringStream.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/StringStream.js

**MD5:** d187f08909bf9bb188d04c79f089c26a

**SHA1:** f5c4fc956b8b4de762087204024eb625cb00a790

**SHA256:** 9f1ab50bba4ae102fa5c611d4ef5b056d063a63a7f20cfef59eea64e93c3e04e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: TextareaInput.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/TextareaInput.js

**MD5:** 87e959dd1978b0e022083d3e5ad65158

**SHA1:** d08b9e7e675368968faf8e93bb1dbaddf9996410

**SHA256:** 48684a26a28a3fd1793a80aa67509c4281b56d6924d25511540a1d19aed72eb9

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: active-line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/active-line.js

**MD5:** 774e515fe054cbcd6cc869bfd550b17d

**SHA1:** 3d950f5055286088e93e0ee4c8a1d62eaf8aedac

**SHA256:** 3afbcbf78835c9bdc342e3992c53d9b74286722613bb1a8adc9d140edc8737ee8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: annotatescrollbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/annotatescrollbar.js

**MD5:** a9dfd7f9d78bd36c617429ed88cb67e5

**SHA1:** ad1133e5432a7c65881747c87c84529fed297ecb

**SHA256:** 9041e8d81e3cebc481cabfae90d3b80596f3194de75d98e5526d3bfa44ae3bbc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: anyword-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/anyword-hint.js

**MD5:** ba7fa17b24f0937d9431f93b9de2da37

**SHA1:** a87db7c6de5231a1bfd702e26ecf4aa76d822a0a

**SHA256:** e834ad178bd23449476e29179e8cb9f0c1ebaed35dab9059ed9a46b388271f3e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: apl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF

/resources/webjars/codemirror/6.65.7/mode/apl/apl.js

**MD5:** c0d55e310ae0a4290d3fcca84bff448

**SHA1:** 006c98d2b17e85168065eebf44c3fdd91b9ff874

**SHA256:** 47e0fdac0a39e0186019064e13b674dda4223b03b2748d34cccc09489fde2674

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asciiarmor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/asciiarmor/asciiarmor.js

**MD5:** 42e5c7f3f48fa085f63bd7708bb204fd

**SHA1:** b15cdadbf5a869d06a79e6a9e187d0509dca1239

**SHA256:** bdc6b68c4b0c9dc53b2af587673461a495f123a5b9da8f6be79d97fee2790f9ae

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asn.1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/mode/asn.1/asn.1.js

**MD5:** a928fdb102ef88113a9d1c0d9e520114

**SHA1:** f293930644bd6093dbb02475e8b409fe9794f437

**SHA256:** 5b50cca4b34820cb3d57c218945ff2d870d57eba83e13c2c66590063e2a23acc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: asterisk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/asterisk/asterisk.js

**MD5:** 2f4e25e805d878f43b8568609c48dba8

**SHA1:** 109a76d631e43dd32c13cbb0c23ad83e1851ad0a

**SHA256:**0849e3a141e967559d752de2205956cb690f1d4ba0a5ace5481c6c565db9b674

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: autorefresh.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/autorefresh.js

**MD5:** 16b07faa9ef79a1fb79432fb4f4a9e3a

**SHA1:** 091a2b17758e7c3182542314256139a2247b508c

**SHA256:**2ec9d5585bd24d7611f30ebbb1cd8fedf79747cf89c1f83852dd1dd9981f10bd

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: bidi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/bidi.js

**MD5:** 22a12be2f1e24a9bfddc5c3b0d187ede

**SHA1:** ab735d3376e0040172b6dc972f97df663f231dc4

**SHA256:** 0a4646d7a1214acfc71ad351d021f31795b056ce7a08f80d29857aeca1a5163b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: brace-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/brace-fold.js

**MD5:** d56849bd7cce8a10ccb842d50f0de179

**SHA1:** 4103103f28436925442d5397c24425fbaf660fce

**SHA256:** 2907087538a295e5b4f084f8c5ee7eba35cc973db194cbf596ab13a6c97a6834

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None



## remotegui.zip: codemirror.jar: brainfuck.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/brainfuck/brainfuck.js

**MD5:** f3ff733b3609dfb34a49652f6a4a2d09

**SHA1:** 41a8164ddba5e25fe2401265eb9fd4222e415549

**SHA256:** 67496a83fe1ea3304a3f65a8f8196f3a4a40060ea4febcb60a82c7657205abd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: browser.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/browser.js

**MD5:** 564eafde7c1566f1b9b0d976cc3ace2f

**SHA1:** 2c592606b3242ac9cf080d138aae3516cc2ef05d

**SHA256:** de647094595511fabe9d548d9e45dacf746d7b83a198cb69b5b8859fa3eccb30

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: change\_measurement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/change\_measurement.js

**MD5:** 39707c0eb637648efc07d95bb60253d3

**SHA1:** 025a52f620cc5b6edee8fb9c63a3f6ecf4c2284c

**SHA256:** 1d1648706bf317acc33a64673cb4fbc2d2a7db8205bcc1cd9fe52819c13b87f0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: changes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/changes.js

**MD5:** 822465b81d600e9a703579605e2147bc

**SHA1:** 1b77f1034de1cac51a8ff50e48f9604bc62556e5

**SHA256:** 13b0b2c417e0181ec9cb012932c1fa167c50171133391c00582e2939206362a0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: chunk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/chunk.js

**MD5:** 7dd1b45f75341b5a03a01f6607da69a4

**SHA1:** 89dfb21758e8a384033d09678a8d5b1ce8983e6f

**SHA256:** 18f55da6b39c1b12fb5406c7962a88884e00d2122566622784720cbe612fc676

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clike.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clike/clike.js  
**MD5:** 145b41ea6cde47e8889ef8b2214eecde  
**SHA1:** d0ae7cc4040a57a76b86265f492f87e251d1cc9d  
**SHA256:**a1ff458a030f8b1db2d901811344f3e178eaceb19b598277d054bf83dacfecd2  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: clojure.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/clojure/clojure.js  
**MD5:** 7f3277e322bd000aefbfb172d3edf7e6  
**SHA1:** e701f8e843e3390a0a411700d3c8989dc147780c  
**SHA256:**86b7b779ab84fa77bc6e461a05fd0887d85a3c8cd42a96576cad973b355bb1b8  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: closebrackets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closebrackets.js

**MD5:** 667059f346609f6ad778936b17c43824

**SHA1:** 248b45be826a8856a0ed0733c8511d9d0c595507

**SHA256:** 143c3014c29254f3531cc30be6d90205084bcfc36cfa6f9b2a46fd42a40be20

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: closetag.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/closetag.js

**MD5:** 744876ab906996c429eef7654278f514

**SHA1:** 0e0e10e59f93f87c9bc35247b14831091113adb4

**SHA256:** 6fbe2b93cc1744d9e14ad1d613449f7e16df4c2aa2842f658efc17abf662f850

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: cmake.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cmake/cmake.js  
**MD5:** fc204bb5f2393f59bcd34a860f1e1a57  
**SHA1:** 73985b80cdb80d12831a7476b740733e3fdd065d  
**SHA256:** 6379ded0f75af38659031d1eaa803d2bd5be0fa7cebc216e55ca65d01a35bf1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cobol.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cobol/cobol.js  
**MD5:** d8a271c0bf27ef5cc2dd8ea19886aa75  
**SHA1:** 93072b3c895318fc58f8ed16d68cc213ac7910de  
**SHA256:** 0cecf82da2915c20187ab4e29cfc4abbb0078536874b27978726d48371487e4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror-standalone.js  
**MD5:** f1f47322e6af5937de4a14fb10863e3e

**SHA1:** 843d01e1379550e5fed3e64aba1af1a359441e7a  
**SHA256:**a18754c4ae17e27b7bba46b338c404d28804e237f41425aed96904c0aa1f49f2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/lib/codemirror.js  
**MD5:** 15fc3cdf569fa38b1f91d86ebbea13d  
**SHA1:** c5f9252d9467c2af70c5e6fc579e696648ee242b  
**SHA256:**a4f1c30365d5f85951a22160b07a7ce34048cb640c283545c8192132b46efba8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF  
/resources/webjars/codemirror/6.65.7/src/codemirror.js  
**MD5:** 0d4d22de0bcdf7f7afd8131d4e59f130  
**SHA1:** 819f8c37a4df0c61ef735d5b884c6c598bc0983e  
**SHA256:**b2a1b676605c6428b6dd7ce21a8a0d2509d4652ceb2297be93078ca6d66926dd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: codemirror.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/codemirror.node.js  
**MD5:** a524724c274d1c038c7984e164428b3d  
**SHA1:** 18fd7183236cbf1437175c8d31509ffa6cd4ba64  
**SHA256:**fdc02024dc3845f85b38046ae842b0f572f91adc5f34a6979cd92ead0fe4a0a1  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: coffeescript-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/coffeescript-lint.js  
**MD5:** e852ea5b9ebb97947ffd169523eca098  
**SHA1:** 58ec1f05cb6893a519fe2d7ad1b9716f15219b89  
**SHA256:**824caa68710a7f931ebd30491fec19dcd2c6fa166c21158f5ccd61321069da2d  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: coffeescript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/coffeescript/coffeescript.js

**MD5:** 438a52e20ca46a26383d4eb6d33a5c6f

**SHA1:** 8dd398cbd2955bcffcd70180f9b560f56acf567

**SHA256:** 67792b36933d29b482307761ee03da520a19b3b30ca60f54df9cdef4051db628

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: colorize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/colorize.js

**MD5:** 626a64f8687ca9576bb017843ab2c30b

**SHA1:** 4899e8d499849fb02f134afb39711d3ab2c28903

**SHA256:** 9d39f5267c05d930f079fc4f223b453e8f9fd54cae6cf52db9b5dc3a0b9dd694

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: commands.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/commands.js  
**MD5:** 9f984e904c9556f8e270502eaf1d5a5b  
**SHA1:** d16928b2cc389c46f7b77121beb7376a50f11c35  
**SHA256:** 5f23178d2f8f62f97af955560fb192e5aa898f81153b9c24cee8ed6ac567f658  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/comment-fold.js  
**MD5:** 3bf750756a24d5a0ba9cf16819bf5cfe  
**SHA1:** ad4d1534287f90692567139c0b007be29aac4a9d  
**SHA256:** a79d02eb1b425d8a4823f2d962b7b9f49af578fc9042b928b892417c00e7d13a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: comment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/comment.js  
**MD5:** 18fc449bec0798e43182173ba47455b9

**SHA1:** 29442cfbafce86a08679824a999b87ec1acdf567  
**SHA256:** a65c038258c6541658a0e9f24c56c78255e0e20d4cf06aa9ad83342069a589be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: commonlisp.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/commonlisp/commonlisp.js  
**MD5:** 9449ffe942392a1ad14eaa723578b606  
**SHA1:** c734ecc91ff4949d4cac179a55bec5cee55da153  
**SHA256:** 0efe46913f843f5c335c79e05ae758e60212dde9cd3c45d99fae8066bd13c128  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: continuecomment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/comment/continuecomment.js  
**MD5:** 174c186ec1902fdb1aa708a9dea1aa4  
**SHA1:** 7c3bb959b0c3bafa4395c61ee8fba3f7f6c6033  
**SHA256:** eb64c50f80cb3080052971bc075bbbf421ab50287804af8ce47b0536da5365e9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: continuelist.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/continuelist.js  
**MD5:** 630509c4379923d8c811b3f1acc931fc  
**SHA1:** 09118fd53589fe18289006df5cc57b4818321197  
**SHA256:**6ba9cd9528b74e7f76f4b9ce9ed0677bfed7057d1aade0050185368cfd0ea2e3  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: crystal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/crystal/crystal.js  
**MD5:** ae980ca83523592958a2c7f8144bd365  
**SHA1:** b52f1f9ec7c854891491f792ae93aae419efd2ac  
**SHA256:**5e6e8458e3fa4079ff438060ac7f93b8b7a160212b1cce92516f1ea9680b57da  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: css-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/css-hint.js

**MD5:** 55823389add79e8c52ffa7df6ba94515

**SHA1:** 59e0f4c17ecd9595fe88a84bc47fbb994803fab6

**SHA256:** 0e22d6efa1ea084e8316ec6d5e4c809534f0e36f363bbc4156609201d95c6601

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: css-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/css-lint.js

**MD5:** e392cd5f86989535e38b3cbfb5134985

**SHA1:** 0986b3dc26b02d98a91b91bb38d46065b5c0214d

**SHA256:** f3fc7474cbefded7f1b06d63efe980d58970785831cb35f29874ec371cb4ece8

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: css.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/css/css.js  
**MD5:** 3675078ada8a185a353a6560bda2d5ac  
**SHA1:** 1045cdc88a58fb002511eb21db184ed242730f05  
**SHA256:**60f0689e5c6af7f36c341e8e1341a4f10b4f0a04cebf7341bcbdba9b572b32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: cypher.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/cypher/cypher.js  
**MD5:** 0439f14eea37e69f9bd0af1b9c57e014  
**SHA1:** c65b82f89865edb564d52f00afddafc3d18a8d6b  
**SHA256:**6d8c9c8993fdeb724f1f68e9574fdab0001da1d31196e33ac6112303005d3f63  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: d.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/d/d.js  
**MD5:** 0632861907c7e77ea48e0952d2081136

**SHA1:** f000ac2fe16c377837034c69cdace651a45f4e7a  
**SHA256:** 8e3994ce4f507e692b65aa73ffbfd58112c4a22771b84b8ad86152578d4e8130  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dart.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dart/dart.js  
**MD5:** 0bfa12b4210e1faba31c98d2fcbd226f  
**SHA1:** 4caa7d422c3c931f7df5b46e09c9596a9ca19ed0  
**SHA256:** b09be809dc1f9e3ad59374b198b0e5c4992788b9ff524765fccd0b84fde52212  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: deleteNearSelection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/deleteNearSelection.js  
**MD5:** 813d638d2d4693bd14f7b6490445a417  
**SHA1:** eec62305710c8c0a032933bbbe41c3fd45142669  
**SHA256:** dac971ad5b761896b830e95f5e2240e2748fb83c909ef4c5ea4fd1f60ae031fd  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: dialog.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/dialog/dialog.js  
**MD5:** 1b33c63e7d89d740d4738ce9766b19b0  
**SHA1:** 14cccbefbfc2f33d928c4a41d854237cda5dd97  
**SHA256:**fd8c925fcc25357617faff21220c026bb91a617b995268d96c5d39232fd42833  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: diff.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/diff/diff.js  
**MD5:** f80746d74770ee6dcf444e99f75d5537  
**SHA1:** 45f65817bf0cfe00f52a620c44e48031e926e5bc  
**SHA256:**3fd0e844e22f475503415744b7e7af24df4cd0670709c77e5e43e92185ba32fd  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: codemirror.jar: django.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/django/django.js

**MD5:** 3c02fcac64b6100a0f369edc8d145f97

**SHA1:** 9ab00e90ea9a3788178187e9451bdaf61bd311fe

**SHA256:** 71a3fa0ac63fe080a12097209e509c36abe0fde9c9709610be1656163d25a8bc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dockerfile.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dockerfile/dockerfile.js

**MD5:** 35fd7d7d73ad6c400c0afed686a383da

**SHA1:** b6574f6951c483c563456c9094178769ea733631

**SHA256:** fca390cea85e1b711389d1a91b99faeccf7b4df0f48e3ceaecf2e517982cb2b7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: document\_data.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/document\_data.js  
**MD5:** 86420f7d4afaa1aa00313618bff8292f  
**SHA1:** c26428a7245c7ccbc2da6e15ea8071a308efe21e  
**SHA256:** bded28025266e28229d4328e2a4ff6c829e26757b12861ec0c561c495d4b87e5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/dom.js  
**MD5:** b56830faf8f75c5daea99bdc94508b38  
**SHA1:** 6425ef8de5f6d50a057a5cdaced4da9ed166ddfe  
**SHA256:** 20275e6018fa90811c51e20246d4803c01d7e744f64434bb9194c7b1df41d1b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: drop\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/drop\_events.js  
**MD5:** 940690e5c792ff535ef797090cb7ed5d

**SHA1:** 05108fb9bb15e761e86ef290e006cb7c620de955  
**SHA256:**60fa1577514a516587de192c7c779b4447aff1b6d26de0498030340e12945390  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dtd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dtd/dtd.js  
**MD5:** eb3e9b71c4e33120225df386c29a0b30  
**SHA1:** c91a19fca8b5bb610ff35e8ea7c9190c9ef996f0  
**SHA256:**3f04995b147addeee1637bbfd0054676e78d13f7accaf2f589c55837d70148c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: dylan.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/dylan/dylan.js  
**MD5:** 99e3fa83adb7b3af2e363942a5b720ac  
**SHA1:** 795b6199d3643d0a9eb0b018a02357da66be8f3d  
**SHA256:**999b862ebc559366e71a731e2a28b2762ae4fe7c7882ba5f6bf20c33a2d737b7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ebnf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ebnf/ebnf.js  
**MD5:** 8d8a62f6874e4e8378d16d02b09ada60  
**SHA1:** 84295b3d4f48cd3080508f3c5c12ecca2842dca4  
**SHA256:**1175e07f831fd02ccf09d4582351c5932a48fa03be5c0eb1028c8f96c051935f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: ecl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ecl/ecl.js  
**MD5:** 04722d23df4c17765bb397d871875452  
**SHA1:** 63a19016bf2e53ba5c73fde154b9bbc19d96130d  
**SHA256:**c78998872dd14cdb356d5a9bd196f7d3525e3cb03a591133e0e904afaaec11b7  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: eiffel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/eiffel/eiffel.js

**MD5:** d202831cfe3aa85bdedffd44534dc98e

**SHA1:** e5767dbfb329d8e3786acf893d038e1e4dd35c39

**SHA256:** 183e855f6474cc2c4cf0b6c5e5c40ea7821707d37ac414277dcda294ffae1721

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: elm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/elm/elm.js

**MD5:** c37089c171d4384ec97f9af66d5ac972

**SHA1:** e28a667656ac12ff06766d2ee857962dcd9146e2

**SHA256:** e343ffaaff2dc6fd9c5923228b46c23723c396993459eca6217871f1c087ebc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: emacs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/emacs.js  
**MD5:** 258e09f1d4cdb812940d869afce12a11  
**SHA1:** fa3b963c38f809ab13c37fd7aa654ac46a39e740  
**SHA256:**af2f42c9f461951f13e9785f634cc9f8e5d63b0c5c2375b331105dea19a71fef  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: erlang.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/erlang/erlang.js  
**MD5:** 29f92a4be923242d30cf1f4288c89adc  
**SHA1:** 45f94b33af2bc74d8c5eed73de27eb8a4047c20  
**SHA256:**2ae29808247e9d6a58a83893b0e8b627c0ca337cfa541ef16fb506edfdb77e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: event.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/event.js  
**MD5:** b700f1676589e7f88e59c943cc209156

**SHA1:** 516c718a9b2f86f68127680267b92d10bf5a579  
**SHA256:** 1b13113fab8763c3c9e2284d1b6bdf1f84ab3424999a2eacffbf771ea8b75513  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: factor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/factor/factor.js  
**MD5:** d497dd1c4f0f85b83245bfb80943e5cc  
**SHA1:** ec2430a02377f3b14692370e329b8f83b017d1b9  
**SHA256:** baf7c16c387e7abfc308dfcb7fcc1ea9ae0a898d13455349083ea72c7bfa4c4a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fcl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fcl/fcl.js  
**MD5:** bfa4a30d52fa501346b203c8ab6aa0cc  
**SHA1:** 9befb1efc7f051c189e1c2c7cccd976576bcefc  
**SHA256:** 7c9d372be44c1c418a101885662d80d4bf6104e1b717d36cbdbd05a5956abc70  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: feature\_detection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/feature\_detection.js  
**MD5:** 3b63813f217d9351f7a1d90edf345310  
**SHA1:** f236ad77f54768dfaf4b78905be71b6873691698  
**SHA256:**4aaef197f379b3450c8c297f23e449df3795a9954bec48cfcddf4b3615d5f371  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: focus.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/focus.js  
**MD5:** 307daeb9d6322c3905fc5b2ba846fa16  
**SHA1:** d1e1cceb41ec90a9b18fd25ae6cad9805e86811d  
**SHA256:**2f6ad1d093d5d933ad58ded481d34002320d2887b5d06badb35918289338757e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: foldcode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldcode.js

**MD5:** f520bc635201c451609403065b8bacfa

**SHA1:** 78958ff57ef86b84ac8a8085a4f0923433eea9d3

**SHA256:** 07f353e02abcc300739b09f31a9d32a958ebe5d2f76959291e5643c6e40a26a5

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: foldgutter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/foldgutter.js

**MD5:** 9606e4f3ca8c5ac259c2cf703753017b

**SHA1:** 2f4f7e099042dcbde74bfd3a8f5856f595326ecd

**SHA256:** fc85fcd61894dc551a4c7c221ec41b7fa4007d1e33239b1cf8faf56ef1811727

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: forth.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/forth/forth.js  
**MD5:** 3e09048506ea36823a8a5e6ad244c7d5  
**SHA1:** ef3e2632de5a4c57f8b14225026940309167d270  
**SHA256:** 1c6c0a8fb3572fba544083795b3259f8a35cae81ec2ddb19b4fd7af2a91ab34a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fortran.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/fortran/fortran.js  
**MD5:** acf9c5ff78882f6ee77416eb957e881e  
**SHA1:** 30130e625c08eedd8d62021c0dc77a71d066fd1d  
**SHA256:** b3351c6cd6e696c2ebf0e6ae1ff7925ed65add92947007402e0b3112634f6392  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fromTextArea.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/fromTextArea.js  
**MD5:** a910ea4413c5f8fabb9be57bc80a7cc7

**SHA1:** c2bb053e04c5cc11df632ae7332863f5f0d30c70  
**SHA256:** 796a25d1e7f2a7c35ac9289bdb21e9c56c1253779a71c1b9e8a8c04160829e2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: fullscreen.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/fullscreen.js  
**MD5:** dffe3df188ef201ff7f04977d0ead894  
**SHA1:** 29d2bbd2368fb2dfc02a06aac6db6aa9691ab330  
**SHA256:** 8e4a21aa77765df8893fc854c4b6be56279e12d9a70cbde913083c307ac769e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gas/gas.js  
**MD5:** 9403b8d57b58f52a0d02efd3d6d99571  
**SHA1:** afd8ef0502d68ba8020134c780ebce498f65ac9  
**SHA256:** 414899aed81f9bdb726a6729047f1afb538679ee58623beb8fa51dc7412db6e9  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: gfm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gfm/gfm.js  
**MD5:** da48b005ec4e651d019aa09b3d6d4aac  
**SHA1:** ea5f855ce519bf55f09cb2c968dce9660615c698  
**SHA256:** 1fcdbf9a611c238acf53f906126fba93ae0550d74858efad61d72b8b3ed6e0bc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: gherkin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/gherkin/gherkin.js  
**MD5:** 3d87a67e559ce2d1851c4f1fcca83fe2  
**SHA1:** 289ab840bb7ad7d5cf292406eff4fb8e55ece301  
**SHA256:** 732eb81eccbef7db49729af3f23d477dc8f27a4d9bf2fb2c6bb520d8ec19bddb  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: global\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/global\_events.js

**MD5:** 288615615004321c6abe2bf66842b8bc

**SHA1:** 858b4b90c061cf34960b0bd4231a2b7dd7ec5f3b

**SHA256:** fa803fc7e109d232afd12dfdf4d99adea71081cc4b71e547d4b1c2bf46cc9ca2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: go.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/go/go.js

**MD5:** 51890857b15156f02106103dd73d2b0e

**SHA1:** ef0de14a73f6656facd0d7355a11b1d17df86b16

**SHA256:** 4e3b08bda2f85c9ef68c03f24c0c5ca3b8ba479127b6cbc50f33cb9593dbaf00

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: groovy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/groovy/groovy.js  
**MD5:** d6ca518a6aa5ab5b420bbf21d65b2d05  
**SHA1:** 48fb64db46a7408334eeda329d755dd09aec41ec  
**SHA256:**6641a0b1555ee0f1bca36975a4fcadd43d512de7ca814328cc6402e1ce836b4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: gutters.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/gutters.js  
**MD5:** af3de2621d2ef402646889be16bcde7b  
**SHA1:** 130d94f44dea7f614a15009677e496ad2b853025  
**SHA256:**2143db3d42d9a3408b556eb50068870d138041a9b98ab256d070d982e09346df  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: haml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haml/haml.js  
**MD5:** 7d65bfd39de90f56597eb8e278a39af7

**SHA1:** 7bafda0fd81e500fb2f364d2e657fd9dec939505

**SHA256:** 9e9606fecf19869e51c32a84e18c4447c0d4ad2031730e5690b571f318409022

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: handlebars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/handlebars/handlebars.js

**MD5:** efacd8d006bf9f83baec2fc5a8c71feb

**SHA1:** 7fefb944ec70e00d262252956fdc71f04c1046b2

**SHA256:** 60bac3d6993264e155b5a06f52cda56b7bab2fb5923f3d1cc7e8caf704fca724

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: hardwrap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/wrap/hardwrap.js

**MD5:** 049ed63630662fcb8a977fa43f86e058

**SHA1:** 535a020f7839e52da6fc7b8af3d249f641c5e055

**SHA256:** bee81aee6222a46b1aeb14d6fc738d3cc09a4e421f808e29b3c6989710ccbfc8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: haskell-literate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell-literate/haskell-literate.js  
**MD5:** f0bd7313413cdc35018db90a6522d1ef  
**SHA1:** 670b7735a8c85e5251aeadf51f5005d5cf45df44  
**SHA256:** 7519d0b515603244f029c3031a4625fdccac88cb640fcb6e117718ec2c0b3c50  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: haskell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haskell/haskell.js  
**MD5:** e4f82d95d10c028eebae3338e678be22  
**SHA1:** 30c46651b2b0b5a7fc70910b22e52e2d1d8687ff  
**SHA256:** 4745a90832e950c9536f0bf498e5bf6fb3753a4a98bea09ec152b92354c0fdaa  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: haxe.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/haxe/haxe.js

**MD5:** 13c21da31a992b536d4f37ee53e09605

**SHA1:** 6a694b4a0a68b148e0b2e0b761a521a5fa4a0296

**SHA256:** f3596c7efe948a3331bb1bea299f6fcb8e7733777dc2114a9f2147dfc1c69257

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: highlight.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/highlight.js

**MD5:** d7710bcd63c26c5fdc37c19b15e02d4e

**SHA1:** cc5bac275e64696339642c6f5a52c254f139fbfd

**SHA256:** ccf8b3a879acfa0013ee5b11e036b822b68ec5a136c218400775fe2e35a3fd9b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: highlight\_worker.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/highlight\_worker.js  
**MD5:** fc6f314859dad397c1f867ed5d73205f  
**SHA1:** 80e56feeeffb3ad7b76e40dc4577962a60becc11  
**SHA256:** fc9d8bf90534b9a6c7d5a45e8f79a4f8827a661c4271f812776e7c3d2bdc09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: history.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/history.js  
**MD5:** 34cb233d1bf8cc676a0c5fc9e9c24b04  
**SHA1:** 4c42d70f020d1fd9397fa16ea34f5cf54487e93d  
**SHA256:** 961d52432f8f463614f83e660c2945f9bfbbc9c8fb7767575b9221c3e88821a2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: html-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/html-hint.js  
**MD5:** 609fea85a7894f8098719813c58219c5

**SHA1:** f593de64cb802e0e456482b88959a68260e06bff  
**SHA256:** 64d3ef9293ed8917e40ed4e8196da6919379a3b4970c007785c7ed27ab9a0478  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: html-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/html-lint.js  
**MD5:** 0844a30ecec022fb60101fc0cc6a5cfe  
**SHA1:** 3ed8b2f11d4c7462cf29fc93b58e579680bcc32f  
**SHA256:** ab7827913934f06a8b4d00e41d5954974c90d5085d1295fe02c484c782c75843  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: htmlembedded.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlembedded/htmlembedded.js  
**MD5:** e7a464409318dee8c3c6e0b68225d461  
**SHA1:** 548ebed43650c26970abca5933aa237b4a1950c5  
**SHA256:** 8afc8da4e446322cf92d78bef9940f9444aee339f56c8b9af5452fadb867601  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: htmlmixed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/htmlmixed/htmlmixed.js  
**MD5:** 4c5a6f44d738b718d1f6164c1c8d6904  
**SHA1:** a4f9c3552740fb908e14fb0f47832d10a3f535d6  
**SHA256:**fe5912e1d10f8fecb98bd31e2f957c0bbc9abf6b505d11b6dbcd27542d0fdcad  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: http.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/http/http.js  
**MD5:** 42dcfb1c4b83e85eea0303f75a3f08e1  
**SHA1:** 7fa224e2e3ab674ca61cedd48fd430c5e62e1218  
**SHA256:**89842864a707564a989a841ce934b61659f34b012f2349e5c4fd9a09c5982f6c  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: idl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/idl/idl.js

**MD5:** 1ae58242a3b61aae5bdc5665bd5fc2ed

**SHA1:** c25b0c5644c33ee3993ee3152df8f4c27235e172

**SHA256:** 7d45bc0899e019f558e68eca684ed84660bf4687cd64fb4ed2c959ad249b763d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: indent-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/indent-fold.js

**MD5:** 623d14360009d84560611f43b83e6759

**SHA1:** 731e1d84971dcafb20d1417761c18c55883c3d98

**SHA256:** a835ed1af176b96a1bf00379622e76573a1f6327bd76b583d9c4757a2c4a4194

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: indent.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/indent.js  
**MD5:** 835649b199c40a992e89a61de3514147  
**SHA1:** e3d98527805fcef17ac4f710d7600fe0da52db33  
**SHA256:**f28260cac8eba83de19891709eb8545ecaa6cfa3ec716e617992e14cd0112404  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: input.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/input.js  
**MD5:** 8347e0beb43b7f458587e94f323c58bd  
**SHA1:** 62cfb278476d7f293b853e92e35bd9221c6d1a1c  
**SHA256:**bbfc32c56077171637375314abe257f54f925e8142b3f3a9eb669296ec3f12ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/javascript-hint.js  
**MD5:** de72c8e29800ee9ae93e5c8a43c6c6a4

**SHA1:** e348c54c78f75047c06629a13422c0aee0ee3253  
**SHA256:** e4dfa3414b3b9535514737074cec2fb0cbf0bfea7e765307122295c98c5137fb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/javascript-lint.js  
**MD5:** 55eb8a1558ef8c9da7d355a32334d62e  
**SHA1:** d452acc1222c992a222c6c4bc55c0546eb2a465f  
**SHA256:** 69906dbb83d60e0d104ddf395e29dcaf4a05063f24c085975b9c09693dc860c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: javascript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/javascript/javascript.js  
**MD5:** 178dfcd5f64c97da22a3d3a62713b7a9  
**SHA1:** 969b4a80be53b334612b44a0cc6ef57cfe171a26  
**SHA256:** 21fa74c1638c7a4eb3e8cd04b5c8c997181394568330b341c83716da18ffad8e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: jinja2.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jinja2/jinja2.js  
**MD5:** 82ad8f3f5eac62b4012d21c9deabfc69  
**SHA1:** f1b92b1cce15292571979194dc1331accc5fb2d9  
**SHA256:**b408eeadec21747f7c4ed41dcb9ec4e540aa1493d0a7971e74aa1eed05049b93  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: json-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/json-lint.js  
**MD5:** b01056a065c6df2ed0f61038c88e5ecc  
**SHA1:** 8fcdcb87fd1c9f8fc04f3fc325fa590b27441183  
**SHA256:**cb3522e1bdffb075461c848ba2091cc781b52ef0e69cb39d9a33e1b74dc35ae2  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: jsx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/jsx/jsx.js

**MD5:** 5dcc6cfebb32872e929bee63d517295e

**SHA1:** f22b5965deb7b3f6e434d6012b22af7a7ba4c9c6

**SHA256:** c6babd67df23bb0278d432fba3d2dbd03bb1fb3862d4d70549cda1b0d9953abf

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: julia.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/julia/julia.js

**MD5:** 544d9103cd9877e0a7dbb26dd5a34eea

**SHA1:** 4d6fef3f38c3c9717b6ac72fa4fa3c6d48ca189f

**SHA256:** 54d93c9a83269af3bd8bc6593be2368f07b4efa4223074b54f3aad44097a4d32

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: jump-to-line.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/jump-to-line.js

**MD5:** ae33156dd047f75a6d2539b21ac92df9

**SHA1:** 4b8098d4df0e0bdbda6b27961ffc7bdaac14e85a

**SHA256:** 39b7d80ee80cabe2f5936673b3cadbfd4d260dfe6dc6f936523a334044962ffa

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: key\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/key\_events.js

**MD5:** c299e1b06d3f6ec725718c1dc60141c7

**SHA1:** 09df110e22b2eccc9f3deb5a2dbe0a6fa884d23

**SHA256:** f24d2b392714dc1fe63b23f79d45d01503a1a8860cb7b92dff6e5eb05e35cc69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: keymap.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keymap.js

**MD5:** 1c8d554d0dfbb08ac3b4ff11303f313a

**SHA1:** bcbddfc0d1411afa8455d75564758dacde1e15d5  
**SHA256:**9be4f88cba00a971a1a007ca4fcc56f244ac84fb8b24f165f6ce2793c2f83a95  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: keynames.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/keynames.js  
**MD5:** e4ae7351260c5e7b9f2253e21b5ca9dd  
**SHA1:** 9b6381177e6d4afdd03388c548a00bef7e101b0b  
**SHA256:**7054358c3e0ad3945e0c3c31fde7b77d1af78874a5fd436a908aa0e8eeab7b03  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: legacy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/legacy.js  
**MD5:** dfa5acb74b48161d442a6d83e1abbc03  
**SHA1:** 70f5248919c6a806ec8da7a53b9167ea0d28f28e  
**SHA256:**663e30df9fb1f4994092c95d5a4a2a127d67d59896b4795807ac912773a759a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: line\_data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/line\_data.js  
**MD5:** 0239405c8ea2b45a5a3a2de75bc481b7  
**SHA1:** 936ff2393f4614f8fb907274c896d2435d34250d  
**SHA256:**11203cf446205f30a8eb2f5633369c7a6c00cc778b3cdbf1da16570571937d92  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: line\_numbers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/line\_numbers.js  
**MD5:** 22976744e5315917483bef53cab4d368  
**SHA1:** 32c75bf2e39c2315fd1a1d04cbcbddb666c998e0  
**SHA256:**2474c6d14659ccbd6664aa88eaac7f1bb5589cc44f5acff4c5d8a22ed5da5d4c  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: line\_widget.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/line\_widget.js

**MD5:** 2a58b1a6d7eadb596d3968096f1493e4

**SHA1:** e06ec6ee060c9b180dd6269107c1643618024acf

**SHA256:** 4557109a8ced89105c13e911cd0d4036a043ce83abcfaefe9b6889ea8d058b16

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/lint.js

**MD5:** 7930c46b5411e82099bf4d021be44897

**SHA1:** 9d4fcf298565cd2e6b6234c331113e5ee80a996f

**SHA256:** 7c2e8241383104a6188c43b657b17ff7633e0de89d9b98f7d09df29570341e76

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: livescript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/livescript/livescript.js  
**MD5:** 303cf9371fc666702d07b7892d4d69b8  
**SHA1:** cc1a29423cc292dab8ceccbe8d1d4995426ce11d  
**SHA256:**b9b5f3fca094c735f94174d463746bc39d0930dc42b70bf5004efaed96b080ea  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: loadmode.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/loadmode.js  
**MD5:** 43a51215f06278be12990128bf16cffa  
**SHA1:** 62a2787a4f3b623af185185edaedc7eaed7ffc08  
**SHA256:**be81c0312e7041f56c217430a177fea61e572bcb9579a39ca1922a2e4d51abec  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: lua.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/lua/lua.js  
**MD5:** ccf279dcbc882c0e99fc9dfda9dd734d

**SHA1:** 13ec1f41c7c723c70f185f6c22e116cdf532d8dd

**SHA256:** 5c702747f50d5d4158ab8c096b33a7e0092529d5682a728a20624b01dfd86e2a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: main.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/main.js

**MD5:** cc33d6b2c4f87f24fe91b103cfee3da7

**SHA1:** 7a267e163871e4d9c505a7dbda69289619573e76

**SHA256:** 2644139a384fcda2ff3bcb59fad7a45a3faa166c443cd2d05315558dc7d1f99

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mark-selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/mark-selection.js

**MD5:** f2b8639c24afc6cc370f4097eb6bb217

**SHA1:** 62883a7928526106b19fa78a1195fadf463550b4

**SHA256:** 5b9c6a0031fe895641f2eb2198df2592ec769a6685d6bb10f3f9b92a7822e286

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: mark\_text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/mark\_text.js  
**MD5:** 7611054f886606aed04a7a3f3c4d5a78  
**SHA1:** 3e6ac9ae6a89f720e9c148d25746ff37f9207d07  
**SHA256:**b17ada4f3979fa8170a4abc071035badcddd87870a212cd92dc5b0a70fac19e0  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: markdown-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/markdown-fold.js  
**MD5:** e9844099dad7cf95607a804988677f22  
**SHA1:** 400fdaaf493a4d15e10b397553549b6b4e09dc92  
**SHA256:**6a81721447c7260578e8e306c89b33a49e98edc1c2cb0c52a18ca0e913684d96  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: markdown.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/markdown/markdown.js

**MD5:** a7326be775e85028373f9236c26a572e

**SHA1:** c7dda08f12cf129cba6b317f70ee7ce0abf775b9

**SHA256:** 8fe7b11848f79cc9119b2a239f38a00944f6f2bb764a00bc837ecf8d34cf7690

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: match-highlighter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/match-highlighter.js

**MD5:** d7d3dd2592e2df81c743b86a46ccc555

**SHA1:** 21bd58338eb506c53cd367b4e30c6aefa2e7edee

**SHA256:** 8c3e196f9a5f9e5cf9d7e71751132a05293e7cdb180defacf28be9fe919682cb

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: matchbrackets.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchbrackets.js  
**MD5:** 2d2902edcfd32a8f481124c0957889ff  
**SHA1:** 1555a87118f8082edd03c7b7c1363ebd1daaea45  
**SHA256:** 9d0e5ee4c199fcb487a901860c2cf7d007263852677dd5858098fcaa8580f1e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchesonscrollbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/matchesonscrollbar.js  
**MD5:** e005f8b0c7cedc509a29ea1a517cc829  
**SHA1:** 73a8bbcf26072f44bc7003faea790d1f3d59096f  
**SHA256:** a2deca7f8ca380dc7772929cc7c23b6737109f3cf0a55e7e18832808d98530c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: matchtags.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/matchtags.js  
**MD5:** 6e8c7c68653d8d6b912138fe6f155e1f

**SHA1:** 99f7135d209eb1da2c326486eb53ecdd330f0f2c  
**SHA256:** 263d752f850b20890f0506fcb277b094b474138692a58b45d7b9bb03e20aa00c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mathematica.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mathematica/mathematica.js  
**MD5:** a8c37dcebeb98162e29e9d1483edf7c4  
**SHA1:** 82d9653bf7ca5b228759c5ad53845a8237625792  
**SHA256:** a301011fbb5d9ea4f39fc574718c2d27afd9425e31a1a5bf9005617603b45c0a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mbox.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mbox/mbox.js  
**MD5:** 9ce449eaef8f2c3e6253bb202a3da0d0  
**SHA1:** 6848c5a33d4ea2c76fc6abb4fdc3c9253eedbc9b  
**SHA256:** 9affa80931d9bb09746d08b9b0f90286d2b47f5b16a0bd8a1a06227b496c4b07  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: merge.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/merge/merge.js  
**MD5:** d2a6bc0c40e52723665afdc3b17ab226  
**SHA1:** c2c82dc8159b4d4b38ac4e74d88b513cae40be01  
**SHA256:**916279b765e93236826a1aa71f96924084707d50486739e9b4524a3f773d41ae  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: meta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/meta.js  
**MD5:** 11f14aa114ed56768aa48301be3b9f03  
**SHA1:** 516781b99334a9aeaed0d9f1b9463d8330d00ab2  
**SHA256:**f95786f9c83e631225fe7866f39892f808aeb015e80ce9d8a58d5a1d4e9c4bb6  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: methods.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/methods.js

**MD5:** e0aee4bf62e8df22b1edf8c98171c1ff

**SHA1:** ec9e2b700a1252d5787249b1c8046b5fb0df6073

**SHA256:** 80aa117e54c13edec48656384e623b81f8ae5ecece3f426ba9b4638872fd88e6

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: mirc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mirc/mirc.js

**MD5:** 23555fdd21b7305d57c24d1378a03754

**SHA1:** 373c327846304793f8016feaa0164226d6fd5020

**SHA256:** ac173799c5f81a8c8813a5b0c20b700b27a1f571d1e70132e67d8451c3efaa5e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: misc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/misc.js  
**MD5:** e94bdb7dadf69d57a0baf64df69e7780  
**SHA1:** 7d04fd04c64f91033740df1756ceb180fe1ec38b  
**SHA256:** dec9a3df5d525da109210c8f63bc47ef6270de5d0336e446c54d6c490f45bbfd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mllike.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mllike/mllike.js  
**MD5:** b30e7da7837eee7a5966685fa03522f0  
**SHA1:** 648a539e28df2714182163665b797d783cd47d80  
**SHA256:** a887947e50c37db0215fa4076c3b211093dd9abf643518a2f304677bef848211  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mode\_state.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/mode\_state.js  
**MD5:** ffc05060eaa3b3d89beaaaae86b0483a

**SHA1:** ad4db1fa999cdec7dca274bc0d440b9817706fcb  
**SHA256:** 7d986b2f9cea39f7829ffd57fe70a6d891afb68bda46557f3d361fce6abddedb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modelica.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/modelica/modelica.js  
**MD5:** 9d173268d73ae885e07741f6a60913ef  
**SHA1:** 2cebfe05d43ff1b9a4608bde365d0e340b9e2b08  
**SHA256:** 96befada89421de8d32f6355c326510128e429167390c60ba81d93dfce4b360a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: modes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/modes.js  
**MD5:** bcf367e11e7fac26e7f1668e8f1d1968  
**SHA1:** 26c51a0d675e8420deabe41af39537b98b494f6a  
**SHA256:** faf6b57425b7b95a14650da5da6a488cde013e23c1ca57e4223146ccd369230b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: mouse\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/mouse\_events.js  
**MD5:** 9a8c2a4f4b71ceb0d641c905ea325dfa  
**SHA1:** 88d8b3f37ba37358b2f270ac184852f0f53c4e8d  
**SHA256:**17a6d6d77b3607cfd0ba1d551fef84d161747a62b42ecd9454d7427a1c3da610  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: movement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/input/movement.js  
**MD5:** 386a27ecd12315f9eff836ce5ab2091f  
**SHA1:** 3170cd5a925774250a79d9e1c9130040e89a6be8  
**SHA256:**45f4ab6d34f817b4d945449664a35848a252a87f7aa7e917cbefd5710cc06334  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: mscgen.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mscgen/mscgen.js

**MD5:** 8e06dd81adc9a26c6c708d253868c290

**SHA1:** d44dd69d6fe4e456417da210928371090d426921

**SHA256:** 91eff4cccc80f0048d1f7efce0197be483a013dd299e2718b49315639a3d4885

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex.js

**MD5:** 0bdb637f0ca08689fe55e572cc10ab16

**SHA1:** c1eb99a3fdd03722c84c78cb9351791428ff0bbe

**SHA256:** 09ec21386de4e951c1eefe0f1db478a9f57701b202ce18424f2b89d4f74aeff5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: multiplex\_test.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/multiplex\_test.js  
**MD5:** 8a377bbbcf33896551524b1cceb823f  
**SHA1:** bf15c3dc16b8de593577266b9ef1f5625d67a0ea  
**SHA256:** 73e22c6765036bce1db37e31f8c46d62a56ca232840fb4fb968d17c24c3e8f74  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: mumps.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/mumps/mumps.js  
**MD5:** 8e0c6375b6bbe74f633feed856f4283c  
**SHA1:** 6944b10c9a28d7097d90291dcae08e9924461140  
**SHA256:** 1455108cba483e767bc5072ebda6c4c219395adb574aa70f7d7ec856225c3d42  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nginx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nginx/nginx.js  
**MD5:** 63e717882de52ba3a4bb62c9e7bef83d

**SHA1:** f008d01cd0b803de9bd5bf1088feec56c6eac9c5  
**SHA256:** e35111d1834678cd34bfec04abe169cb11739f39750d1c41ab57c8f2524748fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: nsis.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/nsis/nsis.js  
**MD5:** 4851ad88c595ddafbe3979f2e47b4d0a  
**SHA1:** c27aea13ecb53b8797926e831d8730099a585d42  
**SHA256:** 5f9aab831632e1de8d8a4f6fcf52dcd75eb704ab8fe47e2c76aac24c8c30fbd7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ntriples.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ntriples/ntriples.js  
**MD5:** a21f011183564e5725ea16a6ca11b089  
**SHA1:** 62d7d39e91ecca5bad75c91241aa31421a303ba4  
**SHA256:** d7a1fd7fba26679ecb0a6ac0b67164ed12a37db25d32ece3472920c6f25a74cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: octave.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/octave/octave.js  
**MD5:** d830f31f1647efb252a53d0cb1f18aa1  
**SHA1:** 1abba38966f306c238e8f9cf168f95db0e16d5a5  
**SHA256:**b6c6966b9a564ceafa2b2c5dde2f2efb0349cacdab3f61d90fce2544ece8615  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: operation\_group.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/util/operation\_group.js  
**MD5:** 72f0c675f45f87c9a45b5f5784212fa9  
**SHA1:** 8ca609f3cf238954efccc55c720e733a56f5029d  
**SHA256:**aaa9c34bd1240b164897a412a257d2e693d2ad35bec219cf8959561de6559edb  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: operations.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/operations.js

**MD5:** f2e13ff94b86a05aa5daff82022da8d2

**SHA1:** dbbbc8bf0cd26ed344d48e6be8ba83d3a3ad983a

**SHA256:** 6570698684e4da9507306248649b72c362cb918b63180b3b3571d91ffed78f83

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: options.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/options.js

**MD5:** feecb2723f03f979c8b8c9a85c553a1d

**SHA1:** 99d3d0aa7ab678573f2970b2273404ed4c7cc73b

**SHA256:** feb45909b7d01751e0edd20b7156ad016ec045cb2eea8e92b96b1505bf6e2159

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: overlay.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/overlay.js

**MD5:** 3cb76447dd1f64cc2bb037f3ec8c88a9

**SHA1:** 1ad72da6c675d9b6074f69404c66118ff24389c7

**SHA256:** 1b44334e2a04d90f2b473c26847798859039190142e53f72f3b7de0f82696d0e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: oz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/oz/oz.js

**MD5:** a097901a9fe996b190b9103a64ace0c6

**SHA1:** d49b86c59bab331924fc03e3f680af92a6bd79d5

**SHA256:** 641554f9736e5260ff1aea064749a590cba2a854bad6fc334db8ffa2bc1a6892

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/package.json

**MD5:** e2faa7704d8de49e9d70e7a834d83ae8

**SHA1:** cab269db696fc76be4a9c83dc82f287546253792  
**SHA256:** 352f4e90706a839430cb2cee1a2080b0c1a0660243d4d2a544e81a57cf8c006a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: panel.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/panel.js  
**MD5:** f647c5e58b5c032c1691693333104941  
**SHA1:** 5c8285f946d9888b499ae0266e8e165696947074  
**SHA256:** 2b137f8e8631c717d2af81edc341d436cd3a6debb8e9fdfdc20630296685d3cb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pascal.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pascal/pascal.js  
**MD5:** bdc6c5432f1408c29254a933f45ca2e7  
**SHA1:** 541ec18ed0863a528118a8026b6a5aa11a9c5918  
**SHA256:** 5eaac022259857d3b9b127ac0deb76c84d2523dee102d203738293f95ce5086c  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: pegjs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pegjs/pegjs.js  
**MD5:** ad4350eff079b204cd634114959c0904  
**SHA1:** 978baa600d3539e1eb05834fd0b7d659f0fed792  
**SHA256:**8cc7fe980c79a1ded9265d338062c8ecdfe6e0d044fb795bf11eb8d9813dc492  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: perl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/perl/perl.js  
**MD5:** c6a3b40a8b2971690ff06860516bd140  
**SHA1:** 08bb3e219af9990114dda08e2ad935c5992dd39f  
**SHA256:**a614830dc6e71770cb4feabc487dfa1b72e29444789b94d1bcad62490827ca1e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: php.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/php/php.js

**MD5:** f2f1668dbc8a4b0fd9f031dceda0e4ab

**SHA1:** 31d6961d6d4cbe7bf5deb2f0b5ba099c49e5c962

**SHA256:** 07819ae34d5830a3cf040e1904d4b641cb70142845394211f7fb63c891d80945

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pig/pig.js

**MD5:** 40f967482626259f7cdfb972548743cd

**SHA1:** bd2d7d6522d69e9849f8a6cf3b631ddaf50a091e

**SHA256:** e9a9ec475aeee8b2f75fd1c8a58ea0a2d0cffd383b1a3fb8bdc460881d612352

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: placeholder.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/placeholder.js  
**MD5:** b5b4d8391f1b94044cda61cc979cc772  
**SHA1:** af7eaa5519c4e0fa823224593b0ae0b7fda73a23  
**SHA256:** 44619626e2301fc16ebade252564e2c064113483e02f2fc8d8d262aed2485b9c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: pos.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/pos.js  
**MD5:** d1fc4bdcc5a93ac92f4c3c9cb34bd220  
**SHA1:** 810afb684197135ac8ac6626a4a7eebef9ad5cc3  
**SHA256:** b708bfbb9ce809d5ce2d1490d806933fad9b471ac63e0f4c72a31ada57e05f9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: position\_measurement.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/position\_measurement.js  
**MD5:** 6c17908c000f5a7beb67e75b1340c3ef

**SHA1:** c5dd40151e773a61694906cf92f941fe27ce51de  
**SHA256:** c5c488b91320e33d6e25fbb8ce4fbd3c28621511328b48e9690f797b81d51c32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: powershell.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/powershell/powershell.js  
**MD5:** cf3b0559e54ae537a420d86a07b441a5  
**SHA1:** 992cbac5ee6c618eab5f646438ba5fb54f66cfe1  
**SHA256:** 9530fdf52d164be6d021a87de567acb8738f86f6fd98577533a9db3545e873c8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: properties.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/properties/properties.js  
**MD5:** fdca15c3c811413459ed12fce119db54  
**SHA1:** 715881cc0ccd13302e302dade67f675d37cfdbd4  
**SHA256:** 3f85f36e32edf82eba526ad56edadf04c33864d72bf0cfae2592a490530a4966  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: protobuf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/protobuf/protobuf.js  
**MD5:** 3e57a349742d01647347b7339572d9fe  
**SHA1:** 909346135655b3aacdb909a19acb59876e2810dd  
**SHA256:**93d1459ed6cc4e2a4701fc17959fe7f56b797d1d35b47f44b8030c0d19adf5b3  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: pug.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/pug/pug.js  
**MD5:** 63473aabe4ad7435cc804132bf743ec3  
**SHA1:** 4e624a3174fd238241f692c1f935ae75d41269f4  
**SHA256:**1f9e975ab889f6dd9183758bc7b454224dd11859b8e045ce5b98e2c4a05bcf9b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: puppet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/puppet/puppet.js

**MD5:** be03e9aad763ae4b5ee3d6a226aa8c78

**SHA1:** 7dae96b96e285c5e747624c864be8f1b0cb61e5e

**SHA256:** 237b966a50a514c6beabddfb83649797f764a29f7f2c7100dac1f411709040af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: python.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/python/python.js

**MD5:** 9b50648e6f546e4f63f1a8eb25adb039

**SHA1:** b178c4d31cc4eeefe58e97a60723d47af96b79ed

**SHA256:** ec56443dfebe73f332cc639289ad2de6921560c8952a3e2127397a0849882657

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: q.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/q/q.js  
**MD5:** ec0a69917f7ff85ef3c89ab34cbd0ee9  
**SHA1:** c52261047f62fbf5a52a2fb36e0e926859505ac3  
**SHA256:** 1fecda8902c9c63fa36833c073370e479c7b8def1b883147c364f81cc6ac9171  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: r.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/r/r.js  
**MD5:** 32999ceba0af47e9e6b4042314e2cdc0  
**SHA1:** f044c32fe6998d6c6fbf774910766fca456273d5  
**SHA256:** d4b1d1ad4275187d4f371fb61ca77ec10f63deba233644c484667750f934b23c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rollup.config.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/rollup.config.js  
**MD5:** 73a1da56a828ad2854d28749fc155632

**SHA1:** 48bed29223b72a22a9939b57333c2d6e58bdfd39  
**SHA256:** 8c887c6ebd69fc77f4d1690cc0eb5afaaad25f0e18baaa5c7fdb16a6618ee08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rpm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rpm/rpm.js  
**MD5:** 5fbb2d4919f2d396e78074f4c98812c0  
**SHA1:** 719d22639e2bbb16d80df811da20013f3998c42b  
**SHA256:** 5e8a8253eb986b58fb170e2d58bdd134b05fc7dc02a456374a034d7564f77fcb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rst.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rst/rst.js  
**MD5:** bd89a589282ae08505026ef31cd4c6ad  
**SHA1:** bfc1dea7ab7b49ed20e4127add87019c8dc56850  
**SHA256:** b50d542cf38074c392f7fde44ef2cbab24b45bbfd178c426cfef6848d6d3e90d  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: ruby.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ruby/ruby.js  
**MD5:** b0b2ef072186390edb0444a0eb2e315f  
**SHA1:** d63568f7de026f9c17e0a4124161ad5007c0c709  
**SHA256:** 953daad8a24225d56733f77c0c4451cf05436f70ad00e5dd1618486a1d5e01b9  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: rulers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/display/rulers.js  
**MD5:** 267bb54847534c8bfb41dcf227f7aeb0  
**SHA1:** ef8505818354f0e8e79d6ef7a902ec0feaaa0ed7  
**SHA256:** 175d32d6794e2d917f446c4bcc8053c9a9e69eb9fcb3b805daaf015189b6ec03  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode-standalone.js

**MD5:** 51867497bb73c2eba5e2e6cd1352f29d

**SHA1:** 591c22764dd7599a2d443c593bd5d4fd77928e65

**SHA256:** c1c9bc16a627699da49d9733f93d75963603175081a540b276f11c604739abc9

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode-standalone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode-standalone.js

**MD5:** 8bb22c65e3d5cb3b6466654c7c6ec4c8

**SHA1:** 942779dcd636d8372e9d8c9949858ea5b68bfdcf

**SHA256:** 8a06491ff4969718a7bbe2f8ae9d380e9f05f0947d7f5e0d940930e5a929e469

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: runmode.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.js

**MD5:** 6b9c51f3ec2f5a79c75836a0f75569c0

**SHA1:** 88d7a8053ef7fe9996f63800076992a5f65c4dba

**SHA256:**920d8eee55e987468236ba7ed2886de0bb8b2fed9d7060383a39ea29924ae885

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/runmode/runmode.node.js

**MD5:** 3847af673a6ae44d53fa8d697df2b8e0

**SHA1:** 91e688f6fc356c47f9bea928ea3768b7c7a57693

**SHA256:**0d796745f8db549e4ade4132025a45994f45dd6f4765402ee75e4113019edea6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: runmode.node.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/addon/runmode/runmode.node.js

**MD5:** fe41270e99f973a568d5a823cd6e2bfe

**SHA1:** c78b8d45e3db1891ad28f93b64ebd5ec6d0b9c98

**SHA256:** 016bd87dc725d65c80cfa58d2e58033e013e703878cc05f322f938d58ddbcf9e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: rust.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/rust/rust.js

**MD5:** bfb43032004a8d5d115c6b817cbbe2ba

**SHA1:** af76d8276b553e168b5fab49108e715452cff07e

**SHA256:** 797a9abcf8581f192bc49b11434346d3f8014763f4967ae260fbe31f25b2bdfb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sas/sas.js

**MD5:** 46f6d321e806768f9ebbc0155a5f9807

**SHA1:** 441d94bf2da7c5299662ba76dba352aac7df705a

**SHA256:** b69f2877e395b89682a4066f62f686c12cb66eac441b6c1d3ee15d5004859f43

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: sass.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sass/sass.js  
**MD5:** 0067718b0d6fa922bcf032b58966c3fa  
**SHA1:** 1dbee553e6dfa3d57a3aa6548b43a753ccdb7380  
**SHA256:**01ba99f4a91e70d2a5d3ef881c542f14a1f59f3ded58672484bcd56b41921866  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: codemirror.jar: saw\_special\_spans.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/saw\_special\_spans.js  
**MD5:** 72b6184ab657ca37a0d984dc73e7088c  
**SHA1:** d84fccefe8c3cd0f1a0b5b2f388de87e57503df3  
**SHA256:**fb122060ec500dd99a179c002fbb6a8709eba030bf8f7695d868109b470b31ff  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: codemirror.jar: scheme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/scheme/scheme.js

**MD5:** a64f664dcef608b26dea48b1ea52b622

**SHA1:** 1e90715a9ecc9c8cc9500e9b064ffe0defc60b9c

**SHA256:** 0bc81b318e12c7c5bbd94943d9d64cf1a64674c3bcc7057788ed1ade8701ab80

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: scroll\_events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scroll\_events.js

**MD5:** 8c96ad450d94581a7a461c44fa1e7cfd

**SHA1:** c92034958533fbaa6512c99d715a6032d43355b0

**SHA256:** b0472dfdc7a904f6a082f064c9384dde3ce1ec95953d9c276216424da03ffa01

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: scrollbars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrollbars.js  
**MD5:** f06876b47feef8deb64e7cd59d76ab1f  
**SHA1:** 73c1a417818efb800852fec0742136fb1c891c1f  
**SHA256:** 11cdf1fc628da528adf11b23bf19cc06072bb573cde470669343d27be9b0ab4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrolling.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/scrolling.js  
**MD5:** 104c04ec259e68a53516216e4947e9b1  
**SHA1:** 54446fd791e3331041e6e9a0874fa66d4794bcb4  
**SHA256:** 07f6964d12cb85a698967bcfeca73824a7b602475d488ed6f57e2981879e7487  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: scrollpastend.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/scrollpastend.js  
**MD5:** 74be53ff23fb5eda7725c96f1ff683b2

**SHA1:** 1aec49fd4f7f5571fac13fddaad9eb1705cd522d

**SHA256:** 6cd389df1da1ff9ba25728e03afb7f47df3162c3d9bdb5cedd06fc91c6199479

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/search.js

**MD5:** aee5a4efc34387df3d1974e09cd2965e

**SHA1:** aa36dc4a27460ccc0b4b40ee643907303b64a880

**SHA256:** 4949580371fcd81c0ad70164b169dd8bcab2bd9869eddaa0d7e295508bec7a04

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: searchcursor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/search/searchcursor.js

**MD5:** ca8612c41c44b87a10703ffe71d4f750

**SHA1:** 6bc4c36ea23ce7bf583f95ba4ad49e599bc646a1

**SHA256:** 2c0b8cd8fe7ca5ca2253f4aacc914b390bff5b3cac3475df66c43a9ea8c8ccbe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: selection-pointer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/selection/selection-pointer.js  
**MD5:** 3ea743f9f1b458692e5258bcd8c8afb8d8  
**SHA1:** 4306383d109eb987ee62a6e2defa8926dec870ba  
**SHA256:**fdd7ff53d0ca796c5e3792ceb5063c84d0735bcaf198a1c06c78880f1c664a22  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/selection.js  
**MD5:** 34d76a4a0d6602f8d4ff937e499f7906  
**SHA1:** c759ce0c87a62abdd8916125e3bad601e4ce4efe  
**SHA256:**ca2d26085ea9380b686c57d5ef8789e3c3032ed8c5d90ae0e1c9dba69635a89f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: codemirror.jar: selection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection.js

**MD5:** 8f89f30a603010383e7c118550697100

**SHA1:** da2d4548c10827c45fd625bdfd1ffdf0e28e0c30

**SHA256:** 03cb03c86030e258ed013dc958cab854e2978893145cb096468ff8149417502f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: selection\_updates.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/model/selection\_updates.js

**MD5:** 252e2ea7a38323b8d82902e6595d23ae

**SHA1:** 27719d66e1ff98e650abbc5b48f2f4635f65df13

**SHA256:** a285a62ec8522c5d8271505b1438dddaf39c3dbfd4dec5ac01971728e21a765

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: shell.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/shell/shell.js  
**MD5:** ab0fc779b5fb9bdc1310a28d7dcd379  
**SHA1:** ece7e7661886871cc46ef71248c67ea53a61ac7d  
**SHA256:** 24f77cb162ea9d9e9fc79b95ba547a7cc10a0767e3a5a52c786d4c24253736fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: show-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/show-hint.js  
**MD5:** c9e3db9bd2540c05ac67b249f8122387  
**SHA1:** e8092d9477bb1ad4d17d44522d99cc67ead53b16  
**SHA256:** 28d2123fd1c9cf197651c2a0b3cb65762ba06dc073e023c75ec05b1f139b0af5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sieve.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sieve/sieve.js  
**MD5:** 88c6148d955c6542b3f10482b736e553

**SHA1:** 72627a945e27e3044717e5b8db378f3d776ad0fc  
**SHA256:**c233866cf4990e2f28f11c96ecedc7e7dc465c19c5b445b30bdc037118f7b65d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simple.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/mode/simple.js  
**MD5:** 282f2d54ca2c7b60ab4bc0cd762b943d  
**SHA1:** f08a5e5394568164edb85911dfc452f433bb2483  
**SHA256:**400f49309b31197c0c4ec76519c93647b494ab80f59f96d7f051463e0aa37eb0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: simplescrollbars.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/scroll/simplescrollbars.js  
**MD5:** 34d6903cded2822fb2261678e1a479cc  
**SHA1:** 0707d27834fdde0fe2c32935af79d4575cf9f1ad  
**SHA256:**62b48bff43436bfb8ecc5e3273e6047f0b934c1d873c81e863e13bb462d1e1ab  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: slim.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/slim/slim.js  
**MD5:** 447874e5c5dd225949004c357d17ffe2  
**SHA1:** 2cdc3263aa6d9766131d73157afb05fc6767b50  
**SHA256:**a8d555221c610512119f2107d58bb1c57d294cebc91f82638ea6e235286b5c15  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: smalltalk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smalltalk/smalltalk.js  
**MD5:** f6e7ef04f9f907a13604ea5b1938d3d7  
**SHA1:** 57f009cf2b2147f14c530f697fd3ac493e053  
**SHA256:**9f649668162a61cfa6a3528dbe513d012162932c742c7b0696078bd2a6d3b190  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: smarty.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/smarty/smarty.js

**MD5:** 3ccd6f2129ee79c85ef96a8237f1de7a

**SHA1:** 5fc274f49b704c0a99e0f0b9030c90f56fc7c1f7

**SHA256:** 9e95bcd71635efe200c3871c57cbb1c07edc1f8206d173f4552fd2dfbcf9e9af

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: solr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/solr/solr.js

**MD5:** df4ba46ed00e24c144deaef9a817d024

**SHA1:** c880da8431afd54034ae7fbfedb45d94966638b7

**SHA256:** 17f16060f00cd932914722bf2cd1a01318c402503b62f3bd2bda09bab6b42b85

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: soy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/soy/soy.js  
**MD5:** 1db8a99a573b2ab07cf30cc58da1bb2a  
**SHA1:** 7c0a178caed0b849f140d0b21de6548a0355f9c1  
**SHA256:** 358a1861e92366d238eb240fd5d5cf8ea6f5fe219f389667d277031c0a1a47c5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spans.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/spans.js  
**MD5:** 52150a5a01dd7c56de003aa132f71e25  
**SHA1:** 92cc8b4ab38a103a106f574c40d25d16e97d48eb  
**SHA256:** 719ad01e720518e7594a76ed4dc4904fec7c495b12d87fc4599b40032975789  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sparql.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sparql/sparql.js  
**MD5:** 856d73e41310b4dd6a18f13d64fec0be

**SHA1:** 1669e717cbfb9fa9b30e99415a6e5f7a66feb286  
**SHA256:** e646ae1e2796c936a8760af321089f5814d0158ef72aa3f3efb60765430a2e6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: spreadsheet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/spreadsheet/spreadsheet.js  
**MD5:** 370c01bed3c433131f942ef7e6f69187  
**SHA1:** 94b3e4c80f954a378ab94f13068d879e9ab3394b  
**SHA256:** 0807dd557c55f5b6d8579c5c9019c5eddcda9c56ce559190e5f2985b156a00da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sql-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/sql-hint.js  
**MD5:** 8d41549d89ca9bfa3ef068190df379ca  
**SHA1:** 6a2cbde78c9311f75509d3350877a8018499e8c7  
**SHA256:** 60703945eb6cc93d4f47d70b65f955e66ae8a22c0cb1ceefa69cf0890564544d  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: codemirror.jar: sql.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/sql/sql.js  
**MD5:** b48a3934b20b392ae812b17df05355f4  
**SHA1:** 40d1a558afba1f5043b23131e496de37d8e2dfb4  
**SHA256:**ac23d3f196deb9be25cfcecb966bdc1789b9e177aac683ddccde1420670c4d8a  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: stex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stex/stex.js  
**MD5:** c7ef8ac785ee813860cc414ea17dbf6d  
**SHA1:** 3e46d97b4e694c7389cd0df4d13b914697d28c8f  
**SHA256:**edc1f57c69920967a31defb66954aa29f5751fdb2f7ed8e52fa08978ff890e3b  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: codemirror.jar: stylus.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/stylus/stylus.js

**MD5:** 7e6d36c0cc269b4e518bd48b9b6342d6

**SHA1:** ea339b15b178a1082a2acdadae82ef1f4a599f32

**SHA256:** 85683adfef4f0129670fc2e5ee9148ad956213f5fa0c8dd05ac7970ad7f0b337

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: sublime.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/sublime.js

**MD5:** 1d7ea7f929183e76740bd9d98e9cac41

**SHA1:** 84a64b60b5802e86b0689ccfa95665339347f0c7

**SHA256:** 1d532a67594845cb7163b090a06da9287b896944ab5f22df67f14e176bd434e5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: swift.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/swift/swift.js  
**MD5:** bf859160b6f348fc2d72673fc40b9da9  
**SHA1:** c6b46b402c9b1fc3166712d68eb10ad29c5d01f9  
**SHA256:** 939dc67bbef9f0f6847f5bc2a89b0c8f4b411d57fbed4f9d5cc21fabd7e191c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tcl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tcl/tcl.js  
**MD5:** 28a739b5550bd5ad13b47dbec84a9716  
**SHA1:** 2ce8afb99f36fece39e1b3df7be02509f77b19ee  
**SHA256:** 98552bab94ce9adc9fcef5658da2965994a84e852c83098e94564884815b3026  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tern.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/tern.js  
**MD5:** b9418efb9c0d90a3432dff86169fd293

**SHA1:** e4d1225e756d51fcb69c2f14ddce1b09fa2a23b7  
**SHA256:** 1ebb5ad38f72115c49865b5537fd9c77da506b7ed2be38bd310306af3c698e44  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: textile.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/textile/textile.js  
**MD5:** d3923b19d37114a9e2a346c191c318e1  
**SHA1:** 979b17e6363d63ac2d1b3a6854ba6196564fc5d4  
**SHA256:** c121fcf3e641a7433b9e328c76aa0b1755aa4c0412e4f59a1d8d6ac24b36df06  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: tiddlywiki.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiddlywiki/tiddlywiki.js  
**MD5:** 3e4fb7a08d9df5cbe9822cb1756bec86  
**SHA1:** 84885a1cb7be096c19a3dfddd70252efcc83960e  
**SHA256:** 4b62acf34df4acb1a4bc1a2729edaf221583679761d35e0e9077883810fccbfe  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: tiki.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tiki/tiki.js  
**MD5:** 6e4bd43879571d0fdfa79714f550a3bf  
**SHA1:** 6fd2ece4b20160c1859f34cb245b173459c21163  
**SHA256:**af92cd0858a99f3c5cacf240874db7eac2704a7b193a3cdfddfc5ba70382a293  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: toml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/toml/toml.js  
**MD5:** dc2ba16cf830b53759b71306e9473ed5  
**SHA1:** 1a394f9f45c508fdbc270b7c0a1f72460fc897d9  
**SHA256:**67bbbc2696788633071f2a2b8a1cf6ca4f4ac82213e3d85b7cd183d60b117679  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: tornado.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/tornado/tornado.js

**MD5:** f45c2ec37cc008dc5dbd5f9c077ba666

**SHA1:** 8b55c6a85279c8f7d6b3f539fa097fed877c16b9

**SHA256:** d006020d7d093cb4f5ed5088ed151d4c45417fe5ccde69d960eb82cfcb9e0ecc

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: trailingspace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/edit/trailingspace.js

**MD5:** 43599469275c2b662b7907971147c978

**SHA1:** de4d3ee3d32f01f94921b8b3944c7383da7ba970

**SHA256:** a0d2c0196d8f4991cd58f320498f7aece971e502e4811ecf58cb5af8e83007c6

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: troff.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/troff/troff.js  
**MD5:** e7f5f0a2bf68a81f0f3e547ab5640627  
**SHA1:** f59246b4ff5ce93afc87a4ed30a0cba0e6ba4775  
**SHA256:** f7714fdc46774467c168e75fc36eca90e6df16e27afd0b608b882b2df769b8c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ttcn-cfg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn-cfg/ttcn-cfg.js  
**MD5:** d847dacea4534ee2841f01f5ac419060  
**SHA1:** 0df7a9b8f5e91e2ae8d5a8a02c99bf779e221743  
**SHA256:** 22983894e4a3794c9bcf396e7a4119efa5ea07a4f97e060e15f3c13ec2c1a01b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: ttcn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/ttcn/ttcn.js  
**MD5:** f94e618b386e8bfd0ffa2252482e9c84

**SHA1:** a463a8817c26dcec47a7d006aa097dacf74b28d1  
**SHA256:**10be6704eac48032ce00890bdfffa03d445aae18e3ef7bd74eb14a26e5867a28  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: turtle.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/turtle/turtle.js  
**MD5:** f36ec21c639822b370b87c63415533f1  
**SHA1:** 9b6341bdf7330b71a5959cde815241b6e7deaf05  
**SHA256:**0f82b51ecc43b95e55a752f80f719f8a39b607697b86d3fa4523a5e8280d3520  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: twig.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/twig/twig.js  
**MD5:** 09ab2491f1056e9d142e233dbc9dc1de  
**SHA1:** 4cb5eb7c9bf77dce80f92f2498d83af92f3398b8  
**SHA256:**72b6e091bbd6a7c6eb786db2591c1f6f59c7880ef224ce5365ed39ec786d583b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: update\_display.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_display.js  
**MD5:** 8a51230ca1be6a91aebe25d4d0f7b55a  
**SHA1:** 79b7a1faa3bfaa65f28ab4e324fa88b485ed21e2  
**SHA256:**cf96f09d7f210f2cbf0c1912058eca1f96b51e63b1bf7b39016c0156c2b9ffc6  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: update\_line.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_line.js  
**MD5:** b9b8f3c5e697e33d73d1044eaaa86dc9  
**SHA1:** 4f7c764ac36b54c918f06b68129b8835b22b55f4  
**SHA256:**5fafd013fc16591f0c978c6a4bacb3cf054d52f5051becd4325de8c21ba07f7d  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: update\_lines.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/update\_lines.js

**MD5:** c864b2f05d2101a47c52b9c01aad5b47

**SHA1:** c63e8555c30976387f5904fda11fb55174743a88

**SHA256:** 80e80a6c8ad664587c2f01128e85c5c931f29cd021381584e2195073a53df45b

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: utils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/edit/utils.js

**MD5:** 4e9e033cb9daa0702d84b88dfcebae20

**SHA1:** 8e5257ed7b93a00cb5ecbf544d6a1043f2edac7

**SHA256:** 06220f9e424434492b73e0aea65bebbba1fe74fc3002f8b3672d1d0d3a445f20d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: utils\_line.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/line/utils\_line.js  
**MD5:** 0f6f365b60c1688d8f0fcb8d57a9d9d4  
**SHA1:** 574435cdc400815c829db19a67652b7077b00433  
**SHA256:**a8b39ff57b6d43dfceda786380d6dacef7b1738a81fb6033e7573502501d4b6e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vb/vb.js  
**MD5:** fa430588a34292ebd66e33fa60217b4a  
**SHA1:** a89cb1b315fbed1886d709d921ae95b216d89fc9  
**SHA256:**e8f8e4496baed70b1e6ff44979382bad81b921b9570b7da1a377835e973f28f6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: vbscript.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vbscript/vbscript.js  
**MD5:** 2da61e304ec310d9291e372c53c6b06a

**SHA1:** 9c582c79ac9ef6d1c08850c180f988bf974aedb5  
**SHA256:** 77109e0c2218502dac03b5bc3b290cfe0b46ea00f4d267f3dc4378d9abe1bdc9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: velocity.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/velocity/velocity.js  
**MD5:** be30a2a88271b692c85d7de9744f7c16  
**SHA1:** d45880a6f5d3d4840ed1297d7b3f14ba4c9a4be7  
**SHA256:** 3c076c7bdb1e2d3d25bffa1a682556ae449f1545c3731935306333b5831aa951  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: verilog.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/verilog/verilog.js  
**MD5:** a79b1a94e41866ba625c37e77a76ba16  
**SHA1:** 4818788973bd3f66d3b9e14992710d96a7ec18d4  
**SHA256:** ae7c58b13650019ca08760e04f3ece3315e889eb5aa849a34400f16542610eb1  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: codemirror.jar: vhd1.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vhdl/vhd1.js  
**MD5:** 4f804b6884d0d7c233a0acc15fdab384  
**SHA1:** d30d775adce22818b6e3955fae1d653028abb5dc  
**SHA256:**da078efdda01a1245fb8ed5a16cffe0a51823e5917e3802457041dc48243539  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: codemirror.jar: view\_tracking.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/display/view\_tracking.js  
**MD5:** a26525bd629440e84b02128d6eb323b4  
**SHA1:** 2cb6103f9dad13f5ee416f272cc9f8f14084ffc6  
**SHA256:**077f385b690f0c7af9976cb7b6d2b60a175f762753a77b3060a6db2686a5ee81  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: codemirror.jar: vim.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/keymap/vim.js

**MD5:** 3a5542b6dabf86e3983f29c5c5a184b6

**SHA1:** b8afaac94045745d4517c9635a5d0c1c266db7ca

**SHA256:** c8124370e0ba7e76d5cde3c18d257c5c99e5578d6505f0eeaab5c791673c40e8

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: vue.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/vue/vue.js

**MD5:** 9e7dbdd0bcaee6279ed4e77f5ebc36ad

**SHA1:** dc5c50230fdd556f9c3530f781b7a2b16ad30a20

**SHA256:** 8b9c4f59c1230c537f44f593f5d608a81604e4b3dfd345ea938939d0d62f668e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: wast.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/wast/wast.js  
**MD5:** fb1f6ce81911f07db605e2e5ccf41cf2  
**SHA1:** be86e08e18cc74130b483022c355846d72116c20  
**SHA256:** 8e8ae8ab4475c66d2f05960ffda597af6279c8c93f62cdab443407bea74c0091  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: webidl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/webidl/webidl.js  
**MD5:** f31e84cde3fcc1fa2efec9889038d7e5  
**SHA1:** 0757847217a95faf4defc9685f6821accb9d8988  
**SHA256:** a12293542727a69514ae5477a65e33eed4f871fc207c6b275c9d8be1f2177062  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: widgets.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/src/measurement/widgets.js  
**MD5:** 675098b5f0aea0bf351a1b5762febfa6

**SHA1:** c922dccdf98c79f92fa086bc2a36d970c76b56df

**SHA256:**09874ad13a856fad11b3afd084e58411741ee2735e61b4d95fec060b60bfd65

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/tern/worker.js

**MD5:** c6d16e68bc203e9489fbbd11b5b100ef

**SHA1:** f8adb9ac9944f88bf6e69048c001f89537f32198

**SHA256:**80c0e9bc4e2ef9ca9c97199818318429d26fae0d2452a20547b1e458eccf794d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: xml-fold.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/fold/xml-fold.js

**MD5:** bcfaae27958026e83cd442b5df731da4

**SHA1:** 7ad4740f2ecbaa3869b066156b19401075a0315f

**SHA256:**4ad0fdc2f93882174c9071e9a3c2324d15d4deb0c43fe607f9efe01dda1af9b4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: xml-hint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/hint/xml-hint.js  
**MD5:** f2651770cad286ae58d12e9f5c4e9e6f  
**SHA1:** 17bce6be75e45d7a291a32d0c1e346e4818296db  
**SHA256:**6b78f04d2137358d5a01e9fa2b3a8f069acc70f925cc7efc39448ebe9599a805  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: codemirror.jar: xml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xml/xml.js  
**MD5:** c93fe254ef100aeb5c9dfcda4c91d27f  
**SHA1:** 510c71566cf81560cb5bd1bb25287ed6502dde75  
**SHA256:**dc7e44d410399326f802e2924573cbf6f942a79f647fd0b97f0b607973bc9a09  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: codemirror.jar: xquery.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/xquery/xquery.js

**MD5:** 56cd9562591919c15b7610f13cd112be

**SHA1:** b294546669da04806196e6aca774914a30a0b3f8

**SHA256:** 618685277efde78e0e48fd5cf95948ae32a4d57de942038ed0579415f3f2f9dc

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: yacas.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yacas/yacas.js

**MD5:** a70c01cdbc7d4311d4dda287ace27a79

**SHA1:** e853bda930d5fed1db0bd56ab9426612e759f9b3

**SHA256:** edab39fac054aaee5ea8ad3d09e0d38f57d5b24f826df7561526b5efb229fc72

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: codemirror.jar: yaml-frontmatter.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml-frontmatter/yaml-frontmatter.js  
**MD5:** c2dc6071833d8d9bf02d81244403cbd6  
**SHA1:** 212780f18d78644233eb826c8c660eee51b6ac70  
**SHA256:** 98baa91eee7ba77aaf150a59d7e5146d4964ddb271076cd963cce43f9928b3f8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml-lint.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/addon/lint/yaml-lint.js  
**MD5:** 925332d44aefcb89b106d4fe9b32e93d  
**SHA1:** 19221be874d11d57582a77dd08fd2f244e9b5500  
**SHA256:** ee7249600f6b395c302b24054060f8abe87cbaa68a9f426593ca5e5f3748bbf9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: yaml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/yaml/yaml.js  
**MD5:** 77fd959da1bbaeff5cdd97689da94570

**SHA1:** 9b206b33cc7b2b5e1e21d39bd177b1c6500e9722

**SHA256:** 3256b4e40302d4488834925a990edb32cef7d431f70a40917c1c5398468d861b

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: codemirror.jar: z80.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/codemirror.jar/META-INF/resources/webjars/codemirror/6.65.7/mode/z80/z80.js

**MD5:** 85b28ee5eafe8552bf842eeba91325f7

**SHA1:** 34971fc9b5ed5aa2f8714030186cd3e0056cb2ac

**SHA256:** 0f501d7b8c9c48942900b4d7131f5bb18130395024e66ea5d98aea480f845e2e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar

#### Description:

WebJar for crypto-js

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar

**MD5:** e70e1fdbb3054453cd57ab3368e6bdb9

**SHA1:** 622835f605f708155af4ffdb1fda1fed2983bccf

**SHA256:**9e11775c13feb6a3161844db96974ad007dc36d1f4b3033555f34813a1584270  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	crypto-js	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Vendor	pom	artifactid	crypto-js	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	crypto-js	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	crypto-js	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	crypto-js	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.crypto-js	Medium
Product	pom	artifactid	crypto-js	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	crypto-js	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	4.2.0	High
Version	pom	version	4.2.0	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/crypto-js@4.2.0 (*Confidence:High*)

#### remotegui.zip: crypto-js.jar: aes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/aes.js  
**MD5:** da81b91b1b57c279c29b3469649d9b86

**SHA1:** 5441866409bd32d32331c4b4b652057fb90bc298  
**SHA256:**d6bb48feacbd63fd455becce7a5528877242f70e73ba1f7838c186ed8f35fd3c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: blowfish.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/blowfish.js  
**MD5:** f324783486bb1c6c2bad1faf07c63372  
**SHA1:** abce1a3fd40ce0c3f511fc0ea0be9a5d9006e580  
**SHA256:**dce696d0842412093ec68ceef095d0db470a358628dbc352867bf535ef3edfb6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: cipher-core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/cipher-core.js  
**MD5:** b9c2f3c51e3ffe719444390f47c51627  
**SHA1:** fb31443b26eb46eba12f324ff2c567d28e43c9c8  
**SHA256:**1b3331c29f4a1e222ebf7d3b9bd3458a308c2a47fc5e6cccb93f7d2d5c57533d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/core.js  
**MD5:** b55ae8027253d4d54c4f1ef3b6254646  
**SHA1:** 06951bbea3ba1ca54de91f0feefc13fb62b66f38  
**SHA256:**2638bdd7224472f801890636d42df16c144ca46c84229ef3087190d21f935daf  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: crypto-js.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/crypto-js.js  
**MD5:** 4b481d280be0331ef01b43c2d9b2a58c  
**SHA1:** 4e84b6508f97c27e80a3fdeea2923d489d2b8fc5  
**SHA256:**ee02257ffbaf0a9b481c7039b0f3bb20c360c9674fe4be8b38ae709b2ea59bbe  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: crypto-js.jar: enc-base64.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64.js  
**MD5:** f551ce1340a86e5edbfef4a6aefa798f  
**SHA1:** 9e1b1bf75f35833ca2480ee401b4cff8b7eb1fe3  
**SHA256:** 84b69d1625474179d55622a8333c3aac376dd8bc77de7b06c21695762cb69cab  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: enc-base64url.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-base64url.js  
**MD5:** b87419e0e9ad776b37cfce5433ff5852  
**SHA1:** 24aa5251bd4c6b8ca1bbaf0a5ab838fbdcb6ab  
**SHA256:** 8747798ddd53f467bebd7101bcd053b3f12ef028b3e6c012aede147732c8a9c6  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: enc-hex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-hex.js  
**MD5:** efb02f85686d948c69ad13ec6a7d479c  
**SHA1:** 27f6a54ae346ef0a9a63084990591e0f986bea38  
**SHA256:** c7dad9931250921c24508ba9949abb818745b38891da44693359249b11ed143d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-latin1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-latin1.js  
**MD5:** a8c77d13f48479c2f76678c6e7f06ca8  
**SHA1:** 9753af5959867f998f0feffd6f1699e88c92f39e  
**SHA256:** 24dfce2cc51ec0481aad1f62933bd0ae1238c34c5b0e73aeb1729027c913a26b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-utf16.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf16.js  
**MD5:** e24e079fb22a2f7063cb9f856bdf10b

**SHA1:** 01f29539d0bc1e2c10638d0f3b9af99d978e15f7  
**SHA256:**c35339900b45fa701c390c924009a95270b4b4d91b427e40984f117c2f7ec67d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: enc-utf8.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/enc-utf8.js  
**MD5:** 5a9aaa6b97e87bf258edf26223bdcf61  
**SHA1:** 16bab2dd76daec10b9b3e2569f3fc1a207b5f726  
**SHA256:**8c7e44dc2d49b20fd78a44827fa962a28a5e22e0adfe036aa0fdcfc7adb89984  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: evpkdf.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/evpkdf.js  
**MD5:** 7106e06bc97d1f59a9324ef5ef9c14c2  
**SHA1:** 89cccca6c0e5261d31302cb4726a26f21a84ef39  
**SHA256:**03a8ec00db105b3b813902400ed65169d12ecd382fa13402fd62c55e251caacc  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: format-hex.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-hex.js  
**MD5:** e2f78f02b844140cb8763fa7cd8daa45  
**SHA1:** a359182575c8d43c6e5381209472f8954e4d5496  
**SHA256:**040a2918bec8cb8ba0a6303fa3c1bbfd899bc8644643e8ac493e3c08a0c09097  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: format-openssl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/format-openssl.js  
**MD5:** 502d6df5aa16084bf5abb0f3077c13b5  
**SHA1:** 7507a0c1ccf7049a8a10bf2ed73f24af5ed00aa3  
**SHA256:**1ffa86862e66b6c0fff35cb96875e97a793aaf86ca749b29381cbc67a0877bba  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac-md5.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-md5.js  
**MD5:** 95b2fb61fbadc00bb3dce9098e37256a  
**SHA1:** 143d92d0c7d56bc57036c318cf78dc50cd72b557  
**SHA256:** d3072014eb4186d02e335c511b3cc6e163a5cfebaa8c4ae13634af24887078e6  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac-ripemd160.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-ripemd160.js  
**MD5:** 6d51886c1d976bc143c790593cdc0920  
**SHA1:** 29a848612a72b95abd8d8a9ee8d4874939fac6f0  
**SHA256:** 28e2bdcb143840e4e01eff312a728e0f652d7dcb0d1bbdceab0bf48ff5cae8ac  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: hmac-sha1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha1.js  
**MD5:** 4acf006c1688cf4513ed375d7a94f86e  
**SHA1:** 8f8e2f8ebc2caa64f74c0393f9f6641f78e3b732  
**SHA256:** e104acb7379b834bd9249e3cfcb2196acbf90a22bb10947feb2a1f8e30ded105  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha224.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha224.js  
**MD5:** 875a7a330903a92828b279818e6b06b8  
**SHA1:** 586cc496e368eb6f6119e0a6089ef7f8f421dee6  
**SHA256:** 35208e1e4631ff5f9bd83220dbfbef63290eb93e914055b35583fbf19eb76693  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha256.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha256.js  
**MD5:** 69817fc0da86033d4ef559f0febd3d32

**SHA1:** 84c60e2a1dce8f06c1e4340542199cc9cc9a3454

**SHA256:**11d26c11f858b74bf0f106c74ddb579a112d3e7321fd684365a77ba2a7a5dfffc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha3.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha3.js

**MD5:** ea6cba03f7c6b257b70c1497022b5514

**SHA1:** 0d8f8002491a9311c7035aaf07d4a0329f38ced0

**SHA256:**bc63c36741416fb55fbbe3c7c4a78b5e056d9b902a471bb16b6f5672fbbachf8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: hmac-sha384.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha384.js

**MD5:** 7afbd157b81970eb00a50bc421e7ce1

**SHA1:** 9196d839c46163f6e51c63410ba0076a09ccf178

**SHA256:**93494b918b2eb79cd1be66145a41137ac0d65739ed6cb9e04f82bf1d7cdc7019

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac-sha512.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac-sha512.js  
**MD5:** 5d3e9930daf490e45b446cb42b31833e  
**SHA1:** 4b07089a6c56852d15ec948b58408d5b5d32cafd  
**SHA256:** 6c2b59ac5e27099986b28d32e425ed3d65a4621c1c6512d03d40b336c6e88a2d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: hmac.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/hmac.js  
**MD5:** ee162ca0ed3b55dd9b2fe74a3464bb74  
**SHA1:** d68f1ed4e3aed7807fe17a8193fca4775221dfa3  
**SHA256:** c89f8f08ae06990edbc0763cd46853d16c70eaf513de8592b1ffb74a2ad2f7da  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/index.js

**MD5:** 8181544c4f4842cba38a939989ddb460

**SHA1:** b4ff6b82e1e72ccc2a5de8f94968c3b82060f61c

**SHA256:** 7de6a6041ebd1a43ecd79b59708795ac273930bb36265b41fff832d781e7bb27

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: lib-typedarrays.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/lib-typedarrays.js

**MD5:** b8bac2e22a7a589167e014be77736c72

**SHA1:** 622fc0f297b3799ff91b08469989e6fe113cbda4

**SHA256:** a5875f287e6cc6dea0ab64024db32783229a7db55f74deccf6566973bbd76ec9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: md5.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/md5.js  
**MD5:** fcd0c8cd3533c15bb4f0628f82cf5175  
**SHA1:** ed91751fd5c6009667d6b43c5fd3939993edd568  
**SHA256:** ffce8dc6b782620c6238a5b2280c5a98f6bef8c77fa80e581fac8cce0f08effe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-cfb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-cfb.js  
**MD5:** 5847dafc1beecdcdfd23925f9f4989b2  
**SHA1:** c9972596e02db6c6221ae019dcf1498d30e9ffb4  
**SHA256:** a3626b78fe53d7d32fbcaeaeb92750db305e84e2ccb84e61d735ac7a4dc7345c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ctr-gladman.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr-gladman.js  
**MD5:** c4bd3b4755cf275747f8e68b0eed7995

**SHA1:** cabbcc4100b4d363f1b55d42b930ec547ad67dd1  
**SHA256:** fcd6166981435cc01bdfd2fb8f9e2773acfb144ab8c47e0c71473d9bdee755b0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ctr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ctr.js  
**MD5:** 6cec0458e4e62c1ff8b534e59f9132ff  
**SHA1:** 591484053ed26919fa6e4cecf7aa723dcade4bb6  
**SHA256:** 9e67161f61922a475b142b2e18cb4470ed7860ef61bc6e7a41f327f7a59be96f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: mode-ecb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ecb.js  
**MD5:** 3a84195b8427195dd9c345a0f3aa2313  
**SHA1:** fe621e95709e31a5289c78d114aad4a920f14923  
**SHA256:** 4f563373ba4af442e1b425b7b7dd1030ed84b9babe9821949922d9677bf14701  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: mode-ofb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/mode-ofb.js  
**MD5:** 48f5529799d5eac8fa9f855ba1402737  
**SHA1:** 4e97befa1e4d0003cd2fe9d21d85d6636513fdb4  
**SHA256:**b49077bf4bf5e8f2cbb2de0e2d48c4d941a3feba2bc7c629abd51fe2ac8bdb2f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/package.json  
**MD5:** 2f31b0aec8f5d1c63af62bf46623876c  
**SHA1:** 7316c3382382dee4cc36236a13bf43543b8a855d  
**SHA256:**011d61589c95ad4e16051c492565f7c19c6a7832580674503ccee612e7a6cd  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: crypto-js.jar: pad-ansix923.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-ansix923.js  
**MD5:** ca8ab3266976ddad6e811577212b8c88  
**SHA1:** 505018913484e110aa81842a4511a2a52cbf2231  
**SHA256:** 7d950bc42f262159a2786eea30d1153a3d0bca9aab9acdbcc1a981a8d2854ef7  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: pad-iso10126.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso10126.js  
**MD5:** b1c4aa95c8bc79280076e66352b6c219  
**SHA1:** 9c081665a8d0f4399c5f3874f38f811932900d54  
**SHA256:** d3695304e8e7a001cc6e1b84d4b58abd429dd7e3f09514c260bcd3122a3aa685  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: crypto-js.jar: pad-iso97971.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-iso97971.js  
**MD5:** 4027c92ac1ed3c95f39e8e2a391500d3  
**SHA1:** b7034e19bcb012cf7549baea65a70d25b8e71480  
**SHA256:** f7f7179b8bea5b6ef4f0891f23b563db8aa530376795cd99ef84942cfc62d328  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-nopadding.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-nopadding.js  
**MD5:** e288e14e2cd299c3247120114e1178e6  
**SHA1:** af4df0df185ab10e12fe8c01f885027eabe3c8f3  
**SHA256:** a722d1f1486b807b34076ec3277ea3a65f21837db2d9f76eb5daa7de312479a6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-pkcs7.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-pkcs7.js  
**MD5:** 23c101a5a832bfa8a894b9813323044c

**SHA1:** d21f12b724eccd65c9f20503bdac2c41eb8ce985  
**SHA256:** 9a3c909e8c3b6604bfd7a48a3c7e61504292744d894bce1266b44691b857c1bc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pad-zeropadding.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pad-zeropadding.js  
**MD5:** 23b4116306620a01bed22b52014c7c65  
**SHA1:** 34360c2d2f9a38e5c3d197223a2f5b6777cbc1e9  
**SHA256:** d99e781985e817da7c6af30d957c45419b1a7e176bf52160424ebbbf970df906  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: pbkdf2.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/pbkdf2.js  
**MD5:** 3f2876e100b991885f606065d1342984  
**SHA1:** 006198366f41423a82b05dc582d9882530c3f6e5  
**SHA256:** 89cca1be3926c8d89b6f827d70970bb3bc94ae47943342ca8949992faf8d2b60  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: crypto-js.jar: rabbit-legacy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit-legacy.js  
**MD5:** 8fdb6b7d8bcf3aef27398d47d13dacb9  
**SHA1:** 23dc78f4b418c296ffc166bbcad8c678d6ab2efa  
**SHA256:**cf9afefa87b216dd4d8be00524f8904bba1147fbb90273e5e6a7b2824b52e56f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: crypto-js.jar: rabbit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rabbit.js  
**MD5:** b3bae9fc93314924cbd6c4283c1e91ef  
**SHA1:** 4bd339e3a9e954c2766a07a96cf7ec2547e76cab  
**SHA256:**dc93dba650db41783f8a3faba6ba17ad82cb0eb1b6fa84df406f71d520d84b42  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: crypto-js.jar: rc4.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/rc4.js

**MD5:** 846a99f1e90dbcbb5773793c3fe8aa5c

**SHA1:** fbb684811bde18ce2faad2ffbda3aa9c00939e90

**SHA256:** 571eca05c055a26c729f757f83b9f849968ae0dc0ba9870e5be9526019c53a33

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: ripemd160.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/ripemd160.js

**MD5:** 1d13fd2d4858d87c36c43a0a6436f0d4

**SHA1:** 9187ea140085390e357f1e7804f95e7a5812d494

**SHA256:** 3d7eea732acb8f27ba7be5ec54cc1c5ea198be2f7b12ae78cf03ce3b87d78da1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha1.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha1.js  
**MD5:** 5fbc23cf1d5cf34e9f7798650d07b333  
**SHA1:** 7401e77dcaff4ecaab8e57fd11fccfaf5f33c75  
**SHA256:** fca2d5560acb8de760ebc94679ff210056722af8193871e75176a61a977ac30f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha224.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha224.js  
**MD5:** bd908518f276d2df58277bb38185b307  
**SHA1:** b10b13e02fadeea29119f6976b346d9b06c84342  
**SHA256:** 542ddc722d9711595c11d57caa9424beca928b3553747a51e3f1c57c2c08ec16  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha256.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha256.js  
**MD5:** 561d24c90633fb34c13537a330d12786

**SHA1:** 7593f14b59ba2099cbb4ffb806e75758fdeb12f5

**SHA256:** d8074f23cbd27aa6c2f231b8bdad34bbd8d49c7e47ffa0d7cd07a2c4d1d3c798

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha3.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha3.js

**MD5:** 6fe2614bbdfb802fa873f118621c7fb8

**SHA1:** d977f518e609149d1b51932648669a4be7a97f27

**SHA256:** 6ee08cd3d69b181cb735011acd0a0d57b6a4a071baf8ecbbbb9aa18cf1e4d6ac

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: crypto-js.jar: sha384.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha384.js

**MD5:** 6ae085f20325eb927ff673ef20568137

**SHA1:** 8d7bb4a99b713d53723f8f1ad3442cf9e9edf9a4

**SHA256:** 8d902216aef6840bb9951117bdd3aa6331078e68ee04987aa1d59c73b5ff3066

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: sha512.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/sha512.js  
**MD5:** 0e5e8946947671eefe910c58f1272c48  
**SHA1:** 7b4efa121b30865b12f7546f1e99e22c6c2a3c40  
**SHA256:**986ca486a1c9e58e9d8fc38d1db4e652e14c751ba1a6a15fd81439d261efe2b0  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: crypto-js.jar: tripledes.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/tripledes.js  
**MD5:** fcd80fd597ef5e6a0fe34cdf484a8825  
**SHA1:** 94c5615ac7a0f2ee61bb5325e46d61151893dfa6  
**SHA256:**8d8de06235e08f38ddc855070ef8cb86d7c69a67b3a5278f8cbf2af64b55122d  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: crypto-js.jar: x64-core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/crypto-js.jar/META-INF/resources/webjars/crypto-js/4.2.0/x64-core.js

**MD5:** 677577ca38d04508f116ebc977dcb11b

**SHA1:** 966f596f1adb7e7780021ae463a62890de8b19fc

**SHA256:** c54130dcd19ae2c7f8c4b4a69cb2038a65d363899cddf7ebaae0102bfc8fe086

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: echarts.jar

#### Description:

WebJar for echarts

#### License:

Apache-2.0

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echarts.jar

**MD5:** f1b0daa0d7a67341f1803381e1d4185a

**SHA1:** 1600ea69559037bf4fc553e97e72c6aa4c1b1822

**SHA256:** 99333b79cba4fde148702ae3bbf26d30752a44944f1015e8ce7e7d2da692e515

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	echarts	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium

Vendor	pom	artifactid	echarts	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	echarts	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	echarts	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	echarts	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.echarts	Medium
Product	pom	artifactid	echarts	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	echarts	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	6.0.0	High
Version	pom	version	6.0.0	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/echarts@6.0.0 (*Confidence:High*)

### remotegui.zip: echarts.jar: echarts.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/echarts.jar/META-INF/resources/webjars/echarts/6.0.0/dist/echarts.min.js

**MD5:** 13a384552589b88e84f7bf0c757a66ac

**SHA1:** d8c844c3d7c681edb8c6b7f72464373cff593c98

**SHA256:** baa8dfe7e1d9336b98e8986ba7e20ea15e7cdbea1ef42a59d59478632fa45a1d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: hugerte-languages.jar

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar

**MD5:** c9985319d244f7df278b01d7308df10c

**SHA1:** a304c306ddbe826ac79f7ce83ad9e8c0a0222a4e

**SHA256:** d2eb852d7120db344d837675afd1a4725104d7fc4dc4ab9d88c5f714128426b8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte-languages	High
Vendor	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Vendor	pom	artifactid	hugerte-languages	Low
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Highest
Product	file	name	hugerte-languages	High
Product	Manifest	url	https://www.tiny.cloud/get-tiny/language-packages/	Low
Product	pom	artifactid	hugerte-languages	Highest
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	url	https://www.tiny.cloud/get-tiny/language-packages/	Medium
Version	pom	version	1.0.10	Highest

### Identifiers

- pkg:maven/org.webjars.npm/hugerte-languages@1.0.10 (*Confidence:High*)

## remotegui.zip: hugerte-languages.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar.js  
**MD5:** 823f9945c776bff8a5d1d33b7d053f76  
**SHA1:** dc44a63c5afd84dc271d61e5673fc814e1de20f0  
**SHA256:** 16ea01e589d138a6136652e9bbbff6f0a78c7da2c52f777e50c2b1c51b85cf6d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ar\_SA.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ar\_SA.js  
**MD5:** de0f31d1f1a0932c71125d7baef80a5a  
**SHA1:** 29240f1954b11d0cc527d22342d62b23d6be35d7  
**SHA256:** df5dea24dc375556b47d00f787af4457a306dce441d7560dc5708926e65196a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: az.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/az.js  
**MD5:** 41a5444280dc4fed40bd7007a8734bd1  
**SHA1:** ebff1c1e5fe696a05d5b025cf996239d07e5728a  
**SHA256:** 56722b025676cc2a88be8cb111e7d93a1cf5f076e25b57603c9ee34770eb1d21  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/be.js

**MD5:** a21eb5c6f25273f8bad1ed7d263c9bb2

**SHA1:** 029a79f496d18774c6e463c76bb351c5e36d745f

**SHA256:** 38ac39070c67cc3dab2aa62cf3c67f6aae5de17412aadaa7f3a7f0fc07fe1f5f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bg\_BG.js

**MD5:** 801f9914266c7293a3235a7fb0ae7f3c

**SHA1:** e7a34a80a73fff9be96fb31dc8f0f9d1a3987c59

**SHA256:** 251201625c9f4281c1c290631b000379b84305155f6e36387ff62c21ee8b45f0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: bn\_BD.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/bn\_BD.js

**MD5:** 220b63a6f7d42943f33d94ba67423a64

**SHA1:** 86740e376336efef54a75384cc7b08ba1dbb8224

**SHA256:** afcae81dc0d30507f943432518ba500a7fbb86b4e215643b400cddb1b1ca219f

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ca.js

**MD5:** d44f1cce804fcec692b814e203609991

**SHA1:** 1cf7f636e5e5b04322d9d339da3315384c58548a

**SHA256:** 268e5bd32cafc47a21baae85aece4afd933ca25ec9f9ead891679987c64579d3

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cs.js

**MD5:** 79a288d0c7f661ca7f5e3107341e4c9f

**SHA1:** 9aee0c1dcba66150ddb2648fa9a827633e94366

**SHA256:** a3f3b00c1079b33aa9ea1ecde5182c5f1e427931e6cf82e85271d5e8ed85a99c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: cy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/cy.js

**MD5:** aa66134f9a69db8bf5e37e9c00486dc4

**SHA1:** a8e3c6399e8efe5cc72a88bca7d9df33ac016a41

**SHA256:** 7b39d495ecb2ea1eca56270c5591c17475756c9aee5f0178d7dda9fa41201f8b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF



/resources/webjars/hugerte/langs/da.js

**MD5:** 86be98bf9b1a2028d498158c10d995f6

**SHA1:** 2a88c16d9f97f6fbd64841c4bc7953775aa7c98d

**SHA256:** 5f26a49c249458207d87d14f4a13ea76f9dfe83aa3192d9519aa3564caa5b593

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF  
/resources/webjars/hugerte/langs/de.js

**MD5:** c2a71fc1e4286824de66f53bd7b82485

**SHA1:** 13afdd59bb4a7ed1d67154bf5b5e8fd4e74ecc31

**SHA256:** 89ecb25e929cb079bd55d7747c46f8c767d0ae6a82d0b5f4b88ed9764d899db7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF  
/resources/webjars/hugerte/langs/el.js

**MD5:** 915f10cf164e849c6fcebadaab64b00ef

**SHA1:** 9915d6d53f204fb3098db4fcc6984f3c7aacb5ac

**SHA256:** 023ff4f96e5a56be54b8f5fe60b5dd437e7e0701452a1b2c3cccd9227b6dc35f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: eo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eo.js

**MD5:** 8f0c327a379a1687bd1d79b356e0c6b9

**SHA1:** e8db0b00cf0948cc7912deffc721d91d55b8bed7

**SHA256:** 97e596fdc130fae102a9199bc538546abc46f300728c0f51697391d57aa31e5f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es.js

**MD5:** 033628b467ed06d308c9612dcd5bbdb5

**SHA1:** 09113c6d952a730226b8a1d12cd237b3899789e4

**SHA256:** dade4c15e9cf8d18119ca2fdf6482b3853f5b59cf0f970d089170daf767075f3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: es\_MX.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/es\_MX.js  
**MD5:** 449d6aedeedbdb6381c83d9a5769597  
**SHA1:** 5998163f1a11b65a5e7a0ab9c9dce230fd413e76  
**SHA256:** bb871036a74c5306485caf250a509025740ee01a01c7423004462fea3cc2be39  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: et.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/et.js  
**MD5:** 091758942df0564e10bebe19a78d313f  
**SHA1:** ff025e62b8c42678618820b34d7931c5786b1aea  
**SHA256:** 6cc07e99a6c3b8c624a76c01a1fa3808711fae8f1f1dc47d2b8080b7522e8223  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/eu.js

**MD5:** 1485b45393804c99c99314aebbdcc0e6

**SHA1:** a95f6eae92569b428b700fb12dbe489a0b71a4f5

**SHA256:** cc21d29d3cb923a4ff36015cbe7bd17dd7a64a5e72fc6ac872e4c945db16241b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fa.js

**MD5:** 0dc23c9242a62695e3cbeb9a2f78e139

**SHA1:** ef67cbd5dc74eab86408aa69634ae8e2067620d2

**SHA256:** 22e7c7518a2bfad61e9fcbe065ecc02ab03fa8534322980bce9f99ebc63a73a4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fi.js

**MD5:** b7e0faf1d8fe236d9b2936d625a0fdb7

**SHA1:** 20be70760980449856bb658599c1330a5a8075af  
**SHA256:** 4917f9d328011a6ef7ab83ad444289f6f99f83b715427198ba361639dad96bb2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/fr\_FR.js  
**MD5:** dfa01543f5cf0741603c794997fb5d9b  
**SHA1:** 635f1e92319d08246c041243dc9095d3c93e1f8b  
**SHA256:** bcdffb2da8b8415d7127043dd30676369f9beaec15d3f632bd4c956bf9cd52598  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ga.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ga.js  
**MD5:** 845b69d910adfa4628178f438a718482  
**SHA1:** 4943d1679c82f7e96a9336d77cb0d2c3aab1fecf  
**SHA256:** 5958b2e476b049ab4baeedc79aba6df32354d77ab53d5d247031c770b1511651  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: gl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/gl.js  
**MD5:** a795d0920b1380017ff30141839551e0  
**SHA1:** f88dcdaa4f1ccc07c852f840f98e2152fef000dd  
**SHA256:** 71207713e3e7847c58b60968a99f4a78433badc4fe7e30b72dba09aeca4555c5  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/he\_IL.js  
**MD5:** f0c6393b918763fc15eee6d3e0c37466  
**SHA1:** 9b1b2433bdf168dbaa699f013d91e7ea7604e892  
**SHA256:** 78083d15ce5a545d77b567697bbf442b183cb251db84479fc6b4170d61dfb246  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hr.js  
**MD5:** 2441d08f559cb16b4d43b9d5105b860f  
**SHA1:** e0482438bc1ebbe8a1d0fa678fba00ef712dbed  
**SHA256:** ce558c44bad214031591a960166ad57e48a3df1829acaaa11f5de44e4b7bf991  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hu\_HU.js  
**MD5:** 2911b3d257d0dc7f14333016a7473155  
**SHA1:** 05f276655db6d33333857981a6810cb23c1e4c83  
**SHA256:** 57edd0020ed40bfa8c8bf17d3ce14d9ad3f55ceded462b4455ae9b01612a692d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: hy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/hy.js  
**MD5:** 39fa7cf899184e065693c210effa166f  
**SHA1:** c1a4ef7965155b0bfe0c94264af6dde949ffb079  
**SHA256:** d917b7cfc80a52e9a36f8b4bd7e234bf946fa052efd0cf3536bcb92cdf092aa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/id.js  
**MD5:** ed414a75874cc8ff481bfadbb830ddb3  
**SHA1:** cbca76c07a1123375eea910af43aeadd620e0308  
**SHA256:** 7c1fa631ca44d4e22f9c50b9891fbcca962e0220ef09aee6a40e75d5cdfd1cda  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: is\_IS.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/is\_IS.js  
**MD5:** 9b77beb5d73d767a20f9023e43b95cde



**SHA1:** 89b10e76a8640b05c60235c2cd14f95fcecc5eee  
**SHA256:**628c8dc10e2139d038274d9f0df5bc71f07dc761f94ebf2d6b16b26c1d492d81  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/it.js  
**MD5:** 90e171ba4678a4ed19a31f0e440aee2e  
**SHA1:** ce567152b20166647800c975e326ff77eb80b769  
**SHA256:**b65405201879f02f69f991462a9874c1a3a3cd73789f120e4ce01e0e67ca0711  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ja.js  
**MD5:** 9dc6598ea78c3171a5c79d12e9bd0d2b  
**SHA1:** 4e7cb9da114814fe1bc798fc51cda71fcd0b38a6  
**SHA256:**f8e09ab0e2d7b205a27ac040fe43756055e49247b706fa7ce3010507111eb2de  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte-languages.jar: ka\_GE.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ka\_GE.js  
**MD5:** b23cbf69f2fa02f39ed9086f46d0a527  
**SHA1:** 96a4216380b61acd215df2c2c62ec2cf27506e92  
**SHA256:**60f5880d40ce0196356c7f8f1ccfa77284dfd4e528165e9da1a540570b0e587e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte-languages.jar: kab.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kab.js  
**MD5:** 3b7ec13af25657f158d12387daaf5ba0  
**SHA1:** 413a6adc6339cff29fc21c8a1ee9d713dd406d01  
**SHA256:**fcbbbc32ff3396f8720fa5384f168495f2046b3fa6a38a3415bc6349cbe01933d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: hugerte-languages.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/kk.js  
**MD5:** bfc0aef232b63aadea153d6169b33886  
**SHA1:** edb0a148549b2481162c47544d83a46c26522f1a  
**SHA256:** 3a0eae48e37986a44e71d7aeabcc9048de840262309cb13ca4642b6a8f4c9619  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ko\_KR.js  
**MD5:** 3c1ae38527476e28004119b28e635254  
**SHA1:** 179653599026e2ac4cb9b87c2ad7762b8c792dcd  
**SHA256:** 0ad35f07972e8121a88dcf1106a2f502b71998dbb485bd678fbb48adc8a6e3c9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ku.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ku.js  
**MD5:** 031a3776060e93cd2fcc2a469982794e  
**SHA1:** bde4d51b40929f76f5517c6381f02ef63beec9fb  
**SHA256:** 4c69b5c3c53f4f9069a26c409eae732e76316c1a39cb50e2b6296b9aee256f41  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: lt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lt.js  
**MD5:** ae38ef0f7d831c5a2c0ebe933fd37040  
**SHA1:** e2267f00cb816718ceec6b265d536f0eb41ea7ad  
**SHA256:** a250c03862616afd2a73875e64c2ddd130c3bda5d565b744ec64e85bc6401cee  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: lv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/lv.js  
**MD5:** 5e9a34b9de6fb86881a0c116f445fcf0

**SHA1:** 9914a2be93fa142736794389a8ef160cc64a8ed3  
**SHA256:** 7068369f71f128d11f274aed093a35b649d6ffe0e33ec5b2cb56ecf5be1c4271  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nb\_NO.js  
**MD5:** 2b23909699f576ef026ba5fb78ae31da  
**SHA1:** cdbda59aa32791840f8d0428c7cffc54d722b63f  
**SHA256:** e1ee0336aab8a84310f002bfec4b7636ff074b5646c4552be7a8237593156bc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ne.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ne.js  
**MD5:** 885af0f75b6673ac70ef74b275396b8f  
**SHA1:** 5cbd5c46bad6c490f79dcfc6a53649cccca0f4b6  
**SHA256:** 35322c1614889e08dfc7c46a8998db16efcd4b03ddb32e3c9813084920728b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl.js  
**MD5:** 0826a3893ffe0dcf835c41f022fa6736  
**SHA1:** 0e3d08a78eb44a9c625d380a05c0995da54f9978  
**SHA256:**42ca9cdc0c09b899c4c31bc9ad8ca252389ef50ad3f19ec09ea8160ca044b751  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte-languages.jar: nl\_BE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/nl\_BE.js  
**MD5:** 81b7362a9af0bacb4f46de26b7258f98  
**SHA1:** 7f4f768b30b547d50dc27670114f1e5bd5a9de2d  
**SHA256:**53578716f41e51150f1ef17e05294fcc4a9c251a05f63c4f9886c650999caef4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: oc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/oc.js  
**MD5:** ad364ff6bfb912aaa60afcbe530eeb84  
**SHA1:** 7178d959acb8e51067c6867dbc104d07c7a174ea  
**SHA256:** 3dc4b06e29d1d0f9e1337341da3cc6855505b4443dcc505e60c75f0e8cc9d3a9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pl.js  
**MD5:** 73c0a111949ba936650bbca9d70e7f2f  
**SHA1:** e862ea235cff52a45837fd4b80f37e38b9933c47  
**SHA256:** d8630e2cd3a9abe445ed7475635580ecfb02da50ccf4d3534b275d7bcd7d85bc  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt\_BR.js  
**MD5:** 4025b9c06a52018128f87471d7536250  
**SHA1:** dcfef7fe4ef9b75bd76fe24f6a29639d26484e7  
**SHA256:** bcdfab8b8e078ea63af41e912bf9fda8fe5bbb10efccd2fb59b59809dcd5223  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/pt\_PT.js  
**MD5:** 9591ec64028ef59a6d4eed3254f77364  
**SHA1:** ed58d2d5a64a1dff28c1083d808405a5437c5971  
**SHA256:** f4687f157cacb710fefe7a234c7513e9c842375dc628fb85e356d7734e649892  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ro.js  
**MD5:** ee5452aeadd10357b0225b214dd94ba7f



**SHA1:** ae56e4a834e45614d4f26ddad0d7e0db61441f1d  
**SHA256:**66ee1e952526d1200d4426df433d3c9342ae28c1f4784715b1e2436cc36bad64  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ru.js  
**MD5:** 5f4a09edb41ca0d3656f0d5ce9058860  
**SHA1:** e4aefa0eb5f9f75fd1ea15807021e0867d860b76  
**SHA256:**cc26bc049ef33a17197075266eaabe26a01ad63c304b964efcfc5cee4ceb41cc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sk.js  
**MD5:** 46334ad086220eadf9a63d34c0f2c0a1  
**SHA1:** 100e6a70a6f05d43ee711601895399b3cbb7921b  
**SHA256:**ff3342881ae9ce3f99283c5bb2874d1222b526ac3636148415f40cddd808d90d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sl\_SI.js  
**MD5:** bc7133a87c4c9d0bd8eaf59ef8c874ff  
**SHA1:** 29c1685346e76a3bed36059a6bbea63058969879  
**SHA256:**58b6ab701cf8f0ee76a6fd7300e265cede6102c9acf83ceba8d4cf4b00251ff7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: sq.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sq.js  
**MD5:** 861c26592664176acb3e275413859f28  
**SHA1:** e5f0e123e4d250d2b6e1ff6ef50f4ea3d7b7aa7c  
**SHA256:**9e266507d00b4e3d55af374d7097e74a66049541f761c93f2402ef941b50d2f6  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: sr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sr.js  
**MD5:** 85a21c38605be1a745a8d91d7d0b650b  
**SHA1:** b42391f82ad5765fa205c62f6c63d1e365690c2c  
**SHA256:** 94c18c230ab69fd848a72c3276c91037f7a803859438d69b890395b97e9f1ff0  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/sv\_SE.js  
**MD5:** 5ed724e831b0b24b153d2ee7db5b3816  
**SHA1:** f729969fcd5b302547cab963d560acb8da35c1c4  
**SHA256:** 1ff7f0f713beb4d59fc3a45704ee9064264eba748dee158024af49ddd7d4ae20  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: ta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ta.js  
**MD5:** e2088db6edf402bc276bfc8d6856e2d2  
**SHA1:** 42f8f57987cc20025703e0ba4df401d0cc8511b8  
**SHA256:** 2704c32a0eae180c20586f7b3ac7a5d83e777f5d2abe14ce8cab8cf786dc7d1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: tg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tg.js  
**MD5:** cdd2d5743671715d8aaff1bda4ad1f94  
**SHA1:** 917638fd2950dd42fef4dbf6627cf078bd2b7aed  
**SHA256:** 1ec107508768200fe55d3c56ca19f91bbcde436ae90d32c62d912f9131064038  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/th\_TH.js  
**MD5:** 75f892fe79cac886b58ba8263b9304ab

**SHA1:** ced62928d872f509b9112a7be0bd652a028b12b7  
**SHA256:** f09ba8c508eeb7fd2bd0a31ddb0909cde3e701a0c15a7f5dd7caa1aad1b721f2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/tr.js  
**MD5:** 705bd62d8012d72d0d4911d3ff5630cf  
**SHA1:** 8d3beb46e6610edf2f362b5fd52cf6aa8763a3b2  
**SHA256:** 96dd1e00efec4becd581735af1d6b1467cc9798de54f2e945ece2afb70d43e4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: ug.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/ug.js  
**MD5:** aaec10538e96e70ff869484f6c747c5e  
**SHA1:** e398b581d4d74426689508a414eea025392e6fe8  
**SHA256:** 6fcd2bec399a07ae3684fdd4497318ed005eadf33b3ac24ecba3f258007dc0c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uk.js  
**MD5:** 99020cb723ec0b122e56170b40053d20  
**SHA1:** 5fab28c63533fd3e3fe00d38cd63ba6f23c32b2d  
**SHA256:** 6f3fcb3f5f2d4920b3c5be68509ab140f28c454595cb5cfc3ad02e996146830b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte-languages.jar: uz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/uz.js  
**MD5:** 6efa9afc8b45dcb30d5c20dc2d651a99  
**SHA1:** 4cbfda4fa00dcfef02d859a683f6a2e049a395e4  
**SHA256:** b03c325f76d34d3d62a0de7aed705b4c015c5cef8fe07aa10e28b5261397cd4b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/vi.js  
**MD5:** 181808a7542470b9901cefad7eb4b5bf  
**SHA1:** be4a2aebc0c2e9fe45f2fbe7e9c19ee5ed78d6f9  
**SHA256:** 24622b29a7ad643866d6c8a74277e58f207366f2f3c34b4311b42f93204092c7  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_CN.js  
**MD5:** 7584b32dc413a2d39e5b85d9dafa173a  
**SHA1:** 10dd91679dffb2a3160f40ad3188db117b9afa2f  
**SHA256:** 9c06f952379981963600a4b3aa40af35eec78c163d3daa9da681107f8c647089  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte-languages.jar: zh\_HK.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh\_HK.js  
**MD5:** 1b4894b4e6c2e724475ea8c701568734  
**SHA1:** 552f1316a1cfc565a018ea4fab9129a3825dd6d3  
**SHA256:**ba7fde91f1a45dd5c6901368d6dd18c24683a876629c54b88396222b493c4513  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: zh\_MO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh\_MO.js  
**MD5:** 90d19ed9a0ebb0b0680ba6ba483804eb  
**SHA1:** 4912da322d65705edd33e0570e81714a7209020c  
**SHA256:**395ffcd48bad59534174877050ef1f016fc7598382e46e6f2105a44620bcff31  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: zh\_SG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF /resources/webjars/hugerte/langs/zh\_SG.js  
**MD5:** e29a6f7769ede1bbbb5f96a5eeb2f24e



**SHA1:** 3407630e6f9c9919f5e7b4d9b74cc652946189b2

**SHA256:** 0d13680b26585e33a31f21153391e341ff5d2c6a0803cb882a621e7dc5231284

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte-languages.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte-languages.jar/META-INF/resources/webjars/hugerte/langs/zh\_TW.js

**MD5:** 0a3c9f75e226b3129e8b7f89f7130007

**SHA1:** c940597951e8d42bafd5602b1801c00fccb1dc47

**SHA256:** 1dd655d41c2ac0bd1e939d787cb4baaf427fcdec6ba22c0f612f765195d548b0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar

#### Description:

WebJar for hugerte

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar

**MD5:** e8823d5cee4329f682c31bc6b67c603b

**SHA1:** 49d3c99a06ca34f1f5c1c801f923db7ba2c9d086

SHA256:6fef359e4e1da9876186af41492f5c72f7928a5e0aa5c93e5026c86f17ffbc99

Referenced In Project/Scope: server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	hugerte	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Vendor	pom	artifactid	hugerte	Low
Vendor	pom	developer id	webjars	Medium
Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	hugerte	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	hugerte	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	hugerte	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.hugerte	Medium
Product	pom	artifactid	hugerte	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	hugerte	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	1.0.10	High
Version	pom	version	1.0.10	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/hugerte@1.0.10 (Confidence:High)

remotegui.zip: hugerte.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ar.js

**MD5:** f5f0b4553a42a7a74e7be718fc557e2b

**SHA1:** 302dcb720a73fd97345627a102ef162125fee945  
**SHA256:**9866698a529f686db8b4222bdeb175003c3e09c142ba130aed9fa98d5aeef08c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: bg\_BG.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/bg\_BG.js

**MD5:** e532c81c8e86f9066729809870cff6fc

**SHA1:** 4e1e104ee689097ff1192decfe90175300e6baf2

**SHA256:**b884906123ab5b8b1ca1ea4c156a2d6635dc42319b10cf51b4d6e544c8c56867

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ca.js

**MD5:** abf90dbb77512d6a2bafa26c36c9e068

**SHA1:** 77120a22296fdd4c779f3736396215ad82276065

**SHA256:**1f8935be80e07f8b30a9a96f5ba621ecc2f568fc96f69614ab4e073b6b3eeafc

**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: content.inline.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/content.inline.js  
**MD5:** a8531e7d906f77df4085d9ded150c281  
**SHA1:** b255e033e1b16c6df35859cc23c49a33c3baad8b  
**SHA256:** 7512a420bf16d072edbd796eadc03c74483fe6f5947bb070f517a012b80fc576  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/content.inline.js  
**MD5:** cbf28002f872e95b1e9310dec7df4bdf  
**SHA1:** 22b3e10eb6a88534c75b1dc9be9d6b511eb53e08  
**SHA256:** 8d35969f2fee55d8d2eb61f1aa8a2372dd941c9629379dda6f9f131457132c03  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/content.inline.js

**MD5:** ac1812f6eb6c6bb8e98918582d3e855a

**SHA1:** 4681a3ada53a664e69ee64477e735aa371cb5a2f

**SHA256:** f5433e2fcd731cc793e3c59313f39aecc22aa87dbc0a6b63ed1640ca6961dcf0

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.inline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/content.inline.js

**MD5:** 3b6064b7d2242fcadf7c3cd1025eb192

**SHA1:** 6e92f0f2c271bdeae04920ed292d5385cc91d344

**SHA256:** ee579e0bb81106269b705dd351fd986dd576b01e418c5d7a9f34a15116163a3a

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/dark/content.js  
**MD5:** 218eb5454658554e8d6094d607ef9f35  
**SHA1:** f784fd4493d88dca9b7c46492a0a95ef16f5c0fb  
**SHA256:** cdd9773b89ccda5cfefb54982376a2e28ae038d2e24649cba35c88d17991d283  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/default/content.js  
**MD5:** 132f74870c5e313c2fdab42f1284c595  
**SHA1:** 1005edec7a293e74d659823370d4fb589b1328ec  
**SHA256:** e7f4d1b242145ee6d6359b90140226a759267a8aa753a2d311545d432900fc10  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/document/content.js  
**MD5:** 3b0be7f67904711c70f317dddf089f5c

**SHA1:** 4ad6d86b14653ae3d62974017cfed4ee5294a695  
**SHA256:**4b45250053780a31fa19ead75e59f56d57d5d1dd6e285856ad5aeddc3fc72960  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/hugerte-5-dark/content.js  
**MD5:** b982025040e29e7cbbb8d113fedfd69c  
**SHA1:** 4042d2d851ed0b54502fea16c06d9e28159f29a8  
**SHA256:**a28224012e76c4e795e0854f7fce99ec681ef424b589b4661bc8f68885f98e98  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/hugerte-5/content.js  
**MD5:** 1130965418bf44c6d085f938cdf6650  
**SHA1:** c59de9f12455d9eddfc658b74c28a355f68319db  
**SHA256:**cec00ecbc3b3d3f8afe4586a97d23cb761994002a224c21be3e29057636013a3  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: content.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/content/writer/content.js  
**MD5:** e4542246b3519a09b2d632b5197243e8  
**SHA1:** 9573c58453f17a4c921086d5f90938987fe511e8  
**SHA256:**852f7d5ae9af37997c185bff42937182a79e494089a75b782266882cb4f4f197  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/content.js  
**MD5:** b7766067e593da14ae6f23d290c9bd6c  
**SHA1:** 6534e3c7ac5b4e5309a7dfc2ea3b0c337d442cc2  
**SHA256:**45e8515c9c66aa5066577c1d275c586965ba4080a951c292beeb2b3da0d0acbd  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/content.js  
**MD5:** 9d85292a93c6d2940a80f50d1f0e6966  
**SHA1:** 935d111369099d41bd50a3db11d6563051a634c0  
**SHA256:** aee448e5c016b1143a15ecdee0f43e555f3c9add2bca6af40cc4b36b88cdc588  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/content.js  
**MD5:** add25b66f87fcb7ca581f9f2b953a653  
**SHA1:** 989b6df98ca78608dd8ddcc2c3033bde0de2d8be  
**SHA256:** 0786d0145a5e55b9ae24c45196348cb00c5c91454f75a186d978942739091bea  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: content.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/content.js  
**MD5:** 76c08495990d174584d15c5f50a8e5c7  
**SHA1:** e75376adbaa0ac5d81908ec178263ada61dada8b  
**SHA256:** 23e53a768bc59564bcf0e8600b187a8fc8822e23c2f175701d760cf5153760a3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/cs.js  
**MD5:** 1779aef97fccc89fa4e8c6ae639bec3b  
**SHA1:** 0c798783fa338bcf0b607e19b69a157e5aaf67fd  
**SHA256:** dfaf6a6afa02f7a7da5c27cde37b1074e860982c75ca4a7d8df9a42e8f1ad723  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/da.js  
**MD5:** e3bcef539406efdba466a679cd9625ba

**SHA1:** 3529f5c2cb29ac9eb0ef88d41ca2007e5b78fac7  
**SHA256:** 96e1ded7bd90160f1a26e3b4e04128d0c45940c459cc25763a4898d4731e72cc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/de.js  
**MD5:** 24268690ce3e0719f04f4d8bc47c1145  
**SHA1:** 57d8098db012b33e240b5816d014960db2d80087  
**SHA256:** f2f2eee6eb358dedbce018731c82def4a43e8343ce331fba26150f7377ebb410  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/el.js  
**MD5:** 1f775a05597f190dddcb67b14d4bfaa  
**SHA1:** ab9abb40af9aebdd589aeed4b24f3c50771f9d9c  
**SHA256:** f252b51d126cf0ffd18c3c2c68554e4026adcd0c520b1338ae353a0849178450  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: emojiimages.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojiimages.js  
**MD5:** ed66bd2151af667299e6c60554f9e4ac  
**SHA1:** ea6bc36f8302e15f1aae686a19816f76794bc2a0  
**SHA256:**a8d5510fcb0f8e4f45deefdcf8b6ed12e343674f9e18c236ce7fa45e072aa27f  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: emojiimages.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojiimages.min.js  
**MD5:** 00945ee808286ac74239c311ca723088  
**SHA1:** d3c2508585c67052a1809a6800fb645d1870afc6  
**SHA256:**750ba3f27289d888b1899310950a9188568bddce16352a0244c1c0242e41a55e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: hugerte.jar: emojis.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojis.js  
**MD5:** 8f5b6dad1f50c9b70bd807f6cabb189b  
**SHA1:** 13772cdbfa94f41d84ffc1d87c72016576a9d313  
**SHA256:** aacc15ae1a59e7d6d8bde23d5f105654201882b0a86fa9a8e689b1cdc8452784  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: emojis.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/js/emojis.min.js  
**MD5:** b77fd0dfa98dcc0be8192bf7f7bb9a9f  
**SHA1:** 137d76ba6858d7685f7128ff9173a19902110b5c  
**SHA256:** fc519f30e6cb48e46eb4d8f9ed5cf6c1e4877e625c68eae31e7723e42ff53ae9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: en.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/en.js  
**MD5:** 6282ec2e9f83d1acefa2850555212877  
**SHA1:** 853f9a0d2a2191756fed83005fdea7f97b5e41d5  
**SHA256:** 2223298388692bcc135105122d1686322188e6511163860453d791d1243279bc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/es.js  
**MD5:** 810a9870708a49348955ead70c5d7009  
**SHA1:** c6e78b5abb4c3cf4d67da9ff7c848caf24861c16  
**SHA256:** dbc1fb0acc05dd8e01e2834f69f5f19fadba93b90e76854063663e5b335fdc3f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/eu.js  
**MD5:** 0d85c3a9cf44223833af08ff51d80e27

**SHA1:** 2ac31465284e8e4583a8ce69abb64c3ff461114f  
**SHA256:** 5f6c854cf8372351ab402d7fe1f66a5a837c08e979b8072d16f32166edc07b02  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fa.js  
**MD5:** a6809dbb54bf58699540c6a210e3cfde  
**SHA1:** e3c03f38d4b4da86c3e9eb761c9f1a1ed542f436  
**SHA256:** 6c4c3e12ef9d008f12fa5b603658a6a00a0940ca7e85048d87ef80666eb3c36d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fi.js  
**MD5:** b7f976710075bdcbf5e57ee57acb59b0  
**SHA1:** 8a4b373ecc42055da226c1c31ad9d976a10b9a11  
**SHA256:** e67af5c13c21f4421bf7160bd19aab9318e6d19955111c5b9f890a362d0899e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: fr\_FR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/fr\_FR.js  
**MD5:** d2eb59e6f3de25ac913be0e61a05591c  
**SHA1:** 715dfb82a6e641415c0047f2901b7926ee8179f2  
**SHA256:**5005b632badb0fc86ceaa196753a4712b1dd76d50b79e0d5d6410efa96f55ebe  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: he\_IL.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/he\_IL.js  
**MD5:** 57b3dcbaeca69401b1a80d78ddb7d495  
**SHA1:** 95b7e01187222aaf1ea80d0b74f846cc9a4f4764  
**SHA256:**692233e8906b51c91d1d70882a0502be5dddb2027b5095c07d79c491925ad8fc  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: hugerte.jar: hi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hi.js  
**MD5:** 9eea865c5a377f40de2f8b4c41da17a1  
**SHA1:** ddd56f4bd89abe1c502e0a9ead4b913fb1ea00fc  
**SHA256:** 9585fc860ca2b1a749f458be9832932118b54d5e2b9591df62191ffa22102592  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hr.js  
**MD5:** 3279eb68d7116c5e50c2445e392e313f  
**SHA1:** 2b3cb7b1e01fdd84b9a52becf9f310329f4bc61a  
**SHA256:** 93300531f9cdd8b934d7a2f421fa0fd36ac20b2eb7f09a0b25ae96b28c3cfd84  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: hu\_HU.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/hu\_HU.js  
**MD5:** 27b9bf10dbe7c9c15b8ea20a44b569aa  
**SHA1:** ca2dddca3514deeadbb45a59877a5498ecb7faea  
**SHA256:** 9d62a3922fb0f24d96143e1a677211fec156bcd53ef0f60b386b8738861efce1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: hugerte.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.js  
**MD5:** 0a6efbdc07b365918a67844e02cb30e2  
**SHA1:** 54aae4c54ccee8eea1b3b9f74d958d813a113a3  
**SHA256:** b366d47bca68c558550a58193bd4a1e05a1f5ef98cbaab316e392937da38f3eb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

#### Identifiers

- pkg:javascript/DOMPurify@3.2.4 (Confidence: Highest)

### remotegui.zip: hugerte.jar: hugerte.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.min.js  
**MD5:** e10c65060ff3bc9e44ae845e9adf32d4  
**SHA1:** 45071962f23d0351302cf74a264ca8a720947496  
**SHA256:** e973ed30d471115a93805d42aa332db35c300503992d32a186bc2de4b8d874da  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: icons.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/icons.js  
**MD5:** 946e6ff563681f2a84bf542c7d1f835b  
**SHA1:** 57dd9db9f500ae6bbc16c1b39d6871be228c12ec  
**SHA256:** a70cbbbb7c397786fb814a416f691b2d39bbc1856af4c975acaccb27f190bb1e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: icons.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/icons.min.js  
**MD5:** ee63c9a58bfadec7d3f124f01fe865d8  
**SHA1:** 04bcdc2f358ef5f562ff3bf05ded0e86ee39fb1f  
**SHA256:** c422b0ee2a8c7c988d377c3455b95fe98b95b07616de53abe547a631cb7845ed  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/id.js

**MD5:** 559f08d3791f170b18fab02235ec1682

**SHA1:** 3e1621e3d7f2cc26ec7c76e3aad8b10740284c1c

**SHA256:** 6b6f28465d15233f2f9d98dfea0ba7e43d983f7c5a616b5cf26185ece8248810

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/icons/default/index.js

**MD5:** 712c532c3b060cd5981af00496091812

**SHA1:** 1f0e1f66069455601e60b07941f412ec8da948d5

**SHA256:** 01dcd2e841efaea732b35abab85f9b9c177708377e8a71cca9aa1cbc08ce50fb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/index.js

**MD5:** bf6538ccd91ff0c8c459ea52568dad68

**SHA1:** 039492d60bc08eff76200837b005f238a4a4d93b

**SHA256:** 7e00163f1579c2463df0e1794c7083972c531e65e97e79cc1d3fa5fb79b8e782

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/index.js

**MD5:** 275d42a50d44665e7c641933489d2fb4

**SHA1:** 4fe5780ee870d8e4ed3e19b06a6dcba0745951dc

**SHA256:** cfc10117bda3513b6a8d5fc147c46d599d939188819b053cfe8b037d27aab68

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/index.js

**MD5:** bf1fd55a8b6b4c1288234708e4a63e04

**SHA1:** 4c00e9817344c41649c8a5692b8a50f46e86ec63

**SHA256:** 65afd673d4ccdd16025bbea20476e1e97173e975c6907b17a03bbbf3bfdb8e4f

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/index.js

**MD5:** f53211f88e234e0b071178c50bb17158

**SHA1:** 7ce22ad1179e09599e011a9117e17a2b648fd131

**SHA256:** db1389e04f95143a547eac5a86b8b83ffacae1baa4abae7b1b9c71158745a10e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources

/webjars/hugerte/1.0.10/plugins/autolink/index.js

**MD5:** e71fe17e37cc448ee08c8073edbd8511

**SHA1:** 8f90089dd67c4dd2c43ce5bd0c2041957b33814b

**SHA256:** a8464397c27fa3fc75c53ab84f63daae3c85d7b25106af78b2337752f1e18768

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/autoresize/index.js

**MD5:** 6f84b0950a44436492f038d3aa0ba3e7

**SHA1:** 4f4bfdbe1b26fa78144a693b7c3dbc4d33f0db94

**SHA256:** 171a9ea14e7b62d3300d5e5d557bd55d366d3ae3a707273898df479c096276eb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/autosave/index.js

**MD5:** 08ef53866b246c81dfe6ef294869a901

**SHA1:** 431a34505e18811756e55c896308c5b1216fd994

**SHA256:** 421e960cdc5dfa2ed55fabf2223966e7b8ba0fa29b04eb16cd0d1076013e54b0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/index.js

**MD5:** 4c65bd74732eab0ab7e847ecba83b2b8

**SHA1:** 39b4ed0edd6e1ee5c4636b947e518cd4d07b1c22

**SHA256:** 74c2ee3ce6dae9ab7052f10c47839820e2b8d15a8d82360d76c22adf2e140036

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/index.js

**MD5:** b44ce9c633a47f29ece07d74747d1e06

**SHA1:** 7ba540f71aa2a39348361b231a3836e247070e84

**SHA256:** 989a665058a05fa887eae0f403aee3207efe08c27adbf298db424ddd877002fe

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers



- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/index.js

**MD5:** 90f716db1597b13e7574913db0271635

**SHA1:** c27fea0504a61d12e50a8064c3c8f76993e57304

**SHA256:** 090fd58bf0e341f935b41011fe6d785674f550720bc4d3d7fbe61b9d7250b573

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/index.js

**MD5:** f40440b25858539de61515b1dea80954

**SHA1:** 33d1633c7f24beec0f6d23c6248f0df20a16816e

**SHA256:** bacf651ffc58e57f22f8f6fb14ffbf696a50ea7b868a1f4af9cd03bd13b3884

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/index.js

**MD5:** 9c2896100b43bf842537b98ccb1696bd

**SHA1:** 8a5d6682c000d686462ad08266489d5ef6e4bf6d

**SHA256:** f6ab4d39b9c01bdb42e11a9aeed2f28e173155d1a8c3744ae766db3820ab6b02

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/index.js

**MD5:** e187f0117b672a2e8033678f08d2f1f1

**SHA1:** d303bb5448dc1e0d404f366f07b51cd3f0487c28

**SHA256:** ea62f70b60de9fca52f2d2fa328391a3bf5d3de2965d40549fd1dbdd74f69d4b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/index.js

**MD5:** b5bffc3c2adee9b308f33253c4fe7004

**SHA1:** b6307cda1e5123ee6c213d4f2c072011c69876c3  
**SHA256:** 9740f6f6ad80924540a5bbf0c2a63cc9dfd8e61794fab7fd0f1b01a25cd6b92f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/index.js  
**MD5:** 095a51c136955dcc74a7e0fd9604e21a  
**SHA1:** e68b5998a5cb615262e6d82f2e823bed40228967  
**SHA256:** c4680d28a23819fd558d0535d085e7362d8cbac560044be6c9236708ee8ccf2f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/index.js  
**MD5:** 5e5f8c0aecc68703ecbbb0e4234e7d27  
**SHA1:** 523289fb23e7e4902a037c16885ee32d836f00ac  
**SHA256:** 81545fe205f290c3c31c7bfdb4ba83b3081f90ddfccea856d4b6c29ce6944745  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/index.js  
**MD5:** d8a0567abeb81a32ae97c146b2056f1c  
**SHA1:** 6178edb15029bf8995370971585639e047345aab  
**SHA256:**f5e4e03c4fceeaa5e024fd441d21be9d6f403c124335e0f4430f3cfb6ec4d124  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/index.js  
**MD5:** 77e9b56d47087efd55f769120600d9e8  
**SHA1:** 75dd165d3fc4f04daa39c21f2ade96fdea9afddd  
**SHA256:**320914e928c5be2837bec40ed93b5b6c536c027e67bdffd9db2119461057b7bd  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/index.js  
**MD5:** 024e229dcff4a27cfc170a5410b4843  
**SHA1:** 4c554e5bc1d9621a491410c001775da57f879798  
**SHA256:** 7790a64cb53b91a9153c1b69bc3da83e3b159d20a7af6bdc13d27874a4615168  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/index.js  
**MD5:** a1da1bf87b3ac65830fd803e9a28c381  
**SHA1:** f09ec4275e63ebd377840fad37a65b011ddc6631  
**SHA256:** 45426a57dc58b349746fec58e3051f139895fdbd818c671f8f7c17443c46b701  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/index.js  
**MD5:** 8c1c718293b28a845a15c257772ff932  
**SHA1:** 7fa2acf1e9f7bc30632d71735ef9ed0d2f9fab29  
**SHA256:** 720b764ae93c6103550a9200e0effd11853b564f2d6be45743bd17e4276a23a2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/index.js  
**MD5:** 165034455e178e0eb99918d3a1421dfa  
**SHA1:** 8af3f0527d7530ef2e63e621e7dea1c3c376162f  
**SHA256:** fff3b308b4a7e7e6756f7c1cd80517f788c8fc0e95cb9b7bb360b6f24892f5f2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/index.js  
**MD5:** 83bb991d584186dab916e348799e4e2c

**SHA1:** 263f51c7a0512a1bed20eff7895b6498978532d8  
**SHA256:**2e7cbeeb72f62c23c850b1376295742a5c4908ce80808e8a9b9de214deeb7a72b  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/index.js  
**MD5:** 99532be871de2c1e018b2f38fae3f505  
**SHA1:** 4dad183c0694e2b520d32253e332e10179891435  
**SHA256:**3b0f4ee52d5f152c733aa21e443ddb633517fce8675fdb8b164346e32cea3770  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/index.js  
**MD5:** 358e82db36264f8bf5d5f211581d2e12  
**SHA1:** 85b2560fe9b4c7dd77be693082e8ca54561d04e2  
**SHA256:**e4ad55ebe0c5dd257c742be63db9f7faa361a03febcd6949b34e50a5958e257  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/index.js

**MD5:** ed22a1e468fc1241e3e70c8720098442

**SHA1:** 49ad5ecf24b66612a3e9e8f1258f5fd8d1ac6624

**SHA256:**2e9e32ea2edcd011f669cac3b7bf65efd4635a2c24c72a81167a7bf79e6a4c73

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/index.js

**MD5:** a40ed84889ba858c1d78a423a7339067

**SHA1:** cea53ea715d6b6010912a3bbcec73e7c9501bd4d

**SHA256:**e23ef84ba7634338aa304fce140296fb95ed92bddfa40e1e8975a2f725de0dc3

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers



- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/index.js  
**MD5:** aeb80b7c4b07610c34901a284b372ed9  
**SHA1:** cccdcf94dd46b6ebfff271867bace1d0df8c3255  
**SHA256:** 6b6206bca3f79af4262b418278b2b1d44ffbf0c16e618d6daabc3d022e555d6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/index.js  
**MD5:** 99fbe6ec0ba267d5bd4f4b56834bd6df  
**SHA1:** dee26e00314addaf5d7359e4f672c6fdb309b17e  
**SHA256:** 1527138d82593c7a2c56998be7d938c05b1d18dc01590ba8638033f41655dfdf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/index.js  
**MD5:** cc4e861499e09f90d3d9214c307a9078  
**SHA1:** 058e9ea96642f6d7da84f762a854c9aea27c7a5c  
**SHA256:** 09730d585920b1cb562c8e382cb7180101b81d419930364aee24714e1eec37fa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/index.js  
**MD5:** 042a01800558e0b5f08e835cabe311ee  
**SHA1:** c0efda748192eb1ec1bed53d5d48447899f9e7e1  
**SHA256:** 01e372dddf4f6441849ee78e1ded584ebd68d35fa0a7da3abb7c27fee75b90b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/index.js  
**MD5:** c116e3f9ad1e1e3e232e65a88c76606d

**SHA1:** 4b21b67afb114f7d741f0c78ff1a8a6d89342806

**SHA256:** 7a7e4dbaaebca073b2bb9bc3eeeba34ce5496be0a35b62bce19b461b43218911

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/it.js

**MD5:** 368a1232972a0c4f634c76db78e5b498

**SHA1:** dbb121749285ea1340cf147a3f44a3cac915e734

**SHA256:** 7b9aac4916b04925b60c3ed0c3f65adc48373d479b6d030b216b4f031401e9f8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ja.js

**MD5:** 64c8b443274c245de92530cf50ac8706

**SHA1:** f567bfcd4417b6aeae2fc38edf748924b1181efc

**SHA256:** 53276c8771c3de2715c9ad8eb2826d997f0d8830ecf2e333388ff0c27d6ac30f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/kk.js  
**MD5:** 3f9a7601fd781bb6c65059c58fe96989  
**SHA1:** 189054aec78882a40f812d5cb9b300f452872a7f  
**SHA256:**37325ef03f35faca200aca41e278c54b67e437ff81e74147480598470e43b2fc  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: ko\_KR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ko\_KR.js  
**MD5:** 20ef64c247eff15d94fab02896a15c6  
**SHA1:** 4ffbdccd647ae10e4b54b50a1722ea75b8a9e1ad  
**SHA256:**85fe5b45bb8b659b296a16663f03987bf40ec88099d52a4d1d56879665d6da2b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: hugerte.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/model.js  
**MD5:** 693591c57a4c5be7753aa7ccafb8b992  
**SHA1:** 807d1ab2050a295b68d5086dadcd52f08044e97b  
**SHA256:** 399e03b547224d98578a0c16e8c067708f95d87b90924374e8671fa277ccc5f5  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: model.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/models/dom/model.min.js  
**MD5:** a6e1bb334185de329b72494f355aebad  
**SHA1:** bef665b9639100809a3a55b9236f9aaba033cae4  
**SHA256:** 522e6289e63e2aa67949846a0ca3860c9ad8da28423c0d00ad9dd54963dbee4b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: ms.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ms.js  
**MD5:** f0f057fe6321dee6122f9dc1a0aebfeb  
**SHA1:** fbcacc7aac260a30a4c6213687aa7f3371995c83  
**SHA256:** abff2edcfb4baec1ebd93c681f58fe893a09d56a3a6c9ebe8bd51348dd78925b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: nb\_NO.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/nb\_NO.js  
**MD5:** 776be941e0917d4513e0beb2f8e18e99  
**SHA1:** 164b9c95814d8941940485a56e8d5c2144fd2693  
**SHA256:** 4e2aa817da52cd69366fdf338b40d6e4284f521156b9e73653b468327431e3df  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/nl.js  
**MD5:** 5199e61a9d49f51233fa4996003bc1bd

**SHA1:** 19056a6dd9e7a5ca3f77eb810d821fa14c6b8ba9  
**SHA256:**5620e476f2a53f177ebd3dce0e5e1d0712922784e25f4a4a7e4ebd61133dacfe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/package.json  
**MD5:** aa4328c4319b66a9b6040df20ebc0c16  
**SHA1:** 64319ba470ebfb488b980c9c4df8bb45f44f50a9  
**SHA256:**2ce753954dafdbc4b7ba92de362b265048bb6db00206bfca7e807909cf3922a6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pl.js  
**MD5:** ad4d61e73b6f7c576bb2d042b7c6ee83  
**SHA1:** d88f3d98055cf7ed05a82402fe97fc5e08c9a2e1  
**SHA256:**9d0dfe442f6fe41f504a97ba8154fcc35d4cfd011c518f5812bf8afc5d2b4552  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/plugin.js  
**MD5:** 234cbcdc0da1d0a1a157e75331d54d63  
**SHA1:** ff49cc0296afa773743524e8a1db9b8c9f57ec48  
**SHA256:**d8b5875507b80e142cb26c6f85429ce099c4c01155425068d0478655ef9068ac  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/plugin.js  
**MD5:** b4e4c920e378044fe81e23d0438c638d  
**SHA1:** 5788684f69347dc972e07b3f03a82e839c26077b  
**SHA256:**c746af7a25617cc61a1f87a278597dac3278113889f249ef8c0d33aa0ced8628  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/plugin.js  
**MD5:** 694564ae506ff7578592a7082c9f237b  
**SHA1:** 36c5389bb3d7fc9ff68b954c33b2d33beb67bb8a  
**SHA256:** 137796bc70179c913ad6edb175fada63f67a09a6954535027967c8f8144b4b7f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/plugin.js  
**MD5:** 9cfba96f10892ef31709d3e859c13be4  
**SHA1:** 6f9ecd536667d9deba06547b8478afad7a9195f9  
**SHA256:** 619c1484539653ed537c40ba095648d9ad5d9628052ad786e186816f29619864  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autoresize/plugin.js  
**MD5:** 428f77b5771b08b716a8d868c5176866  
**SHA1:** 9fa2da71224d4ef5de917b102a29f12bc29354ae  
**SHA256:** fdc13ec358a68706555c3240051a31d01930b69848851223062d2713b192e602  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autosave/plugin.js  
**MD5:** 25ce048674acf5ef495a19831b70a6e0  
**SHA1:** e9f4afd871014387251adb793388bc3fc11d1972  
**SHA256:** a22dd43e8f4719006094945fd16bebdd7ffbf23740a277f760133906abcb4e35  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/plugin.js  
**MD5:** 3c7c65bc89623c47ded1ed50edfd8d16

**SHA1:** 715627f4044592e3a8950e5740308c98930f34f3  
**SHA256:**58f4014c15ef46513294bf86e10cd0691f6e69dd23e54791bb7f73a8c0bafffa  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/code/plugin.js  
**MD5:** 7ba0be72b364eaa1e71ee0f24f85a421  
**SHA1:** 42dc0b6c2f0bdd0036b67d745b10beb3c3364933  
**SHA256:**a88315edb070ed6e195a9bfdac8d6dfe8c624dc5abbf6818569abfe64909ccda  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/codesample/plugin.js  
**MD5:** c9173f4770e386c7f3ffee98d951f09b  
**SHA1:** 31f0b91b7022c5ee5c3c7149b92755c79c2f273c  
**SHA256:**d73539073d6ae6c8cc2580af17b0536fca24b11196d10d820f8747a5af69cc65  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/plugin.js

**MD5:** e9e03d39c8c617772aa6d120d89e6f53

**SHA1:** 429fa7002656d1a8ef1c5ef84d0bf75bfdaf2efe

**SHA256:**d8a54ed3ccbc8006a0b1cc41b9f5e27fc13ebac18abc041f4582e3062f13c1a3

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/plugin.js

**MD5:** a2139d5535c6025f4958a36bb22b641f

**SHA1:** c94f19247dad45103429207f6fd8ce2c4a4cb726

**SHA256:**40349437ea647c28df4c79ea050a9dfaff05a0518fa92df8475047e219641099

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/plugin.js  
**MD5:** 3b15dba52fa9942ff9676907a2ed11d6  
**SHA1:** 5d37eb4d78ba52e56af213418959698ead6513e4  
**SHA256:** dd51cf286f028c73eed0ada97f84c8d7d850b438c7246cc0c58ee38f4ad77aad  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/plugin.js  
**MD5:** d120d759c9d17c16ea6de8e58aed752b  
**SHA1:** d2346c718b8bcf6ece22ddcfb023c7cee6c84419  
**SHA256:** 27555e3b4f6d3a925cc290404848b9500cdaf65bf136f91724fb49945e95f6db  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/plugin.js  
**MD5:** 0f013ffe1521b3f719e3225303372939  
**SHA1:** 3359a7ed29d3e07814f52217e909e57169f95291  
**SHA256:** 8a0e70e8f30ed79b6db181f57cf497026c3b85098b0346b593d4d9f33ed3f9eb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/plugin.js  
**MD5:** 0eb49431bec88bb25e70a252866dff0b  
**SHA1:** adb982d7c81a0bda96e3cabf8b26e27bfb7e5b5  
**SHA256:** 2858596b1aab1ecc56a5e7b3822b522da99d18797bca9fdb9af57550a58ecd2c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/plugin.js  
**MD5:** 88479b5f199578d1fd404846fd846338

**SHA1:** 35b48cc21acb0f0d1686fdd919de05bfc0a9934e  
**SHA256:**2773dcc58984c88e646fc8bcc6d4879cb45b291ae62816f75d26acfa74ecd8b1  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/link/plugin.js  
**MD5:** c1ac650fb088c547ec90787fbd7f7d74  
**SHA1:** 44c949ac551ace6a4c7a0abfc88023c336f531c2  
**SHA256:**d8099f84024a099854b61de272ed27324af7dd77d7eabdb798475196e0e215dd  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/lists/plugin.js  
**MD5:** b692d7c00bda07e511c0a2c522617027  
**SHA1:** 0d88120e6c1099a1aaeee2160c02eda96e1ee1f5  
**SHA256:**535e4b6f453c290d975fe9928664b8d3722a9bdfa4bdb49198755b0f0734d194  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/plugin.js  
**MD5:** fff0620163bce2a60977e3425ca679ea  
**SHA1:** 44ad1254d5dc9351985967c9273a3376663d0733  
**SHA256:** c6b6a6e5a96e0efd0c4de068c757e826f09f23c29eded9967b07819a77624fd7  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/plugin.js  
**MD5:** 1993928b1e7e7800b40daba2602cd69d  
**SHA1:** a2d7f221373726e3de4cadacb39556688acf42d8  
**SHA256:** 5c60a48d9693a6def7e66be084dd6b78d7a7c7f8986e4ff85940f9e20fa4b656  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/plugin.js  
**MD5:** f3ddc3d170802e2b4db62728ed0abc28  
**SHA1:** 572244289f8e77749bf157ad173eb0356b4dfb94  
**SHA256:** 7691c5ce3f5b304a816ee27b78e1c24d0517e83aa53c6815268e261db44d90d1  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/plugin.js  
**MD5:** a12aa7010b0208471c51c3f73e016094  
**SHA1:** 851d545871a164d5e36c26a6ee77365567cf6282  
**SHA256:** 8bd3967bfe5b7e93f795f4aa01156a22639e6aa7fba2964143e8fe851614a9ac  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/quickbars/plugin.js  
**MD5:** b6abe20c84a1d983f96a2ceb9dbeb8f9  
**SHA1:** 933d8867ea44d0e3d597acf419a125af1c80f5f5  
**SHA256:**f46408fe45d99837314c8df9ef71572f145bb54c969eb53f38fc4560c8643d59  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/save/plugin.js  
**MD5:** 12f532911ee63e5c329f35317770f876  
**SHA1:** 827f03cc0bcb5d1934e0a4a93561078ed43e9759  
**SHA256:**1fecbf8e062157e5fa52def419ec097a737228c1e30b76984071207d60d424c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/plugin.js  
**MD5:** a8dd7c09ac69c61ae101a2f3d5ef7109

**SHA1:** f62d51aa5984eccedbc0d762d8953748141c671  
**SHA256:** 20bc8ce70fc314a9ded4a33c56a1bdfc80e45f08ab24ca646f5a0b82fb744b9b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/plugin.js  
**MD5:** ea782429b24b376c04ceab3f2c98ba79  
**SHA1:** 2cd504d47e6c51834d6967a1062d3c7e8eaf8dd6  
**SHA256:** 3ae59cb7ffa09ef5e19e55648207baf5e20e171d87e7389cb09426c7cd58b996  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/plugin.js  
**MD5:** f81d5c9b9e0b1577eb08d7e981aa0736  
**SHA1:** 57ef1d4ac15cfe3ed779d7621e3f95be73661bce  
**SHA256:** 71cbbd6acd0e40aecc0cb8b6903ad1996179cf6d4bac3dc95e65b7bfb6216425  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/plugin.js  
**MD5:** add8cfa2281ac41a2524dc01bc266f  
**SHA1:** df96a4558a647510096e75736d41322691d6afb6  
**SHA256:** 1e37c0b71b368cc4540696b4e63e71569736a95177a60d541cf1d4d468984c44  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/plugin.js  
**MD5:** efa3cd5a99538a82a5100e2e73578de1  
**SHA1:** e58a97816bf84f3275700b270d6d9434f0dd0963  
**SHA256:** 1a2053e8525390c955185714e2b5906a8aa4e53307ec19eb2ffb589d517ad59c  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: hugerte.jar: plugin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/plugin.js  
**MD5:** efaab82a4886f7dd9b51dc1591d3766  
**SHA1:** 930d82e16272ae7ef7e0319b93a7c3cdc699bd21  
**SHA256:** 693ab5be6788391285a33bb73d3bba144a263a19323369a24ebb0b56e97338f5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/accordion/plugin.min.js  
**MD5:** 41b9fb04716b69dedf252f16a408224a  
**SHA1:** 8c042e9c14d70bf1201a7287389deb57572c6fd1  
**SHA256:** 23b1878f5a7b225f481cd6513fb66c349d2575c0188d1d7f6de4629ed7332464  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/advlist/plugin.min.js  
**MD5:** f607e201cc782a368e5056495380ad8f  
**SHA1:** 34d87146befe75a28085e38bf5d1ea940e72612e  
**SHA256:** a9c5d61098c8ade34a8ababbc9598ee95e0ff40bf1a8dd5ad1189639be540e86  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/anchor/plugin.min.js  
**MD5:** cda80e549bfecddf0c5660f7bd61c28  
**SHA1:** a60a01a44e79fd7fe1e62294efbde9bdc7fb8391  
**SHA256:** 80cc2719d808b1a7ed0c64f93ab527ff5e8037557aeaaeeb75e26dd0d520fb13  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/autolink/plugin.min.js  
**MD5:** b29b97dff81e4e2bc9f93b2db18964f0

**SHA1:** ad8f6a077b4f4a2b81638b3b6028a0bfb61fe641  
**SHA256:**449bff07fa9e889d6242d605b72e6d0abda2e45b89d1c6536aede88d3a358dea  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/autoresize/plugin.min.js  
**MD5:** 43f917cb227d2e801f8ed8a959f3b7f0  
**SHA1:** 4befeaf8ded3d0342b989359c77ef171950a7b72  
**SHA256:**402cbfe848c67537977d26275726b8945f8bd9d7345ad78ba6dd10daf8703724  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/autosave/plugin.min.js  
**MD5:** 5946f682c8fcaeedbf897e9b16f54e91  
**SHA1:** 0c9bffbfb828835d43302963134542e095b1ffc1  
**SHA256:**770745ed4e2e0e2a87aa1ed9b127d8ba95b2d10c8bb1d68bf165b7da427fb424  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/charmap/plugin.min.js  
**MD5:** b6fa0b80d789b03eb42f1c7b1bd9a317  
**SHA1:** 0e66b1560d6594d5b06eda668f597e1c759ef9ca  
**SHA256:**df569012757f04fb6da50db6f9d8547969c63b301af81e923cbe427724ab817e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/code/plugin.min.js  
**MD5:** 16f1b2b99652a6432bb7e26fc6275489  
**SHA1:** 07aa6669ff4f20c394e58cf833949306ff59f85c  
**SHA256:**df25480cdbaeb8e74cb937c44314c8a28debfb4ed8fa75498067620287a4b83  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/codesample/plugin.min.js

**MD5:** 03d7fc5ecdfe24bd5ea607f52860b8f8

**SHA1:** 58c3ce163c656d9c72f0d8cd9a117c955ffddb3b

**SHA256:** 93cca0a291f3a0777bf30f27618a25ba8febf40487c25f4c15e639412355053d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/directionality/plugin.min.js

**MD5:** b9092e9c78ab5b637b720842473a04d5

**SHA1:** 2a0535f7087827113bad03d00b2c354b5c26791e

**SHA256:** 0a46316c620472d05aeeb3cf23b937ab695786337b243cbfb1a8ad57184b09e3

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/emoticons/plugin.min.js  
**MD5:** 73b2b6326789ea8fbd7bb23efc22b43a  
**SHA1:** 85666ba62c9fd7d009439e4556bacfe0be7d63db  
**SHA256:** 9dfc962639418274959e3316a62522734cbe668dcfb5e8bb16716591a9f44ba8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/fullscreen/plugin.min.js  
**MD5:** 2ef377fd40de18e8d301730055d8779d  
**SHA1:** 7d431bf2ae164bb8c44b9e1798780cb893d63922  
**SHA256:** b5f9ab18c6874378c7971cae5c6a13b72123b743b96625106c7ec959c9ea4b3c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/plugin.min.js  
**MD5:** 5195d68898ee18a266c2b70f9513e3ea

**SHA1:** ce5d65783ea455a7375995d8da788647fe6ef118  
**SHA256:** 4eee85d199db2167600f30f884fdf5a678e0d829a934b46707d7b13a6ce12887  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/image/plugin.min.js  
**MD5:** 5ead60b8ee2a5e57ee21d328a6996fd5  
**SHA1:** 8845601750923c62116ce10e403c4b994b77cf73  
**SHA256:** 0a8d0add48bbf1d9bffadff80537482fc3208fd9f73bd02e6438c168f7d2b61  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/importcss/plugin.min.js  
**MD5:** 80bfd8a5281df392b851bef6deb885ed  
**SHA1:** 58b6f75cb02c07ba76b5f8398e03ad22320cc6d8  
**SHA256:** 7dad55e6a7b2a0cf1def87a28d387ddbb6d592b58f54a33acc84b0bf5923738b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/insertdatetime/plugin.min.js  
**MD5:** d97b95150778c9239945a3c66722c522  
**SHA1:** 39a1d254e61ad580ade39bfbb3fd6d6a7f797c37  
**SHA256:**016c7b4529780e838f1894971fda9f76918d9edfd279569784f8de3a10b40b96  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/link/plugin.min.js  
**MD5:** 7fefbb0fcd36a9a88bbdea3d482c1cd5  
**SHA1:** a40def35131be11121ad243664092aacd8af5e40  
**SHA256:**742e558ca7de547e0cdb7ec6132f8f611729090b0322cb0c2bd65dd68c53361c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/lists/plugin.min.js  
**MD5:** c67ba32694a4e2ac5cb6f3ed967a4860  
**SHA1:** ba54691c70395764688bf02e77e5aaf9918f890d  
**SHA256:** cc6938ad8297e6df86d066c993deb8332e84116b481dc6f21a1a05b1b999d33d  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/media/plugin.min.js  
**MD5:** a9156f4bf8e68ee4d7bc03db5e88c67d  
**SHA1:** 7b416b06fff819bae4c82bb548d5213d7afbab99  
**SHA256:** 82fdf0a7087971569fab288ae0d99382a2219f3c5f7dcad1be71720e92f36052  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/nonbreaking/plugin.min.js  
**MD5:** 7dcf88c43398084da0d575d280a2ce83  
**SHA1:** 7abd58e32e21afcfdcf7354a858ed4081df1b523  
**SHA256:** c2ff35d5781a42a0a60745f34b347a1be6771e974802f3b08e8f9b4568c9586a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/pagebreak/plugin.min.js  
**MD5:** 8df5adfe40638a16627e677a370c95a6  
**SHA1:** 11fed02125efde64ba5bdae09b68e9a89e221ee1  
**SHA256:** 2a28c613a64dbe9f87f42eb8d83bfb0f0ba926afb96fb1b26805ca99af8a9494  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/preview/plugin.min.js  
**MD5:** df9cf3dd607941f93d1c438b68a40a19

**SHA1:** 959b48bc1643c9c619f91ed1291553fe4b5c6df5  
**SHA256:**927d07fe0584b9aa1fe51022a7e48a2863057e1a82726c5755e7412e25e6930f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/quickbars/plugin.min.js  
**MD5:** c7f7fd9d489f82d4978a950a6fd326d0  
**SHA1:** 35ad1ac0ec23f43babeaf2f71846d60e692a4370  
**SHA256:**27422ad514e9daf4cda714e01922c6b22ab80a7b2dd3d06ae4a12de604c4adb3  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources  
/webjars/hugerte/1.0.10/plugins/save/plugin.min.js  
**MD5:** ef357be47e0f2531659760db570e3e08  
**SHA1:** 5ce5f43cf8bdc9a84203be92d020dcd751516250  
**SHA256:**8ffea15aa59d2aeb61497c93642e812a303ceca942ff566834fcbb8c4376d67f  
**Referenced In Project/Scope:** server


Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/searchreplace/plugin.min.js  
**MD5:** 139d7a0deca771c0b77b63098cd18ee0  
**SHA1:** 8f3824236f0806918ef8095da2eb296ced32b89d  
**SHA256:**97cea5100aadbefc3610ad132afbe4f1bb4e19d8aceec2266cb1cb342173b69d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/table/plugin.min.js  
**MD5:** 502d776073efd10fcba209469a13a62b  
**SHA1:** 8ac3ce728285e89236fef69eaf629d425fa30bc3  
**SHA256:**14e91010b6d0836c776ebb1ef82faa7507fc7e2c27f12c8dcf4f93da4601f332  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--



- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/template/plugin.min.js  
**MD5:** 55e7bc92bab38e5cfb88cf0b1571e3e2  
**SHA1:** 87ac90adba9d19a1effa547ce0c180da9db38d10  
**SHA256:** 6fe4a268a991a7711b98189b027782c297ecf46b076b511d3861f9c44622049c  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualblocks/plugin.min.js  
**MD5:** 955aaa78063c43c0e51c3fafcddd56b5  
**SHA1:** 656381bbbd38cc297ba0956035f6185d73f1d7b4  
**SHA256:** 2dd3ccb223e2d2138e7d924151c61199f2e9b1dd8cbbbf0be0d899d7aa52389e  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/visualchars/plugin.min.js  
**MD5:** 47a01e3b8dea93ce5f7688cd00819514  
**SHA1:** 0495254050f00001f190e84c53ce1570af7e559c  
**SHA256:** a3405c392c40b97825e9fdee2fa63f936a7fd33f1f1a10d9453640dfa28e3f24  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: plugin.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/wordcount/plugin.min.js  
**MD5:** af966b39dd7380e0a7432f31ce9b7c0b  
**SHA1:** b47d98b85bb9be88207358d699ef416965b0f1d9  
**SHA256:** 5be02c864f261b33efd718f3b6c9a2a607a91ee9fef6462e0cec442e0ce3b180  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: pt\_BR.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pt\_BR.js  
**MD5:** ca7a4eeff4a8529a84f3ff5e7f1fbd4d

**SHA1:** 301b5e181620e9a86b8e0521cc3f56835f98a0e9  
**SHA256:**571938497a73a22fdc5ad20de30a0d6051b489ac787659a73dd6927f73bf813f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: pt\_PT.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/pt\_PT.js  
**MD5:** 98c786e104869984b866baa8ed1cc414  
**SHA1:** 70386a8fcd314249ce73542a259404019f40fe56  
**SHA256:**f9fcbf81468c7312fd52504380f411df09c2f59cb2a1647c6d0cab5f3f414b9c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ro.js  
**MD5:** 954a4ab723e0f927235bcd3020c8e0e7  
**SHA1:** eeb3638b56c77058c31193b95ae72b4811ca2e92  
**SHA256:**1e0e4e94519949b7e750007e7193e3d3a20855f57b5ff982a985edb0718f885d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: ru.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/ru.js  
**MD5:** 1d302511d2a9b1a0a765358559e6ed8c  
**SHA1:** dc2960bf5917645f7f007fdc082efedce924e695  
**SHA256:**019be56e2cd8f3a4b7bc028535cabaf69c075744666652bcd40edd8483d543a6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sk.js  
**MD5:** fe4a80d8945887d8dcf20af8a3c1352e  
**SHA1:** 36a21dd701f08b0d0acfb8294f006762fc424dde  
**SHA256:**b259ee9a894fa2cc41a7900fa637a2aa8e4224be1f4ef842b541f977240f903f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/skin.js  
**MD5:** 33bfe3e522c9bcc81a0ac4a754d0fa01  
**SHA1:** 822a6e8c4751f9dda822f84703ee522f7ce0ccc1  
**SHA256:** bbf5986c65426afbf26be7c0e5de03fa8e68d8f2219e2919001f1a10b173a952  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/skin.js  
**MD5:** e955f1a8b28d4fc0e3ff9437a54cf3f0  
**SHA1:** 7523ca2c72f80f957cce1cff4c6f697266e0b425  
**SHA256:** 963a34799e5790f24ddf1824583cd10f3ba9c39db04e5ec60a5cf11ece7fca31  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/skin.js  
**MD5:** f1e6180bbc9af02f6eadd4fb72053f8c  
**SHA1:** 58a5ea6b0767562cf4db3aa7b4f4e8bb1cc53dcf  
**SHA256:** 5048d4c092234ee6ca7dc7cc764f9539b3dd8579355f4b64a30eaff4d05bf654  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/skin.js  
**MD5:** eb819709d0ce9c502c5b7ad421407d60  
**SHA1:** 9f75d43603bdcd46cc03bdfb67071160409dc91b  
**SHA256:** 5a3d4132dbd49631dff83665fdc93242175673ee02a44c25303038edd70b7037  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5-dark/skin.shadowdom.js  
**MD5:** d738bf552b3156b0a77176ee6602cca5

**SHA1:** 268465839d61adf3a0b0672f8ffdecedfaafb053  
**SHA256:**d24a492050fb69964cdb38329571b9fddd1b0834d3e7dbdb408ddd58493ca2e  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/hugerte-5/skin.shadowdom.js  
**MD5:** 20b5197219c55275d0b70c53fba64ed4  
**SHA1:** 1e2c40c61236d680b9a79abc119fe7e9a0134f81  
**SHA256:**afb05e588c7480e5fe4659e23d1455fcf4d50d88ceee199989022fe3af1fba44  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide-dark/skin.shadowdom.js  
**MD5:** 1e892ba61cc3e6d5bfec63dc9cec18c3  
**SHA1:** 84dbd80ba099e183e44debb25fd01890797707cc  
**SHA256:**60f0ac19cbb0903f7fd4bc8a1fadb16e818d45b1908db27a89679aadf6fd6332  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: skin.shadowdom.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/skins/ui/oxide/skin.shadowdom.js  
**MD5:** 731f24060ee9a8c936071b8765cdde89  
**SHA1:** 21f37b358ef16cc9fab3344261a2236b0260ac0d  
**SHA256:**bea22e87cbf4ff22524e43516d28e285d0f096409d7891fb6e91aae8fdf56eda  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: sl\_SI.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sl\_SI.js  
**MD5:** ac35121257bf831e811f75c28c471dcb  
**SHA1:** 5e2e75c81c74714798f3ab92f1cbf4889a705830  
**SHA256:**f001ce48bbaaa6e711eda1b603d13edc38f0c2db5592f0f8cb3b798f001b6e17  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers



- None

#### remotegui.zip: hugerte.jar: sv\_SE.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/sv\_SE.js  
**MD5:** b24075bd395a8abe5e100788bba0a74a  
**SHA1:** 699908a684581883ca84b7f43db273ee83d68245  
**SHA256:** 24e435fe459e6a809eb78b0b66c0146226482f29cf4caf7c84d6a09889a5ae25  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: th\_TH.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/th\_TH.js  
**MD5:** 0f0c790204d30c81b6645735545d20ec  
**SHA1:** 5fee086306a6157bfa9758380c9da89040dcfaa4  
**SHA256:** 38e2e42abab10f72d5ea1f17714112c287f350fcbca05c5906ced9d3595c16aa  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: hugerte.jar: theme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.js  
**MD5:** 44cb08e002fca06cb52f0a998a34b913  
**SHA1:** 55458cdd3c063b96d82693d141f535f61e280341  
**SHA256:** b21ab51f48963e96600868f198137d44fac2d2f4a932d90104ffb11ab80b5544  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

#### Identifiers

- pkg:javascript/DOMPurify@3.2.4 (*Confidence*: Highest)

### remotegui.zip: hugerte.jar: theme.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.min.js  
**MD5:** 091fe1ca3beba933e7daa4f5a474ffa2  
**SHA1:** 5d14195972feff438279f71369e8eca16d80f922  
**SHA256:** 8d2d093d1b1fed8e8ffcb4782c81602f43c998799f73d4cce0de8261a78e8d74  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/tr.js  
**MD5:** 4543135c90640b64ea11bd4ca58192b3  
**SHA1:** 93c8cbd63e67d56b8943946634ebc319efcc8302  
**SHA256:** fa1b123a9dc42af696b525c76386e38f2abaab07b29d29fca957a3d82feb9170  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/uk.js  
**MD5:** 64c0553a6c8b19667964e263a03dab26  
**SHA1:** 998a732ac0b403137b79178d83163acddbcbcad27  
**SHA256:** 0d63c3d3ef18445fa032a6b4f8d6c80c26bebc6eacb71dc934d7b5666453b2a5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: hugerte.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/vi.js  
**MD5:** 85d7f56b3ae07bedcadde6e04251dc9a  
**SHA1:** 5333ccaa75ac528e70e6d3a50bc47a46573dd353  
**SHA256:** a8fd67b418a1d1225ded5342c6cb7ab53606818c22b7a964148c74cebfabd0ff  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: zh\_CN.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/zh\_CN.js

**MD5:** 93f3f1526fb8af6be6fea9c9d4cac78e

**SHA1:** dbd189b2ee499e1be666408ccd83b41c7ee84bb5

**SHA256:** 5f3a261a4604bf1e7116dbdb1602f87bb93e324849b64227398c8b93113a38ac

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: hugerte.jar: zh\_TW.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/plugins/help/js/i18n/keynav/zh\_TW.js

**MD5:** e3325e4ccd2fbabf42e18053b168428f

**SHA1:** 6c105cd27982cba07413ba280b946ea010c9ea5f

**SHA256:** 5f8f7d1e97005d84e3f868727db6c36baf3096f1cd4d14effb7ecd33ae0ccb1b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## remotegui.zip: jquery-ui.jar

### Description:

WebJar for jQuery UI

### License:

MIT License: <https://github.com/jquery/jquery-ui/blob/master/LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar

**MD5:** 9ce7e600d17800cdae8476eb3dcf1789

**SHA1:** c1122cd36f9bab512ddb4ab072d84fba5ad0e2a

**SHA256:** 0ce631a38c140f67c210a407ead84ac6ef88d82aaf1cde4c8b8e210b92f2b59d

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery-ui	High
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	pom	artifactid	jquery-ui	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jQuery UI	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery-ui	High
Product	Manifest	build-jdk-spec	21	Low
Product	pom	artifactid	jquery-ui	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jQuery UI	High

Product	pom	url	http://webjars.org	Medium
Version	pom	version	1.14.1	Highest

#### Identifiers

- pkg:maven/org.webjars/jquery-ui@1.14.1 (*Confidence*:High)

### remotegui.zip: jquery-ui.jar: jquery-ui.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.js

**MD5:** 0c983553a5edeaffb408e27b4bc526ad

**SHA1:** 01510c553ab12baa303a09fb5820e49807037389

**SHA256:**f739630caa44fe643199a47857670655a43b6ab17709c5f16abbe0afb4a3f147

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: jquery-ui.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/jquery-ui.min.js

**MD5:** 12c28b31a1369383b3549abf958b01fe

**SHA1:** 8b7a32df053a6b24e568f20908e47a90e9a3c852

**SHA256:**0254e2768f39b973e54b2c9a64db23257782b34ede4afdebe3793209573c0a12

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/package.json

**MD5:** 79f59c9c2d3b9b7f4b95c47c355c7d12

**SHA1:** 2aa7dc3ced6d8ca3dae2d05030bf6d67dd83c417

**SHA256:** 02f0804ebb96cdb18ecdb1fcdc511d96a8f8ec9463bc33b847cd38f50180d06

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: jquery-ui.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery-ui.jar/META-INF/resources/webjars/jquery-ui/1.14.1/webjars-requirejs.js

**MD5:** 2b45f24ce91f8c0d5c764e705b1eed88

**SHA1:** 03056311ea772e4b7b09a70f108cb2733ae13766

**SHA256:** a0f18ed7e4b55b53dcf2752e99573c9f7363fd4ba7d98f14a65c36cf34fe1ec3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: jquery.jar

### Description:

WebJar for jQuery

### License:

MIT License: <https://github.com/jquery/jquery/blob/master/MIT-LICENSE.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar

**MD5:** 4af65e569248d8a2411f66498d720280

**SHA1:** c3dc40b1b5f24c56afa36fd9a463bb9f378ac4ab

**SHA256:** de28c4da0ea9f16101352dd3582ec8021ee5e2de5f45104ca171876003d54db6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jquery	High
Vendor	pom	artifactid	jquery	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	jquery	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest
Product	file	name	jquery	High
Product	pom	artifactid	jquery	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	jquery	High
Product	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Medium
Version	pom	version	2.2.4	Highest

### Identifiers

- pkg:javascript/jquery@2.2.4 (*Confidence: Highest*)
- pkg:maven/org.webjars/jquery@2.2.4 (*Confidence: High*)



## remotegui.zip: jquery.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/jquery.jar/META-INF/resources/webjars/jquery/2.2.4/webjars-requirejs.js

**MD5:** 30e1a7f167b667001f50e32ea87bf7b5

**SHA1:** d18dc733350ad3549af2df096599e824c10f777e

**SHA256:** daca7b23bc4d8302a8961373b92b78d36d5c85d730fc14130e29d55d976aa420

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar

### Description:

WebJar for moment-timezone

### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar

**MD5:** 965c389c2c25ed9874c9c0700fbfc098

**SHA1:** a95406304b0b4edcb69e862878ff6be07262caaa

**SHA256:** 2528312eb2938d368ce6ecb6aeb28ffc015d1b57ee099427df56a80757476a11

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	moment-timezone	High
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Vendor	pom	artifactid	moment-timezone	Low
Vendor	pom	developer id	webjars	Medium

Vendor	pom	groupid	org.webjars.npm	Highest
Vendor	pom	name	moment-timezone	High
Vendor	pom	url	https://www.webjars.org	Highest
Product	file	name	moment-timezone	High
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	moment-timezone	Medium
Product	Manifest	bundle-symbolicname	org.webjars.npm.moment-timezone	Medium
Product	pom	artifactid	moment-timezone	Highest
Product	pom	developer id	webjars	Low
Product	pom	groupid	org.webjars.npm	Highest
Product	pom	name	moment-timezone	High
Product	pom	url	https://www.webjars.org	Medium
Version	Manifest	Bundle-Version	0.6.0	High
Version	pom	version	0.6.0	Highest

#### Identifiers

- pkg:maven/org.webjars.npm/moment-timezone@0.6.0 (*Confidence:High*)

### remotegui.zip: moment-timezone.jar: index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/index.js

**MD5:** 16b10b9be0471f35921bc17b645c6fcd

**SHA1:** 7e9c41f04cff37b876169e1e5108b5b757305822

**SHA256:** b93bc1a0ab15d56e12f0e281bf005d39166952d9208b828e8d056563f3ff1fd1

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-utils.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/moment-timezone-utils.js

**MD5:** 5a72ca7999557748edc4ac3c5b86c4c4

**SHA1:** 862bde4cbeb254895bbc265b122ad2bcf55f38fc

**SHA256:** dfcfa868183af2ffc3b6ddb5fa648cc74ccb1be50296891ab29491d229829

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-10-year-range.js

**MD5:** 1244ddda77a5e58bee785641cbe71668

**SHA1:** 632e0cdd6a1bf803d7df9c7ae5fa0500c6f00cac

**SHA256:** 2a46af34f28304045bdefe9a7ac15c88c293af03bf938c964d8939bc17381fb3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-10-year-range.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-10-year-range.min.js  
**MD5:** 57db2eff43ea24d536af5495b6ace9ea  
**SHA1:** c0abe6ca71423cd87c0f97a69b7e78d8e1ed0f52  
**SHA256:** 24caa9fdbf4b58154688cfc895d752fcb52304b210a60bf65ca345a0323843af  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-1970-2030.js  
**MD5:** 826c95bd823a349b649da30102c49f3a  
**SHA1:** 20464a7dbb5e63ad108197914599a2ab9e8ecb9d  
**SHA256:** 933798309bb6ec8e4ce74728e0fac17e44852adef9b51bdeeb7a3bbd0c3a493d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone-with-data-1970-2030.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-1970-2030.min.js  
**MD5:** 1ecec307fe3dce51beb4fc7258bb9587  
**SHA1:** 4d23a0adaf0aac2187f7ccc5f208a11d656a6641  
**SHA256:** e39a72a23c96621077399db07c291edbdffc2ec6e9cfd05fc09ff70b5bd06c6e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-2012-2022.js

**MD5:** 220c8dd15a243ab90e253db58b7ad129

**SHA1:** 25dae9ee9df7f03a6c000c3e7d988fee694352af

**SHA256:** 3b34bfc3d3170349072baa5515a3fdd5210c0c4f1511091553b02e7286f1cd3e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data-2012-2022.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data-2012-2022.min.js

**MD5:** 903bf6aa45be36363c5409156eaa936c

**SHA1:** b6777e523bfb2bcd1248356d87030026a0e1e8ae

**SHA256:** ec626a7f4e7c5a25a710c7a5116b10294a7f34fba7492448fe9602f2cf9a8061

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data.js

**MD5:** 3bd82d213ffb09e37e1c445a23a2f709

**SHA1:** b4fbda1d67da286783a174e66f155c4277c4e6a9

**SHA256:** e14ebdec9a0ea32c313425cbae1445399050c1db33b5b922d855c3cc6031dc88

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: moment-timezone.jar: moment-timezone-with-data.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone-with-data.min.js

**MD5:** cba3b939885ab056f4d0d2256618bc07

**SHA1:** 7401c940378b757529a62ae87b9e5a1f6f67ed9d

**SHA256:** 13f709418e83cd77c85f619fc5ef419202abe9c8f7b97eb8407909c3a5074215

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/moment-timezone.js

**MD5:** c2a8ad8ebe15f202399f2d13c7966afa

**SHA1:** 30b33952c4e48063a04ee63b3b458d7b746c20ed

**SHA256:** 2fdaf5517c70f2b961cb4ddf4899ecabadbd5a9dc5b8ff30db994d4f78c7e7a9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: moment-timezone.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/builds/moment-timezone.min.js

**MD5:** 910d22d12c71b0f889d7392e4107ade0

**SHA1:** 91215b20c9a559f308f5271b1e61df4abf3cd1e5

**SHA256:** b36954e04d7930475ffe4160d6bb1dbd823b520781097ddc284f2dcf82c16b2c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: moment-timezone.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/moment-timezone.jar/META-INF/resources/webjars/moment-timezone/0.6.0/package.json  
**MD5:** c98197434f21b1d7c3b9e81056144b9b  
**SHA1:** ecdbfb4bb5c1a78678c6fc92a7f9213a942dd4f9  
**SHA256:** f94c640ea71ab6570ecc9fced383366177307179fb3dc1b0bc1800d3702b9027  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar

#### Description:

WebJar for Moment.js

#### License:

MIT License: <http://opensource.org/licenses/MIT>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar

**MD5:** 72ad6b420b3b741d7def80f4837682f5

**SHA1:** 6087f9eb29294249887afa1eb4ec8308657c35f1

**SHA256:** 71f0cbc7e4d2c943077dc758f7c8f0c7d48e1ddc7f9e7cfd27aecbc12712cfd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	momentjs	High
Vendor	pom	artifactid	momentjs	Low
Vendor	pom	developer email	james@jamesward.org	Low
Vendor	pom	developer id	jamesward	Medium
Vendor	pom	developer name	James Ward	Medium
Vendor	pom	groupid	org.webjars	Highest
Vendor	pom	name	Moment.js	High
Vendor	pom	url	<a href="http://webjars.org">http://webjars.org</a>	Highest



Product	file	name	momentjs	High
Product	pom	artifactid	momentjs	Highest
Product	pom	developer email	james@jamesward.org	Low
Product	pom	developer id	jamesward	Low
Product	pom	developer name	James Ward	Low
Product	pom	groupid	org.webjars	Highest
Product	pom	name	Moment.js	High
Product	pom	url	http://webjars.org	Medium
Version	pom	version	2.29.4	Highest

#### Identifiers

- pkg:maven/org.webjars/momentjs@2.29.4 (Confidence:High)

### remotegui.zip: momentjs.jar: af.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/af.js

**MD5:** abbd3f78270e280c248535ca3e3b3e3b

**SHA1:** 489ddba9b2a2f15e2a8d59d751a45c5ed7041f14

**SHA256:** c59e2f2d09098829d00f5dab85e6ec623f6aa9e70285ec2aac12030a014e4161

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-dz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-dz.js

**MD5:** 10e8f6da8f425e389f9dd462018dcece

**SHA1:** d638dc753916f10981ce562c7e7543944aa5755e  
**SHA256:**2fcf1465ad9fcb33a1ee00188d0d8cb19e0d9094da9e27f56444b67e50c6810c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-kw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-kw.js  
**MD5:** 5ad9681e194f33543d33a588e2a21f09  
**SHA1:** da190c4671145eb702d41ee980b985a9816bc9c5  
**SHA256:**ebcd2afd129890e49aa91cbd6718916ceb743122a4d264c681a533d8066de673  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar-ly.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ly.js  
**MD5:** 293c5c572f1e70336fb5a5cab29faded  
**SHA1:** d969dc63c258a2c5587efa0cb2ac80034c44a5f3  
**SHA256:**0a70bf3f66b074d68453af125059d60f1ce4d5a96d3401b0bb7f013fb7a56696  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ar-ma.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-ma.js  
**MD5:** 6f5179b883bce68003df4d2c99caa156  
**SHA1:** 3af849ad551cc126ea26fe472770b0f2c86363b2  
**SHA256:** ae28a7c4d994a1d4059f2dc1e6385182f3d5aab262d637a6bdfc80f3e3f5471e  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: ar-sa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-sa.js  
**MD5:** 92455d26a00821fe9aba7ea8e23ec89c  
**SHA1:** 18d22d6e22b460fb0d248426001e4cbfd9a69393  
**SHA256:** 4913900a380ed33b662fc5299fda05cfba74367870ba23f3d9db5dfd0775c876  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: momentjs.jar: ar-tn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar-tn.js

**MD5:** bf6b33329fd589f8b3b393f6e64717d4

**SHA1:** adf2dc833a46ad99f030b5761a7e6a97497ca764

**SHA256:** 2b6a611f7d21a0752d9101347b22943dcdd91293f7e09ac11c3b04cee41f594f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ar.js

**MD5:** b0110c65e23d25860762820db7d2150e

**SHA1:** 249cc300a99b9cdc47ff3fd70c9b4cb22f0aed61

**SHA256:** 73485f16cb9317f156bab05ba8a3233fa87513cf1cb52728fefc53703ffd5b3e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: az.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/az.js  
**MD5:** ec1a4acd4aa555dd71722c2639df4db6  
**SHA1:** 49b4198f1b008f9deeb9aa5d33e27647e812f0df  
**SHA256:** 21cfe14e920b3edc4bc394709929f61aa5f2f9e51d3ca0c6edd1e51f29d7e3c9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/be.js  
**MD5:** 5c38f8d3d5da2b1b930f109553918781  
**SHA1:** 181a1762773de78de3e2d21696e77a49a9e188a5  
**SHA256:** aa0657f4f1e9f9ef3a3ce289bc882f5971195e4681499f02409486ed985e1407  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bg.js  
**MD5:** ebd43c527dac81f273926142beec5553

**SHA1:** 46101d46348f560c622895e9e65465dd26e92d6a  
**SHA256:** 0d034309eedbd03f17e22dbd963c8cc8d490c8e877f39c6c4081636d1cd28fca  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bm.js  
**MD5:** 2ef1c37399931e14e2a4471ebc57bd21  
**SHA1:** 1e10777797f13333027873cf0a1e05e52c2a9264  
**SHA256:** 1f3217d69f6512ea3984fb7428e1afe0c7779cf3822582c52e6eaa8982ac23b1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bn-bd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn-bd.js  
**MD5:** f2988fa9e29bc5573603a8140b321051  
**SHA1:** ddca0b09ab220aa3e7d8b6d01e98b06071942e4a  
**SHA256:** 87296cd8b904b633d89b0a72b779aaf04e8d625fd8ed772e3227046b3a3acf80  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: bn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bn.js

**MD5:** f5037a3495a3fefb37d9456b6745537a

**SHA1:** 5d8e28e5703371e674a9b2947426e23a1429455a

**SHA256:**a43f974ec15f638e67cec9d73cb33c339ce7cb35bb7041b478a930197977a890

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: bo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bo.js

**MD5:** 7dc25ead6d51909386b03c060b891690

**SHA1:** 5b47f8a1cd1b1dad8e8ae1c6f408dadda7cd6983

**SHA256:**dbf83d196ab69149d5f056a2b44e06441626f1e5d3c3aa1a300e64dc5150565f

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: momentjs.jar: br.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/br.js

**MD5:** 65949057a5632b430fce65f65c89ace7

**SHA1:** eda5bd14e942c85896b263b137e2e14f161836e6

**SHA256:** 35b4113f7552400639dc76ea40d55f1be6f44af2eaf4289e7c37e4e657522ba4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: bs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/bs.js

**MD5:** fac80361cb7d5e0c44f8956063e8eb07

**SHA1:** e0f831af87ad28205b93fbe4d7ef9001227eb1e4

**SHA256:** 1d185f2b71c18bb14d0e5db063d59912396d42a04aec97cfbbec19a5bb8bb5ec

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ca.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ca.js  
**MD5:** 9c6c8738154552a40a29505cf41311af  
**SHA1:** 65eee9703d130c7a90d085214ee60c4e087b9d1d  
**SHA256:** c0ebe3bb033ce8f82c66a46dd297c19b30c80ba64036c721aca36a7f86f1b234  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cs.js  
**MD5:** 8f0a7bef088e6698b6a090a6f6fe22de  
**SHA1:** b137a5adfe662d0b1c258fe7bb2b73b971e2268e  
**SHA256:** 0dcf511c06f565a917e4718cce467392bf898ba60af2b3fdb032b1910599ebc5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cv.js  
**MD5:** baf681a1e97ac68186325a98d5ef1861

**SHA1:** c0433a02791bafe8efe6945a4ae0370c6d8d55b6  
**SHA256:** 231b3a65bc4beb4d6f0920962dafc82611403df4979655cea53d9740d2986904  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: cy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/cy.js  
**MD5:** 868cca92c4392ae5b0627f305f9633b4  
**SHA1:** 9c0f75132a2eaa3fdf0631a08f210f0e29208501  
**SHA256:** 05d100692e8cdd4a6b3b0eb56eb37c9c64dacab3254aaeba18c24689b18a6cf8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: da.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/da.js  
**MD5:** 47fe4d0a5079542391abdcd125b4cb60  
**SHA1:** 423a66383275eaf3f441f384c69b2d6e2cf905d1  
**SHA256:** 891e90544d1061ea578b51173a2dc4638c0e9af95cc2986f1f89ad5008e301e7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-at.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-at.js  
**MD5:** c2df366205b041e50b0dc27fe427c54d  
**SHA1:** c52be9218cfbe8ae8d51f78af3494d3a2ed5d35f  
**SHA256:**0575c8ba66974f2eb3d7d74e16a265c40dbfe7802cefdecc9f196f92c0ecee97  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: de-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de-ch.js  
**MD5:** 1f9bf40d5d392a14bb758de02e9d98df  
**SHA1:** 838d95c91f39f7e28483c660e6f5005921d3da11  
**SHA256:**b3c3d71abc98200d579cbbef89d470a6cbb272c4faa71e31232a68ef6451edd4  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/de.js

**MD5:** 260cdaa4a123af8e02f5aa4001cceaac

**SHA1:** b928a076571a81fde7fc1fd4a2adb45d9a9a2279

**SHA256:** 20fb0d0967e2720d135a6894165bf96e327b42bdedcbf45a9b2f9e44da7986dc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: dv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/dv.js

**MD5:** b3ac7e877fac1116b8759c6e7384e86d

**SHA1:** 3321dfc6f7147d148167b23a3642212fb10b1b89

**SHA256:** 94a1563faab9fe61f359a515042f56e2672886200e084de98bbd98769f71ba69

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: el.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/el.js

**MD5:** 7a1966e1fd7848aabcbefa28ff2a445e

**SHA1:** 29af743b2dd9c09d9962080c3a5b4cdac2b09409

**SHA256:**a73fa8b59dd099d28a7824980577379437273f6ef35a90409cf36492bc2b3600

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-au.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-au.js

**MD5:** fc0b9a852c77ef21ee6deb24d95769f8

**SHA1:** 829e7b64e421cc91fbb306243b31d71f06fabdc2

**SHA256:**6a84d80e99d57f1ca1faa1dcca9f48e9925de4013ac5ceab52cbf20b059cff8c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ca.js

**MD5:** b6f095c75787cb0eb2421b32b2e9ea14

**SHA1:** 415ffbaa1c99a53d233979f5e907e83b59d54c9a  
**SHA256:**d7b47d71cd5b63a0cd7bc3945ca1799d9345ba9dc3e85356231dbb4f6becdd01  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-gb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-gb.js  
**MD5:** 5ebfadfe47485b65c484822391d0aad1  
**SHA1:** 4154fff794c0118f1c280d4e3c222b0b3f96a6eb  
**SHA256:**46e86bfd873ce2ba61885faa9e0ba2ae1a510574f698d6a3aba7da49d1505eb9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: en-ie.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-ie.js  
**MD5:** f5175b64f4c382500e7a00ed4113c3a3  
**SHA1:** 12cf24c0dcfa4f82be14783a2889022043fe1f80  
**SHA256:**41a3d03fb561db37dc1e3a63cba10467c0bcabb2ab7e788329f86b6be6f72d9e  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: en-il.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-il.js  
**MD5:** 8f131247f11cf746d1b477c75de2e0a2  
**SHA1:** f1fbc068a029ca0fcb5755fc5211ae43c9b2dd00  
**SHA256:**494c5f26d0a16c8c1645d70cfc327e19086831ce78bc98599f4e5abc321db7d7  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: en-in.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-in.js  
**MD5:** 2d5a9ac86d2a83833aec6a68bc8947ae  
**SHA1:** 64d4492b47eac3212f09a9dd1fdfe2afc9721142  
**SHA256:**290dd53cb6262cfc22c961faf969851adfa8c38b30c80c496b8c8f19232a13e8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: momentjs.jar: en-nz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-nz.js

**MD5:** 3a68b41d7982ae7bbc8a396d23e9d1a1

**SHA1:** 0c30117c176ae1c60d35e54c3c0cd47b5104e28e

**SHA256:** 9590cf61d2ab1b83f793be9f074340397e639fbb112a80c8bb7d2e3a77c45448

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: en-sg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/en-sg.js

**MD5:** d32a209c24b07b617c68fb03e081061c

**SHA1:** 34729febed76ec17cccafdc06ce4f51902daaf42

**SHA256:** e3b29449d67e5d53d3420b5f4ec207dbd70f651380573b59f39aee2b1b9ca52d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: eo.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eo.js  
**MD5:** f19d7f5dae34785b6ffd82971ff01712  
**SHA1:** 8a6937235d4219a192ae127506cca9479097abdf  
**SHA256:** 823d3e21f85f9d3801f7004cc5cde82d5f45d98e977979322543a65908411e4c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-do.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-do.js  
**MD5:** 3f09c253c2e7ed72706b062bdb3ecee6  
**SHA1:** 3bcd2f7f697c4241a5f47985835b0190a643630a  
**SHA256:** a1d29019dcff0ce2a11cdf97018c20e99fbc739163c059ad8bf2408f77d3161  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-mx.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-mx.js  
**MD5:** d16f10cddba51c3467b316318e592f22

**SHA1:** 4cc238005f4d59b4e3877449babf5cc8b3595f38  
**SHA256:**a233573f641cc9c93c87b555fc5564c2e5ebb97e251338e971ba76e74d512646  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es-us.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es-us.js  
**MD5:** 276e7c3c7756f9e962f6141f5048894d  
**SHA1:** bab0d54cfa34f527dcf6960f5379aeef05cc66c8  
**SHA256:**3923c6bd6137387d5edc62f6dc0174cc9eef8363238c16eef78bd9d9c69bfafe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: es.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/es.js  
**MD5:** 0e92f45548e01672fc6a2f73979c397e  
**SHA1:** 6e6385cb5f6e39ed9ba95ebc1fb66526e2c3371a  
**SHA256:**2a8f1790d492fc338933a032a862f99998f31bcaf7a0e4fc298b6a3cb04cdf7e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: et.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/et.js  
**MD5:** 8b5c6c8136c1bcb3dd35ff204c28b1fc  
**SHA1:** 82ecebf743869c8231a6ef06cf5959e5cdbc7fc9  
**SHA256:**95c974679dba419b7d835fa51340c430bd0066bdc38a7a139caa575b67389d7e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: eu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/eu.js  
**MD5:** 1f0f32ac558d6bf2591f0e7c59b09e88  
**SHA1:** e8989f9da9ff458c51d7d4c21f9bfc99ddcd72a7  
**SHA256:**ecbc07cdb215cf9996405fa56ef306761ec6a9383e19a53c2b45d6a1c5c4dc68  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: fa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fa.js

**MD5:** bad9e9e51e7cd982360114a2d6b9a03a

**SHA1:** 7285494b159552cdee8bb7050d1278144da80b04

**SHA256:** 15ca66ce1faa865c68998fcc8ab1160207636b9161ad76f7cf7acd0d7c0ebd1f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fi.js

**MD5:** 08d74def02ac724471fce607ab87f4af

**SHA1:** 7f40cb04e95803f706af5caf5a983f7aa3f2365b

**SHA256:** 1339d4170019588a6764a56236c2a7c5b2389ace52a9ec5e8c09f1997935741f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fil.js  
**MD5:** fbc9e6bd5b49897ba8503d27e2d061ec  
**SHA1:** 2121d4a7333acb3b7b120c1580a809a8a5927dc6  
**SHA256:** d24cac0d0069d89c48b4c8cee34cddcb7e39892c91f07b884574fe0cafb66ef7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fo.js  
**MD5:** 85d4a1a25dd5c3fa021f9e6f63fd01ac  
**SHA1:** 95d11e45e86f344a148706df7f5c86019e02ae30  
**SHA256:** 6338de573601e330030918569b8d2f80f98a57754e748a03ff56e3672fa25be7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ca.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ca.js  
**MD5:** c0ef60f7029fe6ab773c090320f0a66e

**SHA1:** 8970ff163faa9c8702be24f65f95e94b962d8622

**SHA256:** 59c5acfbba5605fa641721bf16123300164ccc043f4bad6009aa8d880b159124a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr-ch.js

**MD5:** 3345c9d13645ae5fb2964c17559326f5

**SHA1:** d0cd4c6466797300434db0d6c8028bf46fe35bc0

**SHA256:** b32f50aa3d147ba5441d7728a45bce592125fd0a97117ca4b93b32c6393d847d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: fr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fr.js

**MD5:** 775f1eb59d6f597b1c398036002ae329

**SHA1:** e6f1741f5598b62a83bb071459d9e8cae4b3a127

**SHA256:** d87b4eb850bc7742c104557450d0a70d18a48a917335221af08d23850667523e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: fy.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/fy.js

**MD5:** a54d9827ca1a619a839a15c94b7893a0

**SHA1:** 66863e3aaff531e89e83acd8844ca87f8516cf38

**SHA256:**c33ae59d9a05aca0dbe86d74bffa25eb44d04ee97b738034fcb72a21b73ec1cf1

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: momentjs.jar: ga.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ga.js

**MD5:** 264a960fc2850670387b1cc90dc29dbb

**SHA1:** ddd261054362b16567ba858afae968cf2380bb6c

**SHA256:**fc6d5d441553b23b5ebc3c79896499a093a3285f1e6134a680b8899b5cca4c86

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: gd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gd.js

**MD5:** 0f3b98fcc8a06995436819446130320f

**SHA1:** 0050fa33180aa1f35c739cecb397846bff7d24e4

**SHA256:** efa1d779f65671809a63f900479c69bed19c262f2fe7936076793bd13deda080

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: gl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gl.js

**MD5:** 0d346a7ad989c39c04631e181056acb5

**SHA1:** 74c436284f15589fd53c9d4c090a4f75ff8376aa

**SHA256:** 825e6fad55094c13118d2cada0b6c5945a97ea9b647686c2b00dc6980bea4608

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: gom-deva.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-deva.js  
**MD5:** 6d2091e4ba1b31399eb4f1f3d92acaa2  
**SHA1:** 9e27b24c4f8ff43da0373ca75738e0322cc1bd77  
**SHA256:**ff5ebf00d100f610caa956ea22c45584e34067f762c2e9811326d5903ccd819c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: gom-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gom-latn.js  
**MD5:** 45f0c567784f534e16f304dd625682ad  
**SHA1:** fc4b281f7d57696decbf3bd5e8c572f4191c9289  
**SHA256:**caa6b3cafb8d463c7cb0b47783b84d7f7637f685b8d33d1224548f7f9a124cd5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------


#### Identifiers

- None

### remotegui.zip: momentjs.jar: gu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/gu.js  
**MD5:** e108958bf473fcc52349ecba7dcff10e

**SHA1:** 977667ee217d20d2ff2338dfa6ea9bda2e0c13d5  
**SHA256:**5155f3aa5fe43b18c7b06cf02ff6e9d6c157d7da822c658fbd8e2f0edceef161  
**Referenced In Project/Scope:** server

Evidence 


Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: he.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/he.js  
**MD5:** f5e7fb20bbb7618d95e4928fee094f7e  
**SHA1:** cbcd69bf9fa2cc2493d086af3a5cb15e893c7d64  
**SHA256:**93b540d4f1bc21d5668854475e8efd2d6fcaa2f596704752a586ce07d471d475  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: hi.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hi.js  
**MD5:** 10451c28a31c032807f1fbf1bea5c32f  
**SHA1:** 8ab3e8fd6823a63a2348cca98ca4eba215ad01a9  
**SHA256:**482f9289851cc5add17895787d427259acf8d9467db37000d383021aa097a1e3  
**Referenced In Project/Scope:** server

Evidence 

Type	Source	Name	Value	Confidence
Identifiers				
• None				


remotegui.zip: momentjs.jar: hr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hr.js  
**MD5:** bfeb6da022ce8f5d4610a485f6063935  
**SHA1:** 0e475a985f8f3612c397a07781933bc4235be646  
**SHA256:** 4af37cc6b498a4c3418f0b5d90efe5354422b3d158681454dc2eedee31ce1469  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: hu.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hu.js  
**MD5:** d485a763ba31196c55bafddc763cf98e  
**SHA1:** 83c283112870db2a37b8d6a96e2ff423f27addac  
**SHA256:** 518c3c1b849d41be9ef9673726ac3c71290096a727ff29c9edfb0f7489e3253f  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence
Identifiers				

- None

### remotegui.zip: momentjs.jar: hy-am.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/hy-am.js

**MD5:** 8fedcd99fde263a8a5a906b27de70605

**SHA1:** 3fbec521a9f7cddb7576fb37a3f35ba2705e88

**SHA256:** 2c3bf5ef8c5162c7c4ed0ce4b144fad24eefd691911d7c8b86c21cab84f3bfe6

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: id.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/id.js

**MD5:** 3000b8d8d73e16384fd2a13aa7259d3e

**SHA1:** 1bcd369482f53edce0c1d34aeb15a918f3c7af7c

**SHA256:** 036154641aa4cba94ac8a65b98af75d2fa0ec29156674947d1148fa146689dc3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: is.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/is.js  
**MD5:** 0f5a457d3457dfb1c5d256436b5e442  
**SHA1:** af0c0c6573bb9628ee8c97479651f65571d6a56e  
**SHA256:**6943c853ee0ad65ad2e3e38baecc90dc8088071f10406ee8a5ad995d7cf5f6e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it-ch.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it-ch.js  
**MD5:** 0c0cd69247909aeca5d78d255b30a617  
**SHA1:** 71631e4e4ce3a8466d80d4960a86605634a713dd  
**SHA256:**9670e2244dd63556408fc20671fd763fb91be52041eee92934710e75e2b3b7fa  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: it.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/it.js  
**MD5:** 1abd9a8f32e7930bbdebd23a2bfa4afb

**SHA1:** 40cc21bf11475c48c1681ebc18a63a2bea4b8962  
**SHA256:** 2fe7346bd6fdf02aee19fde76bd2ca0b5e65903ddd45d097be2342ee7b0b9470  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ja.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ja.js  
**MD5:** f39b4bc3b33715242a84fed53b50d596  
**SHA1:** 8bebb66d25df95fc67d48f4ebc4b519fbc7d9482  
**SHA256:** 9720de4592dd94861f2fabb51110533fe44620f517e50448dd828a7f2eef7009  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: jv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/jv.js  
**MD5:** 307628de0dbfe42c1aedc98c3afc1aae  
**SHA1:** 7620cfee82f0241100b34de89cefd40412456ef6  
**SHA256:** 707617faac7459e5d5c39f3ea4a5e5da0cf398384902c1cd5975cbd1a113cd  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: ka.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ka.js  
**MD5:** 629be6bde33738ff66f7119b3b617798  
**SHA1:** 02209d78bf7dfa3b5e585e64ebfc61ce561e5f3d  
**SHA256:** 2c15068d2ceb1f34e4b92f95710b181bd1034410b8a96ae15dd11ee24d0ff0fa  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: kk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kk.js  
**MD5:** 4532f947979a50597d1c82a42f0facb8  
**SHA1:** 9a8cad32d8e4350e40184813f4d19aa05882a8c9  
**SHA256:** 430c86f6c0ea0199d8622045883048b35875bea37b44424663bbe573056ec981  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: momentjs.jar: km.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/km.js

**MD5:** f73d0c92be21341d171e019c00173f3d

**SHA1:** 6adb747842bb733d90ce2b7dcf4963f1d62a7a4b

**SHA256:** 01b837409a1ee03d8269886915f10ae1b9460b2cc42cc5f6fac862f7360ba103

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: kn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/kn.js

**MD5:** 72e237c519a91674447b268b61983bbe

**SHA1:** d72624462d7dbcf362ccc15385d5cb5a124304c2

**SHA256:** 9673f6d7a10086cda8228f1c080ec032e8f34e3a3de2f1413582e0a6cc6f2128

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ko.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ko.js  
**MD5:** 14369b837e9e15378938754b04bd2189  
**SHA1:** 9c886434ef46530e25cea737272027ac505b6adc  
**SHA256:** f15f592b5d7d5bbbd061c5ad31d4c45f462ad43acad74808c6a7105b108ec0eb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ku.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ku.js  
**MD5:** ba513eb127fa22206ca1a67ad8467da2  
**SHA1:** 45c0c079a209932f8a8be25a94f0fb97be8ebf84  
**SHA256:** 816c9c27f4237f1fa595c5be0a60b7e5c58ec0336d5a908e03f73fd8596e1caf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ky.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ky.js  
**MD5:** 68f9c0556546367a8c25903bb8348b80

**SHA1:** 5bc99ba86f969c07cd1b0dc62510c572707adb64  
**SHA256:**d3c35f2c47610c7c921268cb98cf398599068d24d51e7a89167707130c85ad59  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lb.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/lb.js  
**MD5:** 474c1a2279d961b67a8329372fb54367  
**SHA1:** c6acf49c446bb128ce8aa5f980664107e92523cd  
**SHA256:**cecd52da4e3f3a7a69d4cde1692c90d000a3726772f8e00a9c232faf4d6ff985  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: lo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/lo.js  
**MD5:** 629f0195acb5feb16432ffc78b6418d0  
**SHA1:** 10730e85c79a5c325f30a5f0fd1b83928918cde2  
**SHA256:**83c284d16d40e861cd01c28683acf77475813993b2a17201f17127e238e5bcd6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: locales.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.js  
**MD5:** 3aabc3a57ff7796110a9d427e6e61280  
**SHA1:** 59155d41e1b7a2f651f26f8db2768c42206bc4b7  
**SHA256:**a6d8d341af2a118463f8dbec697f3b5210552997ef51e0d9a77c84235f2eb2dd  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: locales.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/locales.min.js  
**MD5:** 5d62f0a64211c2d3e0d009cc69c48202  
**SHA1:** 4c6bb9ae2e43259229cc16e9eb7ef70f3c8cea12  
**SHA256:**1a3224b3cabca0fa92ca56e14da46d7f209ed28ce68ed50940b4fa6ed2ffd254  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: lt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lt.js  
**MD5:** fc931f5db9a4d5b832e7c53985cfb233  
**SHA1:** 6d5575d2ab06036bb29e50e7b4607985b0c10aec  
**SHA256:** a02ce50203e4cc9e85db77632d41f489f14c893f986199c8dd04191199924094  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: lv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/lv.js  
**MD5:** bc6f1396c4b85e2b01b4b2fca550c0b7  
**SHA1:** a18e4175ecd49b5e3382dac1bbcdc48c3279c60f  
**SHA256:** e4f68dbe7147bdc76d7614102eb525f9a5d8dacc690dd661091412b0c9505cb1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: me.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/me.js  
**MD5:** 4b76ccc2617dfc9bd6a54643659bec05  
**SHA1:** 924aea795ae1a9581ed184b384806891ce336e27  
**SHA256:**24103df1e95500b3fdc4aa60b933c66d2cf33aa4ff8d2401ae847c516285679e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mi.js  
**MD5:** 89179085b30d2752584c4f4e9c3ac04a  
**SHA1:** dbf999f790c8e7f99c27c55d8184cb46d1f0ee85  
**SHA256:**9cc67dce66cf3f0f9a57ce732af6878cc23fedcf256fd5302c6cf57df87eac3a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mk.js  
**MD5:** 7a6a2a4ae623481704f78bb0ed6e1968

**SHA1:** 3d984281f4acbb38920919c47916a0ecc46d8d82  
**SHA256:** c38140b5408a91d9632765d23f4368f0cc98dfb6aafb0fcce452b6b4bfa93efd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ml.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ml.js  
**MD5:** adaeaf5c9b5995567c7723ded581c647  
**SHA1:** 3cbb01a59dbfdd3b86caf1b30938598c52e1dac8  
**SHA256:** d45ac595a918393ae8f76838688fcd569c917b945e9c53861ec4a1f11f20aed2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mn.js  
**MD5:** 2229e9c27b35b688a4211bad4d7574eb  
**SHA1:** 7fb0c3b04afb903aaa0a3a1b4b478a8b2d9d6bf3  
**SHA256:** 0f1f5bbc9eaf020931f8cb54ae085e51c41c0761ffc7fd265dbb60cbe7d84076  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.js  
**MD5:** d07131713d356424c14481ed9e77ced2  
**SHA1:** 6ef93c81041412f1b60d1254595cb04b53f8ec39  
**SHA256:**f37cad4429c2815e53699ca98abd4e8773737f696fff554c63a58f4d6589200b  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: moment-with-locales.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment-with-locales.min.js  
**MD5:** d458b68730a7330653700489333a7837  
**SHA1:** 4059aeca1d0b99aec8006b37a927f09d9c0e794d  
**SHA256:**430725b95468277dcbccc27e08e3d873276c0082737310b0b1ad330392511847  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: moment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/moment.js

**MD5:** 6e5aa6783efbeff584f4292398326b32

**SHA1:** 450696675b814c89ec016901b570c05891ca2c04

**SHA256:** c33f09a4e1230f3075be8d2a94081108d52f62d3c30b9a238941fe80790267c6

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: moment.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/moment.min.js

**MD5:** 6c0a2330b0d8d6ea185d4669a0eddeab

**SHA1:** d4f50308961144876b2b5fa57684b737694a4b04

**SHA256:** f343aa319a17a3fc372ee6ad5af482b9bf6a298cb22652b4aa7502604821071f

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: mr.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mr.js  
**MD5:** cd715ac0f919538bf79acdb4a477763e  
**SHA1:** 467bc9f9b59ee399af6ef3f89886c150f74ae52a  
**SHA256:** f6347f442281844a205245620f9e469f52cacb7dd41640ef67d32a94f2c583d0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms-my.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms-my.js  
**MD5:** cb7a91cedb211e85abf06a4683d39800  
**SHA1:** 05754f446f94d9b0d34885bdb0dd40d08df23295  
**SHA256:** fa77f6b23884ace43199d189a596c8cd436ab20b2b6966599dd9fd589e51548f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ms.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ms.js  
**MD5:** 3f2df63e4e8e99e5f3a23b44e135f90a

**SHA1:** 7e8563a8e513fb3f2f711395992fb34d6039e841  
**SHA256:**6b6301d42544281a07e51e517a1acd2e498e6289b29e74817433a86751761f71  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: mt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/mt.js  
**MD5:** 3cc610e1a28bb045e3f21adfa96614ce  
**SHA1:** f22377dc419295b8cf22ca6459df3f834475ddf9  
**SHA256:**6af1d3643bd218941f30da0f6ba7bd64d4c2d0c49336876308af3af0387b0440  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: my.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/my.js  
**MD5:** 1de06907d41a2fbf6861958ee0eaaba6  
**SHA1:** 1b5eaf3d04d7a45a9e93db791963bfa0cf999383  
**SHA256:**92732cb26a774bc3e049c7e212d8ef1425413d63522ccca1fb1b0696854da4ad  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: nb.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nb.js  
**MD5:** ee293037089769cbdbbf9f2dba3e01e6  
**SHA1:** bfed5520bb401c83f0b391cf09ab1907e4362f2e  
**SHA256:** 36f088dce675389ff1b12afe35703b6d166cef8df8a24e1e1d6ecfcf7be84fd5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: ne.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ne.js  
**MD5:** f09e1496b96096e594254145053e777d  
**SHA1:** 601e6b5e8ead8fac21d661c4cb1f5aee22c96755  
**SHA256:** 804bbd6c30dc3b74de711a44f9019db06210323a0db31e53ce730feab5ea6275  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: momentjs.jar: nl-be.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl-be.js

**MD5:** e50c24ded5247900814470d1a6cc8854

**SHA1:** 73d12dfe3645a5ea9e0b6c4d5b2a5f28ac022af2

**SHA256:** 2bd27e18811c7363a1b46b815173d626102523a2f76854792885166f4a99eb5f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nl.js

**MD5:** 843085f588379356ba9556d93aa9ccdb

**SHA1:** afe70913fffce08e256c3c9ffe350272bcb791a0

**SHA256:** 037e055b18b4376112d853e3d357b217dcc0bfd3990e0155b980ff622b4ff8d9

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: nn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/nn.js  
**MD5:** 7c29b42f21ff6b7e0b1f16ebb20d2a5a  
**SHA1:** 9464502746665d34779fd3e7c9c05212db534556  
**SHA256:** 66007f84c945a3475100a3024d5fa3d430d6e11e64de81849e50ea73e3f390be  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: oc-lnc.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/oc-lnc.js  
**MD5:** 16a8d7288d0007906a6ebb39fd954265  
**SHA1:** 5442e9e7ee72e6f2ed438139d5779ddcfaaf471c  
**SHA256:** 1e03cd598c495e4dca3bae56e3822cacde57333ab5a85f555c582e104f54261c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: pa-in.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pa-in.js  
**MD5:** 8247ac1929cfdcc902a77542e9fa470c

**SHA1:** a0270710978d4f03b32a4d5cd38065d6d274729a  
**SHA256:** 5ba548ba7844a1c5c4a7f003337237f940b5e8aa67254fb90e1a05a66f2b43ac  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.js  
**MD5:** a26087930b5278aa21fd79491b952ac0  
**SHA1:** ea880b139fa5aad30129356d4c2b61c7acad7452  
**SHA256:** 6334f70497c6d8fd22adb3089eec30bf1e2b3dacf92508df52eaa7a8aee12bba  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: package.json

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/package.json  
**MD5:** f1965dc95e9d5ef4816ffbb597d484ab  
**SHA1:** fa7b033b3a1adcb85370480289e6a60cfd21ac89  
**SHA256:** 25f5d25a676dda5763fea169d93a31dc12bd0a6d5d7f352379c8afcb1e3d794e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pl.js  
**MD5:** ea2f9b5ff7c97f62603f1e8786708d7a  
**SHA1:** a9b097f9c1dfe0872befdf47995602029bbd22c9  
**SHA256:**5435a1265dacc269403f275095e24a63ff3b8bb0f95908f7a2a987fbe2ab9e43  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: pt-br.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt-br.js  
**MD5:** b70a96c3353ca41f14b5628aaeef6461  
**SHA1:** 02e3841b0ed1fbf086a5b8bc1be8cf835cc9d8c2  
**SHA256:**8a8b165be42795d9e945e7494f38ea353ee2f7eee7eab123073f3a42ce755687  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: pt.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/pt.js

**MD5:** 71f120e6f7682b0e80a9d5982b8a4711

**SHA1:** 49494f7c1cdb36294b6d640a524c2cf19eed12b5

**SHA256:** 89e4c2f2d351ad7e2fefec9332778b16cd4a31858ded9ad6fece12fd9db94ac2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ro.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ro.js

**MD5:** 84b1a53a794d8749061a53eb558110f3

**SHA1:** c2241e36357a248cdc870a8f83c19d12a031b479

**SHA256:** f66bcaadde14018ffb3bce26ea8ffc3ce36cc65c4c1e9ef9ed6cb321b7ae9481

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ru.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ru.js  
**MD5:** c66d22693e1e950330471ed9de408aaa  
**SHA1:** 3f4b2156029a26bc408cdfccf5812bd125c760cd  
**SHA256:** 47b9c98d906ddc3d7b7f40e604d793fff2e142f7d788f6ac0deac5030458ef5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sd.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sd.js  
**MD5:** 115132c218de16cbea034b2762b9df9d  
**SHA1:** ff940a6362744a8258e15cb09c4e4b46c48f3ec9  
**SHA256:** e5f27127927a41eb82e45491e52bd6a529d3db5e6cd519c48f7473268909f6c3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: se.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/se.js  
**MD5:** d63f9c00eb2beeff26eabfea1406a3bc

**SHA1:** 8fc07d6276adf84ab94a1d352d55c105769f9017  
**SHA256:**424ed10805d004f217b44ff6a0da5bad51d8f3b25577306f6e1f59c387525da2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: si.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/si.js  
**MD5:** 0bdd326bd6fe7e94a1c3fed06cf79cdb  
**SHA1:** 6dc83c8bee2af014c11994abd5f0718ed9c4dc64  
**SHA256:**8e7582efb99ff00bb7aeb6de0bfa65792592a5b4e81ae6caa7bf8cd8cb3180de  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF  
/resources/webjars/momentjs/2.29.4/locale/sk.js  
**MD5:** 0d4c93cc1adf0c2fe5bdcd7b1cca213  
**SHA1:** 17c72fd3b31573f097f962b851fc82db22f217c1  
**SHA256:**7685c076b71fd8e36c2cb84c645bb3a75d84566f26c3682a2792f0113b4d9b16  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sl.js  
**MD5:** 11bbdf40343f7ee615144b2c3df93d54  
**SHA1:** 853a6dcfaa15df6205729d754739633de7e3f667  
**SHA256:**ff2e8352962c2d13d114356c863701f2473651f6491639e1826ab417d0377f90  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: sq.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sq.js  
**MD5:** f5c6cad85947f97d184ce17397145e3c  
**SHA1:** 1817cdeeb3261b7f03f13902a7d8adfe46c36a65  
**SHA256:**9d7d061c245349d6897732c90ad57841c9132b9b556be07a24dc76ff17cf75a0  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: sr-cyrl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr-cyrl.js  
**MD5:** 403a704d0b31d44f5d43a05f060f879d  
**SHA1:** fe545c0831b16a2393a771221f2daf3f8af50cf8  
**SHA256:** e62567ebcb6434f8652b1867386d7324c06d1f226fe9fad0517e658503ab496a  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: sr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sr.js  
**MD5:** b5752681e826802ad4578a65d446d2ab  
**SHA1:** 18c79b7064d378b578c83facf15be80314e34581  
**SHA256:** 307eb8be823a2997ce88c5ad8c3ca19e7a6345f116331fe3856659665de0d453  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: ss.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ss.js  
**MD5:** e61a001b0c3ea5bebde2d4d96d7c19c6  
**SHA1:** a26e124883144d6ac990722d7915ceb80a44f7c8  
**SHA256:** 0d8a08574cc28602738aca72bed6364e88dd93fb2131a20c06630e3dd7565945  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sv.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sv.js  
**MD5:** a276c85890a03d5a55715768969516fc  
**SHA1:** 135396ef7e63b71af3df1cbafc5b060a32aaea4e  
**SHA256:** 08f8dbba970b89522adaabe609f47a3f20857c0985967888124f9204f4c3e2f0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: sw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/sw.js  
**MD5:** b9e0ae98f621d6f9a622fe09225978cf

**SHA1:** 42f76f09c8d7049758fcf8f78e30881e6681c40e  
**SHA256:**d6056ac79071a9f60793825357dac3ecf35c43acf10e02a65f1892f1fd9cc0c1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: ta.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ta.js  
**MD5:** 2b48e3a057ec1ecf49d4e16d56263ed8  
**SHA1:** 94a700dff6eda352ad3a2c4d7f5a4dc5e6219321  
**SHA256:**2dae88a3138adda69fdec54914461ec28d4fa5e720d7626ddb3fb91a74a2ab6b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: te.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/te.js  
**MD5:** 39e36c17c46798dfdcf0ddae92610807  
**SHA1:** 1168038e9d7c735ac44fc0eca95796067ca7b51b  
**SHA256:**2cc07292a2ab5702d8e1e849ae3b28cca5c6194d0d150ec637c6289d9d864e32  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tests.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/min/tests.js  
**MD5:** d39f31787b27fc1bb028ef80e699cd7c  
**SHA1:** 4c0335c7f8c19e26ecdd2f9f0ed08323507031d7  
**SHA256:**895d3ab9bb945f1f86903438a18c9fb308e84a912e4859da39fd1bb08da63e44  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: momentjs.jar: tet.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tet.js  
**MD5:** 0a6f7fbd649b280c8fff433d32591867  
**SHA1:** 15f108397be93776a1c232f3de813e27f305550e  
**SHA256:**d80dcb236c671594af031c93d32ed883c322a6f32bd25637d454d7b9d9e81593  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: momentjs.jar: tg.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tg.js

**MD5:** 83e93f32f7f488c26def6938e280b716

**SHA1:** 59886e50e9d7e53beb111b317d5195ee0382050e

**SHA256:** 24c8928619c471831467afc05aca6f0299e40b418b78bb30b4d66942d872d2bb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: th.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/th.js

**MD5:** e14a3488b2c85b54f65262d6fcc6b1b5

**SHA1:** 7697e04cbe08eefdc5ad4cefca7ea7ef42cac791

**SHA256:** 9911634c353a7ce63a81139f914552fc80a499029a803ced8b32b6af88c53bf4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tk.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tk.js  
**MD5:** c01b5d264b1cfa34c4723e995439ebb9  
**SHA1:** 8445ede8c1ce77556495f9a5469ead5d3b2b3ee8  
**SHA256:** fc6654229cf3f6e6bb2aeb5b70dc4e6adf7f307575af9d15b7a31aab897a9988  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tl-ph.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tl-ph.js  
**MD5:** aefa584c5d3e7690a710b144fc505a7d  
**SHA1:** ccc8535e56aeb0b2c2991ec7c2c232a16334f09b  
**SHA256:** e324f1791432534af3ada36c185637db02eaf3d3ed8f88ddf143538dc484cc3a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tlh.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tlh.js  
**MD5:** 59508c37879615bd0a0beee8f69a28da

**SHA1:** 15324b9edf1a3e7bbc52b1e510ac53def8ce02ef  
**SHA256:** dccea1319a2e92d9bf373e1d8dadcd4a130e1fa2457d7a66dd035c3cb93601cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tr.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tr.js  
**MD5:** 0cf5765f4f245b2cd8a21dee0c3c92ba  
**SHA1:** 7eb8afffa83fb85eba987c80a934c6ad30a23b23  
**SHA256:** e8af125b0bdb3c15ff5ef2eb171bfe698507a026a9cab54bedb0770cdca34fb2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: tzl.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzl.js  
**MD5:** a2587bce05b5fa3015dce4ccedbdc802  
**SHA1:** b9c4bb7a9f9ad9dd515bb9de82be90d0d4932fe6  
**SHA256:** 393e6424d498fd2abbf646217a197b61c4c57706e6b29ec2873ab20e7bdf6970  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm-latn.js  
**MD5:** 582198d314e9ced1007620d4e7701734  
**SHA1:** 17859d3345ae82ce39d5d036649c1976b9e4474a  
**SHA256:**7909cef0eb3080599c24794c079e05ba07af565f198450df0ad411c85be45030  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: momentjs.jar: tzm.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/tzm.js  
**MD5:** 69d71f7f7674fd7f8b35f14dc179339b  
**SHA1:** b5166e0443eb54c38185227e954cd5cc2b1f589b  
**SHA256:**e6f3a2e2e3ca86953e2c06ca562607a95d2b5129e751e5e0905270f3e56a1f52  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: momentjs.jar: ug-cn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ug-cn.js

**MD5:** aad8845e8fb63517d21b322fef4a3545

**SHA1:** aff6b2361311a6475b9fd755bf63d23e3e6132b1

**SHA256:** 58de2ad653876b1eb27ceaffb0037ddb0e4fb7917e111fa7a88ef8ab01fd041d

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: uk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uk.js

**MD5:** fbe69f339b236b654b3e41d8d8b56536

**SHA1:** d9fdc9224f535c1338048858a9e457558f95349e

**SHA256:** 725764b2851d3db79d8fb20b96ce7708cd1dc60c6ca6f37bac4df2350f3ccbf4

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: ur.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/ur.js  
**MD5:** 3da71179953500680163984295abe43d  
**SHA1:** 2fdee5b33f8d29a565d84927fd333a2d9d41e5b2  
**SHA256:**c89fc485a14cb20c0576ff20bc3d157e1296f2b2ddfa8035f71e8b58f61a29a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz-latn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz-latn.js  
**MD5:** 75ce0ce4c28806c32575c4f28ded6185  
**SHA1:** 2648a6adc3ebb4dc12b070a5cc0a126050cf685a  
**SHA256:**3943e946fcad9c965f147c50e08da71d3270239175de530d1f48be6fb44956ed  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: uz.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/uz.js  
**MD5:** 3d11efeaad9c7b7f344eb8beb691a2d3

**SHA1:** 73ce197519648ecb5e6756bb2fb953688b42af2a  
**SHA256:** 9f22344f9ff69b1cf5546c975fd8847884bb032216d15054ea267cb964a09b08  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: vi.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/vi.js  
**MD5:** 28c7ec0c4bf82120245da0d15112f4b0  
**SHA1:** 1470d1969733e49331f2e435910b045e6a0a518b  
**SHA256:** c5db03ae438e4c55a6edfa004540aaf1def14fe0968f9ed3e03fe7dd7c3faf03  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: webjars-requirejs.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/webjars-requirejs.js  
**MD5:** 34b1a7dcca0ee03eed1432670ed9c472  
**SHA1:** 9de80e951270f04bbafd39d9d7822df4f7d08839  
**SHA256:** 197295e6af66b25f2aaa0909c6911f7c1c76e24eaf170d9cba2d84644146bfeb  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: momentjs.jar: x-pseudo.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/x-pseudo.js  
**MD5:** 18b5b8d8f2f327f6d5ec947e550f35e0  
**SHA1:** acc470244b95f709e4b68e7ab94b2c645f929f47  
**SHA256:**ca8ab052a09b2f320574c71c472609e026b4aa72c87a06f204ff33670249e2bf  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: momentjs.jar: yo.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/yo.js  
**MD5:** 42b28f7a2ea67c7b5a342c87ef0a5771  
**SHA1:** 84f6d714e3aadf74ab8a755b465df7ec8215fada  
**SHA256:**d80655b604558af2855f5b67b21b28ec5770985b67fde59e94e1168e5f4795c8  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: momentjs.jar: zh-cn.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-cn.js

**MD5:** 49fa27dd7c374122f336369f30a87973

**SHA1:** 768eeb42e5372200634e8825680c6e18b0c8db8d

**SHA256:** 53138532aad7c571af10cf6b17a678552e9a9e7ef5014d250f97af8dc61ae6e1

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-hk.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-hk.js

**MD5:** 9338eb6ad8e887a63be4fbba05cab197

**SHA1:** 92340e4f48872df241a47bf9bd13647092fd25c9

**SHA256:** c6d7de0d1f5544a1d3bb64c7eb27481b30316766f1214fbb5b1c6be358a4b921

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: momentjs.jar: zh-mo.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-mo.js  
**MD5:** a986f68bda18d9751f6bedd7356e6e7c  
**SHA1:** 6cac0e5b7b9e15ea799ce6a1575be93df4832c87  
**SHA256:** 874ca3806f556c5809842613ba410c965111ea9441fb949a32abe2a7c3bf7f8a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: momentjs.jar: zh-tw.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/momentjs.jar/META-INF/resources/webjars/momentjs/2.29.4/locale/zh-tw.js  
**MD5:** 94fb46a7c1ce21f0a91512b170d4fdea  
**SHA1:** cb69c6ca687ace454432d994ae5b624ba9011b62  
**SHA256:** 62fb1b36d24050120cadf807b975ffe9d7986aeb41a0f4ac218c3ad23a1c9b1a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar  
**MD5:** 07b406f612028f959af252d28e73c7c3  
**SHA1:** 09ef29f47ffc69ab9a673b7c70735843fdf9dab9  
**SHA256:** 74cdf75a1676152b4aa62f1125c4fa854d943d090920fc8d43f7e777bd682b81  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	remotegui	High
Vendor	jar	package name	gui	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remote	Low
Vendor	Manifest	built-date	2026-06-16 16:21	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remotegui	High
Product	jar	package name	gui	Low
Product	jar	package name	remote	Low
Product	jar	package name	shared	Highest
Product	Manifest	built-date	2026-06-16 16:21	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	remotegui	High
Product	Manifest	specification-title	remotegui	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/angularwebsocket/angular-websocket.js  
**MD5:** 40cf028986784d5006d57219f6dbe0a8  
**SHA1:** 40efa9ba93f90c2933ea22c767a0b1439e10303d  
**SHA256:** eb77f7788e6b757192f2bf8c6af6560731c3539b06fdf7d476e92b989ca50b0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/app.js  
**MD5:** 6f61e39f7ed0928ce2046d44760db061  
**SHA1:** 1a79dd0d084db06894770d115b3b808a0d8c0ecb  
**SHA256:** bd0c38131628418202bc8a896fcee79fc4933ac37da60263562ddb37ede2f26  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/login/js/app.js  
**MD5:** d9a96ed732439b0dc0417d960d30b667  
**SHA1:** a7b2247fb71c27e9eacc8f24859fb993be8d95d1  
**SHA256:** 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93
- remotegui.zip: remotegui.jar: app.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/app.js
  - MD5: d9a96ed732439b0dc0417d960d30b667
  - SHA1: a7b2247fb71c27e9eacc8f24859fb993be8d95d1
  - SHA256: 49b24b3125429b20e816a2082e45f104ac09590c64d61ad8d4fb5c86cbe83a93

## Identifiers

- None

## remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/app.js

**MD5:** 6ad83588ff8ae2fca8a22a9973c9a22e  
**SHA1:** e34a66c038feb5d7eaaebe6f5641ff754ba2133a  
**SHA256:** 171ea457d3942a068d637c9c416f4314d2e337896c4c06466d5048d1b207964c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/app.js

**MD5:** a92b24ddb292c48b2b37f8f612dcf510  
**SHA1:** 4fb6c8ec1c639068e82cea773e346402bee5db6b  
**SHA256:** f9a5dfaf43cc245a92f3da0e6a6a05df73027571f820767630c897274510e125  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: appbadge.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/appbadge.service.js

**MD5:** 4fd729dbd4e3e172e18625eeeb1d21f3  
**SHA1:** bda842fc94e89b87c8ac7ab1fda990058708c679  
**SHA256:** 8ba199a5047196dec59a090d09d62628d962bd4827c6f58491688405af98bf20  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: authInterceptor.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/authInterceptor.service.js

**MD5:** 7fa3864d221a30bc7380c1d61fd0127d

**SHA1:** 7711e764bb81e7518be8f1582ba36c0bcaffbc12

**SHA256:** 78a5ae26f5463a9ffaa3aba943dcc4a6852dafea4e6a161a77db4e57e57c9565

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remotegui.zip: remotegui.jar: avatarcard.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarcard.directive.js

**MD5:** 42e2eeddd15b1c78fa69908f6680ee70

**SHA1:** 700e560ae973d1bc7fc1533f10000bff031ae452

**SHA256:** 1f84952e5877f9a0a2bb6de1db33baec5f4bc55d5aba12f70cb4f7a6f79729d0

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

#### remotegui.zip: remotegui.jar: avatardetails.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatardetails.directive.js

**MD5:** 1736536ca17f8949cfbcea3546666700

**SHA1:** c6d2b53e9caa1ad5b19f0063a4c7f88c31784ccc

**SHA256:** 5bedc4c3e7b3be6a29f2c85fbd2881b935f24172fd42d5f893f221c1972bdc5e

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimage.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimage.directive.js

**MD5:** 70e2255c02822aec0a74da3386baa781

**SHA1:** 927e3a72f635deb32b6dd3bd1e3deea711b73521

**SHA256:** 9c3a64b8c4c5e6bdeadd27b840e1835d240e7e291b2499e331545d0f3d6fb3da

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: avatarimagedetails.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/avatarimagedetails.directive.js  
**MD5:** 30a2af71a10ee42a8e840c52dc445a33  
**SHA1:** 2767a8c4d10f738a7cbc2f0166473a721724465c  
**SHA256:** 4c5603e04daff5cb4de37b3a8e120e0049036ea10683980c3062c96919d1521e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: basic.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/basic.js  
**MD5:** 6ce37bb0cdb3e8dfb60502a14fe7566  
**SHA1:** b5cf170633b03bb7e703f0fe1369c71a0d451dae  
**SHA256:** de45f22f52903c15f3869bbbf9856da834d7a0d535bc5138832434984996079  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-colorpicker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/colorpicker/bootstrap-colorpicker.js  
**MD5:** 66fc7adafdc312da33c1610ddb02650  
**SHA1:** c0fe35fdc3e1a7b23415601264ee3f5f8b6408ba



**SHA256:**359ac587e9aac88dcb26774fea01a3b04b89ff8f8d49c36b0dff82d0ca3f2a9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: bootstrap-datetimepicker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/angular/datetimepicker/js/bootstrap-datetimepicker.js

**MD5:** f99cb51a76e41db0a93720a7ab76f79a

**SHA1:** 811d10b8029074990b4328164ea5645759789a5e

**SHA256:**3ae825ea00eae0f2169e66d6574fa1e8323b51bf253091bb5a66df76663d37ef

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: browsercheck.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/angular/weblib/inet/js/browsercheck.js

**MD5:** 2a66f45992dabf075363ec46a8f1913e

**SHA1:** 6dd5a0ea9f6b8471d5133f32a13090af611156a5

**SHA256:**9591b9925bdfd5c199c34417db703dda37c469646adfe38409453527af025015

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.js

**MD5:** 8d2dac6b040a8c19644f32bf31bd71a5

**SHA1:** 71bf152e7bc6f067ea04a5b3aa1cca0a77af4b2e

**SHA256:** 2dee1dc75f9ea3da5c18de2d3f7ab5da477c1b0e29952f28f14ec488140c3d0d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatarcontroller.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatarcontroller.controller.js

**MD5:** f4c8b7a6dadbe05f4e359733f723d5f6

**SHA1:** 119cdcaf2e65398e1f02c279bc915fb748c851e7

**SHA256:** f6cdf51e77bf2b01b8d6d81d62929f453e651b07cecf5ec1a592556855c297d3

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: changeavatar.service.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/changeavatar/changeavatar.service.service.js

**MD5:** 0867b1420c57ea1bd0df6b217d0f0a27

**SHA1:** 3b540de9bd01aa2d887ff4690636a46d59e54ac0

**SHA256:** a4e383e6b3971ae28b1ab569fb9bd73553c7155615dd6684f9eb1db4c28f9ca8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: clearreports.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/clearreports.controller.js

**MD5:** 503b31549ad61c01e747c3525a1cec4c

**SHA1:** d68647f840f74843715160798da5b18ffd57baf2

**SHA256:** 5fc415f2278a1c26a0417a62adec557dbe76b69e6a74d6eb190543ad099ff11e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: clipboard.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/clipboardservice.js  
**MD5:** 4e1e6b5bbd0964d0b63238792ed499a6  
**SHA1:** cbd4f6c73a66c379830b7d39db2d5b719a145166  
**SHA256:** 5aef981c32fe1ca7fe038ce1247b842ab70d9b5b84efcf6805d9c7a9cef14730  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: collapse.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/collapse.directive.js  
**MD5:** c1382e5bab1e0095998e5b19ac91f381  
**SHA1:** 2bfacf81cdcbdbc9919f24433ada8d3d78ff826a  
**SHA256:** f09aeeb80d0d0811b4e6c9ae46d2a975cfa372d339236dc1f74e238218a60be4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: colorPicker.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/colorPicker.directive.js  
**MD5:** 21ef7608799862ae50c2c74f78d0a9fc  
**SHA1:** 747b3d2b2615c51fda36d4177ff6742a3f254784  
**SHA256:** ecdde453424a6164c70d2a8ae42bbd0e2f36aa424dda81a021daddfc3be97cda  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: colorservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/colorservice.js

**MD5:** 6934527317c4e7ee60f522af05a6647b

**SHA1:** 82218ecade36315a6f9cca826698eb89b1e177a9

**SHA256:** fef655530069f2219f3c6227b143318de978c4f7be99e7aa9cdcb6484c8eaea7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: connectionstate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/connectionstate.js

**MD5:** 4a6174bd421f26ebbcfee0cd497cb818

**SHA1:** dd1fd437528d6680073b6ec992627e58a7117d1d

**SHA256:** 4b755f8f5c4c823a55df73cda77ecfaad11829b5945c0f60e9c3be0de7ffcaee

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/controller.js

**MD5:** 8886375e9fdbaea08407ec6d19efb81a

**SHA1:** 1e0b4d981a4a8cefe6737624ea1f4ab9636116e9

**SHA256:** dd9f87011fd0cb0ed630d3f392e7527a62dc516584014a2169a411d783d683e3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/invalidlicense/js/controller.js

**MD5:** ca1979cf2df78c9a22c96f3478247107

**SHA1:** 6b8bd8aa94a41d55d9b5c11f37a6e0a2a25a5a5e

**SHA256:** 2e689b5bdc728198ed225e4e7634d0bc374f6d5f0190f706808d3c1857b1591c

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/vetomessage/js/controller.js

**MD5:** b3d1cbd2470d7a37317a1a3b2f731b76

**SHA1:** 8be451bf390bbc31e274d966fa238675d192598d

**SHA256:** d478572d76089fa663779be7fb47933ca9c7bec7f97ada36dd8d7ca80f6f4eb5

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerAbout.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/about/controllerAbout.js

**MD5:** 80b4da64ffededbe3c3523b55e2bf326

**SHA1:** df84d88eb510b8e820880297404310f5a8795f4f

**SHA256:** 48bbb094dfff3f6b7dcf787d12214c26dafedc27cd37003b651e1ce179026029

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerShortcuts.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui

/angular/weblib/inet/js/shortcuts/controllerShortcuts.controller.js

**MD5:** 9be25409fea8e060b32a3ed16afa0496

**SHA1:** 36808df213a842d807c44b517fcdabd52c7479ac

**SHA256:** 18169a2a57beb8edc203674e334cd2eccaf262635e4cea0b408e2f8608338008

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllerUserTheme.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/angular/weblib/inet/js/usertheme/controllerUserTheme.controller.js

**MD5:** 3f22da2a31a50aae9eca2ddf181a32e6

**SHA1:** 92ef56f938fd823a8d2d234190af4aff18ce8223

**SHA256:** e3b5b9c6ba45a9f4e7ea82817ad2e4eebfa514eb88f0056ed61741a37917049a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/modules/login/js/controllers.js

**MD5:** a8ac2709cc86b403df12e2112b1c50da

**SHA1:** 344a480dca6074c311786b03a13aeaff5cfb58a3

**SHA256:** 3efd28cc6f37f33f4c99fcd534349933d13c07cfbb85ae6b424c7d0889e968fc

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/logout/js/controllers.js

**MD5:** 72df17aceff55a08379e0d53b414a348

**SHA1:** e3364d95d630e8ee2831c6f8c043e380892303de

**SHA256:**fde8f9a6bd901c3a4fb1eff6e1b28cd70ed29ecd1ca0eb4d516fe8257b10866d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/masterlogin/js/controllers.js

**MD5:** b7ce1065cd78fdac56af02a9c2990479

**SHA1:** bb6e0f303c2a2601864542d89f2e2f5da4cc582d

**SHA256:**b062b60f3c71cca9147df8429acfeaf1333646ebed0a49abfd57e828594969bd

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/passwordreset/js/controllers.js

**MD5:** 4dbf4bd5e209bcf9da2dbea374055b93

**SHA1:** 87bc7d80e618d023de04a942c4bcf78a0f63ef94

**SHA256:** c4fc820510883428e8b7f8cc620917ad024a053406fc8e06a1f5d291e7cb8277

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/controllers.js

**MD5:** f0eae135a9846e9583286cd7e26e16c1

**SHA1:** 2ebb1635a8de2bf5a5b733d22be21e702b12b72c

**SHA256:** 03bece9cc5a2def46cb9af89cf57416e825bc861f4bef8e388418e2e2f7fd2fe

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signup/js/controllers.js

**MD5:** 258465212e0911f69571bb053df33a43

**SHA1:** 91a7f8521507ac4c7f3694cf5dd955417828e559

**SHA256:** f3cd796047cab32758bcd5425fddda63249ccf268422094f9bafb9183d52a13b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/signupbasic/js/controllers.js

**MD5:** 17128560e8941aedb7e852204f4a179f

**SHA1:** bafe38ec75526c6f24a08468efcb54b174af8a12

**SHA256:** c86e24d128397562391debe2cda9c5a59382ed887ce040fdd950fba13307b093

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: controllers.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/start/js/controllers.js

**MD5:** 3451d3dc4466d917bdaaeca802ffedae

**SHA1:** cf35aaaad9461c21764024842d788d1ffdd36bd  
**SHA256:**81ee322dec22a872c1c1b2cbdeb032036fb825c53bb8d0fee0270318ed49dae1  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: currencyNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyNumber.directive.js  
**MD5:** baae690d1879d5770a785db43c416078  
**SHA1:** 6652a3fc50dbfeff6d2c3ba5d163b6198d48952a  
**SHA256:**c6cf472a9ba060122120b728e7f034a46b42e3b035ef56144ff482bfe5092cf4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: currencyValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/currencyValidator.directive.js  
**MD5:** 73a660a1b69b3c877a80104908dcd0fe  
**SHA1:** f452a6e6a90eafec046f8364e92e8991639fc0e3  
**SHA256:**a54b14192bdf0b13eb46a513c0de90d2217df002a87b69aff4a97a2b438e78a  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: customEmojiUploadConfigItemRenderer.directive.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigItemRenderer.directive.js  
**MD5:** 614bca272bedcbaa6f867d223c67ca6b  
**SHA1:** 158169ab1d6de578cf3d3157b44fc5568a0dff9d  
**SHA256:** 38d245ad840d4d01acece7fb531bfaf683e40367b70e1965761df25378601795  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: customEmojiUploadConfigRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customEmojiUploadConfigRenderer.directive.js  
**MD5:** 646c45383035b8a172b1e3cea4462065  
**SHA1:** ccd25b4652f738ffd5db41da6f2c01b9bf2e8fdc  
**SHA256:** 366ac5823f773c9420495a3f7cceb31703515e7840963340d9b088a9a280b8c  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: customemojiupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/customemojiupload.js

**MD5:** 5ab9bc583256cb4bf16a2ed2611a694c

**SHA1:** 8aa95d9a6f7aa446ca449dd06a22ec766e011c3e

**SHA256:** 10c1b4c00e9ea48d9216001bfde435ad3d978dc7924328afcde5985e31cc5052

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/dataservice.js

**MD5:** 831c4f71487c15cf96acac1c5e62dba4

**SHA1:** 7ee282e9b09d9e8a5cc2167ca823c4cee77b0672

**SHA256:** 9b6c1f04ab5000c9df3aac6d746397efa951e14e132c2f524bd8bb67b29eefed

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dataservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dataservice.service.js  
**MD5:** 8113ec4651f3e49d30aa2b19b870211e  
**SHA1:** be3f9fe2f52163656934cbe37e014d0deda5a7ce  
**SHA256:** 129bd8006fb76601213a89a84686e13ccc5d8a3cfad5ce61d4d6a6120127e868  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: datepicker-de.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/jquery/i18n/datepicker-de.js  
**MD5:** 797fabcb912b0290ab3e259ffab24855  
**SHA1:** 46bdb9bae4acf4a0f014121d0f9eaf2d5c15cc63  
**SHA256:** 1bd259fc9bb5d2965296710ef6ea072f59c2ad669173e47958f672d0ee98de1f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: debug.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/debug.directive.js  
**MD5:** af5e64405e9df914078db9c21e2d6cd2

**SHA1:** 9daecb829ec4ef49f5ff9415f03c1130b97cdfa9

**SHA256:** 7e8f60d4320fb77c329b93858e2cb2435b756cc939395dcb0259f9324667cb25

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: dialogservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dialogservice.service.js

**MD5:** e63e5787e78517515c545ae644786f88

**SHA1:** 88691106334ac503cbaab986eedfd6807f55f57f

**SHA256:** e5a253388ac6fad6a7b08237a09f561272016481509c850d540f7e9834ed8c82

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: directives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/directives.js

**MD5:** 19f28ec5f19f91bee0b1c9e74e173dc1

**SHA1:** 8f3d5294a051eabba98d8b9ceada4b2411210e58

**SHA256:** 0543ab08833d1e44de5f6c23d230703cea6ad2cb637577549e308d185afea1fb

**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: dropdown.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/dropdown.directive.js  
**MD5:** 34a62e5850a9c548493cfacae2971677  
**SHA1:** 72304276999b43f29dd0ba3cd13829e7208c6d65  
**SHA256:**575b84426322c7c3724e5aac3bdacee5d92bcd2ddaecb017ff9bad91e1a714b9  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: emojiModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiModel.service.js  
**MD5:** 38564647d31b6797536db5765411e4ed  
**SHA1:** 48fd70c8edf0adcf125823e861e4a139a381cbcf  
**SHA256:**d22736cdec4e2e645ac67859b8dd33c6af37c304f60a2d1da1d4faefb33f087e  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: emojiselector.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/emoji/emojiselector.directive.js

**MD5:** cf4481407a72642bb8f659e8b1811a6d

**SHA1:** f5b4d06097e39d132c2e341005a5f37945e6d25b

**SHA256:** c9b023b87ba265d2fbc5af9dfaf4d739f2a5445ba1368d9fdf02f7cc0e07e307

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: env.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/env.js

**MD5:** d3470538188ec965e3e691b4fe8247d3

**SHA1:** 5fc08f2ab3f8edea3f99db9b0a066f8d812f490a

**SHA256:** 78299ecf92ecbcc8233e82709d2f47bd2c170d8a1ccc33b317a2e9a28871531f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: errorservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/errorservice.js  
**MD5:** 0b417819bafb4ba2ef637d2d33b359ac  
**SHA1:** 37a9a05422c4eb6fc45036a72bf41d62bab6eb9  
**SHA256:**cfe3685d68219b63688e6e91b225435695b1dc71abb6aea96082582decf0fa4f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: errorservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/errorservice.service.js  
**MD5:** 0edeed6a24431bed40385eb6e6059a00  
**SHA1:** 921f20422186b485ff13cd9199c290c458c46526  
**SHA256:**4b37ee559eeb7dca19907921ec4ed9880814fbed40ffb7e33824a05d47eb535c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: eventemitter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/eventemitter.js  
**MD5:** 056790045377b9704e338b535f5371fa

**SHA1:** ed7ba1691b0bd3078ff84b201474126b3bf55e00  
**SHA256:** f9a1efaafc842fe32d20f2060068275d707417f4c7462de8daf2f0585dcd117b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooser.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/filechooser.service.js  
**MD5:** 0951390d90f4a7f0ff08beba7f18c2ef  
**SHA1:** b51a32ae72caa993b880af1629f1bcd351d4556b  
**SHA256:** f6a1ab61dc3641480a9c05791f6e98bf3e14dc9901cf018d03c30857e4ec1bcc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: filechooserservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/filechooserservice.js  
**MD5:** e81bf6e741ffb26878591b3e481eda1d  
**SHA1:** 8ac847dfe8b64f26e890f7a03e2cacc2cbd38c5b  
**SHA256:** dccb91f52258acbd53c4902c236597c33687542ee00c82a72be1a9c5252daa3c  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: fixNumber.directive.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumber.directive.js  
**MD5:** 4012901ce3b8c0dd2c30de58b4010f93  
**SHA1:** 2f74672bcb93cbc5a5ad537ab900e5ea2993244c  
**SHA256:** df68e84e582a52b12400fdbcf1ef79d935013e189579795a435a6ed8055573c35  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: fixNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/fixNumberValidator.directive.js  
**MD5:** cd63efa13934af29deb8ebaa34d99d16  
**SHA1:** 6b6c6bb19f785f4cddf2aced9381c3578a3213f5  
**SHA256:** 8d6e9515be7e1db5f56dfe91a1e96c91b8ca536f4ffdc31614a30a5a7e7dad88  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

#### remotegui.zip: remotegui.jar: floatNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumber.directive.js  
**MD5:** 0b5378d3a8d7f79543eefb43bd125bcb  
**SHA1:** 0c50d5b03526ee6a4b5ecafca50e139183e64bf6  
**SHA256:** e1e487d744826c96b46a8e946a32892ee07520f3f29e421d243df51291f729f6  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: floatNumberValidator.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/floatNumberValidator.directive.js  
**MD5:** cf0422e6f9e9d1503247ff475d10d3d2  
**SHA1:** c0d2a9c1ba8905a8853b7880e484fd2546bd91cc  
**SHA256:** f64676d8ca0e5be8cdbcdce1658d71f18608aeee7229a43e8076139ddf5d7f15  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: globalactionservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/globalactionservice.service.js  
**MD5:** 6d4f2194f51d48cc3b21f9526f7fee57  
**SHA1:** 30f480f24b629a9dd3a93fe04dca7eb04a20b677  
**SHA256:** 8c1f6dd7a7ecd6472d75748edd38d98783b20e103c898220b2e3b25f4090f6a2  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: guid.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /kytos/guid.js  
**MD5:** efe9abb6d7be1e4185b69d4c4b3bf31d  
**SHA1:** 760987f1cb1537a0f717d985537da6c01ddd4577  
**SHA256:** d734566d2b0d9d89e73cc0c2ad503d73141ef79a99c75139d5fbc207a6663394  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/components/hdField.directive.js  
**MD5:** a693a2774b78373202304d2d9d5ac06f

**SHA1:** ea7b76c396bb2753deedc6663998c77f32aa201e  
**SHA256:** 31226a6c2b7a11867fd336efe0597a8facb11ea21a28f1911be1807430d2ac4f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdMandatory.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdMandatory.directive.js  
**MD5:** 5ebb609350c6d0ae645e8ac20cbb32b9  
**SHA1:** 15bb7b61dcc2a479beee7e0162796788565fafc4  
**SHA256:** 593ebe1d558142ea9e12a998fba8034c5539267794d3f1ae01fa61cc30103e2d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hdNeedchange.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdNeedchange.directive.js  
**MD5:** c3abe040e55d2f09b03b6ff4a839b795  
**SHA1:** 4ba516326ef10cdbac82bfeca2ef5a82122c27b9  
**SHA256:** 49e8d8b1fe5a2d491a81412531fe794b9b32dccad6536f9b06041e7931f83a8b  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hdValidate.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdValidate.directive.js  
**MD5:** e6e8c3e26ad3be54df16ec1bb887bb70  
**SHA1:** 4b1e88e7eed9dade1052f00086c2c09f18a0be32  
**SHA256:**18040f9661212ce2406d973b0431fd3c320033bd4d6b931db124aeca515873f1  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: hdattachment.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdattachment.js  
**MD5:** 16e85502191f7fe25433de5ad6c746f9  
**SHA1:** 712909937e6a4ad47396146d4e79e4a3dd0b32e4  
**SHA256:**b59d7f8b2225790fa30812d87d012f6668ecf1ce2d3a0cba04d987812ad2cd4b  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: hdfupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/hdfupload.js

**MD5:** 75a66761b717a6997b593736a3636c7f

**SHA1:** c7dcef33b520474109257a31e81c13967de4fd70

**SHA256:** 1e85e4d3ca53baf4a8da1008aaaf7bf0b048d078a08e8bae3fa8628804dbe5b4

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: helpservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/helpservice.js

**MD5:** 8c62a54227757b01b0f60d7ca811a270

**SHA1:** 963edb75fa6682082979958c1f0b667d530c84dd

**SHA256:** 334ef438ffce3ca6d6449195516553d5d55ddc8d37d8de6eea8780fc710c399f

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: hsimp.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.min.js  
**MD5:** 31da02c3356fe92d686f09c9e9a2d3b5  
**SHA1:** 77c9d1aae30a77bb4f4ff1015d9886a9fb2bad93  
**SHA256:** 44cdb7ca377e6793dac301775332a628e89b3624b6330964a9e2592d1f5b0389  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: hsimp.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/hsimp/js/hsimp.renderer.js  
**MD5:** 5f06f676ed65e93315ba629f480077b0  
**SHA1:** 213a052ff56e4e0cce58b108a93995300b7f21b7  
**SHA256:** a6741fb1ac97dd1d59dcbfb635c018a4fc51ee6bcbecf8f0928fb76019cf3658  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: html5modeurls.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/html5modeurls.js  
**MD5:** 784c54f58e8351e6821785bdeaa852fd

**SHA1:** 945f8e892ff235c347b61d726cbca71c51cfa0ec  
**SHA256:** 3cb5e8d76193fd52fe4672a8510546b527e84df68876952b6965e146d816f97a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditor.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditor.directive.js  
**MD5:** 9b354c78a1bd6c6befaf75765c135f0e  
**SHA1:** 3c0a48d4c88f0e1eb09f1c6394fd9eec567189fc  
**SHA256:** 7cc59de18936d632936a198c0092d60e1bc1170ca24aa72b2c72ac96075c73e6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: htmleditorFactory.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorFactory.service.js  
**MD5:** ae7cf9f1949727b0b0abbe02d00322a3  
**SHA1:** 8f6ca76d2a1d16c23d015e5fc99c0b5eba633ca0  
**SHA256:** ada0a0081829c6575f5107ad1f2b857976454e420b33fb4e11caa971d23243b9  
**Referenced In Project/Scope:** server


#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: htmleditorModel.service.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/htmleditorModel.service.js  
**MD5:** 5065e5c03040fe00e77e7c35c9491459  
**SHA1:** a07cd621341d26b6a8af98193dad1b028e518a16  
**SHA256:** e4eb54f0aa3b0f5e3b015668ac05a9410b2fe4e2af0f796f3b9a9c1dc68de3e1  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: icons.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/customhugerte/icons/inet/icons.js  
**MD5:** 81ce9691eda2df21f0904f09079b80e7  
**SHA1:** b4a46ece9a2ab75c6aa0753ca006bc8b01d0169d  
**SHA256:** 870a4c211fd913aeee81fddc05c555949806ad233f9bdd1e5151b3b20a370fbc  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: indexed-db.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/indexed-db.js  
**MD5:** 8e18eb72cdab27b9f50d8be736fb5d3a  
**SHA1:** 9a0e5e9098ca6fb8c1ff37a52cd41493b9c5b765  
**SHA256:** 8a7b578a09e75c8abf3b5c7796a3a9fdd812f0e1fe1b9cb2dde13c8ca4dec439  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: initUsernameField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/initUsernameField.directive.js  
**MD5:** f3f6879a5d27234809f195e8361367fb  
**SHA1:** 24d20461bd9e38654b9feb17b07291ac539c186b  
**SHA256:** ce03423bc27bf8ae5f2a0ee43236549dedb25ae612839b3e645bc11849b5113f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: introduction.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/introduction.js  
**MD5:** 89901332f1495e0cd0ee5b86914cedb1  
**SHA1:** 35a849463bb5de9d8fc94de631c5641743d37abf  
**SHA256:**afee3a22ebd23a8eac80d546a023e642c33409bc80ed5340e4372fc91cc30360  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: jquery.fileupload.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/jquery.fileupload.js  
**MD5:** 240236292f36eca6c17aeac05fd73d61  
**SHA1:** fac06f570617460bbc6f377136ee040bebad8828  
**SHA256:**16d6dd6c899f13098e81e50b8f75ef74df0da97ed95cd2759933a13d53dc876b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: keyservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/keyservice.service.js  
**MD5:** 727389b3179d690a641cface06314aba

**SHA1:** 5d3a862aea87e3c8614cefdef4cfda9ebf521b73  
**SHA256:** a742b2d483cff1e82b6f1f2b09da02440add6f44b2c6ba276f297c4a1c9cded  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-attribute.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-attribute.js  
**MD5:** b316e4d0abe73690ed98456d76ae06fa  
**SHA1:** 28e3b9464a101831d730e07b2d4d8756a0084f38  
**SHA256:** cbaa2255f94654bbb15abd4d9019be925e1101b61625d807a942c6db7c6cd345  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-data.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-data.js  
**MD5:** 9cd939b4d214a138e1f6912d8ff4a625  
**SHA1:** 3ce6b8657f6c40ef854f538bb8dcaae5b213ff34  
**SHA256:** 9a1f40e1dd80682da2c5444d0e9d39f5bf5aba82768a35df3d8d36a8f27eb1ef  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-draggable-listitem.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-draggable-listitem.js  
**MD5:** a75a0af0bc928e958f927fd6a0b54848  
**SHA1:** 597d004880e28553c8f46912b320d935b17efcf6  
**SHA256:** 2e97d801e932e8190d02ca979fbae6513a05dd5ee38bdbae34477d4477922ef5  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: kytos-dropdown.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/kytos-dropdown.js  
**MD5:** 399d75675c7cfc2168a5176562856e98  
**SHA1:** f802a4b741cdaf6e45cae7d4bcc55d95bea72fbe  
**SHA256:** 4e9fa914f8e01060c947264ce4fe944cd4e7cda07e2e537306b0dcd2644ce727  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: kytos-element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-element.js

**MD5:** dcd2cb6e2f1f2a64b198c0d46c210144

**SHA1:** abf7062312f615c2d671cef520bcfb55c4ed1e34

**SHA256:** 7f03a6a4cf815363f8a07d16ecc6fd290a6c21a4578c4337f2f695c9449aafe2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n-placeholder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n-placeholder.js

**MD5:** 1ecbf85231e6df5bff93793f9da0dbf9

**SHA1:** 75494133b8f634d822291571901a5109829747bd

**SHA256:** 85ca7c13eb0480386706977d017135d56243acec9744a44caf2bd714cedecbed

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n-title.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n-title.js  
**MD5:** 4f13ffa1afc6de1e18753b8ff571eb11  
**SHA1:** f2800872e2e0e70ffe69f2ceaec407dc2dc15102  
**SHA256:** ca4a0fe0850986808fb897b6e2e408010bd743cb6f98a49eeb137f42d8b40ecc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-i18n.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-i18n.js  
**MD5:** eef1960599366e9ff7c002476339991e  
**SHA1:** 098c48087ecf44e0084693623b2bbbf9609c115  
**SHA256:** a320b34e638aafd53882cf205a1b811e73157023e017ef40744c3e5b640a409f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-on.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-on.js  
**MD5:** 364260b48161e2fdf989c4f88540ddbe

**SHA1:** aa0924659733d3b10152b3d3ef9bb6173294b06a  
**SHA256:**4bebd05c257fd988b34b94c75e5c90705eccc9021616c6b65a0b7d667fa67966  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-repeat.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos-repeat.js  
**MD5:** 941373d2347b53b9ccfd523581e5458b  
**SHA1:** 3a6cc55704f1aca5b7c24b7fb920e1b7e9f479d1  
**SHA256:**2502c60afa9ca7e4c6634e014326acd7d3d73dd4b8b308a95df655c861dd9319  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: kytos-src.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/attributes/kytos-src.js  
**MD5:** 09f25c077e3e3974fcf58c68fcca7200  
**SHA1:** 609da5e117dce86a60ee4f330ca7ff224f876d84  
**SHA256:**3d4758eb630910a186ecea7d5643aaa5414a504dd2a907bb844d4b9c13d39851  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: kytos.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/kytos.js  
**MD5:** e66d46766a2db4cdb2d0cc59b5fa76c0  
**SHA1:** a5068f4162e7252d78e66238fe220ee2ba58fe3a  
**SHA256:**2ba2d0c8e3972158adec5d74212800741bc618d16e16f70b116d6c428f7e67b6  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: localfilesystem.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/localfilesystem.service.js  
**MD5:** 277d95afddcd590e0d141b2d577b5e62  
**SHA1:** 20bcb984e60bdb0a2939939f52951e728a4f0af7  
**SHA256:**07ed33c8a8d0f7931367e1c0138049de8105adefde3fa138dd50e4c7a31f8aae  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: locationservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/locationservice.service.js

**MD5:** 5992d3f32d30e25a9fb8adc39170d746

**SHA1:** af263303a961373e5cb23538f78f544287b59966

**SHA256:** 80c831cef5c54e7ef0abe9b80d7db7b906053c3fed584770b2e9895e92f27794

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: modal.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/modal.directive.js

**MD5:** 8b4f5159c55d2de4f772c61b5bf7dcc3

**SHA1:** 6d4df793d2fbad75c24f62e005eefa9ed62954cb

**SHA256:** 2a5553a5186b68c5f299d2e1f274ba754bf9af25bcea981725d472dd762d9e42

**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: modalservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /kytos/services/modalservice.js  
**MD5:** d5a34e3b4e346e244ade828e5b4e59fa  
**SHA1:** c2e316146f63d9f04980454cf074d8aefedbd5bf  
**SHA256:** ee2dde64ff7f11c67173be36fa517cdad951c032d170a1c1879e0226ca04f6a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: modalservice.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/modalservice.service.js  
**MD5:** 1a551ec66dae8370a3470b0f9fd72467  
**SHA1:** cc24ed601df4528c7ab569c8a67b0782f224c695  
**SHA256:** c88cfc6dda9f889ded182a3dc4cba434998762b267c2c984471896ec26e80fa4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: moduledragdrop.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui /angular/weblib/inet/js/moduledragdrop.js  
**MD5:** 3958a1734972672ba1c124b1ed886668

**SHA1:** 4eb0ba0abaf32269baf7023edcaf12cc623783d3  
**SHA256:** 10d5980e1ab5d292009b20fd37d4d53367a0f76a55bd04b545074ece66d20a25  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: navtaboverflow.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/navtaboverflow.directive.js  
**MD5:** 0ce7f7b7b6a5a148404b16e1962caf60  
**SHA1:** 8ef17d2fe2fe1832fa5c49d6d65b6ef5fb1b7bdf  
**SHA256:** b3557a1661a5cb1508bb1654d46bf5938bacaad8b4dcce03cf86d729793bd47e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ng-hugerte.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/lib/ng-hugerte/ng-hugerte.js  
**MD5:** f3e009963ba5778bff59c8e4ab5232c0  
**SHA1:** e06306434c0debecd6e9a1e205e50b7f44afa51c  
**SHA256:** 75a28c7c67022de0cb9c4da55dbf75d6ff6a2580a693498275987d58e8cd31a4  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: ng-i18n.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ng-i18n.js

**MD5:** f70ed5b4b0d12a1df931521a5bfd4d55

**SHA1:** 2f141a8d67bb4381b248e0292c2b566eb17d6ea8

**SHA256:**f8c9dd393e16101f533ed78c9c7d84eb60aeadd228f3573950b0930221c6425f

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

• None

remotegui.zip: remotegui.jar: number-util.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/number-util.js

**MD5:** 05d0f35b5c89efea5c77f9775cd6bedc

**SHA1:** 5f3fee5a2e389e76bb0d161c9d01b2d1aff9d5d2

**SHA256:**e14c43e61d7a5c8afb3c41ac057e3c49b408ef29b84bb1d4a00e43554bb51af6

**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

### remotegui.zip: remotegui.jar: numberUtil.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberUtil.js  
**MD5:** fc50f41d150aa956d3405cf5538d0ef8  
**SHA1:** 36dd5feae806c1dff8a67fd8ae4c4b4ac8d590b1  
**SHA256:** 0a6ba6dc2719ab3741995db471ebc7e94594f837227eaad277bec79785ff9eb5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: numberValidatorUtil.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/numberValidatorUtil.factory.js  
**MD5:** 5cfcc7ddeb5ee5abe9b657cb4c4aad1b  
**SHA1:** 3e1befb49a7e3de749bbf7c11db74fad428ac1a0  
**SHA256:** b098b08a665832d5ec3cc30a813f3ac471cc62b9f9362125b8fbc879d5d6be66  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.jsloader.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.jsloader.js  
**MD5:** 6efc2b278388ff3b8fd01d214f68de95  
**SHA1:** 1d366d752be481f2502ad6e928bf443dc1bbc11e  
**SHA256:** 7c22d04e3e40f316fe62e2df4c73ffe9ca1fc552117386466972ad8a524b4154  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ocLazyLoad.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/ocLazyLoad.min.js  
**MD5:** f2d4908265b909369078aed0cfafffa3  
**SHA1:** 2d19edef03246ca520c6b3d658e75fad0d791695  
**SHA256:** a5f7c8f4292aba0f63174bbb86fef9e919d97ed72f80857e83065c66ddbcb5a4  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pageablenavbaractiondropdown.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/template/js/pageablenavbaractiondropdown.directive.js  
**MD5:** 565f00db04cd686810eba88334ccb7ef

**SHA1:** fc89397e87e0efb5da1dfbcf3d1f17261ddda0bc  
**SHA256:** a3e39ab34d61e335c68b31db9411d85869b5edabffbd58cf13cd8bd89ef36c66  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: paged.filter.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/paged.filter.js  
**MD5:** 620885e608d87c0af2184057fa716019  
**SHA1:** 99aab6b764bd796a4fad0b23da057c07f0a173bd  
**SHA256:** 7838a62ddb112a36d3f6b3ca85606aa02bc913e5551e40a1d37a2a7411f67c88  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: pagination.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/pagination.directive.js  
**MD5:** 9072dd128b777cbe8c9a3f5cff6d1ffc  
**SHA1:** 9aff2deccd8bd06b84530f2759b5d3708496680c  
**SHA256:** fe2e2a1a9bd791563352ef8b3350fc0bde4b50ae191a675e4a0fb5d592389778  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: piechart.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/components/piechart.directive.js  
**MD5:** 57b1a6b4c82b90c7ae6728361bfd83aa  
**SHA1:** c4010db7bf32f2263f721e7d0642b0e4e99b7e2c  
**SHA256:**514ec005ce503ed102e409c830b71a04afda4dec41d04cf23e4a80f6e1def184  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: popover.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/popover.js  
**MD5:** 24e950e89aace08f1aaa17fd06bb396c  
**SHA1:** 1b794fe5f9c1c3015159425162f6b3b167ff1665  
**SHA256:**4deeedf673d7fc514627d7ebca5d4595a76c7d11d9cf3bdeb720dd6f663666c6  
**Referenced In Project/Scope:** server

Evidence				
Type	Source	Name	Value	Confidence
Identifiers				

- None

#### remotegui.zip: remotegui.jar: pwa-service-worker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa-service-worker.js  
**MD5:** 95a33b245d3237810fe50090f6719728  
**SHA1:** 1092e1c782d256a86ba9034dfc86b2af50d31117  
**SHA256:** 933121280fca1f5ea88c243ffecbf998a62fdc3b62b5ca70875a990c18c9edd  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: pwa.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/pwa/pwa.js  
**MD5:** d5f6fdc8eb151d3a71ca5eefe74f6dd9  
**SHA1:** e7e28c16da057e3d23295da872a11d99239f67cb  
**SHA256:** cd0a4ccc24239ef74ccf067d2eac8ac8989524fc41b0e7ce4946295f92a75b72  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: qrcode.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/reporterror/js/qrcode.min.js  
**MD5:** 4b36f8e71a871112384d908a90471a76  
**SHA1:** f103f61ed24f3dd86bbee1aecb91ad4ff0a15282  
**SHA256:** 6afbe1ebc2ba9b4bb0833f9f55c4eb80edb582903ea9611a9be49633a7aa3b09  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: rangeSlider.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/rangeSlider.directive.js  
**MD5:** 8f0195ad048023303ca75052988a2958  
**SHA1:** f30f14dce0300f317db5ad815d452dccf20c6726  
**SHA256:** 20efc1b10baaf76c2d287f1553ab7650017d266804f3c8859c8abbfd89e3766f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: resizableDivider.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/resizableDivider.js  
**MD5:** 92155894052072c1b3585f3f378ed64c

**SHA1:** 284e63d9a8d92f3227dabbba220ce81b406fd5f7  
**SHA256:** 46db0e3c06217214be457419fa2e4a0df6dfbfa6424e163b2c9315162a9711a7  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: scrollabledropdownmenu.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/angular/weblib/inet/js/scrollabledropdownmenu.directive.js  
**MD5:** 6ccf4fe00949b9ba0161679c557720b7  
**SHA1:** ded14570028ed526c18dba9174881e0dd4c60ae3  
**SHA256:** aea1486dfd6055925eaceaed65bbe26260cb5a9fa6bf17acfc4655308e34d1c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: search-input.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui  
/kytos/components/search/search-input.js  
**MD5:** cd41ac9c41117850b720610ad8539569  
**SHA1:** f0c926311fa13b6183daa88938bf04f2cc8b6112  
**SHA256:** be9df3569b1e1dea18e7163dfc9e0e319cceb4a9e88b2dd25f114a488f42504a  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: search-panel.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/search-panel.js  
**MD5:** 52b330560d2e9c15fa755adc6035b627  
**SHA1:** b389e4e2533e4a8b1ab5aab461ae0e9fd3b6f6fb  
**SHA256:** 8dec12408835bbb2e912eb560036eca82949cd6b842fcba0e2e9ca622886ebb3  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: selectInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/selectInput.directive.js  
**MD5:** 94814e3d56c2235cb31d6bc6ed5f92d7  
**SHA1:** 4619d613f58383a0bc148f0da510fdc6a4a32fee  
**SHA256:** 53afd5593d387bb8bb0730e2625220a66c60b62106d730f9177f84963ecda0e7  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: settings-ui.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/settings-ui.js  
**MD5:** 2b2db3e4097bef3d711f8ee3c430fc47  
**SHA1:** 4cb79de267c32ddb49f339f2432f45d6b6a809e7  
**SHA256:** d3d046409f27e9ebbb37ff2aa42d26f9f954fda461d8618e24f410634de9565b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: shadowLogger.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/shadowLogger.factory.js  
**MD5:** fa91436385b8994b55a7d310d63aae1b  
**SHA1:** 6dcf22bc7bc7561e394ab64f4cd68935378b77cb  
**SHA256:** 99d32693c3484880d4e331ee348efbf9a6c37f657a63045a1f50ef3e8dd3d60c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: sidenavigation.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/sidenavigation.js  
**MD5:** 41e61e3b773bf6851e57056ebf4cbd3e  
**SHA1:** ccf7dd4e2a531856e99cc4865ae92a4ce80db8f4  
**SHA256:** ccf467b7d7629f106d0bf698be444ba56a7a1545c5118e5bdad132c177241323  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataController.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataController.controller.js  
**MD5:** 82d1cec699a839f96167893738956807  
**SHA1:** b0c88a87252c6c7c558b366e8f8c8b85179cd354  
**SHA256:** 48b31ddf8b1f4607a020ba89e0cc44d41fa7d29e440224d794f494186a70d6  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataFactory.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataFactory.factory.js  
**MD5:** 4c2e4791571aa7c4beef1d13e162b700

**SHA1:** 72b5880e8daf6c9ff20aa30132fe79c7f4868ca8

**SHA256:** 7cd1066a0db5c12af802b239d6d2b1d0afa29c5417460189ae5c22f5c6c3484e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: takeoutDataModel.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/takeout/js/takeoutDataModel.service.js

**MD5:** 6bcf8a37b4157e9c59412040d832b2e9

**SHA1:** 12b1e7fb37e1533e850a261eb24e5260e42368f8

**SHA256:** 9a256e7e32f5971e086b0aa0e02d74c9b128fa2b2700a957af0282d8a1387d72

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: timeInput.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInput.directive.js

**MD5:** ba7319d83a3bcc33e0019d36fdfef0d9

**SHA1:** 019c707edf3c03914faea76cc116043f51a55ca2

**SHA256:** ae9ff67469f81911d87d69f7e89d7651b2517673b0a1538f04fb64076f5d0c70

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: timeInputContainer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeInputContainer.directive.js  
**MD5:** fbc7a8c9f4e3a3cc38d7659d83a6c29e  
**SHA1:** 6b62e43062fdea0d9a6d7dc537e8be85787990a0  
**SHA256:**13eb8eba0cfd94da346f8cd131a4f90c98261fd83473d80c6c4b98529dcb7e1c  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: timeMeridiemContainer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/timeMeridiemContainer.directive.js  
**MD5:** e1458f3e6ea63204589509e5237f5c31  
**SHA1:** 0a3f9057c78f591a1bb4086e1910af248290e689  
**SHA256:**b9663e93c6051a50803d0425bf1da08bb6079b7eaedfbbb88f073880cd833088  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: toastservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/services/toastservice.js

**MD5:** c1e6d55ffb1832de666a82a5940d3481

**SHA1:** bdcef38fc0117a5abc6e2e81aaed372ce6b2a677

**SHA256:** ebb72d1b0d2b92dafd57933bbf927401edafc083883983dbf984f175a3fbd023

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: translate.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/translate.js

**MD5:** 061e99802cbbcc1f551b74ad18d8f5e5

**SHA1:** 941904c2d0237f7941cd16a088d3cf943a8628d7

**SHA256:** eecc08ab9f22b266c4c1ca774958609372959797bcbc2ef9be0d68fbeac88ced

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-checkbox.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-checkbox.js  
**MD5:** fe6eee2b355801006196cc3b6c433ef4  
**SHA1:** 601688a4bedec2a507d81740ca8b1c5c1041ac03  
**SHA256:** 708b663a6753d0616c99aee1ef3227722e04d9b382ac4f24bbefc749546ebb8e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-chooser-color.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-chooser-color.js  
**MD5:** b2a0520e28c04f5049d324eccc5012e2  
**SHA1:** bac3a8b733f5cf998ba4ab838610895f9dde77be  
**SHA256:** 5e4bbfd9be0cd53fa1eafdc34568730e76841d6b77f5bfe2c2a323524ac1c4bd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-chooser-file.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-chooser-file.js  
**MD5:** 5ace4b46de3be3dfec530a76b620dc02

**SHA1:** aace44435ecd87d8182772d69039677ae3b9e0  
**SHA256:** 470c920365c4c2159e112c3884b4d99cbd3d1bff6a71ede2564aae7c2479947a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-group.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-group.js  
**MD5:** fa782ef645795b1b86154ff18c554c1b  
**SHA1:** 8dd9d0f296f696b6b503b51295b4c8a70cc40128  
**SHA256:** 4ed1359b4df149ec8a635b2365332b05f79c875cf69fb895cfc5211526f9b7fe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-input-multiline.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-multiline.js  
**MD5:** dd1044f6ef8d326e07108810f6f547c8  
**SHA1:** 732ba03356337c463fe58fc8d175d7d46c3c0881  
**SHA256:** 46b951d106d480adad4b0a44d1233e7fccdc62217f3b87266eb18f847403ae3f  
**Referenced In Project/Scope:** server

#### Evidence





Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ui-input-number-fixed.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-number-fixed.js  
**MD5:** ecd738cfb1a0de5f65d19702e9f2fce7  
**SHA1:** ea7415bea2bc8d169f0be83a66fa0bf877797931  
**SHA256:**59d476cd8519e1f17ad6de68a26f8ac36e70dbb5765da4f3461e4f9a1fe30275  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ui-input-number-float.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-number-float.js  
**MD5:** de1033fdf3f58d1232eec636d4b22db2  
**SHA1:** 6fecff0bf732b51dd0f9ba0432635dbbb2936af0  
**SHA256:**20c1befc3a3a6bf0fea3592ef5f51cd9ae41a8a7f281c0c0432f968093882cc0  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

#### remotegui.zip: remotegui.jar: ui-input-password.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-password.js  
**MD5:** 4210b1fce13b59e18f64ea2f83a49a96  
**SHA1:** 71a010379e26463b8f032bfe1e8b2da6dd6499ed  
**SHA256:** c7a8b2bce91ed83040b145f44a62900914cf5258bd0a8e51aea2e55d136837c9  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ui-input-search.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-search.js  
**MD5:** eff8782c8d70988fc7731ba5e938fe3c  
**SHA1:** c8d3efe37ab55039ad15e8bf10e86baca0c252b  
**SHA256:** 559e2bdae976493a62504e6ca5e5ff1e08ca8e97e08a7e2d23daadde47f8a48b  
**Referenced In Project/Scope:** server

##### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

##### Identifiers

- None

#### remotegui.zip: remotegui.jar: ui-input-text.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-text.js  
**MD5:** e0c7633173945a07f39a011a399cbb9c  
**SHA1:** d34267da617e9128b918e0788247ee6581a96544  
**SHA256:** 9bfe754fde42730c88bdfb65838d73aaad4f0c43674a0219b852c1371c6f42e  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-input-unit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-input-unit.js  
**MD5:** a1f6aebf47fcdf5eeab7dd4221fd5d9  
**SHA1:** b578ec6a9750cbc5e4ca3e73be2c0db3c53c555e  
**SHA256:** a9ce9a93330223d410eef60a06d53b968dcc211caa0bffc443f8e89104d9c71  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-label.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-label.js  
**MD5:** 2a31d8d04857fff1d5f5a7eb105e7c63

**SHA1:** 6085114e785c842fd6c7c47147bfcd996faeb862  
**SHA256:** b78a278dde9d3992127e9622149d0d3e4b05ba74f32da9db52b8ba2506853456  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-link.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-link.js  
**MD5:** 3f5c629ffa7579705a8126f8ce73d3ad  
**SHA1:** 6f17e49f27341afb6e3f791d46120e027a2de984  
**SHA256:** daa21ae6c5f4ce66d4358b7e3a04c18a1a4feb8f9fd70bfe712f475c91f9f6f9  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-radio-button.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-radio-button.js  
**MD5:** a2f8083dbe841c6eda496e88fa18b1be  
**SHA1:** 4c20190506e24664d262b18269a311106c034d56  
**SHA256:** 0564466c0b9fcb9cd4d86fe27100502a19a821427a047c95525fe49cbb3a13cd  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ui-select-edit.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-edit.js  
**MD5:** cce73d997d2482cda6978c3b9593071b  
**SHA1:** 486f22918c42730609bfdc0eb3cacf6d8cb09c2c  
**SHA256:**61674a3afc0c6e99f0d03cb57d28e762bc5f225ecd7b5b907bf52ecd76416417  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remotegui.zip: remotegui.jar: ui-select-filtered.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-filtered.js  
**MD5:** a604af0ebe081631f367bc3294dce7e2  
**SHA1:** d8e13b6bc7277300608e6001224c7282096d6691  
**SHA256:**de10a4cc9170735184f92ec45e1088b338e4977e53701d813b24e27a23c8e1c7  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### remotegui.zip: remotegui.jar: ui-select-options.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/kytos/components/settingsui/ui-select-options.js

**MD5:** 0e52bbdbd1c589b1d77e202fc31657a5

**SHA1:** 7eb5f1d5ce530ec902a70704692c0af61d76fc54

**SHA256:** 9f5340fc54b04c83ea9c8acb34eaa7a4411f41e50b526a5019ce0bc20fe8d19c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFixNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFixNumber.directive.js

**MD5:** 29d24835a3a3f09d56371f64a9e5501d

**SHA1:** 74508076d24cd85f342390ee1809e2bb70f48839

**SHA256:** 6a20d4eca5c69740c0fa2f99c209aed92ffa49c48848e3ff63ab6fc9b2f6ac32

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: unitFloatNumber.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/number/unitFloatNumber.directive.js  
**MD5:** 1d3c2d9b2853e77c53b7f755e4f82bc0  
**SHA1:** 56134dad87141744f8fee3574ebde43a96484ce5  
**SHA256:**dde76e45fa7be7de9e04b3eb5a33954d8c2470636fa945458c08031b593b7492  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: userservice.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/userdetails/userservice.js  
**MD5:** 2dd0b8375265a6ed68641819428de40a  
**SHA1:** 6dd8650e16e461e04b2261d6d8e3c0992e451e5d  
**SHA256:**3221cad085226391898e3d6fc0a9bdd431e46fe035d13029e89cbc497ecf6a28  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usersorgroupsselection.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/usersorgroupsselection/usersorgroupsselection.js  
**MD5:** ba532f7f8d9ad9ddcd5e43589c875a9f

**SHA1:** 878776cbfda46c3ba5b5c4c2340576fbab6ea109  
**SHA256:** 7e213a45192881f06c8f3d521d02f32a8c380bb2c4551c6d1c527f4afceba266  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: usestrict.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/usestrict.js  
**MD5:** 8e742d11d6b24c401e35f3b516726584  
**SHA1:** 89b72153bd7e6390415ba25b9b5fbe750e6e16d5  
**SHA256:** 8e8cc72e61ff6f6c0c945a976756d112732c499cd64fc5b207bb213fc84a1e40  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: remotegui.jar: websitedownload.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/modules/website/js/websitedownload.renderer.js  
**MD5:** 997a09bf4e3740f123d6933770b57ed1  
**SHA1:** d59541fedeba1aa388dc41757bccde3f35324d1a  
**SHA256:** 53a3d1d2454b0730a885b126c853b9ee7a53ff1e01266fc2aae4b758fa1dd7a3  
**Referenced In Project/Scope:** server

#### Evidence






Type	Source	Name	Value	Confidence
Identifiers				
• None				

remotegui.zip: remotegui.jar: websocketdataservice.js


**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketdataservice.js  
**MD5:** 56e88d9e4985d37afa97430a2d4f24dd  
**SHA1:** c1622a008f03218ec13c155b53d3f7f17a846650  
**SHA256:** 3b625fd3ce9f72757338a9a5c014a1c90f4be622323849bd21d5f0076e52fdca  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
• None				

remotegui.zip: remotegui.jar: websocketkeepaliveworker.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/websocketkeepaliveworker.js  
**MD5:** b378595229f68cdd9acc7775a85e3746  
**SHA1:** 5eb59a40044f9cfb861f3c39cf4969cb7e969323  
**SHA256:** d695e751ea4e77b998aefab636299872246f04af2b189623dde151cce2fca67d  
**Referenced In Project/Scope:** server

Evidence 				
Type	Source	Name	Value	Confidence

Identifiers				
-------------	--	--	--	--

- None

### remotegui.zip: remotegui.jar: windowdatastore.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/remotegui.jar/com/inet/remote/gui/angular/weblib/inet/js/windowdatastore.js  
**MD5:** f9cf627d8040037181eed0b792258784  
**SHA1:** b308fd5ef5d759a9891870ce0b9ae57e62fe338b  
**SHA256:** c80f708b2a3dcd3c44dabdcbc44165276c349e1226024fc40683a5ba68f03035  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remotegui.zip: twemoji.jar

#### License:

MIT

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/twemoji.jar  
**MD5:** af9b535ef495075dfb0a7d5bec95eee6  
**SHA1:** 0a559adee289b6b855ad1294b17dd71d9f3d21eb  
**SHA256:** 9ce4f61ef563851b37c3918c54a876a865d2f66fda5f80dd2bfecebb2d7e386f  
**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	twemoji	High
Vendor	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Vendor	pom	artifactid	twemoji-null	Low
Vendor	pom	groupid	lib	Highest
Vendor	pom	url	twitter/twemoji/blob/master/LICENSE	Highest

Product	file	name	twemoji	High
Product	Manifest	url	https://github.com/twitter/twemoji/blob/master/LICENSE	Low
Product	pom	artifactid	twemoji-null	Highest
Product	pom	groupid	lib	Highest
Product	pom	url	twitter/twemoji/blob/master/LICENSE	High
Version	pom	version	1.0	Highest

#### Identifiers

- pkg:maven/lib/twemoji-null@1.0 (Confidence:High)

### remoteprinting.zip: remoteprinting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar

**MD5:** bfb2a45b0cb310593e3a184855675a58

**SHA1:** ba660e6d3854e39e36ab11203351aebb9771cdb5

**SHA256:** 8fe102dd78217709e12bd3cdb4901213514ad6e83fad1d7bd8a28bb29cd16763

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	remoteprinting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	remoteprinting	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	built-date	2026-06-16 18:08	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	remoteprinting	High
Product	jar	package name	remoteprinting	Highest

Product	jar	package name	remoteprinting	Low
Product	jar	package name	report	Low
Product	Manifest	built-date	2026-06-16 18:08	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	remoteprinting	High
Product	Manifest	specification-title	remoteprinting	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: RemotePrintingRenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/usersandgroups/ui/RemotePrintingRenderer.js

**MD5:** 311da5e94edd3b1633ef74f41d8535c4

**SHA1:** 82d52fb3ffbc3f7d740a5577b2e008ef5b14e9cf

**SHA256:** 8e874308aebd3107ccbaa1e31261df485993743305fcde33f26eb70b4396353c

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### remoteprinting.zip: remoteprinting.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/app.js

**MD5:** e9d58ab93114f2f8c4846419ad3cb610

**SHA1:** be2fba1f2b2bb90a425e152468d58c4c3dad1fa4

**SHA256:**b5093c6a851aea8903fbea75bc7017fbf41db5a2af493c54ab990f3e43b7455c  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: htmlviewer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/htmlviewer.js  
**MD5:** 2a3040ebe6be31144a6c18dd266493b8  
**SHA1:** 830bfecfc5bb6ccaa82b258089d7c805385446b6  
**SHA256:**c355fe9bda5e2d30ed2828f4699935c5f185224260e91f108a17f3bfb8ec5f51  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

remoteprinting.zip: remoteprinting.jar: pdfviewer.angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/pdfviewer.angular.js  
**MD5:** d60d18a2dca3c15d611f1456193c3c11  
**SHA1:** 0b6623f3d7e631aa00b4d8a2e21b60fd2fcf8869  
**SHA256:**7cf145f10067d00f2f10e9d630f406c786b8e0982ca83926afbb60dae89b65a8  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.factory.js

**MD5:** c2d54900f0269c6d6014cfddd17b2eb4

**SHA1:** c7e01abe54655b7e94276834bcdf211425bf5b71

**SHA256:** 70edbfc77a2eabbbdbe35cd95ec2a666b9a3eab65345a262be3674f34d91971

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.js

**MD5:** 16a56a1a971953b07d0095d52081f748

**SHA1:** 24aea6fb2289f6031482fe451ff7edb2c33272ab

**SHA256:** a837a1b694adb622c3a74c148ebfee89e1e502a2544f57f4b56a076a8c1ca4a4

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.model.js

**MD5:** 434c0bfe160b59fa89c7c39e0352b205

**SHA1:** 7ecff74133eab2fa44190e6d93ff8f44b92a66e7

**SHA256:** 52159b25c45bbcb73ce401e498ad886b7a4376531bf845598420fbaf573d4d66

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## remoteprinting.zip: remoteprinting.jar: remoteprinting.renderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remoteprinting.zip/remoteprinting.jar/com/inet/report/remoteprinting/resources/js/remoteprinting.renderer.js

**MD5:** a98d951c6e47f583ddd1e91b8c40c8a6

**SHA1:** 35a2a7e45d9a815a673e241766379651ae8c3fec

**SHA256:** eae637a5e463c47ff44b2c8c0e2c1a9aa30a0caa7fc4b0266f79248e98822c5d

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: jcommon.jar

## Description:

JCommon is a free general purpose Java class library that is used in several projects at [www.jfree.org](http://www.jfree.org), including JFreeChart and JFreeReport.

## License:

GNU Lesser General Public Licence: <http://www.gnu.org/licenses/lgpl.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jcommon.jar

**MD5:** 3872e82627df950d40a949144a93e491

**SHA1:** d5016f7703896c38f9e511f8a9edda2585cbac8b

**SHA256:** 13e2596044935f76694cce65a22d1df908907ddcba0da2b49ff030930262d417

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jcommon	High
Vendor	jar	package name	jcommon	Highest
Vendor	jar	package name	jfree	Highest
Vendor	jar	package name	jfree	Low
Vendor	jar	package name	library	Highest
Vendor	jar	package name	ui	Low
Vendor	pom	artifactid	jcommon	Low
Vendor	pom	developer email	dave@jfree.org	Low
Vendor	pom	developer name	David Gilbert	Medium
Vendor	pom	developer org	Object Refinery Limited	Medium
Vendor	pom	developer org URL	<a href="http://www.object-refinery.com">http://www.object-refinery.com</a>	Medium
Vendor	pom	groupid	org.jfree	Highest
Vendor	pom	name	JCommon	High
Vendor	pom	organization name	JFree.org	High
Vendor	pom	organization url	<a href="http://www.jfree.org/">http://www.jfree.org/</a>	Medium
Vendor	pom	url	<a href="http://www.jfree.org/jcommon/">http://www.jfree.org/jcommon/</a>	Highest
Product	file	name	jcommon	High
Product	jar	package name	jcommon	Highest
Product	jar	package name	jfree	Highest
Product	jar	package name	library	Highest
Product	jar	package name	ui	Low
Product	pom	artifactid	jcommon	Highest



Product	pom	developer email	dave@jfree.org	Low
Product	pom	developer name	David Gilbert	Low
Product	pom	developer org	Object Refinery Limited	Low
Product	pom	developer org URL	http://www.object-refinery.com	Low
Product	pom	groupid	org.jfree	Highest
Product	pom	name	JCommon	High
Product	pom	organization name	JFree.org	Low
Product	pom	organization url	http://www.jfree.org/	Low
Product	pom	url	http://www.jfree.org/jcommon/	Medium
Version	pom	version	1.0.24	Highest

#### Identifiers

- pkg:maven/org.jfree/jcommon@1.0.24 (Confidence:High)

### reporting.zip: jfreechartCC.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/jfreechartCC.jar

**MD5:** aef5d2d90a72367ac90b983da83b338d

**SHA1:** ef09b2c440417fb05656e517796ab944b3b3fb18

**SHA256:** f1d83ba03637cafd5ce76b92afc3d4a7f9ea0ba6e22f8a3226b7f6ab89b761e4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	jfreechartCC	High
Vendor	jar	package name	chart	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	jfree	Low
Vendor	Manifest	built-date	2026-06-16 17:47	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	jfreechartCC	High
Product	jar	package name	chart	Low
Product	jar	package name	jfree	Low
Product	Manifest	built-date	2026-06-16 17:47	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	jfreechartCC	High
Product	Manifest	specification-title	jfreechartCC	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- [cpe:2.3:a:jfree:jfreechart:26.4.269:.\\*.\\*.\\*.\\*.\\*](#) (Confidence:Low) suppress

### reporting.zip: reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar

**MD5:** 89f89c74676a72cf0eab2f33ec6b583f

**SHA1:** e84d1cff698a631be7a71dc39bdab359f08b7b32

**SHA256:** 24961275472a9cda78e7dd00012bb5d335558fc81c8eee1073904d70931f431c

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	reporting-javadoc	High
Product	file	name	reporting-javadoc	High

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/member-search-index.js

**MD5:** b8c09fd0db0e2bd97d2003db9c82b08e

**SHA1:** e7a9781e687c93247de4986ae6dbb370545048b2

**SHA256:** 7c7ef01bf3fe94718ce8aa50f4b2d6db62a476526df83cadf2f741b23dc4b59e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/package-search-index.js

**MD5:** 0e9b226a07b42cfcc14f079553882a07

**SHA1:** 1ad5983272121c134b9aa4e5fd6f8aa8e6cbb248

**SHA256:** 20fcfaadb5de97f72c10ad482391191176d06409222ff2458e011496ce0e9c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/tag-search-

index.js

**MD5:** 88ed2e535fd1ad39ddc4676528e17371

**SHA1:** c72f3af7b97cee4b738d0e8eeffb75626220920

**SHA256:**309ff647d88085aa4bc6072589aff41e9eab4c32d0ffd64f16799e111fe42d33

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting-javadoc.jar: type-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting-javadoc.jar/type-search-index.js

**MD5:** b6afd09bfaf5cde53a1dbaeae74cc4ad

**SHA1:** 4036628961ce14741cb5c6e5910810f551cf6b23

**SHA256:**f33d36fbb1805066d7c68dd35ac3e79f553c739b1f883c68faf0b5ea90fba806

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar

**MD5:** 861d98c6c764cd0bc79256c4804f1321

**SHA1:** f562c8450873d2b01e7ba921227a61c401a606e5

**SHA256:**db5e97ea794b77807c220c3c94da698a07b5bdd395ed86dd6ed58eafc470dd3c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	reporting	High
Vendor	jar	package name	i	Highest
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 17:51	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	reporting	High
Product	jar	package name	permissions	Highest
Product	jar	package name	report	Low
Product	jar	package name	reporting	Highest
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 17:51	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	reporting	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	reporting	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low

Version	jar	package name	permissions	Highest
Version	jar	package name	reporting	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### reporting.zip: reporting.jar: events.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/events.js

**MD5:** 867af7b9527093452195d3057166a9ca

**SHA1:** e4856efc3e95a20f25beff5da4ce9b907c3a1575

**SHA256:** c342986741d1c87b03bfc899d7640ab9267f3e95c5a744e75c5ee12c321f2408

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/export.js

**MD5:** 25d677f9db7379990f234c6e0e8a3eca

**SHA1:** 36c595def0ffb9bd0f3d8d648cf3d68c9bd8a70e

**SHA256:** 31874fa566bc0532b344ede59518de718ec056b5fccff2b30bfc5130d1ec0d7d

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: functions.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/functions.js

**MD5:** 4cd489d3699e18018f4ee1c88710a066

**SHA1:** 1fea1856f278aa8a929db3b5dca00fc44bc6de0d

**SHA256:** 31dd7b3daef9e4ca25bf78e180523407ff4d332f987eb9223b63e36ef4d7f93e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: generator.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/generator.js

**MD5:** d98c2ca06a72837183dc17a3eeec0039

**SHA1:** cfa6d7f381d3cb43b6702884df53b0fa08149fc8

**SHA256:** b865ad0a07fa5779ed8ae8610cf3129c95c79337b20cbe479477b13d2c83d876

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: grouptree.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/grouptree.js

**MD5:** 03effe09b42d19447ffc8cb035ef827f

**SHA1:** 3c8c2af60ab10e237af37bbf3a0a2d6106870cde

**SHA256:** 9cbd9e01ec128a9fd563ee1dbe271e644b68b75f50cabf37a6312b21ed61f6a3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: htmlreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/htmlreportextension.js

**MD5:** 4a91827e853ef0bf19cf06f343e18e98

**SHA1:** fda14009355a1098b25c75a307900e27d43a5e09

**SHA256:** 004b3358d2bc621a7bb7c3b3f7e350876ed7904cd41c4d51d88533babf4cf590

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: jstorage.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/jstorage.js  
**MD5:** 8078b278235f9eb8cf63b1474a1362db  
**SHA1:** feb74af17fb5ba7b01c4ad997759ec21ac685ad5  
**SHA256:** 9d86bf1ad26f873ca615b15fc8cab964e332fa363317b8569c3f624fc947d8a8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: keylistener.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/keylistener.js  
**MD5:** 54d50496c4b43d4c78c30facfd01809d  
**SHA1:** 9e29b6d13b0478339596ac131e214c605e10fa0d  
**SHA256:** 29f7a3a51b8d139109d0165111d062e6e9ecd2c2d90de1e99b539da6c2e966bf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: menubar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/menubar.js  
**MD5:** 099169d0a3d25046ba4b860524aa7a82  
**SHA1:** 883182b88b9f121cb15fe7e50b3525155a42804c  
**SHA256:** 99e365d834acb556e56266cdfc95a8e7394946c30d5ea93f3571d6889f0f694d  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: page.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/page.js

**MD5:** 214a1cd3653bb9aa3cec9078e6ee3316

**SHA1:** edb8d66493699591d0202d1a14b8f34af49daa75

**SHA256:** c559154fab98f5343d44cb8c02a2203f800eabd9e13d1fd9dd926440ee5fe825

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: pagecount.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/pagecount.js

**MD5:** c6823ab782e12fa9e9c0325321ab0011

**SHA1:** facbdd75d7176e5809cebd5d5702cfbb0bf677ac

**SHA256:** 5d189f3efc0e10f5c5e85964e89ffde18c81a1279c9132c64453f2a149423a5e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: popup.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/popup.js

**MD5:** c3941efe0d33e1e9b046fccd239033cb

**SHA1:** 53951b79a3c0e93768dd4043b3d16d884fc2c7ca

**SHA256:** 0ed137328526d278076dcab6bfac9792717dadda6c0776cc839710fa0f1e49a3

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: print.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/print.js

**MD5:** f8fec5b39e4c5055f35e01c926e8b959

**SHA1:** b4f6666f078b60a130ec12b993d2884b2d3f81e7

**SHA256:** 2e3276591241b179642f2159147f317f020fc03df408dfbe6f8d370cd04f5824

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prompts.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/prompts.js

**MD5:** b5e825c168df1d8d8410e24c48233595

**SHA1:** ff14859b4fe2cb8b27c9c27022ba98f066427723

**SHA256:** 54fa856daa5054e91f57d9b6897a1cce1045f26a793a16c0cec56b3608f40458

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.array.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.array.js

**MD5:** c69ba575e53ba415b800f18386ce2d65

**SHA1:** 968d437fa28bd784a3dac6a58d090027bf8e0563

**SHA256:** 6dcde95b98fa808923a311e7b4a345da4c1b3df17ea2554294d6ef47e871dad5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: prototype.element.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.element.js  
**MD5:** b51b2dd46fafbff64c30ff2e731c814d  
**SHA1:** ea525bae8dd23860d1b8202869a316626af91c26  
**SHA256:** bd28001d8f95e450a5aed4bcd72851bbc126f9f5efb13feba698c034774a06ff  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: prototype.string.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/helper/prototype.string.js  
**MD5:** f0bb166a036ca364a6c047d345fc9a0e  
**SHA1:** d491f3851e9aa5d8fd70d4139669635eb5cdd1b0  
**SHA256:** fd0fc8d93a6bce3d07ec8a7db922110e3d15f5f0a7a66562599f9b369b6f6f30  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: renderreportextension.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/plugins/drive/client/js/renderreportextension.js  
**MD5:** e4f2d17c10a193f2e46e30c80de52d09  
**SHA1:** d37d5dc99e12ada04ae0737c180ced7fef7450c7  
**SHA256:** ddf8e053d7cd180056fdd26cd15e3e269b917ce948d11b7a487dd6d000dc5051  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: reorder.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/reorder.js

**MD5:** c2f6f517d3d3f572c54fe096339ff49d

**SHA1:** a429dd95146869f4ab9b00c3611947ddf6b91d1a

**SHA256:** d4dbc3e3b8d16c84dc14e11b1e02ed413473d7d8da48b2c733f8c7024179f7fd

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: report.export.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.export.js

**MD5:** 060f048154e68038e3efda537965caae

**SHA1:** 6661b3bc132056b52ae4eaa2245936d621500fd4

**SHA256:** 8a76aa9e98d85c963679e1b9c4bb28fafca2e93c68c9fe36db081b53832f8152

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: report.exportdialog.controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.controller.js

**MD5:** e48a981961d84d12f1a2ff4b67cd6236

**SHA1:** e3c672ca42e65d0b5f5948751a86a358c3a80a1d

**SHA256:** 3853445607093982593d457ae886722cd5b176d4aa4fe7d048244e93db31f988

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: report.exportdialog.service.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportdialog.service.js

**MD5:** be1e040562072f4ef212c32a9316f615

**SHA1:** d9a898d1e1f39059850323d65ebf297a7018e281

**SHA256:** 9abf610809770a33accb4a5b680235783493ac536949a6aeba805f5699a20d3d

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

## reporting.zip: reporting.jar: report.exportframe.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/exportwebui/js/report.exportframe.js

**MD5:** 1a0aa48da1c7c670e0dd2f075700914f

**SHA1:** 8479d5d2ff2de08e5ae8d9abd868b070b94ad2b4

**SHA256:** 956d0b81c1acbff489a51c66fc5ef8be0b7dfe05ea1276dc28e2b2846dd27eb8

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: script.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/script.js

**MD5:** 1281870e7b30196697f7509d4753a5ac

**SHA1:** a2eaf3451dcf61a56f954bc5d0cf56b73afeddda

**SHA256:** 5209a26676a5ef7efcefb25af75c6f5b7aeaa3ad1c1993e865471ccf62e4c500

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: search.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/search.js  
**MD5:** faa3f4fb9604ed70bec53256b055ffa6  
**SHA1:** 892688617be684946fa39098413d0c55d9e769cc  
**SHA256:** ea1c42a5640880562ea7639e1c6ff2bb1af2496964ce572c64fa7735b51a5f6f  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: serverping.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/serverping.js  
**MD5:** 6124f0f67286f7e3fbf239bdc4988d95  
**SHA1:** aa0bb794c4e5c40bf4a7e580e251c2d15ae09e1d  
**SHA256:** f688956f4c5cba792d04903423d249f8eeeaaffe37e3537b723f10572cf0d66d8  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### reporting.zip: reporting.jar: stacktrace.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/stacktrace.js  
**MD5:** e9687f11beba8f607c0c98af4eb0cc94  
**SHA1:** f92f65d1f27fad2febcc8ad23824f10f51cc722b  
**SHA256:** 0b4e8ce367ded3ec4d68ff2fa931958f8e3d99d649e7175b4a1e62f27cf15701  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## reporting.zip: reporting.jar: tabbar.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/reporting.zip/reporting.jar/com/inet/report/renderer/html/viewer/modules/tabbar.js

**MD5:** fdb707b4dc212e365bff1fa637bbfa32

**SHA1:** 14e364be23b61f3f94427a79ce8c0f87bb186c04

**SHA256:** f9e18e41672898499dd50f0e802618952e153ddb40c052148dff9edce742a0ba

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## sampleapplication.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Application/CurrentTimePlugin/src/com/inet/application/currenttime/sampleapplication.js

**MD5:** a0b6ce01eb88d27464c409bd56d4fa65

**SHA1:** c23569535b8a3fb31880228a5e8c3efd42555175

**SHA256:** 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdb8e8655b68fbc7102b021905

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Related Dependencies



- application.currenttime.sample.zip: sampleapplication.js
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples /Plugin - Samples/Application/CurrentTimePlugin/application.currenttime.sample.zip/src/com/inet/application/currenttime/sampleapplication.js
  - MD5: a0b6ce01eb88d27464c409bd56d4fa65
  - SHA1: c23569535b8a3fb31880228a5e8c3efd42555175
  - SHA256: 8d80f1c43ca8a4dba57c52e977bd61d92acae6cfdbe8655b68fbc7102b021905

## Identifiers

- None

## sampldatabase.zip: sampldatabase.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampldatabase.zip/sampldatabase.jar

**MD5:** 49bd0e55d3cda4364e514b454df6cd26

**SHA1:** ca6a5cf09b8e8a978bbbea59b7f94583e49633e0

**SHA256:**a453871d7d307e5c830aadf550046ade9a9241c64aa0a1042cb5ad05b8ee86b4

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sampldatabase	High
Vendor	jar	package name	designer	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	sampldatabase	Low
Vendor	Manifest	application-library-allowable-codebase	*	Low
Vendor	Manifest	built-date	2026-06-16 18:07	Low
Vendor	Manifest	codebase	*	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium

Vendor	Manifest	permissions	all-permissions	Low
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	trusted-library	false	Low
Vendor	Manifest	trusted-only	false	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sampldatabase	High
Product	jar	package name	designer	Low
Product	jar	package name	sampldatabase	Highest
Product	jar	package name	sampldatabase	Low
Product	Manifest	application-library-allowable-codebase	*	Low
Product	Manifest	built-date	2026-06-16 18:07	Low
Product	Manifest	codebase	*	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sampldatabase	High
Product	Manifest	permissions	all-permissions	Low
Product	Manifest	specification-title	sampldatabase	Medium
Product	Manifest	trusted-library	false	Low
Product	Manifest	trusted-only	false	Low
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### sampledatabase.zip: smallsql.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sampledatabase.zip/smallsql.jar

**MD5:** a85e63aac9630d46b06baaf8e405085a

**SHA1:** bc3097212ad32b21b2fd14ec0fa68e369a6e17f0

**SHA256:** fdc0c0d1883046fd8b0b8155ce94b2e1d6642679d51842ccc1c5b5343f9519a4

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	smallsql	High
Vendor	jar	package name	database	Low
Vendor	jar	package name	smallsql	Low
Product	file	name	smallsql	High
Product	jar	package name	database	Low

## Identifiers

- None

## samlereports.zip: samlereports.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/samlereports.zip/samlereports.jar

**MD5:** ebf0e9631735bc84738cc7454ad09db6

**SHA1:** 9f827ec6d3d9dea734f96f1cc726a0189ea657c1

**SHA256:** 1cb78e0f9e935ea35ca0596d4132b80fcbc15cd784685bc72233bf124998f096

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	samlereports	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	samples	Low
Vendor	Manifest	built-date	2026-06-16 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	samlereports	High

Product	jar	package name	report	Low
Product	jar	package name	samples	Low
Product	Manifest	built-date	2026-06-16 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	samlereports	High
Product	Manifest	specification-title	samlereports	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### search-worker.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/search-worker.min.js

**MD5:** 47abf1488f83153cf137469916b53827

**SHA1:** 0f171686aaf4dea550d3863893f096607e628f57

**SHA256:** d97d66cd137b882900fa332b68d5df95c0c0295667858cc36c3c6956aea5d8c9

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### security.zip: security.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/security.zip/security.jar

**MD5:** 4a8b3dfae024d178cfea6765da1f2810

**SHA1:** 75c5de2b84422c0b95219a5174acf92d66addcd4  
**SHA256:**9649060d0df75df8658f14c581e268787a4898972dfb319aff8b9fca18562b09  
**Referenced In Project/Scope:** server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	file	name	security	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	security	Low
Vendor	jar	package name	server	Low
Vendor	Manifest	built-date	2026-06-16 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	security	High
Product	jar	package name	security	Highest
Product	jar	package name	security	Low
Product	jar	package name	server	Low
Product	Manifest	built-date	2026-06-16 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	security	High
Product	Manifest	specification-title	security	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/sessiondatasource.sample.zip  
/sessiondatasource.sample.jar  
**MD5:** b050fc10cdb71ca355e31427c587e99d  
**SHA1:** 314eec2892fb4d30917e2d0fded54f2e031c8c5b  
**SHA256:**f4f3fad61b538b03a8e64ee4219cd68dc5d41fd4766e8039a10432f14b1822ee  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	sessiondatasource.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	samples	Low
Vendor	jar	package name	session	Low
Vendor	Manifest	built-date	2026-06-16 17:50	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	sessiondatasource.sample	High
Product	jar	package name	datasource	Low
Product	jar	package name	samples	Low
Product	jar	package name	session	Low
Product	Manifest	built-date	2026-06-16 17:50	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	sessiondatasource.sample	High
Product	Manifest	specification-title	sessiondatasource.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Related Dependencies



- sessiondatasource.sample.zip: sessiondatasource.sample.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples



/Plugin - Samples/SessionDatasource/sessiondatasource.sample.zip

/sessiondatasource.sample.jar

- MD5: b050fc10cdb71ca355e31427c587e99d
- SHA1: 314eec2892fb4d30917e2d0fded54f2e031c8c5b
- SHA256: f4f3fad61b538b03a8e64ee4219cd68dc5d41fd4766e8039a10432f14b1822ee

#### Identifiers

- None

## setuplauncher.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/setuplauncher.jar

**MD5:** aa8aeb35cf7f81bf8e4065a4307300e9

**SHA1:** b1ad32a52892a88d8db2fa0c3d47a4759b683938

**SHA256:** 6d28fda4db829e9a8c47b3a08faa68c13dc2f60ef8e0365841e8529c22e31ea8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	setuplauncher	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	setuplauncher	Low
Vendor	Manifest	built-date	2026-06-16 16:36	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	setuplauncher	High
Product	jar	package name	setuplauncher	Highest
Product	jar	package name	setuplauncher	Low
Product	Manifest	built-date	2026-06-16 16:36	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-	setuplauncher	High

		Title		
Product	Manifest	specification-title	setuplauncher	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### singulink.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/singulink.js

**MD5:** 32a5c8a1926f4a78c621943e6edfcae5

**SHA1:** ea1092c6b0f8e74290f8102f696b44ac31166f67

**SHA256:** fcee5c1c8d1639b835f7b457e8716807b66b15b477fb08ed051e1d4cf5455b1a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### slf4j-api-2.0.17.jar

#### Description:

The slf4j API

#### License:

<https://opensource.org/license/mit>

**File Path:** /home/jenkins/.gradle/caches/modules-2/files-2.1/org.slf4j/slf4j-api/2.0.17/d9e58ac9c7779ba3bf8142aff6c830617a7fe60f/slf4j-api-2.0.17.jar

**MD5:** b6480d114a23683498ac3f746f959d2f

**SHA1:** d9e58ac9c7779ba3bf8142aff6c830617a7fe60f

**SHA256:** 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832

**Referenced In Projects/Scopes:**

- server

- server:inetPlugin

**Included by:** pkg:maven/clear-reports/server@26.4

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	slf4j-api	High
Vendor	gradle	artifactid	slf4j-api	Highest
Vendor	gradle	groupid	org.slf4j	Highest
Vendor	jar	package name	slf4j	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	bundle-docurl	http://www.slf4j.org	Low
Vendor	Manifest	bundle-symbolicname	slf4j.api	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	slf4j-api	Low
Vendor	pom	groupid	org.slf4j	Highest
Vendor	pom	name	SLF4J API Module	High
Vendor	pom	parent-artifactid	slf4j-parent	Low
Vendor	pom	url	http://www.slf4j.org	Highest
Product	file	name	slf4j-api	High
Product	gradle	artifactid	slf4j-api	Highest
Product	jar	package name	slf4j	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	bundle-docurl	http://www.slf4j.org	Low
Product	Manifest	Bundle-Name	SLF4J API Module	Medium
Product	Manifest	bundle-symbolicname	slf4j.api	Medium
Product	Manifest	Implementation-Title	slf4j-api	High
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	slf4j-api	Highest
Product	pom	groupid	org.slf4j	Highest
Product	pom	name	SLF4J API Module	High
Product	pom	parent-artifactid	slf4j-parent	Medium
Product	pom	url	http://www.slf4j.org	Medium
Version	file	version	2.0.17	High

Version	gradle	version	2.0.17	Highest
Version	Manifest	Bundle-Version	2.0.17	High
Version	Manifest	Implementation-Version	2.0.17	High
Version	pom	version	2.0.17	Highest

#### Related Dependencies

- facturx.zip: slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/facturx.zip/slf4j-api.jar
  - MD5: b6480d114a23683498ac3f746f959d2f
  - SHA1: d9e58ac9c7779ba3bf8142aff6c830617a7fe60f
  - SHA256: 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832
  - pkg:maven/org.slf4j/slf4j-api@2.0.17
- slf4j-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/core/slf4j-api.jar
  - MD5: b6480d114a23683498ac3f746f959d2f
  - SHA1: d9e58ac9c7779ba3bf8142aff6c830617a7fe60f
  - SHA256: 7b751d952061954d5abfed7181c1f645d336091b679891591d63329c622eb832

#### Identifiers

- pkg:maven/org.slf4j/slf4j-api@2.0.17 (*Confidence:High*)

### statistics.reporting.zip: statistics.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.reporting.zip/statistics.reporting.jar

**MD5:** 7383c6393799c671ec34c8cde7f50a65

**SHA1:** 6afcdcd5fea6439eccc08c3d1b34a1b1363dcfe7

**SHA256:** 253b69ec02fe030753b740215f7db15c5afce2b645bb28d7511d57cd0c6b3b6b

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	statistics.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	statistics	Low

Vendor	Manifest	built-date	2026-06-16 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	reports	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2026-06-16 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-Title	statistics.reporting	High
Product	Manifest	specification-title	statistics.reporting	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### statistics.zip: statistics.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar

**MD5:** a9e404b4088b30550b2971a3caa13e3d

**SHA1:** 6d58ba7677a66f89dea2a1f3d31ea046263e158b

**SHA256:** 05d0f7f7c9a0d437cb133869d61341c54499fab627019edd3e8b11e2273d97ae

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	statistics	High

Vendor	jar	package name	inet	Low
Vendor	jar	package name	shared	Low
Vendor	jar	package name	statistics	Low
Vendor	Manifest	built-date	2026-06-16 16:47	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	statistics	High
Product	jar	package name	shared	Highest
Product	jar	package name	shared	Low
Product	jar	package name	statistics	Highest
Product	jar	package name	statistics	Low
Product	Manifest	built-date	2026-06-16 16:47	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	statistics	High
Product	Manifest	specification-title	statistics	Medium
Version	jar	package name	shared	Highest
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### statistics.zip: statistics.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/controller.js

**MD5:** 936f23a64d53bc9c7f1804aae38a4917

**SHA1:** 2ea584d4f7d5dfbed071de6d1472417f97a0a7bb  
**SHA256:**76548a102cce01dda624899200df5442aacd921206fc0cb9c6b3422e2d26b604  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### statistics.zip: statistics.jar: embeddedstatisticsapp.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/server/embeddingapi/embeddedstatisticsapp.js  
**MD5:** c479caec82cfc22aa3d0d006a413cad2  
**SHA1:** 5774a48ac9d363bebc83f21d510b590686c874e3  
**SHA256:**5364a3cc82eaf8046de8d6e89a4c14b4de33b2269e07c2606faee105d690e11d  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### statistics.zip: statistics.jar: rendererstatistics.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/rendererstatistics.js  
**MD5:** 075f725509143c82fa410fdebb2b5264  
**SHA1:** 5e800728830be4d13c9d089984e9b107283cd590  
**SHA256:**f5aafb40f1f084c51c2d951c960af49d87da5e3f2766eac7915491dcbd3489fb  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Identifiers				
• None				

statistics.zip: statistics.jar: statisticsFactory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/statistics.zip/statistics.jar/com/inet/shared/statistics/resources/js/statisticsFactory.js  
**MD5:** b15faeabe2108ee761c4a0603022d068  
**SHA1:** cacefd7bf9b20be1e15931cd570e91317ecc7814  
**SHA256:**bcae83a33d627c9699155e9690523b20e31364bffb1784aa5b9eb48e05ee410b  
**Referenced In Project/Scope:** server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence
Identifiers				
• None				

svgSalamander.jar

**Description:**  
A tool for displaying and playing SVG content using the Java2D.  
**License:**  
BSD License: <https://opensource.org/licenses/BSD-2-Clause>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/beans/svgSalamander.jar  
**MD5:** ec89e47e9c1e331577b9f37132643030  
**SHA1:** 2834461bf9d561fbf8b8531503e5718c582ae800  
**SHA256:**ad12ea694ebec5b50b10322e72b7e2cfb6d1689f5ba0bcd58b08f02c1f50c765  
**Referenced In Project/Scope:** server

Evidence <span>+</span>				
Type	Source	Name	Value	Confidence



Vendor	file	name	svgSalamander	High
Vendor	jar	package name	a	Highest
Vendor	jar	package name	kitfox	Highest
Vendor	jar	package name	kitfox	Low
Vendor	jar	package name	svg	Highest
Vendor	jar	package name	svg	Low
Vendor	pom	artifactid	svgSalamander	Low
Vendor	pom	developer email	mark@kitfox.com	Low
Vendor	pom	developer name	Mark McKay	Medium
Vendor	pom	developer org	kitfox.com	Medium
Vendor	pom	developer org URL	http://www.kitfox.com	Medium
Vendor	pom	groupid	guru.nidi.com.kitfox	Highest
Vendor	pom	name	com.kitfox:svgSalamander	High
Vendor	pom	url	blackears/svgSalamander	Highest
Product	file	name	svgSalamander	High
Product	jar	package name	a	Highest
Product	jar	package name	kitfox	Highest
Product	jar	package name	svg	Highest
Product	jar	package name	svg	Low
Product	pom	artifactid	svgSalamander	Highest
Product	pom	developer email	mark@kitfox.com	Low
Product	pom	developer name	Mark McKay	Low
Product	pom	developer org	kitfox.com	Low
Product	pom	developer org URL	http://www.kitfox.com	Low
Product	pom	groupid	guru.nidi.com.kitfox	Highest
Product	pom	name	com.kitfox:svgSalamander	High
Product	pom	url	blackears/svgSalamander	High
Version	pom	version	1.1.3	Highest

## Identifiers

- pkg:maven/guru.nidi.com.kitfox/svgSalamander@1.1.3 (Confidence:High)
- cpe:2.3:a:kitfox:svg\_salamander:1.1.3:\*:\*:\*:\*:\* (Confidence:Low) suppress

## taskplanner.databaseaction.sample.zip: taskplanner.databaseaction.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/DatabaseActionPlugin/taskplanner.databaseaction.sample.zip/taskplanner.databaseaction.sample.jar

**MD5:** 4f2f43739f7b55f5e9856c03b4312fad

**SHA1:** 4e75943cd531df30ade6cdb2d2e699fa7b174a81

**SHA256:** c02a55e16ba535287a3dfc974ac9a791e978f3742545df438d098179afecccdf

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.databaseaction.sample	High
Vendor	jar	package name	databaseaction	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.databaseaction.sample	High
Product	jar	package name	databaseaction	Highest
Product	jar	package name	databaseaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.databaseaction.sample	High
Product	Manifest	specification-title	taskplanner.databaseaction.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

taskplanner.logaction.sample.zip: taskplanner.logaction.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller /server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner /LogActionPlugin/taskplanner.logaction.sample.zip/taskplanner.logaction.sample.jar  
**MD5:** f3f25fed7973e6dbaf6a1b46ae84a62f  
**SHA1:** d883321f80fc23c1d4ca868fb7447463e27658f9  
**SHA256:**82161ac0699b14e040e226399a0376621b5c026b224acc90455115587c027ab7  
**Referenced In Project/Scope:** server

Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.logaction.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	logaction	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.logaction.sample	High
Product	jar	package name	logaction	Highest
Product	jar	package name	logaction	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.logaction.sample	High

Product	Manifest	specification-title	taskplanner.logaction.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### taskplanner.openweathermap.sample.zip: taskplanner.openweathermap.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/TaskPlanner/OpenWeatherMapPlugin/taskplanner.openweathermap.sample.zip/taskplanner.openweathermap.sample.jar

**MD5:** 1a8f9a4651e1e5a657e4ebda0284bb75

**SHA1:** 1f731ec5f0d33e9a2b7e704f63ce915335c2502e

**SHA256:** 69fe67fad03aaa7074fecbbf3d953ab2143a54a9d31261e013dcfbc97cbafa7e

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.openweathermap.sample	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	openweathermap	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.openweathermap.sample	High
Product	jar	package name	openweathermap	Highest
Product	jar	package name	openweathermap	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low

Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner.openweathermap.sample	High
Product	Manifest	specification-title	taskplanner.openweathermap.sample	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar

**MD5:** 96b006a44c6ac6041e33622dd39c1425

**SHA1:** 06dd0bfdb2bf51013970117fb8f74d327982ef1d

**SHA256:** e6c66feef0d4efcec4dc7dc6014998d86576c3213ac2360f0e5d829328482ae2

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting-javadoc	High
Product	file	name	taskplanner.reporting-javadoc	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/member-search-index.js

**MD5:** e6436177f2a65518f5cf4b070d5493ca

**SHA1:** 03b6799e2b30fb06d6b5d58eff19a2510f8211e4

**SHA256:**fb3eb0a4e1df7921b102171037d50dcddfdf23534eff6b4b2eb86c18e61774ab  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: package-search-index.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/package-search-index.js  
**MD5:** 731a4c022db04958505cac93a04e6b50  
**SHA1:** 9cd30cca29d1e5da543102a71516489263024976  
**SHA256:**a6d4a9ac4a317c37a377f7c4e515356ba2ba8d52f94e252c10404741ece73e95  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

**taskplanner.reporting.zip: taskplanner.reporting-javadoc.jar: type-search-index.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting-javadoc.jar/type-search-index.js  
**MD5:** 53b73ac2f78f40229e35ff45954719d3  
**SHA1:** 2aaefd1bf6b75ededd8d2304f07df3407a1a723b  
**SHA256:**05f588fbe1cb51380d1e4912b78305916920aa3402caaf0d79dcdba171748e4f  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

## Identifiers

- None

## taskplanner.reporting.zip: taskplanner.reporting.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar

**MD5:** cc6f31dfae90f629f6152af557f0b4d0

**SHA1:** d20f4a2333545febf137bf65e05b9e27f8789579

**SHA256:** 04f89fb2a17200d7e47b0a3114ff4586764fdec16d94669da69b293931182e0f

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner.reporting	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	report	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 18:07	Low
Vendor	Manifest	implementation-group	reporting	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner.reporting	High
Product	jar	package name	report	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-06-16 18:07	Low
Product	Manifest	implementation-group	reporting	Low
Product	Manifest	Implementation-	taskplanner.reporting	High

		Title		
Product	Manifest	specification-title	taskplanner.reporting	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### taskplanner.reporting.zip: taskplanner.reporting.jar: crttaskplanner.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.reporting.zip/taskplanner.reporting.jar/com/inet/report/taskplanner/client/crttaskplanner.js

**MD5:** ea3fd5ef6a70616ed664aaeb73227b89

**SHA1:** 38cee119cd4daac08a3949a972643854a1b2acc5

**SHA256:** 83b12efacba175acc1938d90d8bdb8f3f94802f94d39fc11dbd5a08417ef03e0

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: commons-cli.jar

#### Description:

Apache Commons CLI provides a simple API for presenting, processing, and validating a Command Line Interface.

#### License:

<https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/commons-cli.jar

**MD5:** e689f5e4947368dd0233fc28f613f561



**SHA1:** a461452d3e31bebf2706323f8738ec44b19c96e1

**SHA256:** 8f7f8605d68e15bf32db61ec94eac6fdafc51b1bdbe1e0e0802b57d23f387792

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	commons-cli	High
Vendor	jar	package name	apache	Highest
Vendor	jar	package name	cli	Highest
Vendor	jar	package name	commons	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Vendor	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Vendor	Manifest	Implementation-Vendor	The Apache Software Foundation	High
Vendor	Manifest	Implementation-Vendor-Id	org.apache	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	Manifest	specification-vendor	The Apache Software Foundation	Low
Vendor	pom	artifactid	commons-cli	Low
Vendor	pom	developer email	bob@werken.com	Low
Vendor	pom	developer email	chtompki@apache.org	Low
Vendor	pom	developer email	ebourg@apache.org	Low
Vendor	pom	developer email	ggregory at apache.org	Low
Vendor	pom	developer email	jbjk@mac.com	Low
Vendor	pom	developer email	jstrachan@apache.org	Low
Vendor	pom	developer email	roxspring@imapmail.org	Low
Vendor	pom	developer email	tn@apache.org	Low
Vendor	pom	developer id	bob	Medium
Vendor	pom	developer id	chtompki	Medium
Vendor	pom	developer id	ebourg	Medium
Vendor	pom	developer id	ggregory	Medium
Vendor	pom	developer id	jkeyes	Medium
Vendor	pom	developer id	jstrachan	Medium
Vendor	pom	developer id	roxspring	Medium
Vendor	pom	developer id	tn	Medium

Vendor	pom	developer name	Bob McWhirter	Medium
Vendor	pom	developer name	Emmanuel Bourg	Medium
Vendor	pom	developer name	Gary Gregory	Medium
Vendor	pom	developer name	James Strachan	Medium
Vendor	pom	developer name	John Keyes	Medium
Vendor	pom	developer name	Rob Oxspring	Medium
Vendor	pom	developer name	Rob Tompkins	Medium
Vendor	pom	developer name	Thomas Neidhart	Medium
Vendor	pom	developer org	Ariane Software	Medium
Vendor	pom	developer org	Indigo Stone	Medium
Vendor	pom	developer org	integral Source	Medium
Vendor	pom	developer org	SpiritSoft, Inc.	Medium
Vendor	pom	developer org	The Apache Software Foundation	Medium
Vendor	pom	developer org	Werken	Medium
Vendor	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Medium
Vendor	pom	groupid	commons-cli	Highest
Vendor	pom	name	Apache Commons CLI	High
Vendor	pom	parent-artifactid	commons-parent	Low
Vendor	pom	parent-groupid	org.apache.commons	Medium
Vendor	pom	url	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Highest
Product	file	name	commons-cli	High
Product	jar	package name	apache	Highest
Product	jar	package name	cli	Highest
Product	jar	package name	commons	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-docurl	<a href="https://commons.apache.org/proper/commons-cli/">https://commons.apache.org/proper/commons-cli/</a>	Low
Product	Manifest	Bundle-Name	Apache Commons CLI	Medium
Product	Manifest	bundle-symbolicname	org.apache.commons.cli	Medium
Product	Manifest	Implementation-Title	Apache Commons CLI	High
Product	Manifest	multi-release	true	Low
Product	Manifest	specification-title	Apache Commons CLI	Medium
Product	pom	artifactid	commons-cli	Highest

Product	pom	developer email	bob@werken.com	Low
Product	pom	developer email	chtompki@apache.org	Low
Product	pom	developer email	ebourg@apache.org	Low
Product	pom	developer email	ggregory at apache.org	Low
Product	pom	developer email	jbjk@mac.com	Low
Product	pom	developer email	jstrachan@apache.org	Low
Product	pom	developer email	roxspring@imapmail.org	Low
Product	pom	developer email	tn@apache.org	Low
Product	pom	developer id	bob	Low
Product	pom	developer id	chtompki	Low
Product	pom	developer id	ebourg	Low
Product	pom	developer id	ggregory	Low
Product	pom	developer id	jkeyes	Low
Product	pom	developer id	jstrachan	Low
Product	pom	developer id	roxspring	Low
Product	pom	developer id	tn	Low
Product	pom	developer name	Bob McWhirter	Low
Product	pom	developer name	Emmanuel Bourg	Low
Product	pom	developer name	Gary Gregory	Low
Product	pom	developer name	James Strachan	Low
Product	pom	developer name	John Keyes	Low
Product	pom	developer name	Rob Oxspring	Low
Product	pom	developer name	Rob Tompkins	Low
Product	pom	developer name	Thomas Neidhart	Low
Product	pom	developer org	Ariane Software	Low
Product	pom	developer org	Indigo Stone	Low
Product	pom	developer org	integral Source	Low
Product	pom	developer org	SpiritSoft, Inc.	Low
Product	pom	developer org	The Apache Software Foundation	Low
Product	pom	developer org	Werken	Low
Product	pom	developer org URL	<a href="https://www.apache.org/">https://www.apache.org/</a>	Low
Product	pom	groupid	commons-cli	Highest
Product	pom	name	Apache Commons CLI	High
Product	pom	parent-artifactid	commons-parent	Medium
Product	pom	parent-groupid	org.apache.commons	Medium

Product	pom	url	https://commons.apache.org/proper/commons-cli/	Medium
Version	Manifest	Bundle-Version	1.11.0	High
Version	Manifest	Implementation-Version	1.11.0	High
Version	pom	parent-version	1.11.0	Low
Version	pom	version	1.11.0	Highest

#### Identifiers

- pkg:maven/commons-cli/commons-cli@1.11.0 (*Confidence:High*)

## taskplanner.zip: cron-utils.jar

### Description:

A Java library to parse, migrate and validate crons as well as describe them in human readable language

### License:

Apache 2.0: <http://www.apache.org/licenses/LICENSE-2.0.html>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/cron-utils.jar

**MD5:** 4c27537eecc6fa37ed5740b5383643c8

**SHA1:** 5d3738bc7a2eaa45a94a76c6e87af54a95414637

**SHA256:** 02af0e8b2fe93c9fa6eef97b53b39faae14c5b996356edb132e9fe620013744

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	cron-utils	High
Vendor	jar	package name	cron	Highest
Vendor	jar	package name	cronutils	Highest
Vendor	jar	package name	utils	Highest
Vendor	Manifest	automatic-module-name	com.cronutils	Medium
Vendor	Manifest	build-jdk-spec	1.8	Low
Vendor	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Vendor	pom	artifactid	cron-utils	Low

Vendor	pom	developer id	jmrozanec	Medium
Vendor	pom	groupid	com.cronutils	Highest
Vendor	pom	name	cron-utils	High
Vendor	pom	url	http://cron-parser.com/	Highest
Product	file	name	cron-utils	High
Product	jar	package name	cron	Highest
Product	jar	package name	cronutils	Highest
Product	jar	package name	utils	Highest
Product	Manifest	automatic-module-name	com.cronutils	Medium
Product	Manifest	build-jdk-spec	1.8	Low
Product	Manifest	Bundle-Name	cron-utils	Medium
Product	Manifest	bundle-symbolicname	com.cronutils.cron-utils	Medium
Product	pom	artifactid	cron-utils	Highest
Product	pom	developer id	jmrozanec	Low
Product	pom	groupid	com.cronutils	Highest
Product	pom	name	cron-utils	High
Product	pom	url	http://cron-parser.com/	Medium
Version	Manifest	Bundle-Version	9.2.1	High
Version	pom	version	9.2.1	Highest

### Identifiers

- pkg:maven/com.cronutils/cron-utils@9.2.1 (Confidence:High)
- [cpe:2.3:a:cron-utils\\_project:cron-utils:9.2.1:\\*\\*\\*\\*:\\*](#) (Confidence:Highest) suppress
- [cpe:2.3:a:utils\\_project:utils:9.2.1:\\*\\*\\*\\*:\\*](#) (Confidence:Highest) suppress

## taskplanner.zip: guava.jar

### Description:

Guava is a suite of core and expanded libraries that include utility classes, Google's collections, I/O classes, and much more.

### License:

<http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/guava.jar

**MD5:** d9fbf39a41a5bab891348f07668e18c5

**SHA1:** 8699de25f2f979108d6c1b804a7ba38cda1116bc

**SHA256:** 1e301f0c52ac248b0b14fdc3d12283c77252d4d6f48521d572e7d8c4c2cc4ac7

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	guava	High
Vendor	jar	package name	google	Highest
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low
Vendor	Manifest	bundle-symbolicname	com.google.guava	Medium
Vendor	Manifest	multi-release	true	Low
Vendor	pom	artifactid	guava	Low
Vendor	pom	groupid	com.google.guava	Highest
Vendor	pom	name	Guava: Google Core Libraries for Java	High
Vendor	pom	parent-artifactid	guava-parent	Low
Vendor	pom	url	<a href="https://github.com/google/guava/">google/guava</a>	Highest
Product	file	name	guava	High
Product	jar	package name	google	Highest
Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-docurl	<a href="https://github.com/google/guava/">https://github.com/google/guava/</a>	Low
Product	Manifest	Bundle-Name	Guava: Google Core Libraries for Java	Medium
Product	Manifest	bundle-symbolicname	com.google.guava	Medium
Product	Manifest	multi-release	true	Low
Product	pom	artifactid	guava	Highest
Product	pom	groupid	com.google.guava	Highest
Product	pom	name	Guava: Google Core Libraries for Java	High
Product	pom	parent-artifactid	guava-parent	Medium
Product	pom	url	<a href="https://github.com/google/guava/">google/guava</a>	High
Version	pom	version	33.5.0-jre	Highest

## Identifiers

- pkg:maven/com.google.guava/guava@33.5.0-jre (Confidence:High)
- [cpe:2.3:a:google:guava:33.5.0:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest) suppress

## taskplanner.zip: taskplanner-javadoc.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar  
**MD5:** 5c08e1db5fabcd6c64cd355900472911  
**SHA1:** 454a3c571b8b323ec7d919319e805ae6b61f2ab5  
**SHA256:** eb9bc02bc3d8d18049bea2eb6667888090fb23ff9bd4b18e636feff4890dcf0  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner-javadoc	High
Product	file	name	taskplanner-javadoc	High

### Identifiers

- None

## taskplanner.zip: taskplanner-javadoc.jar: member-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/member-search-index.js  
**MD5:** ba2bd4ca27eb843fc9651bd99c826c2e  
**SHA1:** aa0cf01bcdf89bc5ad477f9fe94ebca96226ecce  
**SHA256:** 1c540458582297dee507d5ab045a946d9583bfa418e894ea428aa9560929c1ea  
**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: package-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/package-search-index.js

**MD5:** 255e24c89b3410ec719bc3e25178f792

**SHA1:** 6bc183e49cd63d4cc20af2cbeca91bd9ee190f0c

**SHA256:** 606dafa606a4f2884b54590b2a16b160220e981209dd992bc1c0f68baf1165cc

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: tag-search-index.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/tag-search-index.js

**MD5:** ec278f4b13380caca9964618a9dfd79f

**SHA1:** 1eb71a3e466628ff69b06ea2bd04d8153c919da4

**SHA256:** 7a1f884ab397213a8d63202a55620934550f6ca917942a91fee40d375eba9e72

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner-javadoc.jar: type-search-index.js



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner-javadoc.jar/type-search-index.js  
**MD5:** 7aea8ee7d728c052487d23b5abb794c0  
**SHA1:** c6c62d2fa8f3c5f874b3b5c9b4484d380fa6aaac  
**SHA256:**f9091ab1a896b609e3fa3cd8419cdac84e9c9d87e570f9a6387dbb212b824e10  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

taskplanner.zip: taskplanner.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar  
**MD5:** af303396642b2ee3b3b576395965208c  
**SHA1:** 4a08f79ec92bd022f1387b05855f3329954aa78e  
**SHA256:**1f2809f6c36a6a93465ced6847b8c478382505620ff1c0196182cffd2b4bccc9  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	taskplanner	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	taskplanner	Low
Vendor	Manifest	built-date	2026-06-16 16:24	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	taskplanner	High

Product	jar	package name	api	Low
Product	jar	package name	server	Low
Product	jar	package name	taskplanner	Highest
Product	jar	package name	taskplanner	Low
Product	Manifest	built-date	2026-06-16 16:24	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	taskplanner	High
Product	Manifest	specification-title	taskplanner	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: app.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/app.js

**MD5:** 22be8e86a9121096b162ff523e37842e

**SHA1:** cc6010fdc028f0b9c5c95def16c69e3bab116bf0

**SHA256:** 511c001c378b9f9e28f261cafaa88892acb5a29743c50d5daf15dd869357bc0c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: boolean.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/boolean.directive.js  
**MD5:** 8dcbd2299e9082c7d30047c62d84fa7d  
**SHA1:** 46e20aa1bd139542182a754edf0eaa8fa8684782  
**SHA256:**f28e377c325d8ac419426606ae56bbb78e523210087910b9a595d87235d4eed0  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: colorField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/colorField.directive.js  
**MD5:** 6befac83d2b0754235fb738ada07b8db  
**SHA1:** fa581823e83812639dd7a834b580619472492cff  
**SHA256:**299ff7b917c507bb852d4c8f7a305e545c214806ae816b47aa9f2b37928a5154  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: controller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/controller.js  
**MD5:** 7dbf39d0cdcf00b240d27828c8e1fa97  
**SHA1:** 194abb1c7955dcc8ef0db5a5957879e287f21b4  
**SHA256:**a7886e872027c47e61d05e20b1abc56e5044e5446118f348e6d54d520be98f8e  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/factory.js

**MD5:** 13d732709b3814f00a145092b1f70217

**SHA1:** aba04c5f27c6e9377ea7e143303dbe557081952e

**SHA256:** 421e6efc1ed786c72d76b700d64665062ac4fd6928ca91437109f3bf65063d83

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: filechooserAddonButton.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/filechooserAddonButton.directive.js

**MD5:** 1dbc17a2a4e1fc7930dda7d5d3e4630a

**SHA1:** 350be18d05b89c69fa3167a09822876d21a42143

**SHA256:** 140100d27da0900d67a30dadcf9971ed9eff5c2787aa5814b930f986615c6abb

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: model.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/model.js

**MD5:** 6588aaa8413e5a66b75a1b3ec7fde632

**SHA1:** a7d2f8faa89de31ddb8f98a380c2f80375644c57

**SHA256:** 77a97db15204e8e3ab86b6f0c11ee95c91f327e70ec7582367d15d9644384919

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: numberRange.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberRange.directive.js

**MD5:** e98f0aec3fd059575c390f4488396764

**SHA1:** 5fb36b30f1022112f5da2a9373fa562859a8f05d

**SHA256:** 2164d0a1c06a1750c41b3be860ade120946d0091f3f6c512241235601c3f74b6

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: numberWrapper.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/numberWrapper.directive.js

**MD5:** c71128c3dac942fc1d5d488562b727a0

**SHA1:** 51e1419abd22f7f48debceb976752bfec46e36f4

**SHA256:** 3c3f6b8e5bcc8bf32a3cf2192a10de8472100d195cc2b08c4ff860a0dcb9bacf

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: passwordTextField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/passwordTextField.directive.js

**MD5:** 3c1bcad68930caf2fa88697134624473

**SHA1:** 6c25ac7bd32b0c40b2202c9dc43f83842c55f846

**SHA256:** 4620ce8c28a46c1675c50490a25f14d481e8910a7b3687a4bb712d73c80f3d73

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: renderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/renderer.directive.js  
**MD5:** 3e232b940bcd532e99c88f5b95bf60b2  
**SHA1:** a051ce6df82ad9673fc1b23bafc3670d70bb4cac  
**SHA256:** b930dc86802f4307b5f6d4671f27dac5bd85d5766f32567f5479ecc9077bf5a3  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleCurrencyField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleCurrencyField.directive.js  
**MD5:** 54ae56c2f76e7b601b9e9785dc51a623  
**SHA1:** af05845b893807b4460bc65fa189700abcb4dc82  
**SHA256:** 847d6da58f5887edac53896e6bec4dde5b293a08a8ac6e421aa2847991f3b877  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleDateTimeField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleDateTimeField.directive.js  
**MD5:** 53d33b9956ea6ffea7cb1fef5e878961  
**SHA1:** 2388423f76a1b38cb2e5729e57a113245e1d3f2d  
**SHA256:** 7cbb2507fe22dfec607af8d76d85317a395c3ebb98e31ec9be26e73350dbcd9f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleFileFolderField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleFileFolderField.directive.js

**MD5:** 76de6683bc2d43547059d2f746b9524f

**SHA1:** c6ce84f2d2a89f07c4f05e95137abcdade89cec5

**SHA256:** 7e15aca0687784f1221b8c76328af4d013a0a1573a56232d880c4b60cd3311a0

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleGroup.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleGroup.directive.js

**MD5:** d69a3c1dd5569172999325602506517f

**SHA1:** 780808312f5a19e0b6726453655b1911dde585bc

**SHA256:** 4eada3908c9db4213e058eb378f9f7f28e7e96e0ee3de2817f5d408b88176dc5

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------



### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleLabel.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLabel.directive.js

**MD5:** ecbe7da1cc7d51e0bd4e73e7c2fad4df

**SHA1:** d16a32bb34f1ff4d0f4740a06660ed72f4eca1fc

**SHA256:** 2b533fa13f74789de6b02fb037bfd7eae3b8b6e7d0f851a66f57739f565fd453

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## taskplanner.zip: taskplanner.jar: simpleLink.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleLink.directive.js

**MD5:** 525dc45cb1886c4808186e1094480bba

**SHA1:** 7198a40b645128e0495d6d04c008b31b37faf827

**SHA256:** 7f2b60bda8c8e3938f9e8762c000606909ba0411aa784a202c93a1b2371cd82e

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleSelect.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleSelect.directive.js

**MD5:** e54a750acec037585e380229a6b74b39

**SHA1:** a6323f355bb4da4cdcac24be2572fec96332bfa8

**SHA256:** 39d6b66fe24beb027a1445157af449f17a51069e0887603b4eaf624474b5ee6c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: simpleTextField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/simpleTextField.directive.js

**MD5:** 998a4b2340386c5ff39fd74451642547

**SHA1:** b0025705125d1a18bec3624d0eb34176bb332c9d

**SHA256:** 8a7ad2a61dbd1c78565a7626a8c100523c97984be77d431929041f19e2f24c1c

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: stringTable.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/stringTable.directive.js  
**MD5:** 2731ad8625d24769bc3f9727361b4d6f  
**SHA1:** d0c7a2e05d815252c80a51064ffe4d66f0d18843  
**SHA256:** db785a8486fd5f45ef2a56d1d977afa0b445bf4491e1b429a9863c46e5a2d35a  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: taskplanner\_maintenance.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/maintenance/taskplanner\_maintenance.js  
**MD5:** c4330ed5aced8829454f0e8893f8725c  
**SHA1:** 178b4ecba1c10e50c162c7e09dc5f4b643303508  
**SHA256:** 3ba039d8a74f4fd350441ef7a9f1f98322eb951887ee1635c7d78c66c8908b53  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### taskplanner.zip: taskplanner.jar: textAreaField.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/taskplanner.zip/taskplanner.jar/com/inet/taskplanner/client/js/fields/textAreaField.directive.js  
**MD5:** 46bf6266b3aa8c7d331c34aa58185b2d  
**SHA1:** f6348f31ef689122ec81b2dac2455e15f4b561e6  
**SHA256:** 4f679ccc7d9fdb172764575fb3e9dfbb3cb21d370b3adcf06b17fd7326f877b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

theme.zip: theme.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/theme.zip/theme.jar  
**MD5:** 8302b1c038c758034726796667e70277  
**SHA1:** c96c33a81fdff684aa5a71ababf9f6ef0c865fa3  
**SHA256:**0b6d5e4c643eb94d2023d06c0028b89c5260159df702e1097c3c561067a97af6  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	theme	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	theme	Low
Vendor	Manifest	built-date	2026-06-16 16:17	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	theme	High
Product	jar	package name	server	Low
Product	jar	package name	theme	Highest
Product	jar	package name	theme	Low
Product	Manifest	built-date	2026-06-16 16:17	Low

Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	theme	High
Product	Manifest	specification-title	theme	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

## ucanaccess.jar

### Description:

Open-source pure Java JDBC driver for Access databases. Allows Java developers and client programs (e. g. OpenOffice, LibreOffice, Squirrel SQL) to read and write various versions of Microsoft Access databases.

### License:

The Apache License, Version 2.0: <https://www.apache.org/licenses/LICENSE-2.0>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/lib/driver/ucanaccess.jar

**MD5:** dc57bd6d60f2b6bf314788be16fff542

**SHA1:** 905f9e3aaa76115bbc39e429676bc8244ca4f33f

**SHA256:** c20424d056cbff4507dfcd836f5f50d88fd26933790aeee1048ab3bbeda281ba

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	ucanaccess	High
Vendor	jar	package name	jdbc	Highest
Vendor	jar	package name	sql	Highest
Vendor	jar	package name	ucanaccess	Highest
Vendor	Manifest	build-jdk-spec	21	Low
Vendor	Manifest	Implementation-Vendor	UCanAccess	High
Vendor	Manifest	specification-vendor	UCanAccess	Low
Vendor	Manifest	x-basepom-build-id	8825a102-8272-8982-6c43-c9c2fe1f9e20	Low

Vendor	Manifest	x-basepom-git-commit-id	d226275b6129dd02328c7a8597870e04fa7d06	Low
Vendor	Manifest	x-basepom-name	UCanAccess	Medium
Vendor	pom	artifactid	ucanaccess	Low
Vendor	pom	developer email	amadei.mar@gmail.com	Low
Vendor	pom	developer email	gordonthompson@users.sf.net	Low
Vendor	pom	developer email	spannm@outlook.de	Low
Vendor	pom	developer id	\${developerId}	Medium
Vendor	pom	developer id	marco-amadei	Medium
Vendor	pom	developer name	Gord Thompson	Medium
Vendor	pom	developer name	Marco Amadei	Medium
Vendor	pom	developer name	Markus Spann	Medium
Vendor	pom	developer org URL	\${githubBaseUrl}	Medium
Vendor	pom	groupid	io.github.spannm	Highest
Vendor	pom	name	UCanAccess	High
Vendor	pom	organization name	UCanAccess	High
Vendor	pom	organization url	\${project.url}	Medium
Vendor	pom	parent-artifactid	basepom-oss	Low
Vendor	pom	parent-groupid	org.basepom	Medium
Product	file	name	ucanaccess	High
Product	jar	package name	jdbc	Highest
Product	jar	package name	sql	Highest
Product	jar	package name	ucanaccess	Highest
Product	Manifest	build-jdk-spec	21	Low
Product	Manifest	Implementation-Title	UCanAccess	High
Product	Manifest	specification-title	UCanAccess	Medium
Product	Manifest	x-basepom-build-id	8825a102-8272-8982-6c43-c9c2fe1f9e20	Low
Product	Manifest	x-basepom-git-commit-id	d226275b6129dd02328c7a8597870e04fa7d06	Low
Product	Manifest	x-basepom-name	UCanAccess	Medium
Product	pom	artifactid	ucanaccess	Highest
Product	pom	developer email	amadei.mar@gmail.com	Low
Product	pom	developer email	gordonthompson@users.sf.net	Low

Product	pom	developer email	spannm@outlook.de	Low
Product	pom	developer id	\${developerId}	Low
Product	pom	developer id	marco-amadei	Low
Product	pom	developer name	Gord Thompson	Low
Product	pom	developer name	Marco Amadei	Low
Product	pom	developer name	Markus Spann	Low
Product	pom	developer org URL	\${githubBaseUrl}	Low
Product	pom	groupid	io.github.spannm	Highest
Product	pom	name	UCanAccess	High
Product	pom	organization name	UCanAccess	Low
Product	pom	organization url	\${project.url}	Low
Product	pom	parent-artifactid	basepom-oss	Medium
Product	pom	parent-groupid	org.basepom	Medium
Version	Manifest	Implementation-Version	5.1.5	High
Version	pom	parent-version	5.1.5	Low
Version	pom	version	5.1.5	Highest

#### Identifiers

- pkg:maven/io.github.spannm/ucanaccess@5.1.5 (Confidence:High)
- cpe:2.3:a:www-sql\_project:www-sql:5.1.5:\*:\*:\*:\*:\* (Confidence:Low)

suppress

### url.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/dotnet - ProcessBridge API Doc/styles/url.min.js

**MD5:** 75e723c1800e08b6cd999747af02fd12

**SHA1:** 3cab97b3463e65160c152b7e2d5ccfcd000c7f09

**SHA256:** ad01e8570d6ded72227d179b7609c4f8723d82d5814774d0d1ffce6de6d87fd4

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Identifiers

- None

urlcookie.sample.zip: urlcookie.sample.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/Documentation and Samples/Plugin - Samples/Authentication/UriCookiePlugin/urlcookie.sample.zip/urlcookie.sample.jar  
**MD5:** 61f7b64fcf326479168885eadf9b3e22  
**SHA1:** c66d4d9fee4555a4ec7c423fa3ff2c0ada051c85  
**SHA256:**c94cb40a2bdbd608146753455b365538d8183fd3458f01b08c46cd9d30323056  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	urlcookie.sample	High
Vendor	jar	package name	authentication	Low
Vendor	jar	package name	inet	Low
Vendor	jar	package name	urlcookie	Low
Vendor	Manifest	built-date	2026-06-16 16:51	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	urlcookie.sample	High
Product	jar	package name	authentication	Low
Product	jar	package name	urlcookie	Highest
Product	jar	package name	urlcookie	Low
Product	Manifest	built-date	2026-06-16 16:51	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	urlcookie.sample	High
Product	Manifest	specification-title	urlcookie.sample	Medium



Version	Manifest	Implementation-Version	26.4.269	High
---------	----------	------------------------	----------	------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar

**MD5:** d223db694960e00cd372a239b19e95c7

**SHA1:** b2e4383e6ec6c49031f749bccee07097acda0457

**SHA256:** 287993a150005c9c7ba341490b870ec8559d6484a4fffd76dd5f873ea7090f6a

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	usersandgroupsmanager	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	server	Low
Vendor	jar	package name	usersandgroupsmanager	Low
Vendor	Manifest	built-date	2026-06-16 16:42	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	usersandgroupsmanager	High
Product	jar	package name	server	Low
Product	jar	package name	usersandgroupsmanager	Highest
Product	jar	package name	usersandgroupsmanager	Low
Product	Manifest	built-date	2026-06-16 16:42	Low
Product	Manifest	implementation-group	shared	Low

Product	Manifest	Implementation-Title	usersandgroupsmanager	High
Product	Manifest	specification-title	usersandgroupsmanager	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeAccountSettingsRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeAccountSettingsRenderer.directive.js

**MD5:** 136a634e0236a238529acf990312d10e

**SHA1:** 75518847c3c3aa3737e31149c6834bb6c40f4606

**SHA256:** 9901a11fad82515fe2425d4f07163b716e8dfa8233196e7fcdc8f21b3aca6817

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeBooleanRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeBooleanRenderer.directive.js

**MD5:** e6bb2b0218c39ede42d1779e09d0b306

**SHA1:** bfedb33d3a2d6896458956fdc4209692d43e0d02

**SHA256:** 7e4281e4831ef87da9cf9e032009349bcf48c35a0b2769e742a978cdda8de750

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCommaSeparatedRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeCommaSeparatedRenderer.directive.js  
**MD5:** c951e088eb99044087cb876a2ad80f5c  
**SHA1:** f2b74d24949b8a35f38a36bbff7f12a73c939305  
**SHA256:** fffae5f607dd4f6b565ae943bb15075423a58f6601346c1fc670985cd1da7f9b  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeCurrencyRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeCurrencyRenderer.directive.js  
**MD5:** 64550819586104467e438b403590e32a  
**SHA1:** e6c4957a7648c8baa484227d04cad8a186aac008  
**SHA256:** e8d9d2cffbcd1355ea33fe7d3615a95c3cef34b5be3445be5fe9bddd1b54b38f  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDateRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/rendererer/fieldtypeDateRenderer.directive.js

**MD5:** 44f37b8866281fc7c293da24a2c85a70

**SHA1:** 90bf5ee3414c0b14352fece7ff49252f0993ee34

**SHA256:** 3cd49a8b48976c1456092476ff9e09678ade7ec6909c5e0f59f6f570b92c4256

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeDoubleRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/rendererer/fieldtypeDoubleRenderer.directive.js

**MD5:** 65ddc17ce6fe22f66db3066174836be4

**SHA1:** a6f9bedc7c489f3e0f3b4ff366e2f892a08bf29c

**SHA256:** ec52f2531296ff86fda9a20858daf87e52ac3dfaf1bc942daae33c7513fac7e4

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeHintRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeHintRenderer.directive.js

**MD5:** 9c0f5b5dde50569ef2e9efb5feef050

**SHA1:** 3793878df0a194ac7445ae9076fd1f235cf26a42

**SHA256:** d4a42152b9ce8527dc853e66f110464f038f4c885cf1df7fe415203dbcb8148b

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeIntegerRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldTypeIntegerRenderer.directive.js

**MD5:** fb567b3054e16ecd92115183e677f194

**SHA1:** a956bb37b828d2b0016c3e63df573291cf3a65c1

**SHA256:** a25204639ecdb47cfdeaaba8461fe9caedc30b4fa3afa5865b502880c4c3fb80

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLinkRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLinkRenderer.directive.js

**MD5:** b4e5347a3fc15cee057d292ac2fe7d91

**SHA1:** 70fba39954e7947be220792ce9d792ecfec06748

**SHA256:** 33ad47fd4a0e7943e9a39fdf239becc5fd54c4a1b9be4c727c27daf720b0d1e7

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldTypeLoginsRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeLoginsRenderer.directive.js

**MD5:** 77e510f9e074e3104df3096deb39cd91

**SHA1:** 68e57a5859aa1073fdb62dd1102867d0c7db3c9f

**SHA256:** 70fdfe453166ed5a8bae30f56d71e5e52c58c98db676853519a0d35dd71de650

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeMembersRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeMembersRenderer.directive.js  
**MD5:** 110c0a60b3a8824c7cf38b3cfd38423b  
**SHA1:** b130d47d83af3073663f95cfe0392d9c055d06cd  
**SHA256:** e34d1d921aada8085754efea61b320506608504a2332d0b186031e7beba524f2  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeMultilineRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeMultilineRenderer.directive.js  
**MD5:** 5b24949676b9be3413f73641882f7125  
**SHA1:** 1b5266b7516f4a6f4e1b25dc128969f10b0a8c09  
**SHA256:** 698d88b748ec45a4e7bdd87b1c97472d8868165551ae5ecf7d0159925c92ed71  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypePermissionRenderer.directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypePermissionRenderer.directive.js

**MD5:** cf56b95e7c81bb7bb0027f214dde9847

**SHA1:** b098c8143c168614aac2a46fda4bf02078b31f9e

**SHA256:** c8f403974591a2b05c630a7117596fd64540d53205808bee40d6ede27a166790

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeSelectRenderer.  
directive.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeSelectRenderer.directive.js

**MD5:** 96d7f09370447ddd5aec98e86896001f

**SHA1:** 42d97ea9de26906450eda22c70d6da2420469c84

**SHA256:** 08aa4784c039f07dd522b3e5a73c8890a71983b4d25409afb6c31b41d8787f42

**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
fieldtypeStayLoggedInSessionsRenderer.directive.js**



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeStayLoggedInSessionsRenderer.directive.js  
**MD5:** 8f7246a8c4620515a714dd858c7b0847  
**SHA1:** bab49440daa202026ce7fdb25d3c3ab7d0ac2473  
**SHA256:** 85a66f84209b323ddf4e87ee26891210234ea42bfc20d6befdc3074cde326595  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringListRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/fieldtypeStringListRenderer.directive.js  
**MD5:** ecfa08e9586484891e935de461582539  
**SHA1:** 128276640372b4e442f5c63c643c908710c7fedf  
**SHA256:** aff8a656bfc2d940c02a861b600e4a95cefa61453508fb2b8659fe42582bccea  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeStringRenderer. directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip

/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeStringRenderer.directive.js

**MD5:** 6e46d5a536692ff278cf276eeb7151bb

**SHA1:** 11b326f65d25098d5d02c6077e20b867d5c331ec

**SHA256:** b2158332ea8f76ceee5435e803e4def4b559a3216ce6eae90e0385d1554d3924

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimeRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimeRenderer.directive.js

**MD5:** 8513454094f6efb43b4257acfab955f

**SHA1:** 56784b3ea31cc21416f65da1661b7c18b8e9eb5e

**SHA256:** 3758a9259a963b155469b4d6b979fd30fee14edcaca155910f20b33b7d2a9d7f

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: fieldtypeTimerangeRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/fieldtypeTimerangeRenderer.directive.js

**MD5:** 8ca11f921f530ae3c6d14011f1026be2

**SHA1:** 123f12b6375637b6819435453cbfc089589514d6  
**SHA256:** 3e31b81046fd3a24c691fc82c45f4779912d02b3bad3ca52366670c31042edfe  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershipentry.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershipentry.directive.js

**MD5:** 84693fc1ef165371ef27b1475ee7408c

**SHA1:** d49e9b44b5d99f5b63a93dcb031d51aea068ca3c

**SHA256:** f3fecadbb3c511b7c006eb44006d5203c16f180a1cbb260c756f0b3b670a55d8

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: membershiplist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/membershiplist.directive.js

**MD5:** 9de8f2f539c79244aa95473d497004db

**SHA1:** dab0863017fbaf80d7da94770dbb17d87cff3a80

**SHA256:** 2939b841bcd7d14e9874e99c72e4c0f58e7c8f5b485fe04158782c2b0d3cdcd1

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: nonmembershiplist.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/nonmembershiplist.directive.js

**MD5:** 22269c6c1e32356a15788a694358c895

**SHA1:** c4909db34c175ff0621e17f241f66994e0516bc6

**SHA256:** 1f276cac3365d03c06572f9325217ffc7c65db411b5d40035f818c4890e66ffc

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionCheckboxRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer/permissionCheckboxRenderer.directive.js

**MD5:** f43b62e6ec19922b603e65ac0d9811bc

**SHA1:** b82e36201fade72e6423ba980d5351e13c657bbb

**SHA256:** e3d32df00dc3c4d43110a9a8f277ce1383c133b6912f0154626190931c6daff7

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: permissionRadiobuttonRenderer.directive.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/renderer  
/permissionRadiobuttonRenderer.directive.js

**MD5:** b2674a06f9fcfb8cab9196229817a52c

**SHA1:** 2816becffb93dad552e07d80fb7e5042e13f1d26

**SHA256:** 07270db8fca85c74ed49ae3f2345692c66443c01ef0be67234cc3d01e0873675

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagercontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagercontroller.  
js

**MD5:** 3966dde5288327ce4a7664ffa146425f

**SHA1:** 9f1156c2c726e731d362aff1b4bf1f611da47c70

**SHA256:** bf3ede557a367f1cca803b9a259d1cc6c8f4109e6b381d08ea43c1360e7f9598

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdetailscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdetailscontroller.js  
**MD5:** cd4b90a897c42eb0c1a38f660153f739  
**SHA1:** c582f35a31ed251b2b02456bf79fcb8e6edbf9dc  
**SHA256:** 656c50c31f9f812740468c695b10f58d1e54b770765a25e7be047e661e305870  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

## usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdialogcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerdialogcontroller.js  
**MD5:** e35a43fa1eb935369c4e018ff1ee7640  
**SHA1:** d239261c725a4ba6e6efa911b48e4909c5372d69  
**SHA256:** 3625665593e42ba14b5b40999ac21bdaaeaa0baa80831182e221207a5019b541  
**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerdirectives.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerdirectives.js

**MD5:** e1d11e0ea312cfb6b0e395077779112b

**SHA1:** 3d63a2c1282afd900c5d74643ba4c1e61bb4118a

**SHA256:** 98f7717de0a411a3513e01b7126c19ad53f28a4b4d62183b77083195660ed7ab

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagereffectivepermissionscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagereffectivepermissionscontroller.js

**MD5:** e38beee6d03d93074acba84010e4c176

**SHA1:** d27284aae10d28fac162196094e0196c7c2486cf

**SHA256:** c2c9dd56c576d23e8038048090751071a5b29f53bb9fbbba03d42cedb31d927d0

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerfactory.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerfactory.js  
**MD5:** 94ac82f47d59b465f5bfc271f16543f3  
**SHA1:** eeb9fff4352ecf04ab487cf0168b7c2911b2d01b  
**SHA256:** 3bcc388d9d2174651a443c62b5a7dde3f08f38ff8a918c9c154277660be520eb  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagermodel.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagermodel.js  
**MD5:** 6a3ab01b9cf9fe9c45e4228f3f0a449e  
**SHA1:** 2bfe0e4bf86ed5c09f3e70231a4f30f64cf930d2  
**SHA256:** 01056b1c5b989974d14013791592960bc20677ef95883092a6d52f78a2a44503  
**Referenced In Project/Scope:** server

**Evidence**



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

**Identifiers**

- None

**usersandgroupsmanager.zip: usersandgroupsmanager.jar:  
usersandgroupsmanagerpredeletionwarning.js**



**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerpredeletionwarning.js  
**MD5:** 2e963c8f1de1c02f2a9c062f03aff6a5  
**SHA1:** 1f5065e679fefcb1e927248cecf6d615950df2d1f  
**SHA256:** 8cea620f3d0600315b5b8296a91d5b5826093ee4c728d432dd1f00460347aff5  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerrenderer.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js/usersandgroupsmanagerrenderer.  
js  
**MD5:** 66a9eef845301ec92243566a8a8a5fd0  
**SHA1:** 07cdb6a5a6e3d559c7e69fc37aeb1261d9e8c54b  
**SHA256:** b8aba3f0ce4c611245296998ca48c1ba116b76a9aedef381e7ccfa69411b8b4bc  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagerstatisticscontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagerstatisticscontroller.js  
**MD5:** 15db7d8e1d9c9102dff09a6540eacfdc  
**SHA1:** 0ca6006da11c419453850c3ec9ec855c42e7b58b  
**SHA256:** 6d215333ea6f212da404f333e073a3ca4ab48c921f75f159950694913b1b17bf  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### usersandgroupsmanager.zip: usersandgroupsmanager.jar: usersandgroupsmanagertakeoutcontroller.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller  
/server/build/tmp/dependencies/i-net Clear Reports/plugins/usersandgroupsmanager.zip  
/usersandgroupsmanager.jar/com/inet/usersandgroupsmanager/client/js  
/usersandgroupsmanagertakeoutcontroller.js  
**MD5:** aecb7916c7ddc1ab36bb620e0bba61aa  
**SHA1:** e98561144eeaf1048f88096ef4adeb4de63d971f  
**SHA256:** cdb865f01764972194727fb6a715369b4353c620ecfdbbeadc40021144b7361c  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: swagger-models.jar

#### Description:

swagger-models

**License:**

"Apache License 2.0";link="http://www.apache.org/licenses/LICENSE-2.0.html"

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/swagger-models.jar

**MD5:** e1b0c208c57963b85beef172bd425a4a

**SHA1:** af8513df854f1e720c47efc4319ac84f06259bcd

**SHA256:**397821e0d4be1bc8a6aab5ce943df1d5dd0551cd53b27aed63974e33ea4f6cac

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	file	name	swagger-models	High
Vendor	jar	package name	io	Highest
Vendor	jar	package name	oas	Highest
Vendor	jar	package name	swagger	Highest
Vendor	jar	package name	v3	Highest
Vendor	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium
Vendor	Manifest	build-jdk-spec	11	Low
Vendor	Manifest	bundle-developers	frantuma;email="frantuma@yahoo.com";name="Francesco Tumanischvili",fehgyu;email="fehgyu@gmail.com";name="Tony Tam",webron;email="webron@gmail.com";name="Ron Ratovsky"	Low
Vendor	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Vendor	Manifest	bundle-symbolicname	io.swagger.core.v3.swagger-models	Medium
Vendor	Manifest	mode	development	Low
Vendor	Manifest	url	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Vendor	pom	artifactid	swagger-models	Low
Vendor	pom	groupid	io.swagger.core.v3	Highest
Vendor	pom	name	swagger-models	High
Vendor	pom	parent-artifactid	swagger-project	Low
Product	file	name	swagger-models	High
Product	jar	package name	io	Highest
Product	jar	package name	oas	Highest
Product	jar	package name	swagger	Highest
Product	jar	package name	v3	Highest
Product	Manifest	automatic-module-name	io.swagger.v3.oas.models	Medium

Product	Manifest	build-jdk-spec	11	Low
Product	Manifest	bundle-developers	frantuma;email="frantuma@yahoo.com";name="Francesco Tumanischvili",fehgy;email="fehgy@gmail.com";name="Tony Tam",webron;email="webron@gmail.com";name="Ron Ratovsky"	Low
Product	Manifest	bundle-docurl	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Product	Manifest	Bundle-Name	swagger-models	Medium
Product	Manifest	bundle-symbolicname	io.swagger.core.v3.swagger-models	Medium
Product	Manifest	mode	development	Low
Product	Manifest	url	https://github.com/swagger-api/swagger-core/modules/swagger-models	Low
Product	pom	artifactid	swagger-models	Highest
Product	pom	groupid	io.swagger.core.v3	Highest
Product	pom	name	swagger-models	High
Product	pom	parent-artifactid	swagger-project	Medium
Version	Manifest	Bundle-Version	2.2.41	High
Version	Manifest	implementation-version	2.2.41	High
Version	pom	version	2.2.41	Highest

## Related Dependencies



- webapi.core.zip: swagger-annotations.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/swagger-annotations.jar
  - MD5: 6aadd2c0cf6cac24441e2c49ce13c80f
  - SHA1: 6429f5c1339c287d88619036ec17297991395417
  - SHA256: f43467d3d1aed5558e84b9505abbdc5117f59695b5f36e4c33b349d5c2c39d88
  - pkg:maven/io.swagger.core.v3/swagger-annotations@2.2.41

## Identifiers

- pkg:maven/io.swagger.core.v3/swagger-models@2.2.41 (*Confidence:High*)
- cpe:2.3:a:http-swagger\_project:http-swagger:2.2.41:\*:\*:\*:\*:\* (*Confidence:Low*)

suppress

**webapi.core.zip: webapi.core.jar**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar  
**MD5:** 4c3b75ab01baa4ed774f794a596ffabd  
**SHA1:** 2788ed83d9485ec2969afc8b8f74193de8c7b07d  
**SHA256:** b896e87822dbe808cfd7922bcaba72e298004a0db18325cd35d0f2521a92205b  
**Referenced In Project/Scope:** server

Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webapi.core	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	plugin	Low
Vendor	jar	package name	webapi	Low
Vendor	Manifest	built-date	2026-06-16 16:20	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webapi.core	High
Product	jar	package name	plugin	Low
Product	jar	package name	server	Low
Product	jar	package name	webapi	Highest
Product	jar	package name	webapi	Low
Product	Manifest	built-date	2026-06-16 16:20	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webapi.core	High
Product	Manifest	specification-title	webapi.core	Medium
Version	Manifest	Implementation-Version	26.4.269	High

Identifiers

- None

### webapi.core.zip: webapi.core.jar: shared.factory.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/shared.factory.js

**MD5:** 71ebae03129e5cfe9a365b5e720e3490

**SHA1:** ea9693443bf3c22859304d80e0211f93bf497cae

**SHA256:** 241a674b73b581ebcf526dec899352c4c538d0d7fd8f70cf9d4e8e9090ed889e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.codemirror.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.codemirror.js

**MD5:** e37705cda1cd7e6eb4408e5d4fe774fa

**SHA1:** 1c74dd696c40608ba0a369d96c27365c327b64a2

**SHA256:** 4cb0f58de26541e79a05e5c326492f4650175cebd514d7fb797acd90c89b6e0e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.core.editor.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.editor.js  
**MD5:** 0f186644fa1082401ecc910c0be91f51  
**SHA1:** 569dbaab077a37a1ea1121afa06aeefac2c945e3  
**SHA256:** fb23237975712b0dc682ec16c872107c0f3226cfc1872bda4c8da6e4a010b560  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webapi.core.zip: webapi.core.jar: webapi.core.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webapi.core.zip/webapi.core.jar/com/inet/plugin/webapi/client/webapi.core.js  
**MD5:** 0c00e5e824de4b6038adbe1bcb6ee87f  
**SHA1:** 02fe68638167ae36cf137419f1db2364d1141faf  
**SHA256:** 35421bda275eb1ea8a4b87517a5bee5b3ba8c1a61094e276198530b875a5c64b  
**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

#### Identifiers

- None

### webserver.defender.zip: webserver.defender.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.defender.zip/webserver.defender.jar  
**MD5:** 3cccb3a1c4a90863e44b8defae803259  
**SHA1:** 8baddae60fefe1d978f0b83e0509db6c746dd3fb  
**SHA256:** 50ff9d296292d2e06f7e1584799bfbf410fa315e8b5f80c0fc82e7bdedd08b71  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver.defender	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserverdefender	Low
Vendor	Manifest	built-date	2026-06-16 16:53	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver.defender	High
Product	jar	package name	webserverdefender	Low
Product	Manifest	built-date	2026-06-16 16:53	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver.defender	High
Product	Manifest	specification-title	webserver.defender	Medium
Version	Manifest	Implementation-Version	26.4.269	High

## Identifiers

- None

## webserver.zip: acme4j-client.jar

### Description:

ACME client for Java

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/acme4j-client.jar

**MD5:** 7dc0b1c03b3cc50a9a4ff57198d681e5

**SHA1:** 61a9eac083a03d76d16bef326e2141e84ebfe36f



#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	acme4j-client	High
Vendor	jar	package name	acme4j	Highest
Vendor	jar	package name	shredzone	Highest
Vendor	Manifest	build-jdk-spec	17	Low
Vendor	pom	artifactid	acme4j-client	Low
Vendor	pom	groupid	org.shredzone.acme4j	Highest
Vendor	pom	name	acme4j Client	High
Vendor	pom	parent-artifactid	acme4j	Low
Product	file	name	acme4j-client	High
Product	jar	package name	acme4j	Highest
Product	jar	package name	shredzone	Highest
Product	Manifest	build-jdk-spec	17	Low
Product	pom	artifactid	acme4j-client	Highest
Product	pom	groupid	org.shredzone.acme4j	Highest
Product	pom	name	acme4j Client	High
Product	pom	parent-artifactid	acme4j	Medium
Version	pom	version	3.5.1	Highest

#### Identifiers

- pkg:maven/org.shredzone.acme4j/acme4j-client@3.5.1 (Confidence:High)

### webserver.zip: jetty-websocket-core-client.jar

#### Description:

Jetty Core WebSocket Client Artifact

#### License:

EPL-2.0 OR Apache-2.0  
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-client.jar  
**MD5:** d46f724dae3d5c07b76f3dee273703d2  
**SHA1:** 450e6be4bb6c6e1f17bf4483076e9bc430962548  
**SHA256:** b8803d4c32d8282ff3d07eac5b999f1241dabbd8c2d7a3093821cc913c79a85  
**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-client	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest
Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-client	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: Websocket :: Client	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-client	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: Websocket :: Client	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.client	Medium
Product	Manifest	url	https://jetty.org/	Low

Product	pom	artifactid	jetty-websocket-core-client	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: Websocket :: Client	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.9	High
Version	Manifest	Implementation-Version	12.1.9	High
Version	pom	version	12.1.9	Highest

## Related Dependencies



- webserver.zip: jetty-client.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-client.jar
  - MD5: a687afc6cc778c17fee4a88cc0a9142e
  - SHA1: 816c3372a055f67267e19d48ba053533501f31fc
  - SHA256: 83ef4b2554c12d9cbf0b50fe071d06a5d4f14ffbee94029db10b3198187a877c
  - pkg:maven/org.eclipse.jetty/jetty-client@12.1.9
- webserver.zip: jetty-ee11-servlet.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-servlet.jar
  - MD5: 534eecb2b7fb229c24e83a5f1b51161c
  - SHA1: 6b6a8fec7a0681f98a0925f8d4e69265fdc977d6
  - SHA256: adc8811e16e3c255f291c8ef20075a4c70b1a56a1fa723eb65733f662f23e5b6
  - pkg:maven/org.eclipse.jetty.tee11/jetty-ee11-servlet@12.1.9
- webserver.zip: jetty-ee11-servlets.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-servlets.jar
  - MD5: 3a072f3daf5cf35ce4677d9ff69c477f
  - SHA1: 27a26407a106e3ae35993d306f941b5d77a3fa0b
  - SHA256: d7080e2d34c83b8ba24908ca170540ff298894489d3399807e55dca6e21b45ae
  - pkg:maven/org.eclipse.jetty.tee11/jetty-ee11-servlets@12.1.9
- webserver.zip: jetty-ee11-websocket-jakarta-client.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-client.jar
  - MD5: c3f5847f742c45247b18c3be7627ca2a
  - SHA1: 0dbd29e6ec15d6072ff6065c381e92212342593e
  - SHA256: e1baad8ba915eb42ce4daf68afd9936b8247beece81fbb6d705f8f2c7ea304c5
  - pkg:maven/org.eclipse.jetty.tee11.websocket/jetty-ee11-websocket-jakarta-client@12.1.9
- webserver.zip: jetty-ee11-websocket-jakarta-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-common.jar
  - MD5: 351cc98c3c8a077a642cc7ef8f233c01
  - SHA1: ba4e2fb5d815023b59735abecd752b71c5738ae6
  - SHA256: 79524f3a00cc14c26cf79046e83889d3951ee4f6829e6f56de767830a9ad6c72
  - pkg:maven/org.eclipse.jetty.tee11.websocket/jetty-ee11-websocket-jakarta-common@12.1.9
- webserver.zip: jetty-ee11-websocket-servlet.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-servlet.jar
- MD5: 033ac748158a7fbd8b6fd5caf2f3c064
- SHA1: 15567e7d466eff321ed7ac0894d34fe9bfef28e
- SHA256: c1019471a0d72055f365db5da15cb7d83beec0affccf8767b1d3d26083614de6
- pkg:maven/org.eclipse.jetty.jetty-ee11-websocket/jetty-ee11-websocket-servlet@12.1.9
- webserver.zip: jetty-http.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http.jar
  - MD5: 957922ad8031fa851fb697f866f30e8f
  - SHA1: d4c8ce16b394a2cbea4834781d734e314bf26cfb
  - SHA256: 857eaf5e7823f9ee91099db5bedd179b7d3e93653ac288e27321544231014df0
  - pkg:maven/org.eclipse.jetty/jetty-http@12.1.9
- webserver.zip: jetty-http2-common.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-common.jar
  - MD5: cb0fa9331882e11f1dfad306b6449c3d
  - SHA1: 5e4d5aeed178e60342f2698e442e22de551ec1c3
  - SHA256: ee237d8098365e478e70062ebdf751b5caa900af63535de9cd64a8c837eac2ef
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-common@12.1.9
- webserver.zip: jetty-http2-hpack.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-hpack.jar
  - MD5: 75450d346ddd77abe4f3aab1b55ab416
  - SHA1: 4e5f54790177f2d971fc2ec680e6e25a3c36e1f6
  - SHA256: 22df0880a3937ec0b4f7a88371103d8512d39ebe4fea6df5ebd533cddb9ec13
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-hpack@12.1.9
- webserver.zip: jetty-io.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-io.jar
  - MD5: e2b075927f922ce8bb84ae7742a5bcab
  - SHA1: eded2b009448a5e44e16add2fbb66701fe6456b
  - SHA256: 904c1680e74705794c15f9df2a9ccfb155152bdd3067521fd6522df009bfa9d9
  - pkg:maven/org.eclipse.jetty/jetty-io@12.1.9
- webserver.zip: jetty-security.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-security.jar
  - MD5: 9b5837463c49ba4d850af991b31c479b
  - SHA1: da8049b28929f428a3945049be0d6956f2ab5363
  - SHA256: 00dcd3f9258d7eb41fc1c1cbcbbaa33a1a47710783e30ad512816f0c051423142
  - pkg:maven/org.eclipse.jetty/jetty-security@12.1.9
- webserver.zip: jetty-session.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-session.jar
  - MD5: 2c40adc4e4ec0aa38818c65a5410cbb0
  - SHA1: e21cde48bb64be19453015ab7d3c79c205b0edd4
  - SHA256: 121a9c2c9ba7274d751fe3e0d5408612c95b46df2ed20910cfecced5ae7b1659
  - pkg:maven/org.eclipse.jetty/jetty-session@12.1.9
- webserver.zip: jetty-util.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-util.jar
  - MD5: 5a450ba05c7252a83c57e727f273c501
  - SHA1: d8a512027f8ccf8aa2299d4fdd5cd7ca1edc6fa1
  - SHA256: bb228358d4ae45c004d949edc397de1eb8aabc7adc5f9b9cbc833336e70a23bd
  - pkg:maven/org.eclipse.jetty/jetty-util@12.1.9
- webserver.zip: jetty-websocket-core-common.jar

- File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-common.jar
- MD5: 3c1a5ac7d279105b43fdc110c1d2a813
- SHA1: 8f1e13820333b332c1357dbc9b85c0654fd08722
- SHA256: 7ac4edfd74d42983c6a6ff96a36f8c96dd422d8e23f9a2301890b4b4166ef957
- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-common@12.1.9
- webserver.zip: jetty-websocket-jetty-api.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-jetty-api.jar
  - MD5: 9e238327e39f64236fb9eafa3bccc690
  - SHA1: 220fa4b8bcda6ca3078b3f363a23d8e245337ce6
  - SHA256: 8cf964d69272939166603c9c57a92a7791f09034a4f1bffa4734aa5c3140ad69
  - pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-jetty-api@12.1.9

## Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-client@12.1.9 (*Confidence: High*)
- [cpe:2.3:a:eclipse:jetty:12.1.9:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.9:\\*:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress
- [cpe:2.3:a:mortbay\\_jetty:jetty:12.1.9:\\*:\\*:\\*:\\*](#) (*Confidence: Highest*) suppress

## webserver.zip: jetty-websocket-core-server.jar

### Description:

Jetty Core WebSocket Server Artifact

### License:

EPL-2.0 OR Apache-2.0  
<https://www.eclipse.org/legal/epl-2.0/>, <https://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-websocket-core-server.jar

**MD5:** 8853cdf9a6a1fa29c08b9b9f10048e4d

**SHA1:** 131cac560d4abc242d57a2ffb934c215e33860be

**SHA256:** 4dfe1f58fb52bc02a32f30693fc2d92ffdaa94d29508efa68e1f9bfebb43e71a

**Referenced In Project/Scope:** server

## Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jetty-websocket-core-server	High
Vendor	jar	package name	core	Highest
Vendor	jar	package name	eclipse	Highest
Vendor	jar	package name	jetty	Highest

Vendor	jar	package name	websocket	Highest
Vendor	Manifest	build-jdk-spec	25	Low
Vendor	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Vendor	Manifest	bundle-docurl	https://jetty.org/	Low
Vendor	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Vendor	Manifest	Implementation-Vendor	Eclipse Jetty Project	High
Vendor	Manifest	url	https://jetty.org/	Low
Vendor	pom	artifactid	jetty-websocket-core-server	Low
Vendor	pom	groupid	org.eclipse.jetty.websocket	Highest
Vendor	pom	name	Core :: WebSocket :: Server	High
Vendor	pom	parent-artifactid	jetty-websocket	Low
Product	file	name	jetty-websocket-core-server	High
Product	jar	package name	core	Highest
Product	jar	package name	eclipse	Highest
Product	jar	package name	jetty	Highest
Product	jar	package name	websocket	Highest
Product	Manifest	build-jdk-spec	25	Low
Product	Manifest	bundle-copyright	Copyright (c) 1995 Mort Bay Consulting Pty Ltd and others.	Low
Product	Manifest	bundle-docurl	https://jetty.org/	Low
Product	Manifest	Bundle-Name	Core :: WebSocket :: Server	Medium
Product	Manifest	bundle-symbolicname	org.eclipse.jetty.websocket.core.server	Medium
Product	Manifest	url	https://jetty.org/	Low
Product	pom	artifactid	jetty-websocket-core-server	Highest
Product	pom	groupid	org.eclipse.jetty.websocket	Highest
Product	pom	name	Core :: WebSocket :: Server	High
Product	pom	parent-artifactid	jetty-websocket	Medium
Version	Manifest	Bundle-Version	12.1.9	High
Version	Manifest	Implementation-Version	12.1.9	High
Version	pom	version	12.1.9	Highest

## Related Dependencies



- webserver.zip: jetty-alpn-java-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-java-server.jar
  - MD5: f9f5b3c30d7a6ead6ccc3c8c37c1bf69
  - SHA1: 5a3492462de5119a2cf2f883a9f294282776196f
  - SHA256: 17dd073b029aeea522250e002e6b69ff66f06356365f8790727dc9ed918a2124
  - pkg:maven/org.eclipse.jetty/jetty-alpn-java-server@12.1.9
- webserver.zip: jetty-alpn-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-alpn-server.jar
  - MD5: eeb667e99c0ff79fc2ff8fb3c93f6626
  - SHA1: 08a9bea8dedeb8c29d5a5db55d01c3f58023591
  - SHA256: 0a77d1babf2ecf9398c9491fd80f01fcdc450eeb8065df6808a38d33f97472df
  - pkg:maven/org.eclipse.jetty/jetty-alpn-server@12.1.9
- webserver.zip: jetty-ee11-websocket-jakarta-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jakarta-server.jar
  - MD5: 7ff63f28fb2d47154c25e1589c107ccd
  - SHA1: 213eb3e97a729dd967aaf8d4c76ab1c9df1beb7e
  - SHA256: d748541b68912c761cc9a359347b31bdc6525ec3aed2388c751ec601457851bc
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jakarta-server@12.1.9
- webserver.zip: jetty-ee11-websocket-jetty-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-ee11-websocket-jetty-server.jar
  - MD5: a83a5b7414453a566c4f582c83c838db
  - SHA1: ca7cc28cb12f4879e9540df82fde312ebb1b9fd1
  - SHA256: 257c916f976d3dd96f94cc61cbf766f6bbd4f4b9dee4612a0d7f0243353d7cbc
  - pkg:maven/org.eclipse.jetty.ee11.websocket/jetty-ee11-websocket-jetty-server@12.1.9
- webserver.zip: jetty-http2-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-http2-server.jar
  - MD5: 102732630daef00713501363b3cca8fb
  - SHA1: a8f7e9a71cf1c7c14becc82e1c714cce2a84f40d
  - SHA256: 5c07c756237795883c166f0a4775b88f0f6d21534d8292eea57ccd4d9c395e30
  - pkg:maven/org.eclipse.jetty.http2/jetty-http2-server@12.1.9
- webserver.zip: jetty-server.jar
  - File Path: /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jetty-server.jar
  - MD5: 16bbb6d08db98909901b235e132a51f6
  - SHA1: d9b173609c17b7ff258b03f9dd79192c4684d12a
  - SHA256: 5dfc3736056cd941a783b21e50c983c235c1b0a593d4b0d2954966173a3f6a3e
  - pkg:maven/org.eclipse.jetty/jetty-server@12.1.9

## Identifiers

- pkg:maven/org.eclipse.jetty.websocket/jetty-websocket-core-server@12.1.9 (*Confidence:High*)
- [cpe:2.3:a:eclipse:jetty:12.1.9:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- [cpe:2.3:a:jetty:jetty:12.1.9:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress
- cpe:2.3:a:jetty:jetty\_http\_server:12.1.9:\*.~\*~\*~\*~\* (*Confidence:Low*) suppress
- [cpe:2.3:a:mortbay:jetty:jetty:12.1.9:\\*.~\\*~\\*~\\*~\\*](#) (*Confidence:Highest*) suppress

## webserver.zip: jose4j.jar

### Description:

The jose4j library is a robust and easy to use open source implementation of JSON Web Token (JWT) and the JOSE specification suite (JWS, JWE, and JWK).

It is written in Java and relies solely on the JCA APIs for cryptography.

Please see [https://bitbucket.org/b\\_c/jose4j/wiki/Home](https://bitbucket.org/b_c/jose4j/wiki/Home) for more info, examples, etc..

### License:

The Apache Software License, Version 2.0: <http://www.apache.org/licenses/LICENSE-2.0.txt>

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/jose4j.jar

**MD5:** f57cb91efc5beaa940029f5515a888c2

**SHA1:** 357a3836bb5da16f314f3a1e954518e5468cd915

**SHA256:** 7314af50cde9c99e8eaf43eee617a23edcc6bb43036221064355094999d837ef

**Referenced In Project/Scope:** server

### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	jose4j	High
Vendor	jar	package name	jca	Highest
Vendor	jar	package name	jose4j	Highest
Vendor	jar	package name	json	Highest
Vendor	jar	package name	jwe	Highest
Vendor	jar	package name	jwk	Highest
Vendor	jar	package name	jws	Highest
Vendor	jar	package name	jwt	Highest
Vendor	jar	package name	use	Highest
Vendor	Manifest	automatic-module-name	org.jose4j	Medium
Vendor	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Vendor	pom	artifactid	jose4j	Low
Vendor	pom	developer email	brian.d.campbell@gmail.com	Low
Vendor	pom	developer name	Brian Campbell	Medium
Vendor	pom	groupid	org.bitbucket.b_c	Highest
Vendor	pom	name	jose4j	High
Vendor	pom	url	<a href="https://bitbucket.org/b_c/jose4j/">https://bitbucket.org/b_c/jose4j/</a>	Highest



Product	file	name	jose4j	High
Product	jar	package name	jca	Highest
Product	jar	package name	jose4j	Highest
Product	jar	package name	json	Highest
Product	jar	package name	jwe	Highest
Product	jar	package name	jwk	Highest
Product	jar	package name	jws	Highest
Product	jar	package name	jwt	Highest
Product	jar	package name	use	Highest
Product	Manifest	automatic-module-name	org.jose4j	Medium
Product	Manifest	Bundle-Name	jose4j	Medium
Product	Manifest	bundle-symbolicname	org.bitbucket.b_c.jose4j	Medium
Product	pom	artifactid	jose4j	Highest
Product	pom	developer email	brian.d.campbell@gmail.com	Low
Product	pom	developer name	Brian Campbell	Low
Product	pom	groupid	org.bitbucket.b_c	Highest
Product	pom	name	jose4j	High
Product	pom	url	https://bitbucket.org/b_c/jose4j/	Medium
Version	Manifest	Bundle-Version	0.9.6	High
Version	pom	version	0.9.6	Highest

#### Identifiers

- pkg:maven/org.bitbucket.b\_c/jose4j@0.9.6 (Confidence:High)
- [cpe:2.3:a:jose4j\\_project:jose4j:0.9.6:\\*:\\*:\\*:\\*:\\*](#) (Confidence:Highest)

suppress

### webserver.zip: webserver.jar

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/webserver.zip/webserver.jar

**MD5:** 9786e238a9474c77b9ef02b4607159a3

**SHA1:** d6820f68eea9cb3641afdd4fc86348fb874de385

**SHA256:** 06fff7d9e04d1ab4c960f22695707fcef5c103bf6a9c4052dbb69898fa0cac3e

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	file	name	webserver	High
Vendor	jar	package name	inet	Low
Vendor	jar	package name	webserver	Low
Vendor	Manifest	built-date	2026-06-16 16:31	Low
Vendor	Manifest	implementation-group	shared	Low
Vendor	Manifest	Implementation-Vendor	i-net software	High
Vendor	Manifest	Implementation-Vendor-Id	de.inetsoftware	Medium
Vendor	Manifest	specification-vendor	i-net software	Low
Vendor	Manifest	vendor	i-net software GmbH, Berlin, Germany	Medium
Product	file	name	webserver	High
Product	jar	package name	webserver	Highest
Product	jar	package name	webserver	Low
Product	Manifest	built-date	2026-06-16 16:31	Low
Product	Manifest	implementation-group	shared	Low
Product	Manifest	Implementation-Title	webserver	High
Product	Manifest	specification-title	webserver	Medium
Version	Manifest	Implementation-Version	26.4.269	High

#### Identifiers

- None

## Suppressed Vulnerabilities



**remotegui.zip: angular-animate.jar: angular-animate.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.js  
**MD5:** 31312b87e7226c8bf0714fcef0ea5d18

SHA1: dc9fb55f2c7f922c5ba83449266239ba1353db45  
SHA256: 58e79e0e7cbb1e1502d216701e1fae41c405d92320aea1b68a223054096fda93  
Referenced In Project/Scope: server

Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

Suppressed Identifiers

- None

Suppressed Vulnerabilities -

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snky.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>

- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST\\_THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

**CVE-2024-8372** suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT\\_THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

**CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.



Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status).

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed



Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-animate.jar: angular-animate.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-animate.jar/META-INF/resources/webjars/angular-animate/1.8.3/angular-animate.min.js

**MD5:** 5d2d0f42bb7e1b5503e914674f59dad0

**SHA1:** 4c15a58541e53c451c6f946d2048104f88b833c7

**SHA256:** 8e6202b1330a469a61ccdeebbd1cb3a20d0ecd8d106f68da5b85e9b67a1cd5

**Referenced In Project/Scope:** server

### Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPPWSPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

#### [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing).

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqmn-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):



- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

**CVE-2025-2336 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716 (RETIREJS)** suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: angular-cookies.jar: angular-cookies.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.js

**MD5:** e17187aea1f0e6dbd25722e34b754915

**SHA1:** 20f43f716b9fef7d72537bc1b0e5aa2bc480cee5

**SHA256:** f3291c552042f6d0c500167769912a78ab3ecec9917128b2d6ea8e7c6714bb97

**Referenced In Project/Scope:** server

#### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.

**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P



#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*:\*

#### **CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

#### [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

#### [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-gwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

#### **CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

#### **CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

#### **CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular-cookies.jar: angular-cookies.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-cookies.jar/META-INF/resources/webjars/angular-cookies/1.8.3/angular-cookies.min.js

**MD5:** c41aff8423276d46f0d02de6dcb71524

**SHA1:** 7dc53f75d5bf7dd2c770cb50f31242c70193c086

**SHA256:** 926509b494009bea03288bba191a2b238032188e9112377e50fbfe7814c6639b

**Referenced In Project/Scope:** server



## Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities



### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
\*\*Note:\*\* 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*

[CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `@angular/core` (<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of `<textarea>` elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)



- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*windows:\*:\*

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaxX/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

#### References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

#### Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS)** suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

### remotegui.zip: angular-sanitize.jar: angular-sanitize.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.js

**MD5:** 0127d7a139abfc8bd45875a9c8ea6348

**SHA1:** 197aea2acc25a0fa821766400950cac58a3627a5

**SHA256:** c84c65250afe5a1265f36a7e16c6010652e55c2ae3a779c351fb68536c42bf64

**Referenced In Project/Scope:** server

#### Evidence +

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities -

## [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value. **Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

## [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to [[@angular/core](https://www.npmjs.com/package/@angular/core)](<https://www.npmjs.com/package/@angular/core>).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A



#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

[CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

## CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)



- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

[CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

#### CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

[CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqmq-9c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:windows:\*

## CVE-2025-2336 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

## CVE-2025-4690 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

## CVE-2025-0716 (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

## End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021 (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

**remotegui.zip: angular-sanitize.jar: angular-sanitize.min.js**

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular-sanitize.jar/META-INF/resources/webjars/angular-sanitize/1.8.3/angular-sanitize.min.js

**MD5:** f3c62abeec216e9431e7d5b22d8e813b

**SHA1:** 21355ef18c5e1ce2b2c711b9dba21cbea0655646

**SHA256:** cc80a30ad0439c2e9c209b3d7fcffb1d10e6007fd1d00c9cc144f393664a7045

**Referenced In Project/Scope:** server

**Evidence**

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

**Suppressed Identifiers**

- None

**Suppressed Vulnerabilities**

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

#### **CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **Note:** This package is EOL and will not receive any updates to address this issue. Users should migrate to `[@angular/core]` (<https://www.npmjs.com/package/@angular/core>).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

**CVE-2022-25869** suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>



- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qqx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

[CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*



- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:\*:linux:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:\*:vsphere:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:\*:windows:\*.\*

#### **CVE-2024-8373** suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*.\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:\*:linux:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:\*:vsphere:\*.\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:-:\*:\*:\*:\*:windows:\*.\*

#### **CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

#### **CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

#### References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

#### Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

#### Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

#### Unscored:

- Severity: low

#### References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

#### Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.js

**MD5:** e09f650a016c24bc1b5a1edc93bfbade

**SHA1:** 0f1f7445b761b9bbd5385f9f0b316dbf1ca48696

**SHA256:** fdca889e76f55fdee7ab661920f37ce19233563bf7f4ac8120f8ebc2ac768768

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
------	--------	------	-------	------------

Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

## Suppressed Identifiers

- None

## Suppressed Vulnerabilities

### [CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.  
**Note:** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFPWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:\*:\*:\*:\*:\*

#### [CVE-2024-21490](#) suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. \*\*Note:\*\* This package is EOL and will not receive any updates to address this issue. Users should migrate to [angular/core](https://www.npmjs.com/package/@angular/core).

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

#### [CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>

- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

**CVE-2023-26116** suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

**CVE-2023-26117** suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

**CVE-2023-26118** suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)



#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see [here https://docs.angularjs.org/misc/version-support-status](https://docs.angularjs.org/misc/version-support-status) .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*:\*

**CVE-2025-2336** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>



- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: angular.jar: angular.min.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/angular.jar/META-INF/resources/webjars/angular/1.8.3/angular.min.js

**MD5:** 967a32633fa8f38f4ac3376c1a37b992

**SHA1:** b53b74d8e0b732dcdb98fbe521146b88299ea2f1

**SHA256:** 396dc1a03d6cc02e9c51a80246e0db53c5c8df9bd07287e3b51bce4a29dab355

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	angularjs	High
Product	RetireJS	name	angularjs	High
Version	RetireJS	version	1.8.3	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2022-25844](#) suppressed

The package angular after 1.7.0 are vulnerable to Regular Expression Denial of Service (ReDoS) by providing a custom locale rule that makes it possible to assign the parameter in posPre: ' '.repeat() of NUMBER\_FORMATS.PATTERNS[1].posPre with a very high value.

**\*\*Note:\*\*** 1) This package has been deprecated and is no longer maintained. 2) The vulnerable versions are 1.7.0 and higher.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

CVSSv2:

- Base Score: MEDIUM (5.0)
- Vector: /AV:N/AC:L/Au:N/C:N/I:N/A:P

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-m2h2-264f-f486>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/2WUSPYOTOMAZPDEFWPSCSPMNODRDKK3/>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce%40lists.fedoraproject.org/message/7LNAKCNTVBIHWAUT3FKWV5N67PQXSZOO/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.7.0
- cpe:2.3:a:netapp:ontap\_select\_deploy\_administration\_utility:-:\*:\*:\*:\*

**CVE-2024-21490** suppressed

This affects versions of the package angular from 1.3.0. A regular expression used to split the value of the ng-srcset directive is vulnerable to super-linear runtime due to backtracking. With large carefully-crafted input, this can result in catastrophic backtracking and cause a denial of service. **\*\*Note:\*\***This package is EOL and will not receive any updates to address this issue. Users should migrate to [@angular/core](https://www.npmjs.com/package/@angular/core).

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- HIGH (7.5)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)

- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-4w4v-5hc9-xrr2>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-21490>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-6241746>
- info - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-6241747>
- info - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-6091113>
- info - <https://stackblitz.com/edit/angularjs-vulnerability-ng-srcset-redos>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [THIRD\\_PARTY\\_ADVISORY](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angular.js:\*:\*:\*:\*:\* versions from (including) 1.3.0

[CVE-2022-25869](#) suppressed

All versions of the package angular; all versions of the package angularjs.core; all versions of the package angularjs are vulnerable to Cross-site Scripting (XSS) due to insecure page caching in the Internet Explorer browser, which allows interpolation of <textarea> elements.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- af854a3a-2127-422b-91ae-364da2661108 - [BROKEN\\_LINK](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-prc3-vjfx-vhm9>
- report@snyk.io - <https://neverendingsupport.github.io/angularjs-poc-cve-2022-25869>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJS-10771617>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-DOTNET-ANGULARJSCORE-6084031>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWER-2949783>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSBOWERGITHUBANGULAR-2949784>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JAVA-ORGWEBJARSNPM-2949782>
- report@snyk.io - <https://security.snyk.io/vuln/SNYK-JS-ANGULAR-2949781>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\*

[CVE-2023-26116](#) suppressed

Versions of the package angular from 1.2.21 are vulnerable to Regular Expression Denial of Service (ReDoS) via the angular.copy() utility function due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2vrf-hf26-jrp5>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.2.21; versions up to (including) 1.8.3

#### [CVE-2023-26117](#) suppressed

Versions of the package angular from 1.0.0 are vulnerable to Regular Expression Denial of Service (ReDoS) via the \$resource service due to the usage of an insecure regular expression. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-2qgx-w9hr-q5gx>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.0.0; versions up to (including) 1.8.3

#### [CVE-2023-26118](#) suppressed

Versions of the package angular from 1.4.9 are vulnerable to Regular Expression Denial of Service (ReDoS) via the <input type="url"> element due to the usage of an insecure regular expression in the input[url] functionality. Exploiting this vulnerability is possible by a large carefully-crafted input, which can result in catastrophic backtracking.

#### CWE-1333 Inefficient Regular Expression Complexity

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (5.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L/E:P/RC:R/MAV:A

#### References:

- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/advisories/GHSA-qwqh-hm9m-p5hr>
- report@snyk.io - <https://lists.fedoraproject.org/archives/list/package-announce@lists.fedoraproject.org/message/UDKFLKJ6VZKL52AFVW2OVZRMJWHMW55K/>
- report@snyk.io - [EXPLOIT](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- report@snyk.io - [MAILING\\_LIST,THIRD\\_PARTY\\_ADVISORY](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.4.9; versions up to (including) 1.8.3

#### [CVE-2024-8372](#) suppressed

Improper sanitization of the value of the 'srcset' attribute in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects AngularJS versions 1.3.0-rc.4 and greater.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

#### CWE-1289 Improper Validation of Unsafe Equivalence in Input, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/xxoQRNL/0072e627abe03e9cda373bc75b4c1017>
- info - <https://github.com/advisories/GHSA-m9gf-397r-hwpg>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8372>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8372>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions from (including) 1.3.1; versions up to (including) 1.8.3
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc4:\*:\*:\*:\*
- cpe:2.3:a:angularjs:angularjs:1.3.0:rc5:\*:\*:\*:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

#### [CVE-2024-8373](#) suppressed

Improper sanitization of the value of the [srcset] attribute in <source> HTML elements in AngularJS allows attackers to bypass common image source restrictions, which can also lead to a form of Content Spoofing [https://owasp.org/www-community/attacks/Content\\_Spoofing](https://owasp.org/www-community/attacks/Content_Spoofing) .

This issue affects all versions of AngularJS.

#### Note:

The AngularJS project is End-of-Life and will not receive any updates to address this issue. For more information see here <https://docs.angularjs.org/misc/version-support-status> .

CWE-791 Incomplete Filtering of Special Elements, NVD-CWE-Other

Notes: We can not yet update to newer Angular Version

#### CVSSv3:

- MEDIUM (4.3)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- 36c7be3b-2937-45df-85ea-ca7133ea542c - [EXPLOIT,THIRD\\_PARTY\\_ADVISORY](#)
- af854a3a-2127-422b-91ae-364da2661108 - <https://lists.debian.org/debian-lts-announce/2025/07/msg00005.html>
- af854a3a-2127-422b-91ae-364da2661108 - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://codepen.io/herodevs/full/bGPQgMp/8da9ce87e99403ee13a295c305ebfa0b>
- info - <https://github.com/advisories/GHSA-mqm9-c95h-x2p6>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2024-8373>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2024-8373>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:angularjs:angularjs:\*:\*:\*:\*:\* versions up to (including) 1.8.3
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:linux:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:vsphere:\*
- cpe:2.3:a:netapp:active\_iq\_unified\_manager:\*:\*:\*:\*:windows:\*

#### [CVE-2025-2336](#) (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:



- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/bNGYaXx/412a3a4218387479898912f60c269c6c>
- info - <https://github.com/advisories/GHSA-4p4w-6hg8-63wx>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-2336>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-2336>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-4690** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: medium

References:

- info - <https://codepen.io/herodevs/pen/RNNEPzP/751b91eab7730dff277523f3d50e4b77>
- info - <https://github.com/advisories/GHSA-hfff-63hg-f47j>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-4690>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-4690>

Vulnerable Software & Versions (RETIREJS):

**CVE-2025-0716** (RETIREJS) suppressed

Notes: We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://codepen.io/herodevs/pen/qEWQmpd/a86a0d29310e12c7a3756768e6c7b915>
- info - <https://github.com/advisories/GHSA-j58c-ww9w-pwp5>
- info - <https://github.com/angular/angular.js>
- info - <https://nvd.nist.gov/vuln/detail/CVE-2025-0716>
- info - <https://www.herodevs.com/vulnerability-directory/cve-2025-0716>

Vulnerable Software & Versions (RETIREJS):

**End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021** (RETIREJS) suppressed

End-of-Life: Long term support for AngularJS has been discontinued as of December 31, 2021

Notes: file name: remotegui.zip: angularjs.jar We can not yet update to newer Angular Version

Unscored:

- Severity: low

References:

- info - <https://docs.angularjs.org/misc/version-support-status>
- retid - 54

Vulnerable Software & Versions (RETIREJS):

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/hugerte.js

**MD5:** 0a6efbdc07b365918a67844e02cb30e2

**SHA1:** 54aae4c54ccee88eea1b3b9f74d958d813a113a3

**SHA256:** b366d47bca68c558550a58193bd4a1e05a1f5ef98cbaab316e392937da38f3eb

**Referenced In Project/Scope:** server

#### Evidence



Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

#### Suppressed Identifiers

- None

#### Suppressed Vulnerabilities



[CVE-2026-41240](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Versions prior to 3.4.0 have an inconsistency between FORBID\_TAGS and FORBID\_ATTR handling when function-based ADD\_TAGS is used. Commit c361baa added an early exit for FORBID\_ATTR at line 1214. The same fix was not applied to FORBID\_TAGS. At line 1118-1123, when EXTRA\_ELEMENT\_HANDLING.tagCheck returns true, the short-circuit evaluation skips the FORBID\_TAGS check entirely. This allows forbidden elements to survive sanitization with their attributes intact. Version 3.4.0 patches the issue.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),  
CWE-183 Permissive List of Allowed Inputs

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (6.0)
- CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:P/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSC:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT,MITIGATION,PATCH,VENDOR\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h7mw-gpvr-xq4m>



- security-advisories@github.com - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [PRODUCT, RELEASE NOTES](#)

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions up to (excluding) 3.4.0

#### [CVE-2026-0540](#) suppressed

DOMPurify 3.1.3 through 3.3.1 and 2.5.3 through 2.5.8, fixed in commit 2726c74, contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting five missing rawtext elements (noscript, xmp, noembed, noframes, iframe) in the SAFE\_FOR\_XML regex. Attackers can include payloads like </noscript><img src=x onerror=alert(1)> in attribute values to execute JavaScript when sanitized output is placed inside these unprotected rawtext contexts.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

#### CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

#### CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

#### References:

- help@fluidattacks.com - <https://fluidattacks.com/advisories/daft>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/commit/302b51de22535cc90235472c52e3401bedd46f80>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- help@fluidattacks.com - [PRODUCT](#)
- help@fluidattacks.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/fca0a938b4261ddc9c0293a289935a9029c049f5>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>

#### Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (including) 3.3.1

#### [CVE-2025-15599](#) suppressed

DOMPurify 3.1.3 through 3.2.6 and 2.5.3 through 2.5.8 contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting missing textarea rawtext element validation in the SAFE\_FOR\_XML regex. Attackers can include closing rawtext tags like </textarea> in attribute values to break out of rawtext contexts and execute JavaScript when sanitized output is placed inside rawtext elements. The 3.x branch was fixed in 3.2.7; the 2.x branch was never patched.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

#### CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [PRODUCT](#)
- disclosure@vulncheck.com - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/c861f5a83fb8d90800f1680f855fee551161ac2b>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (excluding) 3.2.7

**CVE-2026-41238 (RETIREJS)** suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-v9jr-rg53-9pgg>

Vulnerable Software & Versions (RETIREJS):

**CVE-2026-41239 (RETIREJS)** suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-crv5-9vww-q3g8>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.**

(RETIREJS) suppressed

DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.

Notes: HugerTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-39q2-94rc-95cp
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-39q2-94rc-95cp>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup. (RETIREJS) suppressed**

DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.

Notes: HugerTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-h8r8-wccr-v5f2
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h8r8-wccr-v5f2>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated. (RETIREJS) suppressed**

DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.

Notes: HugerTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cjmm-f4jc-qw8r
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cjmm-f4jc-qw8r>

Vulnerable Software & Versions (RETIREJS):

**When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS. (RETIREJS) suppressed**

When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cj63-jhhr-wcxv
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cj63-jhhr-wcxv>

Vulnerable Software & Versions (RETIREJS):

## remotegui.zip: hugerte.jar: theme.js

**File Path:** /home/jenkins/workspace/reporting/Check-Product-Installer-for-Security-Problems/CRInstaller/server/build/tmp/dependencies/i-net Clear Reports/plugins/remotegui.zip/hugerte.jar/META-INF/resources/webjars/hugerte/1.0.10/themes/silver/theme.js

**MD5:** 44cb08e002fca06cb52f0a998a34b913

**SHA1:** 55458cdd3c063b96d82693d141f535f61e280341

**SHA256:** b21ab51f48963e96600868f198137d44fac2d2f4a932d90104ffb11ab80b5544

**Referenced In Project/Scope:** server

### Evidence

Type	Source	Name	Value	Confidence
Vendor	RetireJS	name	DOMPurify	High
Product	RetireJS	name	DOMPurify	High
Version	RetireJS	version	3.2.4	High

### Suppressed Identifiers

- None

### Suppressed Vulnerabilities

[CVE-2026-41240](#) suppressed

DOMPurify is a DOM-only cross-site scripting sanitizer for HTML, MathML, and SVG. Versions prior to 3.4.0 have an inconsistency between FORBID\_TAGS and FORBID\_ATTR handling when function-based ADD\_TAGS is used. Commit c361baa added an early exit for FORBID\_ATTR at line 1214. The same fix was not applied to FORBID\_TAGS. At line 1118-1123, when EXTRA\_ELEMENT\_HANDLING.tagCheck returns true, the short-circuit evaluation

skips the FORBID\_TAGS check entirely. This allows forbidden elements to survive sanitization with their attributes intact. Version 3.4.0 patches the issue.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting'),  
CWE-183 Permissive List of Allowed Inputs

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (6.0)
- CVSS:4.0/AV:N/AC:L/AT:P/PR:N/UI:P/VC:N/VI:H/VA:N/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- 134c704f-9b21-4f2e-91b3-4a467353bcc0 - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h7mw-gpvr-xq4m>
- security-advisories@github.com - [EXPLOIT, MITIGATION, PATCH, VENDOR ADVISORY](#)
- security-advisories@github.com - [PATCH](#)
- security-advisories@github.com - [PRODUCT, RELEASE NOTES](#)

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions up to (excluding) 3.4.0

**CVE-2026-0540** suppressed

DOMPurify 3.1.3 through 3.3.1 and 2.5.3 through 2.5.8, fixed in commit 2726c74, contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting five missing rawtext elements (noscript, xmp, noembed, noframes, iframe) in the SAFE\_FOR\_XML regex. Attackers can include payloads like `</noscript><img src=x onerror=alert(1)>` in attribute values to execute JavaScript when sanitized output is placed inside these unprotected rawtext contexts.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (5.3)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:P/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- help@fluidattacks.com - <https://fluidattacks.com/advisories/daft>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/commit/302b51de22535cc90235472c52e3401bedd46f80>
- help@fluidattacks.com - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- help@fluidattacks.com - [PRODUCT](#)
- help@fluidattacks.com - [THIRD PARTY ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/fca0a938b4261ddc9c0293a289935a9029c049f5>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safe-for-xml>

- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-missing-rawtext-elements-in-safehtml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (including) 3.3.1

**CVE-2025-15599** suppressed

DOMPurify 3.1.3 through 3.2.6 and 2.5.3 through 2.5.8 contain a cross-site scripting vulnerability that allows attackers to bypass attribute sanitization by exploiting missing textarea rawtext element validation in the SAFE\_FOR\_XML regex. Attackers can include closing rawtext tags like </textarea> in attribute values to break out of rawtext contexts and execute JavaScript when sanitized output is placed inside rawtext elements. The 3.x branch was fixed in 3.2.7; the 2.x branch was never patched.

CWE-79 Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

CVSSv4:

- MEDIUM (5.1)
- CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:A/VC:N/VI:N/VA:N/SC:L/SI:L/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX:X/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSSv3:

- MEDIUM (6.1)
- CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N/E:P/RC:R/MAV:A

References:

- disclosure@vulncheck.com - [PATCH](#)
- disclosure@vulncheck.com - [PRODUCT](#)
- disclosure@vulncheck.com - [THIRD\\_PARTY\\_ADVISORY](#)
- info - <https://github.com/cure53/DOMPurify/commit/c861f5a83fb8d90800f1680f855fee551161ac2b>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safe-for-xml>
- info - <https://www.vulncheck.com/advisories/dompurify-xss-via-textarea-rawtext-bypass-in-safehtml>

Vulnerable Software & Versions (NVD):

- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 2.5.3; versions up to (including) 2.5.8
- cpe:2.3:a:cure53:dompurify:\*:\*:\*:\*:\* versions from (including) 3.1.3; versions up to (excluding) 3.2.7

**CVE-2026-41238** (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-v9jr-rg53-9pgp>

Vulnerable Software & Versions (RETIREJS):

**CVE-2026-41239** (RETIREJS) suppressed

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- info - <https://github.com/cure53/DOMPurify/releases/tag/3.4.0>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-crv5-9vww-q3g8>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.**

(RETIREJS) suppressed

DOMPurify has a logic inconsistency where FORBID\_TAGS is not checked when a function-based ADD\_TAGS (tagCheck) returns true. Due to short-circuit evaluation, the FORBID\_TAGS check is never evaluated, allowing explicitly forbidden elements to pass through sanitization when EXTRA\_ELEMENT\_HANDLING.tagCheck is configured.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-39q2-94rc-95cp
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-39q2-94rc-95cp>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.** (RETIREJS) suppressed

DOMPurify is vulnerable to mutation-XSS (mXSS) when sanitized HTML is embedded into special raw-text wrapper elements such as xmp, script, iframe, noembed, noframes, or noscript before being assigned via innerHTML. Attacker-controlled sequences like </xmp> inside attribute values close the raw-text context during the second parse, causing the sanitized output to mutate into executable markup.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-h8r8-wccr-v5f2
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-h8r8-wccr-v5f2>

Vulnerable Software & Versions (RETIREJS):

**DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the**



**predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.** (RETIREJS) suppressed

DOMPurify's ADD\_ATTR predicate function mechanism (via EXTRA\_ELEMENT\_HANDLING.attributeCheck) short-circuits URI validation when the predicate returns true. This allows unsafe protocols such as javascript: to survive sanitization in href and similar attributes, enabling DOM-based XSS when such links are activated.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cjmm-f4jc-qw8r
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cjmm-f4jc-qw8r>

Vulnerable Software & Versions (RETIREJS):

**When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.** (RETIREJS) suppressed

When USE\_PROFILES is enabled, DOMPurify rebuilds ALLOWED\_ATTR as a plain array whose properties are looked up by name, making it susceptible to prototype pollution. If Array.prototype has been polluted with an event handler attribute name (e.g. onclick), DOMPurify will allow that event handler to survive sanitization, resulting in DOM-based XSS.

Notes: HugeRTE: There is currently no fixed date. <https://github.com/hugerte/hugerte/issues/128#issuecomment-4025527015>

Unscored:

- Severity: medium

References:

- githubID - GHSA-cj63-jhhr-wcxv
- info - <https://github.com/cure53/DOMPurify/releases/tag/3.3.2>
- info - <https://github.com/cure53/DOMPurify/security/advisories/GHSA-cj63-jhhr-wcxv>

Vulnerable Software & Versions (RETIREJS):

This report contains data retrieved from the [National Vulnerability Database](#).

This report may contain data retrieved from the [CISA Known Exploited Vulnerability Catalog](#).

This report may contain data retrieved from the [Github Advisory Database \(via NPM Audit API\)](#).

This report may contain data retrieved from [RetireJS](#).

This report may contain data retrieved from the [Sonatype OSS Index](#).